


Some Techniques for Investigation


More sophistication than banging our heads at problems




King's Competitive Programming Club

Workshop 2

Workshop Agenda

- What did we learn last week?
 - Psychological strategies
 - Strategies for investigating problems
 - Some more problems and homework
 - Final messages
- 

Oh, and also:



Our Socials



Instagram




WhatsApp



Discord

What did we learn last week?



What did we learn last week?

What did we learn last week?


→ We got our hands dirty.



What did we learn last week?

What did we learn last week?


- We got our hands dirty.
- Stay loose and experiment.



What did we learn last week?

What did we learn last week?


- We got our hands dirty.
- Stay loose and experiment.
- Plug in lots of numbers.



What did we learn last week?


What did we learn last week?

- We got our hands dirty.
- Stay loose and experiment.
- Plug in lots of numbers.
- Keep playing around until you see a pattern.



What did we learn last week?


What did we learn last week?

- 
- We got our hands dirty.
 - Stay loose and experiment.
 - Plug in lots of numbers.
 - Keep playing around until you see a pattern.
 - Then, play around some more, and try to figure out why the pattern you see is happening.

What did we learn last week?

What did we learn last week?


→ We saw “problems” not “exercises”.



What did we learn last week?

What did we learn last week?


- We saw “problems” not “exercises”.
- **Exercises** are never puzzling, for it is always immediately clear how to proceed.



What did we learn last week?

What did we learn last week?

- We saw “problems” not “exercises”.
- **Exercises** are never puzzling, for it is always immediately clear how to proceed.
- A **problem** is a question that cannot be answered immediately.



What did we learn last week?

What did we learn last week?


- We saw “problems” not “exercises”.
- **Exercises** are never puzzling, for it is always immediately clear how to proceed.
- A **problem** is a question that cannot be answered immediately.
- Problems are often open-ended, paradoxical, and sometimes unsolvable, and require investigation before one can come close to a solution.

Psychological strategies




Psychological strategies

- We are not promising improvement in **solving** problems. That will come with time.




Psychological strategies


- We are not promising improvement in **solving** problems. That will come with time.
- But first you have to learn to **really** work.



Psychological strategies


- 
- We are not promising improvement in **solving** problems. That will come with time.
 - But first you have to learn to **really** work.
 - **Mental Toughness**

Psychological strategies

- 
- We are not promising improvement in **solving** problems. That will come with time.
 - But first you have to learn to **really** work.
 - **Mental Toughness**
 - **Creativity**


Psychological strategies > Mental toughness

→ Don't give up, nor bang your head on the wall.




Psychological strategies > Mental toughness

- Don't give up, nor bang your head on the wall.
- Vary each attempt.



Psychological strategies > Mental toughness

- 
- Don't give up, nor bang your head on the wall.
 - Vary each attempt.
 - But: learn to know when to give up (**temporarily!**)

Psychological strategies


Psychological strategies > Creativity

→ Be the magic.




Psychological strategies > Creativity

- Be the magic.
- Remember: Ants on a ruler problem




Psychological strategies > Creativity

- Be the magic.
- Remember: Ants on a ruler problem
- From: “Wow! How did she think of that? I could never have done it.”




Psychological strategies > Creativity

- 
- Be the magic.
 - Remember: Ants on a ruler problem
 - From: “Wow! How did she think of that? I could never have done it.”
 - To: “Nice idea! It’s similar to ones I’ve had. Let’s put it to work!”

Psychological strategies > Creativity


- Be the magic.
- Remember: Ants on a ruler problem
- From: “Wow! How did she think of that? I could never have done it.”
- To: “Nice idea! It’s similar to ones I’ve had. Let’s put it to work!”
- Stay loose.

Psychological strategies > Creativity

- 
- Be the magic.
 - Remember: Ants on a ruler problem
 - From: “Wow! How did she think of that? I could never have done it.”
 - To: “Nice idea! It’s similar to ones I’ve had. Let’s put it to work!”
 - Stay loose.
 - Cultivate a sort of mental peripheral vision.

Psychological strategies > Creativity

Pat wants to take a 1.5-meter-long sword onto a train, but the conductor won't allow it as carry-on luggage. And the baggage person won't take any item whose greatest dimension exceeds 1 meter.




Psychological strategies > Creativity

Pat wants to take a 1.5-meter-long sword onto a train, but the conductor won't allow it as carry-on luggage. And the baggage person won't take any item whose greatest dimension exceeds 1 meter.

What should Pat do?

Psychological strategies > Creativity

We have two polyhedra (i.e., solids with polygonal faces), all of whose edges have length 1: a pyramid with a square base, and a tetrahedron (a tetrahedron is composed of four triangular faces).



Psychological strategies > Creativity

We have two polyhedra (i.e., solids with polygonal faces), all of whose edges have length 1: a pyramid with a square base, and a tetrahedron (a tetrahedron is composed of four triangular faces).


Suppose we glue the two polyhedra together along a triangular face (so that the attached faces exactly overlap).

Psychological strategies > Creativity

We have two polyhedra (i.e., solids with polygonal faces), all of whose edges have length 1: a pyramid with a square base, and a tetrahedron (a tetrahedron is composed of four triangular faces).

Suppose we glue the two polyhedra together along a triangular face (so that the attached faces exactly overlap).

How many faces does the new solid have?




Strategies for investigating problems




Strategies for investigating problems

→ Simple ideas, but will allow you to make encouraging progress.




Strategies for investigating problems


- Simple ideas, but will allow you to make encouraging progress.
- **The investigation:** Discover what is going on.
 - Go make some observations.
 - List them out.



Strategies for investigating problems


- 
- Simple ideas, but will allow you to make encouraging progress.
 - **The investigation:** Discover what is going on.
 - Go make some observations.
 - List them out.
 - **Argument:** Convince yourself (or others) of your discoveries.

Strategies for investigating problems

- 
- Simple ideas, but will allow you to make encouraging progress.
 - **The investigation:** Discover what is going on.
 - Go make some observations.
 - List them out.
 - **Argument:** Convince yourself (or others) of your discoveries.
 - There is an easy way in competitive programming. . .

Strategies for investigating problems > Wishful thinking/Make it easier


- Ask yourself, “What is it about the problem that makes it hard?” Then, make the difficulty disappear!




Strategies for investigating problems > Wishful thinking/Make it easier

- Ask yourself, “What is it about the problem that makes it hard?” Then, make the difficulty disappear!
- You may not be able to do this **legally**, but who cares?

Strategies for investigating problems > Wishful thinking/Make it easier

- 
- Ask yourself, “What is it about the problem that makes it hard?” Then, make the difficulty disappear!
 - You may not be able to do this **legally**, but who cares?
 - Eliminating the hard part of a problem, even temporarily, will allow you to have some fun and raise your confidence.

Strategies for investigating problems > Wishful thinking/Make it easier

- 
- Ask yourself, “What is it about the problem that makes it hard?” Then, make the difficulty disappear!
 - You may not be able to do this **legally**, but who cares?
 - Eliminating the hard part of a problem, even temporarily, will allow you to have some fun and raise your confidence.
 - Make some progress with its easier cousin!

Strategies for investigating problems > Wishful thinking/Make it easier

The sequence $a_0, a_1, a_2, \dots$ satisfies

$$a_{m+n} + a_{m-n} = \frac{1}{2}(a_{2m} + a_{2n})$$

for all non-negative integers m and n with $m \geq n$.

Strategies for investigating problems > Wishful thinking/Make it easier

The sequence $a_0, a_1, a_2, \dots$ satisfies

$$a_{m+n} + a_{m-n} = \frac{1}{2}(a_{2m} + a_{2n})$$

for all non-negative integers m and n with $m \geq n$.


If $a_1 = 1$, determine a_{6767} .

Strategies for investigating problems > Wishful thinking/Make it easier

Let $\mathbb{N}$ denote the natural numbers $1, 2, 3, 4, \dots$. Consider a function f that satisfies:

$$f(1) = 1, \quad f(2n) = f(n), \quad \text{and} \quad f(2n+1) = f(2n) + 1$$

for all $n \in \mathbb{N}$.



Strategies for investigating problems > Wishful thinking/Make it easier

Let $\mathbb{N}$ denote the natural numbers $1, 2, 3, 4, \dots$. Consider a function f that satisfies:


$$f(1) = 1, \quad f(2n) = f(n), \quad \text{and} \quad f(2n+1) = f(2n) + 1$$

for all $n \in \mathbb{N}$.

Find a nice simple algorithm for $f(n)$. Your algorithm should be a single sentence long, at most.


Strategies for investigating problems > Induction

- This is a very powerful method for proving assertions that are “indexed” by integers.




Strategies for investigating problems > Induction

- This is a very powerful method for proving assertions that are “indexed” by integers.
- Prove the base case.




Strategies for investigating problems > Induction

- 
- This is a very powerful method for proving assertions that are “indexed” by integers.
 - Prove the base case.
 - Find a direct assertion from $n \rightarrow n + 1$.


Strategies for investigating problems > Induction

Prove that if n is an integer greater than 3, then


$$n! > 2^n$$


Strategies for investigating problems > Induction

→ But you might say: “This is competitive **programming**, not competitive mathematics.”




Strategies for investigating problems > Induction

- 
- But you might say: “This is competitive **programming**, not competitive mathematics.”
 - In fact, (backwards) induction is used in a very powerful method called **dynamic programming**, which we will learn in time!

Strategies for investigating problems

Strategies for investigating problems > Draw a picture/Recast/Change POV


→ Awareness that problems can and should be reformulated in different ways.




Strategies for investigating problems

Strategies for investigating problems > Draw a picture/Recast/Change POV

- Awareness that problems can and should be reformulated in different ways.
- Open your mind to other ways of reinterpreting problems!




Strategies for investigating problems > Draw a picture/Recast/Change POV

- 
- Awareness that problems can and should be reformulated in different ways.
 - Open your mind to other ways of reinterpreting problems!
 - Sometimes a problem is hard only because we choose the “wrong” point of view. Spending a few minutes searching for the “natural” point of view can pay big dividends.

Strategies for investigating problems

Strategies for investigating problems > Draw a picture/Recast/Change POV

Remove the two diagonally opposite corner squares of a chessboard.



Strategies for investigating problems > Draw a picture/Recast/Change POV


Remove the two diagonally opposite corner squares of a chessboard.

Is it possible to tile this shape with thirty-one 2×1 “dominos?”

(In other words, every square is covered and no dominos overlap.)

Strategies for investigating problems > Draw a picture/Recast/Change POV

Once again, you can easily use induction to prove the very cool fact that the sum of the first n perfect cubes is equal to the square of the n -th triangular number:


$$\sum_{i=1}^n i^3 = \left(\sum_{i=1}^n i \right)^2$$


Strategies for investigating problems > Draw a picture/Recast/Change POV

Once again, you can easily use induction to prove the very cool fact that the sum of the first n perfect cubes is equal to the square of the n -th triangular number:

$$\sum_{i=1}^n i^3 = \left(\sum_{i=1}^n i \right)^2$$


Can you do it with a picture, instead?



Strategies for investigating problems

Strategies for investigating problems > Draw a picture/Recast/Change POV

What is the first time after 12 o'clock at which the hour and minute hands meet?



Strategies for investigating problems > Draw a picture/Recast/Change POV

What is the first time after 12 o'clock at which the hour and minute hands meet?

This is an amusing and moderately hard algebra exercise, well worth doing if you never did it before.

Strategies for investigating problems > Draw a picture/Recast/Change POV


What is the first time after 12 o'clock at which the hour and minute hands meet?

This is an amusing and moderately hard algebra exercise, well worth doing if you never did it before.

However, this problem can be solved in a few seconds in your head if you avoid messy algebra and just consider the “natural” point of view. Go for it!

Strategies for investigating problems > Symmetry


- We call an object symmetric if there are one or more non-trivial “actions” that leave the object unchanged. We call the actions that do this the symmetries of the object.



Strategies for investigating problems > Symmetry


- We call an object symmetric if there are one or more non-trivial “actions” that leave the object unchanged. We call the actions that do this the symmetries of the object.
- A square is symmetric with respect to reflection about a diagonal.

Strategies for investigating problems > Symmetry

- 
- We call an object symmetric if there are one or more non-trivial “actions” that leave the object unchanged. We call the actions that do this the symmetries of the object.
 - A square is symmetric with respect to reflection about a diagonal.
 - A circle has infinitely many symmetries.

Strategies for investigating problems > Symmetry


A square is inscribed in a circle that is inscribed in a square.



Strategies for investigating problems > Symmetry


A square is inscribed in a circle that is inscribed in a square.

Find the ratio of the areas of the two squares.



Strategies for investigating problems > Symmetry

Your cabin is two miles due north of a stream that runs east-west. Your grandmother's cabin is located 12 miles west and one mile north of your cabin.



Strategies for investigating problems > Symmetry

Your cabin is two miles due north of a stream that runs east-west. Your grandmother's cabin is located 12 miles west and one mile north of your cabin.


Every day, you go from your cabin to Grandma's, but first visit the stream (to get fresh water for Grandma).

Strategies for investigating problems > Symmetry

Your cabin is two miles due north of a stream that runs east-west. Your grandmother's cabin is located 12 miles west and one mile north of your cabin.


Every day, you go from your cabin to Grandma's, but first visit the stream (to get fresh water for Grandma).

What is the length of the route with minimum distance?




Strategies for investigating problems > The extreme principle

- If possible, assume that the elements of your problem are “in order.” Focus on the “largest” and “smallest” elements, as they may be constrained in interesting ways.



Strategies for investigating problems > The extreme principle

- If possible, assume that the elements of your problem are “in order.” Focus on the “largest” and “smallest” elements, as they may be constrained in interesting ways.
- **Strategy-ception: Argument by contradiction.**




Strategies for investigating problems > The extreme principle

- If possible, assume that the elements of your problem are “in order.” Focus on the “largest” and “smallest” elements, as they may be constrained in interesting ways.
- **Strategy-ception: Argument by contradiction.**
- Assume that whatever you wish to prove is not true. Then look at the minimal (or maximal) element and develop an argument that creates a smaller (or larger) element, which is the desired contradiction.

Strategies for investigating problems > The extreme principle

Let B and W be finite sets of black and white points, respectively, in the plane, with the property that every line segment that joins two points of the same color contains a point of the other color.



Strategies for investigating problems > The extreme principle

Let B and W be finite sets of black and white points, respectively, in the plane, with the property that every line segment that joins two points of the same color contains a point of the other color.

Prove that both sets must lie on a single line segment.

Some more problems and homework



Some more problems and homework

Some more problems and homework

Problems and materials on GitHub:


[https://github.com/orthant-kcpc/
kcpc-workshops/tree/main/KCPC%20Year%
201%20Workshops/2nd%20Semester/Week%202](https://github.com/orthant-kcpc/kcpc-workshops/tree/main/KCPC%20Year%201%20Workshops/2nd%20Semester/Week%202)



Some more problems and homework

Beed has integers x and y . Initially, $x = 0$, $y = 0$. Beed can do the following four operations any number of times in any order:


→ **Operation 1:** Replace the value of x with $x + 1$.



Some more problems and homework

Beed has integers x and y . Initially, $x = 0$, $y = 0$. Beed can do the following four operations any number of times in any order:


- **Operation 1:** Replace the value of x with $x + 1$.
- **Operation 2:** Replace the value of y with $y + 1$.



Some more problems and homework

Beed has integers x and y . Initially, $x = 0$, $y = 0$. Beed can do the following four operations any number of times in any order:

- **Operation 1:** Replace the value of x with $x + 1$.
- **Operation 2:** Replace the value of y with $y + 1$.
- **Operation 3:** Replace the value of x with $x + y$.



Some more problems and homework

Beed has integers x and y . Initially, $x = 0$, $y = 0$. Beed can do the following four operations any number of times in any order:

- **Operation 1:** Replace the value of x with $x + 1$.
- **Operation 2:** Replace the value of y with $y + 1$.
- **Operation 3:** Replace the value of x with $x + y$.
- **Operation 4:** Replace the value of y with $x + y$.

Some more problems and homework

Beed has integers x and y . Initially, $x = 0$, $y = 0$. Beed can do the following four operations any number of times in any order:

- **Operation 1:** Replace the value of x with $x + 1$.
- **Operation 2:** Replace the value of y with $y + 1$.
- **Operation 3:** Replace the value of x with $x + y$.
- **Operation 4:** Replace the value of y with $x + y$.


You are given a positive integer N . Do at most 130 operations so that x will have the value N . Here, y can have any value. And, list out the operations you performed.

We can prove that such a sequence of operations exists under the constraints of this problem.

Some more problems and homework

There are N cookies on a desk. Each cookie has a positive integer on its surface: $A_1, A_2, \dots, A_N$, which are all different. Let us play a game with two players using these cookies. In this game, the players alternately do the following action:

- Choose a cookie on the desk and eat it. Then, if the XOR of the integers written on the remaining cookies on the desk becomes 0, the player wins, and the game ends.



Some more problems and homework

There are N cookies on a desk. Each cookie has a positive integer on its surface: $A_1, A_2, \dots, A_N$, which are all different. Let us play a game with two players using these cookies. In this game, the players alternately do the following action:

- Choose a cookie on the desk and eat it. Then, if the XOR of the integers written on the remaining cookies on the desk becomes 0, the player wins, and the game ends.

You have asked Matthew to play this game with you. You go first, and Matthew goes second. **Are you going to win if both players play optimally?**

Some more problems and homework

There are N cookies on a desk. Each cookie has a positive integer on its surface: $A_1, A_2, \dots, A_N$, which are all different. Let us play a game with two players using these cookies. In this game, the players alternately do the following action:

- Choose a cookie on the desk and eat it. Then, if the XOR of the integers written on the remaining cookies on the desk becomes 0, the player wins, and the game ends.

You have asked Matthew to play this game with you. You go first, and Matthew goes second. **Are you going to win if both players play optimally?**


Hint: You don't need to prove that your solution works rigorously. In competitive programming, getting “accepted” **is** a proof method.

Final messages




Final messages

→ Next week we will look at an interesting domain: **Lambda Calculus**




Final messages

- Next week we will look at an interesting domain: **Lambda Calculus**
- We want you curious and wearing your thinking hats!



Final messages

- 
- Next week we will look at an interesting domain: **Lambda Calculus**
 - We want you curious and wearing your thinking hats!
 - (p.s. you can check out what that means, but a sneak peek is that you're going to create **your** mathematics!)