




Residuals vs Fitted (LMM): fss_sum ~ mip * condition




Normal Q-Q (LMM residuals): fss_sum ~ mip * condition




Scale–Location (LMM): fss_sum ~ mip * condition




Residuals vs Fitted (LMM): fss_sum ~ smip * condition




Normal Q-Q (LMM residuals): fss_sum ~ smip * condition




Scale–Location (LMM): fss_sum ~ smip * condition




Residuals vs Fitted (LMM): fss_sum ~ fit * condition




Normal Q-Q (LMM residuals): fss_sum ~ fit * condition




Scale–Location (LMM): fss_sum ~ fit * condition




Residuals vs Fitted (LMM): fss_sum ~ id * condition




Normal Q-Q (LMM residuals): fss_sum ~ id * condition




Scale–Location (LMM): fss_sum ~ id * condition




Residuals vs Fitted (LMM): fss_sum ~ slopesmip * condition




Normal Q-Q (LMM residuals): fss_sum ~ slopesmip * condition




Scale–Location (LMM): fss_sum ~ slopesmip * condition




Residuals vs Fitted (LMM): fss_sum ~ sindex * condition




Normal Q–Q (LMM residuals): fss_sum ~ sindex * condition




Scale–Location (LMM): fss_sum ~ sindex * condition




Residuals vs Fitted (LMM): fss_sum ~ pif * condition




Normal Q-Q (LMM residuals): fss_sum ~ pif * condition




Scale–Location (LMM): fss_sum ~ pif * condition




Residuals vs Fitted (LMM): fss_sum ~ volume * condition




Normal Q-Q (LMM residuals): fss_sum ~ volume * condition




Scale–Location (LMM): fss_sum ~ volume * condition




Residuals vs Fitted (LMM): woods_sum ~ mip * condition




Normal Q-Q (LMM residuals): woods_sum ~ mip * condition




Scale–Location (LMM): woods_sum ~ mip * condition




Residuals vs Fitted (LMM): woods_sum ~ smip * condition




Normal Q-Q (LMM residuals): woods_sum ~ smip * condition




Scale–Location (LMM): woods_sum ~ smip * condition




Residuals vs Fitted (LMM): $\text{woods_sum} \sim \text{fit} * \text{condition}$




Normal Q–Q (LMM residuals): $\text{woods_sum} \sim \text{fit} * \text{condition}$




Scale–Location (LMM): $\text{woods_sum} \sim \text{fit} * \text{condition}$




Residuals vs Fitted (LMM): woods_sum ~ id * condition




Normal Q-Q (LMM residuals): woods_sum ~ id * condition




Scale–Location (LMM): woods_sum ~ id * condition




Residuals vs Fitted (LMM): woods_sum ~ slopesmip * condition




Normal Q-Q (LMM residuals): woods_sum ~ slopesmip * condition




Scale–Location (LMM): woods_sum ~ slopesmip * condition




Residuals vs Fitted (LMM): $\text{woods_sum} \sim \text{sindex} * \text{condition}$




Normal Q-Q (LMM residuals): $\text{woods_sum} \sim \text{sindex} * \text{condition}$




Scale–Location (LMM): $\text{woods_sum} \sim \text{sindex} * \text{condition}$




Residuals vs Fitted (LMM): woods_sum ~ pif * condition




Normal Q–Q (LMM residuals): woods_sum ~ pif * condition




Scale–Location (LMM): woods_sum ~ pif * condition




Residuals vs Fitted (LMM): woods_sum ~ volume * condition




Normal Q-Q (LMM residuals): woods_sum ~ volume * condition




Scale–Location (LMM): woods_sum ~ volume * condition




Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{mip} * \text{condition}$




Normal Q–Q (LMM residuals): $\text{dsq_sum} \sim \text{mip} * \text{condition}$




Scale–Location (LMM): $\text{dsq_sum} \sim \text{mip} * \text{condition}$




Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{smip} * \text{condition}$




Normal Q–Q (LMM residuals): $\text{dsq_sum} \sim \text{smip} * \text{condition}$




Scale–Location (LMM): $\text{dsq_sum} \sim \text{smip} * \text{condition}$




Residuals vs Fitted (LMM): dsq_sum ~ fit * condition




Normal Q-Q (LMM residuals): dsq_sum ~ fit * condition




Scale–Location (LMM): dsq_sum ~ fit * condition




Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{id} * \text{condition}$




Normal Q-Q (LMM residuals): $\text{dsq_sum} \sim \text{id} * \text{condition}$




Scale–Location (LMM): $\text{dsq_sum} \sim \text{id} * \text{condition}$




Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{slopesmip} * \text{condition}$




Normal Q–Q (LMM residuals): $\text{dsq_sum} \sim \text{slopesmip} * \text{condition}$




Scale–Location (LMM): $\text{dsq_sum} \sim \text{slopesmip} * \text{condition}$




Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{sindex} * \text{condition}$




Normal Q-Q (LMM residuals): $\text{dsq_sum} \sim \text{sindex} * \text{condition}$




Scale–Location (LMM): $\text{dsq_sum} \sim \text{sindex} * \text{condition}$




Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{pif} * \text{condition}$




Normal Q-Q (LMM residuals): $\text{dsq_sum} \sim \text{pif} * \text{condition}$




Scale–Location (LMM): $\text{dsq_sum} \sim \text{pif} * \text{condition}$



Residuals vs Fitted (LMM): $\text{dsq_sum} \sim \text{volume} * \text{condition}$



Normal Q-Q (LMM residuals): $\text{dsq_sum} \sim \text{volume} * \text{condition}$



Scale–Location (LMM): $\text{dsq_sum} \sim \text{volume} * \text{condition}$

