

Graph API Email Setup

Setup guide for Microsoft 365 / Entra administrators

OPTION: MICROSOFT GRAPH (NO SMTP)

Use this when Security Defaults blocks SMTP password login for `overwatch@metroshoewarehouse.com`. Overwatch already supports Graph.

Result: Daily MAP reports send as the company mailbox over HTTPS. No mailbox password. Outlook Sent folder and drafts still work.

AT A GLANCE

Field	Value
Best for	Stay on Microsoft 365 and the company mailbox
From address	<code>overwatch@metroshoewarehouse.com</code>
Protocol	HTTPS Microsoft Graph — not SMTP
Who sets it up	M365 / Entra admin, then Overwatch on Render
App status	Already built in MSW Overwatch
Cost	Included with existing Microsoft 365

This is the recommended Microsoft path. Daily MAP reports keep the familiar company From address, land in the Overwatch Outlook Sent folder, and the in-app Email action can still open a real Outlook draft.

WHO DOES WHAT

Role	Does this
M365 / Entra admin	Register the app, grant consent, create the secret, optional mailbox lock-down
Overwatch / Render	Paste the three Azure values and set EMAIL_TRANSPORT=graph
Anyone with Overwatch access	Send a test email and confirm delivery

PART A — ENTRA APP (IT)

1. Create the app registration

1. Open Microsoft Entra admin center

- Go to entra.microsoft.com and sign in as an admin.

2. Register a new application

- Applications → App registrations → New registration.
- Name: MSW Overwatch Graph Mail.
- Supported accounts: Accounts in this organizational directory only.
- Click Register.

3. Copy these two Overview values

- Directory (tenant) ID → AZURE_TENANT_ID
- Application (client) ID → AZURE_CLIENT_ID
- Also copy Object ID if you will lock the app to one mailbox.

2. Add Graph permissions

1. Add application permissions (not Delegated)

- API permissions → Add a permission → Microsoft Graph → Application permissions.
- Mail.Send — automatic Daily Run emails.
- Mail.ReadWrite — Open Overwatch draft in Outlook (To/Cc/Bcc + attachment).

2. Grant admin consent

- Click Grant admin consent for [your org].
- Status must show Granted. A Global Admin must do this if the button is missing.

3. Create a client secret

1. Certificates & secrets → New client secret

- Description: Overwatch Render. Expiry: 12 or 24 months.
- Copy the Value immediately (shown once). This is AZURE_CLIENT_SECRET — not Secret ID.

PART A (CONTINUED) — LOCK TO ONE MAILBOX

Recommended. Without this, application Mail.Send can send as any mailbox in the tenant. Run in Exchange Online PowerShell.

```
Connect-ExchangeOnline

New-ServicePrincipal -AppId "<AZURE_CLIENT_ID>" `
-ServiceId "<OBJECT_ID_FROM_ENTRA_OVERVIEW>"

New-ApplicationAccessPolicy `
-AppId "<AZURE_CLIENT_ID>" `
-PolicyScopeGroupId "overwatch@metroshoewarehouse.com" `
-AccessRight RestrictAccess `
-Description "MSW Overwatch Graph mail – overwatch mailbox only"

Test-ApplicationAccessPolicy `
-Identity overwatch@metroshoewarehouse.com `
-AppId "<AZURE_CLIENT_ID>"
```

The test command should say the app is allowed for overwatch@. The mailbox must exist (licensed user or shared mailbox).

PART B — RENDER (OVERWATCH API)

On the Keepa API / backend service, set these environment variables, then restart.

```
EMAIL_TRANSPORT=graph
EMAIL_FROM=overwatch@metroshoewarehouse.com
EMAIL_FROM_NAME=MSW Overwatch

AZURE_TENANT_ID=<Directory tenant ID>
AZURE_CLIENT_ID=<Application client ID>
AZURE_CLIENT_SECRET=<secret Value from Part A>
```

- EMAIL_PASSWORD is not required for Graph.
- Leave SMTP host as-is; Graph will not use it.
- A superadmin can switch User Management → Outbound Email Transport to Graph API. That lasts until the next restart — Render EMAIL_TRANSPORT=graph is the lasting default.

PART C — TEST

1. Sign in to MSW Overwatch.
2. Send a test via POST `/api/v1/reports/test-email` (or the dashboard test control).
3. Confirm the response includes `"transport": "graph"` and mail arrives from MSW Overwatch `<overwatch@metroshoewarehouse.com>`.
4. Optional: on a completed Daily Run, use Email to open the Overwatch draft (needs Mail.ReadWrite).

IF IT FAILS

Error	Likely cause / fix
Token 401	Wrong tenant ID, client ID, or secret (use Secret Value, not Secret ID)
sendMail 403	Admin consent not granted, or access policy blocks this mailbox
sendMail 404	EMAIL_FROM is not a real mailbox
Still SMTP / 535 5.7.139	Azure vars missing, or transport still smtp — restart after env change
Drafts fail, send works	Mail.ReadWrite missing or consent not granted

ADMIN CHECKLIST

- Register app MSW Overwatch Graph Mail
- Application permissions Mail.Send + Mail.ReadWrite + admin consent
- Create client secret and copy the Value
- Send Tenant ID, Client ID, and Secret to the Overwatch team
- Recommended: Application Access Policy for overwatch@ only

Full technical notes: [docs/microsoft-graph-email-setup.md](#) in the MSW Overwatch repository.