

Postmark Email Setup

Setup guide for send@mswoverwatch.com via Postmark

OPTION: POSTMARK (NOT SMTP, NOT GRAPH)

Send as send@mswoverwatch.com through Postmark’s HTTPS API. Microsoft 365 is not used to send.

Note: Free plan is 100 emails/month (testing only). Live Daily Runs need the \$15/month plan. A small Overwatch code change is still required.

AT A GLANCE

Field	Value
Best for	Leave Microsoft sending; keep a branded From address
From address	send@mswoverwatch.com
Protocol	HTTPS Postmark API — not SMTP, not Graph
Website domain	mswoverwatch.com (already used for the app)
App status	Account + DNS first; a small Overwatch code change is still required
Cost	Free: 100 emails/month. Production: \$15/month (10,000 emails)

Registering send@ does not send mail by itself. Postmark is the provider behind that address. Keep Reply-To as overwatch@metroshoewarehouse.com so vendor replies still reach the company mailbox.

BEFORE YOU START

- You must control DNS for mswoverwatch.com (Cloudflare, GoDaddy, Namecheap, etc.).
- Do not create this address as a Microsoft 365 mailbox — that puts you back on SMTP or Graph.
- The website A/CNAME records for www must stay in place.
- The free Postmark plan is only for testing. Live Daily Runs need the paid plan.

PART A — POSTMARK ACCOUNT AND DOMAIN

1. Create the account

1. Sign up at postmarkapp.com

- Create a Server named MSW Overwatch production.
- Open API Tokens and copy the Server API token. Store it like a password.

2. Add the sending domain

1. Sender Signatures → Add Domain (or Add Sender Signature)

- Domain: mswoverwatch.com.
- Sender: send@mswoverwatch.com.
- You do not need an Outlook mailbox for this address.

3. Add DNS records

Postmark shows the exact names and values. Add them at your DNS host. Do not remove website records.

Type	Purpose
CNAME (DKIM)	Proves Postmark may send for the domain — add every DKIM CNAME Postmark shows
TXT (SPF)	v=spf1 include:spf.mtasv.net ~all — if SPF already exists, edit it; do not create a second SPF
TXT (DMARC, recommended)	v=DMARC1; p=none; rua=mailto:overwatch@metroshoewarehouse.com
CNAME (Return-Path)	Bounce subdomain, if Postmark shows one

Skip MX unless you want send@ to receive mail. Send-only does not need MX. On Cloudflare, DKIM CNAMEs must be DNS only (grey cloud), not proxied.

4. Verify

1. Click Verify in Postmark

- Wait until DKIM/SPF show Verified (minutes to a few hours).
- Send Postmark's test message to your own inbox and confirm it is not in spam.

PART B — POINT OVERWATCH AT POSTMARK

Overwatch today only knows SMTP and Graph. After DNS is verified, add a Postmark transport in the API. Until that code exists, these env vars will not send.

Set on the Render API service once the code is in place:

```
EMAIL_TRANSPORT=postmark
EMAIL_FROM=send@mswoverwatch.com
EMAIL_FROM_NAME=MSW Overwatch
POSTMARK_SERVER_TOKEN=<Server API token>
```

- From: MSW Overwatch <send@mswoverwatch.com>
- Reply-To: overwatch@metroshoewarehouse.com (so replies are not lost)
- Azure Graph vars can stay if you still want Outlook drafts later.

PART C — TEST

1. Restart the API after env changes.

2. Call POST /api/v1/reports/test-email.

3. Confirm

- Message arrives.
- From is send@mswoverwatch.com.
- Reply goes to overwatch@metroshoewarehouse.com.

4. Run one real Daily Run (or resend) for a vendor inbox you control.

TELL VENDORS

Daily MAP reports will come from send@mswoverwatch.com. Please allowlist that address. Replies still go to overwatch@metroshoewarehouse.com.

WHAT THIS WILL NOT DO

- Mail will not appear in the Overwatch Outlook Sent folder.
- Open Overwatch draft still needs Graph, or you attach the file by hand.
- Creating send@ inside Microsoft 365 instead of Postmark puts you back on SMTP/Graph.

COST

Plan	Price	Volume
Free (Developer)	\$0	100 emails/month, then sending stops. Fine for DNS tests.
Basic	\$15 / month	10,000 emails — needed for live Daily Runs

One MAP email per vendor per day will exceed 100/month quickly. Use free for setup, paid for production. Pricing: postmarkapp.com/pricing

CHECKLIST

- Postmark account + Server API token
- Add domain mswoverwatch.com and sender send@mswoverwatch.com
- Add DKIM + SPF (and DMARC); do not break the website
- Verify in Postmark and send a test
- Add Postmark transport in Overwatch + Render env
- Test-email, then one real vendor send