

Graph Practical Setup Path

Easy checklist: Entra admin → Render → test email

BEST FIX FOR THE SMTP BLOCK: MICROSOFT GRAPH

Use your company Microsoft 365 / Entra tenant (not a personal free Azure account). An admin registers one app; you paste three IDs on Render; Overwatch sends as `overwatch@metroshoewarehouse.com` with no SMTP password.

Collect three values: Tenant ID · Client ID · Client secret

BEFORE YOU START

Need	Detail
Who	An M365 / Entra admin for metroshoewarehouse.com (not a personal free Azure account)
Mailbox	<code>overwatch@metroshoewarehouse.com</code> already works in Outlook
Where to configure	Render → Keepa API / backend environment variables
What to collect	1) Tenant ID 2) Client ID 3) Client secret Value

One-line summary: Admin creates Entra app + grants Mail.Send / Mail.ReadWrite → you paste the three IDs on Render with EMAIL_TRANSPORT=graph → restart → test email.

PART A — ADMIN CREATES THE APP (ENTRA)

A1. Open Entra

1. Go to <https://entra.microsoft.com>
2. Sign in with a company admin account

A2. Register the app

1. Left menu: Applications → App registrations
2. Click New registration
3. Name: MSW Overwatch Graph Mail
4. Supported account types: Accounts in this organizational directory only
5. Click Register

A3. Copy the two IDs (Overview page)

1. Copy Directory (tenant) ID → save as AZURE_TENANT_ID
2. Copy Application (client) ID → save as AZURE_CLIENT_ID

On screen	Save as
Directory (tenant) ID	AZURE_TENANT_ID
Application (client) ID	AZURE_CLIENT_ID

A4. Add Graph permissions

1. Left: API permissions → Add a permission
 2. Choose Microsoft Graph
 3. Choose Application permissions (not Delegated)
 4. Search and add: Mail.Send and Mail.ReadWrite
 5. Click Add permissions
 6. Click Grant admin consent for ... → confirm (green Granted)
- Mail.Send — automatic Daily Run / report emails
 - Mail.ReadWrite — manual "Open Overwatch draft" (To/Cc/Bcc + attachment)

A5. Create a client secret

1. Left: Certificates & secrets
2. Click New client secret
3. Description: Overwatch production
4. Expiry: whatever IT allows (e.g. 12–24 months)

5. Click Add
6. Copy the Value immediately (shown once) → AZURE_CLIENT_SECRET
7. Do not copy Secret ID — only the Value

Admin is done. Hand the three values to the Overwatch operator securely.

PART B — PUT THEM ON RENDER (OVERWATCH API)

On the backend / Keepa API service in Render → Environment, set:

```
EMAIL_TRANSPORT=graph
EMAIL_FROM=overwatch@metroshoewarehouse.com
EMAIL_FROM_NAME=MSW Overwatch

AZURE_TENANT_ID=<paste tenant ID>
AZURE_CLIENT_ID=<paste client ID>
AZURE_CLIENT_SECRET=<paste secret Value>
```

- EMAIL_PASSWORD is not needed for Graph
- Save / redeploy so the API restarts
- Optional (superadmin): User Management → Outbound Email Transport → Graph API (helps until restart; Render env is the lasting default)

PART C — TEST

Verify Graph is working

1. Open MSW Overwatch (web) and sign in
2. Send a test email (reports test control, or POST /api/v1/reports/test-email)
3. Success response should include "transport": "graph"
4. Confirm the message arrives from MSW Overwatch <overwatch@metroshoewarehouse.com>

IF IT FAILS

What you see	Likely fix
Token / 401	Wrong tenant ID, client ID, or secret Value
403	Admin consent not granted, or mailbox blocked by policy
404	EMAIL_FROM mailbox does not exist
Still using SMTP	Azure vars missing, or transport still set to SMTP

OPTIONAL LATER (IT)

After mail works, IT can restrict the app so it can only send as overwatch@... (Exchange Application Access Policy). Not required for first success. Full PowerShell steps: docs/microsoft-graph-email-setup.md.

Document prepared for MetroShoe Warehouse · MSW Overwatch · September 2026