

Azercell Device Management

Automated end-to-end test case report

Prepared by Narmin Rzazada, QA

Test run 27 August 2026

Type Automated browser tests (Selenium, Chrome)

Environment Local full stack — web, API and database

96 TEST CASES	109 EXECUTIONS	10 MODULES	100% PASSED	0 FAILED
------------------	-------------------	---------------	----------------	-------------

Summary. Every test below drives the real application in a real browser — the same clicks and typing a person would perform — against a live database, and then confirms the result was genuinely saved rather than only shown on screen. All 96 test cases passed on 27 August 2026. Nine of them are run against several inputs, giving 109 executions in total. A full run takes about ten minutes.

Sign-in & Account Security			12 test cases
Who can get into the system, and how their password and session are protected.			
ID	TEST CASE	WHAT IT VERIFIES	RESULT
AUTH-01	The sign-in page shows the login form	Opening the application shows the e-mail and password fields and the Sign in button. The note about future corporate LDAP sign-in is also shown.	PASS
AUTH-02	A correct e-mail and password opens the dashboard	A valid user signs in and lands on the dashboard, greeted by their first name. The system remembers the session so they stay signed in.	PASS
AUTH-03	Submitting an empty form shows both errors	Pressing Sign in with nothing filled in shows a message under each field. The user stays on the login page and no request is sent.	PASS
AUTH-04	A badly formatted e-mail is caught before sending	Typing something that is not an e-mail address shows a clear format message immediately. The system does not waste a login attempt on it.	PASS
AUTH-05	A wrong password is refused with a neutral message	Entering a real e-mail with the wrong password shows “Wrong e-mail or password”. No session is created.	PASS
AUTH-06	An unknown account looks the same as a wrong password	Signing in with an e-mail that does not exist gives exactly the same message as a wrong password. This stops outsiders from discovering which staff e-mails are registered.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
AUTH-07	Signing out ends the session completely	Choosing Sign out returns the user to the login page. The stored session is removed, so the browser cannot be used to get back in.	PASS
AUTH-08	A page cannot be opened without signing in	Typing an internal address while signed out sends the visitor to the login page. No application data is shown first.	PASS
AUTH-09	After signing in, the user lands on the page they wanted	If a signed-out user opens a direct link, they sign in and are taken straight to that page. They do not have to navigate there again.	PASS
AUTH-10	The default password must be changed at first sign-in	A new account still on the factory password is stopped by a dialog that cannot be dismissed. The factory password cannot be reused as the new one, and the old password stops working immediately afterwards.	PASS
AUTH-11	A new password must be strong and typed twice	Passwords under 8 characters, or without both letters and numbers, are refused. If the two entries do not match, the change is blocked.	PASS
AUTH-12	An invalid session returns the user to sign-in	If the stored session is tampered with or has expired, the user is returned to the login page. The invalid session is cleared rather than kept.	PASS

Navigation & Access Rights

8 test cases

That every page is reachable, and that each role sees only what it should.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
NAV-01	An Admin can open every page in the menu	Each of the nine menu entries is clicked and the correct page opens with the right heading. Covers Dashboard, Devices, Requests, Repairs, Projects, Users, Idle devices, Settings and Audit log.	PASS
NAV-02	The browser tab title matches the open page	Moving between pages updates the browser tab, for example "Devices · Azercell Device Management". This keeps multiple open tabs distinguishable.	PASS
NAV-03	A Manager sees the management section	A Manager has Projects, Users, Idle devices, Settings and Audit log in the menu. They can run the lab without Admin help.	PASS
NAV-04	A Tester sees only the four lab pages	A Tester's menu contains Dashboard, Devices, Requests and Repairs and nothing else. Every management page is hidden.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
NAV-05	A Tester typing a management address is sent back	Entering an internal management address directly returns the Tester to the dashboard. Verified for Users, Projects, Settings, Idle devices and Audit log.	PASS
NAV-06	An unknown address shows a friendly not-found page	A mistyped or outdated link shows a clear "this page doesn't exist" message inside the application. A link back to the dashboard is offered and works.	PASS
NAV-07	Old bookmarks still work	Links saved before the Requests page was merged still open the right place. Covers the former Handovers, Approvals and Loans addresses.	PASS
NAV-08	The signed-in person is named in the header	The header shows the user's own name and role. This makes it obvious who is signed in on a shared machine.	PASS

Device Inventory

12 test cases

Adding devices to the lab and finding them again.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
INV-01	An Admin adds a device and finds it in the list	A device is added with brand, model, operating system, serial, IMEI, accessories, project and a free-form specification. It appears in the list as Available and every field is stored correctly.	PASS
INV-02	Adding a device requires the essential fields	Saving with an empty form shows a message under Brand, Model, OS and Serial. The dialog stays open with the entered work intact.	PASS
INV-03	Badly formatted serial numbers and IMEIs are refused	A serial containing spaces and an IMEI containing letters are both rejected with a plain-language message. The device is not created.	PASS
INV-04	A duplicate serial number is refused	Adding a second device with a serial that already exists is blocked with a readable message. This prevents two records for one physical device.	PASS
INV-05	Cancelling the dialog saves nothing	Filling in the form and pressing Cancel discards everything. No device is created.	PASS
INV-06	Search narrows the list to one device	Typing a serial number into the search box reduces the table to the single matching device. Other devices disappear from view.	PASS
INV-07	A search with no results explains itself	Searching for something that does not exist shows "No devices match" rather than an empty screen. The user is prompted to clear a filter.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
INV-08	Search terms stay in the address	The current search is reflected in the browser address. Going back keeps the filter instead of resetting the list.	PASS
INV-09	The status filter shows only available devices	Filtering by Available lists only devices that are free. The filter is also kept in the address so the view can be shared.	PASS
INV-10	The header search jumps to the device list	Searching from the header on any page opens the Devices page pre-filtered to that term. The matching device is shown.	PASS
INV-11	Clicking a row opens that device	Selecting a device row opens its detail page. The model and serial number shown match the row that was clicked.	PASS
INV-12	A Tester cannot add or import devices	The Add device and Import Excel buttons are hidden from Testers. They can still browse the inventory and request a device.	PASS

Device Record & Damage Reporting

11 test cases

The single-device page: its details, history, edits and damage reports.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
DEV-01	The device page shows everything needed to identify it	Serial, IMEI, current holder, project and accessories are all listed. Free-form specifications such as RAM appear as tags.	PASS
DEV-02	The history shows who created the device	The History tab records the creation entry and the name of the person who added it. Nothing in the history can be edited.	PASS
DEV-03	A device with no repairs says so	The Repairs tab shows a count of zero and a plain message. The user is not left wondering whether it failed to load.	PASS
DEV-04	Editing a device saves the new values	Operating system version, IMEI and accessories are changed and saved. The page immediately shows the new values and they are stored.	PASS
DEV-05	Editing refuses an empty brand or a bad IMEI	Clearing the brand or entering an invalid IMEI blocks the save with a message under each field. The serial number cannot be edited at all, as it identifies the physical device.	PASS
DEV-06	Retiring a device takes it out of circulation	Setting a device to Retired updates its status. The Request button disappears so nobody can book it.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
DEV-07	Reporting damage opens a repair and flags the device	A Tester describes the damage and submits it. A repair is opened, and a warning about the known damage appears on the device page.	PASS
DEV-08	A damage report needs a real description	An empty description, or one shorter than five characters, is refused. This keeps the repair queue useful to whoever picks it up.	PASS
DEV-09	A second report on the same device is refused	If a device already has an open repair, a second report is blocked with an explanation. Details belong on the existing repair instead.	PASS
DEV-10	A deleted device can be restored by an Admin	Deleting a device removes it from the normal list and from being requested. It remains visible under the Deleted view and can be restored, with its history intact.	PASS
DEV-11	A Tester can view a device but not edit it	Testers see the device page, can request it and can report damage. The Edit button is hidden from them.	PASS

Projects & User Administration

9 test cases

Managing the projects devices are booked against, and the people who use the system.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
ADM-01	A Manager creates a project	A new project is created with a name and description. It appears immediately as a card showing that no devices are attached yet.	PASS
ADM-02	A project name is required and has a minimum length	Saving without a name, or with a single character, is refused with a message. The dialog stays open.	PASS
ADM-03	A new project can immediately be used for a device	A project created on the Projects page appears at once in the project list when adding a device. No refresh or re-login is needed.	PASS
ADM-04	An Admin creates a Tester account	A new account is created with name, e-mail, password and the Tester role. It appears in the user list as Active with the correct role.	PASS
ADM-05	New accounts must have valid details	An empty form, an invalid e-mail, or a password without both letters and numbers are all refused. Each problem is shown under its own field.	PASS
ADM-06	A duplicate e-mail address is refused	Creating a second account with an existing e-mail is blocked with a readable message. One person cannot end up with two accounts.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
ADM-07	Search filters the user list	Typing a name or e-mail narrows the table to matching people. This keeps the list usable as the team grows.	PASS
ADM-08	Changing someone's role asks for confirmation first	Changing a role opens a dialog naming the person and the new role. Cancelling leaves the role untouched; confirming applies it immediately.	PASS
ADM-09	A Manager cannot change roles	Managers see roles as plain text rather than a dropdown. Only an Admin can promote or demote someone.	PASS

Device Loan — Main Flow

4 test cases

The core business process: requesting a device, approval, handover and return.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
LOAN-01	A device goes out and comes back	A Tester requests a free device with a project, a reason and dates; an Admin approves it, hands it over and later checks it back in. At every step the device status and holder are verified, ending with the device Available and unheld again.	PASS
LOAN-02	A request needs a reason, a project and dates	The Submit button stays disabled until a date range is chosen in the calendar. A missing or too-short reason is refused with a message.	PASS
LOAN-03	A rejected request carries the reason back to the requester	An approver rejects a request with a written reason. The device stays free, and the requester sees both the rejection and the reason on their own list.	PASS
LOAN-04	A device returned damaged goes to repairs	During check-in the device is marked as damaged and a missing accessory is recorded. The device moves to In repair rather than back to the pool, and appears on the Repairs page.	PASS

Device Loan — Changes & Exceptions

8 test cases

What happens when a booking is withdrawn, extended, refused or moved.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
LEX-01	A requester can withdraw a pending request	A Tester cancels their own request before it is approved. The request becomes Cancelled and the device stays available to others.	PASS
LEX-02	Cancelling an approved booking asks first	Releasing an already-approved booking opens a confirmation, because it cannot be undone. Backing out keeps the booking; confirming releases the dates.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
LEX-03	A holder can extend a loan	The person holding a device extends it to a later date. The dialog opens on the current due date and the new date is saved.	PASS
LEX-04	An extension onto someone else's booking is refused	Extending into dates another person has already booked is blocked with the reason shown. The original loan is left completely unchanged.	PASS
LEX-05	A Tester returning a device notifies the desk	A Tester chooses Return and the lab desk is notified that the device is on its way. The loan stays open until a Manager physically accepts the device, which is the tester's receipt.	PASS
LEX-06	A holder who cannot hand over cancels with a reason	When a device in someone's hands is booked by the next person, the holder can refuse with a written explanation. The new booking is cancelled and the requester is told why.	PASS
LEX-07	The desk can move requested dates before approving	An approver adjusts the requested date range in the calendar before deciding. The dates change but the request stays pending, so moving dates is not the same as approving.	PASS
LEX-08	A pending request warns the next requester without blocking	Days another person has requested but that are not yet approved are highlighted in the calendar. They remain selectable, because the approver decides who gets them.	PASS

Repairs

7 test cases

The repair queue from first report to fixed, cancelled or written off.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
REP-01	A reported repair moves through every stage	A repair is advanced from Reported to Repair requested, to In repair, and finally to Fixed. The device is unavailable while under repair and returns to the pool once fixed.	PASS
REP-02	The Open tab counts only unfinished repairs	Open repairs are counted and listed under Open, and do not appear under Closed. The counter matches the list.	PASS
REP-03	Cancelling a mistaken report clears the damage note	A report filed by mistake is cancelled after a confirmation. The warning is removed from the device so it no longer looks damaged.	PASS
REP-04	Only an Admin can write a device off	A Manager can move a repair along but cannot scrap the device. An Admin can, and must give a written reason, after which the device is Retired.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
REP-05	A Tester can read the queue but not change it	Testers can see what is broken and its current stage. No action buttons are offered to them.	PASS
REP-06	A repair also shows on the device page	The device's own Repairs tab shows the open repair and its description. The count on the tab is updated.	PASS
REP-07	The menu badge counts open repairs	The Repairs entry in the menu carries a count of open repairs. Staff can see outstanding work without opening the page.	PASS

Settings, Audit Trail & Reports

14 test cases

Configuration, the record of who did what, and the idle-device report.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
CFG-01	The approval policy can be changed	An Admin switches between "every request needs approval" and "free devices auto-approve". The choice is saved on the server and survives a reload.	PASS
CFG-02	A Manager can see the policy but not change it	The policy options are read-only for Managers, and the page explains that only an Admin may change them.	PASS
CFG-03	The notification table names who receives each event	Every notifiable event lists its audience, for example Requester or Holder plus staff. Nobody has to guess who gets told.	PASS
CFG-04	Notification settings are saved	Turning an e-mail notification on or off is saved and still correct after reopening the page. The setting is then restored.	PASS
CFG-05	The e-mail outbox is visible	Queued, sent and failed e-mails are all listed with counts. Failed messages stay visible with their error instead of disappearing silently.	PASS
CFG-06	An action in the application appears in the audit log	A device is edited through the interface and the audit log records the change, who made it and the new value. This is the evidence trail the system exists to provide.	PASS
CFG-07	Audit filters narrow the log and can be shared	Filtering by record type or by person shows only matching entries, and the filter is kept in the address so the view can be sent to someone. Clearing the filters restores the full log.	PASS
CFG-08	An impossible audit filter says so	Filtering by a person who does not exist shows "nothing matches these filters". It does not silently fall back to showing everything.	PASS
CFG-09	The audit log can be exported	An export to CSV is offered, so the log can be handed over as a file rather than a screenshot.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
CFG-10	The audit log is closed to Testers	A Tester who types the audit address is returned to the dashboard. The log is never shown to them.	PASS
CFG-11	A device left unused is reported as never borrowed	A device that has sat on the shelf appears in the idle report, marked as never borrowed. This is the list of hardware not to buy again.	PASS
CFG-12	A device added today is not reported as idle	Newly added devices are excluded from the idle report. A device is not criticised for being unused on its first day.	PASS
CFG-13	The idle period can be narrowed	The report can be switched between 30, 90 and 180 days. A shorter period lists more devices, a longer one fewer, as expected.	PASS
CFG-14	A device out on loan is not idle	A device currently in someone's hands is excluded from the idle report. Only genuinely unused hardware is listed.	PASS

Dashboard & Shared Interface

11 test cases

The landing page counters and the elements present on every screen.

ID	TEST CASE	WHAT IT VERIFIES	RESULT
DASH-01	The dashboard greets the user and counts the lab	The dashboard greets the signed-in person by name and shows the number of devices available now. Adding a device increases that counter by exactly one.	PASS
DASH-02	A Tester with nothing checked out is told so	A new Tester sees a zero count and plain messages instead of empty boxes. The staff-only approval counter is not shown to them.	PASS
DASH-03	A device in my hands is counted and listed	Taking a device on loan increases the "In my hands" counter and lists the device with its due-back date. The holder always knows what they are responsible for.	PASS
DASH-04	The counters are links to the pages behind them	Selecting a counter opens the matching page. The dashboard works as a starting point, not just a display.	PASS
DASH-05	A pending request appears in the staff counter	A new request increases the "Waiting for approval" counter for staff. Approvers can see outstanding work at a glance.	PASS
DASH-06	The light and dark theme switch is remembered	Switching to dark mode changes the appearance immediately and is remembered for that browser. Reloading does not flash back to light.	PASS

ID	TEST CASE	WHAT IT VERIFIES	RESULT
DASH-07	The theme switch works before signing in	The theme can be changed on the login page itself. Someone working in a dark room is not blinded before they sign in.	PASS
DASH-08	A new request notifies the lab desk	When a request is submitted, staff receive a notification naming the device. The desk does not have to poll the Requests page.	PASS
DASH-09	Marking notifications read clears the badge	The unread count is shown on the bell, and "Mark all as read" clears it. The count returns to zero.	PASS
DASH-10	A new user sees an empty notification list	A brand-new account sees "No notifications yet" rather than a blank panel. There is no unread badge.	PASS
DASH-11	The search box is on every page	The header search is present on Devices, Requests, Repairs and Users. A device can be looked up from anywhere in the application.	PASS

Not yet automated

8 areas

Known gaps, listed so that coverage is not overstated. These areas still require manual testing.

AREA	WHAT IS MISSING
Excel import of devices	Bulk import from a spreadsheet, including the template download and the handling of a bad file, is not yet automated.
Editing, deleting and restoring users	Creating accounts and changing roles are covered. Editing an existing account, deactivating it, deleting and restoring it are not.
Editing, deleting and restoring projects	Creating a project is covered. Editing, deleting and restoring one are not.
Overdue devices	The overdue warning on the dashboard and the "chase these" list need a loan whose due date is in the past, which the tests do not yet create.
Server-unavailable behaviour	The screens shown when the server cannot be reached, and their retry buttons, are not yet exercised.
Mobile and tablet layouts	All tests run at desktop width. The mobile card layout and collapsed menu are not yet checked.
Individual notification links	Marking all notifications read is covered; opening a single notification and following its link is not.
Retrying a failed e-mail	The retry button in the outbox needs a genuinely failed e-mail to exist, which the tests do not yet produce.

Measured against the application's own screens and operations, the suite currently covers approximately 81% of everything the interface can do. Routes and pages are fully covered.