CSGE602055 Operating Systems
CSF2600505 Sistem Operasi
Week 01: Overview 2, Virtualization & Scripting

C. BinKadal

Sendirian Berhad

https://os.vlsm.org/Slides/os01.pdf
Always check for the latest revision!

REV369 14-Feb-2022

OS221[3]): Operating Systems Schedule 2022 - 1

Week	Topic[1])	OSC10[2])
Week 00	Overview 1, Virtualization & Scripting	Ch. 1, 2, 18.
Week 01	Overview 2, Virtualization & Scripting	Ch. 1, 2, 18.
Week 02	Security, Protection, Privacy, & C-language.	Ch. 16, 17.
Week 03	File System & FUSE	Ch. 13, 14, 15.
Week 04	Addressing, Shared Lib, & Pointer	Ch. 9.
Week 05	Virtual Memory	Ch. 10.
Week 06	Concurrency: Processes & Threads	Ch. 3, 4.
Week 07	Synchronization & Deadlock	Ch. 6, 7, 8.
Week 08	Scheduling + W06/W07	Ch. 5.
Week 09	Storage, Firmware, Bootloader, & Systemd	Ch. 11.
Week 10	I/O & Programming	Ch. 12.

[1]) For schedule, see https://os.vlsm.org/#idx02

[2]) Silberschatz et. al.: **Operating System Concepts**, 10th Edition, 2018.

[3]) This information will be on **EVERY** page two (2) of this course material.

STARTING POINT — https://os.vlsm.org/

- **Text Book** — Any recent/decent OS book. Eg. (**OSC10**) Silberschatz et. al.: **Operating System Concepts**, 10th Edition, 2018. (See https://www.os-book.com/OS10/).
- **Resources**
  - **SCELE OS221** — https://scele.cs.ui.ac.id/course/view.php?id=3313. The enrollment key is **XXX**.
  - **Download Slides and Demos from GitHub.com** — (https://github.com/os2xx/os/) os00.pdf (W00), os01.pdf (W01), os02.pdf (W02), os03.pdf (W03), os04.pdf (W04), os05.pdf (W05), os06.pdf (W06), os07.pdf (W07), os08.pdf (W08), os09.pdf (W09), os10.pdf (W10).
  - **Problems** 195.pdf (W00), 196.pdf (W01), 197.pdf (W02), 198.pdf (W03), 199.pdf (W04), 200.pdf (W05), 201.pdf (W06), 202.pdf (W07), 203.pdf (W08), 204.pdf (W09), 205.pdf (W10).
  - **LFS** — http://www.linuxfromscratch.org/lfs/view/stable/
  - **OSP4DISS** — https://osp4diss.vlsm.org/
  - **DOIT** — https://doit.vlsm.org/001.html

Agenda

1. Start
2. OS221 Schedule
3. Agenda
4. Week 01
5. Week 01: Review 2
6. Free Software
7. Software Licenses
8. Virtualization & Cloud Computing
9. Potpourri
10. Some Essential Command Lines
11. The "vi" editor

Agenda (2)

12. Week 01: Assignment #7: Update mylog.txt
13. Week 01: Assignment #8: More awk, bash, regex, sed
14. Week 01: Assignment #9: OSC 10
15. The End

Week 01 Overview II: Topics[1]

- Intelectual Property Rights (IPR)
- Software Licenses and Free Software
- Operating System Services and Interfaces
- System Calls and System Programming
- Types of virtualization (including Hardware/Software, OS, Server, Service, Network)
- Hypervisors
- Portable and cost of virtualization; emulation vs. isolation
- Cloud services: IAAS, PAAS and Platform APIs, SAAS
- Introduction to Scripting and REGEX.

[1] Source: ACM IEEE CS Curricula 2013

Week 01 Overview II: Learning Outcomes[1]

- Explain the concept of virtual memory and how it is realized in hardware and software. [Familiarity]
- Discuss hypervisors and the need for them in conjunction with different types of hypervisors. [Usage]
- Differentiate emulation and isolation. [Familiarity]
- Evaluate virtualization trade-offs. [Assessment]
- Discuss the importance of elasticity and resource management in cloud computing. [Familiarity]
- Explain the advantages and disadvantages of using the virtualized infrastructure. [Familiarity]

[1] Source: ACM IEEE CS Curricula 2013

The Operating System



Week 01: Review 2

- Intellectual Property Rights (IPR)
- Richard Stallman: Introduction to Free Software
  - YouTube: https://youtu.be/Ag1AKIl_2GM (article).
  - See also https://rms46.vlsm.org/1/70.pdf
- Operating System Services
- User Operating System Interface
- System Calls
- Types of System Calls
- System Programs
- Operating System Design and Implementation
- Operating System Structure
- Introduction to GNU/Linux.
- More Operating Systems.

Intelectual Property Rights (IPR)

- Trade Secret (Rahasia Dagang) — UU no. 30/2000.
- Industrial Design (Desain Industri) — UU no. 31/2000.
- Integrated Circuit Layout Design (Desain Tata Letak Sirkuit Terpadu) — UU no. 32/2000.
- Patent (Paten) — UU no. 14/2001.
- Copyright (Hak Cipta) — UU no. 19/2002.
- The problem of Intellectual Property Rights (IPR).
- Software IPR.
- Software Licenses: GNU GPL, EULA, Public Domain, Apache, Microsoft Public License.

Is this a Software Patent or Not?

The AV1 Video Codec — Timothy B. Terriberry — LINUX.CONF.AU 21-25 January 2019

EUROPEAN PATENT SPECIFICATION

(11) EP 0 460 751 B1

Date of filing: **03.06.1991**

Method of transmitting audio and/or video signals

1 **EP 0 460 751 B1**

Description

The invention relates to a method of transmitting audio and/or video signals *via* some transmission medium. More particularly the transmission medium is constituted by an optically readable disc. However, the transmission medium may also be a magnetic tape or disc or a direct connection between a transmitter and a receiver. The invention also relates to the transmission medium on which the audio and/or video signals are recorded, to an encoding apparatus for transmitting the audio and/or video signals, and to a decoding apparatus for receiving these signals.

The Codec Mess



Courtesy of
Jonatan Samuelsson
Divideon
Co-founder and CEO

Alliance for Open Media

Founding Members

amazon, Apple, arm, cisco, facebook, Google, intel, Microsoft, mozilla, NETFLIX, NVIDIA, SAMSUNG, Tencent

Promoter Members

Adobe, agora.io, Alibaba Group, ALLEGRO, AMD, Cateme, amlogic, ARGON DESIGN, BBC R&D, BROADCOM, 金山云, BITMOVIN, CableLabs, Chips Media, Fraunhofer, fyfcat, hulu, iCue, NGCODEC, Ittiam, iQIYI 爱奇艺, Polycom, V-SILICON, REALTEK, socionext, VeriSilicon, vimeo, Vidyo, videolan.org, 视频 Visionular, XILINX

Source (per 21-Sep-2020): https://aomedia.org/membership/members/

Free Software

- Free Software Definition (FSF)
  0. The freedom to run the program as you wish, for any purpose (freedom 0).
  1. The freedom to study how the program works and change it does your computing as you wish (freedom 1). Access to the source code is a precondition for this.
  2. The freedom to redistribute copies so you can help your neighbor (freedom 2).
  3. The freedom to distribute copies of your modified versions to others (freedom 3). By doing this, you can give the whole community a chance to benefit from your changes. Access to the source code is a precondition for this.
- Free Software vs. Open Source Software.
- Copyleft Software.

Software Licenses

- 3-clause BSD license and 2-clause BSD license (BSD-X-Clause)
- Apache License 2.0 (Apache-2.0)
- Artistic License 2.0 (ArtisticLicense2)
- Common Development and Distribution License (CDDL-1.0)
- Eclipse Public License (EPL-1.0)
- Educational Community License 2.0 (ECL2.0)
- Expat License (Expat) aka. MIT license (MIT)
- GNU Affero General Public License v3 (AGPL-3.0)
- GNU All-Permissive License (GNUAllPermissive)
- GNU General Public License (GPL)
- GNU Lesser General Public License (LGPL)
- Microsoft Public License (MS-PL)
- Mozilla Public License 2.0 (MPL-2.0)
- "Public Domain" (PublicDomain)
- X11 License (X11License)

Virtualization & Cloud Computing

- Virtual Machine
  - Host & Guest
  - Hypervisor (Virtual Machine Manager)
    - Type 0, 1, 2 Hypervisor
    - ParaVirtualization
    - Programming-environment Virtualization
    - Emulators
  - Application Containment (OS-Level)
    - Containers: LXC, Solaris Containers, Docker.
    - Zones: Solaris Containers
    - Virtual Private Servers: OpenVZ
    - Virtual Kernels: DragonFly BSD
    - Jails: FreeBSD Jail/ Chroot Jail
  - Kubernetes (K8s): A (open source) system for managing CONTAINERIZED applications.
- Cloud Computing
  - SAAS: Software As A Service.
  - PAAS: Platform As A Service.
  - IAAS: Infrastructure As A Service.

Potpourri

- Mobile/Distributed/Client-Server/Peer-to-Peer Computing.
- Real-Time Computing: Hard Real-Time vs. Soft Real-Time.
- Operating System Comparison: Android, *BSD, GNU/Linux, iOS, Mac OS, Windows.
- Operating System Services: UI (GUI, CLI); Program Executing; I/O Operations; File Systems Manipulation; Communication; Error Detection; Resource Allocation; Accounting; Protection & Security.
- System Calls: Process Control; File Management; Device Management; Information Maintenance; Communications; Protection.
- Application Programming Interface (API)
- Standard C Library.
- System Programs.
- Microkernel System Structure.
- Loadable Kernel Modules.
- Virtualization and Cloud System.

Some Essential Command Lines (1)

man	manual. E.g., "`man man`"
passwd	changes passwords.
ls	list directory contents. E.g., "`ls -al`"
cd	change the working directory. E.g., "`cd /tmp`"
cp	copy file(s). E.g., "`cp SOURCE DEST`"
rm	remove file(s). E.g., "`rm AFILE`"
mv	move files(s). E.g., "`mv FROMFILE TOFILE`"
mkdir	make directories(s). E.g., "`mkdir ADIRECTORY`"
rmdir	remove directories(s). E.g., "`rmdir ADIRECTORY`"
cat	read file(s) E.g., "`cat AFILE`"
more	read file(s) per screen E.g., "`more AFILE`"
ln	make a link of a file. E.g., "`ln -s file sfile`"
grep	search string "aword" inside file. E.g., "`grep aword file`"
sort	sort lines of text files. E.g., "`sort file1.txt`"
top	display systems task. E.g., "`top`"
find	E.g., "`find / -name minix3.iso -print`". Find from "/".

Some Essential Command Lines (2)

chmod	E.g. "`chmod 755 file`". Change file with access mode 755.
chown	E.g. "`chown user file`". Change owner file to user.
chgrp	E.g. "`chgrp other file`". Change group file to other.
tar	tape archive file. E.g.
	"`tar cf /tmp/tfile.tar dir/`". Archive "dir/" into tfile.tar.
	"`tar tf /tmp/tfile.tar`". List tfile.tar.
	"`tar xf /tmp/tfile.tar`". Extract tfile.tar.
date	print or set the system date and time. E.g. "`date +%Y`"
tee	read from standard input and write to standard output and files.
	E.g. "`ls -al | tee listing.txt`"
diff	compare files line by line. E.g. "`diff file1.txt file2.txt`"
wc	print newline, word, and byte counts for each file.
	E.g. "`wc file.txt`"

The "vi" editor

- VI Basics

	Basics		More Commands
i	insert mode	d^	delete from ^ (beginning) to the cursor
a	append mode	d$	delete from the cursor to $ (end)
<ESC>	escape mode	dd	delete the whole line
q!	quit	5dd	delete 5 lines
wq!	write and quit	yy	yank (copy) the line
ZZ	write and quit	p	put (paste) the line
h j k l	move [left, down, up, right]	J	joint current and next line
r	replace a character	:r file.txt	read (insert) file.txt
d	delete a character	:w! file.txt	write into file.txt
u	undo	:1,8 w! file.txt	write line 1 to 8 into file.txt

  - Basic vi Commands https://www.cs.colostate.edu/helpdocs/vi.html
  - Vim Basics in 8 Minutes https://youtu.be/ggSyF1SVFr4

Week 01: Assignment #7: Update mylog.txt

- mylog: Updating add commit push
  - With your favorite editor (perhaps "vi"?), update file mylog.txt.
- See https://osp4diss.vlsm.org/ETC/logCodes.txt for the Code list.
- **PUSH BACK** your repo into GitHub.com!
- Always remember the **4 Git Mantras**:

```
git pull
git add -A
git commit
git push
```

- Export Guest as `Guest-01c.ova`

Week 01: Assignment #8 (1): More awk, bash, regex, sed

- awk
  - `awk '{print "Hello awk!"}' file.txt` — print "Hello awk!" for every file.txt line.
  - `awk '{print $0}' file.txt` — print every file.txt line.
  - `awk '{print $1}' file.txt` — print first field of every file.txt line.
  - `awk '{print $2}' file.txt` — print second field of every file.txt line.
- regex
  - to search patterns
  - BRE (Basic Regular Expression) vs ERE (Extended Regular Expression)
  - Flavors: Grep, Java, JavaScript, PHP, POSIX, Python, sed, XML, ...

Week 01: Assignment #8 (2): bash, regex, sed, and awk

- ≪`^$`≫ — matches a beginning-of-line + end-of-line (empty line).
  - ≪`^`≫ — matches a beginning-of-line (meaningless).
  - ≪`^hello$`≫ — matches just "hello" in a line.
- ≪`.`≫ — matches any character.
  - ≪`hell.`≫ — matches "hellA", "hella", "hellB", "hellb", ...
- ≪`[AB]`≫ — matches "A" or "B" only.
  - ≪`[0-3]`≫ — matches "0", "1", "2", or "3" only.
  - ≪`[^4-9]`≫ — not match "4", "5", "6", "7", "8", or "9".
- ≪`?`≫ — matches preceding zero or one time.
  - ≪`a?b`≫ — matches "b" or "ab" only.
- ≪`*`≫ — matches preceding zero or more times.
  - ≪`a*b`≫ — matches "b" or "ab" or "aab" or ...
  - ≪`A.*Z`≫ — matches "AZ" or "AaZ" or "AabZ" or ...
- ≪`+`≫ — matches preceding one or more times.
  - ≪`a+b`≫ — matches "ab", "aab", "aaab", ...
- ≪`{}`≫ — matches numbers in {}.
  - ≪`a{2}`≫ — matches "aa".
  - ≪`a{2,5}`≫ — matches "aa", "aaa", "aaaa", and "aaaaa".

Week 01: Assignment #8 (3): bash, regex, sed, and awk

- ≪\≫ — escape character.
- ≪\0≫ — NULL.
- ≪\b≫ — word boundary.
- ≪\B≫ — non-word boundary.
- ≪\d≫ — any digit. E.g. ≪\d{1,3}≫ = 0 - 999.
- ≪\D≫ — any non-digit.
- ≪\n≫ — new line.
- ≪\t≫ — tab.
- ≪\s≫ — white space character.
- ≪\S≫ — non white space character.

Week 01: Assignment #8 (4): bash, regex, sed, and awk

- ≪`(...)`≫ — group.
  - ≪`(?:...)`≫ — passive group.
  - ≪`(regex)|(regex)`≫ — matches left regex or right regex.
  - ≪`(a|b`≫ — matches either a or b.
  - ≪`^(From|To):`≫ — matches either ≪`^From:`≫ or ≪`^To:`≫.
- ≪`[0-9]{10}`≫ — 10 digits.
- ≪`0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]`≫ — 00:00–23:59.
- ≪`([0-9]|0[0-9]|1[0-9]|2[0-3]):[0-5][0-9]`≫ — (0)0:00–23:59.

Week 01: Assignment #8 (5): bash, regex, sed, and awk

- ≪`[:alnum:]`≫ — alpha-numerics.
- ≪`[:alpha:]`≫ — alphabets
- ≪`[:blank:]`≫ — spaces and tabs.
- ≪`[:digit:]`≫ — digits.
- ≪`[:lower:]`≫ — lower case.
- ≪`[:space:]`≫ — spaces.
- ≪`[:upper:]`≫ — upper case.
- ≪`[:xdigit:]`≫ — hexadecimal digits.
- ≪`[:punct:]`≫ — punctuation.
- ≪`[:cntrl:]`≫ — control characters.
- ≪`[:graph:]`≫ — printed characters.
- ≪`[:print:]`≫ — printed and spaces.
- ≪`[:word:]`≫ — alpha-numerics and underscore.

Week 01: Assignment #8 (6): bash, regex, sed, and awk

```
\b(?:(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\.){3}
(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\b
```

- / \b(?:(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\.){3}(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\b / gm
  - \b assert position at a word boundary: (^|\W|\w$|\W\w|\w\W)
  - **Non-capturing group** (?:(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\.){3}
    - {3} **Quantifier** — Matches exactly **3** times
    - **Non-capturing group** (?:25[0-5]|2[0-4]\d|[01]?\d\d?)
      - **1st Alternative** 25[0-5]
        - 25 matches the characters 25 literally (case sensitive)
        - **Match a single character present in the list below** [0-5]
          - 0-5 a single character in the range between 0 **(index 48)** and 5 **(index 53)** (case sensitive)
      - **2nd Alternative** 2[0-4]\d
        - 2 matches the character 2 literally (case sensitive)
        - **Match a single character present in the list below** [0-4]
          - 0-4 a single character in the range between 0 **(index 48)** and 4 **(index 52)** (case sensitive)
        - \d matches a digit (equal to [0-9])
      - **3rd Alternative** [01]?\d\d?
        - **Match a single character present in the list below** [01]?
          - ? **Quantifier** — Matches between **zero** and **one** times, as many times as possible, giving back as needed (greedy)
          - 01 matches a single character in the list 01 (case sensitive)

Week 01: Assignment #8 (8): bash, regex, sed, and awk

```
\b(?:(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\.){3}
(?:25[0-5]|2[0-4]\d|[01]?\d\d?)\b
```

- **Non-capturing group** `(?:25[0-5]|2[0-4]\d|[01]?\d\d?)`
  - **1st Alternative** `25[0-5]`
    25 matches the characters `25` literally (case sensitive)
    - **Match a single character present in the list below** `[0-5]`
      `0-5` a single character in the range between `0` **(index 48)** and `5` **(index 53)** (case sensitive)
  - **2nd Alternative** `2[0-4]\d`
    2 matches the character `2` literally (case sensitive)
    - **Match a single character present in the list below** `[0-4]`
      `0-4` a single character in the range between `0` **(index 48)** and `4` **(index 52)** (case sensitive)
    `\d` matches a digit (equal to `[0-9]`)
  - **3rd Alternative** `[01]?\d\d?`
    - **Match a single character present in the list below** `[01]?`
      `?` **Quantifier** — Matches between **zero** and **one** times, as many times as possible, giving back as needed (greedy)
      `01` matches a single character in the list `01` (case sensitive)
    `\d` matches a digit (equal to `[0-9]`)
    - `\d?` matches a digit (equal to `[0-9]`)
      `?` **Quantifier** — Matches between **zero** and **one** times, as many times as possible, giving back as needed (greedy)

`\b` assert position at a word boundary: `(^|\w|\W:$|\W:\w|\w:\W)`

Week 01: Assignment #8 (9): bash, regex, sed, and awk

```
# file.txt

1. This is no. 1.
2. This is no. 22.
3. This is no. 333.
4. This is no. 4 4 4 4.
5. This is Joko.
6. This is Joko Joko.
7. This is joko.
8. This is Bowo.
9. This is bowo.
sed    'G'    ZA-thisfile1.txt
sed    'G;G'  ZA-thisfile1.txt
sed -n '4,6p' ZA-thisfile1.txt
sed -n '4,6p' ZA-thisfile1.txt > ZA-thisfile2.txt
sed -n '/[0-9]\{2\}/p' ZA-thisfile1.txt
sed    '4,6d' ZA-thisfile1.txt
sed    '$d' ZA-thisfile1.txt
sed    '5,/HABATS/d'   ZA-thisfile1.txt
sed    's/Joko/Bowo/'   ZA-thisfile1.txt
sed    's/Joko/Bowo/2' ZA-thisfile1.txt
sed    's/Joko/Bowo/g' ZA-thisfile1.txt
sed    's/Bowo\|bowo/Joko/g' ZA-thisfile1.txt
awk    '{print "Hello awk!"}' ZA-thisfile1.txt
awk    '{print $0}' ZA-thisfile1.txt
awk    '{print $1}' ZA-thisfile1.txt
awk    '{print $2}' ZA-thisfile1.txt
HABATS: This is the last line, dude!
```

Week 01: Assignment #8 (10): bash, regex, sed, and awk

- `sed 'G' file.txt` — double space.
- `sed 'G;G' file.txt` — triple space.
- `sed -n '4,6p' file.txt` — show only line 4 to 6.
- `sed -n '4,6p' file.txt > newfile.txt` — write line 4 to 6 to newfile.txt.
- `sed '/[0-9]\{2\}/p' file.txt` — show only lines with two digits.
- `sed '4,6d' file.txt` — show all except line 4 to 6.
- `sed '$d' file.txt` — show all except last line.
- `sed '5,/HABATS/d'` — show all except from line 5 to a line with HABATS.
- `sed 's/Joko/Bowo/' file.txt` — replace Joko with Bowo.
- `sed 's/Joko/Bowo/2' file.txt` — replace the second Joko with Bowo.
- `sed 's/Joko/Bowo/g' file.txt` — replace every Joko with Bowo.
- `sed 's/Bowo\|bowo/Joko/g' file.txt` – replace every Bowo or bowo with Joko.

Week 01: Assignment #9: OSC 10

- Read: (OSC10 chapter 1 + chapter 2 + chapter 18)

The End

- ☐ This is the end of the presentation.
- ☒ This is the end of the presentation.
- • This is the end of the presentation.