
## **Experiment No. 5**

## Nehaam Khan – 12 CSE(IOT &CSBT)



Query OK,	ehaam]> alter 0 rows affecte	d (0.00	9 sec)		me varchai	r(20) NOT NUL	L;					
	Duplicates: 0		ings:	0								
Field	Type	+	+ ——   Key	Default	Extra							
name branch	int(10)   varchar(20)   varchar(20)   varchar(50)	NO NO YES	PRI UNI	NULL NULL NULL NULL								
rows in	set (0.001 sec	;	•—	•——								
	ehaam]> create <b>0 rows affecte</b>				t(5), name	e varchar(20)	, branc	h varci	nar(20)	address	s varchar	(50
MariaDB [No Query OK, 0	ehaam]> alter 0 rows affecte	table p d (0.01	2 sec)		N KEY(roll	lno) REFERENC	ES stud	ent(ro	llno);			
MariaDB [No Query OK, 0	ehaam]> alter	table p d (0.01	2 sec)		N KEY(roll	lno) REFERENC	ES stud	ent(ro	llno);			
MariaDB [No Query OK, O Records: 0	ehaam]> alter 0 rows affecte	table p d (0.01 0 Warn	2 sec)		N KEY(roll	lno) REFERENC	ES stud	ent(ro	llno);			
MariaDB [No Query OK, O Records: 0	ehaam]> alter 0 rows affected Duplicates:	table p d (0.01 0 Warn	2 sec) ings:		,	lno) REFERENC	ES stud	ent(ro	llno);			
MariaDB [No Query OK, of Records: 0 MariaDB [No Field   rollno   name   branch	ehaam]> alter 0 rows affecte: Duplicates: 0 ehaam]> DESC s: 1 Type 1 int(10) 1 varchar(20) 1 varchar(20)	table p d (0.01 0 Warn tudent;	2 sec) ings:	•	,	lno) REFEREN(	ES stud	ent(ro	llno);			
MariaDB [No Query OK, O Records: 0 MariaDB [No   Field   rollno   name   branch   address	ehaam]> alter 0 rows affecte: Duplicates: 0 ehaam]> DESC s: 1 Type 1 int(10) 1 varchar(20) 1 varchar(20)	table p d (0.01 0 Warn tudent;   Null   NO   NO   YES   TES	2 sec) ings:  +   Key +   PRI	Default I NULL I NULL I NULL	,	lno) REFEREN(	ES stud	ent(ro	llno);			
MariaDB [No Query OK, of Records: 0 MariaDB [No Field rollno name branch address	ehaam]> alter 0 rows affected Duplicates: ( ehaam]> DESC s:   Type   int(10)   varchar(20)   varchar(50)   varchar(50)	table p d (0.01 0 Warn tudent;   Null   NO   YES   YES	2 sec) ings:  +   Key +   PRI	Default I NULL I NULL I NULL	,	lno) REFERENC	ES stud	ent(ro	llno);			
MariaDB [No Query OK, Records: 0 MariaDB [No Field Follno name branch address Fows in:	ehaam]> alter 0 rows affected Duplicates: (ehaam]> DESC s 1 Type 1 int(10) 1 varchar(20) 1 varchar(20) 2 varchar(50) 5 set (0.001 sec	table p d (0.01 0 Warn tudent;   Null   NO   YES   YES	2 sec) ings:    Key   PRI   UNI	Default I NULL I NULL I NULL	Extra	lno) REFERENC	ES stud	ent(ro	Llno);			
MariaDB [No Query OK, Records: 0 MariaDB [No Field Follno name branch address Fows in:	ehaam]> alter 0 rows affected Duplicates: 0 ehaam]> DESC s  1 Type 1 int(10) 1 varchar(20) 1 varchar(50) 2 varchar(50) 5 set (0.001 sec	table p d (0.01 0 Warn tudent;   Null   NO   NO   YES   YES   YES	2 sec) ings:    Key   PRI   UNI	Default   NULL   NULL   NULL   NULL   NULL	Extra	lno) REFERENC	ES stud	ent(ro	Llno);			

root@kali: -File Actions Edit View Help | varchar(20) | NO | varchar(20) | YES | varchar(50) | YES branch address NULL NULL 4 rows in set (0.001 sec) MariaDB [Nehaam]> DESC person; | Field | Type | Null | Key Default | Extra | + | int(5) | varchar(20) | varchar(20) | varchar(50) rollno YES YES YES YES NULL NULL NULL name branch address 4 rows in set (0.002 sec) MariaDB [Nehaam]> alter table person ADD CHECK(rollno≥1); Query OK, 0 rows affected (0.009 sec) Records: 0 Duplicates: 0 Warnings: 0 MariaDB [Nehaam]> DESC person; ||Field | Type | Null | Key | Default | Extra rollno int(5) varchar(20) YES YES YES YES NULL NULL NULL NULL MUL branch address | varchar(20) | varchar(50) 4 rows in set (0.002 sec) MariaDB [Nehaam]> alter table person alter name SET DEFAULT 'Raj'; Query OK, 0 rows affected (0.004 sec) Records: 0 Duplicates: 0 Warnings: 0 MariaDB [Nehaam]> DESC person; | Field . | Type Null Key | rollno | int(5)
name | varchar(20)
branch | varchar(20)
address | varchar(50) NULL Raj NULL NULL YES YES YES YES 4 rows in set (0.001 sec)

MariaDB [Nehaam]>