How to access local files

(Mac, FM ver16~)

FM-Tokyo LT 06/16 2018

Osamu Noda(@sam_oda)

Good Old Days

"file:/" & Get(TemporaryPath) & "target.html" common pattern in Mac, Windows, iOS

As long as you there, I was happy...

Trouble 1 The pattern is no longer valid

Ver16~, WebViewer Engine changed

Webkit -> Webkit2

"file:/ volumes" & Get(TemporaryPath) & "target.html"

Insert volumes

Let(path = "file:/" & Get(TemporaryPath) & "target.html"; Substitute(path; Get(SystemDrive); "//"))

e.g. file:///Users/osamu/desktop/sample.jpg

Trouble 2

Access prohibition to local files from inside of WebViewer code (data scheme)

But FileMaker can still access to local files!

How about accessing to local files via FileMaker?

Use calculation Field (\$\$path)

Set \$\$path in the webviewer code

Base64Encode the image

Assign it to the src of element

Use Local Server
In Terminal, move to the resource directory
then RUN SERVER

python -m SimpleHTTPServer 8080

or

php -S localhost:8080

e.g.

Giving up to use data scheme

instead

Export your html file to your resource directory

And you too, Ver17?

Insert From URL

"file:/" & Get(TemporaryPath) & "target.html"
This pattern is no longer valid
Same trouble as in ver16 webviewer
Change the path pattern as in ver16

Insert From URL ver17~ Accessing local files

- Windows: as usual
- e.g. "file:/" &Get(TemporaryPath) & "targetFile"
- Mac: insert 'volumes' or '///' pattern
- e.g. "file:/volumes" &Get(TemporaryPath) & "targetFile"
- e.g. "file:///Users/osamu/desktop/" & "targetFile"
- iOS: changed (Insert From URL only, not in webviewer)
- e.g. "file:" &Get(TemporaryPath) & "targetFile"