



Network Specifications - Financial/Non-Financial

October 2023

GLOBAL NETWORK SERVICES

Confidential and Trade Secret Materials

This document contains sensitive, confidential, and trade secret information and may not be disclosed to third parties without the prior written consent of American Express Travel Related Services Company, Inc.

To the maximum extent permitted by law, American Express does not make and hereby disclaims any and all representations, warranties, and liabilities, whether express or implied, or arising by law or from a course of dealing or usage of trade, including implied warranties of merchantability or fitness for a particular purpose or any warranty of title or non-infringement. Each Participant must comply with laws and regulations applicable to the subject matter of this document. These laws and regulations can differ from country to country, and each Participant is solely responsible for being aware and adhering to them in all countries where applicable.

The policies, procedures, and rules in this manual are subject to change from time to time by American Express Global Network Services.

© 2023 American Express Travel Related Services Company, Inc.

Table of Contents

1 Introduction	1-1
In This Introduction	1-1
About This Document	1-1
2 Clearing and Settlement	2-1
Section 1 Financial Data	2-1
Clearing and Settlement System	2-1
Clearing and Settlement Data Flow	2-1
Clearing and Settlement Mandatory Echoes	2-4
The Role of the Transaction Identifier	2-15
Clearing and Settlement File Structure	2-15
Financial Messages Process Flow	2-18
Acceptance Processing for Financial Messages	2-19
Reject Processing for Financial Messages	2-20
Network File Acknowledgment for Financial Messages	2-22
Addenda Data	2-24
Data Collection Clearing Data Flow	2-26
Section 2 Clearing and Settlement Features	2-26
Multi-Currency Processing	2-26
Cash Disbursement	2-28
Contactless (Expresspay)	2-28
Promotional Program Capability	2-29
Special Programs	2-30
Section 3 Daily Activity Process	2-32
Daily Activity Process (DAP)	2-32
Daily Activity Report (DAR)	2-32
Daily Activity File (DAF)	2-33
3 Financial Messages	3-1
File Header (9824)	3-1
File Trailer (9825)	3-6
Network File Acknowledgment (1844)	3-13
Participant File Acknowledgment (1824)	3-21
POS First and Second Presentment (1240)	3-26
ATM First and Second Presentment (1240)	3-62
Fee Collection (1744)	3-95
ATM Fees (1740/1742)	3-107
Retrieval Request Notification (1642)	3-119
Fulfillment Notification (1640)	3-137
First and Final Chargeback Notification (1442)	3-152
Daily Activity File (DAF) File Header (1324)	3-171
Daily Activity File (DAF) POS First and Second Presentments (1644)	3-174
DAF ATM First and Second Presentments (1644)	3-185
DAF ATM Fees (1644)	3-194
DAF Network Fees (1644)	3-203
DAF Retrieval Request Notification (1644)	3-211
DAF Fulfillment Notification (1644)	3-219
DAF First and Final Chargebacks (1644)	3-227
DAF File Returned (1644)	3-236
DAF Non-Cleared (1644)	3-245
Daily Activity File (DAF) File Trailer (1325)	3-252
Promotional Program Debit File (1244)	3-256

4 Addenda Messages	4-1
Industry Specific Detail Addenda (9240/9340)	4-1
Airline Industry Specific Detail (9240/9340)	4-2
Auto Rental Industry Specific Detail (9240/9340)	4-29
Communication Services Industry Specific Detail (9240/9340)	4-43
Entertainment/Ticketing Industry Specific Detail (9240/9340)	4-54
General Format Industry Specific Detail (9240/9340)	4-61
Insurance Industry Specific Detail (9240/9340)	4-68
Lodging Industry Specific Detail (9240/9340)	4-75
Rail Industry Specific Detail (9240/9340)	4-86
Restaurant Industry Specific Detail (9240/9340)	4-97
Retail Industry Specific Detail (9240/9340)	4-105
Travel/Cruise Industry Specific Detail (9240/9340)	4-116
Deferred Payment Plan (9240/9340)	4-131
Double Byte Character (9240)	4-143
Market Specific Data (9240)	4-150
Chip Card (9240)	4-161
Corporate Purchasing Card Transaction Detail (9240)	4-168
Extended Financial Addendum (9240)	4-194
5 Data Collection Messages	5-1
Data Collection Clearing Data Flow	5-1
Network File Acknowledgment for Data Collection Messages	5-2
Data Collection Message File Structure	5-3
File Sequence Number for Data Collection Messages	5-4
Data Collection File Header (9844)	5-6
Data Collection File Trailer (9845)	5-10
On Us POS First and Second Presentment (1340)	5-14
On Us ATM First and Second Presentment (1340)	5-36
On Us First and Final Chargeback Notification (1340)	5-62
S/E Demographics Detail Data (9640)	5-75
Program Specific Data Collection (9344)	5-89
Acquirer S/E Fraud Detail (9344)	5-89
ATM Location List (9344)	5-99
Fusion Membership Rewards (9344)	5-108
Chip Card Request and Response (9344)	5-118
Batch Exception Update Request (9344)	5-124
Batch Exception Update Response Count and Detail (9344)	5-134
Clearing and Settlement to Fraud Mapping	5-140
Fraud Repository Update and Response (9324/9334)	5-142
Fraud Report Record (9644)	5-157
6 Index	6-1

List of Figures

Figure 2-1. Flow Between Acquirer and Issuer through the Network	2-3
Figure 2-2. Clearing and Settlement Functionality	2-16
Figure 2-3. Example of Outcleared Financial Messages	2-17
Figure 2-4. Clearing and Settlement Financial Process Flow Chart	2-18
Figure 2-5. Incleared Financial Messages with the Network File Acknowledgment	2-23
Figure 2-6. Flow of Multi-Currency Presentment	2-26
Figure 5-1. Incleared Data Collection Messages with Network File Acknowledgment	5-2
Figure 5-2. Example of Outcleared Data Collection Messages	5-4
Figure 5-3. Three Files from 2 Acquirers & 1 Issuer, Sent by Authorized Processor	5-5
Figure 5-4. Chip Card Request and Response File Structure	5-119
Figure 5-5. Batch Exception Update Request File Structure	5-124
Figure 5-6. Batch Exception Update Response Count and Detail File Structure	5-125

List of Tables

Table 2-1.	POS and ATM Second Presentment (1240) Message Mandatory Echoes	2-4
Table 2-2.	Retrieval Request Notification (1642) Message Mandatory Echoes	2-7
Table 2-3.	Fulfillment Notification (1640) Message Mandatory Echoes	2-10
Table 2-4.	First and Final Chargeback Notification (1442) Message Mandatory Echoes	2-12
Table 2-5.	Acceptance Processing Flow for Financial Messages	2-19
Table 2-6.	Reject Categories	2-20
Table 2-7.	Rejected Financial Messages Sample	2-21
Table 2-8.	Addenda Message Type Identifiers	2-25
Table 5-1.	Rejected File Categories	5-1
Table 5-2.	Fusion Membership Rewards Reject Processing	5-109
Table 5-3.	Count and Detail Records Example	5-125
Table 5-4.	Batch Exception Reject Process	5-125
Table 5-5.	POS Clearing and Settlement to Fraud Mapping	5-140
Table 5-6.	ATM Clearing and Settlement to Fraud Mapping	5-141

Summary of Changes

This table shows the changes to the *Network Specifications - Financial/Non-Financial* manual.

Summary of Changes for *Network Specifications - Financial/Non-Financial*

Subject	Revision	First Publication Date
Acceptance Processing for Financial Messages on page 2-19 Reject Processing for Financial Messages on page 2-20	These sections were modified to define updated File Control Window requirements.	August 2023 <i>Network Participant Updates</i>
File Control Windows on page 2-20	This section was added to better define File Control Window requirements.	August 2023 <i>Network Participant Updates</i>

1 Introduction

In This Introduction

Overview

The *Network Specifications - Financial/Non Financial* manual contains:

- Clearing and Settlement Processing
- Financial messages and programming notes
- Addenda messages and programming notes
- Data Collection messages and programming notes

These messages send data between Participants and the American Express® Global Network.

Who Must Use This Manual

Participants (Acquirers, Issuers) and Authorized Processors must know the function of each message, format, and data element definition used on the Network.

About This Document

Publication Cycle

The Network Specifications manuals and *Codes Reference Guide* will be published two times each year, in April and October.

The *Network Participant Updates* (NPU) will be published on the second Friday following the second full business week of the month, and will include technical and code changes.

Summary of Changes

Important changes are in the [Summary of Changes on page v](#).

Style and Symbols

Words that are capitalized in this manual have specific meaning in the context of the *Business and Operational Policies* and Network Specifications manuals. Refer to the Definitions chapter in *Network Specifications - Instructions* manual.

References to this manual and other manuals are printed in *Italics*. The use of **Bold** is for visual emphasis.

All changes to the Network Specifications manuals and *Codes Reference Guide* will be indicated with a change bar. A change bar is a vertical line in the left margin that visually identifies new or revised text. **Only** substantive changes will be listed in the Summary of Changes tables in each manual. Substantive changes are defined as those changes having impact to Participants.



A trash can icon has been placed in the margin next to any significant deletion of text, including sections, tables, paragraphs, notes, and bullet points. An example of this icon appears in the margin next to this paragraph. If text has been deleted and changed, a change bar will appear next to the trash can icon.

Note: A “Note” indicates supplemental information. This paragraph is an example of a Note.

Technical Change Notification

GNS Participants are told about technical changes at different times.

Type of Change	When Participants are Told
Mandatory system/technical change	Six (6) months before the April or October effective date
Optional system/technical change	As necessary
Necessary legal change	The notification and effective dates are aligned with the legal and regulatory requirements
Reminders/information only	When necessary

2 Clearing and Settlement

Section 1 Financial Data

Clearing and Settlement System

What Is It?

The Clearing and Settlement system supplies all data necessary for Acquirers and Issuers to clear and settle Transactions through the Network.

AEGNS uses standard ISO 8583 fields and message formats in a fixed mode (without bitmap implementation).

Clearing

Clearing is the procedure that routes, edits, and summarizes Transactions that Participants send to the Network. The Network clears First Presentments, Chargeback processing Transactions, Second Presentments, and fee Transactions.

Settlement

Settlement is the procedure that calculates the amounts owed to and from the Network and the subsequent funds exchange. Settlement and funds exchange are the financial procedures that calculate settlement totals and move funds between Participants based on the Transactions cleared for the settlement period. Funds exchange occurs on each settlement day.

Reporting

Clearing and Settlement functionality supplies Transaction level and cumulative net financial position ("daily activity") and settlement for Participants. Participants get Daily Activity reports that show data about their Transactions that were used to calculate the financial position reported by the Network.

Clearing and Settlement Data Flow

What Is An Outcleared Message?

Outcleared messages are sent from a Participant's host system to the Network.

What Is An Incleared Message?

Incleared messages are sent from the Network to a Participant's host system.

Financial Message Transmission Procedure

The Clearing and Settlement financial message transmission procedure sends:

- First and Second Presentment messages
- Fee Transaction messages
- Addenda messages
- Chargeback processing messages

First Presentments

After the S/E submits Transactions to the Acquirer, the Acquirer outclears POS First Presentments to the Network. The Network sends these through the Clearing and Settlement procedure to move the financial liability from the Acquirer to the Issuer and then to the Cardmember. The Network then inclears the First Presentments to the Issuer. Presentment is the first time all the Transaction data moves from Acquirer to Issuer.

Note: ATM First Presentments are created from the ATM Financial Transaction Request (1200). The American Express Funds Access System (FAS) gets the Transaction data, creates the ATM First Presentment (1240) message and sends the data to the Network. The Network sends the ATM First Presentment (1240) message to the Issuer.

Retrieval Requests

When necessary, the Issuer sends a Retrieval Request Notification (1642) message to the Network for copies of the first POS or ATM Transaction record or other documentation. The Network sends the Retrieval Request Notification (1642) message to the Acquirer for fulfillment.

Fulfillment Notification

Fulfillment is when an Acquirer responds to the POS or ATM Retrieval Request (1642) message of an Issuer. The Acquirer sends a Fulfillment Notification (1640) message through the Network to the Issuer. Supporting documentation is sent through Network Disputes Manager. Refer to the *Network Disputes Manager User Guide* for more instruction.

Chargebacks

If a POS or ATM Transaction does not obey AEGNS policies, the Issuer can send a First Chargeback Notification (1442) message to move financial liability to the Acquirer. Refer to the *Business and Operational Policies* manual for instruction and policies about Chargebacks and Disputes.

Second Presentments

If the Acquirer disputes the First Chargeback, the Acquirer sends a POS or ATM Second Presentment to the Network. This is the second time, after a First Chargeback, that an Acquirer sends a Transaction to the Issuer through the Network. The Second Presentment contains more documentation or data that shows that the Chargeback is not correct. The Second Presentment moves the financial liability from the Acquirer to the Issuer.

Final Chargeback

When the Issuer receives a POS or ATM Second Presentment, the Issuer can dispute it. The Issuer can send the Acquirer a Final Chargeback of the Transaction.

Flow Between Acquirer/Issuer

Figure 2-1 shows how First and Second Presentments, First and Final Chargebacks, Retrieval Requests, and Fulfillment Notifications go through the Network.




Figure 2-1. Flow Between Acquirer and Issuer through the Network

Note: Figure 2-1 does not show the ATM First Presentment flow.

Clearing and Settlement Mandatory Echoes

Introduction

Many fields in the financial messages must “echo”, or repeat the same field data in a subsequent message. Participants must get data from other messages for fields that are mandatory echoes.

All Participants must use the message layouts from these chapters:

- Authorization Messages chapter in the *Network Specifications - Authorization* manual
- [Chapter 3 Financial Messages](#)
- [Chapter 4 Addenda Messages](#)
- [Chapter 5 Data Collection Messages](#)

Message 1240

Table 2-1 shows the mandatory echoes in the [POS First and Second Presentment \(1240\)](#) on page 3-26 message.

Table 2-1. POS and ATM Second Presentment (1240) Message Mandatory Echoes

Field Number	File Positions	Field Name	Echoed From
3	7-25	Primary Account Number	Echoed from Field 3, Primary Account Number (positions 7-25) in 1240 POS or ATM First Presentment message
4	26-31	Processing Code	Echoed from Field 4, Processing Code (positions 26-31) in 1240 POS or ATM First Presentment message
18 POS	142-145	Merchant Category Code	Echoed from Field 18, Merchant Category Code (positions 142-145) in 1240 POS First Presentment message
16 ATM			Echoed from Field 16, Merchant Category Code (positions 142-145) in the 1240 ATM First Presentment message
25 (SP)	186-200	First Presentment Transaction Amount	Echoed from Field 17, First Presentment Transaction Amount (positions 186-200) in 1442 First Chargeback message
28 POS	201-211	Acquiring Institution Identification Code	Echoed from Field 28, Acquiring Institution Identification Code (positions 201-211) in 1240 POS First Presentment message
25 ATM			Echoed from Field 25, Acquiring Institution Identification Code (positions 201-211) in 1240 ATM First Presentment message

Table 2-1. POS and ATM Second Presentment (1240) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
29 POS	212-222	Acquiring Institution Processor Identifier	Echoed from Field 29, Acquiring Institution Processor Identifier (positions 212-222) in 1240 POS First Presentment message
26 ATM			Echoed from Field 26, Acquiring Institution Processor Identifier (positions 212-222) in 1240 ATM First Presentment message
30 POS	223-245	Acquirer Reference Number	Echoed from Field 30, Acquirer Reference Number (positions 223-245) in 1240 POS First Presentment message
27 ATM			Echoed from Field 27, Acquirer Reference Number (positions 223-245) in 1240 ATM First Presentment message
34	255-262	Card Acceptor Terminal Identification	Echoed from Field 31, Card Acceptor Terminal Identification (positions 255-262) in 1240 ATM First Presentment message
35 POS	263-277	Card Acceptor Identification Code	Echoed from Field 35, Card Acceptor Identification Code (positions 263-277) in 1240 POS First Presentment message
32 ATM			Field 32, Card Acceptor Identification Code (positions 263-277) in ATM First Presentment message
61 POS	603-605	First Presentment Transaction Currency Code	Echoed from Field 68, Transaction Currency Code (positions 642-644) in 1240 POS First Presentment message
56 ATM			Echoed from Field 63, Transaction Currency Code (positions 642-644) in 1240 ATM First Presentment message
62 POS	606	First Presentment Transaction Decimalization	Echoed from Field 62, Transaction Decimalization (position 606) in 1240 POS First Presentment message
57 ATM			Echoed from Field 57, Transaction Decimalization (position 606) in 1240 ATM First Presentment message
63 POS	607-621	First Presentment Presentment Amount	Echoed from Field 63, First Presentment Presentment Amount (positions 607-621) in 1240 POS First Presentment message
58 ATM			Echoed from Field 58, First Presentment Presentment Amount (positions 607-621) in 1240 ATM First Presentment message

Table 2-1. POS and ATM Second Presentment (1240) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
64 POS	622-636	First Presentment Transaction To Presentment Conversion Rate	Echoed from Field 64, First Presentment Transaction To Presentment Conversion Rate (positions 622-636) in 1240 POS First Presentment message
59 ATM			Echoed from Field 59, First Presentment Transaction To Presentment Conversion Rate (positions 622-636) in 1240 ATM First Presentment message
65 POS	637-639	First Presentment Presentment Currency Code	Echoed from Field 65, First Presentment Presentment Currency Code (positions 637-639) in 1240 POS First Presentment message
60 ATM			Echoed from Field 60, First Presentment Presentment Currency Code (positions 637-639) in 1240 ATM First Presentment message
66 POS	640	First Presentment Presentment Decimalization	Echoed from Field 66, First Presentment Presentment Decimalization (position 640) in 1240 POS First Presentment message
61 ATM			Echoed from Field 61, First Presentment Presentment Decimalization (position 640) in 1240 ATM First Presentment message
68 POS	642-644	Transaction Currency Code	Echoed from Field 68, Transaction Currency Code (positions 642-644) in 1240 POS First Presentment message
63 ATM			Echoed from Field 63, Transaction Currency Code (positions 642-644) in 1240 ATM First Presentment message
90 POS	766-773	First Presentment Transaction Date	Echoed from Field 13, Transaction Date (positions 112-119) in 1240 POS First Presentment message
85 ATM			Echoed from Field 11, Transaction Date (positions 112-119) in ATM First Presentment message
104 POS	909-916	First Presentment Network Processing Date	Echoed from Field 104, First Presentment Network Processing Date (positions 909-916) in 1240 POS First Presentment message
101 ATM			Echoed from Field 101, First Presentment Network Processing Date (positions 909-916) in 1240 ATM First Presentment message
105 POS	917-922	First Presentment Network Processing Time	Echoed from Field 105, First Presentment Network Processing Time (positions 917-922) in 1240 POS First Presentment message
102 ATM			Echoed from Field 102, First Presentment Network Processing Time (positions 917-922) in 1240 ATM First Presentment message

Table 2-1. POS and ATM Second Presentment (1240) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
107 POS	925-935	Issuer Institution Identifier	Echoed from Field 107, Issuer Institution Identifier (positions 925-935) in 1240 POS First Presentment message
104 ATM			Echoed from Field 104, Issuer Institution Identifier (positions 925-935) in 1240 ATM First Presentment message
113 POS	1006-1020	Transaction Identifier	Echoed from Field 113, Transaction Identifier (positions 1006-1020) in 1240 POS First Presentment message
116 ATM			Echoed from Field 116, Transaction Identifier (positions 1006-1020) in 1240 ATM First Presentment message
117 POS	1040-1050	Issuer Processor Identifier	Echoed from Field 117, Issuer Processor Identifier (positions 1040-1050) in 1240 POS First Presentment message
120 ATM			Echoed from Field 120, Issuer Processor Identifier (positions 1040-1050) in 1240 ATM First Presentment message

Message 1642

Table 2-2 shows the mandatory echoes in the [Retrieval Request Notification \(1642\)](#) on page 3-119 message.

Table 2-2. Retrieval Request Notification (1642) Message Mandatory Echoes

Field Number	File Positions	Field Name	Echoed From
3	7-25	Primary Account Number	Echoed from Field 3, Primary Account Number (positions 7-25) in 1240 POS or ATM First Presentment message
4	26-31	Processing Code	Echoed from Field 4, Processing Code (positions 26-31) in 1240 POS or ATM First Presentment message
11	142-145	Merchant Category Code	- Echoed from Field 18, Merchant Category Code (positions 142-145) in 1240 POS First Presentment message - Echoed from Field 16, Merchant Category Code in ATM First Presentment message
16	186-200	First Presentment Transaction Amount	Echoed from Field 5, Transaction Amount (positions 32-46) in 1240 POS or ATM First Presentment message

Table 2-2. Retrieval Request Notification (1642) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
17	201-211	Acquiring Institution Identification Code	- Echoed from Field 28, Acquiring Institution Identification Code (positions 201-211) in 1240 POS First Presentment message - Echoed from Field 25, Acquiring Institution Identification Code in ATM First Presentment message
18	212-222	Issuer Processor Identifier	- Echoed from Field 117, Issuer Processor Identifier (positions 1040-1050) in 1240 POS First Presentment message - Echoed from Field 120, Issuer Processor Identifier (positions 1040-1050) in 1240 ATM First Presentment message
19	223-245	Acquirer Reference Number	- Echoed from Field 30, Acquirer Reference Number (positions 223-245) in 1240 POS First Presentment message - Echoed from Field 27, Acquirer Reference Number (positions 223-245) in 1240 ATM First Presentment message
22	263-277	Card Acceptor Identification Code	- Echoed from Field 35, Card Acceptor Identification Code (positions 263-277) in 1240 POS First Presentment message - Echoed from Field 32, Card Acceptor Identification Code in ATM First Presentment message
26	603-605	First Presentment Transaction Currency Code	- Echoed from Field 68, Transaction Currency Code (positions 642-644) in 1240 POS First Presentment message - Echoed from Field 63, Transaction Currency Code (positions 642-644) in 1240 ATM First Presentment message
27	606	First Presentment Transaction Decimalization	- Echoed from Field 62, Transaction Decimalization (position 606) in 1240 POS First Presentment message - Echoed from Field 57, Transaction Decimalization (position 606) in 1240 ATM First Presentment message
28	607-621	First Presentment Presentment Amount	- Echoed from Field 63, First Presentment Presentment Amount (positions 607-621) in 1240 POS First Presentment message - Echoed from Field 58, First Presentment Presentment Amount (positions 607-621) in 1240 ATM First Presentment message
30	637-639	First Presentment Presentment Currency Code	- Echoed from Field 65, First Presentment Presentment Currency Code (positions 637-639) in 1240 POS First Presentment message - Echoed from Field 60, First Presentment Presentment Currency Code (positions 637-639) in 1240 ATM First Presentment message

Table 2-2. Retrieval Request Notification (1642) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
31	640	First Presentment Presentment Decimalization	- Echoed from Field 66, First Presentment Presentment Decimalization (position 640) in 1240 POS First Presentment message - Echoed from Field 61, First Presentment Presentment Decimalization (position 640) in 1240 ATM First Presentment message
33	766-773	First Presentment Transaction Date	- Echoed from Field 13, Transaction Date (positions 112-119) in 1240 POS First Presentment message - Echoed from Field 11, Transaction Date (positions 112-119) in ATM First Presentment message
42	909-916	First Presentment Network Processing Date	- Echoed from Field 95, Network Processing Date (positions 787-794) in 1240 POS First Presentment message - Echoed from Field 88, Network Processing Date (positions 787-794) in 1240 ATM First Presentment message
43	917-922	First Presentment Network Processing Time	- Echoed from Field 96, Network Processing Time (positions 795-800) in 1240 POS First Presentment message - Echoed from Field 89, Network Processing Time (positions 795-800) in 1240 ATM First Presentment message
45	925-935	Issuer Institution Identifier	- Echoed from Field 107, Issuer Institution Identifier (positions 925-935) in 1240 POS First Presentment message - Echoed from Field 104, Issuer Institution Identifier (positions 925-935) in 1240 ATM First Presentment message
51	1006-1020	Transaction Identifier	- Echoed from Field 113, Transaction Identifier (positions 1006-1020) in 1240 POS First Presentment message - Echoed from Field 116, Transaction Identifier (positions 1006-1020) in 1240 ATM First Presentment message
54	1040-1050	Acquiring Institution Processor Identifier	- Echoed from Field 29, Acquiring Institution Processor Identifier (positions 212-222) in 1240 POS First Presentment message - Echoed from Field 26, Acquiring Institution Processor Identifier (positions 212-222) in ATM First Presentment message

Message 1640

Table 2-3 shows the mandatory echoes for the [Fulfillment Notification \(1640\)](#) on page 3-137 message.

Table 2-3. Fulfillment Notification (1640) Message Mandatory Echoes

Field Number	File Positions	Field Name	Echoed From
3	7-25	Primary Account Number	Echoed from Field 3, Primary Account Number (positions 7-25) in 1642 Retrieval Request Notification message
4	26-31	Processing Code	Echoed from Field 4, Processing Code (positions 26-31) in 1642 Retrieval Request Notification message
11	142-145	Merchant Category Code	Echoed from Field 11, Merchant Category Code (positions 142-145) in 1642 Retrieval Request Notification message
16	186-200	First Presentment Transaction Amount	Echoed from Field 16, First Presentment Transaction Amount (positions 186-200) in 1642 Retrieval Request Notification message
17	201-211	Acquiring Institution Identification Code	Echoed from Field 17, Acquiring Institution Identification Code (positions 201-211) in 1642 Retrieval Request Notification message
18	212-222	Acquiring Institution Processor Identifier	Echoed from Field 54, Acquiring Institution Processor Identifier (positions 1040-1050) in 1642 Retrieval Request Notification message
19	223-245	Acquirer Reference Number	Echoed from Field 19, Acquirer Reference Number (positions 223-245) in 1642 Retrieval Request Notification message
21	255-262	Card Acceptor Terminal Identification	Echoed from Field 21, Card Acceptor Terminal Identification (positions 255-262) in 1642 Retrieval Request Notification message.
22	263-277	Card Acceptor Identification Code	Echoed from Field 22, Card Acceptor Identification Code (positions 263-277) in 1642 Retrieval Request Notification message
26	603-605	First Presentment Transaction Currency Code	Echoed from Field 26, First Presentment Transaction Currency Code (positions 603-605) in 1642 Retrieval Request Notification message
27	606	First Presentment Transaction Decimalization	Echoed from Field 27, First Presentment Transaction Decimalization (position 606) in 1642 Retrieval Request Notification message
28	607-621	First Presentment Presentment Amount	Echoed from Field 28, First Presentment Presentment Amount (positions 607-621) in 1642 Retrieval Request Notification message
30	637-639	First Presentment Presentment Currency Code	Echoed from Field 30, First Presentment Presentment Currency Code (positions 637-639) in 1642 Retrieval Request Notification message
31	640	First Presentment Presentment Decimalization	Echoed from Field 31, First Presentment Presentment Decimalization (position 640) in 1642 Retrieval Request Notification message

Table 2-3. Fulfillment Notification (1640) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
33	766-773	First Presentment Transaction Date	Echoed from Field 33, First Presentment Transaction Date (positions 766-773) in 1642 Retrieval Request Notification message
42	909-916	First Presentment Network Processing Date	Echoed from Field 42, First Presentment Network Processing Date (positions 909-916) in 1642 Retrieval Request Notification message
43	917-922	First Presentment Network Processing Time	Echoed from Field 43, First Presentment Network Processing Time (positions 917-922) in 1642 Retrieval Request Notification message
45	925-935	Issuer Institution Identifier	Echoed from Field 45, Issuer Institution Identifier (positions 925-935) in 1642 Retrieval Request Notification message
51	1006-1020	Transaction Identifier	Echoed from Field 51, Transaction Identifier (positions 1006-1020) in 1642 Retrieval Request Notification message

Message 1442

Table 2-4 shows the mandatory echoes in the [First and Final Chargeback Notification \(1442\)](#) on page 3-152 message.

Table 2-4. First and Final Chargeback Notification (1442) Message Mandatory Echoes

Field Number	File Positions	Field Name	Echoed From
3	7-25	Primary Account Number	Echoed from Field 3, Primary Account Number (positions 7-25) in 1240 POS or ATM First Presentment message
4	26-31	Processing Code	Echoed from Field 4, Processing Code (positions 26-31) in 1240 POS or ATM First Presentment message
12	142-145	Merchant Category Code	- Echoed from Field 18, Merchant Category Code (positions 142-145) in 1240 POS First Presentment message - Echoed from Field 16, Merchant Category Code (positions 142-145) in 1240 ATM First Presentment message
17	186-200	First Presentment Transaction Amount	Echoed from Field 5, Transaction Amount (positions 32-46) in 1240 POS or ATM First Presentment message
18	201-211	Acquiring Institution Identification Code	- Echoed from Field 28, Acquiring Institution Identification Code (positions 201-211) in 1240 POS First Presentment message - Echoed from Field 25, Acquiring Institution Identification Code (positions 201-211) in 1240 ATM First Presentment message
19	212-222	Issuer Processor Identifier	- Echoed from Field 117, Issuer Processor Identifier (positions 1040-1050) in 1240 POS First Presentment message - Echoed from Field 120, Issuer Processor Identifier (positions 1040-1050) in 1240 ATM First Presentment message
20	223-245	Acquirer Reference Number	- Echoed from Field 30, Acquirer Reference Number (positions 223-245) in 1240 POS First Presentment message - Echoed from Field 27, Acquirer Reference Number (positions 223-245) in 1240 ATM First Presentment message
22	255-262	Card Acceptor Terminal Identification Code	Echoed from Field 31, Card Acceptor Terminal Identification (positions 255-262) in 1240 ATM First Presentment message

Table 2-4. First and Final Chargeback Notification (1442) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
23	263-277	Card Acceptor Identification Code	- Echoed from Field 35, Card Acceptor Identification Code (positions 263-277) in 1240 POS First Presentment message - Echoed from Field 32, Card Acceptor Identification Code (positions 263-277) in 1240 ATM First Presentment message
35	603-605	First Presentment Transaction Currency Code	- Echoed from Field 68, Transaction Currency Code (positions 642-644) in 1240 POS First Presentment message - Echoed from Field 63, Transaction Currency Code (positions 642-644) in 1240 ATM First Presentment message
36	606	First Presentment Transaction Decimalization	- Echoed from Field 62, First Presentment Transaction Decimalization (position 606) in 1240 POS Presentment message - Echoed from Field 57, First Presentment Transaction Decimalization (position 606) in 1240 ATM Presentment message
37	607-621	First Presentment Presentment Amount	- Echoed from Field 63, First Presentment Presentment Amount (positions 607-621) in 1240 POS First Presentment message - Echoed from Field 58, First Presentment Presentment Amount (positions 607-621) in 1240 ATM First Presentment message
38	622-636	First Presentment Transaction To Presentment Conversion Rate	- Echoed from Field 64, First Presentment Transaction To Presentment Conversion Rate (positions 622-636) in 1240 POS First Presentment message - Echoed from Field 59, First Presentment Transaction To Presentment Conversion Rate (positions 622-636) in 1240 ATM First Presentment message
39	637-639	First Presentment Presentment Currency Code	- Echoed from Field 65, First Presentment Presentment Currency Code (positions 637-639) in 1240 POS First Presentment message - Echoed from Field 60, First Presentment Presentment Currency Code (positions 637-639) in 1240 ATM First Presentment message
40	640	First Presentment Presentment Decimalization	- Echoed from Field 66, First Presentment Presentment Decimalization (position 640) in 1240 POS First Presentment message - Echoed from Field 61, First Presentment Presentment Decimalization (position 640) in 1240 ATM First Presentment message
45	766-773	First Presentment Transaction Date	- Echoed from Field 13, Transaction Date (positions 112-119) in 1240 POS First Presentment message - Echoed from Field 11, Transaction Date (positions 112-119) in 1240 ATM First Presentment message

Table 2-4. First and Final Chargeback Notification (1442) Message Mandatory Echoes (continued)

Field Number	File Positions	Field Name	Echoed From
50	801	Transaction Decimalization	Echoed from Field 62, First Presentment Transaction Decimalization (position 606) in 1240 POS First Presentment message.
54	909-916	First Presentment Network Processing Date	- Echoed from Field 95, Network Processing Date (positions 787-794) in 1240 POS First Presentment message - Echoed from Field 88, Network Processing Date (positions 787-794) in 1240 ATM First Presentment message
55	917-922	First Presentment Network Processing Time	- Echoed from Field 96, Network Processing Time (positions 795-800) in 1240 POS First Presentment message - Echoed from Field 89, Network Processing Time (positions 795-800) in 1240 ATM First Presentment message
57	925-935	Issuer Institution Identifier	- Echoed from Field 107, Issuer Institution Identifier (positions 925-935) in 1240 POS First Presentment message - Echoed from Field 104, Issuer Institution Identifier (positions 925-935) in 1240 ATM First Presentment message
63	1006-1020	Transaction Identifier	- Echoed from Field 113, Transaction Identifier (positions 1006-1020) in 1240 POS First Presentment message - Echoed from Field 116, Transaction Identifier (positions 1006-1020) in 1240 ATM First Presentment message

The Role of the Transaction Identifier

Function

The Transaction Identifier (TID) is a unique Network-generated number that monitors Transactions during the clearing life cycle.

Clearing (POS)

The same TID is linked to a Transaction throughout the clearing life cycle for Acquirers and Issuers who are certified for the TID feature.

For Certified Acquirers:

A certified Acquirer who received a TID from the Authorization system in a POS Authorization Response (1110) message must use that same TID in the First Presentment (1240).

For Acquirers Not Certified:

An Acquirer who is not certified cannot populate the TID on a First Presentment (1240). The Network assigns the TID for the Clearing and Settlement process and sends it to the Issuer.

Refer to TID Assignment in the *Network Specifications - Authorization* manual for more instruction.

Clearing (ATM)

ATM First Presentments are created by the Network from the ATM Financial Transaction Request (1200), with the TID returned to the certified Acquirer on the ATM Financial Transaction Response (1210).

Refer to TID Assignment in the *Network Specifications - Authorization* manual for more instruction.

Clearing and Settlement File Structure

Overview

Clearing and Settlement financial messages transmit the data that Participants require to settle Cardmember Transactions. The data in financial files is validated by the Network and routed to the correct Participant for Settlement or, if necessary, arbitration. Balancing and reconciliation edits are done on these messages and data is collected for financial reporting.

A message number sequences each message in a file. Consequently, the Message Number field in the file trailer must equal the number of messages in the file.

Refer to [Figure 2-3 Example of Outcleared Financial Messages on page 2-17](#) for the file structure.

Clearing and Settlement Functionality

Figure 2-2 shows the financial functions that the Clearing and Settlement system does.

AEGNS Clearing & Settlement		
Acquirer Position (Presentment Currency)	AEGNS Netting (U.S. Dollars)	Issuer Position (Settlement Currency)
Gross Position	Charge Disposition	Gross Settlement
Net Position	Currency Conversion	Net Settlement
Revenue/Expense	FX Management	Revenue/Expense
Accounting Records	Accounting Records	Accounting Records
Cash Settlement (Acquirer Settlement Currency)	Cash Settlement (FX Transactions)	Cash Settlement (Issuer Settlement Currency)
Bank A/C Management (Country)	Bank A/C Management	Bank A/C Management (Country)

Figure 2-2. Clearing and Settlement Functionality

Outclear Example

Figure 2-3 illustrates the layout of the financial file for the submission process.




Figure 2-3. Example of Outcleared Financial Messages

Financial Messages Process Flow

Process Flow Chart

Figure 2-4 illustrates the Clearing and Settlement process flow by tracing an outclear POS Financial Message from an Acquirer, Issuer, or Authorized Processor through the Network. Refer to [Table 2-5. Acceptance Processing Flow for Financial Messages on page 2-19](#) for a description of the steps (1-8) illustrated in the figure.

Note: Figure 2-4 does not show the ATM First Presentment flow.




Figure 2-4. Clearing and Settlement Financial Process Flow Chart

Acceptance Processing for Financial Messages

Process Steps

Table 2-5 shows the steps of a Financial Message that is accepted during capture. Refer to [Figure 2-4 Clearing and Settlement Financial Process Flow Chart on page 2-18](#) for an illustration of the steps.

Table 2-5. Acceptance Processing Flow for Financial Messages

Step	Who	Does What
1	Network	When the Network accepts the file containing the outcleared message, the Network sends a Network File Acknowledgment back to the sender ¹ .
2		The file goes to the file pre-capture step. The Network uses format and content edit rules and a Participant Profile to do high level edits of the file. Refer to Participant Profiles in the <i>Network Specifications - Instructions</i> manual for more instruction. Note: Refer to The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual for instructions.
3		The file is then sent to message pre-capture, where the Network again uses format and content edit rules and the Participant Profile, plus a detail error threshold level to do more message edits in the file.
4		After pre-capture, messages go to capture. The Network uses the specifications set forth in the <i>Business and Operational Policies</i> manual, and a detail error threshold to edit the messages for compliance.
5		Messages continue to Transaction settlement for settlement completion. Transaction settlement calculates the Acquirer and Issuer settlement amounts for each financial Transaction.
6		Messages continue to routing. Routing data is accessed from the files and are sent on to the Authorized Processor.
7	Authorized Processor	The Authorized Processor sends the file to the Acquirers and Issuers. Example: A message sent by an Acquirer Authorized Processor is sent to the corresponding Issuer Authorized Processor and so forth.
8	AEGNS	Depending on the Participant's setup, AEGNS will start a manual settlement advise-ment or an automated funds exchange.

1. Participants with contractually defined File Control Windows must not submit outclear files to AEGN during that period of time or the file will be rejected. File Control Windows are defined in the Participant Agreement.

Reject Processing for Financial Messages

Overview

All messages in a file are edited and validated before applicable reject reasons are appended.

Network File Acknowledgment (1844)

Rejected outclear messages in the Network File Acknowledgment contain the first Transaction and from one to ten Reject Reason Codes. Reject Reason Codes are in positions 1279-1318 of all Financial Messages (except the Fee Collection (1744) message), but are only present when the file or message is rejected.

Reject Categories

There are three (3) categories of rejected files:

- File Header or File Trailer (which can include out-of-balance Transaction counts or amounts)
- Error Thresholds (which includes messages rejected in a file that is at a Participant's threshold, as defined in their Participant Profile)
- Files submitted to the Network during a File Control Window, as defined in the Participant Agreement.

Table 2-6. Reject Categories

If...	Then...
A file is rejected because the file was submitted to the Network during a File Control Window	• The file will be rejected and the Participant must resubmit the file to the Network outside of the File Control Window. • File Control Windows are defined in the Participant Agreement.
A file rejects due to errors in the header or trailer	• The Network edits each message in the file. • A Network File Acknowledgment (1844) message is transmitted to the sender of the file, reporting the reason for the rejected header or trailer and reasons for rejected messages in the file.
A file rejects due to errors at the message level	• A Network File Acknowledgment (1844) message is transmitted to the sender of the file, and up to ten message-level reject reasons are reported for each message rejected in the file. • The Network accepts the file and returns only the rejected messages to the Participant.
The number of rejected messages in a file is at a Participant's defined error threshold	• The remaining files are edited and validated. • The file is rejected. Example: If five percent of the messages in the file are rejected and the Participant's error threshold is five percent, the file is rejected. • Up to ten Reject Reason Codes can be appended to each rejected message and only the messages with errors are included in the Network File Acknowledgment. The reject reasons are on the Network File Acknowledgment message and on the rejected messages.

File Control Windows

- Participants with a contractually defined File Control Window may not submit outclear files to the Network during that period of time.
- Files submitted to the Network during a File Control Window will be rejected.
- If applicable, File Control Windows are defined in the Participant Agreement.

Pre-Capture Reject Process

The pre-capture process is the second step of editing. Clearing and Settlement:

- Edits the file at the file and message levels
- Sends a Network File Acknowledgment (1844) message to the Participant to positively validate acceptance or rejection of an outcleared file
- Appends up to ten Reject Reason Codes to rejected messages

Multiple-Message Transaction Rejects

A single Transaction can have many messages (for example, Presentment, Industry Specific Detail Addendum, etc.). If one message of a multiple-message Transaction is rejected, all messages associated with that Transaction are rejected.

Example: If there is an error in an Industry Specific Detail Addendum, the Presentment and the Industry Specific Detail Addendum is passed back to the Participant on the Network File Acknowledgment (1844). If there is an error in a Presentment message field, the Presentment and the Industry Specific Detail Addendum is passed back to the Participant on the Network File Acknowledgment (1844).

Unbalanced Outcleared Files

The Network cannot accept unbalanced outcleared files and rejects them. Outcleared files must be in balance when the Transaction detail message records balance with the File Trailer record. If you have questions on implementing balancing and reconciliation procedures, please contact your AEGNS Representative.

Rejected Messages Sample

Sample rejected messages are shown in [Table 2-7](#).

Table 2-7. Rejected Financial Messages Sample

Byte Positions	Issuer Inclear	Field Name
1-1278	M	All fields from the rejected Transaction stay the same. For example, Field 96 on the Presentment File is Card Acceptor Location Text. In the Message Reject Record, Field 96 is still Card Acceptor Location Text.
1279-1318	M	Ten four-byte fields for Reject Reason Codes to show why the file or record rejected.
1319-1400	M	All fields from the rejected Transaction stay the same. For example, Field 96 on the Presentment File is Card Acceptor Location Text. In the Message Reject Record, Field 96 is still Card Acceptor Location Text.

Network File Acknowledgment for Financial Messages

Overview

After the Network processes an outcleared financial file, it sends a Network File Acknowledgment message.

Rejected Records

This file contains the rejected records sent through the outclear process with Reject Reason Codes for each record. Refer to the [Network File Acknowledgment \(1844\) on page 3-13](#) for instructions.

Rejected financial messages follow the acknowledgment message in the Network File Acknowledgment file. They are:

- The first Transaction
- One to ten reject reasons that are defined and coded in the existing defined area on the message

Refer to [Reject Processing for Financial Messages on page 2-20](#) for more instruction.

Acknowledgment Process

Figure 2-5 depicts the various combinations possible for the acknowledgment file. All financial messages follow this acknowledgment process.




Figure 2-5. Incleared Financial Messages with the Network File Acknowledgment

Addenda Data

Overview

Addenda messages supply more data about a First or Second Presentment Transaction. A presentment can be sent with a combination of addenda messages. Field 2 - Addenda Type Code of the Addendum message is used in conjunction with Field 106 - Format Code of the 1240 Presentment message. The Format Code in the Presentment message shows which, if any, industry specific addendum must be submitted with the Presentment message. The addenda do not follow the Presentment message in a specific order, except for the Extended Financial Addendum (9240) message, which immediately follows the Presentment message.

Order of Addenda Example

Example: An airline charge generated in a country offering a deferred payment plan that re-pays in multiple payments contains these addenda messages:

- An Industry Specific Detail Addendum with airline specific detail for the airline charge.
- A Double Byte Character Addendum to include the Service Establishment data in the local character set when a Transaction occurs in a specific country where this data is required.
- A Deferred Payment Plan Addendum to outline the installment payments to be billed.
- A Corporate Purchasing Card (CPC) Addendum can be used with a Deferred Payment Plan Addendum to supply data about the CPC purchase Transaction.

More Instruction

Refer to [Chapter 4 Addenda Messages](#) for message layout instructions.

Important

Addenda messages can be appended to financial and Data Collection Messages, but must use the Message Type Identifier related to the Presentment message.

These messages are exceptions. They only go with a First Presentment and Second Presentment (1240) message:

- Double Byte Character (9240)
- Extended Financial Addendum (9240)
- Market Specific Data Addendum (9240)
- Chip Card Addendum (9240) (First Presentment only)

Addenda Type Code

In each addendum message layout, positions 5-6 contain the Addenda Type Code. This is an indicator describing the type of message this addendum accompanies.

Message Type Identifier

Each addenda message uses a Message Type Identifier that corresponds to the presentment message it accompanies. [Table 2-8](#) shows the message type and the applicable Message Type Identifier.

Table 2-8. Addenda Message Type Identifiers

Presentment Message Type	Addenda Message Type Identifier
First and Second Presentment (1240)	9240
On Us First and Second Presentment (1340)	9340

Format Code

Based on the Format Code chosen, it can be necessary to populate more optional fields in the presentment message (for example, Additional Amount and Additional Amount Type) when addenda messages are included with a file.

Data Collection Clearing Data Flow

Overview

The Network processes financial and non-financial messages. For more instruction, see [Chapter 5 Data Collection Messages](#).

Section 2 Clearing and Settlement Features

Multi-Currency Processing

Overview

Cardmembers can make purchases in many establishments around the world. Presentment and settlement currencies can be different.

Example: A U.S. Cardmember can make a purchase in Japanese Yen, the Network converts the amount into U.S. Dollars (at prevailing market rates), and the Issuer gets the Presentment in U.S. Dollars.

Important

Settlement for all Transactions are in local currency, if it is an approved AEGNS settlement currency. Different or multiple AEGNS approved settlement currencies can be used by a Network Participant, if approved.

Multi-Currency Presentment Flow

Figure 2-6 illustrates the flow of a multi-currency Presentment.




Figure 2-6. Flow of Multi-Currency Presentment

Conversion Rates

Transactions are converted by the Network at a rate or rates selected by the Network during the clearing process to the Acquirer's and Issuer's settlement currency. A Foreign Currency Factor is added to the value of the last settlement currency.

Issuer Data

When the converted Presentment is incleared to the Issuer, it contains this data:

- First Presentment Presentment amount, currency, and date
- Settlement amount, currency, and date

Cardmember Data

An Issuer converts the settlement amount again or calculates the billing equivalent to be passed on to the Cardmember.

Cash Disbursement

Overview

Cash Disbursement is when a Cash Disbursement Provider (a Participant bank) gives cash to a Cardmember. Cash Disbursement Transactions are attended, card present, signature-based, or Chip and PIN-based point of sale Transactions. The Transactions are processed with:

- Merchant Category Code (MCC) 6010 Financial Institutions Manual Cash Disbursements
- Cash Disbursement Debit Processing Code 014008
- Cash Disbursement Credit Processing Code 220000

Certification

Certification is necessary.

Contactless (Expresspay)

Overview

Contactless Network functionality supports the issuance and acceptance of Expresspay Contactless Cards on the Network. This gives possible higher revenues and lower costs to S/Es. Cardmembers have more speed, security, and convenience. Cardmembers can wave, tap, or touch their Contactless device at a contactless reader on a Point of Sale terminal to make a payment.

Contactless Transactions in EMV and non-EMV markets can occur on Expresspay devices.

Certification

Certification is necessary.

Clearing and Settlement Transit Capabilities

Transit S/Es and their Acquirers must send all of these data elements in the POS First and Second Presentment (1240) message to identify Expresspay TAT Transactions:

- Point of Service Data Code - Field 20, Position 4 (Operating Environment) - "Z" (Transit Access Terminal - TAT)
- Point of Service Data Code - Field 20, Position 6 (Card Present) - "X" (Contactless Transaction)
- Merchant Category Code - Field 18, valid Merchant Category Code values are:
 - 4111 - Local and Suburban Commuter Passenger Transportation, including Ferries
 - 4112 - Passenger Railways
 - 4131 - Bus Lines
 - 4784 - Tolls and Bridge Fees
 - 7523 - Parking Lots and Garages

The above data elements are sent through the Network, with no validation or edit, to the Issuer. Transit S/Es and their Acquirers must pass complete, accurate data (as identified above) to correctly identify Expresspay for TAT Transactions to the Issuer.

Promotional Program Capability

Overview

The American Express Promotional Program capability connects S/Es with Cardmembers through targeted, customized marketing campaigns.

Program Availability

The Promotional Program Capability is available in designated markets. Refer to Chapter 4 of the *Business and Operational Policies* manual for a list of designated markets.

Enhanced Promotional Program Process

As an optional enhancement, Acquirers can automate the S/E debit and credit process. Cardmembers will get discounts on their statements when the campaign offer criteria is met. Refer to [Promotional Program Debit File \(1244\) on page 3-255](#).

Acquirer Responsibilities

Acquirers who choose to use the Promotional Program:

- Must certify for the Promotional Program capability to process S/E debits or credits
- Can certify for the optional [Promotional Program Debit File \(1244\) on page 3-255](#) to automate the S/E debit and credit process
- Must supply daily On Us files
- Must recognize Promotional Program Transactions in the Daily Activity Report (DAR) and the Daily Activity File (DAF) (if received)
- Must work with AEGNS to define marketing programs

Issuer Responsibilities

Issuers who choose to use the Promotional Program:

- Must certify for the Promotional Program capability to process Cardmember debits or credits
- Recognize Promotional Program Transactions in the Daily Activity Report (DAR) and, if received, the Daily Activity File (DAF)
- Must follow the servicing requirements in the *Promotional Program Capability Implementation Guide*
- Must work with AEGNS to define marketing programs

Special Programs

Overview

Special Programs have specific requirements and unique processing environments. These programs let Participants give specialized service to their S/Es and Cardmembers. Participants can decrease costs associated with processing Transactions on the Network.

These are Special Programs:

- ZIP Code Verification (ZCV) - The ZCV program lets participating S/Es submit the Cardmember's billing address ZIP code as part of the POS Authorization Request (1100) message for Issuer validation as a fraud prevention measure. For more instruction, refer to the Authorization Messages chapter in the *Network Specifications - Authorization* manual.
- Printed Card Security Code (PCSC) Validation (Card Present Transactions only) - The PCSC Validation program lets participating S/Es use the three- and four-digit Card Security Code or 4DBC as a verification tool during the Authorization process. For more instruction, refer to the Authorization Messages chapter in the *Network Specifications - Authorization* manual.

Refer to the *Business and Operational Policies* manual for more instruction regarding the Special Programs.

Process

If an S/E qualifies for a supported program, the Acquirer must populate the Program Indicator field on the First Presentment (1240) message with the specific value associated with the special program. If the data on the First Presentment (1240) message does not support the program as shown by the Acquirer, the Network will change the Program Indicator value to spaces, or if a Program Indicator represents two or more programs, to the value of the qualifying program(s). Notification of the Program Indicator change by the Network is sent to the Acquirer.

Validation Passes

For valid Program Indicators, the modified POS First Presentment (1240) message is sent to the Issuer with the indicator(s). This lets the Issuer recognize those Transactions that are not eligible for some dispute and documentation Message Reason Codes. Refer to the *Business and Operational Policies* manual for more instruction regarding chargeback processing.

Validation Fails

The Network changes the value of the Program Indicator to spaces and sends the POS First Presentment (1240) message to the Issuer, if all indicators for the S/E program(s) fail validation.

Only the failed indicator is changed to spaces, if a Program Indicator fails.

The Network appends the Informational or Reject Reason Code to the Network Acknowledgment File and returns the file to the Acquirer to show the action taken.

If a Transaction fails for a different reason, the processing is done with the same procedure as other clearing messages.

Reject Processing

Applicable Informational or Reject Reason Codes are returned to the Acquirer with the Network Acknowledgment File (1844) as to the acceptance of the records. The codes tell the Acquirer if Transactions are not eligible for the program. This can change the dispute rights available to Issuer.

No Signature/No PIN Program

S/Es can process some Authorized Card Present Transactions with no Cardmember signature or PIN. The Program Indicator identifies Transactions that qualify for the No Signature/No PIN Program.

Chargeback restrictions may apply if the Transaction qualifies for the No Signature/No PIN Program. See the *Business and Operational Policies* manual for instruction.

Section 3 Daily Activity Process

Daily Activity Process (DAP)

Overview

The Daily Activity Process (DAP) delivers a **consolidated** source of data to Participants which they can use to enable their auto-reconciliation or settlement process.

Daily Activity Formats

Participant daily activity is in two formats:

- A mandatory Daily Activity Report (DAR) contains consolidated data of Participant's activity for financial and daily activity reconciliation (refer to [Daily Activity Report \(DAR\) on page 2-32](#)).
- An optional Daily Activity File (DAF) contains consolidated data of Participant's daily Transaction activity. Participants can use it to automate their reconciliation process, create customer reporting, or segment activity for other functions (refer to [Daily Activity File \(DAF\) on page 2-33](#)).

Note: A Participant can receive the report and the file.

The Participant will continue to receive data on Automated Funds Exchange and must acknowledge the receipt of the DAF.

Daily Activity Report (DAR)

Overview

The Daily Activity Report (DAR) delivers a single report of daily activity that is used for reconciliation and settlement.

The DAR is mandatory.

The DAR:

- Gives reconciliation of daily activity for an organization
- Reports daily settlement amounts in a summarized format for all Issuers (IINs) and Acquirers (AINs) associated with a single organization for one reporting period
- Acts as the chief source of summary data for settlement and reconciliation (excluding ATM non-dispensed, which is in the ATM Reconciliation Report)

The DAR is sent to Participants through the Network. The content of the DAR includes Outclear and Inclear files to and from the Participant. For more instruction, refer to the Daily Activity Report in the *Network Specifications - Instructions* manual.

Daily Activity File (DAF)

Overview

The DAF contains daily Transaction level activity for settlement and Transaction reconciliation by organization. The DAF is optional.

The DAF:

- Delivers a file that Participants can use to create custom reports
- Supplies Acquirers with the Transaction Identifier (TID) to track First Presentments

The DAF is sent to Participants through the Network.

Participants must acknowledge each DAF with the Participant File Acknowledgment Message (1824) using Field 2, Organization Identifier and a Function Code of 890 in Field 7. Refer to [Participant File Acknowledgment \(1824\) on page 3-21](#) for message layout instructions.

Daily Activity File Structure

The Network creates the Daily Activity File (1644) message for Participants. The Daily Activity File contains the Transaction data from these messages:

- First Presentments
- First Chargebacks
- Second Presentments
- Final Chargebacks
- ATM Issuer and Acquirer Fees
- Fee Collection
- Retrieval Requests
- Fulfillment Notifications
- Unclassifiable (Transactions with invalid Message Type, Processing Code, Function Code, or Transaction Currency Code)

DAF Contents

The DAF contains:

- One Daily Activity File Header (1324) message. Refer to [Daily Activity File \(DAF\) File Header \(1324\) on page 3-171](#) for message layout instructions.
- One or more Daily Activity File (1644) message. Refer to [page 3-174](#) for message layout instructions.
- One Daily Activity File Trailer (1325) message. Refer to [Daily Activity File \(DAF\) File Trailer \(1325\) on page 3-252](#) for message layout instructions.

Message Type Identifier

Field 1, Message Type Identifier, is in all the Daily Activity File (1644) message file layouts 2 times.

- A code that identifies the type of message sent by the forwarding institution
- A code that identifies the message specific to the first (i.e., 1240) source file

Message Number

Field 2, Message Number, is in the Daily Activity File (1644) message file layouts 2 times.

- This field is assigned to monitor the integrity and continuity of data. This usage is specific to this 1644 message. This is an example of how the message number is used in the Daily Activity File.
 - File Header--Message Number 00000001
 - 1644 message--Message Number 00000002
 - 1644 message--Message Number 00000003
 - File Trailer--Message Number 00000004

The Network generates this starting with sequence number 00000001 for the header record and incrementing by one for all records on the file. If the number of records on the file is more than 99,999,999, the Network truncates the sequence number on the left.

- This is the message number of the first Transaction record in the first (i.e., 1240) source file.

Multiple DAFs

Daily Transaction activity can be included for a Participant in one or more Daily Activity Files each day. Multiple DAFs contain unique and exclusive datasets. The Transaction activity included in a specific Daily Activity File, on a given day, is based on the Participant's set up.

The DAF identifies the Transactions sent or received by the Participant. If the Participant is an Issuer and Acquirer, Transactions show for the two role types.

3 Financial Messages

File Header (9824)

Description

The File Header is the first data record in the file created by the forwarding institution. The File Header is the highest level of control in a file. Each file can have only one (1) File Header. The File Header contains the date, time, and file identification fields that uniquely identify the file from other files processed through the Network.

Length of Record

1400 bytes

Message Layout

This is the message layout for the File Header (9824). Refer to the [Programming Notes for File Header \(9824\) on page 3-2](#) for more instruction.

File Header (9824) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	X(107)	5-111	F	Filler
3	9(8)	112-119	M	Transmittal Date
4	9(6)	120-125	M	Transmittal Time
5	X(86)	126-211	F	Filler
6	X(11)	212-222	M	Forwarding Institution Identification Code
7	X(29)	223-251	F	Filler
8	X(3)	252-254	M	Action Code
9	X(719)	255-973	F	Filler
10	X(26)	974-999	F	Reserved Field
11	9(6)	1000-1005	M	File Sequence Number
12	X(1)	1006	F	Filler
13	X(1)	1007	F	Filler
14	X(24)	1008-1031	F	Filler
15	9(8)	1032-1039	M	Message Number
16	X(11)	1040-1050	M	Receiving Institution Identifier
17	X(228)	1051-1278	F	Filler
18	X(40)	1279-1318	C	Reject Reason Codes 1-10
19	X(82)	1319-1400	F	Filler

Programming Notes for File Header (9824)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9824 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(107)
Positions	5-111
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Mandatory

Field 5

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(86)
Positions	126-211
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 6

Forwarding Institution Identification Code

Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	212-222
Optionality	Mandatory
Notes	Outclear: Issuer Processor Identifier (IPN) or Acquiring Institution Processor Identifier (APN) Inclear: 900000000002 = Global Network Services

Field 7

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
------------	--

Format	X(29)
Positions	223-251
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 8

Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	252-254
Optionality	Mandatory
Notes	This field must be a numeric value.

Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 9

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(719)
Positions	255-973
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 10

Definition	This field is for AEGNS internal use.
Format	X(26)
Positions	974-999
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 11

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999.
	Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	1000-1005
Optionality	Mandatory

File Sequence Number

Field 12

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	1006
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 13

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	1007
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 14

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(24)

Positions

1008-1031

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 15

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Mandatory

Notes

Required Value: 00000001

Field 16

Definition

Receiving Institution Identifier

The unique institution identifier assigned to the Participant who received the Transaction.

Format

X(11)

Positions

1040-1050

Optionality

Mandatory

Notes

Outclear: 900000000002 = Global Network Services

Inclear: Issuer Processor Identifier (IPN) or Acquiring Institution Processor Identifier (APN)

Field 17

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(228)

Positions

1051-1278

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 18

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 19

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(82)

1319-1400

Filler

Alphanumeric Filler fields must contain spaces.

File Trailer (9825)

Description

The File Trailer is the last data record in the file created by the forwarding institution. The File Trailer echoes data from the File Header. The File Trailer contains control totals used to analyze the quality of the file after it is sent.

Length of Record

1400 bytes

Message Layout

This is the message layout for the File Trailer (9825). Refer to the [Programming Notes for File Trailer \(9825\) on page 3-7](#) for more instruction.

File Trailer (9825) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	X(107)	5-111	F	Filler
3	9(8)	112-119	M	Transmittal Date
4	9(6)	120-125	M	Transmittal Time
5	X(86)	126-211	F	Filler
6	X(11)	212-222	M	Forwarding Institution Identification Code
7	X(29)	223-251	F	Filler
8	X(3)	252-254	M	Action Code
9	X(635)	255-889	F	Filler
10	9(49)	890-938	F	Reserved Field
11	9(6)	939-944	M	Credit Count
12	9(6)	945-950	M	Debit Count
13	9(16)	951-966	M	Credits Total Amount
14	9(16)	967-982	M	Debits Total Amount
15	9(17)	983-999	M	Hash Total Amount
16	9(6)	1000-1005	M	File Sequence Number
17	X(8)	1006-1013	C	Credit Total Count, Extended
18	X(8)	1014-1021	C	Debit Total Count, Extended
19	X(10)	1022-1031	F	Filler
20	9(8)	1032-1039	M	Message Number
21	X(11)	1040-1050	M	Receiving Institution Identifier
22	X(228)	1051-1278	F	Filler
23	X(40)	1279-1318	C	Reject Reason Codes 1-10

File Trailer (9825) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
24	X(82)	1319-1400	F	Filler

Programming Notes for File Trailer (9825)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9825 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(107)
Positions	5-111
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Mandatory

Field 5

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(86)
Positions	126-211
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 6

Forwarding Institution Identification Code

Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	212-222
Optionality	Mandatory

Notes **Outclear:** Issuer Processor Identifier (IPN) or Acquiring Institution Processor Identifier (APN)
Inc clear: 90000000002

Field 7	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(29)
Positions	223-251
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 8	Action Code
Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	252-254
Optionality	Mandatory
Notes	This field must be a numeric value. Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 9	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
	Format
	X(635)
Positions	255-889
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 10	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(49)
Positions	890-938
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 11	Credit Count
Definition	Contains the total number of credits for financial messages in the file. When the Credit Count exceeds the number of bytes available for the field, the Credit Count will be truncated on the left side. For example, a Credit Count of 1,900,000 credit transactions will populate 900000 as the field value.
Format	9(6)
Positions	939-944
Optionality	Mandatory
Notes	This count must equal the total number of credits of the financial records in the file, excluding Retrieval Requests and Fulfillment Notifications.

Field 12	Debit Count
Definition	Contains the total number of debits for financial messages in the file. When the Debit Count exceeds the number of bytes available for the field, the Debit Count will be truncated on the left side. For example, a Debit Count of 1,900,000 debit Transactions will populate 900000 as the field value.
Format	9(6)
Positions	945-950
Optionality	Mandatory

American Express Global Network Services
Network Specifications - Financial/Non-Financial
File Trailer (9825)
Field 13 Credits Total Amount Message Layout

Notes This count must equal the total number of debits of the financial records in the file, excluding Retrieval Requests and Fulfillment Notifications.

Field 13 **Credits Total Amount**

Definition A total of the values in the Transaction Amount field (byte positions 32-46) for all financial credit messages.

Format 9(16)

Positions 951-966

Optionality Mandatory

Notes This amount must be equal to the hash total of all credit Transaction amounts of the financial records in the file, excluding Retrieval Requests and Fulfillment Notifications.

Field 14 **Debits Total Amount**

Definition A total of values in the Transaction Amount field (byte positions 32-46) for all financial debit messages.

Format 9(16)

Positions 967-982

Optionality Mandatory

Notes This count must be equal to the hash total of all debit Transaction amounts of the financial records in the file, excluding Retrieval Requests and Fulfillment Notifications.

Field 15 **Hash Total Amount**

Definition A hash total of values in the Transaction Amount field (byte positions 32-46) for all financial messages (i.e., 1240, 1442, 1740, 1742, 1744).

Format 9(17)

Positions 983-999

Optionality Mandatory

Notes This count must be equal to the hash total of all Transaction amounts of the financial records in the file, excluding Retrieval Requests and Fulfillment Notifications.

Field 16 **File Sequence Number**

Definition A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999.

Note: File Sequence Number 900000-999999 are reserved for test files.

Format 9(6)

Positions 1000-1005

Optionality Mandatory

Field 17

Credit Total Count, Extended

Definition	This field contains the total number of financial message credits for this file.
Format	X(8)
Positions	1006-1013
Optionality	Conditional
	Inclear:
	This field contains spaces for Participants who are not certified to receive this field (through inclear).
	This field contains a credit Transaction count for Participants certified to receive this field. Participants should ignore values in Field 11 - Credit Count.
Notes	This count must equal the total number of financial credit records in the file, excluding Retrieval Requests and Fulfillment Notifications.
	This field contains spaces if: - Participant is not certified to receive (from the Network) a count value in this field with financial message inclear - It is used in an outcleared financial message - It is used with a Network File Acknowledgment (1844) message

Example of Field 17 - Credit Total Count, Extended

Issuer Status	Existing Credit Count (Field 11) Format 9(6)	Existing Debit Count (Field 12) Format 9(6)	Credit Total Count, Extended (Field 17) Format X(8)	Credit Total Count, Extended (Field 18) Format X(8)
Issuer not certified Count=11,200,000	200000	200000	Spaces	Spaces
Issuer certified Count=200,000	200000	200000	200000	200000
Issuer certified Count=11,200,000	200000	200000	11200000	11200000

Field 18

Debit Total Count, Extended

Definition	This field contains the total number of financial message debits for this file.
Format	X(8)
Positions	1014-1021
Optionality	Conditional
	Inclear:
	This field contains spaces for Participants who are not certified to receive this field (through inclear).
	This field contains a debit Transaction count for Participants certified to receive this field. Participants should ignore values in Field 12 - Debit Count.
Notes	This count must equal the total number of financial debit records in the file, excluding Retrieval Requests and Fulfillment Notifications.
	This field contains spaces if: • Participant is not certified to receive (from the Network) a count value in this field with financial message inclear • It is used in an outcleared financial message • It is used with a Network File Acknowledgment (1844) message

Example of Field 18 - Debit Total Count, Extended

Issuer Status	Existing Credit Count (Field 11) Format 9(6)	Existing Debit Count (Field 12) Format 9(6)	Credit Total Count, Extended (Field 17) Format X(8)	Credit Total Count, Extended (Field 18) Format X(8)
Issuer not certified Count=11,200,000	200000	200000	Spaces	Spaces
Issuer certified Count=200,000	200000	200000	200000	200000
Issuer certified Count=11,200,000	200000	200000	11200000	11200000

Field 19

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the notes section.
Format	X(10)
Positions	1022-1031
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 20

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Mandatory
Notes	This number must be equal to the total number of records in the file with the file header and trailer. If the trailer is attached to a Network File Acknowledgment (1844) message, the Message Number is the File Trailer Message Number of the first file that was acknowledged.

Field 21

Receiving Institution Identifier

Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	1040-1050
Optionality	Mandatory
Notes	Outclear: 900000000002 Inclear: Issuer Processor Identifier (IPN) or Acquiring Institution Processor Identifier (APN)

Field 22

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(228)
Positions	1051-1278
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 23

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Conditional. The message must be rejected or informational
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Code 1-10

Field 24

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Network File Acknowledgment (1844)

Description

The Network sends a Network File Acknowledgment (1844) to the Participant to validate acceptance or rejection of an outcleared file. The Network File Acknowledgment (1844) is sent after edits and validation are complete.

Rejected Records

The Network File Acknowledgment (1844) contains the rejected records (with Reject Reason Codes for each record) sent through the outclear process. Refer to the [Network File Acknowledgment for Financial Messages on page 2-22](#) for instructions.

Rejected messages come after the acknowledgment message in the Network File Acknowledgment file. They are:

- The first Transaction
- One to ten reject reasons that are defined and coded in the existing defined area on the message

Length of Record

1400 bytes

Message Layout

This is the message layout for the Network File Acknowledgment (1844). Refer to the [Programming Notes for Network File Acknowledgment \(1844\) on page 3-14](#) for more instruction.

Network File Acknowledgment (1844) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	X(107)	5-111	F	Filler
3	9(8)	112-119	M	Transaction Date
4	9(6)	120-125	M	Transaction Time
5	X(44)	126-169	F	Filler
6	X(4)	170-173	M	Message Reason Code
7	X(38)	174-211	F	Filler
8	X(11)	212-222	M	Forwarding Institution Identification Code
9	9(8)	223-230	M	Accepted Total Count
10	9(17)	231-247	M	Accepted Hash Total Amount
11	X(4)	248-251	F	Filler
12	X(3)	252-254	M	Action Code
13	9(8)	255-262	M	Rejected Total Count
14	9(17)	263-279	M	Rejected Hash Total Amount

Network File Acknowledgment (1844) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
15	X(8)	280-287	F	Reserved Field
16	X(17)	288-304	F	Reserved Field
17	X(15)	305-319	F	Filler
18	9(8)	320-327	M	Actual Total Count
19	9(17)	328-344	M	Actual Total Amount
20	X(384)	345-728	F	Filler
21	X(17)	729-745	F	Reserved Field
22	X(17)	746-762	F	Reserved Field
23	X(3)	763-765	M	Original Action Code
24	9(8)	766-773	M	Original Transmittal Date
25	9(6)	774-779	M	Original Transmittal Time
26	9(8)	780-787	M	Original Total Count
27	X(195)	788-982	F	Filler
28	9(17)	983-999	M	Original Hash Total Amount
29	9(6)	1000-1005	M	Original File Sequence Number
30	9(8)	1006-1013	M	Original Message Number Count
31	X(18)	1014-1031	F	Filler
32	9(8)	1032-1039	M	Message Number
33	X(11)	1040-1050	M	Receiving Institution Identifier
34	X(228)	1051-1278	F	Filler
35	X(40)	1279-1318	C	Reject Reason Codes 1-10
36	X(82)	1319-1400	F	Filler

Programming Notes for Network File Acknowledgment (1844)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 1844 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(107)
Positions	5-111
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 3

Definition

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

112-119

Optionality

Mandatory

Field 4

Definition

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

120-125

Optionality

Mandatory

Field 5

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(44)

Positions

126-169

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 6

Definition

Message Reason Code

This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.

Format

X(4)

Positions

170-173

Optionality

Mandatory

Notes

Valid Values:

- 8600 = Financial File Rejected
- 8601 = Financial File Accepted
- 8603 = Data Collection File Rejected
- 8604 = Data Collection File Accepted

This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824).

Refer to the Message Reason Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 7**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(38)

Positions

174-211

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 8**Definition****Forwarding Institution Identification Code**

The institution identifier assigned to the processing institution that is sending the file.

Format

X(11)

Positions

212-222

Optionality

Mandatory

Notes

Required Value: 900000000002

Field 9**Definition****Accepted Total Count**

Total number of messages accepted by the Network including File Header, File Trailer, Presentments, Addenda Records, Chargebacks, and Retrieval Request Notification messages.

Format

9(8)

Positions

223-230

Optionality

Mandatory

Field 10**Definition****Accepted Hash Total Amount**

Hash Transaction amount from all Presentments and Chargebacks accepted by the Network.

Format

9(17)

Positions

231-247

Optionality

Mandatory

Field 11**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(4)

Positions

248-251

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 12**Definition****Action Code**

The type of action done or the type of action to do for a Transaction.

Format

X(3)

Positions

252-254

Optionality

Mandatory

Notes

Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 13**Definition****Rejected Total Count**

Total number of messages rejected by the Network including File Header, File Trailer, Presentments, Addenda Records, Chargebacks and Retrieval Notification messages.

Format

9(8)

Positions

255-262

Optionality

Mandatory

Field 14**Definition****Rejected Hash Total Amount**

Hash Transaction amount from all Presentments and Chargebacks rejected by the Network.

Format 9(17)
Positions 263-279
Optionality Mandatory

Field 15

Definition This field is for AEGNS internal use.
Format X(8)
Positions 280-287
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 16

Definition This field is for AEGNS internal use.
Format X(17)
Positions 288-304
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 17

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(15)
Positions 305-319
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Filler

Field 18

Definition The total number of all financial messages, including Presentments and Chargebacks, accepted by the Network.
Format 9(8)
Positions 320-327
Optionality Mandatory

Actual Total Count

Field 19

Definition Hash Transaction amount from all accepted and rejected Presentments and Chargebacks received by the Network.
Format 9(17)
Positions 328-344
Optionality Mandatory

Actual Total Amount

Field 20

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(384)
Positions 345-728
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Filler

Field 21

Definition This field is for AEGNS internal use.
Format X(17)
Positions 729-745

Reserved Field

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Network File Acknowledgment (1844)
Field 22 Reserved Field Message Layout

Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 22

Reserved Field

Definition This field is for AEGNS internal use.
Format X(17)
Positions 746-762
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 23

Original Action Code

Definition A code that echoes the Action Code supplied on the Participant's original file transmission. Refer to the Action Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.
Format X(3)
Positions 763-765
Optionality Mandatory

Field 24

Original Transmittal Date

Definition The original transmittal date for the file transmitted to the Network.
Format 9(8) CCYYMMDD
Positions 766-773
Optionality Mandatory

Field 25

Original Transmittal Time

Definition The original transmittal time for the file transmitted to the Network.
Format 9(6) HHMMSS
Positions 774-779
Optionality Mandatory

Field 26

Original Total Count

Definition The total count of financial records originally reported on the File Trailer.
Format 9(8)
Positions 780-787
Optionality Mandatory

Field 27

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(195)
Positions 788-982
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Network File Acknowledgment (1844)
Field 28 Original Hash Total Count Message Layout

Field 28

Original Hash Total Count

Definition	The Hash Total Amount originally reported on the File Trailer. When the field is not supplied, the Network will default to zeros.
Format	9(17)
Positions	983-999
Optionality	Mandatory

Field 29

Original File Sequence Number

Definition	The File Sequence Number reported on the File Header and File Trailer. The File Sequence Number is sequential and assigned to each file by the file originator. This ascending number starts at 000001 for the first file and increments by one for all other files. The number rolls over after it has reached 899999. The Network echoes the field on the Network File Acknowledgment (1844) as it is received. The Participant echoes the field on the Participant File Acknowledgment (1824) as it is received.
Format	9(6)
Positions	1000-1005
Optionality	Mandatory

Field 30

Original Message Number Count

Definition	The message number reported on the File Trailer of the original file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1006-1013
Optionality	Mandatory

Field 31

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(18)
Positions	1014-1031
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 32

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Mandatory
Notes	Required Value: 00000002

Field 33

Receiving Institution Identifier

Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	1040-1050
Optionality	Mandatory
Notes	Valid Values: Issuer Processor Identifier (IPN) or Acquiring Institution Processor Identifier (APN)

Field 34

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(228)

1051-1278

Filler

Alphanumeric Filler fields must contain spaces.

Field 35

Definition

Format

Positions

Optionality

Notes

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

1279-1318

Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 36

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(82)

1319-1400

Filler

Numeric Filler fields must contain zeros.

Participant File Acknowledgment (1824)

Description

Participants must send the Participant File Acknowledgment (1824) message to the Network to acknowledge receipt of the Clearing and Settlement Inclear File and the Daily Activity File. This message must follow the File Header (9824) and come before the File Trailer (9825). The Forwarding Institution ID In the File Header (9824) must match the Receiving Institution ID from the Inclear file. Refer to Types of Files Transferred in the *Network Specifications - Instructions* manual for more instruction.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Participant File Acknowledgment (1824). Refer to the [Programming Notes for Participant File Acknowledgment \(1824\)](#) on page 3-22 for more instruction.

Participant File Acknowledgment (1824) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	X(11)	5-15	M	Organization Identifier
3	X(61)	16-76	F	Filler
4	X(8)	77-84	M	File Receipt Date
5	X(6)	85-90	M	File Receipt Time
6	X(76)	91-166	F	Filler
7	X(3)	167-169	M	Function Code
8	X(4)	170-173	M	Message Reason Code
9	9(8)	174-181	M	Debit Count
10	9(8)	182-189	M	Credit Count
11	9(17)	190-206	M	Debits Total Amount
12	9(17)	207-223	M	Credits Total Amount
13	9(8)	224-231	M	Total Record Count
14	9(17)	232-248	M	Hash Total Amount
15	X(751)	249-999	F	Filler
16	9(6)	1000-1005	ME	Original File Sequence Number
17	X(26)	1006-1031	F	Filler
18	9(8)	1032-1039	M	Message Number
19	X(239)	1040-1278	F	Filler
20	X(40)	1279-1318	C	Reject Reason Codes 1-10
21	X(82)	1319-1400	F	Filler

Programming Notes for Participant File Acknowledgment (1824)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 1824 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Organization Identifier

Definition	The unique identifier assigned, by AEGNS, to the Participant organization that is sending or receiving Outclear/Inclear files to/from the Network.
Format	X(11)
Positions	5-15
Optionality	Mandatory

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(61)
Positions	16-76
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 4

File Receipt Date

Definition	The date the Participant received the file from the Network.
Format	X(8) CCYYMMDD
Positions	77-84
Optionality	Mandatory

Field 5

File Receipt Time

Definition	The time the Participant received the file from the Network.
Format	X(6) HHMMSS
Positions	85-90
Optionality	Mandatory

Field 6

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(76)
Positions	91-166
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 7

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	167-169
Optionality	Mandatory
Notes	Valid Values: • 280 = Promotional Program Capability (populated by the Network) • 690 - Automated Funds Exchange (AFE)¹ • 880 = Financial (Inclear Clearing and Settlement File) • 881 - Data Collection Message • 890 = Daily Activity File Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 8

Message Reason Code

Definition	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	X(4)
Positions	170-173
Optionality	Mandatory
Notes	Required Value: 8602 = File Received This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824). Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 9

Debit Count

Definition	Contains the total number of debits for financial messages in the file. When the Debit Count exceeds the number of bytes available for the field, the Debit Count will be truncated on the left side. For example, a Debit Count of 111,900,000 debit Transactions will populate 11900000 as the field value.
Format	9(8)
Positions	174-181
Optionality	Mandatory

Field 10

Credit Count

Definition	Contains the total number of credits for financial messages in the file. When the Credit Count exceeds the number of bytes available for the field, the Credit Count will be truncated on the left side. For example, a Credit Count of 111,900,000 credit transactions will populate 11900000 as the field value.
Format	9(8)
Positions	182-189
Optionality	Mandatory

1. Used by AEGNS deposit bank(s) only, in response to a deposit file being received.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Participant File Acknowledgment (1824)
Field 11 Debits Total Amount Message Layout

Field 11	Debits Total Amount
Definition	A total of values in the Transaction Amount field (byte positions 32-46) for all financial debit messages.
Format	9(17)
Positions	190-206
Optionality	Mandatory
Field 12	Credits Total Amount
Definition	A total of the values in the Transaction Amount field (byte positions 32-46) for all financial credit messages.
Format	9(17)
Positions	207-223
Optionality	Mandatory
Field 13	Total Record Count
Definition	The number of records in the Participant File Acknowledgment (1824) file.
Format	9(8)
Positions	224-231
Optionality	Mandatory
Notes	This field must be the sum of the number of credits and the number of debits in the 9825 File Trailer.
Field 14	Hash Total Amount
Definition	A hash total of values in the Transaction Amount field (byte positions 32-46) for all financial messages (i.e., 1240, 1442, 1740, 1742, 1744).
Format	9(17)
Positions	232-248
Optionality	Mandatory
Field 15	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(751)
Positions	249-999
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 16	Original File Sequence Number
Definition	The File Sequence Number reported on the File Header and File Trailer. The File Sequence Number is sequential and assigned to each file by the file originator. This ascending number starts at 000001 for the first file and increments by one for all other files. The number rolls over after it has reached 899999. The Network echoes the field on the Network File Acknowledgment (1844) as it is received. The Participant echoes the field on the Participant File Acknowledgment (1824) as it is received.
Format	9(6)
Positions	1000-1005
Optionality	Mandatory Echo of the value in the Network File Acknowledgment (1844) message.

Field 17

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(26)

Positions

1006-1031

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 18

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Mandatory

Field 19

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(239)

Positions

1040-1278

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 20

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 21

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(82)

Positions

1319-1400

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

POS First and Second Presentment (1240)

Description

First and Second Presentments contain data from one Cardmember Transaction.

First and Second Presentments outclear from the Acquirer to the Network and Inclear from the Network to the Issuer. Optionality is defined for the outclear and inclear files. Refer to the [POS First Presentment and Second Presentment \(1240\) Message Layout on page 3-26](#).

All Presentment messages can be sent with one or more addenda messages.

Important

Many data elements are used differently in the First Presentment (FP) and the Second Presentment (SP) and are listed separately in the [POS First Presentment and Second Presentment \(1240\) Message Layout on page 3-26](#).

First Presentment

The First Presentment message is the first time a Transaction is sent to the Network. It moves financial liability from the Acquirer to the Issuer, then to the Cardmember of the Issuer.

Second Presentment

The Second Presentment message is the second time a Transaction is presented from an Acquirer to the Issuer through the Network after a First Chargeback and with more documentation or data refuting the Chargeback. If the Acquirer finds there is cause to dispute the Issuer's First Chargeback, they can send a Second Presentment to the Network. Refer to the *Business and Operational Policies* manual for instruction about Chargeback policies and processes.

The Second Presentment message uses the same message layout as the First Presentment message.

Length of Record

1400 bytes

Message Layout

This is the message layout for the First and Second Presentment (1240). Refer to the [Programming Notes for POS First and Second Presentment \(1240\) on page 3-31](#) for more instruction.

POS First Presentment and Second Presentment (1240) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			Out clear	In-clear	
1	X(4)	1-4	M	M	Message Type Identifier
2	9(2)	5-6	M	M	Primary Account Number Length
3 (FP)	X(19)	7-25	M	M	Primary Account Number (PAN)
3 (SP)	X(19)	7-25	ME	ME	Primary Account Number (PAN)

POS First Presentment and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out clear	In-clear	
4 (FP)	X(6)	26-31	M	M	Processing Code
4 (SP)	X(6)	26-31	ME	ME	Processing Code
5	9(15)	32-46	M	M	Transaction Amount
6	9(15)	47-61	F	F	Reserved Field
7	9(15)	62-76	F	F	Reserved Field
8	X(12)	77-88	F	F	Reserved Field
9	9(7)v9(8)	89-103	F	F	Reserved Field
10	X(1)	104	F	F	Reserved Field
11	X(3)	105-107	F	F	Reserved Field
12	X(4)	108-111	F	F	Reserved Field
13	9(8)	112-119	M	M	Transaction Date
14	9(6)	120-125	O	O	Transaction Time
15	9(4)	126-129	O	O	Card Expiration Date
16	9(4)	130-133	F	F	Filler
17	9(8)	134-141	O	O	Capture Date
18 (FP)	X(4)	142-145	M	M	Merchant Category Code
18 (SP)	X(4)	142-145	ME	ME	Merchant Category Code
19	X(9)	146-154	F	F	Reserved Field
20 (FP)	X(12)	155-166	M	M	Point of Service Data Code
20 (SP)	X(12)	155-166	CE	CE	Point of Service Data Code
21	X(3)	167-169	M	M	Function Code
22 (FP)	X(4)	170-173	F	F	Reserved Field
22 (SP)	X(4)	170-173	M	M	Message Reason Code
23	9(1)	174	M	M	Approval Code Length
24	9(8)	175-182	F	M	Issuer Settlement Date
25	X(2)	183-184	O	C	Electronic Commerce Indicator (ECI)
26	X(1)	185	F	F	Reserved Field
27 (FP)	9(15)	186-200	F	M	First Presentment Transaction Amount
27 (SP)	9(15)	186-200	ME	ME	First Presentment Transaction Amount
28 (FP)	X(11)	201-211	M	M	Acquiring Institution Identification (AIN) Code
28 (SP)	X(11)	201-211	ME	ME	Acquiring Institution Identification (AIN) Code
29 (FP)	X(11)	212-222	M	M	Acquiring Institution Processor Identifier (APN)
29 (SP)	X(11)	212-222	ME	ME	Acquiring Institution Processor Identifier (APN)
30 (FP)	X(23)	223-245	M	M	Acquirer Reference Number (ARN)
30 (SP)	X(23)	223-245	ME	ME	Acquirer Reference Number (ARN)
31 (FP)	X(6)	246-251	M	M	Approval Code

POS First Presentment and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out clear	In-clear	
31 (SP)	X(6)	246-251	O	O	Approval Code
32	X(1)	252	F	F	Filler
33	X(2)	253-254	F	F	Reserved Field
34	X(8)	255-262	O	O	Card Acceptor Terminal Identification
35 (FP)	X(15)	263-277	M	M	Card Acceptor Identification Code
35 (SP)	X(15)	263-277	ME	ME	Card Acceptor Identification Code
36	X(38)	278-315	M	M	Card Acceptor Name
37	X(38)	316-353	M	M	Card Acceptor Address Line 1
38	X(38)	354-391	O	O	Card Acceptor Address Line 2
39	X(21)	392-412	M	M	Card Acceptor City
40	X(15)	413-427	O	O	Card Acceptor Postal Code
41	X(3)	428-430	M	M	Card Acceptor Country Code
42	X(3)	431-433	O	O	Card Acceptor Region Code
43	9(15)	434-448	F	M	Issuer Gross Settlement Amount
44	9(15)	449-463	F	M	Issuer's/Network Rate Amount
45	9(7)v9(8)	464-478	F	F	Reserved Field
46	9(7)v9(8)	479-493	F	F	Reserved Field
47	9(7)v9(8)	494-508	F	F	Reserved Field
48	X(1)	509	F	F	Reserved Field
49	X(2)	510-511	O	O	Matching Key Type
50	X(21)	512-532	O	O	Matching Key
51	X(15)	533-547	F	F	Filler
52	X(1)	548	F	F	Reserved Field
53	9(15)	549-563	F	F	Reserved Field
54	X(3)	564-566	F	F	Reserved Field
55 (FP)	9(1)	567	F	F	Filler
55 (SP)	9(1)	567	F	F	Reserved Field
56 (FP)	9(1)	568	F	F	Filler
56 (SP)	9(1)	568	F	F	Reserved Field
57	9(15)	569-583	F	M	Issuer Net Settlement Amount
58	9(7)v9(8)	584-598	F	F	Reserved Field
59	X(3)	599-601	F	M	Issuer Settlement Currency Code
60	9(1)	602	F	M	Issuer Settlement Decimalization
61 (FP)	X(3)	603-605	F	F	Filler
61 (SP)	X(3)	603-605	ME	ME	First Presentment Transaction Currency Code
62 (FP)	9(1)	606	M	M	Transaction Decimalization

POS First Presentment and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out clear	In-clear	
62 (SP)	9(1)	606	ME	ME	First Presentment Transaction Decimalization
63 (FP)	9(15)	607-621	M	M	First Presentment Presentment Amount
63 (SP)	9(15)	607-621	ME	ME	First Presentment Presentment Amount
64 (FP)	9(7)v9(8)	622-636	M	M	First Presentment Transaction To Presentment Conversion Rate
64 (SP)	9(7)v9(8)	622-636	ME	ME	First Presentment Transaction To Presentment Conversion Rate
65 (FP)	X(3)	637-639	M	M	First Presentment Presentment Currency Code
65 (SP)	X(3)	637-639	ME	ME	First Presentment Presentment Currency Code
66 (FP)	9(1)	640	M	M	First Presentment Presentment Decimalization
66 (SP)	9(1)	640	ME	ME	First Presentment Presentment Decimalization
67	X(1)	641	C	C	Card Acceptor Multinational Indicator
68 (FP)	X(3)	642-644	M	M	Transaction Currency Code
68 (SP)	X(3)	642-644	ME	ME	Transaction Currency Code
69	X(3)	645-647	F	F	Reserved Field
70	X(3)	648-650	F	F	Reserved Field
71	X(1)	651	F	F	Filler
72	X(1)	652	O	O	Additional Amount Accounting Effect Type Code 1
73	9(15)	653-667	O	O	Additional Amount 1
74	X(3)	668-670	O	O	Additional Amount Type 1
75	X(1)	671	O	O	Additional Amount Accounting Effect Type Code 2
76	9(15)	672-686	O	O	Additional Amount 2
77	X(3)	687-689	O	O	Additional Amount Type 2
78	X(1)	690	O	O	Additional Amount Accounting Effect Type Code 3
79	9(15)	691-705	O	O	Additional Amount 3
80	X(3)	706-708	O	O	Additional Amount Type 3
81	X(1)	709	O	O	Additional Amount Accounting Effect Type Code 4
82	9(15)	710-724	O	O	Additional Amount 4
83	X(3)	725-727	O	O	Additional Amount Type 4
84	X(1)	728	O	O	Additional Amount Accounting Effect Type Code 5
85	9(15)	729-743	O	O	Additional Amount 5
86	X(3)	744-746	O	O	Additional Amount Type 5
87 (FP)	9(2)	747-748	O	O	Alternate Card Acceptor Identification Code Length
87 (SP)	9(2)	747-748	OE	OE	Alternate Card Acceptor Identification Code Length
88 (FP)	X(15)	749-763	O	O	Alternate Card Acceptor Identification Code
88 (SP)	X(15)	749-763	OE	OE	Alternate Card Acceptor Identification Code

POS First Presentment and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out clear	In-clear	
89	X(2)	764-765	F	F	Filler
90 (FP)	9(8)	766-773	F	F	Filler
90 (SP)	9(8)	766-773	ME	ME	First Presentment Transaction Date
91 (FP)	9(6)	774-779	F	F	Filler
91 (SP)	9(6)	774-779	O	O	First Presentment Transaction Time
92	X(4)	780-783	F	F	Reserved Field
93 (FP)	X(2)	784-785	F	M	ICC Chip/PIN Indicator
93 (SP)	X(2)	784-785	F	F	Filler
94	X(1)	786	O	C	Card Capability
95	9(8)	787-794	F	M	Network Processing Date
96	9(6)	795-800	F	M	Network Processing Time
97 (FP)	9(1)	801	F	F	Filler
97 (SP)	9(1)	801	M	M	Transaction Decimalization
98	X(90)	802-891	F	F	Reserved Field
99 (FP)	X(2)	892-893	C	C	Program Indicator/Filler
99 (SP)	X(2)	892-893	F	F	Filler
100	X(2)	894-895	C	C	Tax Reason Code
101	X(1)	896	F	F	Filler
102	9(6)	897-902	O	O	Capture Time
103	9(6)	903-908	F	M	Issuer Settlement Time
104 (FP)	9(8)	909-916	F	F	Filler
104 (SP)	9(8)	909-916	ME	ME	First Presentment Network Processing Date
105 (FP)	9(6)	917-922	F	F	Filler
105 (SP)	9(6)	917-922	ME	ME	First Presentment Network Processing Time
106	X(2)	923-924	M	M	Format Code
107 (FP)	X(11)	925-935	F	M	Issuer Institution Identifier (IIN)
107 (SP)	X(11)	925-935	ME	ME	Issuer Institution Identifier (IIN)
108	X(2)	936-937	O	O	Media Code
109	9(3)	938-940	M	M	Message Transaction Sequence Number
110	X(40)	941-980	O	O	Card Acceptor Location Text
111 (FP)	X(2)	981-982	F	F	Filler
111 (SP)	X(2)	981-982	O	O	Itemized Document Code
112 (FP)	X(23)	983-1005	F	F	Filler
112 (SP)	X(23)	983-1005	O	O	Itemized Document Reference Number
113 (FP)	9(15)	1006-1020	M	M	Transaction Identifier (TID)
113 (SP)	9(15)	1006-1020	ME	ME	Transaction Identifier (TID)

POS First Presentment and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out clear	In-clear	
114	9(2)	1021-1022	M	M	Extended Payment Data
115	X(9)	1023-1031	F	F	Reserved Field
116	9(8)	1032-1039	M	M	Message Number
117 (FP)	X(11)	1040-1050	F	M	Issuer Processor Identifier (IPN)
117 (SP)	X(11)	1040-1050	ME	ME	Issuer Processor Identifier (IPN)
118	X(180)	1051-1230	F	F	Reserved Field
119	X(30)	1231-1260	O	O	Invoice Number
120 (FP)	X(15)	1261-1275	F	F	Reserved Field
120 (SP)	X(15)	1261-1275	F	F	Filler
121	X(3)	1276-1278	F	F	Reserved Field
122	X(40)	1279-1318	C	C	Reject Reason Codes 1-10
123	X(1)	1319	F	F	Filler
124	X(15)	1320-1334	F	F	Filler
125	X(8)	1335-1342	F	F	Filler
126	X(3)	1343-1345	F	F	Reserved Field
127	X(1)	1346	F	F	Reserved Field
128	X(3)	1347-1349	F	F	Filler
129	X(15)	1350-1364	F	F	Reserved Field
130	X(8)	1365-1372	F	F	Filler
131	X(2)	1373-1374	F	F	Reserved Field
132	X(15)	1375-1389	F	F	Reserved Field
133	X(4)	1390-1393	F	F	Reserved Field
134	X(4)	1394-1397	F	F	Reserved Field
135	X(3)	1398-1400	F	F	Reserved Field

Programming Notes for POS First and Second Presentment (1240)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 1240

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
POS First and Second Presentment (1240)
Field 2 Primary Account Number Length Message Layout

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Payment Token Transaction Outclear: This bit contains the token. Inclear: This bit contains the PAN.

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP) (Inclear)
Notes	Cash Disbursement: If the processing code is 014008 or 220000, then the MCC positions 142-145 must be 6010 (Cash Disbursement) Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Transaction Amount

Definition (FP)	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	32-46
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: On First Presentment, the value must be greater than zero. On Second Presentment, the value can be less than or equal to the First Presentment in accordance with the policy in the <i>Business and Operational Policies</i> manual.

Field 6

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	47-61
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 7

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	62-76
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 8

Definition	This field is for AEGNS internal use.
Format	X(12)
Positions	77-88
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 9

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	89-103
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 10

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	104
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 11

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	105-107
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 12

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	108-111
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 13

Transaction Date

Definition Transaction Date (FP)	The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor. - For telecommunication Transactions, the Transaction Date is the date the bill summary was presented. - For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.
Definition Transaction Date (SP)	The local date when a dispute message is created by a Participant.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Outclear: Mandatory Inclear: Mandatory

Field 14

Transaction Time

Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Outclear: Optional Inclear: Optional

Field 15

Card Expiration Date

Definition	This is the Card Expiration Date embossed on the face of the Card.
Format	9(4) MMY Y
Positions	126-129
Optionality	Outclear: Optional Inclear: Optional
Notes	Payment Token Transaction Outclear: This bit contains the token expiration date. Inclear: This bit contains the PAN expiration date.

Field 16

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(4)
Positions	130-133
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros.

Field 17

Capture Date

Definition	The Capture Date on which Transaction data was processed.
Format	9(8) CCYYMMDD
Positions	134-141
Optionality	Outclear: Optional Inclear: Optional
Notes	This is the date when the Acquirer processed the Cardmember Transaction. For optional fields the initialization value is "00010101."

Field 18

Merchant Category Code

Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	142-145
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	No Signature/No PIN Program (FP): If the Transaction qualifies for the No Signature/No PIN Program, these MCCs are not valid when PIN is available:

4814	5542	6010	7273
4816	5964	6011	7297
4829	5966	6051	7375
4899	5967		7393

Payment Facilitator: This field must contain the MCC of the Sponsored Merchant. The MCC can be different for each Transaction dependent on the category of the Sponsored Merchant.

Bill Payment Provider: This field must contain the MCC of the End Beneficiary. The MCC can be different for each Transaction dependent on the category of the End Beneficiary.

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 19

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(9)
Positions	146-154
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 20

Point of Service Data Code

Definition	This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).
Format	X(12)
Positions	155-166
Optionality	Outclear: Mandatory (FP), Conditional Echo (SP). This field is a conditional echo from the POS Authorization Request (1100) message for Expresspay, Expresspay Transit Access Terminal (TAT), and Recurring Billing Transactions in the Second Presentment. Inclear: Mandatory (FP), Conditional Echo (SP) This field is a conditional echo from the POS Authorization Request (1100) message for Expresspay, Expresspay TAT, and Recurring Billing Transactions in the Second Presentment.

Notes The Point of Service Data Code **should be the same** in the POS Authorization Request (1100) and the POS First Presentment (1240) messages. This accurately shows the conditions at the time a Transaction occurred at the Point of Sale.

Recurring Billing Transactions (FP, SP):

Required Value: Position 5 = 9

The Acquirer must echo the Recurring Billing Indicator from the POS Authorization Request (1100) in the POS First and Second Presentment (1240) message.

Refer to the Point of Service Data Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 21

Function Code

Definition This code shows the reason for a message in its Message Type.

Format X(3)

Positions 167-169

Optionality **Outclear:** Mandatory

Inclear: Mandatory

Notes Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 22

Reserved Field (FP)/ Message Reason Code (SP)

Definition Reserved Field (FP) This field is for AEGNS internal use.

Definition Message Reason Code (SP) This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.

Format X(4)

Positions 170-173

Optionality **Outclear:** Filler (FP), Mandatory (SP)

Inclear: Filler (FP), Mandatory (SP)

Notes **Valid Value (SP):** 2000-2999

Cash Disbursement (SP): If the Transaction is a Cash Disbursement Transaction, Message Reason Codes 2007, 2009, and 2701 are **not** valid.

POS (SP): If the Transaction is a POS Transaction, Message Reason Codes 2700 and 2701 are not valid.

Program Indicator (SP): If the Program Indicator = NS - No Signature/No PIN or 02 - ZCV, Message Reason Code 2700 is **not** valid.

This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824).

Refer to the Message Reason Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Alphanumeric Reserved Fields must contain spaces.

Field 23

Definition

Approval Code Length

The length of the approval code from the Approval Code data field within a message.

Format

9(1)

Positions

174

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes**Valid Values:**

- 0 = No Approval Code
- 2 = Valid Approval Code Length
- 6 = Valid Approval Code Length

Field 24

Definition

Issuer Settlement Date

The date when the Network calculates the Issuer Settlement Amount for the Transaction.

Format

9(8) CCYYMMDD

Positions

175-182

Optionality

Outclear: Filler

Inclear: Mandatory

Notes

Numeric Filler fields must contain zeros.

Field 25

Definition

Electronic Commerce Indicator (ECI)

An indicator that is related to American Express SafeKey and shows the results of SafeKey Authentication.

Format

X(2)

Positions

183-184

Optionality

Outclear: Optional

Inclear: Conditional

Notes

This must be a SafeKey Transaction from a certified Issuer in a Safekey market.

Valid Values:

- 05 = Authenticated with AEVV
- 06 = Attempted with AEVV
- 07 = Not Authenticated or Spaces

Payment Tokenization Transaction Valid Values:

- 20 = Payment Token Data Present

Refer to American Express SafeKey section in the *Network Specifications - Authorization* manual for more instruction.

Field 26

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(1)

Positions

185

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
POS First and Second Presentment (1240)
Field 27 First Presentment Transaction Amount Message Layout

Field 27

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	186-200
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Numeric Filler fields must contain zeros.

Field 28

Acquiring Institution Identification (AIN) Code

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	201-211
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)

Field 29

Acquiring Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	212-222
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)

Field 30

Acquirer Reference Number (ARN)

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Important!	Do not space fill this field.
Notes	This number is used to assist in locating/retrieving source data or documents.

Field 31

Approval Code

Definition	A unique code assigned by the Card Transaction authorizing institution to indicate the disposition for the Transaction.
Format	X(6)
Positions	246-251
Optionality	Outclear: Mandatory (FP), Optional (SP) Inclear: Mandatory (FP), Optional (SP)
Notes	If Field 21 Approval Code Length = 2 or 6, the Approval Code must be populated. If Field 21 Approval Code Length = 6, the Approval Code must be populated with the full six digits. This field must be zero-filled for Transactions that do not have an Approval Code.

Field 32

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

252

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 33

Definition**Format****Positions****Optionality****Notes**

Reserved Field

This field is for AEGNS internal use.

X(2)

253-254

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 34

Definition**Format****Positions****Optionality**

Card Acceptor Terminal Identification

This code identifies a POS terminal at a Card Acceptor location.

X(8)

255-262

Outclear: Optional

Inclear: Optional

Field 35

Definition**Format****Positions****Optionality****Notes**

Card Acceptor Identification Code

The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.

X(15)

263-277

Outclear: Mandatory (FP), Mandatory Echo (SP)

Inclear: Mandatory (FP), Mandatory Echo (SP)

Cannot contain spaces or repeating values.

Refer to the S/E Number Check Digit Computation in the *Network Specifications - Authorization* manual.

Field 36

Definition**Format****Positions****Optionality****Notes**

Card Acceptor Name

The name of the Card Acceptor, also know as Service Establishment (S/E).

X(38)

278-315

Outclear: Mandatory

Inclear: Mandatory

Travel/Cruise Addendum: The Card Acceptor Name is the cruise ship name.

Payment Facilitator:

This field must contain the Card Acceptor Name*DBA of the Sponsored Merchant in this format: Payment Facilitator Name*DBA.

Example: If the Payment Facilitator is "Pay4All" and a Sponsored Merchant is "ezhats" the Card Acceptor Name is sent as: Pay4All*ezhats.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
POS First and Second Presentment (1240)
Field 37 Card Acceptor Address Line 1 Message Layout

Bill Payment Provider:

This field must contain the Bill Payment Provider*DBA of the End Beneficiary in this format: Bill Payment Provider*DBA.

Example: If the Bill Payment Provider is "Pay4All" and an End Beneficiary is "ezhats" the Card Acceptor Name is sent as: Pay4All*ezhats.

Field 37

Card Acceptor Address Line 1

Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	316-353
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Payment Facilitator: This field must contain the address of the Sponsored Merchant.

Field 38

Card Acceptor Address Line 2

Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	354-391
Optionality	Outclear: Optional Inclear: Optional
Notes	Payment Facilitator: If this data is supplied, it must be the address of the Sponsored Merchant.

Field 39

Card Acceptor City

Definition	The city name of the Card Acceptor location.
Format	X(21)
Positions	392-412
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Payment Facilitator: This field must contain the city of the Sponsored Merchant.

Field 40

Card Acceptor Postal Code

Definition	The postal code of the Card Acceptor location.
Format	X(15)
Positions	413-427
Optionality	Outclear: Optional Inclear: Optional
Notes	Payment Facilitator: If this data is supplied, it must be the postal code of the Sponsored Merchant.

Field 41

Card Acceptor Country Code

Definition	The Country Code of the Card Acceptor location.
Format	X(3)
Positions	428-430
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Zip Code Verification: If the Program Indicator is 02 ZCV, these Card Acceptor Country Codes 630 and 840 are valid. Payment Facilitator: This field must contain the Country Code of the Sponsored Merchant. Refer to the Country Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 42

Card Acceptor Region Code

Definition	A code for the state, province, or region of the Card Acceptor location.
Format	X(3)
Positions	431-433
Optionality	Outclear: Optional Inclear: Optional
Notes	Payment Facilitator: If this data is supplied, it must be the Region Code of the Sponsored Merchant. Refer to the Region Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 43

Issuer Gross Settlement Amount

Definition	The Network calculates this amount for a Transaction and uses the currency of the Issuer's contractual agreement. A Foreign Currency Factor mark-up by the Network is added to the value of the final settlement currency.
Format	9(15)
Positions	434-448
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 44

Issuer's/Network Rate Amount

Definition	The Network calculates the total value of the Issuer's/Network rate to be paid to or from the Network against Transactions.
Format	9(15)
Positions	449-463
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 45

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	464-478
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 46

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	479-493
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 47

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	494-508
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 48

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	509
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 49

Definition	Identifies the type of data referenced by the matching key.
Format	X(2)
Positions	510-511
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • 01 = Corporate Purchasing Card (CPC) • 02 = Business Travel Account • 03 = Reserved for AEGNS • 04 = Reserved for AEGNS

Matching Key Type

Field 50

Definition	An alphanumeric code that serves as a unique identifier through which Issuers can match a First Presentment to corresponding detail data (such as Purchasing Card Line Item Detail) that may have been supplied to the Issuer through paths outside of the Network.
Format	X(21)
Positions	512-532
Optionality	Outclear: Optional Inclear: Optional
Notes	If Matching Key Type contains a value, this field must contain a value for Acquirers certified to use the matching key. If Matching Key Type on the 1240 and the LID Key field on the 9240 CPC Addendum contain a value, the Matching Key on the 1240 is the primary reference data key.

Matching Key

Field 51

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	533-547
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 52

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	548
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 53

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	549-563
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 54

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	564-566
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 55

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Reserved Field (SP)	This field is for AEGNS internal use.
Format	9(1)
Positions	567
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros. Numeric Reserved Fields must contain zeros.

Filler (FP) / Reserved Field (SP)

Field 56

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Reserved Field (SP)	This field is for AEGNS internal use.
Format	9(1)
Positions	568
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros. Numeric Reserved Fields must contain zeros.

Filler (FP) / Reserved Field (SP)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
POS First and Second Presentment (1240)
Field 57 Issuer Net Settlement Amount Message Layout

Field 57

Issuer Net Settlement Amount

Definition	The Network calculates this amount for a Transaction, net of the Issuer's Rate Amount, in the currency defined by the Issuer's contractual agreement.
Format	9(15)
Positions	569-583
Optionality	Outclear: Filler
	Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 58

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	584-598
Optionality	Outclear: Filler
	Inclear: Filler
Notes	Numeric Filler fields must contain zeros.

Field 59

Issuer Settlement Currency Code

Definition	The currency code of the Settlement Amount. The Network puts the value in this field.
Format	X(3)
Positions	599-601
Optionality	Outclear: Filler
	Inclear: Mandatory
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
	Alphanumeric Filler fields must contain spaces.

Field 60

Issuer Settlement Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Issuer Settlement Amount. The Network puts the value in this field.
Format	9(1)
Positions	602
Optionality	Outclear: Filler
	Inclear: Mandatory
Notes	This data must be a valid decimalization for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).
	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
	Numeric Filler fields must contain zeros.

Field 61

Filler (FP) / First Presentment Transaction Currency Code (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Transaction Currency Code (SP)	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	603-605

Field 62 Transaction Decimalization (FP) / First Presentment Transaction Decimalization (SP) Message Layout

Optionality	Outclear: Filler (FP), Mandatory Echo from the First and Final Chargeback Notification (1442) message (SP) Inclear: Filler (FP), Mandatory Echo from the First and Final Chargeback Notification (1442) message (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Alphanumeric Filler fields must contain spaces.

Field 62

Transaction Decimalization (FP) / First Presentment Transaction Decimalization (SP)

Definition Transaction Decimalization (FP)	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Definition First Presentment Transaction Decimalization (SP)	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	606
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Valid Values (FP & SP): 0-9 Must be a valid decimalization for the Currency Code of the First Presentment Transaction Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 63

First Presentment Presentment Amount

Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	607-621
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	If the Transaction Amount is not in a valid presentment currency, it must be converted to a valid presentment currency. The Acquirer populates this field.

Field 64

First Presentment Transaction to Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	622-636
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Valid Value: If no conversion is required, this value = 1.0.

Field 65 First Presentment Presentment Currency Code Message Layout

Field 65

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	637-639
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 66

First Presentment Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	640
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Valid Values: 0-9 Must be a valid decimalization for the Currency Code of the First Presentment Presentment Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 67

Card Acceptor Multinational Indicator

Definition	A Y (Yes) or N (no) indicator that shows if a particular Transaction relates to an AEGNS Multinational Account (MNA).
Format	X(1)
Positions	641
Optionality	Outclear: Conditional. If the Transaction relates to an MNA, the field must = Y. Inclear: Conditional If the Transaction relates to an MNA, the field must = Y.
Notes	AEGNS is responsible for designating those relationships deemed MNAs. Contact your AEGNS Representative for more instruction.

Field 68

Transaction Currency Code

Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	642-644
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 69

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	645-647
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 70

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	648-650
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 71

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	651
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 72

Definition	Additional Amount Accounting Effect Type Code 1 A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	652
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number If this field does not contain a value, then the Additional Amount and Additional Amount Type Codes must not contain a value.

Additional Amount Accounting Effect Type Code 1

Field 73

Definition	Additional Amount 1 The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	653-667
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Additional Amount 1

Field 74

Additional Amount Type 1

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	668-670
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 75

Additional Amount Accounting Effect Type Code 2

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	671
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number If this field does not contain a value, then the Additional Amount and Additional Amount Type Codes must not contain a value.

Field 76

Additional Amount 2

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	672-686
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 77

Additional Amount Type 2

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	687-689
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 78 Additional Amount Accounting Effect Type Code 3 Message Layout

Field 78

Additional Amount Accounting Effect Type Code 3

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	690
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number If this field does not contain a value, then the Additional Amount and Additional Amount Type Codes must not contain a value.

Field 79

Additional Amount 3

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	691-705
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 80

Additional Amount Type 3

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	706-708
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 81

Additional Amount Accounting Effect Type Code 4

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	709
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number If this field does not contain a value, then the Additional Amount and Additional Amount Type Codes must not contain a value.

Field 82

Additional Amount 4

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	710-724
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 83

Additional Amount Type 4

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	725-727
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 84

Additional Amount Accounting Effect Type Code 5

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	728
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number If this field does not contain a value, then the Additional Amount and Additional Amount Type Codes must not contain a value.

Field 85

Additional Amount 5

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	729-743
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 86

Additional Amount Type 5

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	744-746
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 87

Alternate Card Acceptor Identification Code Length

Definition	The number of positions or length of the Alternate Card Acceptor Identification Code.
Format	9(2)
Positions	747-748
Optionality	Outclear: Optional (FP), Optional Echo (SP) Inclear: Optional (FP), Optional Echo (SP)
Notes	Valid Values: 00-15

Field 88

Alternate Card Acceptor Identification Code

Definition	A Card Acceptor identification number used internally by a Participant.
Format	X(15)
Positions	749-763
Optionality	Outclear: Optional (FP), Optional Echo (SP) Inclear: Optional (FP), Optional Echo (SP)

Field 89

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	764-765
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 90

Filler (FP) / First Presentment Transaction Date (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Transaction Date (SP)	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD (SP)
Positions	766-773
Optionality	Outclear: Filler (FP), Mandatory Echo from the First and Final Chargeback Notification (1442) message (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	Numeric Filler fields must contain zeros.

Field 91 Filler (FP) / First Presentment Transaction Time (SP) Message Layout

Field 91	Filler (FP) / First Presentment Transaction Time (SP)
Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Transaction Time (SP)	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6) HHMMSS (SP)
Positions	774-779
Optionality	Outclear: Filler (FP), Optional (SP) Inclear: Filler (FP), Optional (SP)
Notes	Numeric Filler fields must contain zeros.
Field 92	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(4)
Positions	780-783
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 93	ICC Chip/PIN Indicator (FP) / Filler (SP)
Definition ICC Chip/PIN Indicator (FP)	A code assigned by the Network to show if a Chip or a Chip and PIN Transaction has occurred.
Definition Filler (SP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	784-785
Optionality	Outclear: Filler (FP), Filler (SP) Inclear: Mandatory (FP), Filler (SP)
Notes	Refer to the ICC Chip/PIN Indicator Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Alphanumeric Filler fields must contain spaces.
Field 94	Card Capability
Definition	This field indicates the highest form of technology present in the Card.
Format	X(1)
Positions	786
Optionality	Outclear: Optional Inclear: Conditional. If this field contains a value on the Outclear file, then it will contain a value on the Inclear file.
Notes	Valid Values: • 0 = unknown • 1 = magnetic stripe • 2 = chip

Field 95

Network Processing Date

Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	787-794
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 96

Network Processing Time

Definition	The time the Network accepted or processed the Transaction.
Format	9(6) HHMMSS
Positions	795-800
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 97

Filler (FP) / Transaction Decimalization (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Transaction Decimalization (SP)	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	801
Optionality	Outclear: Filler (FP), Mandatory (SP) Inclear: Filler (FP), Mandatory (SP)
Notes	Valid Values (SP): 0-9 This must be a valid decimalization for the Currency Code of the First Presentment Transaction Amount. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Numeric Filler fields must contain zeros.

Field 98

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(90)
Positions	802-891
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 99

Program Indicator/Filler (FP) / Filler (SP)

Definition Program Indicator/Filler (FP)	Contains the code that tells Issuers that the Transaction qualifies for special S/E programs or other types of programs that can have a liability shift or special operating rules. If the Program Indicator is not provided, this field must contain spaces.
Definition Filler (SP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	892-893

Optionality	Outclear: Conditional (FP), Filler (SP) The First Presentment must contain a Program Indicator if the Card Acceptor is participating in a Special Program. If a Program Indicator is not provided, this field must contain spaces. Inclear: Conditional (FP), Filler (SP) The First Presentment must contain a Program Indicator if the Card Acceptor is participating in a Special Program. If a Program Indicator is not provided, this field must contain spaces.
Notes	Refer to Program Indicators in the <i>Codes Reference Guide</i> for a list of codes. Alphanumeric Filler fields must contain spaces.

Field 100	Tax Reason Code
Definition	This code tells Issuers in special markets how to calculate taxes for Transactions.
Format	X(2)
Positions	894-895
Optionality	Outclear: Conditional. An Acquirer must put a Tax Reason Code in this field if it is necessary for compliance reasons. Inclear: Conditional. An Issuer receives a Tax Reason Code in this field if it is necessary for compliance reasons.
Notes	Refer to the <i>Codes Reference Guide</i> for a list of valid Tax Reason Codes.

Field 101	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	896
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 102	Capture Time
Definition	The Capture Time on which Transaction data was processed.
Format	9(6) HHMMSS
Positions	897-902
Optionality	Outclear: Optional Inclear: Optional
Notes	This is the time when the Acquirer processed the Cardmember Transaction.

Field 103	Issuer Settlement Time
Definition	The time when the Issuer Settlement Amount is calculated for one Cardmember Transaction. The Network puts the same time on all Transactions sent together (e.g., in the same file).
Format	9(6) HHMMSS
Positions	903-908
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 104 Filler (FP) / First Presentment Network Processing Date (SP) Message Layout

Field 104

Filler (FP) / First Presentment Network Processing Date (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Network Processing Date (SP)	The date the First Presentment Transaction was accepted by the Network.
Format	9(8) CCYYMMDD (SP)
Positions	909-916
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	Numeric Filler fields must contain zeros.

Field 105

Filler (FP) / First Presentment Network Processing Time (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Network Processing Time (SP)	The time the First Presentment Transaction was accepted by the Network.
Format	9(6) HHMMSS (SP)
Positions	917-922
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	Numeric Filler fields must contain zeros.

Field 106

Format Code

Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	When providing a Format Code, the associated Addendum Message must be provided. No addendum message is necessary on Second Presentment. Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 107

Issuer Institution Identifier (IIN)

Definition	A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer. The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format	X(11)
Positions	925-935
Optionality	Outclear: Filler (FP), Mandatory Echo from the First and Final Chargeback Notification (1442) message (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Alphanumeric Filler fields must contain spaces.

Field 108

Media Code

Definition	The media used to initiate a Cardmember transaction processed by the Network.
Format	X(2)
Positions	936-937
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Media Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 109

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with a Message Type Identifier of 1240 has a Message Transaction Sequence Number of 001. The first addendum to the 1240 message, with a Message Type Identifier of 9240 has a Message Transaction Sequence Number of 002.

Field 110

Card Acceptor Location Text

Definition	The free form text location of the Card Acceptor.
Format	X(40)
Positions	941-980
Optionality	Outclear: Optional Inclear: Optional

Field 111

Filler (FP) / Itemized Document Code (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Itemized Document Code (SP)	The type of itemized documentation required for a message type.
Format	X(2)
Positions	981-982
Optionality	Outclear: Filler (FP), Optional (SP) Inclear: Filler (FP), Optional (SP)
Notes	Refer to the Itemized Document Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Refer to the Chargeback Policies chapter of the <i>Business and Operational Policies</i> manual for Retrieval Request Message Reason Codes that require supporting documentation. Alphanumeric Filler fields must contain spaces.

Field 112

Filler (FP) / Itemized Document Reference Number (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Itemized Document Reference Number (SP)	The reference number of the Transaction that transmitted supporting or itemized documentation.
Format	X(22)
Positions	983-1005
Optionality	Outclear: Filler (FP), Optional (SP) Inclear: Filler (FP), Optional (SP)
Notes	Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
POS First and Second Presentment (1240)
Field 113 Transaction Identifier (TID) Message Layout

Field 113

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	An Acquirer must submit the TID received in the POS Authorization Response (1110) message. For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .

Field 114

Extended Payment Data

Definition	The number of extended payment installments requested for a card transaction (e.g., 16 = 16 months).
Format	9(2)
Positions	1021-1022
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: 01-99 Default Value: 01

Field 115

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(9)
Positions	1023-1031
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 116

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Outclear: Mandatory Inclear: Mandatory

Field 117

Issuer Processor Identifier (IPN)

Definition	The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.
Format	X(11))
Positions	1040-1050
Optionality	Outclear: Filler (FP), Mandatory Echo from the First and Final Chargeback Notification (1442) message (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Alphanumeric Filler fields must contain spaces.

Field 118

Definition	This field is for AEGNS internal use.
Format	X(180)
Positions	1051-1230
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 119

Definition	A unique number assigned by the S/E to track a Transaction.
Format	X(30)
Positions	1231-1260
Optionality	Outclear: Optional Inclear: Optional

Invoice Number

Field 120

Definition Reserved Field (FP)	This field is for AEGNS internal use.
Definition Filler (SP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	1261-1275
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces. Alphanumeric Filler fields must contain spaces.

Reserved Field (FP) / Filler (SP)

Field 121

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	1276-1278
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 122

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Codes 1-10

Field 123

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

1319

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 124

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(15)

1320-1334

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 125

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(8)

1335-1342

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 126

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

X(3)

1343-1345

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 127

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

X(1)

1346

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 128

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(3)

1347-1349

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 129

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	1350-1364
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 130

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(8)
Positions	1365-1372
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 131

Definition	This field is for AEGNS internal use.
Format	X(2)
Positions	1373-1374
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 132

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	1375-1389
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 133

Definition	This field is for AEGNS internal use.
Format	X(4)
Positions	1390-1393
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 134

Definition	This field is for AEGNS internal use.
Format	X(4)
Positions	1394-1397
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 135

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	1398-1400
Optionality	Outclear: Filler
	Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

ATM First and Second Presentment (1240)

Description

The American Express Funds Access System (FAS) creates the ATM First Presentments from the data of one Cardmember Transaction in the ATM Financial Transaction Request (1200). The ATM First Presentment is sent to the Network. The Network sends the ATM First Presentment (1240) message to the Issuer.

Refer to Sending and Receiving ATM Transaction Reversals in the *Network Specifications - Authorization* manual for more instruction.

ATM First Presentments are not outcleared by Acquirers to the Network. ATM Second Presentments outclear from the Acquirer to the Network and Inclear from the Network to the Issuer. In the outclear and inclear columns, the optionality is defined for the outclear and inclear files.

Length of Record

1400 bytes

Message Layout

This is the message layout for the ATM First Presentment (1240). Refer to the [Programming Notes for ATM First and Second Presentment \(1240\)](#) on page 3-67 for more instruction.

ATM First and Second Presentment (1240) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
1	X(4)	1-4	M	M	Message Type Identifier
2	9(2)	5-6	M	M	Primary Account Number Length
3 (FP)	X(19)	7-25	M	M	Primary Account Number (PAN)
3 (SP)	X(19)	7-25	ME	ME	Primary Account Number (PAN)
4 (FP)	X(6)	26-31	M	M	Processing Code
4 (SP)	X(6)	26-31	ME	ME	Processing Code
5	9(15)	32-46	M	M	Transaction Amount
6	9(15)	47-61	F	F	Reserved Field
7	9(15)	62-76	F	F	Reserved Field
8	X(12)	77-88	F	F	Filler
9	X(15)	89-103	F	F	Reserved Field
10	X(8)	104-111	F	F	Filler
11	9(8)	112-119	M	M	Transaction Date
12 (FP)	9(6)	120-125	M	M	Transaction Time
12 (SP)	9(6)	120-125	O	O	Transaction Time
13	9(4)	126-129	O	O	Card Expiration Date
14	9(4)	130-133	F	F	Filler
15	9(8)	134-141	O	O	Capture Date

ATM First and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
16 (FP)	X(4)	142-145	M	M	Merchant Category Code
16 (SP)	X(4)	142-145	ME	ME	Merchant Category Code
17	9(9)	146-154	F	F	Reserved Field
18	X(12)	155-166	M	M	Point of Service Data Code
19	X(3)	167-169	M	M	Function Code
20 (FP)	X(4)	170-173	F	F	Filler
20 (SP)	X(4)	170-173	M	M	Message Reason Code
21	9(1)	174	M	M	Approval Code Length
22 (FP)	9(8)	175-182	M	M	Issuer Settlement Date
22 (SP)	9(8)	175-182	F	M	Issuer Settlement Date
23	9(3)	183-185	F	F	Filler
24 (FP)	9(15)	186-200	F	F	Reserved Field
24 (SP)	9(15)	186-200	ME	ME	First Presentment Transaction Amount
25 (FP)	X(11)	201-211	M	M	Acquiring Institution Identification (AIN) Code
25 (SP)	X(11)	201-211	ME	ME	Acquiring Institution Identification (AIN) Code
26 (FP)	X(11)	212-222	M	M	Acquiring Institution Processor Identifier (APN)
26 (SP)	X(11)	212-222	ME	ME	Acquiring Institution Processor Identifier (APN)
27 (FP)	X(23)	223-245	M	M	Acquirer Reference Number (ARN)
27 (SP)	X(23)	223-245	ME	ME	Acquirer Reference Number (ARN)
28 (FP)	X(6)	246-251	M	M	Approval Code
28 (SP)	X(6)	246-251	O	O	Approval Code
29	X(1)	252	F	F	Filler
30	X(2)	253-254	F	F	Reserved Field
31 (FP)	X(8)	255-262	M	M	Card Acceptor Terminal Identification
31 (SP)	X(8)	255-262	ME	ME	Card Acceptor Terminal Identification
32 (FP)	X(15)	263-277	M	M	Card Acceptor Identification Code
32 (SP)	X(15)	263-277	ME	ME	Card Acceptor Identification Code
33	X(38)	278-315	M	M	Card Acceptor Name
34	X(38)	316-353	O	O	Card Acceptor Address Line 1
35	X(38)	354-391	O	O	Card Acceptor Address Line 2
36	X(21)	392-412	M	M	Card Acceptor City
37	X(15)	413-427	O	O	Card Acceptor Postal Code
38	X(3)	428-430	M	M	Card Acceptor Country Code
39	X(3)	431-433	O	O	Card Acceptor Region Code
40 (FP)	9(15)	434-448	M	M	Issuer Authorized Amount
40 (SP)	9(15)	434-448	F	M	Issuer Gross Settlement Amount
41	9(15)	449-463	F	F	Filler

ATM First and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
42	9(7)v9(8)	464-478	F	F	Reserved Field
43	9(7)v9(8)	479-493	F	F	Reserved Field
44	9(7)v9(8)	494-508	F	F	Reserved Field
45	X(1)	509	F	F	Reserved Field
46	X(38)	510-547	F	F	Filler
47	X(1)	548	F	F	Reserved Field
48	9(15)	549-563	F	F	Reserved Field
49	X(3)	564-566	F	F	Reserved Field
50	9(1)	567	F	F	Reserved Field
51	9(1)	568	F	F	Reserved Field
52 (FP)	9(15)	569-583	M	M	Issuer Gross Settlement Amount
52 (SP)	9(15)	569-583	F	M	Issuer Net Settlement Amount
53	9(7)v9(8)	584-598	F	F	Reserved Field
54 (FP)	X(3)	599-601	M	M	Issuer Settlement Currency Code
54 (SP)	X(3)	599-601	F	M	Issuer Settlement Currency Code
55 (FP)	9(1)	602	M	M	Issuer Settlement Decimalization
55 (SP)	9(1)	602	F	M	Issuer Settlement Decimalization
56 (FP)	X(3)	603-605	F	F	Reserved Field
56 (SP)	X(3)	603-605	ME	ME	First Presentment Transaction Currency Code
57 (FP)	9(1)	606	M	M	Transaction Decimalization
57 (SP)	9(1)	606	ME	ME	First Presentment Transaction Decimalization
58 (FP)	9(15)	607-621	M	M	First Presentment Presentment Amount
58 (SP)	9(15)	607-621	ME	ME	First Presentment Presentment Amount
59 (FP)	9(7)v9(8)	622-636	M	M	First Presentment Transaction To Presentment Conversion Rate
59 (SP)	9(7)v9(8)	622-636	ME	ME	First Presentment Transaction To Presentment Conversion Rate
60 (FP)	X(3)	637-639	M	M	First Presentment Presentment Currency Code
60 (SP)	X(3)	637-639	ME	ME	First Presentment Presentment Currency Code
61 (FP)	9(1)	640	M	M	First Presentment Presentment Decimalization
61 (SP)	9(1)	640	ME	ME	First Presentment Presentment Decimalization
62	X(1)	641	F	F	Filler
63 (FP)	X(3)	642-644	M	M	Transaction Currency Code
63 (SP)	X(3)	642-644	ME	ME	Transaction Currency Code
64	X(3)	645-647	F	F	Reserved Field
65	X(3)	648-650	F	F	Reserved Field
66	X(1)	651	F	F	Filler
67	X(1)	652	O	O	Additional Amount Accounting Effect Type Code 1

ATM First and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
68	9(15)	653-667	O	O	Additional Amount 1
69	X(3)	668-670	O	O	Additional Amount Type 1
70	X(1)	671	O	O	Additional Amount Accounting Effect Type Code 2
71	9(15)	672-686	O	O	Additional Amount 2
72	X(3)	687-689	O	O	Additional Amount Type 2
73	X(1)	690	O	O	Additional Amount Accounting Effect Type Code 3
74	9(15)	691-705	O	O	Additional Amount 3
75	X(3)	706-708	O	O	Additional Amount Type 3
76	X(1)	709	O	O	Additional Amount Accounting Effect Type Code 4
77	9(15)	710-724	O	O	Additional Amount 4
78	X(3)	725-727	O	O	Additional Amount Type 4
79	X(1)	728	O	O	Additional Amount Accounting Effect Type Code 5
80	9(15)	729-743	O	O	Additional Amount 5
81	X(3)	744-746	O	O	Additional Amount Type 5
82	X(1)	747	F	F	Reserved Field
83	9(15)	748-762	F	F	Reserved Field
84	X(3)	763-765	F	F	Reserved Field
85 (FP)	9(8)	766-773	F	F	Filler
85 (SP)	9(8)	766-773	ME	ME	First Presentment Transaction Date
86 (FP)	9(6)	774-779	F	F	Filler
86 (SP)	9(6)	774-779	M	M	First Presentment Transaction Time
87	X(7)	780-786	F	F	Reserved Field
88	9(8)	787-794	F	M	Network Processing Date
89	9(6)	795-800	F	M	Network Processing Time
90 (FP)	9(1)	801	F	F	Filler
90 (SP)	9(1)	801	M	M	Transaction Decimalization
91	9(7)v9(8)	802-816	F	F	Reserved Field
92	9(15)	817-831	F	F	Reserved Field
93	9(15)	832-846	F	F	Reserved Field
94	9(7)v9(8)	847-861	F	F	Reserved Field
95	9(7)v9(8)	862-876	F	F	Reserved Field
96	9(15)	877-891	F	F	Reserved Field
97 (FP)	X(2)	892-893	F	F	Reserved Field
97 (SP)	X(2)	892-893	F	F	Filler
98	X(3)	894-896	F	F	Filler
99	9(6)	897-902	O	O	Capture Time
100 (FP)	9(6)	903-908	M	M	Issuer Settlement Time

ATM First and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
100 (SP)	9(6)	903-908	F	M	Issuer Settlement Time
101 (FP)	9(8)	909-916	F	F	Filler
101 (SP)	9(8)	909-916	ME	ME	First Presentment Network Processing Date
102 (FP)	9(6)	917-922	F	F	Filler
102 (SP)	9(6)	917-922	ME	ME	First Presentment Network Processing Time
103	X(2)	923-924	M	M	Format Code
104 (FP)	X(11)	925-935	F	M	Issuer Institution Identifier (IIN)
104 (SP)	X(11)	925-935	ME	ME	Issuer Institution Identifier (IIN)
105	X(2)	936-937	O	O	Media Code
106	9(3)	938-940	M	M	Message Transaction Sequence Number
107	X(15)	941-955	F	F	Reserved Field
108	X(15)	956-970	F	F	Reserved Field
109	X(3)	971-973	F	F	Reserved Field
110	X(3)	974-976	F	F	Reserved Field
111	X(1)	977	F	F	Reserved Field
112	X(1)	978	F	F	Reserved Field
113	X(2)	979-980	F	F	Filler
114	X(2)	981-982	F	F	Filler
115	X(23)	983-1005	F	F	Filler
116 (FP)	9(15)	1006-1020	F	M	Transaction Identifier (TID)
116 (SP)	9(15)	1006-1020	ME	ME	Transaction Identifier (TID)
117	9(2)	1021-1022	F	F	Filler
118	X(9)	1023-1031	F	F	Filler
119	9(8)	1032-1039	M	M	Message Number
120 (FP)	X(11)	1040-1050	F	M	Issuer Processor Identifier (IPN)
120 (SP)	X(11)	1040-1050	ME	ME	Issuer Processor Identifier (IPN)
121	X(210)	1051-1260	F	F	Reserved Field
122	X(15)	1261-1275	F	F	Filler
123	X(3)	1276-1278	F	F	Filler
124	X(40)	1279-1318	C	C	Reject Reason Codes 1-10
125	X(1)	1319	F	F	Filler
126	X(15)	1320-1334	F	F	Reserved Field
127	X(8)	1335-1342	F	F	Reserved Field
128	X(3)	1343-1345	F	F	Filler
129	X(1)	1346	F	F	Filler
130	X(3)	1347-1349	F	F	Filler
131	X(15)	1350-1364	F	F	Reserved Field

ATM First and Second Presentment (1240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
132	X(8)	1365-1372	F	F	Reserved Field
133	X(2)	1373-1374	F	F	Filler
134	X(15)	1375-1389	F	F	Reserved Field
135	X(4)	1390-1393	F	F	Reserved Field
136	X(4)	1394-1397	F	F	Reserved Field
137	X(3)	1398-1400	F	F	Reserved Field

Programming Notes for ATM First and Second Presentment (1240)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 1240 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM First and Second Presentment (1240)
Field 5 Transaction Amount Message Layout

Field 5

Definition

The dispensed amount including service fees charged by the dispensing unit in the Transaction Currency as it was executed at the Card Acceptor expressed in the currency and decimalization of the Transaction amount.

Format

9(15)

Positions

32-46

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes

This field must be greater than 0 (zero).

Field 6

Definition

This field is for AEGNS internal use.

Format

9(15)

Positions

47-61

Optionality

Outclear: Filler

Inclear: Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 7

Definition

This field is for AEGNS internal use.

Format

9(15)

Positions

62-76

Optionality

Outclear: Filler

Inclear: Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 8

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(12)

Positions

77-88

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 9

Definition

This field is for AEGNS internal use.

Format

X(15)

Positions

89-103

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 10

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(8)

Positions

104-111

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 11

Transaction Date

Definition Transaction Date (FP)

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Definition Transaction Date (SP)

The local date when a dispute message is created by a Participant.

Format

9(8) CCYYMMDD

Positions

112-119

Optionality

Outclear: Mandatory

Inclear: Mandatory

Field 12

Transaction Time

Definition

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

120-125

Optionality

Outclear: Mandatory (FP), Optional (SP)

Inclear: Mandatory (FP), Optional (SP)

Field 13

Card Expiration Date

Definition

This is the Card Expiration Date embossed on the face of the Card.

Format

9(4) MMY Y

Positions

126-129

Optionality

Outclear: Optional

Inclear: Optional

Field 14

Filler

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

9(4)

Positions

130-133

Optionality

Outclear: Filler

Inclear: Filler

Notes

Numeric Filler fields must contain zeros.

Field 15

Capture Date

Definition

The Capture Date on which Transaction data was processed.

Format

9(8) CCYYMMDD

Positions

134-141

Optionality

Outclear: Optional

Inclear: Optional

Notes

This is the date when the Network processed the Cardmember Transaction.

For optional fields the initialization value is "00010101."

Field 16

Definition**Format****Positions****Optionality****Notes**

Merchant Category Code

A code that identifies the industry in which the S/E does business.

X(4)

142-145

Outclear: Mandatory (FP), Mandatory Echo (SP)

Inclear: Mandatory (FP), Mandatory Echo (SP)

Required Value: 6011 - Automated Cash Disbursements

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 17

Definition**Format****Positions****Optionality****Notes**

Reserved Field

This field is for AEGNS internal use.

9(9)

146-154

Outclear: Filler

Inclear: Filler

Numeric Reserved Fields must contain zeros.

Field 18

Definition**Format****Positions****Optionality****Notes**

Point of Service Data Code

This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).

X(12)

155-166

Outclear: Mandatory

Inclear: Mandatory

Valid Values:

- ATM Non Chip = 210201210141
- ATM Chip Card = 510201510141

Refer to the Point of Service Data Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 19

Definition**Format****Positions****Optionality****Notes**

Function Code

This code shows the reason for a message in its Message Type.

X(3)

167-169

Outclear: Mandatory

Inclear: Mandatory

Valid Values:

- 200 = First Presentment
- 205 = Second Presentment

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM First and Second Presentment (1240)
Field 20 Filler (FP)/ Message Reason Code (SP) Message Layout

Field 20	Filler (FP)/ Message Reason Code (SP)
Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Message Reason Code (SP)	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	X(4)
Positions	170-173
Optionality	Outclear: Filler (FP), Mandatory (SP) Inclear: Filler (FP), Mandatory (SP)
Notes	Second Presentment Valid Values: • 2000 = General – Invalid Chargeback • 2006 = Incorrect Transaction Date provided on Chargeback • 2011 = Credit previously issued • 2701 = Valid ATM Journal Roll/Audit Tape provided This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824). Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Alphanumeric Filler fields must contain spaces.
Field 21	Approval Code Length
Definition	The length of the approval code from the Approval Code data field within a message.
Format	9(1)
Positions	174
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: • 2 = Valid Approval Code Length • 6 = Valid Approval Code Length
Field 22	Issuer Settlement Date
Definition	The date when the Network calculates the Issuer Settlement Amount for the Transaction.
Format	9(8) CCYYMMDD
Positions	175-182
Optionality	Outclear: Mandatory (FP), Filler (SP) Inclear: Mandatory (FP), Mandatory (SP)
Notes	Numeric Filler fields must contain zeros.
Field 23	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(3)
Positions	183-185
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros.

Field 24 Reserved Field (FP) / First Presentment Transaction Amount (SP) Message Layout

Field 24

Reserved Field (FP) / First Presentment Transaction Amount (SP)

Definition Reserved Field (FP)	This field is for AEGNS internal use.
Definition First Presentment Transaction Amount (SP)	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	186-200
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	The Second Presentment value must equal the Transaction Amount of the First Presentment. It cannot be 0 (zero). Numeric Reserved Fields must contain zeros.

Field 25

Acquiring Institution Identification (AIN) Code

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	201-211
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)

Field 26

Acquiring Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	212-222
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	ATM Disputes (SP): The APN is from the First Presentment. Valid Values (SP): • 11500000001 • 11500000002

Field 27

Acquirer Reference Number (ARN)

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	This number is used to assist in locating/retrieving source data or documents. Value (FP): The Network puts the value in this field. The value is the 8-byte Card Acceptor Terminal ID, plus the 6-byte Systems Trace Audit Number, and spaces from the ATM Financial Transaction Request (1200) message.

Field 28

Definition

Format

Positions

Optionality

Notes

Approval Code

A unique code assigned by the Card Transaction authorizing institution to indicate the disposition for the Transaction.

X(6)

246-251

Outclear: Mandatory (FP), Optional (SP)

Inclear: Mandatory (FP), Optional (SP)

First Presentment: Must be numeric.

Second Presentment: Numeric value of the approval code or spaces.

Field 29

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

252

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 30

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

X(2)

253-254

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 31

Definition

Format

Positions

Optionality

Card Acceptor Terminal Identification

A unique code that identifies an ATM terminal at a Card Acceptor location (i.e., where the Transaction took place).

X(8)

255-262

Outclear: Mandatory (FP), Mandatory Echo (SP)

Inclear: Mandatory (FP), Mandatory Echo (SP)

Field 32

Definition

Format

Positions

Optionality

Notes

Card Acceptor Identification Code

The routing transit number in an ATM Transaction. This value is a 10-digit number.

X(15)

263-277

Outclear: Mandatory (FP), Mandatory Echo (SP)

Inclear: Mandatory (FP), Mandatory Echo (SP)

This field cannot contain spaces or repeating values (FP, SP).

Refer to the S/E Number Check Digit Computation in the *Network Specifications - Authorization* manual.

Field 33

Definition

Format

Positions

Optionality

Card Acceptor Name

The ATM location as it is known to Cardmembers.

X(38)

278-315

Outclear: Mandatory

Inclear: Mandatory

Field 34

Definition
Format
Positions
Optionality

Card Acceptor Address Line 1

The Card Acceptor (also known as Service Establishment (S/E)) location address.
X(38)
316-353
Outclear: Optional
Inclear: Optional

Field 35

Definition
Format
Positions
Optionality

Card Acceptor Address Line 2

The Card Acceptor (also known as Service Establishment (S/E)) location address.
X(38)
354-391
Outclear: Optional
Inclear: Optional

Field 36

Definition
Format
Positions
Optionality

Card Acceptor City

The city name of the Card Acceptor location.
X(21)
392-412
Outclear: Mandatory
Inclear: Mandatory

Field 37

Definition
Format
Positions
Optionality

Card Acceptor Postal Code

The postal code of the Card Acceptor location.
X(15)
413-427
Outclear: Optional
Inclear: Optional

Field 38

Definition
Format
Positions
Optionality

Card Acceptor Country Code

The Country Code of the Card Acceptor location.
X(3)
428-430
Outclear: Mandatory
Inclear: Mandatory

Notes

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 39

Definition
Format
Positions
Optionality

Card Acceptor Region Code

A code for the state, province, or region of the Card Acceptor location.
X(3)
431-433
Outclear: Optional
Inclear: Optional

Notes

Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 40 Issuer Authorized Amount (FP) / Issuer Gross Settlement Amount (SP) Message Layout

Field 40	Issuer Authorized Amount (FP) / Issuer Gross Settlement Amount (SP)
Definition Issuer Authorized Amount (FP)	The amount authorized by the Issuer stated in the respective settlement currency.
Definition Issuer Gross Settlement Amount (SP)	The Network calculates this amount for a Transaction and uses the currency of the Issuer's contractual agreement. A Foreign Currency Factor mark-up by the Network is added to the value of the final settlement currency.
Format	9(15)
Positions	434-448
Optionality	Outclear: Mandatory (FP), Filler (SP) Inclear: Mandatory (FP), Mandatory (SP)
Notes	Numeric Filler fields must contain zeros.
Field 41	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(15)
Positions	449-463
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros.
Field 42	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	464-478
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.
Field 43	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	479-493
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.
Field 44	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	494-508
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 45

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	509
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 46

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(38)
Positions	510-547
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 47

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	548
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 48

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	549-563
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 49

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	564-566
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 50

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	567
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 51

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(1)
Positions	568
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 52

Issuer Gross Settlement Amount (FP) / Issuer Net Settlement Amount (SP)

Definition Issuer Gross Settlement Amount (FP)	The Network calculates this amount for a Transaction and uses the currency of the Issuer's contractual agreement. A Foreign Currency Factor mark-up by the Network is added to the value of the final settlement currency.
Definition Issuer Net Settlement Amount (SP)	The Network calculates this amount for a Transaction, net of the Issuer's Rate Amount, in the currency defined by the Issuer's contractual agreement.
Format	9(15)
Positions	569-583
Optionality	Outclear: Mandatory (FP), Filler (SP) Inclear: Mandatory (FP), Mandatory (S)
Notes	Numeric Filler fields must contain zeros.

Field 53

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	584-598
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 54

Issuer Settlement Currency Code

Definition	The currency code of the Settlement Amount. The Network puts the value in this field.
Format	X(3)
Positions	599-601
Optionality	Outclear: Mandatory (FP), Filler (SP) Inclear: Mandatory (FP), Mandatory (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM First and Second Presentment (1240)
Field 55 Issuer Settlement Decimalization Message Layout

Field 55

Issuer Settlement Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Issuer Settlement Amount. The Network puts the value in this field.
Format	9(1)
Positions	602
Optionality	Outclear: Mandatory (FP), Filler (SP) Inclear: Mandatory (FP), Mandatory (SP)
Notes	The decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Numeric Filler fields must contain zeros.

Field 56

Reserved Field (FP) / First Presentment Transaction Currency Code (SP)

Definition Reserved Field (FP)	This field is for AEGNS internal use.
Definition First Presentment Transaction Currency Code (SP)	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	603-605
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Alphanumeric Reserved Fields must contain spaces.

Field 57

Transaction Decimalization (FP) / First Presentment Transaction Decimalization (SP)

Definition Transaction Decimalization (FP)	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Definition First Presentment Transaction Decimalization (SP)	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	606
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Valid Values (FP & SP): 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM First and Second Presentment (1240)
Field 58 First Presentment Presentment Amount Message Layout

Field 58

First Presentment Presentment Amount

Definition	The dispensed amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction Currency.
Format	9(15)
Positions	607-621
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	If the Transaction Amount is not in a valid presentment currency, it must be converted to a valid presentment currency.

Field 59

First Presentment Transaction to Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	622-636
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)

Field 60

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	637-639
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 61

First Presentment Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	640
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 62

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	641
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 63	Transaction Currency Code
Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	642-644
Optionality	Outclear: Mandatory (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 64	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	645-647
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 65	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	648-650
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 66	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	651
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 67	Additional Amount Accounting Effect Type Code 1
Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	652
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 68

Additional Amount 1

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	653-667
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 69

Additional Amount Type 1

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	668-670
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 70

Additional Amount Accounting Effect Type Code 2

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	671
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: “+” = Additional amount is a positive number (default) “-” = Additional amount is a negative number

Field 71

Additional Amount 2

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	672-686
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 72

Additional Amount Type 2

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	687-689
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 73 Additional Amount Accounting Effect Type Code 3 Message Layout

Field 73

Additional Amount Accounting Effect Type Code 3

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	690
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 74

Additional Amount 3

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	691-705
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 75

Additional Amount Type 3

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	706-708
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 76

Additional Amount Accounting Effect Type Code 4

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	709
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 77	Additional Amount 4
Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	710-724
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.
Field 78	Additional Amount Type 4
Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	725-727
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 79	Additional Amount Accounting Effect Type Code 5
Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	728
Optionality	Outclear: Optional Inclear: Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number
Field 80	Additional Amount 5
Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	729-743
Optionality	Outclear: Optional Inclear: Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.
Field 81	Additional Amount Type 5
Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	744-746
Optionality	Outclear: Optional Inclear: Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 82

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	747
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 83

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	748-762
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 84

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	763-765
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 85

Filler (FP) / First Presentment Transaction Date (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Transaction Date (SP)	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8)
Positions	766-773
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	Numeric Filler fields must contain zeros.

Field 86

Filler (FP) / First Presentment Transaction Time (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Transaction Time (SP)	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6)
Positions	774-779
Optionality	Outclear: Filler (FP), Mandatory (SP) Inclear: Filler (FP), Mandatory (SP)
Notes	Numeric Filler fields must contain zeros.

Field 87

Definition	This field is for AEGNS internal use.
Format	X(7)
Positions	780-786
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 88

Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	787-794
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Network Processing Date

Field 89

Definition	The time the Network accepted or processed the Transaction.
Format	9(6) HHMMSS
Positions	795-800
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Network Processing Time

Field 90

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Transaction Decimalization (SP)	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	801
Optionality	Outclear: Filler (FP), Mandatory (SP) Inclear: Filler (FP), Mandatory (SP)
Notes	Numeric Filler fields must contain zeros. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Filler (FP) / Transaction Decimalization (SP)

Field 91

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	802-816
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 92

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	817-831
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 93

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	832-846
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 94

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	847-861
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 95

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	862-876
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 96

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	877-891
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM First and Second Presentment (1240)
Field 97 Reserved Field (FP) / Filler (SP) Message Layout

Field 97

Definition Reserved Field (FP)

Definition Filler (SP)

Format

Positions

Optionality

Notes

Reserved Field (FP) / Filler (SP)

This field is for AEGNS internal use.

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

892-893

Outclear: Filler (FP), Filler (SP)

Inclear: Filler (FP), Filler (SP)

Alphanumeric Reserved Fields must contain spaces.

Alphanumeric Filler fields must contain spaces.

Field 98

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(3)

894-896

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 99

Definition

Format

Positions

Optionality

Notes

Capture Time

The Capture Time on which Transaction data was processed.

9(6) HHMMSS

897-902

Outclear: Optional

Inclear: Optional

This is the time when the Network processed the Cardmember Transaction.

Field 100

Definition

Format

Positions

Optionality

Notes

Issuer Settlement Time

The time when the Issuer Settlement Amount is calculated for one Cardmember Transaction. The Network puts the same time on all Transactions sent together (e.g., in the same file).

9(6) HHMMSS

903-908

Outclear: Mandatory (FP), Filler (SP)

Inclear: Mandatory (FP), Mandatory (SP)

Numeric Filler fields must contain zeros.

Field 101

Definition Filler (FP)

Definition First Presentment Network Processing Date (SP)

Format

Positions

Optionality

Notes

Filler (FP) / First Presentment Network Processing Date (SP)

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

The date the First Presentment Transaction was accepted by the Network.

9(8)

909-916

Outclear: Filler (FP), Mandatory Echo (SP)

Inclear: Filler (FP), Mandatory Echo (SP)

Numeric Filler fields must contain zeros.

Field 102 Filler (FP) / First Presentment Network Processing Time (SP) Message Layout

Field 102

Filler (FP) / First Presentment Network Processing Time (SP)

Definition Filler (FP)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition First Presentment Network Processing Time (SP)	The time the First Presentment Transaction was accepted by the Network.
Format	9(6)
Positions	917-922
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Filler (FP), Mandatory Echo (SP)
Notes	Numeric Filler fields must contain zeros.

Field 103

Format Code

Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Default Value: 20 = Retail Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 104

Issuer Institution Identifier (IIN)

Definition	A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer. The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format	X(11)
Positions	925-935
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	Alphanumeric Filler fields must contain spaces.

Field 105

Media Code

Definition	The media used to initiate a Cardmember transaction processed by the Network.
Format	X(2)
Positions	936-937
Optionality	Outclear: Optional Inclear: Optional
Notes	Alphanumeric Filler fields must contain spaces. Refer to the Media Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM First and Second Presentment (1240)
Field 106 Message Transaction Sequence Number Message Layout

Field 106

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 107

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	941-955
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 108

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	956-970
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 109

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	971-973
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 110

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	974-976
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 111

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	977
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 112

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	978
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 113

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	979-980
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 114

Definition Filler	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	981-982
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 115

Definition Filler	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(23)
Positions	983-1005
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 116

Definition	Transaction Identifier (TID) A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Outclear: Filler (FP), Mandatory Echo (SP) Inclear: Mandatory (FP), Mandatory Echo (SP)
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.

Transaction Identifier (TID)

Field 117

Definition Filler

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

9(2)

1021-1022

Outclear: Filler

Inclear: Filler

Numeric Filler fields must contain zeros.

Field 118

Definition Filler

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(9)

1023-1031

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 119

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Outclear: Mandatory

Inclear: Mandatory

Field 120

Definition

Format

Positions

Optionality

Notes

Issuer Processor Identifier (IPN)

The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.

X(11))

1040-1050

Outclear: Filler (FP), Mandatory Echo (SP)

Inclear: Mandatory (FP), Mandatory Echo (SP)

Alphanumeric Filler fields must contain spaces.

Field 121

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

X(210)

1051-1260

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 122

Definition Filler

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(15)

1261-1275

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 123

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(3)

1276-1278

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 124

Definition**Format****Positions****Optionality****Notes**

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

1279-1318

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 125

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

1319

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 126

Definition**Format****Positions****Optionality****Notes**

Reserved Field

This field is for AEGNS internal use.

X(15)

1320-1334

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 127

Definition**Format****Positions****Optionality****Notes**

Reserved Field

This field is for AEGNS internal use.

X(8)

1335-1342

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 128

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(3)

1343-1345

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 129

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

1346

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 130

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(3)

1347-1349

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 131

Definition**Format****Positions****Optionality****Notes**

Reserved Field

This field is for AEGNS internal use.

X(15)

1350-1364

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 132

Definition**Format****Positions****Optionality****Notes**

Reserved Field

This field is for AEGNS internal use.

X(8)

1365-1372

Outclear: Filler

Inclear: Filler

Alphanumeric Reserved Fields must contain spaces.

Field 133

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

1373-1374

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 134

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	1375-1389
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 135

Definition	This field is for AEGNS internal use.
Format	X(4)
Positions	1390-1393
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 136

Definition	This field is for AEGNS internal use.
Format	X(4)
Positions	1394-1397
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 137

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	1398-1400
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Fee Collection (1744)

Description

The Network creates the Fee Collection (1744) message and sends it to an Acquirer or Issuer.

This message contains the fee amount and a description. The fees are calculated from contractual data in the Participant Profile.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Fee Collection (1744). Refer to the [Programming Notes for Fee Collection \(1744\) on page 3-97](#) for more instruction.

Fee Collection (1744) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	X(21)	5-25	F	Filler
3	X(6)	26-31	M	Processing Code
4	9(15)	32-46	M	Transaction Amount
5	X(15)	47-61	F	Reserved Field
6	X(27)	62-88	F	Filler
7	9(7)v9(8)	89-103	F	Reserved Field
8	X(8)	104-111	F	Filler
9	9(8)	112-119	M	Transaction Date
10	9(6)	120-125	O	Transaction Time
11	X(41)	126-166	F	Filler
12	X(3)	167-169	M	Function Code
13	9(2)	170-171	F	Filler
14	X(3)	172-174	M	Valid Billing Unit Code
15	9(8)	175-182	M	Settlement Date
16	9(3)	183-185	F	Reserved Field
17	9(15)	186-200	F	Filler
18	X(11)	201-211	C	Acquiring Institution Identification (AIN) Code
19	X(11)	212-222	M	Forwarding Institution Identification Code
20	X(23)	223-245	F	Filler
21	X(95)	246-340	M	Fee Reason Text
22	X(52)	341-392	F	Reserved Field
23	X(41)	393-433	F	Filler

Fee Collection (1744) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
24	X(2)	434-435	M	Fee Type Code
25	X(132)	436-567	F	Filler
26	9(1)	568	F	Reserved Field
27	9(15)	569-583	M	Settlement Amount
28	9(15)	584-598	F	Filler
29	X(3)	599-601	M	Settlement Currency Code
30	9(1)	602	M	Settlement Decimalization
31	X(3)	603-605	M	Transaction Currency Code
32	9(1)	606	M	Transaction Decimalization
33	9(15)	607-621	M	Presentment Amount
34	9(7)v9(8)	622-636	M	Transaction to Presentment Conversion Rate
35	X(3)	637-639	M	Presentment Currency Code
36	9(1)	640	M	Presentment Decimalization
37	X(1)	641	F	Filler
38	X(3)	642-644	F	Filler
39	X(3)	645-647	F	Reserved Field
40	X(139)	648-786	F	Filler
41	9(8)	787-794	M	Network Processing Date
42	9(6)	795-800	M	Network Processing Time
43	X(96)	801-896	F	Reserved Field
44	9(6)	897-902	F	Filler
45	9(6)	903-908	M	Settlement Time
46	X(16)	909-924	F	Filler
47	X(11)	925-935	C	Issuer Institution Identifier (IIN)
48	X(2)	936-937	F	Filler
49	9(3)	938-940	M	Message Transaction Sequence Number
50	X(65)	941-1005	F	Filler
51	9(15)	1006-1020	M	Transaction Identifier (TID)
52	X(11)	1021-1031	F	Filler
53	9(8)	1032-1039	M	Message Number
54	X(11)	1040-1050	M	Receiving Institution Identifier
55	X(228)	1051-1278	F	Filler
56	X(40)	1279-1318	F	Reserved Field
57	X(82)	1319-1400	F	Filler

Programming Notes for Fee Collection (1744)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 1744 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(21)
Positions	5-25
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 3

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Mandatory
Notes	Valid Values: • 000000 = Debit to Participant • 200000 = Credit to Participant Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 4

Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	32-46
Optionality	Mandatory
Notes	This amount must be greater than 0.

Field 5

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	47-61
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 6

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(27)

Positions

62-88

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 7

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(7)v9(8)

Positions

89-103

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 8

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(8)

Positions

104-111

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 9

Definition

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

112-119

Optionality

Mandatory

Field 10

Definition

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

120-125

Optionality

Optional

Field 11

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(41)

Positions

126-166

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 12

Definition
Format
Positions
Optionality
Notes

Function Code

This code shows the reason for a message in its Message Type.

X(3)

167-169

Mandatory

Valid Values:

- 780 = Fee sent to Acquirer
- 781 = Fee sent to Issuer
- 782 = Acquirer Fee Reversal
- 783 = Acquirer Fee Re-issuance
- 784 = Issuer Fee Reversal
- 785 = Issuer Fee Re-issuance

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 13

Definition
Format
Positions
Optionality
Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

9(2)

170-171

Filler

Numeric Filler fields must contain zeros.

Field 14

Definition
Format
Positions
Optionality
Notes

Valid Billing Unit Code

The Valid Billing Unit Code indicates the specific purpose for the fee being charged in the Fee Collection Message (1744)

X(3)

172-174

Mandatory

Refer to the Valid Billing Unit Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition
Format
Positions
Optionality

Settlement Date

The date when the Network calculates the Settlement Amount for one Cardmember Transaction or for one fee. All Transactions transmitted together (e.g., in the same file) by a Participant or all fees from the Network have the same date.

9(8) CCYYMMDD

175-182

Mandatory

Field 16

Definition
Format
Positions
Optionality
Notes

Reserved Field

This field is for AEGNS internal use.

9(3)

183-185

Filler

Numeric Reserved Fields must contain zeros.

Field 17**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

9(15)

186-200

Filler

Numeric Filler fields must contain zeros.

Field 18**Definition****Format****Positions****Optionality****Acquiring Institution Identification (AIN) Code**

This is a unique identification code given to an Acquirer by the Network.

X(11)

201-211

Conditional

Field 19**Definition****Format****Positions****Optionality****Notes****Forwarding Institution Identification Code**

The institution identifier assigned to the processing institution that is sending the file.

X(11)

212-222

Mandatory

Required Value: 900000000003

Field 20**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(23)

223-245

Filler

Alphanumeric Filler fields must contain spaces.

Field 21**Definition****Format****Positions****Optionality****Fee Reason Text**

Textual description of the fee being assessed.

X(95)

246-340

Mandatory

Field 22**Definition****Format****Positions****Optionality****Notes****Reserved Field**

This field is for AEGNS internal use.

X(52)

341-392

Filler

Alphanumeric Reserved Fields must contain spaces.

Field 23**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(41)

393-433

Filler

Alphanumeric Filler fields must contain spaces.

Field 24

Definition
Format
Positions
Optionality

Fee Type Code

A code that describes the type of fee.
X(2)
434-435
Mandatory

Field 25

Definition
Format
Positions
Optionality
Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
X(132)
436-567
Filler
Alphanumeric Filler fields must contain spaces.

Field 26

Definition
Format
Positions
Optionality
Notes

Reserved Field

This field is for AEGNS internal use.
9(1)
568
Filler
Numeric Reserved Fields must contain zeros.

Field 27

Definition
Format
Positions
Optionality

Settlement Amount

The amount of the fees in the settlement currency of the Participant.
9(15)
569-583
Mandatory

Field 28

Definition
Format
Positions
Optionality
Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
9(15)
584-598
Filler
Numeric Filler fields must contain zeros.

Field 29

Definition
Format
Positions
Optionality
Notes

Settlement Currency Code

The currency code of the Settlement Amount.
X(3)
599-601
Mandatory
Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 30

Definition
Format
Positions
Optionality

Settlement Decimalization

The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.
9(1)
602
Mandatory

Field 31 **Transaction Currency Code**

Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	603-605
Optionality	Mandatory
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32 **Transaction Decimalization**

Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	606
Optionality	Mandatory
Notes	Valid Values: 0-9 Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 33 **Presentment Amount**

Definition	The fee amount stated in the Presentment Currency.
Format	9(15)
Positions	607-621
Optionality	Mandatory
Notes	This amount must be greater than 0.

Field 34 **Transaction to Presentment Conversion Rate**

Definition	The rate used when the fee Transaction is not an authorized presentment currency that is used to convert the Transaction Amount to the Presentment Amount in an applicable presentment currency. If no conversion is required, this value will be 0000001.00000000. The amount must be greater than zero.
Format	9(7)v9(8)
Positions	622-636
Optionality	Mandatory
Notes	This rate must be greater than 0.

Field 35 **Presentment Currency Code**

Definition	The numeric currency code of the Presentment amount.
Format	X(3)
Positions	637-639
Optionality	Mandatory
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 36 **Presentment Decimalization**

Definition	The number of places the decimal must be moved to the left to correctly represent a Presentment Amount.
Format	9(1)
Positions	640
Optionality	Mandatory
Notes	Valid Values: 0-9 Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 37**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

641

Filler

Alphanumeric Filler fields must contain spaces.

Field 38**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(3)

642-644

Filler

Alphanumeric Filler fields must contain spaces.

Field 39**Definition****Format****Positions****Optionality****Notes****Reserved Field**

This field is for AEGNS internal use.

X(3)

645-647

Filler

Alphanumeric Reserved Fields must contain spaces.

Field 40**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(139)

648-786

Filler

Alphanumeric Filler fields must contain spaces.

Field 41**Definition****Format****Positions****Optionality****Network Processing Date**

The date the Network accepted or processed the transaction.

9(8)

787-794 CCYYMMDD

Mandatory

Field 42**Definition****Format****Positions****Optionality****Network Processing Time**

The time the Network accepted or processed the Transaction.

9(6) HHMMSS

795-800

Mandatory

Field 43**Definition****Format****Positions****Optionality****Notes****Reserved Field**

This field is for AEGNS internal use.

X(96)

801-896

Filler

Alphanumeric Reserved Fields must contain spaces.

Field 44

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

9(6)

Positions

897-902

Optionality

Filler

Notes

Numeric Filler fields must contain zeros.

Field 45

Definition

Settlement Time

The time when the Settlement Amount is calculated for one fee. All fees transmitted together are assigned the same time regardless of when Network processing is completed.

Format

9(6) HHMMSS

Positions

903-908

Optionality

Mandatory

Field 46

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(16)

Positions

909-924

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 47

Definition

Issuer Institution Identifier (IIN)

A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer.

The first 6 digits of the IIN is the Bank Identifier Number (BIN).

Format

X(11)

Positions

925-935

Optionality

Conditional

Field 48

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

936-937

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 49

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Mandatory

Notes

Required Value: 001

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 50**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(65)

941-1005

Filler

Alphanumeric Filler fields must contain spaces.

Field 51**Definition****Format****Positions****Optionality****Notes****Transaction Identifier (TID)**

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

9(15)

1006-1020

Mandatory

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Field 52**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Filler

Alphanumeric Filler fields must contain spaces.

Field 53**Definition****Format****Positions****Optionality****Message Number**

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Mandatory

Field 54**Definition****Format****Positions****Optionality****Receiving Institution Identifier**

The unique institution identifier assigned to the Participant who received the Transaction.

X(11)

1040-1050

Mandatory

Field 55**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(228)

1051-1278

Filler

Alphanumeric Filler fields must contain spaces.

Field 56**Definition****Format****Positions****Optionality****Notes****Reserved Field**

This field is for AEGNS internal use.

X(40)

1279-1318

Filler

Alphanumeric Reserved Fields must contain spaces.

Field 57

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(82)

1319-1400

Filler

Alphanumeric Filler fields must contain spaces.

ATM Fees (1740/1742)

Description

The Network assesses and settles ATM Fees. The fees are sent to the Participant in the ATM Fees (1740-1742) message.

The 1740 message is sent to an Issuer.

The 1742 message is sent to an Acquirer.

Length of Record

1400 bytes

Message Layout

This is the message layout for the ATM Fees (1740/1742). Refer to the [Programming Notes for ATM Fees \(1740/1742\)](#) on page 3-109 for more instruction.

ATM Fees (1740/1742) Message Layout

Field Number	Format	Position	Optionality	Field Name
			Inclear	
1	X(4)	1-4	M	Message Type Identifier
2	9(2)	5-6	M	Primary Account Number Length
3	X(19)	7-25	M	Primary Account Number (PAN)
4	X(6)	26-31	M	Processing Code
5	9(15)	32-46	M	Transaction Amount
6	9(15)	47-61	F	Reserved Field
7	X(27)	62-88	F	Filler
8	9(7)V9(8)	89-103	F	Reserved Field
9	X(8)	104-111	F	Filler
10	9(8)	112-119	M	Transaction Date
11	9(6)	120-125	O	Transaction Time
12	X(41)	126-166	F	Filler
13	X(3)	167-169	M	Function Code
14	X(5)	170-174	F	Filler
15	9(8)	175-182	M	Settlement Date
16	X(18)	183-200	F	Filler
17	X(11)	201-211	M	Sending Institution Identifier
18	X(11)	212-222	M	Sending Processor Institution Identifier
19	X(23)	223-245	F	Filler
20	X(95)	246-340	F	Pass Through Fee Reason Text (For Future Use)
21	X(93)	341-433	F	Filler

ATM Fees (1740/1742) Message Layout (continued)

Field Number	Format	Position	Optionality	Field Name
			Inclear	
22	X(2)	434-435	M	Fee Type Code
23	X(132)	436-567	F	Filler
24	9(1)	568	F	Reserved Field
25	9(15)	569-583	M	Settlement Amount
26	X(15)	584-598	F	Filler
27	X(3)	599-601	M	Settlement Currency Code
28	9(1)	602	M	Settlement Decimalization
29	X(3)	603-605	F	Filler
30	9(1)	606	M	Transaction Decimalization
31	9(15)	607-621	M	Presentment Amount
32	9(7)v9(8)	622-636	M	Transaction to Presentment Conversion Rate
33	X(3)	637-639	M	Presentment Currency Code
34	9(1)	640	M	Presentment Decimalization
35	X(1)	641	F	Filler
36	X(3)	642-644	M	Transaction Currency Code
37	X(3)	645-647	F	Reserved Field
38	X(139)	648-786	F	Filler
39	9(8)	787-794	M	Network Processing Date
40	9(6)	795-800	M	Network Processing Time
41	X(102)	801-902	F	Filler
42	9(6)	903-908	M	Settlement Time
43	X(16)	909-924	F	Filler
44	X(11)	925-935	M	Receiving Institution Identifier
45	X(2)	936-937	F	Filler
46	9(3)	938-940	M	Message Transaction Sequence Number
47	X(65)	941-1005	F	Filler
48	9(15)	1006-1020	M	Transaction Identifier (TID)
49	X(11)	1021-1031	F	Filler
50	9(8)	1032-1039	M	Message Number
51	X(11)	1040-1050	M	Receiving Processor Institution Identifier
52	X(228)	1051-1278	F	Filler
53	X(40)	1279-1318	C	Reject Reason Codes 1-10
54	X(82)	1319-1400	F	Filler

Programming Notes for ATM Fees (1740/1742)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Valid Values: 1740 = Network to Issuer 1742 = Network to Acquirer Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Mandatory

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Mandatory
Notes	Debit Processing Codes are used in the 1740 message. Credit Processing Codes are used in the 1742 message. Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Transaction Amount

Definition	The dispensed amount including service fees charged by the dispensing unit in the Transaction Currency as it was executed at the Card Acceptor expressed in the currency and decimalization of the Transaction amount.
Format	9(15)
Positions	32-46
Optionality	Mandatory

Field 6

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	47-61
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 7**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(27)

Positions

62-88

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 8**Definition****Reserved Field**

This field is for AEGNS internal use.

Format

9(7)v9(8)

Positions

89-103

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 9**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(8)

Positions

104-111

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 10**Definition****Transaction Date**

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

112-119

Optionality

Mandatory

Field 11**Definition****Transaction Time**

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

120-125

Optionality

Optional

Field 12**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(41)

Positions

126-166

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 13

Definition**Format****Positions****Optionality****Notes**

Function Code

This code shows the reason for a message in its Message Type.

X(3)

167-169

Mandatory

Required Value:

- 700 = Original Fee
- 701 - Pass Through Fees (for future use, not currently use)

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(5)

170-174

Filler

Alphanumeric Filler fields must contain spaces.

Field 15

Definition**Format****Positions****Optionality**

Settlement Date

The date when the Network calculates the Settlement Amount for one Cardmember Transaction or for one fee. All Transactions transmitted together (e.g., in the same file) by a Participant or all fees from the Network have the same date.

9(8) CCYYMMDD

175-182

Mandatory

Field 16

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(18)

183-200

Filler

Alphanumeric Filler fields must contain spaces.

Field 17

Definition**Format****Positions****Optionality****Notes**

Sending Institution Identifier

The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.

X(11)

201-211

Mandatory

Valid Values:

- FAS A = 10000000107
- FAS B = 10000000108

The Acquiring Institution Identification Code (AIN) in this field is not the same as the Acquiring Institution Identification Code (AIN) in the 1240 ATM First and Second Presentment (1240) message.

Field 18 Sending Processor Institution Identifier Message Layout

Field 18

Sending Processor Institution Identifier

Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	212-222
Optionality	Mandatory
Notes	Valid Values: - FAS A = 11500000001 - FAS B = 11500000002 The Network uses the Acquiring Institution Processor Identifier (APN) of the ATM Authorized Processor.

Field 19

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(23)
Positions	223-245
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 20

Pass Through Fee Reason Text (for future use)

Definition	A freeform text description of the reason for the Pass Through Fee. The Pass Through Fee Reason Text field is mandatory for transaction based and non-transaction based Pass Through Fee messages, but filler initialized to spaces for outcleared ATM Fee messages.
Format	X(95)
Positions	246-340
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 21

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(93)
Positions	341-433
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 22

Fee Type Code

Definition	A code that describes the type of fee.
Format	X(2)
Positions	434-435
Optionality	Mandatory
Notes	Valid Values: 70 = ATM Fee 71 = ATM Disbursement Decline Fee

Field 23**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(132)

436-567

Filler

Alphanumeric Filler fields must contain spaces.

Field 24**Definition****Format****Positions****Optionality****Notes****Reserved Field**

This field is for AEGNS internal use.

9(1)

568

Filler

Numeric Reserved Fields must contain zeros.

Field 25**Definition****Format****Positions****Optionality****Notes****Settlement Amount**

The amount of the fees in the settlement currency of the Participant.

9(15)

569-583

Mandatory

The Network puts the value into this field for inclear.

Field 26**Definition****Format****Positions****Optionality****Notes****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(15)

584-598

Filler

Alphanumeric Filler fields must contain spaces.

Field 27**Definition****Format****Positions****Optionality****Notes****Settlement Currency Code**

The currency code of the Settlement Amount.

X(3)

599-601

Mandatory

The Network puts the value into this field for inclear.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 28**Definition****Format****Positions****Optionality****Valid Values****Notes****Settlement Decimalization**

The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.

9(1)

602

Mandatory

0-9

The decimalization must be valid for the Currency Code of the Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Field 29

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(3)

Positions

603-605

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 30

Definition

Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

606

Optionality

Mandatory

Notes

Valid Values: 0-9

The decimalization must be valid for the Currency Code of the Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 31

Definition

Presentment Amount

The fee amount stated in the Presentment Currency.

Format

9(15)

Positions

607-621

Optionality

Mandatory

Field 32

Definition

Transaction to Presentment Conversion Rate

The rate used when the fee Transaction is not an authorized presentment currency that is used to convert the Transaction Amount to the Presentment Amount in an applicable presentment currency.

If no conversion is required, this value will be 0000001.00000000. The amount must be greater than zero.

Format

9(7)v9(80)

Positions

622-636

Optionality

Mandatory

Field 33

Definition

Presentment Currency Code

The numeric currency code of the Presentment amount.

Format

X(3)

Positions

637-639

Optionality

Mandatory

Notes

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 34

Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a Presentment Amount.
Format	9(1)
Positions	640
Optionality	Mandatory
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 35

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	641
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 36

Transaction Currency Code

Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	642-644
Optionality	Mandatory
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 37

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	645-647
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 38

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(139)
Positions	648-786
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 39

Network Processing Date

Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	787-794
Optionality	Mandatory

Field 40	Network Processing Time
Definition	The time the Network accepted or processed the Transaction.
Format	9(6) HHMMSS
Positions	795-800
Optionality	Mandatory
Field 41	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(102)
Positions	801-902
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 42	Settlement Time
Definition	The time when the Settlement Amount is calculated for one fee. All fees transmitted together are assigned the same time regardless of when Network processing is completed.
Format	9(6) HHMMSS
Positions	903-908
Optionality	Mandatory
Field 43	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(16)
Positions	909-924
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 44	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	925-935
Optionality	Mandatory
Field 45	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	936-937
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 46	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 47**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(65)

Positions

941-1005

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 48**Definition****Transaction Identifier (TID)**

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

1006-1020

Optionality

Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see *The Role of the Transaction Identifier* in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Field 49**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(11)

Positions

1021-1031

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 50**Definition****Message Number**

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Mandatory

Field 51**Definition****Receiving Processor Institution Identifier**

The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.

Format

X(11)

Positions

1040-1050

Optionality

Mandatory

Field 52**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(228)

Positions

1051-1278

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 53

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Conditional. The message must be rejected or informational
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Codes 1-10

Field 54

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Retrieval Request Notification (1642)

Description

The Issuer sends a Retrieval Request Notification (1642) message to the Acquirer through the Network to request data on a Transaction. The Retrieval Request Notification (1642) must supply enough data for the Acquirer to identify the Transaction. The Retrieval Request Notification (1642) contains data from the First Presentment.

Refer to the *Business and Operational Policies* manual for instruction about Retrieval Requests and Chargeback policies and processes.

Network Disputes Manager

Issuers must submit supporting documentation for a Retrieval Request through the Network Disputes Manager application. Refer to the *Network Disputes Manager User Guide* for more instructions.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Retrieval Request Notification (1642). Refer to the [Programming Notes for Retrieval Request Notification \(1642\) on page 3-121](#) for more instruction.

Retrieval Request Notification (1642) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
1	X(4)	1-4	M	M	Message Type Identifier
2	9(2)	5-6	M	M	Primary Account Number Length
3	X(19)	7-25	ME	ME	Primary Account Number (PAN)
4	X(6)	26-31	ME	ME	Processing Code
5	X(80)	32-111	F	F	Filler
6	9(8)	112-119	M	M	Transaction Date
7	9(6)	120-125	O	O	Transaction Time
8	9(4)	126-129	O	O	Card Expiration Date
9	9(4)	130-133	F	F	Filler
10	9(8)	134-141	O	O	Capture Date
11	X(4)	142-145	ME	ME	Merchant Category Code
12	X(21)	146-166	F	F	Filler
13	X(3)	167-169	M	M	Function Code
14	X(4)	170-173	M	M	Message Reason Code
15	X(12)	174-185	F	F	Filler
16	9(15)	186-200	ME	ME	First Presentment Transaction Amount

Retrieval Request Notification (1642) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
17	X(11)	201-211	ME	ME	Acquiring Institution Identification (AIN) Code
18	X(11)	212-222	ME	ME	Issuer Processor Identifier (IPN)
19	X(23)	223-245	ME	ME	Acquirer Reference Number (ARN)
20	X(9)	246-254	F	F	Filler
21 POS	X(8)	255-262	F	F	Filler
21 ATM	X(8)	255-262	ME	ME	Card Acceptor Terminal Identification
22	X(15)	263-277	ME	ME	Card Acceptor Identification Code
23 POS	9(2)	278-279	OE	OE	Alternate Card Acceptor Identification Code Length
23 ATM	9(2)	278-279	F	F	Filler
24 POS	X(15)	280-294	OE	OE	Alternate Card Acceptor Identification Code
24 ATM	X(15)	280-294	F	F	Filler
25	X(308)	295-602	F	F	Filler
26	X(3)	603-605	ME	ME	First Presentment Transaction Currency Code
27	9(1)	606	ME	ME	First Presentment Transaction Decimalization
28	9(15)	607-621	ME	ME	First Presentment Presentment Amount
29	X(15)	622-636	F	F	Filler
30	X(3)	637-639	ME	ME	First Presentment Presentment Currency Code
31	9(1)	640	ME	ME	First Presentment Presentment Decimalization
32	X(125)	641-765	F	F	Filler
33	9(8)	766-773	ME	ME	First Presentment Transaction Date
34	9(6)	774-779	O	O	First Presentment Transaction Time
35	X(3)	780-782	F	F	Filler
36	X(4)	783-786	C	C	Chargeback Message Reason Code
37	9(8)	787-794	F	M	Network Processing Date
38	9(6)	795-800	F	M	Network Processing Time
39	X(96)	801-896	F	F	Filler
40	9(6)	897-902	O	O	Capture Time
41	X(6)	903-908	F	F	Filler
42	9(8)	909-916	ME	ME	First Presentment Network Processing Date
43	9(6)	917-922	ME	ME	First Presentment Network Processing Time
44	X(2)	923-924	F	F	Filler
45	X(11)	925-935	ME	ME	Issuer Institution Identifier (IIN)
46	X(2)	936-937	F	F	Filler
47	9(3)	938-940	M	M	Message Transaction Sequence Number
48	X(40)	941-980	F	F	Filler
49	X(2)	981-982	O	O	Itemized Document Code
50	X(23)	983-1005	F	F	Filler

Retrieval Request Notification (1642) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
51	9(15)	1006-1020	ME	ME	Transaction Identifier (TID)
52	X(11)	1021-1031	F	F	Filler
53	9(8)	1032-1039	M	M	Message Number
54	X(11)	1040-1050	ME	ME	Acquiring Institution Processor Identifier (APN)
55	X(228)	1051-1278	F	F	Filler
56	X(40)	1279-1318	C	C	Reject Reason Codes 1-10
57	X(82)	1319-1400	F	F	Filler

Programming Notes for Retrieval Request Notification (1642)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 1642 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo

Field 4

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(80)
Positions	32-111
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 6

Definition	The local date when a dispute message is created by a Participant.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Outclear: Mandatory Inclear: Mandatory

Field 7

Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Outclear: Optional Inclear: Optional

Field 8

Definition	This is the Card Expiration Date embossed on the face of the Card.
Format	9(4) MMY Y
Positions	126-129
Optionality	Outclear: Optional Inclear: Optional

Field 9

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(4)
Positions	130-133
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros.

Field 10

Definition The Capture Date on which Transaction data was processed.
Format 9(8) CCYYMMDD
Positions 134-141
Optionality **Outclear:** Optional
Inc clear: Optional
Notes This is the date when the Issuer processed the Retrieval Request.
For optional fields the initialization value is "00010101."

Capture Date

Field 11

Definition A code that identifies the industry in which the S/E does business.
Format X(4)
Positions 142-145
Optionality **Outclear:** Mandatory Echo
Inc clear: Mandatory Echo
Notes Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Merchant Category Code

Field 12

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(21)
Positions 146-166
Optionality **Outclear:** Filler
Inc clear: Filler
Notes Alphanumeric Filler fields must contain spaces.

Filler

Field 13

Definition This code shows the reason for a message in its Message Type.
Format X(3)
Positions 167-169
Optionality **Outclear:** Mandatory
Inc clear: Mandatory
Notes **Cash Disbursement:** If the First Presentment was a Cash Disbursement Transaction, these Function Codes are valid:

Function Code

600	601	603	640
-----	-----	-----	-----

ATM: If the Transaction is an ATM Transaction, these Function Codes are valid:

600	601	602	603	606
-----	-----	-----	-----	-----

POS: If the Transaction is a POS Transaction, these Function Codes are valid:

600	601	602	603	606
-----	-----	-----	-----	-----

Program Indicator: If the Program Indicator = NS - No Signature/No PIN, 04 - SafeKey, 08 - Oil, 10 - ZCV and Oil, and the Itemized Document Code = 01 Signed Support, then Function Code 602 - Itemized Documentation is **not** valid.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Retrieval Request Notification (1642)
Field 14 Message Reason Code Message Layout

Mail Order/Telephone/Internet: If the First Presentment Point of Service Data Code Position 5 = 1, 2, 3, 4, 9, or S and the First Presentment Point of Service Data Code Position 6 = 0, and the Itemized Document Code = 01 - Signed Support, then Function Code 602 - Itemized Documentation is **not** valid.

Chip/PIN: If ICC Chip/PIN Indicator Code = YY - Transaction was Chip and PIN or YO - Transaction was Chip and Online PIN was used, and Itemized Document Code = 01 Signed Support, then Function Code 602 - Itemized Documentation is **not** valid.

Customer Activated Terminal (CAT): If First Presentment Point of Service Data Code Position 4 = 2, 4, 5, and Itemized Document Code = 01 - Signed Support, then Function Code 602 - Itemized Documentation is **not** valid.

Digital Wallet Contactless-Initiated: If the First Presentment Point of Service Data Code Position 6 = Y - Digital Wallet Contactless-Initiated, and Function Code = 602 - Itemized Documentation, then Itemized Document Code 01 - Signed Support is not valid.

Digital Wallet Application-Initiated: If the First Presentment Point of Service Data Code Position 6 = Z - Digital Wallet Application-Initiated, and Function Code = 602 - Itemized Documentation, the Itemized Document Code 01 - Signed Support is **not** valid.

Expresspay Mobile: If the First Presentment Point of Service Data Code Position 6 = X and Program Indicator = NS - No Signature/No PIN, and Function Code = 602 - Itemized Documentation, then Itemized Document Code 01 - Signed Support is **not** valid.

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Definition

Format

Positions

Optionality

Notes

Message Reason Code

This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.

X(4)

170-173

Outclear: Mandatory

Inclear: Mandatory

If the Message Reason Code = 6013 - Repeat Document Request, then a previous Retrieval Request is necessary.

If the Message Reason Code = 6016 - Cardmember Needs for Personal Records, then Field 36 - Chargeback Message Reason Code must contain spaces.

If there is a Retrieval Request Message Reason Code, then 4516 - Request for Support Not Fulfilled and 4517 - Request for Support Illegible/Incomplete are not valid in Field 36 - Chargeback Message Reason Code.

If the Message Reason Code = 6003 - Chargeback Documentation, then Field 36 - Chargeback Message Reason Code must contain a valid Chargeback Message Reason Code.

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, then Message Reason Code 6304 - ATM Journal Roll/Audit Tape Request is **not** valid.

ATM: If the Transaction is an ATM Transaction, then Message Reason Code 6304 - ATM Journal Roll/Audit Tape Request is valid.

POS: If the Transaction is a POS Transaction, then Message Reason Code 6304 - ATM Journal Roll/Audit Tape Request is **not** valid.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Retrieval Request Notification (1642)
Field 14 Message Reason Code Message Layout

Program Indicator:

- If the Program Indicator = NS - No Signature/No PIN, 04 - SafeKey, 08 - Oil, 10 - ZCV and Oil, or 11 - ZCV and No Signature/No PIN, then Message Reason Code 6008 - Cardmember Requests Copy of ROC is **not** valid.
- If the Program Indicator = 02 - ZCV, 10 - ZCV and Oil, or 11 - ZCV and No Signature/No PIN, then Message Reason Code 6006 - Legal Request or Fraud Analysis is **not** valid.
- If the Program Indicator = 04 - SafeKey, 08 - Oil, 10 - ZCV and Oil, and the Chargeback Message Reason Code = 4763 - Fraud Full Recourse, then Message Reason Code 6003 - Chargeback Documentation is **not** valid.
- If the Program Indicator = 04 - SafeKey and the Chargeback Message Reason Code = 4540 - Card Not Present, then Message Reason Code 6003 - Chargeback Documentation is **not** valid.

Mail Order/Telephone/Internet: If the First Presentment Point of Service Data Code Position 5 = 1, 2, 3, 4, 9, or S, and the First Presentment Point of Service Data Code Position 6 = 0, then Message Reason Code 6008 - Cardmember Requests Copy of ROC is **not** valid.

Chip/PIN: If the ICC Chip/PIN Indicator Code = YY - Transaction was Chip and PIN or YO - Transaction was Chip and Online PIN was used, then Message Reason Codes 6008 - Cardmember Requests Copy of ROC and 6014 - Cardmember Does Not Recognize Transaction or Transaction Amount are **not** valid.

Customer Activated Terminal (CAT): If the First Presentment Point of Service Data Code Position 4 = 2, 4, or 5, then Message Reason Code 6008 - Cardmember Requests Copy of ROC is **not** valid.

Digital Wallet Contactless-Initiated

- If the First Presentment Point of Service Data Code Position 6 = Y - Digital Wallet Contactless-Initiated, then Message Reason Code 6008 - Cardmember Requests Copy of ROC and 6014 - Cardmember Does Not Recognize Transaction or Transaction Amount are **not** valid.
- The Network will reject a Retrieval Request if the POS First Presentment (1240) message was a Digital Wallet Contactless Transaction (based on Point of Service Data Code), and the intended Chargeback Message Reason Code in the Retrieval Request = 4527 - Missing Imprint, 4540 - Card Not Present, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counterfeit, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-received.

Digital Wallet Application-Initiated

- If the First Presentment Point of Service Data Code Position 6 = Z - Digital Wallet Application-Initiated, then Message Reason Code 6008 - Cardmember Requests Copy of ROC and 6014 - Cardmember Does Not Recognize Transaction or Transaction Amount are **not** valid.
- The Network will reject a Retrieval Request if the POS First Presentment (1240) message was a Digital Wallet Application-Initiated Transaction (based on Point of Service Data Code) and the intended Chargeback Message Reason Code in the Retrieval Request = 4527 - Missing Imprint, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counterfeit, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-received.

Expresspay:

The Network will reject a Retrieval Request if the POS First Presentment (1240) message was an Expresspay Transaction (based on Point of Service Data Code) and the intended Chargeback Message Reason Code in the Retrieval Request = 4527 - Missing Imprint, 4540 - Card Not Present, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counterfeit, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-received.

Expresspay Transit:

The Network will reject a Retrieval Request if the Chargeback Message Reason Code is 4763 - Fraud Full Recourse and **all** of these are true:

- The POS First and Second Presentment (1240) message is an Expresspay Transaction that started at a Transit Access Terminal (TAT) (based on the Point of Service Data Code)
- The Transaction Amount was less than or equal to the Chargeback Protection Threshold as specified in Table 4-1. Expresspay at TAT - Operational Parameters in the *Business and Operational Policies* manual
- The Transaction must have one of these Merchant Category Codes (MCC):

- 4111 - Local and Suburban Commuter Passenger Transportation, including Ferries
- 4112 - Passenger Railways
- 4131 - Bus Lines
- 4784 - Tolls and Bridge Fees
- 7523 - Parking Lots and Garages

This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824).

Refer to the Message Reason Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(12)

174-185

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 16

Definition

Format

Positions

Optionality

First Presentment Transaction Amount

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.

9(15)

186-200

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 17

Definition

Format

Positions

Optionality

Acquiring Institution Identification (AIN) Code

This is a unique identification code given to an Acquirer by the Network.

X(11)

201-211

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 18

Definition

Format

Positions

Optionality

Issuer Processor Identifier (IPN)

The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.

X(11)

212-222

Outclear: Mandatory Echo

Inclear: Mandatory Echo

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Retrieval Request Notification (1642)
Field 19 Acquirer Reference Number (ARN) Message Layout

Field 19	Acquirer Reference Number (ARN)
Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	This number is used to assist in locating/retrieving source data or documents.
Field 20	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(9)
Positions	246-254
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 21	Filler (POS) / Card Acceptor Terminal Identification (ATM)
Definition Filler	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Card Acceptor Terminal Identification	This code identifies a POS terminal at a Card Acceptor location.
Format	X(8)
Positions	255-262
Optionality	Outclear: Filler (POS) Inclear: Filler (POS) Outclear: Mandatory Echo (ATM) Inclear: Mandatory Echo (ATM)
Notes	Alphanumeric Filler fields must contain spaces.
Field 22	Card Acceptor Identification Code
Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	263-277
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 23	Alternate Card Acceptor Identification Code Length (POS) / Filler (ATM)
Definition Alternate Card Acceptor Identification Code Length	The number of positions or length of the Alternate Card Acceptor Identification Code.
Definition Filler	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(2)
Positions	278-279
Optionality	Outclear: Optional Echo (POS) Inclear: Optional Echo (POS)

Field 24 Alternate Card Acceptor Identification Code (POS) / Filler (ATM) Message Layout

Notes	Outclear: Filler (ATM)
	Inclear: Filler (ATM)
	POS: If the Alternate Card Acceptor Identification Code (Field 24) contains a value, this field must contain a value of 01-15.
	Numeric Filler fields must contain zeros.
Field 24	Alternate Card Acceptor Identification Code (POS) / Filler (ATM)
Definition Alternate Card Acceptor Identification Code	A Card Acceptor identification number used internally by a Participant.
Definition Filler	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	280-294
Optionality	Outclear: Optional Echo (POS)
	Inclear: Optional Echo (POS)
	Outclear: Filler (ATM)
	Inclear: Filler (ATM)
Notes	POS: If the Alternate Card Acceptor Identification Code Length (Field 23) contains data, this field must contain data.
	ATM: This field must contain zeros for ATM Transactions.
Field 25	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(308)
Positions	295-602
Optionality	Outclear: Filler
	Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 26	First Presentment Transaction Currency Code
Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	603-605
Optionality	Outclear: Mandatory Echo
	Inclear: Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 27 First Presentment Transaction Decimalization Message Layout

Field 27

First Presentment Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	606
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Transaction Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 28

First Presentment Presentment Amount

Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	607-621
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	If the Transaction amount is not a valid presentment currency, change it to a valid presentment currency.

Field 29

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	622-636
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 30

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	637-639
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 31 First Presentment Presentment Decimalization Message Layout

Field 31	First Presentment Presentment Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	640
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 32	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(125)
Positions	641-765
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 33	First Presentment Transaction Date
Definition	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD
Positions	766-773
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 34	First Presentment Transaction Time
Definition	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6) HHMMSS
Positions	774-779
Optionality	Outclear: Optional Inclear: Optional
Field 35	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(3)
Positions	780-782
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Retrieval Request Notification (1642)
Field 36 Chargeback Message Reason Code Message Layout

Field 36

Definition

An ISO code subset of the Message Reason Code values, indicating the reason a Transaction was charged back.

Format

X(4)

Positions

783-786

Optionality

Outclear: Conditional

Inclear: Conditional

Notes

Chargeback:

If Field 14 - Message Reason Code contains the value 6003 - Chargeback Documentation, this field must contain a valid Chargeback Message Reason Code.

If Field 14 - Message Reason Code contains the value 6016 - Cardmember Needs for Personal Records, then Field 36 - Chargeback Message Reason Code must contain spaces.

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, these Chargeback Message Reason Codes are **not** valid.

4540	4544	4553
4554	4750	

ATM: If the Transaction is an ATM Transaction, these Chargeback Message Reason Codes are valid.

4516	4517	4530
4554	4754	

Note: Note: If the Transaction is an AEIPS-compliant Chip Card Transaction where a Transaction Certificate is provided in the First Presentment, then Chargeback Message Reason Codes 4516 - Non-fulfillment of request for information (Request for Support Not Fulfilled) and 4517 - Non-fulfillment of request illegible copy (Request for Support Illegible/Incomplete) are not valid.

Program Indicator:

- If Field 14 - Message Reason Code = 6003 - Chargeback Documentation and the Program Indicator = 04 - SafeKey, 08 Oil, 10 ZCV and Oil, then Chargeback Message Reason Code 4763 is **not** valid.
- If Field 14 - Message Reason Code = 6003 - Chargeback Documentation and the Program Indicator = 04 - SafeKey, then Chargeback Message Reason Code 4540 - Card Not Present is **not** valid.

Expresspay:

If the Transaction is an Expresspay Transaction the Network will reject a Retrieval Request if the POS First Presentment (1240) was an Expresspay Transaction (based on Point of Service Data Code, and the Chargeback Message Reason Code = 4527 - Missing Imprint, 4540 - Card Not Present, or 4544 - Cancellation of Recurring Goods/Services).

Expresspay Transit:

The Network will reject a Retrieval Request if the Chargeback Message Reason Code = 4763 - Fraud Full Recourse and **all** of these are true:

- The POS First and Second Presentment (1240) message is an Expresspay Transaction that started at a Transit Access Terminal (TAT) (based on the Point of Service Data Code).
- The Transaction Amount was less than or equal to the Chargeback Protection Threshold as specified in Table 4-1. Expresspay at TAT - Operational Parameters in the *Business and Operational Policies* manual.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Retrieval Request Notification (1642)
Field 37 Network Processing Date Message Layout

- The Transaction must have one (1) of these Merchant Category Codes (MCC):
 - 4111- Local and Suburban Commuter Passenger Transportation, including Ferries
 - 4112 - Passenger Railways
 - 4131 - Bus Lines
 - 4784 - Tolls and Bridge Fees
 - 7523 - Parking Lots and Garages

Field 37

Definition
Format
Positions
Optionality

Notes

Network Processing Date

The date the Network accepted or processed the transaction.
9(8) CCYYMMDD
787-794
Outclear: Filler
Inclear: Mandatory
Numeric Filler fields must contain zeros.

Field 38

Definition
Format
Positions
Optionality

Notes

Network Processing Time

The time the Network accepted or processed the Transaction.
9(6) HHMMSS
795-800
Outclear: Filler
Inclear: Mandatory
Numeric Filler fields must contain zeros.

Field 39

Definition
Format
Positions
Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
X(96)
801-896
Outclear: Filler
Inclear: Filler
Alphanumeric Filler fields must contain spaces.

Field 40

Definition
Format
Positions
Optionality

Notes

Capture Time

The Capture Time on which Transaction data was processed.
9(6) HHMMSS
897-902
Outclear: Optional
Inclear: Optional
This is the time when the Issuer processed the Retrieval Request.

Field 41

Definition
Format
Positions
Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
X(6)
903-908
Outclear: Filler
Inclear: Filler
Alphanumeric Filler fields must contain spaces.

Field 42 First Presentment Network Processing Date Message Layout

Field 42	First Presentment Network Processing Date
Definition	The date the First Presentment Transaction was accepted by the Network.
Format	9(8) CCYYMMDD
Positions	909-916
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 43	First Presentment Network Processing Time
Definition	The time the First Presentment Transaction was accepted by the Network.
Format	9(6) HHMMSS
Positions	917-922
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 44	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	923-924
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 45	Issuer Institution Identifier (IIN)
Definition	A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer. The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format	X(11)
Positions	925-935
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 46	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	936-937
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 47	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 48

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(40)

Positions

941-980

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 49

Definition

Itemized Document Code

The type of itemized documentation required for a message type.

Format

X(2)

Positions

981-982

Optionality

Outclear: Optional

Inclear: Optional

Notes

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, then Itemized Document Code 12 - ATM Audit Tape/Journal Roll is not valid.

ATM: If the Transaction is an ATM Transaction, then Itemized Document Code 12 - ATM Audit Tape/Journal Roll is valid.

POS: If the Transaction is a POS Transaction, then Itemized Document Code 12 - ATM Audit tape/Journal Roll is not valid.

Program Indicator: If the Program Indicator = NS - No Signature/No PIN, 04 - SafeKey, 08 - Oil, 10 - ZCV and Oil, and the Function Code = 602 - Itemized Documentation, then Itemized Document Code 01 - Signed Support is not valid.

Mail Order/Telephone/Internet: If First Presentment Point of Service Data Code Position 5 = 1, 2, 3, 4, 9, or S, and First Presentment Point of Service Data Code Position 6 = 0, and Function Code = 602 - Itemized Documentation, then the Itemized Document Code 01 - Signed Support is **not** valid.

Chip/PIN: If the ICC Chip/PIN Indicator Code = YY - Transaction was Chip and PIN or YO - Transaction was Chip and Online PIN was used, and the Function Code = 602 - Itemized Documentation, then the Itemized Document Code 01 - Signed Support is **not** valid.

Customer Activated Terminal (CAT): If First Presentment Point of Service Data Code Position 4 = 2, 4, or 5, and Function Code = 602 - Itemized Documentation, then the Itemized Document Code 01 - Signed Support is not valid.

Digital Wallet Contactless-Initiated: If the First Presentment Point of Service Data Code Position 6 = Y - Digital Wallet Contactless-Initiated, and Function Code = 602 - Itemized Documentation, then Itemized Document Code 01 - Signed Support is not valid.

Digital Wallet Application-Initiated: If the First Presentment Point of Service Data Code Position 6 = Z - Digital Wallet Application-Initiated, and Function Code = 602 - Itemized Documentation, then Itemized Document Code 01 - Signed Support is not valid.

Expresspay Mobile: If the First Presentment Point of Service Data Code Position 6 = X and Program Indicator = NS - No Signature/No PIN Program, and Function Code = 602 - Itemized Documentation, then Itemized Document Code 01 - Signed Support is not valid.

Refer to the Itemized Document Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Refer to the Chargeback Policies chapter of the *Business and Operational Policies* manual for Retrieval Request Message Reason Codes that require supporting documentation.

Field 50

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(23)

983-1005

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 51

Definition

Format

Positions

Optionality

Notes

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

9(15)

1006-1020

Outclear: Mandatory Echo

Inclear: Mandatory Echo

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Field 52

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 53

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Outclear: Mandatory

Inclear: Mandatory

Field 54

Definition

Format

Positions

Optionality

Acquiring Institution Processor Identifier (APN)

The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.

X(11)

1040-1050

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 55

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(228)

1051-1278

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 56

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Codes 1-10

Field 57

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Fulfillment Notification (1640)

Description

Acquirers can use the Fulfillment Notification (1640) message to:

- Send an automated fulfillment notification to an Issuer in response to a Retrieval Request Notification for a Record of Charge (ROC) or other documentation of a Transaction
- Supply the Issuer with a response to the Retrieval Request Notification to show the action taken by the Acquirer

Important

A Retrieval Request Notification message (1642) must come before the Fulfillment Notification message.

The Fulfillment Notification message supplies the Issuer with data that tells how the Acquirer will respond. Valid responses include:

- Documentation Being Provided (6300)
- Invalid Acquirer Reference Number (6301)
- Not Fulfilling (6302)
- Credit Previously Issued (6303)
- ATM Journal Roll provided (6305)

Network Disputes Manager

Acquirers must submit documentation images through the *Network Disputes Manager User Guide* for more instructions. Refer to the *Business and Operational Policies* manual for instruction about Fulfillment Notification and Chargeback policies and processes.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Fulfillment Notification (1640). Refer to the [Programming Notes for Fulfillment Notification \(1640\) on page 3-139](#) for more instruction.

Fulfillment Notification (1640) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
1	X(4)	1-4	M	M	Message Type Identifier
2	9(2)	5-6	M	M	Primary Account Number Length
3	X(19)	7-25	ME	ME	Primary Account Number (PAN)
4	X(6)	26-31	ME	ME	Processing Code
5	X(80)	32-111	F	F	Filler

Fulfillment Notification (1640) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
6	9(8)	112-119	M	M	Transaction Date
7	9(6)	120-125	O	O	Transaction Time
8	9(4)	126-129	O	O	Card Expiration Date
9	9(4)	130-133	F	F	Filler
10	9(8)	134-141	O	O	Capture Date
11	X(4)	142-145	ME	ME	Merchant Category Code
12	X(21)	146-166	F	F	Filler
13	X(3)	167-169	M	M	Function Code
14	X(4)	170-173	M	M	Message Reason Code
15	X(12)	174-185	F	F	Filler
16	9(15)	186-200	ME	ME	First Presentment Transaction Amount
17	X(11)	201-211	ME	ME	Acquiring Institution Identification (AIN) Code
18	X(11)	212-222	ME	ME	Acquiring Institution Processor Identifier (APN)
19	X(23)	223-245	ME	ME	Acquirer Reference Number (ARN)
20	X(9)	246-254	F	F	Filler
21 POS	X(8)	255-262	F	F	Filler
21 ATM	X(8)	255-262	ME	ME	Card Acceptor Terminal Identification
22	X(15)	263-277	ME	ME	Card Acceptor Identification Code
23 POS	9(2)	278-279	OE	OE	Alternate Card Acceptor Identification Code Length
23 ATM	9(2)	278-279	F	F	Filler
24 POS	X(15)	280-294	OE	OE	Alternate Card Acceptor Identification Code
24 ATM	X(15)	280-294	F	F	Filler
25	X(308)	295-602	F	F	Filler
26	X(3)	603-605	ME	ME	First Presentment Transaction Currency Code
27	9(1)	606	ME	ME	First Presentment Transaction Decimalization
28	9(15)	607-621	ME	ME	First Presentment Presentment Amount
29	X(15)	622-636	F	F	Filler
30	X(3)	637-639	ME	ME	First Presentment Presentment Currency Code
31	9(1)	640	ME	ME	First Presentment Presentment Decimalization
32	X(125)	641-765	F	F	Filler
33	9(8)	766-773	ME	ME	First Presentment Transaction Date
34	9(6)	774-779	OE	OE	First Presentment Transaction Time
35	X(3)	780-782	F	F	Filler
36	X(4)	783-786	OE	OE	Chargeback Message Reason Code
37	9(8)	787-794	F	M	Network Processing Date
38	9(6)	795-800	F	M	Network Processing Time
39	X(96)	801-896	F	F	Filler

Fulfillment Notification (1640) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
40	9(6)	897-902	O	O	Capture Time
41	X(6)	903-908	F	F	Filler
42	9(8)	909-916	ME	ME	First Presentment Network Processing Date
43	9(6)	917-922	ME	ME	First Presentment Network Processing Time
44	X(2)	923-924	F	F	Filler
45	X(11)	925-935	ME	ME	Issuer Institution Identifier (IIN)
46	X(2)	936-937	F	F	Filler
47	9(3)	938-940	M	M	Message Transaction Sequence Number
48	X(40)	941-980	F	F	Filler
49	X(2)	981-982	O	O	Itemized Document Code
50	X(23)	983-1005	O	O	Itemized Document Reference Number
51	9(15)	1006-1020	ME	ME	Transaction Identifier (TID)
52	X(11)	1021-1031	F	F	Filler
53	9(8)	1032-1039	M	M	Message Number
54	X(11)	1040-1050	ME	ME	Issuer Processor Identifier (IPN)
55	X(228)	1051-1278	F	F	Filler
56	X(40)	1279-1318	C	C	Reject Reason Codes 1-10
57	X(82)	1319-1400	F	F	Filler

Programming Notes for Fulfillment Notification (1640)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 1640 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: 15-19

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fulfillment Notification (1640)
Field 3 Primary Account Number (PAN) Message Layout

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(80)
Positions	32-111
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 6

Transaction Date

Definition	The local date when a dispute message is created by a Participant.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Outclear: Mandatory Inclear: Mandatory

Field 7

Transaction Time

Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Outclear: Optional Inclear: Optional

Field 8

Definition**Format****Positions****Optionality**

Card Expiration Date

This is the Card Expiration Date embossed on the face of the Card.

9(4) MMY

126-129

Outclear: Optional

Inclear: Optional

Field 9

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

9(4)

130-133

Outclear: Filler

Inclear: Filler

Numeric Filler fields must contain zeros.

Field 10

Definition**Format****Positions****Optionality****Notes**

Capture Date

The Capture Date on which Transaction data was processed.

9(8) CCYYMMDD

134-141

Outclear: Optional

Inclear: Optional

This is the date when the Acquirer processed the Fulfillment Notification.

For optional fields the initialization value is "00010101."

Field 11

Definition**Format****Positions****Optionality****Notes**

Merchant Category Code

A code that identifies the industry in which the S/E does business.

X(4)

142-145

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 12

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(21)

146-166

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 13

Definition
Format
Positions
Optionality

Function Code

This code shows the reason for a message in its Message Type.

X(3)

167-169

Outclear: Mandatory

Inclear: Mandatory

Valid Values:

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, then these Function Codes are valid:

600	601	603	640
-----	-----	-----	-----

ATM: If the Transaction is an ATM Transaction, these Function Codes are valid:

600	601	602	603	606
-----	-----	-----	-----	-----

POS: If the Transaction is a POS Transaction, these Function Codes are valid:

600	601	602	603	606
-----	-----	-----	-----	-----

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Definition
Format
Positions
Optionality

Message Reason Code

This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.

X(4)

170-173

Outclear: Mandatory

Inclear: Mandatory

Valid Values: 6300-6499

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, these Message Reason Codes are valid:

2700	6300	6301	6302	6303
------	------	------	------	------

ATM: If the Transaction is an ATM Transaction, then these Message Reason Codes are valid:

6302	6303	6305
------	------	------

POS: If the Transaction is a POS Transaction, then these Message Reason Codes are valid:

6300	6301	6302	6303
------	------	------	------

Program Indicator: If the Program Indicator = NS - No Signature/No PIN or 02 - ZCV, then Message Reason Code 2700 - Per Local Regulation, Proof of Government ID Validation Cannot be Provided is **not** valid.

This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824).

Refer to the Message Reason Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(12)

Positions

174-185

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 16

Definition

First Presentment Transaction Amount

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.

Format

9(15)

Positions

186-200

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 17

Definition

Acquiring Institution Identification (AIN) Code

This is a unique identification code given to an Acquirer by the Network.

Format

X(11)

Positions

201-211

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 18

Definition

Acquiring Institution Processor Identifier (APN)

The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.

Format

X(11)

Positions

212-222

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 19

Definition

Acquirer Reference Number (ARN)

A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.

Format

X(23)

Positions

223-245

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

This number is used to locate/retrieve source data or documents.

Field 20

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(9)

Positions

246-254

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 21 Filler (POS) / Card Acceptor Terminal Identification (ATM) Message Layout

Field 21	Filler (POS) / Card Acceptor Terminal Identification (ATM)
Definition Filler (POS)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Card Acceptor Terminal Identification (ATM)	This code identifies a POS terminal at a Card Acceptor location.
Format	X(8)
Positions	255-262
Optionality	Outclear: Filler (POS), Mandatory Echo (ATM) Inclear: Filler (POS), Mandatory Echo (ATM)
Notes	Alphanumeric Filler fields must contain spaces.
Field 22	Card Acceptor Identification Code
Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	255-262
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 23	Alternate Card Acceptor Identification Code Length (POS), Filler (ATM)
Definition Alternate Card Acceptor Identification Code Length (POS)	The number of positions or length of the Alternate Card Acceptor Identification Code.
Definition Filler (ATM)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(2)
Positions	278-279
Optionality	Outclear: Optional Echo (POS), Filler (ATM) Inclear: Optional Echo (POS), Filler (ATM)
Notes	POS: If the Alternate Card Acceptor Identification Code (Field 24) contains a value, this field must contain a value of 01-15. Numeric Filler fields must contain zeros.
Field 24	Alternate Card Acceptor Identification Code (POS), Filler (ATM)
Definition Alternate Card Acceptor Identification Code (POS)	A Card Acceptor identification number used internally by a Participant.
Definition Filler (ATM)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	280-294
Optionality	Outclear: Optional Echo (POS), Filler (ATM) Inclear: Optional Echo (POS), Filler (ATM)
Notes	POS: If the Alternate Card Acceptor Identification Code Length (Field 23) contains a value, this field must contain a value. Alphanumeric Filler fields must contain spaces.

Field 25**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(308)

Positions

295-602

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 26**Definition****First Presentment Transaction Currency Code**

The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.

Format

X(3)

Positions

603-605

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 27**Definition****First Presentment Transaction Decimalization**

The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.

Format

9(1)

Positions

606

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

Valid Values: 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 28**Definition****First Presentment Presentment Amount**

The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.

Format

9(15)

Positions

607-621

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 29**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(15)

Positions

622-636

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 30 First Presentment Presentment Currency Code Message Layout

Field 30

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	637-639
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 31

First Presentment Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	640
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(125)
Positions	641-765
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 33

First Presentment Transaction Date

Definition	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD
Positions	766-773
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo

Field 34

First Presentment Transaction Time

Definition	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6) HHMMSS
Positions	774-779
Optionality	Outclear: Optional Echo Inclear: Optional Echo

Field 35

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(3)

Positions

780-782

Optionality

Outclear: Filler

Notes

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 36

Definition

Chargeback Message Reason Code

An ISO code subset of the Message Reason Code values, indicating the reason a Transaction was charged back.

Format

X(4)

Positions

783-786

Optionality

Outclear: Optional Echo

Notes

Inclear: Optional Echo

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, then these Chargeback Message Reason Codes are not valid:

4540	4544	4553	4554	4750
------	------	------	------	------

ATM: If the Transaction is an ATM Transaction, these Chargeback Message Reason Codes are valid:

4516	4517	4530	4554	4754
------	------	------	------	------

Note: If the Transaction is an AEIPS-compliant Chip Card Transaction where a Transaction Certificate is provided in the First Presentment, then Chargeback Message Reason Codes 4516 - Non-fulfillment of request for information (Request for Support Not Fulfilled) and 4517 - Non-fulfillment of request illegible copy (Request for Support Illegible/Incomplete) are not valid.

Field 37

Definition

Network Processing Date

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

787-794

Optionality

Outclear: Filler

Notes

Inclear: Mandatory

Numeric Filler fields must contain zeros.

Field 38

Definition

Network Processing Time

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

795-800

Optionality

Outclear: Filler

Notes

Inclear: Mandatory

Numeric Filler fields must contain zeros.

Field 39

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(96)

801-896

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 40

Definition**Format****Positions****Optionality****Notes**

Capture Time

The Capture Time on which Transaction data was processed.

9(6) HHMMSS

897-902

Outclear: Optional

Inclear: Optional

This is the time when the Acquirer processed the Fulfillment Notification.

Field 41

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(6)

903-908

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 42

Definition**Format****Positions****Optionality**

First Presentment Network Processing Date

The date the First Presentment Transaction was accepted by the Network.

9(8) CCYYMMDD

909-916

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 43

Definition**Format****Positions****Optionality**

First Presentment Network Processing Time

The time the First Presentment Transaction was accepted by the Network.

9(6) HHMMSS

917-922

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 44

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

923-924

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fulfillment Notification (1640)
Field 45 Issuer Institution Identifier (IIN) Message Layout

Field 45

Definition

A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer.

Format

X(11)

Positions

925-935

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Issuer Institution Identifier (IIN)

The first 6 digits of the IIN is the Bank Identifier Number (BIN).

Field 46

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

936-937

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Filler

Field 47

Definition

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 001

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Message Transaction Sequence Number

Field 48

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(40)

Positions

941-980

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Filler

Field 49

Definition

The type of itemized documentation required for a message type.

Format

X(2)

Positions

981-982

Optionality

Outclear: Optional

Inclear: Optional

Notes

Cash Disbursement: If the Transaction is a Cash Disbursement Transaction, then Itemized Document Code 12 - ATM Audit Tape/Journal Roll is **not** valid.

ATM: If the Transaction is an ATM Transaction, then Itemized Document Code 12 - ATM Audit Tape/Journal Roll is valid.

POS: If the Transaction is a POS Transaction, then Itemized Document Code 12 - ATM Audit Tape/Journal Roll is **not** valid.

Itemized Document Code

Field 50 Itemized Document Reference Number Message Layout

Refer to the Itemized Document Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Refer to the Chargeback Policies chapter of the *Business and Operational Policies* manual for Retrieval Request Message Reason Codes that require supporting documentation.

Field 50

Definition
Format
Positions
Optionality

Itemized Document Reference Number

The reference number of the Transaction that transmitted supporting or itemized documentation.
X(23)
983-1005
Outclear: Optional
Inclear: Optional

Field 51

Definition
Format
Positions
Optionality

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
9(15)
1006-1020
Outclear: Mandatory Echo
Inclear: Mandatory Echo
Notes For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Field 52

Definition
Format
Positions
Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
X(11)
1021-1031
Outclear: Filler
Inclear: Filler
Alphanumeric Filler fields must contain spaces.

Field 53

Definition
Format
Positions
Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
9(8)
1032-1039
Outclear: Mandatory
Inclear: Mandatory

Field 54

Definition
Format
Positions
Optionality

Issuer Processor Identifier (IPN)

The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.
X(11)
1040-1050
Outclear: Mandatory Echo
Inclear: Mandatory Echo

Field 55

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(228)

1051-1278

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 56

Definition**Format****Positions****Optionality****Notes**

Reject Reason Code 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

1279-1318

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 57

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(82)

1319-1400

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

First and Final Chargeback Notification (1442)

Description

The Chargeback notification record is outcleared from the Issuer to the Network and incleared from the Network to the Acquirer to process a Chargeback for a Transaction.

The optionality is defined for the outclear and inclear files. Refer to the [First and Final Chargeback Notification \(1442\) Message Layout on page 3-152](#).

When an Issuer believes a Transaction does not comply with AEGNS policies, the Issuer can file a Chargeback and move the financial liability to the Acquirer. After a Second Presentment is received, the Issuer decides if there is enough justification to dispute the Second Presentment. Process a Final Chargeback in the same way that the First Chargeback was processed. Refer to the *Business and Operational Policies* manual for instruction about the Chargeback process and policy requirements.

Chargeback messages are specific to the type of Presentment sent.

Network Disputes Manager

Issuers must submit supporting documentation for a Chargeback through the Network Disputes Manager application. Refer to the *Network Disputes Manager User Guide* for more instruction.

Length of Record

1400 bytes

Message Layout

This is the message layout for the First and Final Chargeback Notification (1442). Refer to the [Programming Notes for First and Final Chargeback Notification \(1442\) on page 3-154](#) for more instruction.

First and Final Chargeback Notification (1442) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
1	X(4)	1-4	M	M	Message Type Identifier
2	9(2)	5-6	M	M	Primary Account Number Length
3	X(19)	7-25	ME	ME	Primary Account Number (PAN)
4	X(6)	26-31	ME	ME	Processing Code
5	9(15)	32-46	M	M	Transaction Amount
6	X(65)	47-111	F	F	Reserved Field
7	9(8)	112-119	M	M	Transaction Date
8	9(6)	120-125	O	O	Transaction Time
9	9(4)	126-129	O	O	Card Expiration Date
10	9(4)	130-133	F	F	Filler
11	9(8)	134-141	O	O	Capture Date
12	X(4)	142-145	ME	ME	Merchant Category Code

First and Final Chargeback Notification (1442) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
13	X(21)	146-166	F	F	Filler
14	X(3)	167-169	M	M	Function Code
15	X(4)	170-173	M	M	Message Reason Code
16	X(12)	174-185	F	F	Filler
17	9(15)	186-200	ME	ME	First Presentment Transaction Amount
18	X(11)	201-211	ME	ME	Acquiring Institution Identification (AIN) Code
19	X(11)	212-222	ME	ME	Issuer Processor Identifier (IPN)
20	X(23)	223-245	ME	ME	Acquirer Reference Number (ARN)
21	X(9)	246-254	F	F	Filler
22 POS	X(8)	255-262	F	F	Filler
22 ATM	X(8)	255-262	ME	ME	Card Acceptor Terminal Identification
23	X(15)	263-277	ME	ME	Card Acceptor Identification Code
24 POS	9(2)	278-279	OE	OE	Alternate Card Acceptor Identification Code Length
24 ATM	9(2)	278-279	F	F	Filler
25 POS	X(15)	280-294	OE	OE	Alternate Card Acceptor Identification Code
25 ATM	X(15)	280-294	F	F	Filler
26	X(139)	295-433	F	F	Filler
27	X(15)	434-448	F	F	Reserved Field
28	X(15)	449-463	F	F	Reserved Field
29	X(104)	464-567	F	F	Filler
30	X(1)	568	F	F	Reserved Field
31	9(15)	569-583	F	M	Acquirer Settlement Amount
32	9(7)v9(8)	584-598	F	F	Reserved Field
33	X(3)	599-601	F	M	Acquirer Settlement Currency Code
34	9(1)	602	F	M	Acquirer Settlement Decimalization
35	X(3)	603-605	ME	ME	First Presentment Transaction Currency Code
36	9(1)	606	ME	ME	First Presentment Transaction Decimalization
37	9(15)	607-621	ME	ME	First Presentment Presentment Amount
38	9(7)v9(8)	622-636	ME	ME	First Presentment Transaction To Presentment Conversion Rate
39	X(3)	637-639	ME	ME	First Presentment Presentment Currency Code
40	9(1)	640	ME	ME	First Presentment Presentment Decimalization
41	X(1)	641	F	F	Filler
42	X(3)	642-644	M	M	Transaction Currency Code
43	X(3)	645-647	F	F	Reserved Field
44	X(118)	648-765	F	F	Filler
45	9(8)	766-773	ME	ME	First Presentment Transaction Date

First and Final Chargeback Notification (1442) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
46	9(6)	774-779	O	O	First Presentment Transaction Time
47	X(7)	780-786	F	F	Filler
48	9(8)	787-794	F	M	Network Processing Date
49	9(6)	795-800	F	M	Network Processing Time
50	9(1)	801	ME	ME	Transaction Decimalization
51	X(95)	802-896	O	O	Chargeback Reason Text
52	9(6)	897-902	O	O	Capture Time
53	X(6)	903-908	F	F	Filler
54	9(8)	909-916	ME	ME	First Presentment Network Processing Date
55	9(6)	917-922	ME	ME	First Presentment Network Processing Time
56	X(2)	923-924	F	F	Filler
57	X(11)	925-935	ME	ME	Issuer Institution Identifier (IIN)
58	X(2)	936-937	F	F	Filler
59	9(3)	938-940	M	M	Message Transaction Sequence Number
60	X(40)	941-980	F	F	Filler
61	X(2)	981-982	F	F	Filler
62	X(23)	983-1005	F	F	Filler
63	9(15)	1006-1020	ME	ME	Transaction Identifier (TID)
64	X(11)	1021-1031	F	F	Filler
65	9(8)	1032-1039	M	M	Message Number
66	X(11)	1040-1050	ME	ME	Acquiring Institution Processor Identifier (APN)
67	X(228)	1051-1278	F	F	Filler
68	X(40)	1279-1318	C	C	Reject Reason Codes 1-10
69	X(82)	1319-1400	F	F	Filler

Programming Notes for First and Final Chargeback Notification (1442)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 1442

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 2 Primary Account Number Length Message Layout

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Outclear: Mandatory
	Inclear: Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Outclear: Mandatory Echo
	Inclear: Mandatory Echo

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Outclear: Mandatory Echo
	Inclear: Mandatory Echo
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	32-46
Optionality	Outclear: Mandatory
	Inclear: Mandatory
Notes	The Transaction Amount must be greater than zero.
	POS
	- First Chargeback: The Transaction Amount must be less than or equal to the First Presentment Transaction Amount in accordance with the policy in the <i>Business and Operational Policies</i> manual. - Final Chargeback: The Transaction Amount must be less than or equal to the Second Presentment Transaction Amount in accordance with the policy in the <i>Business and Operational Policies</i> manual.
	ATM Final Chargeback: The Transaction Amount must be less than or equal to the Second Presentment Transaction Amount in accordance with the policy in the <i>Business and Operational Policies</i> manual.

Field 6

Definition	This field is for AEGNS internal use.
Format	X(65)
Positions	47-111
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 7

Definition	The local date when a dispute message is created by a Participant.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Outclear: Mandatory Inclear: Mandatory

Transaction Date

Field 8

Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Outclear: Optional Inclear: Optional

Transaction Time

Field 9

Definition	This is the Card Expiration Date embossed on the face of the Card.
Format	9(4) MMY Y
Positions	126-129
Optionality	Outclear: Optional Inclear: Optional

Card Expiration Date

Field 10

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(4)
Positions	130-133
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Filler fields must contain zeros.

Filler

Field 11

Definition	The Capture Date on which Transaction data was processed.
Format	9(8) CCYYMMDD
Positions	134-141
Optionality	Outclear: Optional Inclear: Optional
Notes	This is the date when the Acquirer processed the first Cardmember Transaction. For optional fields the initialization value is "00010101."

Capture Date

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 12 Merchant Category Code Message Layout

Field 12

Definition
Format
Positions
Optionality

Merchant Category Code

A code that identifies the industry in which the S/E does business.

X(4)

142-145

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 13

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(21)

146-166

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 14

Definition
Format
Positions
Optionality

Function Code

This code shows the reason for a message in its Message Type.

X(3)

167-169

Outclear: Mandatory

Inclear: Mandatory

Notes

Valid Values:

- 450 = First Chargeback
- 451 = Final Chargeback

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition
Format
Positions
Optionality

Message Reason Code

This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.

X(4)

170-173

Outclear: Mandatory

Inclear: Mandatory

Notes

This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824).

Chargeback Message Reason Code:

- If the First Presentment Point of Service Data Code Position 5 = 9, then Message Reason Code 4534 - Multiple ROCs is **not** valid.
- If the Message Reason Code = 4798 - Fraud Liability Shift - Counterfeit, then Fraud Type Codes 02 - Altered Card/Counterfeit and 26 - Skimmed are valid.
- If the Message Reason Code = 4799 - Fraud Liability Shift - Lost/Stolen/Non-Received, then Fraud Type Code 05 - Lost, 08 - Stolen, or 06 - Non-Received are valid.
- If the First Presentment Point of Service Data Code Position 6 = X - Contactless Transaction, then Message Reason Codes 4798 - Fraud Liability Shift - Counterfeit and 4799 - Fraud Liability Shift - Lost/Stolen/Non-received are **not** valid.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 15 Message Reason Code Message Layout

- If the Retrieval Request Message Reason Code = 6016 - Cardmember Needs for Personal Records, then Message Reason Codes 4516 - Request for Support Not Fulfilled and 4517 - Request for Support Illegible/Incomplete are **not** valid.
- If the First Presentment ICC Chip/PIN Indicator = YY and Message Reason Code = 6006 - Legal Request or Fraud Analysis, then Message Reason Code 4516 - Non-fulfillment of request for information (Request for Support Not Fulfilled) or Message Reason Code 4517 - Non-fulfillment of request illegible copy (Request for Support Illegible/Incomplete) are **not** valid.

Cash Disbursement: If the Transaction was a Cash Disbursement Transaction, then these Message Reason Codes are not valid:

4540	4544	4553
4554	4750	

ATM: If the Transaction is an ATM Transaction, then these Message Reason Codes are valid:

4516	4517	4530	4554	4754
------	------	------	------	------

Note: If the Transaction is an AEIPS-compliant Chip Card Transaction where a Transaction Certificate is provided in the First Presentment, then Chargeback Message Reason Codes 4516 - Non-fulfillment of request for information (Request for Support Not Fulfilled) and 4517 - Non-fulfillment of request illegible copy (Request for Support Illegible/Incomplete) are not valid.

Program Indicator:

- If the Program Indicator = 04 - SafeKey, then Message Reason Code 4540 - Card Not Present and Message Reason Code 4763 - Fraud Full Recourse are **not** valid.
- If the Program Indicator = 08 - Oil, or 10 - ZCV and Oil, then Message Reason Code 4763 - Fraud Full Recourse is **not** valid.
- If the Program Indicator = NS - No Signature/No PIN, or 11 - ZCV and NS, then Message Reason Codes 4516 - Request for Support Not Fulfilled and 4517 - Request for Support Illegible/Incomplete are not valid.

Fulfillment Requirement:

For a First Chargeback, a Fulfillment Notification (1640) message is required before processing these Message Reason Codes:

4517	4554 ¹
------	-------------------

1. A Fulfillment is required for ATM Transaction only.

For a First Chargeback, Message Reason Code 4516 - Request For Support Not Fulfilled is **not** valid if the Fulfillment Message Reason Code is one (1) of these:

2700	6300	6301	6303	6305
------	------	------	------	------

For a First Chargeback, Message Reason Code 4517 - Request for Support Illegible/Incomplete is **not** valid if the Fulfillment Message Reason Code = 6302 - Not Fulfilling.

Digital Wallet Contactless-Initiated:

- If the First Presentment Point of Service Data Code Position 6 = Y - Digital Wallet Contactless-Initiated, then Message Reason Code 4527 - Missing Imprint, 4540 - Card Not Present, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counter, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-Received is **not** valid.
- The Network will reject 4516 - Request for Support Not Fulfilled and 4517 - Request for Support Illegible/Incomplete if both of these are true:
 - The First Presentment Point of Service Data Code Position 6 = Y.
 - The Transaction Amount is less than or equal to the market threshold for Expresspay Transactions as shown in the No Signature/No PIN Program Thresholds table in the *Live Terminal Parameters AEIPS & Expresspay Guide*.
- If the First Presentment Point of Service Data Code Position 6 = Y - Digital Wallet Contactless-initiated and Message Reason Code = 6006 - Legal Request or Fraud Analysis, then Message Reason Code 4516 - Non-fulfillment of request for information (Request for Support Not Fulfilled) or Message Reason Code 4517 - Non-fulfillment of request illegible copy (Request for Support Illegible/Incomplete) are **not** valid.

Digital Wallet Application-Initiated:

- If the First Presentment Point of Service Data Code Position 6 = Z - Digital Wallet Application-Initiated, then Message Reason Code 4527 - Missing Imprint, 4540 - Card Not Present, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counterfeit, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-Received is **not** valid.
- If the First Presentment Point of Service Data Code Position 6 = Z - Digital Wallet Application-Initiated and Message Reason Code = 6006 - Legal Request or Fraud Analysis, then Message Reason Code 4516 - Non-fulfillment of request for information (Request for Support Not Fulfilled) or Message Reason Code 4517 - Non-fulfillment of request illegible copy (Request for Support Illegible/Incomplete) are **not** valid.

Expresspay Mobile:

- If the First Presentment Point of Service Data Code Position 6 = X, then Message Reason Code 4527 - Missing Imprint, 4540 - Card Not Present, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counterfeit, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-Received is **not** valid.
- If the First Presentment Point of Service Data Code Position 6 = X, then Message Reason Code 4527 - Missing Imprint, 4540 - Card Not Present, 4544 - Cancellation of Recurring Goods/Services, 4798 - Fraud Liability Shift - Counterfeit, or 4799 - Fraud Liability Shift - Lost/Stolen/Non-Received is **not** valid.
- The Network will reject 4516 - Request for Support Not Fulfilled and 4517 - Request for Support Illegible/Incomplete if both of these are true:
 - The First Presentment Point of Service Data Code Position 6 = X.
 - The Transaction Amount is less than or equal to the market threshold for Expresspay Transactions as shown in the No Signature/No PIN Program Thresholds table in the *Live Terminal Parameters AEIPS & Expresspay Guide*.

Expresspay:

- The Network will reject a Transaction if the First Presentment (1240) message is an Expresspay Transaction (based on Point of Service Data Code) and the Chargeback Message Reason Code = 4527 - Missing Imprint, 4540 - Card Not Present, or 4544 - Cancellation of Recurring Goods/Services.
- The Network will reject 4516 - Request for Support Not Fulfilled and 4517 - Request for Support Illegible/Incomplete if both of these are true:
 - The First Presentment Point of Service Data Code Position 6 = X.
 - The Transaction Amount is less than or equal to the market threshold for Expresspay Transactions as shown in the No Signature/No PIN Program Thresholds table in the *Live Terminal Parameters AEIPS & Expresspay Guide*.

Expresspay Transit:

The Network will reject 4763 - Fraud Full Recourse if **all** of these are true:

- The POS First and Second Presentment (1240) message is an Expresspay Transaction that started at a Transit Access Terminal (TAT) (based on the Point of Service Data Code).
- The Transaction Amount is less than or equal to the Chargeback Protection Threshold as shown in the *Business and Operational Policies* manual
- The Transaction contains one (1) of these MCCs:
 - 4111 - Local and Suburban Commuter Passenger Transportation, including Ferries
 - 4112 - Passenger Railways
 - 4131 - Bus Lines
 - 4784 - Tolls and Bridge Fees
 - 7523 - Parking Lot and Garages

Refer to the Message Reason Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 16

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(12)

174-185

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 17

Definition

Format

Positions

Optionality

First Presentment Transaction Amount

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.

9(15)

186-200

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 18

Definition

Format

Positions

Optionality

Acquiring Institution Identification (AIN) Code

This is a unique identification code given to an Acquirer by the Network.

X(11)

201-211

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 19

Definition

Format

Positions

Optionality

Issuer Processor Identifier (IPN)

The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.

X(11)

212-222

Outclear: Mandatory Echo

Inclear: Mandatory Echo

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 20 Acquirer Reference Number (ARN) Message Layout

Field 20	Acquirer Reference Number (ARN)
Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	This number is used to assist in locating/retrieving source data or documents.
Field 21	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(9)
Positions	246-254
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 22	Filler (POS) / Card Acceptor Terminal Identification (ATM)
Definition Filler (POS)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Definition Card Acceptor Terminal Identification (ATM)	This code identifies a POS terminal at a Card Acceptor location.
Format	X(8)
Positions	255-262
Optionality	Outclear: Filler (POS), Mandatory Echo (ATM) Inclear: Filler (POS), Mandatory Echo (ATM)
Notes	Alphanumeric Filler fields must contain spaces.
Field 23	Card Acceptor Identification Code
Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	255-262
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Field 24	Alternate Card Acceptor Identification Code Length (POS) / Filler (ATM)
Definition Card Acceptor Identification Code Length (POS)	The number of positions or length of the Alternate Card Acceptor Identification Code.
Definition Filler (ATM)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(2)
Positions	278-279
Optionality	Outclear: Optional Echo (POS), Filler (ATM) Inclear: Optional Echo (POS), Filler (ATM)
Notes	POS: If the Alternate Card Acceptor Identification Code (Field 25) contains a value, this field must contain a value of 01-15. Numeric Filler fields must contain zeros.

Field 25 Alternate Card Acceptor Identification Code (POS) / Filler (ATM) Message Layout

Field 25	Alternate Card Acceptor Identification Code (POS) / Filler (ATM)
Definition Alternate Card Acceptor Identification Code (POS)	A Card Acceptor identification number used internally by a Participant.
Definition Filler (ATM)	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	280-294
Optionality	Outclear: Optional Echo (POS), Filler (ATM) Inclear: Optional Echo (POS), Filler (ATM)
Notes	POS: If the Alternate Card Acceptor Identification Code Length (Field 24) contains a value, this field must contain a value. Alphanumeric Filler fields must contain spaces.
Field 26	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(139)
Positions	295-433
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 27	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	434-448
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 28	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	449-463
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 29	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(104)
Positions	464-567
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 30

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	568
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 31

Acquirer Settlement Amount

Definition	The Settlement amount calculated for an individual Transaction, net of the Network rate, in the currency defined by the Acquirer's contractual agreement.
Format	9(15)
Positions	569-583
Optionality	Outclear: Filler Inclear: Mandatory
Notes	Numeric Filler fields must contain zeros.

Field 32

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	584-598
Optionality	Outclear: Filler Inclear: Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 33

Acquirer Settlement Currency Code

Definition	The numeric currency code of the Settlement Amount.
Format	X(3)
Positions	599-601
Optionality	Outclear: Filler Inclear: Mandatory
Notes	The Network puts the value into this field. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Alphanumeric Filler fields must contain spaces.

Field 34

Acquirer Settlement Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Acquirer Settlement Amount.
Format	9(1)
Positions	602
Optionality	Outclear: Filler Inclear: Mandatory
Notes	The Network puts the value into this field. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Numeric Filler fields must contain zeros.

Field 35 First Presentment Transaction Currency Code Message Layout

Field 35

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	603-605
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 36

First Presentment Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	606
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 37

First Presentment Presentment Amount

Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	607-621
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo

Field 38

First Presentment Transaction To Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	622-636
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo

Field 39

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	637-639
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 40 First Presentment Presentment Decimalization Message Layout

Field 40

Definition

The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.

Format

9(1)

Positions

640

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

First Presentment Presentment Decimalization

Field 41

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(1)

Positions

641

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Filler

Field 42

Definition

The currency code in which the Transaction was executed.

Format

X(3)

Positions

642-644

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes

No Signature/No PIN Program: If the Transaction qualifies for the No Signature/No PIN Program, refer to the No Signature/No PIN Program Thresholds in the *Live Terminal Parameters AEIPS & Expresspay Guide* for countries, thresholds, and currencies that participate in the program.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Transaction Currency Code

Field 43

Definition

This field is for AEGNS internal use.

Format

X(3)

Positions

645-647

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 44

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(118)

Positions

648-765

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Filler

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 45 First Presentment Transaction Date Message Layout

Field 45

Definition

First Presentment Transaction Date

The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.

Format

9(8)

Positions

766-773

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 46

Definition

First Presentment Transaction Time

The local time when a Cardmember Transaction was executed at a Card Acceptor location.

Format

9(6) HHMMSS

Positions

774-779

Optionality

Outclear: Optional

Inclear: Optional

Field 47

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(7)

Positions

780-786

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 48

Definition

Network Processing Date

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

787-794

Optionality

Outclear: Filler

Inclear: Mandatory

Notes

The Network puts the value into this field.

Numeric Filler fields must contain zeros.

Field 49

Definition

Network Processing Time

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

795-800

Optionality

Outclear: Filler

Inclear: Mandatory

Notes

The Network puts the value into this field.

Numeric Filler fields must contain zeros.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 50 Transaction Decimalization Message Layout

Field 50

Definition

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

801

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

Valid Values: 0-9

Decimalization must be the same as the Transaction Amount Decimalization for the First Presentment (1240).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Transaction Decimalization

Field 51

Definition

More formatted text to further qualify the Message Reason Code for a Chargeback.

Format

X(95)

Positions

802-896

Optionality

Outclear: Optional

Inclear: Optional

Chargeback Reason Text

Field 52

Definition

The Capture Time on which Transaction data was processed.

Format

9(6) HHMMSS

Positions

897-902

Optionality

Outclear: Optional

Inclear: Optional

Notes

This is the time when the Acquirer processed the first Cardmember Transaction.

Capture Time

Field 53

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(6)

Positions

903-908

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Filler

Field 54

Definition

The date the First Presentment Transaction was accepted by the Network.

Format

9(8)

Positions

909-916

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

First Presentment Network Processing Date

Field 55

Definition

The time the First Presentment Transaction was accepted by the Network.

Format

9(8)

Positions

917-922

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

First Presentment Network Processing Time

Field 56

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

923-924

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 57

Definition

Issuer Institution Identifier (IIN)

A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer.

The first 6 digits of the IIN is the Bank Identifier Number (BIN).

Format

X(11)

Positions

925-935

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Field 58

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

936-937

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 59

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 60

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(40)

Positions

941-980

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 61

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

981-982

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 62

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(23)

Positions

983-1005

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 63

Definition

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

1006-1020

Optionality

Outclear: Mandatory Echo

Inclear: Mandatory Echo

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Field 64

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(11)

Positions

1021-1031

Optionality

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 65

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Outclear: Mandatory

Inclear: Mandatory

American Express Global Network Services
Network Specifications - Financial/Non-Financial
First and Final Chargeback Notification (1442)
Field 66 Acquiring Institution Processor Identifier (APN) Message Layout

Field 66

Acquiring Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	1040-1050
Optionality	Outclear: Mandatory Echo Inclear: Mandatory Echo

Field 67

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(228)
Positions	1051-1278
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 68

Reject Reason Code 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 69

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Daily Activity File (DAF) File Header (1324)

Description

The fields of the Daily Activity File (DAF) File Header (1324) are used for routing and file integrity verification. The DAF File Header (1324) message comes before all DAF (1644) messages.

Length of Record

600 Bytes

Message Layout

This is the message layout for the Daily Activity File (DAF) File Header (1324). Refer to the [Programming Notes for Daily Activity File \(DAF\) File Header \(1324\)](#) on page 3-171 for more instruction.

Daily Activity File (DAF) File Header (1324) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	9(6)	13-18	File Sequence Number
4	X(26)	19-44	Reserved Field
5	X(35)	45-79	Filler
6	X(11)	80-90	Receiving Institution Identifier
7	X(17)	91-107	File Name Code
8	X(4)	108-111	Filler
9	9(8)	112-119	Transmittal Date
10	9(6)	120-125	Transmittal Time
11	X(75)	126-200	Filler
12	X(11)	201-211	Organization Identifier
13	X(11)	212-222	Forwarding Institution Identification Code
14	X(29)	223-251	Filler
15	X(3)	252-254	Action Code
16	X(346)	255-600	Filler

Programming Notes for [Daily Activity File \(DAF\) File Header \(1324\)](#)

Field 1

[Message Type Identifier](#)

Definition
Format
Positions
Notes

This code identifies the type of message sent by the forwarding institution.

X(4)

1-4

Required Value: 1342

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

5-12

Notes

Required Number: 00000001

Field 3

Definition

File Sequence Number

A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999.

Note: File Sequence Number 900000-999999 are reserved for test files.

Format

9(6)

Positions

13-18

Field 4

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(26)

Positions

19-44

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 5

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(35)

Positions

45-79

Notes

Alphanumeric Filler fields must contain spaces.

Field 6

Definition

Receiving Institution Identifier

The unique institution identifier assigned to the Participant who received the Transaction.

Format

X(11)

Positions

80-90

Notes

Valid Values:

- **Outclear:** 900000000002
- **Incclear:** Issuer Processor Identifier (IPN), Acquiring Institution Processor Identifier (APN)

Field 7

Definition

File Name Code

Used to identify the contents of the file.

Format

X(17)

Positions

91-107

Notes

Required Value: Daily Activity

Field 8

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(4)

Positions

108-111

Notes

Alphanumeric Filler fields must contain spaces.

Field 9

Definition

Transmittal Date

The date when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(8) CCYYMMDD

Positions

112-119

Field 10	Transmittal Time
Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	120-125
Field 11	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(75)
Positions	126-200
Notes	Alphanumeric Filler fields must contain spaces.
Field 12	Organization Identifier
Definition	The unique identifier assigned, by AEGNS, to the Participant organization that is sending or receiving Outclear/Inclear files to/from the Network.
Format	X(11)
Positions	201-211
Field 13	Forwarding Institution Identification Code
Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	212-222
Notes	Required Value: 900000000002 = Global Network Services
Field 14	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(29)
Positions	223-251
Notes	Alphanumeric Filler fields must contain spaces.
Field 15	Action Code
Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	252-254
Notes	Required Value: 892 = Production File Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.
Field 16	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(346)
Positions	255-600
Notes	Alphanumeric Filler fields must contain spaces.

Daily Activity File (DAF) POS First and Second Presentments (1644)

Description

First and Second Presentments contain data from one Cardmember Transaction. First and Second Presentments outclear from the Acquirer to the Network and Inclear from the Network to the Issuer.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

- The first reference of the Message Type Identifier (Positions 1-4) identifies the type of message sent by the forwarding institution.
- The second reference (Positions 155-158) is a code that identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number of the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This is the message layout for the Daily Activity File (DAF) POS First and Second Presentment (1644). Refer to the [Programming Notes for Daily Activity File \(DAF\) POS First and Second Presentments \(1644\)](#) on page 3-176 for more instruction.

Daily Activity File (DAF) POS First and Second Presentments (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier

Daily Activity File (DAF) POS First and Second Presentments (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	X(4)	236-239	Merchant Category Code
30	X(23)	240-262	Acquirer Reference Number (ARN)
31	9(15)	263-277	First Presentment Presentment Amount
32	X(3)	278-280	First Presentment Presentment Currency Code
33	9(1)	281	First Presentment Presentment Decimalization
34	9(15)	282-296	Net Settlement Amount
35	X(3)	297-299	Settlement Currency Code
36	9(1)	300	Settlement Decimalization
37	9(15)	301-315	Gross Settlement Amount
38	X(1)	316	Local or Foreign
39	9(15)	317-331	Issuer's/Network Rate Amount
40	V9(8)	332-339	Issuer's/Network Rate
41	9(15)	340-354	Reserved Field
42	9(8)	355-362	Settlement Calculation Date
43	X(4)	363-366	Message Reason Code
44	X(2)	367-368	Format Code
45	X(12)	369-380	Point of Service Data Code
46	X(8)	381-388	Card Acceptor Terminal Identification
47	X(15)	389-403	Card Acceptor Identification Code
48	X(3)	404-406	Card Acceptor Country Code
49	9(7)v9(8)	407-421	First Presentment Transaction To Presentment Conversion Rate
50	X(2)	422-423	ICC Chip/PIN Indicator

Daily Activity File (DAF) POS First and Second Presentments (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
51	X(3)	424-426	Report Category Code
52	9(2)	427-428	Extended Payment Data
53	9(2)	429-430	Alternate Card Acceptor Identification Code Length
54	X(15)	431-445	Alternate Card Acceptor Identification Code
55	9(8)	446-453	Anticipated Transaction Settlement Date
56	X(147)	454-600	Filler

Programming Notes for Daily Activity File (DAF) POS First and Second Presentments (1644)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Notes

Required Value: 1644

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Message Number

Definition

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

5-12

Field 3

Transaction Status

Definition

Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 4 Participant Role Type Message Layout

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
		"Settled" Transactions are from the point of view of the message sender.			
		"Incleared" Transactions are from the point of view of the receiving Participant.			
		"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.			
		If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.			

Format X(2)
Positions 13-14

Field 4

Participant Role Type

Definition Identifies the role of the organization for the reported activity.
Format X(2)
Positions 15-16
Notes **Valid Values:**

- IS = Issuer Institution Identifier
- AC = Acquirer Institution Identifier

Field 5

Sending Processor Institution Identifier

Definition The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format X(11)
Positions 17-27

Field 6

Sending Processor Organization Identifier

Definition The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format X(11)
Positions 28-38

Field 7

Sending Institution Identifier

Definition The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format X(11)
Positions 39-49

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 8 Sending Organization Identifier Message Layout

Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104
Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128
Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 16 Transaction Identifier (TID) Message Layout

Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see <i>The Role of the Transaction Identifier</i> in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 17	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1240 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 18	Function Code
Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 19	Processing Code
Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 20	Transaction Date
Definition	The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor. • For telecommunication Transactions, the Transaction Date is the date the bill summary was presented. • For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.
Format	9(8) CCYYMMDD
Positions	168-175
Field 21	Transaction Time
Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	176-181
Field 22	Network Processing Date
Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	182-189

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 23 Network Processing Time Message Layout

Field 23 **Network Processing Time**

Definition The time the Network accepted or processed the Transaction.
Format 9(6) HHMMSS
Positions 190-195

Field 24 **Transaction Amount**

Definition The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format 9(15)
Positions 196-210

Field 25 **Transaction Currency Code**

Definition The currency code in which the Transaction was executed.
Format X(3)
Positions 211-213
Notes Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26 **Transaction Decimalization**

Definition The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format 9(1)
Positions 214
Notes **Valid Values:** 0-9

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 27 **Primary Account Number Length**

Definition The number of positions or length of the Primary Account Number.
Format 9(2)
Positions 215-216
Notes **Valid Values:** 15-19

Field 28 **Primary Account Number (PAN)**

Definition A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format X(19)
Positions 217-235

Field 29 **Merchant Category Code**

Definition A code that identifies the industry in which the S/E does business.
Format X(4)
Positions 236-239
Notes Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 30 Acquirer Reference Number (ARN) Message Layout

Field 30	Acquirer Reference Number (ARN)
Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	240-262
Notes	This number is used to assist in locating/retrieving source data or documents.
Field 31	First Presentment Presentment Amount
Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	263-277
Field 32	First Presentment Presentment Currency Code
Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	278-280
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 33	First Presentment Presentment Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	281
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 34	Net Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction, net of the Issuer's/Network Rate Amount, in the currency defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	282-296
Field 35	Settlement Currency Code
Definition	The currency code of the Settlement Amount.
Format	X(3)
Positions	297-299
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 36	Settlement Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.
Format	9(1)
Positions	300
Field 37	Gross Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction. The currency is defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	301-315

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 38 Local or Foreign Message Layout

Field 38	Local or Foreign
Definition	The location of the Acquirer and Issuer market regions. If the Acquirer and Issuer are located in the same market region, then the Transaction is considered local (for example, a Japanese Cardmember purchases goods in Japan). If they are not in the same market region, it is considered to be foreign (for example, a Japanese Cardmember purchases goods in France).
Format	X(1)
Positions	316
Notes	Valid Values: • L = Local • F = Foreign
Field 39	Issuer's/Network Rate Amount
Definitions	The Network calculates the total value of the Issuer's/Network rate to be paid to or from the Network against Transactions.
Format	9(15)
Positions	317-331
Field 40	Issuer's/Network Rate
Definition	The Issuer's Rate is a rate, per Transaction amount, negotiated between AEGNS and the Issuer. The Network Rate is a rate, per Transaction amount, negotiated between AEGNS and the Acquirer, for settlement of inbound Charges.
Format	V9(8)
Positions	332-339
Field 41	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	340-354
Notes	Numeric Reserved Fields must contain zeros.
Field 42	Settlement Calculation Date
Definition	The Network date that the Transaction settlement is calculated for Acquirer and Issuer settlement amounts for each financial Transaction message.
Format	9(8) CCYYMMDD
Positions	355-362
Field 43	Message Reason Code
Definition	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	X(4)
Positions	363-366
Notes	This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824). Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 44	Format Code
Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	367-368
Notes	Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 45 Point of Service Data Code Message Layout

Field 45

Point of Service Data Code

Definition	This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).
Format	X(12)
Positions	369-380
Notes	Refer to the Point of Service Data Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 46

Card Acceptor Terminal Identification

Definition	This code identifies a POS terminal at a Card Acceptor location.
Format	X(8)
Positions	381-388

Field 47

Card Acceptor Identification Code

Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	389-403

Field 48

Card Acceptor Country Code

Definition	The Country Code of the Card Acceptor location.
Format	X(3)
Positions	404-406
Notes	Refer to the Country Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 49

First Presentment Transaction To Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	407-421

Field 50

ICC Chip/PIN Indicator

Definition	A code assigned by the Network to show if a Chip or a Chip and PIN Transaction has occurred.
Format	X(2)
Positions	422-423
Notes	Refer to the ICC Chip/PIN Indicator Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 51

Report Category Code

Definition	A code indicating the high level description of the goods or services of a Transaction (i.e., retail, lodging, etc.).
Format	X(3)
Positions	424-426
Notes	Refer to the Report Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 52

Extended Payment Data

Definition	The number of extended payment installments requested for a card transaction (e.g., 16 = 16 months).
Format	9(2)
Positions	427-428
Notes	Valid Values: 01-99 Default Value: 01

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) POS First and Second Presentments (1644)
Field 53 Alternate Card Acceptor Identification Code Length Message Layout

Field 53

Definition
Format
Positions
Notes

Alternate Card Acceptor Identification Code Length

The number of positions or length of the Alternate Card Acceptor Identification Code.

9(2)

429-430

Valid Values: If the Alternate Card Acceptor Identification Code (Field 54) contains data, this field must contain a value of 01-15.

Field 54

Definition
Format
Positions
Notes

Alternate Card Acceptor Identification Code

A Card Acceptor identification number used internally by a Participant.

X(15)

431-445

Valid Values: If the Alternate Card Acceptor Identification Code field contains data in the first 1240, this field must echo that data.

Field 55

Definition

Format
Positions
Notes

Anticipated Transaction Settlement Date

The anticipated date of Settlement for a deferred Transaction. This Transaction has been warehoused for a future Settlement date.

9(8) CCYYMMDD

446-453

This field contains a value only for warehoused Transactions (currently Bonus Plan)

Field 56

Definition

Format
Positions
Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(147)

454-600

Alphanumeric Filler fields must contain spaces.

DAF ATM First and Second Presentments (1644)

Description

The American Express Funds Access System (FAS) creates the ATM First Presentments (1240) from the ATM Financial Transaction Request (1200). These messages contain data from one Cardmember Transaction.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

- The first reference of the Message Type Identifier (Positions 1-4) identifies the type of message sent by the forwarding institution.
- The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This is the message layout for the DAF ATM First and Second Presentments (1644). Refer to the [Programming Notes for DAF ATM First and Second Presentments \(1644\) on page 3-187](#) for more instruction.

DAF ATM First and Second Presentments (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier

DAF ATM First and Second Presentments (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	X(4)	236-239	Merchant Category Code
30	X(23)	240-262	Acquirer Reference Number (ARN)
31	9(15)	263-277	First Presentment Presentment Amount
32	X(3)	278-280	First Presentment Presentment Currency Code
33	9(1)	281	First Presentment Presentment Decimalization
34	9(15)	282-296	Net Settlement Amount
35	X(3)	297-299	Settlement Currency Code
36	9(1)	300	Settlement Decimalization
37	9(15)	301-315	Gross Settlement Amount
38	X(1)	316	Local or Foreign
39	9(15)	317-331	Issuer's/Network Rate Amount
40	V9(8)	332-339	Issuer's/Network Rate
41	9(15)	340-354	Reserved Field
42	9(8)	355-362	Settlement Calculation Date
43	X(2)	363-364	Format Code
44	X(12)	365-376	Point of Service Data Code
45	X(8)	377-384	Card Acceptor Terminal Identification
46	X(15)	385-399	Card Acceptor Identification Code
47	X(3)	400-402	Card Acceptor Country Code
48	9(7)v9(8)	403-417	First Presentment Transaction To Presentment Conversion Rate
49	X(2)	418-419	ICC Chip/PIN Indicator
50	X(181)	420-600	Filler

Programming Notes for DAF ATM First and Second Presentments (1644)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Notes	Required Value: 1644 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	5-12

Field 3

Transaction Status

Definition	Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.
-------------------	---

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
	"Settled" Transactions are from the point of view of the message sender.				
	"Incleared" Transactions are from the point of view of the receiving Participant.				
	"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.				
	If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.				

Format	X(2)
Positions	13-14

Field 4	Participant Role Type
Definition	Identifies the role of the organization for the reported activity.
Format	X(2)
Positions	15-16
Notes	Valid Values: - IS = Issuer Institution Identifier - AC = Acquirer Institution Identifier
Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104

Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128
Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 17	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1240 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 18	Function Code
Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Valid Values: - First Presentment = 200 - Second Presentment = 205 Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 19	Processing Code
Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20

Definition

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

168-175

Field 21

Definition

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

176-181

Field 22

Definition

Network Processing Date

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

182-189

Field 23

Definition

Network Processing Time

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

190-195

Field 24

Definition

Transaction Amount

The dispensed amount including service fees charged by the dispensing unit in the Transaction Currency as it was executed at the Card Acceptor expressed in the currency and decimalization of the Transaction amount.

Format

9(15)

Positions

196-210

Field 25

Definition

Transaction Currency Code

The currency code in which the Transaction was executed.

Format

X(3)

Positions

211-213

Notes

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26

Definition

Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

214

Notes

Valid Values: 0-9

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF ATM First and Second Presentments (1644)
Field 27 Primary Account Number Length Message Layout

Field 27	Primary Account Number Length
Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	215-216
Notes	Valid Values: 15-19
Field 28	Primary Account Number (PAN)
Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235
Field 29	Merchant Category Code
Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	236-239
Notes	Refer to the Merchant Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 30	Acquirer Reference Number (ARN)
Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	240-262
Notes	This number is used to assist in locating/retrieving source data or documents.
Field 31	First Presentment Presentment Amount
Definition	The dispensed amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction Currency.
Format	9(15)
Positions	263-277
Field 32	First Presentment Presentment Currency Code
Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	278-280
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 33	First Presentment Presentment Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	281
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 34	Net Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction, net of the Issuer's/Network Rate Amount, in the currency defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	282-296

Field 35	Settlement Currency Code
Definition	The currency code of the Settlement Amount.
Format	X(3)
Positions	297-299
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 36	Settlement Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.
Format	9(1)
Positions	300
Field 37	Gross Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction. The currency is defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	301-315
Field 38	Local or Foreign
Definition	The location of the Acquirer and Issuer market regions. If the Acquirer and Issuer are located in the same market region, then the Transaction is considered local (for example, a Japanese Cardmember purchases goods in Japan). If they are not in the same market region, it is considered to be foreign (for example, a Japanese Cardmember purchases goods in France).
Format	X(1)
Positions	316
Notes	Valid Values: • L = Local • F = Foreign
Field 39	Issuer's/Network Rate Amount
Definitions	The Network calculates the total value of the Issuer's/Network rate to be paid to or from the Network against Transactions.
Format	9(15)
Positions	317-331
Field 40	Issuer's/Network Rate
Definition	The Issuer's Rate is a rate, per Transaction amount, negotiated between AEGNS and the Issuer. The Network Rate is a rate, per Transaction amount, negotiated between AEGNS and the Acquirer, for settlement of inbound Charges.
Format	V9(8)
Positions	332-339
Field 41	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	340-354
Notes	Numeric Reserved Fields must contain zeros.
Field 42	Settlement Calculation Date
Definition	The Network date that the Transaction settlement is calculated for Acquirer and Issuer settlement amounts for each financial Transaction message.
Format	9(8) CCYYMMDD
Positions	355-362

Field 43**Definition****Format Code**

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

Format

X(2)

Positions

363-364

Notes

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 44**Definition****Point of Service Data Code**

This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).

Format

X(12)

Positions

365-376

Notes

Refer to the Point of Service Data Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 45**Definition****Card Acceptor Terminal Identification**

This code identifies a POS terminal at a Card Acceptor location.

Format

X(8)

Positions

377-384

Field 46**Definition****Card Acceptor Identification Code**

The routing transit number in an ATM Transaction. This value is a 10-digit number.

Format

X(15)

Positions

385-399

Field 47**Definition****Card Acceptor Country Code**

The Country Code of the Card Acceptor location.

Format

X(3)

Positions

400-402

Notes

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 48**Definition****First Presentment Transaction To Presentment Conversion Rate**

The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.

Format

9(7)v9(8)

Positions

403-417

Field 49**Definition****ICC Chip/PIN Indicator**

A code assigned by the Network to show if a Chip or a Chip and PIN Transaction has occurred.

Format

X(2)

Positions

418-419

Notes

Refer to the ICC Chip/PIN Indicator Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 50**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(181)

Positions

420-600

Notes

Alphanumeric Filler fields must contain spaces.

DAF ATM Fees (1644)

Description

The Network assesses and settles ATM Fees. The Network sends the ATM Fee Message to the Participant. The 1740 message is sent to an Issuer, and the 1742 message is sent to an Acquirer. For ATM Fees, debit Processing Codes are used in the 1740 message, and credit Processing Codes in the 1742 message.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

- The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution.
- The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF ATM Fees (1644). Refer to the [Programming Notes for DAF ATM Fees \(1644\)](#) on page 3-196 for more instruction.

DAF ATM Fees (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier

DAF ATM Fees (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	9(15)	236-250	First Presentment Transaction Amount
30	X(3)	251-253	First Presentment Transaction Currency Code
31	9(1)	254	First Presentment Transaction Decimalization
32	9(15)	255-269	Net Settlement Amount
33	X(3)	270-272	Settlement Currency Code
34	9(1)	273	Settlement Decimalization
35	9(15)	274-288	Gross Settlement Amount
36	X(1)	289	Local or Foreign
37	9(15)	290-304	Issuer's/Network Rate Amount
38	V9(8)	305-312	Issuer's/Network Rate
39	9(15)	313-327	Reserved Field
40	9(8)	328-335	Settlement Calculation Date
41	X(2)	336-337	Format Code
42	X(12)	338-349	Point of Service Data Code
43	X(8)	350-357	Card Acceptor Terminal Identification
44	X(15)	358-372	Card Acceptor Identification Code
45	X(3)	373-375	Card Acceptor Country Code
46	9(7)v9(8)	376-390	First Presentment Transaction To Presentment Conversion Rate
47	X(210)	391-600	Filler

Programming Notes for DAF ATM Fees (1644)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Notes	Required Value: 1644 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	5-12

Field 3

Transaction Status

Definition	Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.
-------------------	---

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
	"Settled" Transactions are from the point of view of the message sender.				
	"Incleared" Transactions are from the point of view of the receiving Participant.				
	"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.				
	If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.				

Format	X(2)
Positions	13-14

Field 4	Participant Role Type
Definition	Identifies the role of the organization for the reported activity.
Format	X(2)
Positions	15-16
Notes	Valid Values: - IS = Issuer Institution Identifier - AC = Acquirer Institution Identifier
Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104

Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128
Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 17	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1740 or 1742 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 18	Function Code
Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 19

Definition
Format
Positions
Notes

Processing Code

This is the service being requested.
X(6)
162-167
Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 20

Definition

Format
Positions

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

9(8) CCYYMMDD
168-175

Field 21

Definition

Format
Positions

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

9(6) HHMMSS
176-181

Field 22

Definition
Format
Positions

Network Processing Date

The date the Network accepted or processed the transaction.
9(8) CCYYMMDD
182-189

Field 23

Definition
Format
Positions

Network Processing Time

The time the Network accepted or processed the Transaction.
9(6) HHMMSS
190-195

Field 24

Definition

Format
Positions

Transaction Amount

The dispensed amount including service fees charged by the dispensing unit in the Transaction Currency as it was executed at the Card Acceptor expressed in the currency and decimalization of the Transaction amount.
9(15)
196-210

Field 25

Definition
Format
Positions
Notes

Transaction Currency Code

The currency code in which the Transaction was executed.
X(3)
211-213
Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26

Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	214
Notes	Valid Values: 0-9 Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 27

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	215-216
Notes	Valid Values: 15-19

Field 28

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235

Field 29

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	236-250

Field 30

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	251-253
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 31

First Presentment Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	254
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

Net Settlement Amount

Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction, net of the Issuer's/Network Rate Amount, in the currency defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	255-269

Field 33	Settlement Currency Code
Definition	The currency code of the Settlement Amount.
Format	X(3)
Positions	270-272
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 34	Settlement Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.
Format	9(1)
Positions	273
Field 35	Gross Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction. The currency is defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	274-288
Field 36	Local or Foreign
Definition	The location of the Acquirer and Issuer market regions. If the Acquirer and Issuer are located in the same market region, then the Transaction is considered local (for example, a Japanese Cardmember purchases goods in Japan). If they are not in the same market region, it is considered to be foreign (for example, a Japanese Cardmember purchases goods in France).
Format	X(1)
Positions	289
Notes	Valid Values: • L = Local • F = Foreign
Field 37	Issuer's/Network Rate Amount
Definitions	The Network calculates the total value of the Issuer's/Network rate to be paid to or from the Network against Transactions.
Format	9(15)
Positions	290-304
Field 38	Issuer's/Network Rate
Definition	The Issuer's Rate is a rate, per Transaction amount, negotiated between AEGNS and the Issuer. The Network Rate is a rate, per Transaction amount, negotiated between AEGNS and the Acquirer, for settlement of inbound Charges.
Format	V9(8)
Positions	305-312
Field 39	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	313-327
Notes	Numeric Reserved Fields must contain zeros.

Field 40

Settlement Calculation Date

Definition	The Network date that the Transaction settlement is calculated for Acquirer and Issuer settlement amounts for each financial Transaction message.
Format	9(8)
Positions	328-335

Field 41

Format Code

Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	336-337
Notes	Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 42

Point of Service Data Code

Definition	This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).
Format	X(12)
Positions	338-349
Notes	Refer to the Point of Service Data Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 43

Card Acceptor Terminal Identification

Definition	This code identifies a POS terminal at a Card Acceptor location.
Format	X(8)
Positions	350-357

Field 44

Card Acceptor Identification Code

Definition	The routing transit number in an ATM Transaction. This value is a 10-digit number.
Format	X(15)
Positions	358-372

Field 45

Card Acceptor Country Code

Definition	The Country Code of the Card Acceptor location.
Format	X(3)
Positions	373-375
Notes	Refer to the Country Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 46

First Presentment Transaction To Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	376-390

Field 47

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(210)
Positions	391-600
Notes	Alphanumeric Filler fields must contain spaces.

DAF Network Fees (1644)

Description

The Network sends Automated Fee Collection messages for Network-generated fees to Participants. The Network generates the Fee Collection Message (1744) and sends it to an Acquirer or Issuer.

This message contains the fee amount and a description. The fees assessed are driven by contractual data captured in the Participant Profile during the Participant Setup process.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

- The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution.
- The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF Network Fees (1644). Refer to the [Programming Notes for DAF Network Fees \(1644\)](#) on page 3-204 for more instruction.

DAF Network Fees (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier

DAF Network Fees (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(15)	215-229	First Presentment Transaction Amount
28	X(3)	230-232	First Presentment Transaction Currency Code
29	9(1)	233	First Presentment Transaction Decimalization
30	9(15)	234-248	Net Settlement Amount
31	X(3)	249-251	Settlement Currency Code
32	9(1)	252	Settlement Decimalization
33	9(8)	253-260	Settlement Calculation Date
34	X(3)	261-263	Valid Billing Unit Code
35	X(2)	264-265	Fee Type Code
36	X(95)	266-360	Fee Reason Text
37	X(240)	361-600	Filler

Programming Notes for DAF Network Fees (1644)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Notes	Required Value: 1644 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	5-12

Field 3

Definition

Transaction Status

Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
		"Settled" Transactions are from the point of view of the message sender.			
		"Incleared" Transactions are from the point of view of the receiving Participant.			
		"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.			
		If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.			

Format

X(2)

Positions

13-14

Field 4

Definition

Participant Role Type

Identifies the role of the organization for the reported activity.

Format

X(2)

Positions

15-16

Notes

Valid Values:

- IS = Issuer Institution Identifier
- AC = Acquirer Institution Identifier

Field 5

Definition

Sending Processor Institution Identifier

The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.

Format

X(11)

Positions

17-27

Field 6 Sending Processor Organization Identifier Message Layout

Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104
Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128
Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)

Field 15 Message Transaction Sequence Number Message Layout

Field 15

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 16

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .

Field 17

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1744 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 18

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 19

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20**Definition****Transaction Date**

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

168-175

Field 21**Definition****Transaction Time**

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

176-181

Field 22**Definition****Network Processing Date**

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

182-189

Field 23**Definition****Network Processing Time**

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

190-195

Field 24**Definition****Transaction Amount**

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.

Format

9(15)

Positions

196-210

Field 25**Definition****Transaction Currency Code**

The currency code in which the Transaction was executed.

Format

X(3)

Positions

211-213

Notes

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26**Definition****Transaction Decimalization**

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

214

Notes

Valid Values: 0-9

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 27 First Presentment Transaction Amount Message Layout

Field 27

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	215-229

Field 28

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	230-232
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 29

First Presentment Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	233
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 30

Net Settlement Amount

Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction, net of the Issuer's/Network Rate Amount, in the currency defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	234-248

Field 31

Settlement Currency Code

Definition	The currency code of the Settlement Amount.
Format	X(3)
Positions	249-251
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

Settlement Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.
Format	9(1)
Positions	252

Field 33

Settlement Calculation Date

Definition	The Network date that the Transaction settlement is calculated for Acquirer and Issuer settlement amounts for each financial Transaction message.
Format	9(8) CCYYMMDD
Positions	253-260

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF Network Fees (1644)
Field 34 Valid Billing Unit Code Message Layout

Field 34

Definition

Valid Billing Unit Code

The Valid Billing Unit Code indicates the specific purpose for the fee being charged in the Fee Collection Message (1744)

Format

X(3)

Positions

261-263

Notes

Refer to the Valid Billing Unit Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 35

Definition

Fee Type Code

A code that describes the type of fee.

Format

X(2)

Positions

264-265

Field 36

Definition

Fee Reason Text

Textual description of the fee being assessed.

Format

X(95)

Positions

266-360

Field 37

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(240)

Positions

361-600

Notes

Alphanumeric Filler fields must contain spaces.

DAF Retrieval Request Notification (1644)

Description

The Issuer sends the Retrieval Request Notification message (1642) to the Acquirer through the Network to request Transaction data. This record contains the first Presentment data.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution (the 1644 message sent by the Network). The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number of the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF Retrieval Request Notification (1644). Refer to the [Programming Notes for DAF Retrieval Request Notification \(1644\) on page 3-212](#) for more instruction.

DAF Retrieval Request Notification (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number

DAF Retrieval Request Notification (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	X(4)	236-239	Merchant Category Code
30	X(23)	240-262	Acquirer Reference Number (ARN)
31	X(4)	263-266	Message Reason Code
32	9(8)	267-274	First Presentment Transaction Date
33	9(6)	275-280	First Presentment Transaction Time
34	9(8)	281-288	First Presentment Network Processing Date
35	9(6)	289-294	First Presentment Network Processing Time
36	X(4)	295-298	Chargeback Message Reason Code
37	X(2)	299-300	Itemized Document Code
38	9(4)	301-304	Card Expiration Date
39	X(296)	305-600	Filler

Programming Notes for DAF Retrieval Request Notification (1644)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Notes

Required Value: 1644

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Definition

Format

Positions

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

5-12

Field 3

Definition

Transaction Status

Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
		"Settled" Transactions are from the point of view of the message sender.			
		"Incleared" Transactions are from the point of view of the receiving Participant.			
		"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.			
		If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.			

Format

Positions

X(2)

13-14

Field 4

Definition

Format

Positions

Notes

Participant Role Type

Identifies the role of the organization for the reported activity.

X(2)

15-16

Valid Values:

- IS = Issuer Institution Identifier
- AC = Acquirer Institution Identifier

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF Retrieval Request Notification (1644)
Field 5 Sending Processor Institution Identifier Message Layout

Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104
Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128

Field 14

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)

Field 15

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 16

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .

Field 17

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1642 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 18

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 19

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20

Definition

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

168-175

Field 21

Definition

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

176-181

Field 22

Definition

Network Processing Date

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

182-189

Field 23

Definition

Network Processing Time

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

190-195

Field 24

Definition

Transaction Amount

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.

Format

9(15)

Positions

196-210

Notes

For this message, the Network populates this field with zeros (0).

Field 25

Definition

Transaction Currency Code

The currency code in which the Transaction was executed.

Format

X(3)

Positions

211-213

Notes

For this message, the Network populates this field with spaces.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26

Definition

Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

214

Notes

Valid Values: 0-9

For this message, the Network populates this field with zeros (0).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF Retrieval Request Notification (1644)
Field 27 Primary Account Number Length Message Layout

Field 27	Primary Account Number Length
Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	215-216
Notes	Valid Values: 15-19
Field 28	Primary Account Number (PAN)
Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235
Field 29	Merchant Category Code
Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	236-239
Notes	Refer to the Merchant Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 30	Acquirer Reference Number (ARN)
Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	240-262
Notes	This number is used to assist in locating/retrieving source data or documents.
Field 31	Message Reason Code
Definition	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	X(4)
Positions	263-266
Notes	This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824). Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 32	First Presentment Transaction Date
Definition	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD
Positions	267-274
Field 33	First Presentment Transaction Time
Definition	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6) HHMMSS
Positions	275-280
Field 34	First Presentment Network Processing Date
Definition	The date the First Presentment Transaction was accepted by the Network.
Format	9(8) CCYYMMDD
Positions	281-288

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF Retrieval Request Notification (1644)
Field 35 First Presentment Network Processing Time Message Layout

Field 35	First Presentment Network Processing Time
Definition	The time the First Presentment Transaction was accepted by the Network.
Format	9(6) HHMMSS
Positions	289-294
Field 36	Chargeback Message Reason Code
Definition	An ISO code subset of the Message Reason Code values, indicating the reason a Transaction was charged back.
Format	X(4)
Positions	295-298
Field 37	Itemized Document Code
Definition	The type of itemized documentation required for a message type.
Format	X(2)
Positions	299-300
Notes	Refer to the Itemized Document Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Refer to the Chargeback Policies chapter of the <i>Business and Operational Policies</i> manual for Retrieval Request Message Reason Codes that require supporting documentation.
Field 38	Card Expiration Date
Definition	This is the Card Expiration Date embossed on the face of the Card.
Format	9(4) MMY
Positions	301-304
Field 39	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(296)
Positions	305-600
Notes	Alphanumeric Filler fields must contain spaces.

DAF Fulfillment Notification (1644)

Description

The Acquirer sends the Fulfillment Notification (1640) message to the Issuer through the Network in response to a Retrieval Request Notification for a Record Of Charge (ROC) or Transaction documentation.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution (the 1644 message sent by the Network). The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF Fulfillment Notification (1644). Refer to the [Programming Notes for DAF Fulfillment Notification \(1644\)](#) on page 3-220 for more instruction.

DAF Fulfillment Notification (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number

DAF Fulfillment Notification (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	X(4)	236-239	Merchant Category Code
30	X(23)	240-262	Acquirer Reference Number (ARN)
31	X(4)	263-266	Message Reason Code
32	9(8)	267-274	First Presentment Transaction Date
33	9(6)	275-280	First Presentment Transaction Time
34	9(8)	281-288	First Presentment Network Processing Date
35	9(6)	289-294	First Presentment Network Processing Time
36	X(4)	295-298	Chargeback Message Reason Code
37	X(2)	299-300	Itemized Document Code
38	X(23)	301-323	Itemized Document Reference Number
39	X(277)	324-600	Filler

Programming Notes for DAF Fulfillment Notification (1644)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Notes

Required Value: 1644

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Message Number

Definition

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

5-12

Field 3

Definition

Transaction Status

Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
		"Settled" Transactions are from the point of view of the message sender.			
		"Incleared" Transactions are from the point of view of the receiving Participant.			
		"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.			
		If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.			

Format

X(2)

Positions

13-14

Field 4

Definition

Identifies the role of the organization for the reported activity.

Format

X(2)

Positions

15-16

Notes

Valid Values:

- IS = Issuer Institution Identifier
- AC = Acquirer Institution Identifier

Field 5 Sending Processor Institution Identifier Message Layout

Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104
Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128

Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 17	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1640 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 18	Function Code
Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 19	Processing Code
Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 20	Transaction Date
Definition	The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor. - For telecommunication Transactions, the Transaction Date is the date the bill summary was presented. - For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.
Format	9(8) CCYYMMDD
Positions	168-175

Field 21	Transaction Time
Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	176-181
Field 22	Network Processing Date
Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	182-189
Field 23	Network Processing Time
Definition	The time the Network accepted or processed the Transaction.
Format	9(6) HHMMSS
Positions	190-195
Field 24	Transaction Amount
Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	196-210
Notes	For this message, the Network populates this field with zeros (0).
Field 25	Transaction Currency Code
Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	211-213
Notes	For this message, the Network populates this field with spaces. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 26	Transaction Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	214
Notes	Valid Values: 0-9 For this message, the Network populates this field zeros. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 27	Primary Account Number Length
Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	215-216
Notes	Valid Values: 15-19

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF Fulfillment Notification (1644)
Field 28 Primary Account Number (PAN) Message Layout

Field 28

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235

Field 29

Merchant Category Code

Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	236-239
Notes	Refer to the Merchant Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 30

Acquirer Reference Number (ARN)

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	240-262
Notes	This number is used to assist in locating/retrieving source data or documents.

Field 31

Message Reason Code

Definition	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	X(4)
Positions	263-266
Notes	This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824). Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

First Presentment Transaction Date

Definition	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD
Positions	267-274

Field 33

First Presentment Transaction Time

Definition	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6) HHMMSS
Positions	275-280

Field 34

First Presentment Network Processing Date

Definition	The date the First Presentment Transaction was accepted by the Network.
Format	9(8) CCYYMMDD
Positions	281-288

Field 35

First Presentment Network Processing Time

Definition	The time the First Presentment Transaction was accepted by the Network.
Format	9(6) HHMMSS
Positions	289-294

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF Fulfillment Notification (1644)
Field 36 Chargeback Message Reason Code Message Layout

Field 36

Chargeback Message Reason Code

Definition	An ISO code subset of the Message Reason Code values, indicating the reason a Transaction was charged back.
Format	X(4)
Positions	295-298

Field 37

Itemized Document Code

Definition	The type of itemized documentation required for a message type.
Format	X(2)
Positions	299-300
Notes	Refer to the Itemized Document Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions. Refer to the Chargeback Policies chapter of the <i>Business and Operational Policies</i> manual for Retrieval Request Message Reason Codes that require supporting documentation.

Field 38

Itemized Document Reference Number

Definition	The reference number of the Transaction that transmitted supporting or itemized documentation.
Format	X(23)
Positions	301-323

Field 39

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(277)
Positions	324-600
Notes	Alphanumeric Filler fields must contain spaces.

DAF First and Final Chargebacks (1644)

Description

The First and Final Chargeback Notification is outcleared from the Issuer to the Network and incleared from the Network to the Acquirer to process a Transaction Chargeback. This record contains Original Transaction, Presentment data, and Chargeback and supporting documentation.

Data Element Usage

The data elements Message Type Identifier and Message Number are used two times in the DAF (1644) message layouts.

The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution, (the 1644 message sent by the Network). The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF First and Final Chargebacks (1644). Refer to the [Programming Notes for DAF First and Final Chargebacks \(1644\) on page 3-229](#) for more instruction.

DAF First and Final Chargebacks (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number

DAF First and Final Chargebacks (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	X(4)	236-239	Merchant Category Code
30	X(23)	240-262	Acquirer Reference Number (ARN)
31	9(15)	263-277	First Presentment Presentment Amount
32	X(3)	278-280	First Presentment Presentment Currency Code
33	9(1)	281	First Presentment Presentment Decimalization
34	9(15)	282-296	Net Settlement Amount
35	X(3)	297-299	Settlement Currency Code
36	9(1)	300	Settlement Decimalization
37	9(15)	301-315	Gross Settlement Amount
38	X(1)	316	Local or Foreign
39	9(15)	317-331	Issuer's/Network Rate Amount
40	V9(8)	332-339	Issuer's/Network Rate
41	X(4)	340-343	Message Reason Code
42	9(8)	344-351	First Presentment Transaction Date
43	9(6)	352-357	First Presentment Transaction Time
44	9(8)	358-365	First Presentment Network Processing Date
45	9(6)	366-371	First Presentment Network Processing Time
46	X(3)	372-374	Report Category Code
47	X(226)	375-600	Filler

Programming Notes for DAF First and Final Chargebacks (1644)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Notes	Required Value: 1644 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	5-12

Field 3

Transaction Status

Definition	Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.
-------------------	---

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
	"Settled" Transactions are from the point of view of the message sender.				
	"Incleared" Transactions are from the point of view of the receiving Participant.				
	"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.				
	If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.				

Format	X(2)
Positions	13-14

Field 4	Participant Role Type
Definition	Identifies the role of the organization for the reported activity.
Format	X(2)
Positions	15-16
Notes	Valid Values: - IS = Issuer Institution Identifier - AC = Acquirer Institution Identifier
Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104

Field 13

File Tracking Identifier

Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128

Field 14

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)

Field 15

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 16

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .

Field 17

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Required Value: 1442 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 18

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF First and Final Chargebacks (1644)
Field 19 Processing Code Message Layout

Field 19

Definition
Format
Positions
Notes

Processing Code

This is the service being requested.
X(6)
162-167
Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 20

Definition

Format
Positions

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

9(8) CCYYMMDD
168-175

Field 21

Definition

Format
Positions

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

9(6) HHMMSS
176-181

Field 22

Definition
Format
Positions

Network Processing Date

The date the Network accepted or processed the transaction.
9(8) CCYYMMDD
182-189

Field 23

Definition
Format
Positions

Network Processing Time

The time the Network accepted or processed the Transaction.
9(6) HHMMSS
190-195

Field 24

Definition

Format
Positions

Transaction Amount

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
9(15)
196-210

Field 25

Definition
Format
Positions
Notes

Transaction Currency Code

The currency code in which the Transaction was executed.
X(3)
211-213
Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26

Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	214
Notes	Valid Values: 0-9 Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 27

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	215-216
Notes	Valid Values: 15-19

Field 28

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235

Field 29

Merchant Category Code

Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	236-239
Notes	Refer to the Merchant Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 30

Acquirer Reference Number (ARN)

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	240-262
Notes	This number is used to assist in locating/retrieving source data or documents.

Field 31

First Presentment Presentment Amount

Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	263-277

Field 32

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	278-280
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 33 First Presentment Presentment Decimalization Message Layout

Field 33	First Presentment Presentment Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	281
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 34	Net Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction, net of the Issuer's/Network Rate Amount, in the currency defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	282-296
Field 35	Settlement Currency Code
Definition	The currency code of the Settlement Amount.
Format	X(3)
Positions	297-299
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 36	Settlement Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent the Settlement Amount.
Format	9(1)
Positions	300
Field 37	Gross Settlement Amount
Definition	The Issuer or Acquirer Gross Settlement Amount calculated for an individual Transaction. The currency is defined by the Issuer or Acquirer's contractual agreement.
Format	9(15)
Positions	301-315
Field 38	Local or Foreign
Definition	The location of the Acquirer and Issuer market regions. If the Acquirer and Issuer are located in the same market region, then the Transaction is considered local (for example, a Japanese Cardmember purchases goods in Japan). If they are not in the same market region, it is considered to be foreign (for example, a Japanese Cardmember purchases goods in France).
Format	X(1)
Positions	316
Notes	Valid Values: • L = Local • F = Foreign
Field 39	Issuer's/Network Rate Amount
Definition	The Network calculates the total value of the Issuer's/Network rate to be paid to or from the Network against Transactions.
Format	9(15)
Positions	317-331

American Express Global Network Services
Network Specifications - Financial/Non-Financial
DAF First and Final Chargebacks (1644)
Field 40 Issuer's/Network Rate Message Layout

Field 40

Issuer's/Network Rate

Definition	The Issuer's Rate is a rate, per Transaction amount, negotiated between AEGNS and the Issuer. The Network Rate is a rate, per Transaction amount, negotiated between AEGNS and the Acquirer, for settlement of inbound Charges.
Format	v9(8)
Positions	332-339

Field 41

Message Reason Code

Definition	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	X(4)
Positions	340-343
Notes	This code shows if a sent file was accepted or rejected by the Network for a Network File Acknowledgment (1844) and a Participant File Acknowledgment (1824). Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 42

First Presentment Transaction Date

Definition	The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD
Positions	344-351

Field 43

First Presentment Transaction Time

Definition	The local time when a Cardmember Transaction was executed at a Card Acceptor location.
Format	9(6) HHMMSS
Positions	352-357

Field 44

First Presentment Network Processing Date

Definition	The date the First Presentment Transaction was accepted by the Network.
Format	9(8) CCYYMMDD
Positions	358-365

Field 45

First Presentment Network Processing Time

Definition	The time the First Presentment Transaction was accepted by the Network.
Format	9(6) HHMMSS
Positions	366-371

Field 46

Report Category Code

Definition	A code indicating the high level description of the goods or services of a Transaction (i.e., retail, lodging, etc.).
Format	X(3)
Positions	372-374
Notes	Refer to the Report Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 47

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(226)
Positions	375-600
Notes	Alphanumeric Filler fields must contain spaces.

DAF File Returned (1644)

Description

The DAF File Returned summarizes activity for Transactions presented during the reporting period that have been returned to the sending Participant.

This file only contains Transactions returned.

- For returned files due to the error threshold that is met or a full file reject for counts or amount, the reject reasons are blank since the Transaction itself is not rejected.
- Returned Transactions that contain the reject reasons.
- For returned Transactions, most fields are specified as alphanumeric to let the Network send the field back with the same data as received. For example, if the Transaction was returned because the Transaction amount field contained spaces, the DAF record will contain spaces in the Transaction amount field.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution (the 1644 message sent by the Network). The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF File Returned (1644). Refer to the [Programming Notes for DAF File Returned \(1644\) on page 3-238](#) for more instruction.

DAF File Returned (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier

DAF File Returned (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	X(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	9(15)	236-250	First Presentment Transaction Amount
30	X(3)	251-253	First Presentment Transaction Currency Code
31	9(1)	254	First Presentment Presentment Decimalization
32	X(9)	255-263	Record Number in Original File
33	X(4)	264-267	Reject Reason Code 1
34	X(4)	268-271	Reject Reason Code 2
35	X(4)	272-275	Reject Reason Code 3
36	X(4)	276-279	Reject Reason Code 4
37	X(4)	280-283	Reject Reason Code 5
38	X(4)	284-287	Reject Reason Code 6
39	X(4)	288-291	Reject Reason Code 7
40	X(4)	292-295	Reject Reason Code 8
41	X(4)	296-299	Reject Reason Code 9
42	X(4)	300-303	Reject Reason Code 10
43	X(297)	304-600	Filler

Programming Notes for DAF File Returned (1644)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Notes	Required Value: 1644 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	5-12

Field 3

Transaction Status

Definition	Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.
-------------------	---

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
	"Settled" Transactions are from the point of view of the message sender.				
	"Incleared" Transactions are from the point of view of the receiving Participant.				
	"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.				
	If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.				

Format	X(2)
Positions	13-14

Field 4	Participant Role Type
Definition	Identifies the role of the organization for the reported activity.
Format	X(2)
Positions	15-16
Notes	Valid Values: - IS = Issuer Institution Identifier - AC = Acquirer Institution Identifier
Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104

Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128
Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 17	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Valid Values: 1240, 1442, 1640, 1642, 1740, 1742, or 1744 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 18	Function Code
Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 19	Processing Code
Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20

Definition

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

168-175

Field 21

Definition

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

176-181

Field 22

Definition

Network Processing Date

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

182-189

Field 23

Definition

Network Processing Time

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

190-195

Field 24

Definition

Transaction Amount

The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.

Format

9(15)

Positions

196-210

Field 25

Definition

Transaction Currency Code

The currency code in which the Transaction was executed.

Format

X(3)

Positions

211-213

Notes

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26

Definition

Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

214

Notes

Valid Values: 0-9

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 27 Primary Account Number Length Message Layout

Field 27

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	X(2)
Positions	215-216
Notes	Valid Values: 15-19

Field 28

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235

Field 29

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	236-250

Field 30

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	251-253
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 31

First Presentment Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	254
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

Record Number in Original File

Definition	A sequential number assigned to each record in a file by physical occurrence. This number indicates the position of returned Transactions in a file.
Format	X(9)
Positions	255-263

Field 33

Reject Reason Code 1

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(4)
Positions	264-267
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 34

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

268-271

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 35

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

272-275

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 36

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

276-279

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 37

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

280-283

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 38

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

284-287

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 39

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

288-291

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 40

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

292-295

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 41

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

296-299

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 42

Definition

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(4)

Positions

300-303

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 43

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(297)

Positions

304-600

Notes

Alphanumeric Filler fields must contain spaces.

DAF Non-Cleared (1644)

Description

Non-Cleared shows the Network does not recognize the Transaction type, or the Network cannot determine what layout to use to map fields from the first outcleared record into the DAF record. The Network uses the POS Presentment layout to map fields and define most fields as alphanumeric, allowing the Network to send the field back with the same data as received.

Data Element Usage

The data elements Message Type Identifier and Message Number are used 2 times in the DAF (1644) message layouts.

The first reference of the Message Type Identifier (Positions 1-4) distinctly identifies the type of message sent by the forwarding institution (the 1644 message sent by the Network). The second reference (Positions 155-158) is a code that distinctly identifies the message specific to the first source file.

The first reference of the Message Number (Positions 5-12) is assigned to monitor the integrity and continuity of data. The second reference (Positions 129-136) is the message number specific to the first Transaction record in the first Message Type Identifier.

Length of Record

600 bytes

Message Layout

This table shows the message layout for the DAF Non-Cleared (1644). Refer to the [Programming Notes for DAF Non-Cleared \(1644\)](#) on page 3-246 for more instruction.

DAF Non-Cleared (1644) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	X(2)	13-14	Transaction Status
4	X(2)	15-16	Participant Role Type
5	X(11)	17-27	Sending Processor Institution Identifier
6	X(11)	28-38	Sending Processor Organization Identifier
7	X(11)	39-49	Sending Institution Identifier
8	X(11)	50-60	Sending Organization Identifier
9	X(11)	61-71	Receiving Processor Institution Identifier
10	X(11)	72-82	Receiving Processor Organization Identifier
11	X(11)	83-93	Receiving Institution Identifier
12	X(11)	94-104	Receiving Organization Identifier
13	X(24)	105-128	File Tracking Identifier

DAF Non-Cleared (1644) Message Layout (continued)

Field Number	Format	Positions	Field Name
14	9(8)	129-136	Message Number
15	9(3)	137-139	Message Transaction Sequence Number
16	9(15)	140-154	Transaction Identifier (TID)
17	X(4)	155-158	Message Type Identifier
18	X(3)	159-161	Function Code
19	X(6)	162-167	Processing Code
20	9(8)	168-175	Transaction Date
21	9(6)	176-181	Transaction Time
22	9(8)	182-189	Network Processing Date
23	9(6)	190-195	Network Processing Time
24	9(15)	196-210	Transaction Amount
25	X(3)	211-213	Transaction Currency Code
26	9(1)	214	Transaction Decimalization
27	9(2)	215-216	Primary Account Number Length
28	X(19)	217-235	Primary Account Number (PAN)
29	X(4)	236-239	Merchant Category Code
30	X(15)	240-254	First Presentment Transaction Amount
31	X(3)	255-257	First Presentment Transaction Currency Code
32	X(1)	258	First Presentment Transaction Decimalization
33	X(342)	259-600	Filler

Programming Notes for DAF Non-Cleared (1644)

Field 1

Definition
Format
Positions
Notes

Message Type Identifier

This code identifies the type of message sent by the forwarding institution.

X(4)

1-4

Required Value: 1644

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Definition

Format

Positions

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

5-12

Field 3

Definition

Transaction Status

Used to determine the status of a Transaction. This table shows the applicable code for the Participant and message type.

Code	Description	Acquirer		Issuer	
		Non-Bonus Plan	Bonus Plan	Non-Bonus Plan	Bonus Plan
01	Returned (Transaction Rejected) Transaction	•	•	•	•
02	Returned (File Rejected, Transaction was OK)	•	•	•	•
03	Non-cleared (Suspended and Accepted)	•	•	•	•
04	Warehoused for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
05	Settled	•	•	•	•
06	Extracted from Warehouse for Acquirer (Bonus Plan)	N/A	•	N/A	N/A
07	Incleared	•	•	•	•
08	Incleared to Reporting	•	•	•	•
09	Warehoused for Issuer (Bonus Plan)	N/A	N/A	N/A	•
10	Extracted from Warehouse for Issuer (Bonus Plan)	N/A	N/A	N/A	•
Notes:					
		"Settled" Transactions are from the point of view of the message sender.			
		"Incleared" Transactions are from the point of view of the receiving Participant.			
		"Incleared to Reporting" Transactions occur when a Participant has not certified for a mandatory message.			
		If an Acquirer or Issuer is not certified to send/receive the Fee Collection message (1740), this message will have the "08" status code in the DAF.			

Format

Positions

X(2)

13-14

Field 4

Definition

Format

Positions

Notes

Participant Role Type

Identifies the role of the organization for the reported activity.

X(2)

15-16

Valid Values:

- IS = Issuer Institution Identifier
- AC = Acquirer Institution Identifier

Field 5 Sending Processor Institution Identifier Message Layout

Field 5	Sending Processor Institution Identifier
Definition	The unique institution identification number of the processing institution sending this message. For ATM Fee messages, the Network uses the ATM Acquirer Processor Identifier assigned to the ATM Processor.
Format	X(11)
Positions	17-27
Field 6	Sending Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor or forwarding institution who sent the transaction to the Network.
Format	X(11)
Positions	28-38
Field 7	Sending Institution Identifier
Definition	The unique institution identification number assigned to the sender of the message. For ATM Fee messages, the Network uses the ATM Acquirer Identifier assigned to the ATM Processor.
Format	X(11)
Positions	39-49
Field 8	Sending Organization Identifier
Definition	The unique organization identifier assigned to the Participant who sent the transaction to the Network.
Format	X(11)
Positions	50-60
Field 9	Receiving Processor Institution Identifier
Definition	The unique institution identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	61-71
Field 10	Receiving Processor Organization Identifier
Definition	The unique organization identifier assigned to the Authorized Processor who received the Transaction from the Network.
Format	X(11)
Positions	72-82
Field 11	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	83-93
Field 12	Receiving Organization Identifier
Definition	The unique organization identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	94-104
Field 13	File Tracking Identifier
Definition	An identification number assigned to individual files for tracking and sorting. This field is spaces for organization and role level records.
Format	X(24)
Positions	105-128

Field 14	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	129-136
Notes	This Message Number is the Message Number from the first source file (for example, 1240, 1642, etc.)
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	137-139
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	140-154
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 17	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	155-158
Notes	Valid Values: 1240, 1442, 1640, 1642, 1740, 1742, or 1744 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 18	Function Code
Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	159-161
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 19	Processing Code
Definition	This is the service being requested.
Format	X(6)
Positions	162-167
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 20	Transaction Date
Definition	The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor. - For telecommunication Transactions, the Transaction Date is the date the bill summary was presented. - For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.
Format	9(8) CCYYMMDD
Positions	168-175

Field 21	Transaction Time
Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	176-181
Field 22	Network Processing Date
Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	182-189
Field 23	Network Processing Time
Definition	The time the Network accepted or processed the Transaction.
Format	9(6) HHMMSS
Positions	190-195
Field 24	Transaction Amount
Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	196-210
Field 25	Transaction Currency Code
Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	211-213
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 26	Transaction Decimalization
Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	214
Notes	Valid Values: 0-9 Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 27	Primary Account Number Length
Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	215-216
Notes	Valid Values: 15-19
Field 28	Primary Account Number (PAN)
Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	217-235

Field 29

Merchant Category Code

Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	236-239
Notes	Refer to the Merchant Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 30

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	X(15)
Positions	240-254

Field 31

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	255-257
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

First Presentment Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	X(1)
Positions	258
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 33

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(342)
Positions	259-600
Notes	Alphanumeric Filler fields must contain spaces.

Daily Activity File (DAF) File Trailer (1325)

Description

The fields of the Daily Activity File (DAF) File Trailer (1325) are used for routing and file integrity verification. The DAF File Trailer (1325) can only be used with the DAF File Header (1324). The DAF File Trailer (1325) is the last message on the Daily Activity File (1644).

Length of Record

600 bytes

Message Layout

This table shows the message layout for the Daily Activity File (DAF) File Trailer (1325). Refer to the [Programming Notes for Daily Activity File \(DAF\) File Trailer \(1325\) on page 3-253](#) for more instruction.

Daily Activity File (DAF) File Trailer (1325) Message Layout

Field Number	Format	Positions	Field Name
1	X(4)	1-4	Message Type Identifier
2	9(8)	5-12	Message Number
3	9(6)	13-18	File Sequence Number
4	9(8)	19-26	Credit Count
5	9(8)	27-34	Debit Count
6	9(17)	35-51	Credits Total Amount
7	9(17)	52-68	Debits Total Amount
8	9(17)	69-85	Hash Total Amount
9	X(11)	86-96	Receiving Institution Identifier
10	X(17)	97-113	File Name Code
11	9(8)	114-121	Transmittal Date
12	9(6)	122-127	Transmittal Time
13	X(73)	128-200	Filler
14	X(11)	201-211	Organization Identifier
15	X(11)	212-222	Forwarding Institution Identification Code
16	X(29)	223-251	Filler
17	X(3)	252-254	Action Code
18	X(346)	255-600	Filler

Programming Notes for Daily Activity File (DAF) File Trailer (1325)

Field 1	Message Type Identifier
Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Notes	Required Value: 1325 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 2	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	5-12
Field 3	File Sequence Number
Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	13-18
Note	The File Sequence Number in this message must match the File Sequence Number in the Daily Activity File (DAF) File Header (1324).
Field 4	Credit Count
Definition	Contains the total number of credits for financial and non-financial (Retrieval Requests and Fulfillment Notifications) messages in the file. When the Credit Count exceeds the number of bytes for the field, the Credit Count will be truncated on the left side. For example, a Credit Count of 119,900,000 credit transactions will populate 19900000 as the field value.
Format	9(8)
Positions	19-26
Field 5	Debit Count
Definition	Contains the total number of debits for financial and non-financial (Retrieval Requests and Fulfillment Notifications) messages in the file. When the Debit Count exceeds the number of bytes for the field the Debit Count will be truncated on the left side. For example, a Debit Count of 119,900,000 debit Transactions will populate 19900000 as the field value.
Format	9(8)
Positions	27-34
Field 6	Credits Total Amount
Definition	A total of the values in the Transaction Amount field (byte positions 196-210) for all financial credit messages. This excludes non-financial messages in the Daily Activity File.
Format	9(17)
Positions	35-51
Field 7	Debits Total Amount
Definition	A total of the values in the Transaction Amount field (byte positions 196-210) for all financial debit messages. This excludes non-financial messages in the Daily Activity File.
Format	9(17)
Positions	52-68

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) File Trailer (1325)
Field 8 Hash Total Amount Message Layout

Field 8

Definition

Hash Total Amount

A hash total of the values in the Transaction Amount field (byte positions 196-210) for all financial messages (i.e., 1240, 1442, 1740, 1742, 1744). This excludes non-financial messages in the Daily Activity File.

Format

9(17)

Positions

69-85

Notes

DAF File Returned: The DAF Hash Total Amount does not include the amounts if the Transaction Status is "DAF File Returned".

DAF Non-Cleared: The DAF Hash Total Amount includes the amounts if the Transaction Status is "DAF Non-Cleared".

Retrieval Request/Fulfillment Notification: The DAF Hash Total Amount does not include the amounts of Retrieval Request and Fulfillment Notification messages.

Field 9

Definition

Receiving Institution Identifier

The unique institution identifier assigned to the Participant who received the Transaction.

Format

X(11)

Positions

86-96

Field 10

Definition

File Name Code

Used to identify the contents of the file.

Format

X(17)

Positions

97-113

Notes

Required Value: Daily Activity

Field 11

Definition

Transmittal Date

The date when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(8) CCYYMMDD

Positions

114-121

Field 12

Definition

Transmittal Time

The time when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(6) HHMMSS

Positions

122-127

Field 13

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(73)

Positions

128-200

Notes

Alphanumeric Filler fields must contain spaces.

Field 14

Definition

Organization Identifier

The unique identifier assigned, by AEGNS, to the Participant organization that is sending or receiving Outclear/Inclear files to/from the Network.

Format

X(11)

Positions

201-211

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Daily Activity File (DAF) File Trailer (1325)
Field 15 Forwarding Institution Identification Code Message Layout

Field 15

Definition Forwarding Institution Identification Code
The institution identifier assigned to the processing institution that is sending the file.
Format X(29)
Positions 212-222
Notes **Required Value:** 900000000002 = Global Network Services

Field 16

Definition Filler
Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(29)
Positions 223-251
Notes Alphanumeric Filler fields must contain spaces.

Field 17

Definition Action Code
The type of action done or the type of action to do for a Transaction.
Format X(3)
Positions 252-254
Notes **Required Value:** 892 = Production File
Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 18

Definition Filler
Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(346)
Positions 255-600
Notes Alphanumeric Filler fields must contain spaces. Alphanumeric Filler fields must contain spaces.
Promotional Program Debit File (1244)

Promotional Program Debit File (1244)

Overview

Acquirers in designated markets receive the Promotional Program Debit File (1244) message from the Network. The message shows that a POS First Presentment (1240) message with award Transactions was sent to an Issuer. Refer to the Promotional Program Capability section in Chapter 4 of the *Business and Operational Policies* manual.

Acquirers must send a Participant File Acknowledgment (1824) Message to the Network to show they received the Promotional Program Debit File (1244) message.

Acquirers can use the Promotional Program Debit File (1244) message to debit Service Establishments (S/Es) for Promotional Program offers that are funded by the S/Es.

Length of Record

1400 bytes

Message Layout

This table shows the message layout. Refer to the [Programming Notes for Promotional Program Debit File \(1244\) on page 3-258](#) for more instruction.

Note: The Network puts data into the Promotional Program Debit File (1244) message and sends it to the Acquirer.

Promotional Program Debit File (1244) Message Layout

Field Number	Format	Positions	Optionality	Field Name
			N to A	
1	X(4)	1-4	M	Message Type Identifier
2	9(2)	5-6	ME	Primary Account Number Length
3	X(19)	7-25	ME	Primary Account Number (PAN)
4	X(6)	26-31	M	Processing Code
5	9(15)	32-46	ME	Transaction Amount
6	9(8)	47-54	ME	Transaction Date
7	9(6)	55-60	OE	Transaction Time
8	9(4)	61-64	OE	Card Expiration Date
9	9(8)	65-72	OE	Capture Date
10	X(4)	73-76	ME	Merchant Category Code
11	X(12)	77-88	ME	Point of Service Data Code
12	X(3)	89-91	M	Function Code
13	X(11)	92-102	M	Acquiring Institution Identification (AIN) Code
14	X(11)	103-113	M	Acquirer Institution Processor Identifier (APN)
15	X(23)	114-136	M	Acquirer Reference Number (ARN)
16	X(15)	137-151	ME	Card Acceptor Identification Code

Promotional Program Debit File (1244) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
			N to A	
17	X(38)	152-189	ME	Card Acceptor Name
18	X(38)	190-227	ME	Card Acceptor Address Line 1
19	X(38)	228-265	OE	Card Acceptor Address Line 2
20	X(21)	266-286	ME	Card Acceptor City
21	X(15)	287-301	OE	Card Acceptor Postal Code
22	X(3)	302-304	ME	Card Acceptor Country Code
23	X(3)	305-307	ME	Card Acceptor Region Code
24	9(15)	308-322	ME	First Presentment Presentment Amount
25	9(7)v9(8)	323-337	ME	First Presentment Transactions to Presentment Conversion Rate
26	X(3)	338-340	ME	First Presentment Presentment Currency Code
27	9(1)	341	ME	First Presentment Presentment Decimalization
28	X(3)	342-344	ME	Transaction Currency Code
29	9(2)	345-346	O	Alternate Card Acceptor Identification Code Length
30	X(15)	347-361	O	Alternate Card Acceptor Identification Code
31	9(8)	362-369	ME	Network Processing Date
32	9(6)	370-375	O	Network Processing Time
33	9(1)	376	ME	Transaction Decimalization
34	9(6)	377-382	OE	Capture Time
35	X(2)	383-384	M	Format Code
36	X(11)	385-395	ME	Issuer Institution Identifier (IIN)
37	9(3)	396-398	M	Message Transaction Sequence Number
38	X(40)	399-438	ME	Card Acceptor Location Text
39	9(15)	439-453	ME	Transaction Identifier (TID)
40	9(8)	454-461	M	Message Number
41	X(30)	462-491	O	Invoice Number
42	X(100)	492-591	M	Program Name
43	X(10)	592-601	M	Offer ID
44	X(40)	602-641	M	Campaign Country Name
45	X(30)	642-671	M	Offer Type
46	X(729)	672-1400	F	Filler

Programming Notes for Promotional Program Debit File (1244)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Network to Acquirer: Mandatory
Notes	Required Value: 1244 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Network to Acquirer: Mandatory Echo
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Network to Acquirer: Mandatory Echo

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Network to Acquirer: Mandatory
Notes	If the Message Type Identifier = 1244 and the Function Code = 280 (Promotional Program Capability) then: - Processing Code 227908 = Acquirer must debit their S/E - Processing Code 027908 = Acquirer must credit their S/E Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	32-46
Optionality	Network to Acquirer: Mandatory Echo
Notes	The amount of the award Transaction from the first award currency in the first POS First Presentment (1240) message to the Issuer.

Field 6

Definition

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

47-54

Optionality

Network to Acquirer: Mandatory Echo

Notes

The date of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Field 7

Definition

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format

9(6) HHMMSS

Positions

55-60

Optionality

Network to Acquirer: Optional Echo

Notes

The time of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

If the Transaction Time is not available on the first 1240, this field is zero-filled.

Field 8

Definition

This is the Card Expiration Date embossed on the face of the Card.

Format

9(4) MMY

Positions

61-64

Optionality

Network to Acquirer: Optional Echo

Notes

If the Card Expiration date is not available on the first 1240, this field is zero-filled.

Field 9

Definition

The Capture Date on which Transaction data was processed.

Format

9(8) CCYYMMDD

Positions

65-72

Optionality

Network to Acquirer: Optional Echo

Notes

This is the capture date of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

If the Capture Date is not available on the first 1240, this field is zero-filled.

Field 10

Definition

A code that identifies the industry in which the S/E does business.

Format

X(4)

Positions

73-76

Optionality

Network to Acquirer: Mandatory Echo

Notes

This is the Merchant Category Code of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Promotional Program Debit File (1244)
Field 11 Point of Service Data Code Message Layout

Field 11

Point of Service Data Code

Definition	This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).
Format	X(12)
Positions	77-88
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the Point of Service Data Code from the first POS First Presentment (1240) message. Refer to the Point of Service Data Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 12

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	89-91
Optionality	Network to Acquirer: Mandatory
Notes	Valid Value: 280 = Promotional Program Capability Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Acquiring Institution Identification (AIN) Code

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	92-102
Optionality	Network to Acquirer: Mandatory
Notes	The Network will group AINs in a Promotional Program Debit File and route the files to each Acquirer.

Field 14

Acquirer Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	103-113
Optionality	Network to Acquirer: Mandatory
Notes	The Network will group APNs in a Promotional Program Debit File and route the files to each Acquirer.

Field 15

Acquirer Reference Number (ARN)

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	114-136
Optionality	Network to Acquirer: Mandatory
Notes	The Network will populate this field with a unique reference number. This number is used to assist in locating/retrieving source data or documents.

Field 16

Card Acceptor Identification Code

Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	137-151
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the Card Acceptor Identification Code from the first POS First Presentment (1240) message to the Issuer.

Field 17

Definition

Format

Positions

Optionality

Notes

Card Acceptor Name

The name of the Card Acceptor, also know as Service Establishment (S/E).

X(38)

152-189

Network to Acquirer: Mandatory Echo

This is the Card Acceptor Name from the first POS First Presentment (1240) message to the Issuer.

Field 18

Definition

Format

Positions

Optionality

Notes

Card Acceptor Address Line 1

The Card Acceptor (also known as Service Establishment (S/E)) location address.

X(38)

190-227

Network to Acquirer: Mandatory Echo

This is the Card Acceptor Address Line 1 from the first POS First Presentment (1240) message to the Issuer.

Field 19

Definition

Format

Positions

Optionality

Notes

Card Acceptor Address Line 2

The Card Acceptor (also known as Service Establishment (S/E)) location address.

X(38)

228-265

Network to Acquirer: Optional Echo

This is the Card Acceptor Address Line 2 from the first POS First Presentment (1240) message to the Issuer.

Field 20

Definition

Format

Positions

Optionality

Notes

Card Acceptor City

The city name of the Card Acceptor location.

X(21)

266-286

Network to Acquirer: Mandatory Echo

This is the Card Acceptor City from the first POS First Presentment (1240) message to the Issuer.

Field 21

Definition

Format

Positions

Optionality

Notes

Card Acceptor Postal Code

The postal code of the Card Acceptor location.

X(15)

287-301

Network to Acquirer: Optional Echo

This is the Card Acceptor Postal Code from the first POS First Presentment (1240) message to the Issuer.

Field 22

Definition

Format

Positions

Optionality

Notes

Card Acceptor Country Code

The Country Code of the Card Acceptor location.

X(3)

302-304

Network to Acquirer: Mandatory Echo

This is the Card Acceptor Country Code from the first POS First Presentment (1240) message to the Issuer.

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Promotional Program Debit File (1244)
Field 23 Card Acceptor Region Code Message Layout

Field 23

Card Acceptor Region Code

Definition	A code for the state, province, or region of the Card Acceptor location.
Format	X(3)
Positions	305-307
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the Card Acceptor Region Code from the first POS First Presentment (1240) message to the Issuer. Refer to the Region Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 24

First Presentment Presentment Amount

Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	308-322
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the first presentment amount of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Field 25

First Presentment Transaction to Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	323-337
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the first presentment conversion rate of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Field 26

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	338-340
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the first presentment currency code of the award Transaction from the first POS First Presentment (1240) message to the Issuer. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 27

First Presentment Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	341
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the first presentment decimalization of the award Transaction from the first POS First Presentment (1240) message to the Issuer. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 28

Transaction Currency Code

Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	342-344
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the Currency Code of the award Transaction from the first POS First Presentment (1240) message to the Issuer. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 29

Alternate Card Acceptor Identification Code Length

Definition	The number of positions or length of the Alternate Card Acceptor Identification Code.
Format	9(2)
Positions	345-346
Optionality	Network to Acquirer: Optional
Notes	The Network puts the value into this field.

Field 30

Alternate Card Acceptor Identification Code

Definition	A Card Acceptor identification number used internally by a Participant.
Format	X(15)
Positions	347-361
Optionality	Network to Acquirer: Optional
Notes	The Network puts the value into this field.

Field 31

Network Processing Date

Definition	The date the Network accepted or processed the transaction.
Format	9(8) CCYYMMDD
Positions	362-369
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the Transaction Date of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Field 32

Network Processing Time

Definition	The time the Network accepted or processed the Transaction.
Format	9(6)
Positions	370-375
Optionality	Network to Acquirer: Optional
Notes	The Network puts zeros into this field.

Field 33

Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	376
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the Transaction Decimalization of the award Transaction from the first POS First Presentment (1240) message to the Issuer. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 34

Definition	The Capture Time on which Transaction data was processed.
Format	9(6)
Positions	377-382
Optionality	Network to Acquirer: Optional Echo
Notes	This is the Capture Time of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Capture Time

Field 35

Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	383-384
Optionality	Network to Acquirer: Mandatory
Notes	Required Value: 02 = (Retail) Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Format Code

Field 36

Definition	A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer. The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format	X(11)
Positions	385-395
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the IIN of the award Transaction from the first POS First Presentment (1240) message to the Issuer.

Issuer Institution Identifier (IIN)

Field 37

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	396-398
Optionality	Network to Acquirer: Mandatory
Notes	Valid Value: 001 This is a number that associates and sequences all components of a primary message type. Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Message Transaction Sequence Number

Field 38

Definition	The free form text location of the Card Acceptor.
Format	X(40)
Positions	399-438
Optionality	Network to Acquirer: Mandatory Echo
Notes	Name of the campaign (16 characters).

Card Acceptor Location Text

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Promotional Program Debit File (1244)
Field 39 Transaction Identifier (TID) Message Layout

Field 39

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	439-453
Optionality	Network to Acquirer: Mandatory Echo
Notes	This is the TID of the award Transaction from the first POS First Presentment (1240) message to the Issuer. For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .

Field 40

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	454-461
Optionality	Network to Acquirer: Mandatory

Field 41

Invoice Number

Definition	A unique number assigned by the S/E to track a Transaction.
Format	X(30)
Positions	462-491
Optionality	Network to Acquirer: Optional
Notes	The Network puts the value into this field, if available. If not available, the Network puts spaces into this field.

Field 42

Program Name

Definition	The name of the marketing program. A marketing program can contain more than one offer.
Format	X(100)
Positions	492-591
Optionality	Network to Acquirer: Mandatory

Field 43

Offer ID

Definition	The number of an offer in a marketing program.
Format	X(10)
Positions	592-601
Optionality	Network to Acquirer: Mandatory

Field 44

Campaign Country Name

Definition	The country in which the campaign is sponsored.
Format	X(40)
Positions	602-641
Optionality	Network to Acquirer: Mandatory

Field 45

Definition**Format****Positions****Optionality****Notes**

Offer Type

The applicable type for the offer in a marketing program.

X(30)

642-671

Network to Acquirer: Mandatory

Valid Values:

- ST = Spend threshold
- FT = Frequency Threshold
- TS = Spend Threshold Tier
- TF = Frequency Threshold Tier
- SM = Spend Threshold at specific number of S/Es
- FM = Frequency Threshold at a select number of S/Es

Field 46

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(729)

672-1400

Network to Acquirer: Filler

Alphanumeric Filler fields must contain spaces.

4 Addenda Messages

Industry Specific Detail Addenda (9240/9340)

Description

The Industry Specific Detail Addenda messages supply more data about a First or Second Presentment for Transactions in special industries.

Important!

Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Addenda Industry Types

Industry Specific Detail Addenda are used for these industry types:

- Airline
- Auto Rental
- Communication Services
- Retail
- Entertainment/Ticketing
- General Format
- Lodging
- Rail
- Restaurant
- Travel/Cruise
- Insurance

The Format Code field on the presentment message shows the type of Industry Specific Detail message that can be associated with the Presentment. There is no specific order in which the addenda follow the Presentment message, except the Extended Financial Addendum (9240) message directly follows the Presentment message, if applicable.

On Us Addenda Messages

The On Us Addenda Messages (9340) contain more card activity data for Issuer Transactions that were not processed through the Network, with Transactions at Multinational Accounts serviced by the Participant. These addenda records should only be used with the On Us Messages (1340) and no other message types. Participants must include, in their On Us Addenda messages, their own Cardmembers' Transactions that occur at Multinational Accounts in the Participants' markets.

Airline Industry Specific Detail (9240/9340)

Description

The Airline Industry Specific Detail Addendum message fields contain more data for an Airline Transaction. If the Format Code included in the 1240 Presentment message is 01, the Airline addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Airline Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Airline Industry Specific Detail \(9240/9340\) on page 4-5](#) for more instruction.

Airline Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(1)	7	O	O	O	O	E-Ticket Indicator
4	X(3)	8-10	M	M	M	M	Departure Location Code 1
5	9(8)	11-18	M	M	M	M	Departure Date 1
6	X(3)	19-21	O	O	O	O	Departure Location Code 2
7	9(8)	22-29	O	O	O	O	Departure Date 2
8	X(3)	30-32	O	O	O	O	Departure Location Code 3
9	9(8)	33-40	O	O	O	O	Departure Date 3
10	X(3)	41-43	O	O	O	O	Departure Location Code 4
11	9(8)	44-51	O	O	O	O	Departure Date 4
12	9(15)	52-66	O	O	O	O	Fare Segment 1
13	9(15)	67-81	O	O	O	O	Fare Segment 2
14	9(15)	82-96	O	O	O	O	Fare Segment 3
15	9(15)	97-111	O	O	O	O	Fare Segment 4
16	X(1)	112	O	O	O	O	Conjunction Ticket
17	X(15)	113-127	O	O	O	O	Segment Fare Basis 1
18	X(15)	128-142	O	O	O	O	Segment Fare Basis 2
19	X(15)	143-157	O	O	O	O	Segment Fare Basis 3
20	X(15)	158-172	O	O	O	O	Segment Fare Basis 4

Airline Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
21	X(28)	173-200	F	F	F	F	Filler
22	X(3)	201-203	M	M	M	M	Travel Process Identifier
23	X(25)	204-228	M	M	M	M	Ticket Issuer Name
24	X(14)	229-242	M	M	M	M	Ticket Number
25	9(7)	243-249	O	O	O	O	Airline Invoice Number
26	X(3)	250-252	O	O	O	O	Travel Transaction Type Code
27	X(18)	253-270	O	O	O	O	Ticket Issue City
28	9(3)	271-273	O	O	O	O	Number in Party
29	X(25)	274-298	O	O	O	O	Passenger Name
30	X(21)	299-319	F	F	F	F	Filler
31	X(3)	320-322	M	M	M	M	Destination Location Code 1
32	X(2)	323-324	F	F	F	F	Filler
33	X(2)	325-326	M	M	M	M	Arrival Class Of Service 1
34	X(3)	327-329	M	M	M	M	Carrier Code Segment 1
35	X(4)	330-333	M	M	M	M	Flight Number 1
36	X(3)	334-336	O	O	O	O	Destination Location Code 2
37	X(2)	337-338	F	F	F	F	Filler
38	X(2)	339-340	C	C	C	C	Arrival Class Of Service 2
39	X(3)	341-343	C	C	C	C	Carrier Code Segment 2
40	X(4)	344-347	C	C	C	C	Flight Number 2
41	X(3)	348-350	O	O	O	O	Destination Location Code 3
42	X(2)	351-352	F	F	F	F	Filler
43	X(2)	353-354	C	C	C	C	Arrival Class Of Service 3
44	X(3)	355-357	C	C	C	C	Carrier Code Segment 3
45	X(4)	358-361	C	C	C	C	Flight Number 3
46	X(3)	362-364	O	O	O	O	Destination Location Code 4
47	X(2)	365-366	F	F	F	F	Filler
48	X(2)	367-368	C	C	C	C	Arrival Class Of Service 4
49	X(3)	369-371	C	C	C	C	Carrier Code Segment 4
50	X(4)	372-375	C	C	C	C	Flight Number 4
51	X(1)	376	F	F	F	F	Filler
52	X(2)	377-378	M	M	M	M	Travel Document Type Code
53	9(2)	379-380	O	O	O	O	Airline Document Number
54	X(2)	381-382	O	O	O	O	Airline Document Parts
55	X(14)	383-396	F	F	F	F	Filler

Airline Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
56	9(8)	397-404	M	M	M	M	Ticket Issue Date
57	X(32)	405-436	O	O	O	O	Travel Agency Name
58	X(8)	437-444	O	O	O	O	Travel Agency Number
59	X(14)	445-458	O	O	O	O	Exchanged Ticket Number
60	X(58)	459-516	F	F	F	F	Filler
61	X(1)	517	O	O	O	O	Stop Over Indicator 1
62	X(1)	518	O	O	O	O	Stop Over Indicator 2
63	X(1)	519	O	O	O	O	Stop Over Indicator 3
64	X(1)	520	O	O	O	O	Stop Over Indicator 4
65	X(1)	521	O	O	O	O	Stop Over Indicator 5
66	X(401)	522-922	F	F	F	F	Filler
67	X(2)	923-924	M	M	M	M	Format Code
68	X(13)	925-937	F	F	F	F	Filler
69	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
70	X(65)	941-1005	F	F	F	F	Filler
71	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
72	X(11)	1021-1031	F	F	F	F	Filler
73	9(8)	1032-1039	M	M	M	M	Message Number
74	X(239)	1040-1278	F	F	F	F	Filler
75	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
76	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Airline Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

E-Ticket Indicator

Definition	Y (yes) or N (no) code to indicate if an electronic ticket was issued.
Format	X(1)
Positions	7
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the E-Ticket Indicator Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 4

Departure Location Code 1

Definition	The IATA Travel Point Code of the departure location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	8-10
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: - If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code. - If location does not have an IATA assigned value, the default is ZZZ. Refer to the IATA Airline Coding Directory for valid IATA Travel Point Codes.

Field 5

Departure Date 1

Definition	The departure date for a segment of a trip.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. Do not use the default value "00010101". The Transaction will reject.

Field 6

Departure Location Code 2

Definition	The IATA Travel Point Code of the departure location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	19-21
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Required Values: - If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code. - If location does not have an IATA assigned value, the default is ZZZ. Refer to the IATA Airline Coding Directory for valid IATA Travel Point Codes.

Field 7

Definition
Format
Positions
Optionality

Departure Date 2

The departure date for a segment of a trip.

9(8) CCYYMMDD

22-29

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Default Date: 00010101

Field 8

Definition
Format
Positions
Optionality

Departure Location Code 3

The IATA Travel Point Code of the departure location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.

X(3)

30-32

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Required Values:

- If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code.
- If location does not have an IATA assigned value, the default is ZZZ.

Refer to the IATA Airline Coding Directory for valid IATA Travel Point Codes.

Field 9

Definition
Format
Positions
Optionality

Departure Date 3

The departure date for a segment of a trip.

9(8) CCYYMMDD

33-40

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Default Date: 00010101

Field 10

Departure Location Code 4

Definition	The IATA Travel Point Code of the departure location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	41-43
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Required Values: • If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code. • If location does not have an IATA assigned value, the default is ZZZ. Refer to the IATA Airline Coding Directory for valid IATA Travel Point Codes.

Field 11

Departure Date 4

Definition	The departure date for a segment of a trip.
Format	9(8) CCYYMMDD
Positions	44-51
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Default Date: 00010101

Field 12

Fare Segment 1

Definition	The total fare for a segment of travel including taxes and fees.
Format	9(15)
Positions	52-66
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	This field contains the total fare for this segment of travel in the Transaction Currency and decimalization. Use Presentment Currency if Transaction Currency is not valid. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Definition
Format
Positions
Optionality

Fare Segment 2

The total fare for a segment of travel including taxes and fees.

9(15)

67-81

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

This field contains the total fare for this segment of travel in the Transaction Currency and decimalization. Use the Presentment Currency if the Transaction Currency is not valid.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Definition
Format
Positions
Optionality

Fare Segment 3

The total fare for a segment of travel including taxes and fees.

9(15)

82-96

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

This field contains the total fare for this segment of travel in the Transaction Currency and decimalization. Use the Presentment Currency if the Transaction Currency is not valid.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition
Format
Positions
Optionality

Fare Segment 4

The total fare for a segment of travel including taxes and fees.

9(15)

97-111

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

This field contains the total fare for this segment of travel in the Transaction Currency and decimalization. Use the Presentment Currency if the Transaction Currency is not valid.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 16	Conjunction Ticket
Definition	Y (yes) or N (no) code shows if the itinerary contains more than four segments of travel.
Format	X(1)
Positions	112
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 17	Segment Fare Basis 1
Definition	The fare level of a segment of travel that the passenger is entitled to.
Format	X(15)
Positions	113-127
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid codes.
Field 18	Segment Fare Basis 2
Definition	The fare level of a segment of travel that the passenger is entitled to.
Format	X(15)
Positions	128-142
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid codes.
Field 19	Segment Fare Basis 3
Definition	The fare level of a segment of travel that the passenger is entitled to.
Format	X(15)
Positions	143-157
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid codes.

Field 20

Segment Fare Basis 4

Definition	The fare level of a segment of travel that the passenger is entitled to.
Format	X(15)
Positions	158-172
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid codes.

Field 21

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(28)
Positions	173-200
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 22

Travel Process Identifier

Definition	The IATA Carrier Number of the travel carrier (e.g. airline, railway, etc.) that sold and ticketed the travel; or if the travel was sold through a travel agency, the transportation provider on which the travel will be conducted; or for a non-IATA carrier, a 3-digit code of "000".
Format	X(3)
Positions	201-203
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: • If the airline is IATA affiliated, the field must contain a valid IATA Carrier Code. • If location does not have an IATA assigned value, the default is 000. Refer to the IATA Airline Coding Directory for valid 3-digit IATA Carrier Numbers. Example: American Airlines = 001

Field 23

Definition
Format
Positions
Optionality

Ticket Issuer Name

The name of the Card Acceptor that issued the ticket.

X(25)

204-228

Presentment:

Outclear: Mandatory
Inclear: Mandatory

Second Presentment:

Outclear: Mandatory
Inclear: Mandatory

Field 24

Definition
Format
Positions
Optionality

Ticket Number

Identifies the travel ticket for the Transaction.

X(14)

229-242

Presentment:

Outclear: Mandatory
Inclear: Mandatory

Second Presentment:

Outclear: Mandatory
Inclear: Mandatory

Field 25

Definition
Format
Positions
Optionality

Airline Invoice Number

The invoice number for an airline ticket Transaction.

9(7)

243-249

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 26

Definition
Format
Positions
Optionality

Travel Transaction Type Code

Classifies the type of charge used in an airline or rail Transaction.

X(3)

250-252

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Notes

Refer to the Travel Transaction Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 27

Definition
Format
Positions
Optionality

Ticket Issue City

The name of the city where the ticket was issued.

X(18)

253-270

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 28

Definition
Format
Positions
Optionality

Number in Party

The number of people traveling together as a group.

9(3)

271-273

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 29

Definition
Format
Positions
Optionality

Passenger Name

The name of the passenger. This could be different from the Cardmember name.

X(25)

274-298

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 30

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(21)

299-319

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 31

Destination Location Code 1

Definition	The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	320-322
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: • If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code. • If location does not have an IATA assigned value, the default is ZZZ. Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 32

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	323-324
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 33

Arrival Class Of Service 1

Definition	Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment.
Format	X(2)
Positions	325-326
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: Arrival Class of Service 1-4 must be in sequential order if there is data in the corresponding Destination Location Codes. (e.g., Arrival Class of Service 1-3 must be populated in sequence if Destination Location Code 1-3 are present). Refer to the Class of Service Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 34

Carrier Code Segment 1

Definition	The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.
Format	X(3)
Positions	327-329
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: There cannot be a leading space before the assigned value. The value must be XX(~). • If the airline is IATA affiliated, the field must contain a valid IATA Carrier Code. • If location does not have an IATA assigned value, the default is YY. • Carrier Code Segment 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Carrier Code Segment 1-3 must be populated in sequence if Destination Location Code 1-3 are present). Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 35

Flight Number 1

Definition	The flight number, as defined by the carrier for each segment of travel.
Format	X(4)
Positions	330-333
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Valid Values: Flight Number 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Flight Number 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Field 36

Destination Location Code 2

Definition	The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	334-336
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Required Values: • If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code. • If location does not have an IATA assigned value, the default is ZZZ. Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 37

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

337-338

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 38

Definition

Format

Positions

Optionality

Notes

Arrival Class Of Service 2

Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment.

X(2)

339-340

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Required Value: Arrival Class of Service 1-4 must be in sequential order if there is data in the corresponding Destination Location Codes. (e.g., Arrival Class of Service 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Refer to the Class of Service Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 39

Definition

Format

Positions

Optionality

Notes

Carrier Code Segment 2

The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.

X(3)

341-343

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Valid Values:

There cannot be a leading space before the assigned value. The value must be XX(~).

- If the airline is IATA affiliated, the field must contain a valid IATA Carrier Code.
- If location does not have an IATA assigned value, the default is YY.
- Carrier Code Segment 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Carrier Code Segment 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 40

Definition

The flight number, as defined by the carrier for each segment of travel.

Format

X(4)

Positions

344-347

Optionality**Presentment:**

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Valid Values: Flight Number 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Flight Number 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Field 41

Definition

The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.

Format

X(3)

Positions

348-350

Optionality**Presentment:**

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes**Required Values:**

- If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code.
- If location does not have an IATA assigned value, the default is ZZZ.

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 42

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

351-352

Optionality**Presentment:**

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 43

Arrival Class Of Service 3

Definition	Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment.
Format	X(2)
Positions	353-354
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: Arrival Class of Service 1-4 must be in sequential order if there is data in the corresponding Destination Location Codes. (e.g., Arrival Class of Service 1-3 must be populated in sequence if Destination Location Code 1-3 are present). Refer to the Class of Service Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 44

Carrier Code Segment 3

Definition	The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.
Format	X(3)
Positions	355-357
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Valid Values: There cannot be a leading space before the assigned value. The value must be XX(~). • If the airline is IATA affiliated, the field must contain a valid IATA Carrier Code. • If location does not have an IATA assigned value, the default is YY. • Carrier Code Segment 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Carrier Code Segment 1-3 must be populated in sequence if Destination Location Code 1-3 are present). Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 45

Flight Number 3

Definition	The flight number, as defined by the carrier for each segment of travel.
Format	X(4)
Positions	358-361
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Valid Values: Flight Number 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Flight Number 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Field 46

Definition

Destination Location Code 4

The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.

Format

X(3)

Positions

362-364

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Required Values:

- If the location is IATA affiliated, the field must contain a valid IATA Travel Point Code.
- If location does not have an IATA assigned value, the default is ZZZ.

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 47

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

365-366

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 48

Definition

Arrival Class Of Service 4

Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment.

Format

X(2)

Positions

367-368

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Required Value: Arrival Class of Service 1-4 must be in sequential order if there is data in the corresponding Destination Location Codes. (e.g., Arrival Class of Service 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Refer to the Class of Service Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 49

Definition

Carrier Code Segment 4

The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.

Format

X(3)

Positions

369-371

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Valid Values:

There cannot be a leading space before the assigned value. The value must be XX(~).

- If the airline is IATA affiliated, the field must contain a valid IATA Carrier Code.
- If location does not have an IATA assigned value, the default is YY.
- Carrier Code Segment 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Carrier Code Segment 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 50

Definition

Flight Number 4

The flight number, as defined by the carrier for each segment of travel.

Format

X(4)

Positions

372-375

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Valid Values: Flight Number 1-4 must be in sequential order if the corresponding Destination Location Codes contain data (e.g., Flight Number 1-3 must be populated in sequence if Destination Location Code 1-3 are present).

Field 51

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(1)

Positions

376

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 52

Travel Document Type Code

Definition	Classifies the nature of a travel carrier (e.g., airline, railway, etc.) document.
Format	X(2)
Positions	377-378
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Refer to the Travel Document Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 53

Airline Document Number

Definition	The form number of an airline document (e.g., a ticket, refund receipt, etc.).
Format	9(2)
Positions	379-380
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 54

Airline Document Parts

Definition	The number of parts in an airline document (e.g., a multi-part document has two or more parts).
Format	X(2)
Positions	381-382
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 55

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(14)
Positions	383-396
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 56

Ticket Issue Date

Definition	The century, year, month, and day the ticket was issued. The default date is the Transaction date.
Format	9(8) CCYYMMDD
Positions	397-404
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. Do not use the default value "00010101". The Transaction will reject.

Field 57

Travel Agency Name

Definition	Indicates the name of the travel agency that sold the travel arrangements.
Format	9(32)
Positions	405-436
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 58

Travel Agency Number

Definition	The industry assigned identifier for a travel agency. Must be a valid IATA Travel Agency Identifier.
Format	X(8)
Positions	437-444
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Travel Agency Identifier Codes.

Field 59

Exchanged Ticket Number

Definition	The number associated with the exchanged ticket; used to link the new and exchanged tickets. Cardmember can monitor the Transaction.
Format	X(14)
Positions	445-458
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 60

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(58)

459-516

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 61

Definition

Format

Positions

Optionality

Notes

Stop Over Indicator 1

Indicates when a traveler spends more than four (4) hours at a destination before the next leg of travel begins.

X(1)

517

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Valid Codes:

- X Connection
- O Stop Over
- ~ Destination Point (~ =space)

This example shows the usage of the field for travel between New York, NY and Sydney, Australia.

Note: The last part of the trip should always be a space.

- Stop over code 1: X NYC transfer to DFW
- Stop over code 2: O Stop over DFW on route to LAX
- Stop over code 3: O Stop over LAX on route to HNL
- Stop over code 4: O Stop over HNL on route to SYD
- Stop over code 5: ~ (space) Terminate travel in SYD

Field 62

Definition

Format

Positions

Optionality

Stop Over Indicator 2

Indicates when a traveler spends more than four (4) hours at a destination before the next leg of travel begins.

X(1)

518

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Codes:

- X Connection
- O Stop Over
- ~ Destination Point (~ =space)

This example shows the usage of the field for travel between New York, NY and Sydney, Australia.

Note: The last part of the trip should always be a space.

- Stop over code 1: X NYC transfer to DFW
- Stop over code 2: O Stop over DFW on route to LAX
- Stop over code 3: O Stop over LAX on route to HNL
- Stop over code 4: O Stop over HNL on route to SYD
- Stop over code 5: ~ (space) Terminate travel in SYD

Field 63

Definition

Stop Over Indicator 3

Indicates when a traveler spends more than four (4) hours at a destination before the next leg of travel begins.

Format

X(1)

Positions

519

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Codes:

- X = Connection
- O = Stop Over
- ~ = Destination Point (~ =space)

This example shows the usage of the field for travel between New York, NY and Sydney, Australia.

Note: The last part of the trip should always be a space.

- Stop over code 1: X NYC transfer to DFW
- Stop over code 2: O Stop over DFW on route to LAX
- Stop over code 3: O Stop over LAX on route to HNL
- Stop over code 4: O Stop over HNL on route to SYD
- Stop over code 5: ~ (space) Terminate travel in SYD

Field 64

Definition

Stop Over Indicator 4

Indicates when a traveler spends more than four (4) hours at a destination before the next leg of travel begins.

Format

X(1)

Positions

520

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Codes:

- X = Connection
- O = Stop Over
- ~ = Destination Point (~ = space)

This example shows the usage of the field for travel between New York, NY and Sydney, Australia.

Note: The last part of the trip should always be a space.

- Stop over code 1: X NYC transfer to DFW
- Stop over code 2: O Stop over DFW on route to LAX
- Stop over code 3: O Stop over LAX on route to HNL
- Stop over code 4: O Stop over HNL on route to SYD
- Stop over code 5: ~ (space) Terminate travel in SYD

Field 65

Stop Over Indicator 5

Definition

Indicates when a traveler spends more than four (4) hours at a destination before the next leg of travel begins.

Format

X(1)

Positions

521

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Codes:

- X = Connection
- O = Stop Over
- ~ = Destination Point (~ = space)

This example shows the usage of the field for travel between New York, NY and Sydney, Australia.

Note: The last part of the trip should always be a space.

- Stop over code 1: X NYC transfer to DFW
- Stop over code 2: O Stop over DFW on route to LAX
- Stop over code 3: O Stop over LAX on route to HNL
- Stop over code 4: O Stop over HNL on route to SYD
- Stop over code 5: ~ (space) Terminate travel in SYD

Field 66

Filler

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(401)

Positions

522-922

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 67

Definition

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

Format

X(2)

Positions

923-924

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 01 = Airline

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 68

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(13)

Positions

925-937

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 69

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 70

Definition**Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(65)

Positions

941-1005

Optionality**Presentment:**

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 71

Definition**Transaction Identifier (TID)**

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

1006-1020

Optionality**Presentment:**

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 72

Definition**Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(11)

Positions

1021-1031

Optionality**Presentment:**

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 73

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 74

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(230)

Positions

1040-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 75

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 76

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(82)

Positions

1319-1400

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Auto Rental Industry Specific Detail (9240/9340)

Description

The Auto Rental Industry Specific Detail message fields contain more data for an auto rental Transaction. If the Format Code included in the 1240 Presentment message is 05, the Auto Rental addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Auto Rental Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Auto Rental Industry Specific Detail \(9240/9340\)](#) on page 4-31 for more instruction.

Auto Rental Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(14)	201-214	M	M	M	M	Auto Rental Agreement Number
5	X(20)	215-234	M	M	M	M	Auto Rental Agency Name
6	X(18)	235-252	O	O	O	O	Auto Rental City Name
7	X(3)	253-255	O	O	O	O	Auto Rental Region Code
8	X(3)	256-258	O	O	O	O	Auto Rental Country Code
9	X(18)	259-276	M	M	M	M	Auto Rental Pickup City Name
10	X(3)	277-279	O	O	O	O	Auto Rental Pickup Region Code
11	X(3)	280-282	O	O	O	O	Auto Rental Pickup Country Code
12	9(8)	283-290	M	M	M	M	Auto Rental Pickup Date
13	9(6)	291-296	O	O	O	O	Auto Rental Pickup Time
14	X(18)	297-314	M	M	M	M	Auto Rental Return City Name
15	X(3)	315-317	O	O	O	O	Auto Rental Return Region Code
16	X(3)	318-320	O	O	O	O	Auto Rental Return Country Code
17	9(8)	321-328	M	M	M	M	Auto Rental Return Date
18	9(6)	329-334	O	O	O	O	Auto Rental Return Time
19	X(1)	335	O	O	O	O	Auto Rental Audit Adjustment Indicator

Auto Rental Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
20	9(8)	336-343	O	O	O	O	Auto Rental Audit Adjustment Amount
21	X(26)	344-369	O	O	O	O	Auto Rental Renter Name
22	X(8)	370-377	F	F	F	F	Reserved Field
23	X(6)	378-383	F	F	F	F	Reserved Field
24	X(8)	384-391	F	F	F	F	Reserved Field
25	X(6)	392-397	F	F	F	F	Reserved Field
26	X(20)	398-417	O	O	O	O	Taxi Vehicle Identification Number
27	X(20)	418-437	O	O	O	O	Taxi Driver Identification Number
28	X(20)	438-457	O	O	O	O	Taxi Driver Tax Identification Number
29	X(38)	458-495	O	O	O	O	Taxi Dropoff Location
30	X(427)	496-922	F	F	F	F	Filler
31	X(2)	923-924	M	M	M	M	Format Code
32	X(13)	925-937	F	F	F	F	Filler
33	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
34	X(65)	941-1005	F	F	F	F	Filler
35	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
36	X(11)	1021-1031	F	F	F	F	Filler
37	9(8)	1032-1039	M	M	M	M	Message Number
38	X(4)	1040-1043	O	O	O	O	Auto Rental Class Code
39	X(38)	1044-1081	O	O	O	O	Pickup Location
40	9(5)	1082-1086	O	O	O	O	Auto Rental Distance
41	X(1)	1087	O	O	O	O	Auto Rental Distance Unit of Measure
42	X(191)	1088-1278	F	F	F	F	Filler
43	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
44	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Auto Rental Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(194)
Positions	7-200
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 4

Auto Rental Agreement Number

Definition	Invoice number of the rental agreement (issued by the rental agency) that is signed by the Cardmember.
Format	X(14)
Positions	201-214
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory

Field 5

Auto Rental Agency Name

Definition	Rental agency or automobile rental chain name that is on the storefront and/or customer receipt. Must be easily recognized by the Cardmember.
Format	X(20)
Positions	215-234
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory

Field 6

Auto Rental City Name

Definition	The city, town, or village where an automobile was rented.
Format	X(18)
Positions	235-252
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 7

Auto Rental Region Code

Definition	A code identifying the state, province or region where the automobile was rented. Refer to the Region Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(3)
Positions	253-255
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 8

Definition

Auto Rental Country Code

The Country Code of the country where an automobile was rented. Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Format

X(3)

Positions

256-258

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition

Auto Rental Pickup City Name

The city, town or village from where a rental automobile was picked up.

Format

X(18)

Positions

259-276

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 10

Definition

Auto Rental Pickup Region Code

A code identifying the state, province or region where a rental automobile was picked up. Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Format

X(3)

Positions

277-279

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11

Definition

Auto Rental Pickup Country Code

The Country Code of the country where a rental automobile was picked up. Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Format

X(3)

Positions

280-282

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 12

Auto Rental Pickup Date

Definition	The date a rental automobile was picked up.
Format	9(8) CCYYMMDD
Positions	283-290
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. Do not use the default value "00010101". The Transaction will reject.

Field 13

Auto Rental Pickup Time

Definition	The time a rental automobile was picked up.
Format	9(6) HHMMSS
Positions	291-296
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory

Field 14

Auto Rental Return City Name

Definition	The city, town, or village where a rental automobile was returned.
Format	X(18)
Positions	297-314
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory

Field 15

Auto Rental Return Region Code

Definition	Identifies the state, province or region where a rental automobile was returned. Refer to the Region Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(3)
Positions	315-317
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Auto Rental Industry Specific Detail (9240/9340)
Field 16 Auto Rental Return Country Code Message Layout

Field 16

Auto Rental Return Country Code

Definition	The Country Code of the Country where a rental automobile was returned. Refer to the Country Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(3)
Positions	318-320
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 17

Auto Rental Return Date

Definition	The date a rental automobile was returned.
Format	9(8) CCYYMMDD
Positions	321-328
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. Do not use the default value "00010101". The Transaction will reject.

Field 18

Auto Rental Return Time

Definition	The time a rental automobile was returned.
Format	9(6) HHMMSS
Positions	329-334
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 19

Auto Rental Audit Adjustment Indicator

Definition	Indicates an adjustment was made to a rental automobile charge. The Cardmember was notified of the adjustment (e.g., for damage, mileage, gas, etc.). Refer to the Auto Rental Audit Adjustment Indicator section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(1)
Positions	335
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Auto Rental Industry Specific Detail (9240/9340)
Field 20 Auto Rental Audit Adjustment Amount Message Layout

Field 20

Auto Rental Audit Adjustment Amount

Definition	The amount of charge adjustments related to a rental automobile contract after the vehicle was checked in.
Format	9(8)
Positions	336-343
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 21

Auto Rental Renter Name

Definition	The name of the person who rented the automobile. This is usually the Cardmember name, but it could be different.
Format	X(26)
Positions	344-369
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 22

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(8)
Positions	370-377
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 23

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(6)
Positions	378-383
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 24

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(8)

384-391

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 25

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(6)

392-397

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 26

Definition
Format
Positions
Optionality

Taxi Vehicle Identification Number

A unique identifier assigned to the vehicle.

X(20)

398-417

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 27

Definition
Format
Positions
Optionality

Taxi Driver Identification Number

A unique identifier assigned by the taxi company to the taxi driver.

X(20)

418-437

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Auto Rental Industry Specific Detail (9240/9340)
Field 28 Taxi Driver Tax Identification Number Message Layout

Field 28

Definition

Taxi Driver Tax Identification Number

The Tax Identification Number (Tax ID) of the taxi driver.

Format

X(20)

Positions

438-457

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 29

Definition

Taxi Dropoff Location

The location where the taxi passenger was dropped off.

Format

X(38)

Positions

458-495

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 30

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(427)

Positions

496-922

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 31

Definition

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

Format

X(2)

Positions

923-924

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 05 = Auto Rental

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 32

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(13)

Positions

925-937

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 33

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 34

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(65)

Positions

941-1005

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 35

Definition

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

1006-1020

Optionality

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 36

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(11)

Positions 1021-1031

Optionality **Presentment:**

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes Alphanumeric Filler fields must contain spaces.

Field 37

Message Number

Definition A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format 9(8)

Positions 1032-1039

Optionality **Presentment:**

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 38

Auto Rental Class Code

Definition Indicates the classification of the rental vehicle. Refer to the Auto Rental Class Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Format X(4)

Positions 1040-1043

Optionality **Presentment:**

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes If this field contains 0099, then these fields can contain Taxi data:

- Field 26 - Taxi Vehicle Identification Number
- Field 27 - Taxi Driver Identification Number
- Field 28 - Taxi Driver Tax Identification Number
- Field 29 - Drop Off Location
- Field 30 - Filler
- Field 39 - Pickup Location

Field 39

Definition
Format
Positions
Optionality

Pickup Location

The location where a taxi passenger was picked up or where an auto rental vehicle was picked up.

X(38)

1044-1081

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 40

Definition
Format
Positions
Optionality

Auto Rental Distance

The distance traveled during the rental period.

9(5)

1082-1086

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 41

Definition
Format
Positions
Optionality

Auto Rental Distance Unit of Measure

The unit measure of the distance driven during the rental period.

X(1)

1087

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Values:

- K = Kilometers
- M = Miles

Field 42

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(191)

1088-1278

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 43

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Presentment: Outclear: Conditional. The message must be rejected or informational. IncLEAR: Conditional. The message must be rejected or informational. Second Presentment: Outclear: Conditional. The message must be rejected or informational. IncLEAR: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 44

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler IncLEAR: Filler Second Presentment: Outclear: Filler IncLEAR: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Communication Services Industry Specific Detail (9240/9340)

Description

The Communication Services Industry Specific Detail message fields contain more data for a Communication Services Transaction. If the Format Code included in the 1240 Presentment message is 13, the Communication Services addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Communication Services Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Communication Services Industry Specific Detail \(9240/9340\)](#) on page 4-44 for more instruction.

Communication Services Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	9(8)	201-208	M	M	M	M	Call Date
5	9(6)	209-214	O	O	O	O	Call Time
6	9(6)	215-220	M	M	M	M	Call Duration Time
7	X(18)	221-238	M	M	M	M	Call From City Name
8	X(3)	239-241	O	O	O	O	Call From Region Code
9	X(3)	242-244	O	O	O	O	Call From Country Code
10	X(16)	245-260	M	M	M	M	Call From Phone Number
11	X(18)	261-278	M	M	M	M	Call To City Name
12	X(3)	279-281	O	O	O	O	Call To Region Code
13	X(3)	282-284	O	O	O	O	Call To Country Code
14	X(16)	285-300	M	M	M	M	Call To Phone Number
15	X(1)	301	O	O	O	O	Communication Rate Class Code
16	X(5)	302-306	O	O	O	O	Communication Call Type Code
17	X(6)	307-312	F	F	F	F	Reserved Field
18	X(6)	313-318	F	F	F	F	Reserved Field

Communication Services Industry Specific Detail (9240/9340) Message Layout
(continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
19	X(12)	319-330	F	F	F	F	Filler
20	X(541)	331-871	F	F	F	F	Filler
21	X(8)	872-879	O	O	O	O	Card Phone Number
22	X(20)	880-899	O	O	O	O	Service Description
23	X(18)	900-917	O	O	O	O	Billing Period
24	X(5)	918-922	F	F	F	F	Filler
25	X(2)	923-924	M	M	M	M	Format Code
26	X(13)	925-937	F	F	F	F	Filler
27	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
28	X(65)	941-1005	F	F	F	F	Filler
29	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
30	X(11)	1021-1031	F	F	F	F	Filler
31	9(8)	1032-1039	M	M	M	M	Message Number
32	X(239)	1040-1278	F	F	F	F	Filler
33	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
34	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Communication Services Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Values:

- 9240 goes with a 1240 message
- 9340 goes with a 1340 message

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(194)
Positions	7-200
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 4

Call Date

Definition	The date a communication (e.g., a phone call) was initiated.
Format	9(8) CCYYMMDD
Positions	201-208
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. Do not use the default value "00010101". The Transaction will reject.

Field 5

Call Time

Definition	The time a communication (e.g., a phone call) was initiated.
Format	9(6) HHMMSS
Positions	209-214
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 6

Definition
Format
Positions
Optionality

Call Duration Time

The length or duration of a communication (e.g., a phone call).

9(6) HHMMSS

215-220

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 7

Definition
Format
Positions
Optionality

Call From City Name

The city, town or village where a communication originated.

X(18)

221-238

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 8

Definition
Format
Positions
Optionality

Call From Region Code

The state, province or region code where a communication originated. Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

239-241

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition
Format
Positions
Optionality

Call From Country Code

The Country Code of the country where a communication originated. Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

242-244

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Call From Phone Number

The phone number where a call or fax originated.

X(16)

245-260

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 11

Definition
Format
Positions
Optionality

Call To City Name

The destination city, town, or village of a communication.

X(18)

261-278

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 12

Definition
Format
Positions
Optionality

Call To Region Code

The destination state, province or region code of a communication. Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

279-281

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 13

Definition
Format
Positions
Optionality

Call To Country Code

The destination Country Code of the country of a communication. Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

282-284

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 14

Call To Phone Number

Definition	The destination phone number of the communication.
Format	X(16)
Positions	285-300
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory

Field 15

Communication Rate Class Code

Definition	A code that indicates the rate class used to price a communication (e.g., a phone call or fax). Refer to the Communication Rate Class Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(1)
Positions	301
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 16

Communication Call Type Code

Definition	A code indicating the type of communication or call. Refer to the Communication Call Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(5)
Positions	302-306
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 17

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(6)
Positions	307-312
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 18

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(6)

313-318

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 19

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(12)

319-330

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 20

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(541)

331-871

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 21

Definition
Format
Positions
Optionality

Card Phone Number

The number associated with the Customer's calling card.

X(8)

872-879

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Communication Services Industry Specific Detail (9240/9340)
Field 22 Service Description Message Layout

Field 22

Definition
Format
Positions
Optionality

Service Description

Describes the current service being supplied.
X(20)
880-899
Presentment:
 Outclear: Optional
 Inclear: Optional

Second Presentment:
 Outclear: Optional
 Inclear: Optional

Field 23

Definition
Format

Positions
Optionality

Billing Period

The billing period for this recurring charge.
X(18) MMDDCCYY-MMDDCCYY

This field is left justified with a trailing space.
900-917
Presentment:
 Outclear: Optional
 Inclear: Optional

Second Presentment:
 Outclear: Optional
 Inclear: Optional

Field 24

Definition

Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
X(5)
918-922
Presentment:
 Outclear: Filler
 Inclear: Filler

Second Presentment:
 Outclear: Filler
 Inclear: Filler

Notes Alphanumeric Filler fields must contain spaces.

Field 25

Definition

Format
Positions
Optionality

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
X(2)
923-924
Presentment:
 Outclear: Mandatory
 Inclear: Mandatory

Second Presentment:
 Outclear: Mandatory
 Inclear: Mandatory

Notes **Required Value:** 13 = Communications

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 26

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(13)

925-937

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 27

Definition

Format

Positions

Optionality

Notes

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

9(3)

938-940

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 28

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(65)

941-1005

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 29

Definition

Format

Positions

Optionality

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

9(15)

1006-1020

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 30

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(11)

Positions

1021-1031

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 31

Definition

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 32

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(239)

Positions

1040-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 33

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Presentment: Outclear: Conditional. The message must be rejected or informational. IncLEAR: Conditional. The message must be rejected or informational. Second Presentment: Outclear: Conditional. The message must be rejected or informational. IncLEAR: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 34

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler IncLEAR: Filler Second Presentment: Outclear: Filler IncLEAR: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Entertainment/Ticketing Industry Specific Detail (9240/9340)

Description

The Entertainment/Ticketing Industry Specific Detail message fields contain more data for an entertainment/ticketing Transaction. If the Format Code included in the 1240 Presentment message is 22, the Entertainment/Ticketing addendum must be sent with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Entertainment/Ticketing Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Entertainment/Ticketing Industry Specific Detail \(9240/9340\)](#) on page 4-55 for more instruction.

Entertainment/Ticketing Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(30)	201-230	O	O	O	O	Event Name
5	9(8)	231-238	M	M	M	M	Event Date
6	9(9)	239-247	O	O	O	O	Event Individual Ticket Price Amount
7	9(4)	248-251	O	O	O	O	Event Ticket Quantity
8	X(40)	252-291	O	O	O	O	Event Location
9	X(3)	292-294	O	O	O	O	Event Region Code
10	X(3)	295-297	O	O	O	O	Event Country Code
11	X(625)	298-922	F	F	F	F	Filler
12	X(2)	923-924	M	M	M	M	Format Code
13	X(13)	925-937	F	F	F	F	Filler
14	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
15	X(65)	941-1005	F	F	F	F	Filler
16	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
17	X(11)	1021-1031	F	F	F	F	Filler

Entertainment/Ticketing Industry Specific Detail (9240/9340) Message Layout
(continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
18	9(8)	1032-1039	M	M	M	M	Message Number
19	X(239)	1040-1278	F	F	F	F	Filler
20	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
21	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Entertainment/Ticketing Industry Specific Detail
(9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(194)

7-200

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 4

Definition

Format

Positions

Optionality

Event Name

The name of an entertainment or ticketing event.

X(30)

201-230

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 5

Definition

Format

Positions

Optionality

Notes

Event Date

The date of an entertainment or ticketing event. The default is the Transaction date.

9(8) CCYYMMDD

231-238

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. **Do not use** the default value "00010101". The Transaction will reject.

Field 6

Definition

Format

Positions

Optionality

Event Individual Ticket Price Amount

The price of an individual ticket for an entertainment or ticketing event represented in First Presentment Presentment Currency and Decimalization.

9(9)

239-247

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 7

Definition
Format
Positions
Optionality

Event Ticket Quantity

The number of tickets purchased for an entertainment or ticketing event.

9(4)

248-251

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 8

Definition
Format
Positions
Optionality

Event Location

The name of the city or the venue name for an entertainment or ticketing event.

X(40)

252-291

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition
Format
Positions
Optionality

Event Region Code

A code indicating the state, province, or region where the event is to be or was held. Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

292-294

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Event Country Code

The Country Code where the event is to be or was held. Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

295-297

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(625)
Positions	298-922
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 12	Format Code
Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 22 = Entertainment/Ticketing Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 13	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(13)
Positions	925-937
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 14	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory

Notes	Second Presentment:
	Outclear: Mandatory Inclear: Mandatory
	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 15	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	941-1005
Optionality	Presentment: Outclear: Filler Inclear: Filler
Notes	Second Presentment:
	Outclear: Filler Inclear: Filler
	Alphanumeric Filler fields must contain spaces.
Field 16	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment: Outclear: Filler Inclear: Mandatory
Notes	Second Presentment:
	Outclear: Mandatory Inclear: Mandatory
	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
	Numeric Filler fields must contain zeros.
Field 17	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1021-1031
Optionality	Presentment: Outclear: Filler Inclear: Filler
Notes	Second Presentment:
	Outclear: Filler Inclear: Filler
	Alphanumeric Filler fields must contain spaces.

Field 18	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Field 19	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(239)
Positions	1040-1278
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 20	Reject Reason Codes 1-10
Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational. Second Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 21	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

General Format Industry Specific Detail (9240/9340)

Description

If the Format Code included in the 1240 Presentment message is 20 or 21, the General Format addendum must be sent with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the General Format Industry Specific Detail (9240/9340). Refer to the [Programming Notes for General Format Industry Specific Detail \(9240/9340\) on page 4-62](#) for more instruction.

General Format Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(45)	201-245	F	F	F	F	Reserved Field
5	X(45)	246-290	F	F	F	F	Reserved Field
6	X(45)	291-335	F	F	F	F	Reserved Field
7	X(45)	336-380	F	F	F	F	Reserved Field
8	X(45)	381-425	F	F	F	F	Reserved Field
9	X(1)	426	F	F	F	F	Reserved Field
10	X(496)	427-922	F	F	F	F	Filler
11	X(2)	923-924	M	M	M	M	Format Code
12	X(13)	925-937	F	F	F	F	Filler
13	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
14	X(65)	941-1005	F	F	F	F	Filler
15	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
16	X(11)	1021-1031	F	F	F	F	Filler
17	9(8)	1032-1039	M	M	M	M	Message Number
18	X(239)	1040-1278	F	F	F	F	Filler
19	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10

General Format Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
20	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for General Format Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(194)
Positions	7-200
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 4

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(45)

201-245

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 5

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(45)

246-290

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 6

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(45)

291-335

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 7

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(45)

336-380

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 8

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.
X(45)
381-425
Presentment:
Outclear: Filler
Inclear: Filler
Second Presentment:
Outclear: Filler
Inclear: Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 9

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.
X(1)
426
Presentment:
Outclear: Filler
Inclear: Filler
Second Presentment:
Outclear: Filler
Inclear: Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 10

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
X(496)
427-922
Presentment:
Outclear: Filler
Inclear: Filler
Second Presentment:
Outclear: Filler
Inclear: Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 11

Definition
Format
Positions
Optionality

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
X(2)
923-924
Presentment:
Outclear: Mandatory
Inclear: Mandatory
Second Presentment:
Outclear: Mandatory
Inclear: Mandatory
Notes **Required Value:** 20 = General Format or 21 Oil Company
Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 12

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(13)

Positions

925-937

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 13

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 14

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(65)

Positions

941-1005

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 15	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment: Outclear: Filler Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.
Field 16	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1021-1031
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 17	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Presentment: Outclear: Mandatory Inclear: - Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Field 18	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(239)
Positions	1040-1278
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 19

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational. Second Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Insurance Industry Specific Detail (9240/9340)

Description

The Insurance Industry Specific Detail message fields contain more data for an insurance Transaction. If the Format Code included in the 1240 Presentment message is 04, the Insurance addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Insurance Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Insurance Industry Specific Detail \(9240/9340\) on page 4-69](#) for more instruction.

Insurance Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(23)	201-223	M	M	M	M	Insurance Policy Number
5	X(23)	224-246	M	M	M	M	Insurance Coverage Date Range
6	X(7)	247-253	O	O	O	O	Insurance Policy Premium Frequency
7	X(23)	254-276	O	O	O	O	Additional Reference Number
8	X(25)	277-301	O	O	O	O	Type of Policy
9	X(30)	302-331	O	O	O	O	Name of Insured
10	X(591)	332-922	F	F	F	F	Filler
11	X(2)	923-924	M	M	M	M	Format Code
12	X(13)	925-937	F	F	F	F	Filler
13	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
14	X(65)	941-1005	F	F	F	F	Filler
15	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
16	X(11)	1021-1031	F	F	F	F	Filler
17	9(8)	1032-1039	M	M	M	M	Message Number

Insurance Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
18	X(239)	1040-1278	F	F	F	F	Filler
19	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
20	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Insurance Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(194)

7-200

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 4

Definition**Format****Positions****Optionality**

Insurance Policy Number

The number assigned to an insurance policy.

X(23)

201-223

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 5

Definition**Format****Positions****Optionality**

Insurance Coverage Date Range

The start and end date of an insurance policy.

X(23) CCYY/MM/DD – CCYY/MM/DD. The first date is the start date and the second date is the end date.

224-246

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 6

Definition**Format****Positions****Optionality**

Insurance Policy Premium Frequency

The frequency of an insurance premium (e.g., monthly, annual).

X(7)

247-253

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 7

Definition**Format****Positions****Optionality**

Additional Reference Number

A number assigned by the Acquirer to assist in locating/retrieving source data and documentation.

X(23)

254-276

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 8

Definition**Format****Positions****Optionality**

Type of Policy

The type/classification of a policy (i.e., life, health, etc.).

X(25)

277-301

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition**Format****Positions****Optionality**

Name of Insured

The name of the insured. This could be different from the Cardmember name.

X(30)

302-331

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition**Format****Positions****Optionality**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(591)

332-922

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 11

Format Code

Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 04 = Insurance Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 12

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(13)
Positions	925-937
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 13

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 14

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(65)

941-1005

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 15

Definition

Format

Positions

Optionality

Notes

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

9(15)

1006-1020

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 16

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 17

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 18

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(239)

Positions

1040-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 19

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 20

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(82)

Positions

1319-1400

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Lodging Industry Specific Detail (9240/9340)

Description

The Lodging Industry Specific Detail message fields contain more data for a lodging Transaction. If the Format Code included in the 1240 Presentment message is 11, the Lodging addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Lodging Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Lodging Industry Specific Detail \(9240/9340\) on page 4-76](#) for more instruction.

Lodging Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	9(1)	201	M	M	M	M	Lodging Special Program Code
5	9(1)	202	M	M	M	M	Lodging Charge Type Code
6	9(8)	203-210	M	M	M	M	Lodging Check In Date
7	9(6)	211-216	O	O	O	O	Lodging Check In Time
8	9(8)	217-224	M	M	M	M	Lodging Check Out Date
9	9(6)	225-230	O	O	O	O	Lodging Check Out Time
10	9(2)	231-232	O	O	O	O	Lodging Stay Duration
11	9(15)	233-247	O	O	O	O	Lodging Room Rate 1
12	X(26)	248-273	O	O	O	O	Lodging Renter Name
13	X(12)	274-285	O	O	O	O	Lodging Folio Number
14	X(8)	286-293	F	F	F	F	Reserved Field
15	X(8)	294-301	F	F	F	F	Reserved Field
16	X(15)	302-316	F	F	F	F	Reserved Field
17	9(15)	317-331	O	O	O	O	Lodging Room Rate 2
18	9(15)	332-346	O	O	O	O	Lodging Room Rate 3
19	9(2)	347-348	O	O	O	O	Number of Nights at Room Rate 1

Lodging Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
20	9(2)	349-350	O	O	O	O	Number of Nights at Room Rate 2
21	9(2)	351-352	O	O	O	O	Number of Nights at Room Rate 3
22	X(570)	353-922	F	F	F	F	Filler
23	X(2)	923-924	M	M	M	M	Format Code
24	X(13)	925-937	F	F	F	F	Filler
25	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
26	X(65)	941-1005	F	F	F	F	Filler
27	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
28	X(11)	1021-1031	F	F	F	F	Filler
29	9(8)	1032-1039	M	M	M	M	Message Number
30	X(239)	1040-1278	F	F	F	F	Filler
31	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
32	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Lodging Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Values:

- 9240 goes with a 1240 message
- 9340 goes with a 1340 message

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Definition
Format
Positions
Optionality

Addenda Type Code

A specific type of addendum message.

X(2)

5-6

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 03 = Industry Specific Detail Addenda

Refer to the Addenda Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 3

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(194)

7-200

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 4

Definition
Format
Positions
Optionality

Lodging Special Program Code

More services, related to a lodging charge, offered by the S/E .

9(1)

201

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Default Value: 1 = Lodging

Field 5

Definition
Format
Positions
Optionality

Lodging Charge Type Code

Classifies the type of lodging charges on a Cardmember Transaction. Refer to the Lodging Charge Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

9(1)

202

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Default Value: 1 = Lodging

Field 6

Lodging Check In Date

Definition

Lodging Addendum

The actual date the guest checked into the lodging establishment.

Travel/Cruise Addendum

This is the cruise departure date, also known as the sail date.

Format

9(8) CCYYMMDD

Positions

203-210

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. **Do not use** the default value "00010101". The Transaction will reject.

Field 7

Lodging Check In Time

Definition

The time a guest checked into a lodging establishment.

Format

9(6) HHMMSS

Positions

211-216

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 8

Lodging Check Out Date

Definition

Lodging Addendum

The actual date the guest checked out of the lodging establishment.

Travel/Cruise Addendum

This is the cruise return date, also known as the sail end date.

Format

9(8) CCYYMMDD

Positions

217-224

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: Acquirers can use "99991231" when the date is not supplied by the Card Acceptor. **Do not use** the default value "00010101". The Transaction will reject.

Field 9

Definition
Format
Positions
Optionality

Lodging Check Out Time

The time a guest checked into a lodging establishment.

9(6) HHMMSS

225-230

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Lodging Stay Duration

The number of nights a guest stayed at a lodging establishment.

9(2)

231-232

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Default Value: 00

Field 11

Definition

Lodging Room Rate 1

Lodging Addendum

The nightly rate for one room, also known as the per diem rate, charged for a stay in a lodging establishment.

Travel/Cruise Addendum

This is the total cost of the cruise.

Format

9(15)

Positions

233-247

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 12

Definition
Format
Positions
Optionality

Lodging Renter Name

The name of the person who leased the lodging space.

X(26)

248-273

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 13

Definition
Format
Positions
Optionality

Lodging Folio Number

The itemized statement of charges/credits incurred during a lodging stay.

X(12)

274-285

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 14

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(8)

286-293

Presentment:

Outclear: Filler
Inclear: Filler

Second Presentment:

Outclear: Filler
Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 15

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(8)

294-301

Presentment:

Outclear: Filler
Inclear: Filler

Second Presentment:

Outclear: Filler
Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 16

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(15)

302-316

Presentment:

Outclear: Filler
Inclear: Filler

Second Presentment:

Outclear: Filler
Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 17

Definition

Lodging Room Rate 2

Lodging Addendum

The nightly rate for one room, also known as the per diem rate, charged for a stay in a lodging establishment.

Travel/Cruise Addendum

This is the total cost of the cruise.

Format

9(15)

Positions

317-331

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 18

Definition

Lodging Room Rate 3

Lodging Addendum

The nightly rate for one room, also known as the per diem rate, charged for a stay in a lodging establishment.

Travel/Cruise Addendum

This is the total cost of the cruise.

Format

9(15)

Positions

332-346

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 19

Definition

Number of Nights at Room Rate 1

Lodging Addendum

The number of nights lodging at a specified room rate.

Travel/Cruise Addendum

This is the length of the cruise in days.

Format

9(2)

Positions

347-348

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 20

Number of Nights at Room Rate 2

Definition

Lodging Addendum
The number of nights lodging at a specified room rate.
Travel/Cruise Addendum

Format

This is the length of the cruise in days.

Positions

9(2)

Optionality

349-350

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 21

Number of Nights at Room Rate 3

Definition

Lodging Addendum
The number of nights lodging at a specified room rate.
Travel/Cruise Addendum

Format

This is the length of the cruise in days.

Positions

9(2)

Optionality

351-352

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 22

Filler

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(570)

Positions

353-922

Optionality

Presentment:

Outclear: Filler
Inclear: Filler

Second Presentment:

Outclear: Filler
Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 23

Definition

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

Format

X(2)

Positions

923-924

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 11 = Lodging

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 24

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(13)

Positions

925-937

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 25

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 26

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(65)

941-1005

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 27

Definition

Format

Positions

Optionality

Notes

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

9(15)

1006-1020

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 28

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 29

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 30

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(239)

Positions

1040-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 31

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 32

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(82)

Positions

1319-1400

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Rail Industry Specific Detail (9240/9340)

Description

The Rail Industry Specific Detail message fields contain more data for a rail Transaction. If the Format Code included in the 1240 Presentment message is 06, the Rail addendum must be sent with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Rail Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Rail Industry Specific Detail \(9240/9340\) on page 4-87](#) for more instruction.

Rail Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(20)	201-220	O	O	O	O	Arrival Rail Station Name 1
5	X(20)	221-240	O	O	O	O	Arrival Rail Station Name 2
6	X(20)	241-260	O	O	O	O	Arrival Rail Station Name 3
7	X(20)	261-280	O	O	O	O	Arrival Rail Station Name 4
8	X(14)	281-294	O	O	O	O	Ticket Number
9	X(20)	295-314	O	O	O	O	Departure Rail Station Name 1
10	9(8)	315-322	O	O	O	O	Departure Date 1
11	X(20)	323-342	O	O	O	O	Departure Rail Station Name 2
12	9(8)	343-350	O	O	O	O	Departure Date 2
13	X(20)	351-370	O	O	O	O	Departure Rail Station Name 3
14	9(8)	371-378	O	O	O	O	Departure Date 3
15	X(20)	379-398	O	O	O	O	Departure Rail Station Name 4
16	9(8)	399-406	O	O	O	O	Departure Date 4
17	X(403)	407-809	F	F	F	F	Filler
18	X(3)	810-812	O	O	O	O	Travel Transaction Type Code

Rail Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
19	X(25)	813-837	O	O	O	O	Passenger Name
20	X(3)	838-840	O	O	O	O	IATA Carrier Code
21	X(32)	841-872	O	O	O	O	Ticket Issuer Name
22	X(18)	873-890	O	O	O	O	Ticket Issue City
23	X(32)	891-922	F	F	F	F	Filler
24	X(2)	923-924	M	M	M	M	Format Code
25	X(13)	925-937	F	F	F	F	Filler
26	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
27	X(65)	941-1005	F	F	F	F	Filler
28	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
29	X(11)	1021-1031	F	F	F	F	Filler
30	9(8)	1032-1039	M	M	M	M	Message Number
31	X(239)	1040-1278	F	F	F	F	Filler
32	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
33	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Rail Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Values:

- 9240 goes with a 1240 message
- 9340 goes with a 1340 message

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(194)
Positions	7-200
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 4

Arrival Rail Station Name 1

Definition	The name of the rail station's location associated with a rail ticket purchase.
Format	X(20)
Positions	201-220
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 5

Arrival Rail Station Name 2

Definition	The name of the rail station's location associated with a rail ticket purchase.
Format	X(20)
Positions	221-240
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 6

Definition
Format
Positions
Optionality

Arrival Rail Station Name 3

The name of the rail station's location associated with a rail ticket purchase.

X(20)

241-260

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 7

Definition
Format
Positions
Optionality

Arrival Rail Station Name 4

The name of the rail station's location associated with a rail ticket purchase.

X(20)

261-280

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 8

Definition
Format
Positions
Optionality

Ticket Number

Identifies the travel ticket for the Transaction.

X(14)

281-294

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 9

Definition
Format
Positions
Optionality

Departure Rail Station Name 1

The location name of the departure rail station associated with a rail ticket purchase.

X(20)

295-314

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Departure Date 1

The departure date for a segment of a trip.

9(8) CCYYMMDD

315-322

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11

Definition
Format
Positions
Optionality

Departure Rail Station Name 2

The location name of the departure rail station associated with a rail ticket purchase.

X(20)

323-342

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 12

Definition
Format
Positions
Optionality

Departure Date 2

The departure date for a segment of a trip.

9(8) CCYYMMDD

343-350

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 13

Definition
Format
Positions
Optionality

Departure Rail Station Name 3

The location name of the departure rail station associated with a rail ticket purchase.

X(20)

351-370

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 14

Definition
Format
Positions
Optionality

Departure Date 3

The departure date for a segment of a trip.

9(8) CCYYMMDD

371-378

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 15

Definition
Format
Positions
Optionality

Departure Rail Station Name 4

The location name of the departure rail station associated with a rail ticket purchase.

X(20)

379-398

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 16

Definition
Format
Positions
Optionality

Departure Date 4

The departure date for a segment of a trip.

9(8) CCYYMMDD

399-406

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 17

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(403)

407-809

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 18 **Travel Transaction Type Code**

Definition	Classifies the type of charge used in an airline or rail Transaction.
Format	X(3)
Positions	810-812
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the Travel Transaction Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 19 **Passenger Name**

Definition	The name of the passenger. This could be different from the Cardmember name.
Format	X(25)
Positions	813-837
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 20 **IATA Carrier Code**

Definition	The International Air Transportation Association (IATA) Carrier Code of the agency that sold and ticketed the travel. It may, but does not necessarily, indicate the transportation provider that travel was completed on.
Format	X(3)
Positions	838-840
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Carrier codes. Example: American Airlines = AA~

Field 21 **Ticket Issuer Name**

Definition	The name of the Card Acceptor that issued the ticket.
Format	X(32)
Positions	841-872
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 22

Definition
Format
Positions
Optionality

Ticket Issue City

The name of the city where the ticket was issued.

X(18)

873-890

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 23

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(32)

891-922

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 24

Definition
Format
Positions
Optionality

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

X(2)

923-924

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 06 = Rail

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 25

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(13)

925-937

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Rail Industry Specific Detail (9240/9340)
Field 26 Message Transaction Sequence Number Message Layout

Field 26

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 27

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	941-1005
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 28

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment: Outclear: Filler Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.

Field 29

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 30

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 31

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(239)

1040-1278

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 32

Definition

Format

Positions

Optionality

Notes

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

1279-1318

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 33	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Restaurant Industry Specific Detail (9240/9340)

Description

The Restaurant Industry Specific Detail message fields contain more data for a restaurant Transaction. If the Format Code included in the 1240 Presentment message is 12, the Restaurant addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Restaurant Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Restaurant Industry Specific Detail \(9240/9340\) on page 4-98](#) for more instruction.

Restaurant Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(20)	201-220	O	O	O	O	Restaurant Item Description 1
5	9(15)	221-235	O	O	O	O	Restaurant Item Amount 1
6	X(20)	236-255	O	O	O	O	Restaurant Item Description 2
7	9(15)	256-270	O	O	O	O	Restaurant Item Amount 2
8	X(20)	271-290	O	O	O	O	Restaurant Item Description 3
9	9(15)	291-305	O	O	O	O	Restaurant Item Amount 3
10	X(20)	306-325	O	O	O	O	Restaurant Item Description 4
11	9(15)	326-340	O	O	O	O	Restaurant Item Amount 4
12	X(582)	341-922	F	F	F	F	Filler
13	X(2)	923-924	M	M	M	M	Format Code
14	X(13)	925-937	F	F	F	F	Filler
15	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
16	X(65)	941-1005	F	F	F	F	Filler
17	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
18	X(11)	1021-1031	F	F	F	F	Filler
19	9(8)	1032-1039	M	M	M	M	Message Number

Restaurant Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
20	X(239)	1040-1278	F	F	F	F	Filler
21	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
22	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Restaurant Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(194)

7-200

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 4

Definition**Format****Positions****Optionality**

Restaurant Item Description 1

The description that corresponds to a restaurant charge item.

X(20)

201-220

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 5

Definition**Format****Positions****Optionality**

Restaurant Item Amount 1

The amount of a restaurant item represented in First Presentment Presentment Currency and Decimalization.

9(15)

221-235

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 6

Definition**Format****Positions****Optionality**

Restaurant Item Description 2

The description that corresponds to a restaurant charge item.

X(20)

236-255

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 7

Definition

Restaurant Item Amount 2

The amount of a restaurant item represented in First Presentment Presentment Currency and Decimalization.

Format

9(15)

Positions

256-270

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 8

Definition

Restaurant Item Description 3

The description that corresponds to a restaurant charge item.

Format

X(20)

Positions

271-290

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition

Restaurant Item Amount 3

The amount of a restaurant item represented in First Presentment Presentment Currency and Decimalization.

Format

9(15)

Positions

291-305

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition

Restaurant Item Description 4

The description that corresponds to a restaurant charge item.

Format

X(20)

Positions

306-325

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11	Restaurant Item Amount 4
Definition	The amount of a restaurant item represented in First Presentment Presentment Currency and Decimalization.
Format	9(15)
Positions	326-340
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 12	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(582)
Positions	341-922
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 13	Format Code
Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 12 = Restaurant Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 14	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(13)
Positions	925-937
Optionality	Presentment: Outclear: Filler Inclear: Filler

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Restaurant Industry Specific Detail (9240/9340)
Field 15 Message Transaction Sequence Number Message Layout

Second Presentment:	
Outclear: Filler	
IncLEAR: Filler	
Notes	Alphanumeric Filler fields must contain spaces.
Field 15	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Presentment:
	Outclear: Mandatory
	IncLEAR: Mandatory
	Second Presentment:
	Outclear: Mandatory
	IncLEAR: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 16	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	941-1005
Optionality	Presentment:
	Outclear: Filler
	IncLEAR: Filler
	Second Presentment:
	Outclear: Filler
	IncLEAR: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 17	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment:
	Outclear: Filler
	IncLEAR: Mandatory
	Second Presentment:
	Outclear: Mandatory
	IncLEAR: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.

Field 18

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(11)

Positions

1021-1031

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 19

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 20

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(239)

Positions

1040-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 21

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 22	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Retail Industry Specific Detail (9240/9340)

Description

The Retail Industry Specific Detail message fields contain more data for a department store or other retail Transaction. If the Format Code included in the 1240 Presentment message is 02, the Retail addendum must be submitted with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Retail Industry Specific Detail (9240/9340). Refer to the [Programming Notes for Retail Industry Specific Detail \(9240/9340\) on page 4-106](#) for more instruction.

Retail Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(194)	7-200	F	F	F	F	Filler
4	X(40)	201-240	O	O	O	O	Retail Department Name
5	X(19)	241-259	O	O	O	O	Retail Item Description 1
6	9(3)	260-262	O	O	O	O	Retail Item Quantity 1
7	9(11)	263-273	O	O	O	O	Retail Item Amount 1
8	X(19)	274-292	O	O	O	O	Retail Item Description 2
9	9(3)	293-295	O	O	O	O	Retail Item Quantity 2
10	9(11)	296-306	O	O	O	O	Retail Item Amount 2
11	X(19)	307-325	O	O	O	O	Retail Item Description 3
12	9(3)	326-328	O	O	O	O	Retail Item Quantity 3
13	9(11)	329-339	O	O	O	O	Retail Item Amount 3
14	X(19)	340-358	O	O	O	O	Retail Item Description 4
15	9(3)	359-361	O	O	O	O	Retail Item Quantity 4
16	9(11)	362-372	O	O	O	O	Retail Item Amount 4
17	X(19)	373-391	O	O	O	O	Retail Item Description 5
18	9(3)	392-394	O	O	O	O	Retail Item Quantity 5
19	9(11)	395-405	O	O	O	O	Retail Item Amount 5

Retail Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
20	X(19)	406-424	O	O	O	O	Retail Item Description 6
21	9(3)	425-427	O	O	O	O	Retail Item Quantity 6
22	9(11)	428-438	O	O	O	O	Retail Item Amount 6
23	X(484)	439-922	F	F	F	F	Filler
24	X(2)	923-924	M	M	M	M	Format Code
25	X(13)	925-937	F	F	F	F	Filler
26	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
27	X(65)	941-1005	F	F	F	F	Filler
28	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
29	X(11)	1021-1031	F	F	F	F	Filler
30	9(8)	1032-1039	M	M	M	M	Message Number
31	X(239)	1040-1278	F	F	F	F	Filler
32	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
33	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Retail Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Values:

- 9240 goes with a 1240 message
- 9340 goes with a 1340 message

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Definition
Format
Positions
Optionality

Addenda Type Code

A specific type of addendum message.

X(2)

5-6

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 03 = Industry Specific Detail Addenda

Refer to the Addenda Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 3

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(194)

7-200

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 4

Definition
Format
Positions
Optionality

Retail Department Name

The retail store sales department name where the Transaction occurred.

X(40)

201-240

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 5

Definition
Format
Positions
Optionality

Retail Item Description 1

The description of the retail item purchased.

X(19)

241-259

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 6

Definition
Format
Positions
Optionality

Retail Item Quantity 1

The number of retail items purchased in the Transaction.

9(3)

260-262

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 7

Definition
Format
Positions
Optionality

Retail Item Amount 1

The unit cost of one retail item in First Presentment Presentment Currency and Decimalization.

9(11)

263-273

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 8

Definition
Format
Positions
Optionality

Retail Item Description 2

The description of the retail item purchased.

X(19)

274-292

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition
Format
Positions
Optionality

Retail Item Quantity 2

The number of retail items purchased in the Transaction.

9(3)

293-295

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Retail Item Amount 2

The unit cost of one retail item in First Presentment Presentment Currency and Decimalization.

9(11)

296-306

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 11

Definition
Format
Positions
Optionality

Retail Item Description 3

The description of the retail item purchased.

X(19)

307-325

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 12

Definition
Format
Positions
Optionality

Retail Item Quantity 3

The number of retail items purchased in the Transaction.

9(3)

326-328

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 13

Definition
Format
Positions
Optionality

Retail Item Amount 3

The unit cost of one retail item in First Presentment Presentment Currency and Decimalization.

9(11)

329-339

Presentment:

Outclear: Optional
Inclear: Optional

Second Presentment:

Outclear: Optional
Inclear: Optional

Field 14

Definition
Format
Positions
Optionality

Retail Item Description 4

The description of the retail item purchased.

X(19)

340-358

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 15

Definition
Format
Positions
Optionality

Retail Item Quantity 4

The number of retail items purchased in the Transaction.

9(3)

359-361

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 16

Definition
Format
Positions
Optionality

Retail Item Amount 4

The unit cost of one retail item in First Presentment Presentment Currency and Decimalization.

9(11)

362-372

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 17

Definition
Format
Positions
Optionality

Retail Item Description 5

The description of the retail item purchased.

X(19)

373-391

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 18

Definition
Format
Positions
Optionality

Retail Item Quantity 5

The number of retail items purchased in the Transaction.

9(3)

392-394

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 19

Definition
Format
Positions
Optionality

Retail Item Amount 5

The unit cost of one retail item in First Presentment Presentment Currency and Decimalization.

9(11)

395-405

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 20

Definition
Format
Positions
Optionality

Retail Item Description 6

The description of the retail item purchased.

X(19)

406-424

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 21

Definition
Format
Positions
Optionality

Retail Item Quantity 6

The number of retail items purchased in the Transaction.

9(3)

425-427

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 22

Definition
Format
Positions
Optionality

Retail Item Amount 6

The unit cost of one retail item in First Presentment Presentment Currency and Decimalization.

9(11)

428-438

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 23

Definition

Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(484)

439-922

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 24

Definition

Format
Positions
Optionality

Format Code

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

X(2)

923-924

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 02 = Retail

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 25

Definition

Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(13)

925-937

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Retail Industry Specific Detail (9240/9340)
Field 26 Message Transaction Sequence Number Message Layout

Field 26

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Presentment: Outclear: Mandatory IncLEAR: Mandatory Second Presentment: Outclear: Mandatory IncLEAR: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 27

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	941-1005
Optionality	Presentment: Outclear: Filler IncLEAR: Filler Second Presentment: Outclear: Filler IncLEAR: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 28

Transaction Identifier (TID)

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment: Outclear: Filler IncLEAR: Mandatory Second Presentment: Outclear: Mandatory IncLEAR: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.

Field 29

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 30

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 31

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(239)

1040-1278

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 32

Definition

Format

Positions

Optionality

Notes

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

1279-1318

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 33	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Travel/Cruise Industry Specific Detail (9240/9340)

Description

The Travel/Cruise Industry Specific Detail message fields contain more data for a Travel/Cruise Transaction. If the Format Code included in the 1240 Presentment message is 14, the Travel/Cruise addendum must be sent with the Presentment.

Note: Each First and Second Presentment can have multiple addenda records, but can have only one Industry Specific Detail Addendum record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Travel/Cruise Industry Specific Data (9240/9340). Refer to the [Programming Notes for Travel/Cruise Industry Specific Detail \(9240/9340\)](#) on page 4-118 for more instruction.

Travel/Cruise Industry Specific Detail (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(7)	7-13	F	F	F	F	Filler
4	X(1)	14	O	O	O	O	Package Indicator
5	X(8)	15-22	O	O	O	O	Travel Agency Number
6	X(25)	23-47	O	O	O	O	Passenger Name
7	9(8)	48-55	O	O	O	O	Departure Date 1
8	9(8)	56-63	O	O	O	O	Departure Date 2
9	9(8)	64-71	O	O	O	O	Departure Date 3
10	9(8)	72-79	O	O	O	O	Departure Date 4
11	X(3)	80-82	O	O	O	O	Destination Location Code 1
12	X(3)	83-85	O	O	O	O	Destination Location Code 2
13	X(3)	86-88	O	O	O	O	Destination Location Code 3
14	X(3)	89-91	O	O	O	O	Destination Location Code 4
15	X(2)	92-93	O	O	O	O	Carrier Code Segment 1
16	X(2)	94-95	O	O	O	O	Carrier Code Segment 2
17	X(2)	96-97	O	O	O	O	Carrier Code Segment 3
18	X(2)	98-99	O	O	O	O	Carrier Code Segment 4

Travel/Cruise Industry Specific Detail (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
19	X(4)	100-103	O	O	O	O	Flight Number 1
20	X(4)	104-107	O	O	O	O	Flight Number 2
21	X(4)	108-111	O	O	O	O	Flight Number 3
22	X(4)	112-115	O	O	O	O	Flight Number 4
23	X(2)	116-117	O	O	O	O	Class Of Service Code 1
24	X(2)	118-119	O	O	O	O	Class Of Service Code 2
25	X(2)	120-121	O	O	O	O	Class Of Service Code 3
26	X(2)	122-123	O	O	O	O	Class Of Service Code 4
27	9(8)	124-131	O	O	O	O	Lodging Check In Date
28	9(8)	132-139	O	O	O	O	Lodging Check Out Date
29	9(15)	140-154	O	O	O	O	Lodging Room Rate 1-3
30	9(2)	155-156	O	O	O	O	Number of Nights at Room Rate 1-3
31	X(20)	157-176	O	O	O	O	Card Acceptor Name
32	X(3)	177-179	O	O	O	O	Card Acceptor Region Code
33	X(3)	180-182	O	O	O	O	Card Acceptor Country Code
34	X(18)	183-200	O	O	O	O	Card Acceptor City
35	X(3)	201-203	O	O	O	O	IATA Carrier Code
36	X(14)	204-217	O	O	O	O	Ticket Number
37	X(705)	218-922	F	F	F	F	Filler
38	X(2)	923-924	M	M	M	M	Format Code
39	X(13)	925-937	F	F	F	F	Filler
40	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
41	X(65)	941-1005	F	F	F	F	Filler
42	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
43	X(11)	1021-1031	F	F	F	F	Filler
44	9(8)	1032-1039	M	M	M	M	Message Number
45	X(239)	1040-1278	F	F	F	F	Filler
46	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
47	X(82)	1319-1400	F	F	F	F	Filler

Programming Notes for Travel/Cruise Industry Specific Detail (9240/9340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Values: 9240 goes with a 1240 message 9340 goes with a 1340 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 03 = Industry Specific Detail Addenda Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(7)
Positions	7-13
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 4

Package Indicator

Definition	The type of package the agent is booking.
Format	X(1)
Positions	14
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Valid Values: • A = Airline Only • B = Both Car and Airline • C = Car Only • N = Unknown

Field 5

Travel Agency Number

Definition	The industry assigned identifier for a travel agency. Must be a valid IATA Travel Agency Identifier.
Format	X(8)
Positions	15-22
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Travel Agency Identifier Codes.

Field 6

Passenger Name

Definition	The name of the passenger. This could be different from the Cardmember name.
Format	X(25) Surname, Initial, Title
Positions	23-47
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 7

Departure Date 1

Definition	The departure date for a segment of a trip.
Format	9(8) CCYYMMDD
Positions	48-55
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 8

Definition
Format
Positions
Optionality

Departure Date 2

The departure date for a segment of a trip.

9(8) CCYYMMDD

56-63

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition
Format
Positions
Optionality

Departure Date 3

The departure date for a segment of a trip.

9(8) CCYYMMDD

64-71

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Departure Date 4

The departure date for a segment of a trip.

9(8) CCYYMMDD

72-79

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11

Definition
Format
Positions
Optionality

Destination Location Code 1

The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.

X(3)

80-82

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 12

Destination Location Code 2

Definition	The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	83-85
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 13

Destination Location Code 3

Definition	The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	86-88
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 14

Destination Location Code 4

Definition	The IATA Travel Point Code of the destination location (e.g., airport, rail terminal, or city), or a three-digit code of "ZZZ" for a non-IATA travel point.
Format	X(3)
Positions	89-91
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 15

Carrier Code Segment 1

Definition	The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.
Format	X(2)
Positions	92-93
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 16

Definition

Carrier Code Segment 2

The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.

Format

X(2)

Positions

94-95

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 17

Definition

Carrier Code Segment 3

The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.

Format

X(2)

Positions

96-97

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 18

Definition

Carrier Code Segment 4

The IATA Carrier Code of the transportation provider for each segment of travel or a three-digit code of "YY" and a space for a non-IATA carrier.

Format

X(2)

Positions

98-99

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Refer to the IATA Airline Coding Directory for valid IATA Carrier Codes.

Field 19

Definition

Flight Number 1

The flight number, as defined by the carrier for each segment of travel.

Format

X(4)

Positions

100-103

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 20

Definition
Format
Positions
Optionality

Flight Number 2

The flight number, as defined by the carrier for each segment of travel.

X(4)

104-107

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 21

Definition
Format
Positions
Optionality

Flight Number 3

The flight number, as defined by the carrier for each segment of travel.

X(4)

108-111

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 22

Definition
Format
Positions
Optionality

Flight Number 4

The flight number, as defined by the carrier for each segment of travel.

X(4)

112-115

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 23

Definition

Format
Positions
Optionality

Class Of Service Code 1

Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment. Refer to the Class of Service Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(2)

116-117

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 24

Class Of Service Code 2

Definition	Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment. Refer to the Class of Service Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(2)
Positions	118-119
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 25

Class Of Service Code 3

Definition	Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment. Refer to the Class of Service Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(2)
Positions	120-121
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 26

Class Of Service Code 4

Definition	Assigned by the Carrier that corresponds to the fare class (e.g. A, B, etc.) in the class of service (e.g., First Class) applicable to this travel segment. Refer to the Class of Service Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(2)
Positions	122-123
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 27

Lodging Check In Date

Definition	Lodging Addendum The actual date the guest checked into the lodging establishment. Travel/Cruise Addendum This is the cruise departure date, also known as the sail date.
Format	9(8) CCYYMMDD
Positions	124-131
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 28

Definition

Lodging Check Out Date

Lodging Addendum

The actual date the guest checked out of the lodging establishment.

Travel/Cruise Addendum

This is the cruise return date, also known as the sail end date.

Format

9(8) CCYYMMDD

Positions

132-139

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 29

Definition

Lodging Room Rate 1-3

Lodging Addendum

The nightly rate for one room, also known as the per diem rate, charged for a stay in a lodging establishment.

Travel/Cruise Addendum

This is the total cost of the cruise.

Format

9(15)

Positions

140-154

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 30

Definition

Number of Nights at Room Rate 1-3

Lodging Addendum

The number of nights lodging at a specified room rate.

Travel/Cruise Addendum

This is the length of the cruise in days.

Format

9(2)

Positions

155-156

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 31

Definition
Format
Positions
Optionality

Card Acceptor Name

The name of the Card Acceptor, also know as Service Establishment (S/E).

X(20)

157-176

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 32

Definition
Format
Positions
Optionality

Card Acceptor Region Code

A code for the state, province, or region of the Card Acceptor location.

X(3)

177-179

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 33

Definition
Format
Positions
Optionality

Card Acceptor Country Code

The Country Code of the Card Acceptor location.

X(3)

180-182

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 34

Definition
Format
Positions
Optionality

Card Acceptor City

The city name of the Card Acceptor location.

X(18)

183-200

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 35

IATA Carrier Code

Definition	The International Air Transportation Association (IATA) Carrier Code of the agency that sold and ticketed the travel. It may, but does not necessarily, indicate the transportation provider that travel was completed on.
Format	X(3)
Positions	201-203
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Refer to the IATA Airline Coding Directory for valid IATA Carrier codes. Example: American Airlines = AA~

Field 36

Ticket Number

Definition	Identifies the travel ticket for the Transaction.
Format	X(14)
Positions	204-217
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 37

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(705)
Positions	218-922
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 38

Definition

The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).

Format

X(2)

Positions

923-924

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Value: 14 = Travel/Cruise

Refer to the Format Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 39

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(13)

Positions

925-937

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 40

Definition

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 41	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	941-1005
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 42	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment: Outclear: Filler Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.
Field 43	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1021-1031
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 44	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory

Field 45

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(239)

Positions

1040-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 46

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 47

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(82)

Positions

1319-1400

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Deferred Payment Plan (9240/9340)

Description

The Deferred Payment Plan (DPP) addendum is used when the Issuer has a deferred payment plan for their Cardmembers. Field 114, Extended Payment Data positions 1021-1022 of the POS First Presentment (1240) message must contain a value greater than 01.

The fields in the Deferred Payment Plan Addendum message contain more data for a Deferred Payment Plan Transaction.

Important

The Network sends a DPP addendum to Issuers certified to receive it.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Deferred Payment Plan. Refer to the [Programming Notes for Deferred Payment Plan \(9240/9340\)](#) on page 4-132 for more instruction.

Deferred Payment Plan (9240/9340) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(518)	7-524	F	F	F	F	Filler
4	9(15)	525-539	C	C	C	C	Full Transaction Amount
5	X(4)	540-543	M	C	C	C	Type of Plan Code
6	9(4)	544-547	C	C	C	C	Number of Installments
7	9(15)	548-562	C	C	C	C	Amount of Installment
8	9(4)	563-566	C	C	C	C	Installment Number
9	X(14)	567-580	C	C	C	C	Contract Number
10	X(2)	581-582	O	O	O	O	Payment Type Code 1
11	9(15)	583-597	C	C	C	C	Payment Type Amount 1
12	X(2)	598-599	O	O	O	O	Payment Type Code 2
13	9(15)	600-614	C	C	C	C	Payment Type Amount 2
14	X(2)	615-616	O	O	O	O	Payment Type Code 3
15	9(15)	617-631	C	C	C	C	Payment Type Amount 3
16	X(2)	632-633	O	O	O	O	Payment Type Code 4

Deferred Payment Plan (9240/9340) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
17	9(15)	634-648	C	C	C	C	Payment Type Amount 4
18	X(2)	649-650	O	O	O	O	Payment Type Code 5
19	9(15)	651-665	C	C	C	C	Payment Type Amount 5
20	X(272)	666-937	F	F	F	F	Filler
21	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
22	X(40)	941-980	O	O	O	O	Additional Data
23	X(25)	981-1005	F	F	F	F	Filler
24	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
25	X(11)	1021-1031	F	F	F	F	Filler
26	9(8)	1032-1039	M	M	M	M	Message Number
27	X(239)	1040-1278	F	F	F	F	Filler
28	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
29	X(1)	1319	F/C	F/C	F/C	F/C	Filler/Special Payment Type Indicator
30	X(3)	1320-1322	F	F	F	F	Reserved Field
31	X(78)	1323-1400	F	F	F	F	Filler

Programming Notes for Deferred Payment Plan (9240/9340)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Required Values:

- 9240 goes with a 1240 message
- 9340 goes with a 1340 message

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition A specific type of addendum message.
Format X(2)
Positions 5-6
Optionality

Presentment:

Outclear: Mandatory
Inclear: Mandatory

Second Presentment:

Outclear: Mandatory
Inclear: Mandatory

Notes **Required Value:** 02 = Deferred Payment Plan

Refer to the Addenda Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 3

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(518)
Positions 7-524
Optionality

Presentment:

Outclear: Filler
Inclear: Filler

Second Presentment:

Outclear: Filler
Inclear: Filler

Notes Alphanumeric Filler fields must contain spaces.

Field 4

Full Transaction Amount

Definition This field contains the total sale amount plus applicable taxes and tips.
Format 9(15)
Positions 525-539
Optionality

Presentment:

Outclear: Conditional
Inclear: Conditional

Second Presentment:

Outclear: Conditional
Inclear: Conditional

Field 5

Type of Plan Code

Definition The type of payment plan offered to the Cardmember.
Format X(4)
Positions 540-543
Optionality

Presentment:

Outclear: Mandatory
Inclear: Conditional

Second Presentment:

Outclear: Conditional
Inclear: Conditional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Deferred Payment Plan (9240/9340)
Field 6 Number of Installments Message Layout

Notes

Valid Values:

- 0003 = Acquirer sponsored plan
- 0005 = Issuer sponsored plan

Refer to the Type of Plan Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6

Number of Installments

Definition

The total number of installments requested or agreed to between the Acquirer/Issuer and the Cardmember.

Format

9(4)

Positions

544-547

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Valid Values: 0002 - 0099

Field 7

Amount of Installment

Definition

The amount of the installment in the currency and decimalization of the Transaction Amount. It is the base installment amount including prorated tax and tips plus applicable finance charge.

Format

9(15)

Positions

548-562

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Acquirer Valid Value: If Field 5, Type of Plan Code = 0003, this field should contain a value.

The Network rejects this message if the total of the Amount of Installment (Field 7) and the Payment Type Amounts (Fields 11, 13, 15, 17, and 19) is not the same as the Transaction Amount (Field 5) on the POS First and Second Presentment (1240) message.

Field 8

Installment Number

Definition

The number of this installment (e.g., the third installment payment).

Format

9(4)

Positions

563-566

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Acquirer Valid Value: 0001 - 0099 (If Field 5, Type of Plan Code = 0003)

Issuer Valid Value: 0001 (If Field 5, Type of Plan Code = 0005)

Field 9

Contract Number

Definition	The contract number of this installment agreement.
Format	X(14)
Positions	567-580
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: Must contain a value when the Type of Plan Code (Field 5) =0003.

Field 10

Payment Type Code 1

Definition	The type of charge included in the First Presentment transaction amount and the installment amount.
Format	X(2)
Positions	581-582
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	This field should contain a value if Type of Plan Code (Field 5) = 0003. Valid Values: • 01 = down payment • 02 = airport taxes • 03 = airport fees

Field 11

Payment Type Amount 1

Definition	The installment payment amount.
Format	9(15)
Positions	583-597
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: If Payment Type Code 1 (Field 10) contains a valid value, this field must contain an amount in the same currency and decimalization as the Transaction Amount (Field 5) on the POS First Presentment (1240) message. It must be greater than zero.

Field 12

Definition
Format
Positions
Optionality

Payment Type Code 2

The type of charge included in the First Presentment transaction amount and the installment amount.

X(2)

598-599

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

This field should contain a value if Type of Plan Code (Field 5) = 0003.

Valid Values:

- 01 = down payment
- 02 = airport taxes
- 03 = airport fees

Field 13

Definition
Format
Positions
Optionality

Payment Type Amount 2

The installment payment amount.

9(15)

600-614

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Notes

Required Value: If Payment Type Code 2 (Field 12) contains a valid value, this field must contain an amount in the same currency and decimalization as the Transaction Amount (Field 5) on the POS First Presentment (1240) message. It must be greater than zero.

Field 14

Definition
Format
Positions
Optionality

Payment Type Code 3

The type of charge included in the First Presentment transaction amount and the installment amount.

X(2)

615-616

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

This field should contain a value if Type of Plan Code (Field 5) = 0003.

Valid Values:

- 01 = down payment
- 02 = airport taxes
- 03 = airport fees

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Deferred Payment Plan (9240/9340)
Field 15 Payment Type Amount 3 Message Layout

Field 15

Payment Type Amount 3

Definition	The installment payment amount.
Format	9(15)
Positions	617-631
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: If Payment Type Code 3 (Field 14) contains a valid value, this field must contain an amount in the same currency and decimalization as the Transaction Amount (Field 5) on the POS First Presentment (1240) message. It must be greater than zero.

Field 16

Payment Type Code 4

Definition	The type of charge included in the First Presentment transaction amount and the installment amount.
Format	X(2)
Positions	632-633
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	This field should contain a value if Type of Plan Code (Field 5) = 0003. Valid Values: • 01 = down payment • 02 = airport taxes • 03 = airport fees

Field 17

Payment Type Amount 4

Definition	The installment payment amount.
Format	9(15)
Positions	634-648
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: If Payment Type Code 4 (Field 16) contains a valid value, this field must contain an amount in the same currency and decimalization as the Transaction Amount (Field 5) on the POS First Presentment (1240) message. It must be greater than zero.

Field 18

Payment Type Code 5

Definition	The type of charge included in the First Presentment transaction amount and the installment amount.
Format	X(2)
Positions	649-650
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	This field should contain a value if Type of Plan Code (Field 5) = 0003. Valid Values: • 01 = down payment • 02 = airport taxes • 03 = airport fees

Field 19

Payment Type Amount 5

Definition	The installment payment amount.
Format	9(15)
Positions	651-665
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: If Payment Type Code 5 (Field 18) contains a valid value, this field must contain an amount in the same currency and decimalization as the Transaction Amount (Field 5) on the POS First Presentment (1240) message. It must be greater than zero.

Field 20

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(272)
Positions	666-937
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Deferred Payment Plan (9240/9340)
Field 21 Message Transaction Sequence Number Message Layout

Field 21	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 22	Additional Data
Definition	Pre-arranged, additional Deferred Payment Plan data passed from an Acquirer to an Issuer.
Format	X(40)
Positions	941-1005
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Alphanumeric Filler fields must contain spaces.
Field 23	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(25)
Positions	981-1005
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Deferred Payment Plan (9240/9340)
Field 24 Transaction Identifier (TID) Message Layout

Field 24	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Presentment: Outclear: Filler Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.
Field 25	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1021-1031
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 26	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Presentment: Outclear: Filler Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Field 27	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(239)
Positions	1040-1278
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 28

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational. Second Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 29

Filler/Special Payment Type Indicator

Definition	A multi-use field, which can have a space value or a Special Payment Type Indicator which is only available to Acquirers supporting and Issuers certified to receive the Special Payment Type Indicator. The Special Payment Type Indicator provides additional information in support of the Deferred Payment Plan Addendum by identifying if a Transaction includes multiple installment payments. The Special Payment Type Indicator is conditional as follows: • Amount of installment (Transaction Amount) includes multiple installment payments • Acquirer provides Special Payment Type Indicator • Issuer certified to receive Special Payment Type Indicator
Format	X(1)
Positions	1319
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Values: • Space = default (space value to be provided if multiple installment payments is not applicable or Issuer is not certified to receive). • 1 = Special Payment Type Indicator (if Transaction qualifies as a multiple installment payment Transaction)

Field 30

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	1320-1322
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 31	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(78)
Positions	1323-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Double Byte Character (9240)

Description

The Double Byte Character (DBC) addendum is sent with First and Second Presentments in countries where Cardmember statements must be in the local language. Acquirers in some countries send the Card Acceptor name and address in the local language character set to the Issuers in the same country who have contracted to receive it. The Network sends the DBC addenda to certified Issuers when the Transaction occurred in the Issuer's domicile country.

Conditions

The Acquirer sends the Card Acceptor name and/or up to four lines of Card Acceptor address in the DBC addendum. These conditions apply:

- The addendum can only contain EBCDIC double byte character sets.
- The addendum is not formatted into Cardmember statement print lines. The Issuer can use the DBC addendum fields to format and generate statement lines as necessary.
- The addendum does not contain shift in and shift out characters to show the start or end of DBC fields.
- The addendum is not passed to the Issuer if the Issuer has not been certified to receive it. The Network will pass the Presentment message.
- The addendum is not passed to the Issuer if the certified Acquirer does not attach it to the Presentment. The Network will pass the Presentment message without the DBC addendum.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Double Byte Character. Refer to the [Programming Notes for Double Byte Character \(9240\)](#) on page 4-144 for more instruction.

Double Byte Character (9240) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(2)	7-8	M	M	M	M	Language Code
4	G ¹ (35)	9-78	C	C	C	C	Double Byte Character Card Acceptor Name
5	G(35)	79-148	C	C	C	C	Double Byte Character Card Acceptor Address Line 1

Double Byte Character (9240) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
6	G(35)	149-218	C	C	C	C	Double Byte Character Card Acceptor Address Line 2
7	G(35)	219-288	C	C	C	C	Double Byte Character Card Acceptor Address Line 3
8	G(35)	289-358	C	C	C	C	Double Byte Character Card Acceptor Address Line 4
9	X(579)	359-937	F	F	F	F	Filler
10	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
11	X(65)	941-1005	F	F	F	F	Filler
12	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
13	X(11)	1021-1031	F	F	F	F	Filler
14	9(8)	1032-1039	M	M	M	M	Message Number
15	X(239)	1040-1278	F	F	F	F	Filler
16	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
17	X(82)	1319-1400	F	F	F	F	Filler

1. G = Graphic (two bytes of data that represent each graphic character)

Programming Notes for Double Byte Character (9240)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inc clear: Mandatory Second Presentment: Outclear: Mandatory Inc clear: Mandatory
Notes	Required Value: 9240 goes with a 1240 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 08 = Double Byte Character Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Language Code

Definition	Used to define the specific language or Double Byte Character language.
Format	X(2)
Positions	7-8
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Refer to the Language Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 4

Double Byte Character Card Acceptor Name

Definition	The name of the Card Acceptor/Service Establishment as it is known to the Cardmember represented in the local language and character set where the Transaction occurred.
Format	G(35)
Positions	9-78
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional

Field 5

Double Byte Character Card Acceptor Address Line 1

Definition	Lines used to indicate the Card Acceptor location address represented in the local language and character set where the Transaction occurred.
Format	G(35)
Positions	79-148
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: At least one of the Double Byte Character Card Acceptor Address Line (Fields 5-8) must contain data if Double Byte Character Card Acceptor Name (Field 4) contains data.

Field 6 Double Byte Character Card Acceptor Address Line 2 Message Layout

Field 6

Double Byte Character Card Acceptor Address Line 2

Definition	Lines used to indicate the Card Acceptor location address represented in the local language and character set where the Transaction occurred.
Format	G(35)
Positions	149-218
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: At least one of the Double Byte Character Card Acceptor Address Line (Fields 5-8) must contain data if Double Byte Character Card Acceptor Name (Field 4) contains data.

Field 7

Double Byte Character Card Acceptor Address Line 3

Definition	Lines used to indicate the Card Acceptor location address represented in the local language and character set where the Transaction occurred.
Format	G(35)
Positions	219-288
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: At least one of the Double Byte Character Card Acceptor Address Line (Fields 5-8) must contain data if Double Byte Character Card Acceptor Name (Field 4) contains data.

Field 8

Double Byte Character Card Acceptor Address Line 4

Definition	Lines used to indicate the Card Acceptor location address represented in the local language and character set where the Transaction occurred.
Format	G(35)
Positions	289-358
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: At least one of the Double Byte Character Card Acceptor Address Line (Fields 5-8) must contain data if Double Byte Character Card Acceptor Name (Field 4) contains data.

Field 9

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(579)
Positions	359-937
Optionality	Presentment: Outclear: Filler Inclear: Filler

Field 10 Message Transaction Sequence Number Message Layout

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 10

Message Transaction Sequence Number

Definition

A number that associates and sequences all components of a primary message type.

Format

9(3)

Positions

938-940

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 11

Filler

Definition

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(65)

Positions

941-1005

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 12

Transaction Identifier (TID)

Definition

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

1006-1020

Optionality

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 13

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(11)

1021-1031

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 14

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 15

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(239)

1040-1278

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 16

Definition

Format

Positions

Optionality

Notes

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

(40)

1279-1318

Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Second Presentment:

Outclear: Conditional. The message must be rejected or informational.

Inclear: Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 17	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Market Specific Data (9240)

Description

The Market Specific Data Addendum message lets Participants in some markets send market specific descriptive billing data (e.g., free form text describing the Transaction in Kanji) between Participants through the Network as double byte character sets.

The descriptive data passed through the Network from the Acquirer to the Issuer with this addendum stays the same. This feature is only available for Cardmember Transactions that occur in an Issuer's local market.

Market Conditions

In some markets, the Market Specific Data Addendum Message is used as an alternative to the Double Byte Character (DBC) Addendum message. This addendum gives more bytes for free form DBC data, while the DBC Addendum message requires specific Card Acceptor data in these fields. The DBC Addendum is valid for Participants in markets not certified for the Market Specific Data Addendum message.

Participants in a market region can use this addendum message to send Market Specific Data through the Network to other Participants. This message uses the same two-byte graphic fields as the Double Byte Character (DBC) addendum message. The Network does not change or edit the data. The Market Specific Data Addendum message must be used in markets where Acquirers and Issuers have contracted with AEGNS to use a DBC message in this format.

Market Specific Data addenda is sent with First and Second Presentments in countries where a Cardmember statement must be in the local language (e.g., Kanji and/or Katakana) or other line item data specific to a market region.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Market Specific Data. Refer to the [Programming Notes for Market Specific Data \(9240\)](#) on page 4-152 for more instruction.

Market Specific Data (9240) Message Layout

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(2)	7-8	M	M	M	M	Language Code
4	G ¹ (40)	9-88	C	C	C	C	Double Byte Data Line 1
5	G(40)	89-168	C	C	C	C	Double Byte Data Line 2
6	G(40)	169-248	C	C	C	C	Double Byte Data Line 3
7	G(40)	249-328	C	C	C	C	Double Byte Data Line 4

Market Specific Data (9240) Message Layout (continued)

Field Number	Format	Positions	Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
8	X(30)	329-358	F	F	F	F	Filler
9	G(75)	359-508	F	F	F	F	Filler
10	X(40)	509-548	O	O	O	O	Name of Service Establishment in Katakana
11	X(40)	549-588	O	O	O	O	District Location of Service Establishment
12	X(40)	589-628	O	O	O	O	City Name in Katakana
13	X(40)	629-668	O	O	O	O	Katakana Data Line
14	G(75)	669-818	O	O	O	O	Regional Specific Data
15	X(5)	819-823	F	F	F	F	Reserved Field
16	X(20)	824-843	F	F	F	F	Reserved Field
17	X(20)	844-863	F	F	F	F	Reserved Field
18	X(20)	864-883	F	F	F	F	Reserved Field
19	X(20)	884-903	F	F	F	F	Reserved Field
20	X(4)	904-907	F	F	F	F	Reserved Field
21	X(30)	908-937	F	F	F	F	Filler
22	9(3)	938-940	M	M	M	M	Message Transaction Sequence Number
23	X(16)	941-956	F	F	F	F	Reserved Field
24	X(25)	957-981	F	F	F	F	Reserved Field
25	9(3)	982-984	F	F	F	F	Reserved Field
26	X(21)	985-1005	F	F	F	F	Filler
27	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
28	X(11)	1021-1031	F	F	F	F	Filler
29	9(8)	1032-1039	M	M	M	M	Message Number
30	X(80)	1040-1119	F	F	F	F	Reserved Field
31	X(159)	1120-1278	F	F	F	F	Filler
32	X(40)	1279-1318	C	C	C	C	Reject Reason Codes 1-10
33	X(82)	1319-1400	F	F	F	F	Filler

1. G = Graphic (two bytes of data that represent each graphic character).

Programming Notes for Market Specific Data (9240)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 9240 goes with a 1240 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 01 = Market Specific Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Language Code

Definition	Used to define the specific language or Double Byte Character language.
Format	X(2)
Positions	7-8
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Refer to the Language Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 4	Double Byte Data Line 1
Definition	A free-form entry in the local language and character set where the Transaction occurred.
Format	G(40)
Positions	9-88
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Required Value: This field must contain a value.

Field 5	Double Byte Data Line 2
Definition	A free-form entry in the local language and character set where the Transaction occurred.
Format	G(40)
Positions	89-168
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: This field can contain a value.

Field 6	Double Byte Data Line 3
Definition	A free-form entry in the local language and character set where the Transaction occurred.
Format	G(40)
Positions	169-248
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: This field can contain a value.

Field 7	Double Byte Data Line 4
Definition	A free-form entry in the local language and character set where the Transaction occurred.
Format	G(40)
Positions	249-328
Optionality	Presentment: Outclear: Conditional Inclear: Conditional Second Presentment: Outclear: Conditional Inclear: Conditional
Notes	Conditional Value: This field can contain a value.

Field 8

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(30)

329-358

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 9

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

G(75)

359-508

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 10

Definition**Format****Positions****Optionality**

Name of Service Establishment in Katakana

The phonetic spelling of the Katakana name of the Service Establishment, or outlet, at which the transaction took place.

X(40)

509-548

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11

Definition**Format****Positions****Optionality**

District Location of Service Establishment

The Katakana name of the region or district in which the Service Establishment, or outlet, where the Transaction occurred is located.

X(40)

549-588

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 12

City Name in Katakana

Definition	The Katakana name of the city in which the Service Establishment, or outlet, is located.
Format	X(40)
Positions	589-628
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 13

Katakana Data Line

Definition	A free form text entry in Katakana that further defines the Transaction.
Format	X(40)
Positions	629-668
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 14

Regional Specific Data

Definition	Data used by the Issuer to enhance the Cardmember billing. The data is specific to the Japan region and is populated from Bit 60 Market Specific Data from either a POS Authorization Request (1100) or an ATM Authorization Request (1200).
Format	G(75)
Positions	669-818
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	The Acquirer puts data into this field from the POS Authorization Request (1100) message, Bit 60 Market Specific Data.

Field 15

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(5)
Positions	819-823
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 16

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(20)

824-843

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 17

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(20)

844-863

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 18

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(20)

864-883

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 19

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(20)

884-903

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 20

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(4)

904-907

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 21

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(30)

908-937

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 22

Definition
Format
Positions
Optionality

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

9(3)

938-940

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 23

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(16)

941-956

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 24

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

X(25)

957-981

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 25

Definition
Format
Positions
Optionality

Reserved Field

This field is for AEGNS internal use.

9(3)

982-984

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 26

Definition
Format
Positions
Optionality

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(21)

985-1005

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 27

Definition
Format
Positions
Optionality

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

9(15)

1006-1020

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 28

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(11)

Positions

1021-1031

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 29

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 30

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(80)

Positions

1040-1119

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 31

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(159)

Positions

1120-1278

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 32

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational. Second Presentment: Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 33

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Presentment: Outclear: Filler Inclear: Filler Second Presentment: Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Chip Card (9240)

Description

The Chip Card Addendum transmits Transaction data containing data on the Cardmember's Chip Card Transaction. The Point of Service Data Code in the Presentment message is used to show the Transaction was made with a Chip Card.

First Presentment Chip Card Transactions can be sent with Industry Specific, Deferred Payment Plan, Double Byte Character, and/or Market Specific Data addenda messages in addition to a Chip Card Addendum.

This addendum is only used with the First Presentment (1240) message and should not accompany Data Collection messages sent through the Network.

The Chip Card Addendum must accompany the 1240 First Presentment when the Transaction is an AEIPS or Expresspay EMV mode Transaction identified by the Point of Service Data Code Position 7 value of 5 in the 1240 First Presentment.

Certification

The Network sends the Chip Card Addendum only when the Acquirer and Issuer are certified to send or receive addendum.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Chip Card. Refer to the [Programming Notes for Chip Card \(9240\)](#) on page 4-163 for more instruction.

Chip Card (9240) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
1	X(4)	1-4	M	M	Message Type Identifier
2	X(2)	5-6	M	M	Addenda Type Code
3	X(579)	7-585	F	F	Filler
4	X(256)	586-841	M	M	ICC System Related Data
	X(4)	Fixed EBCDIC	M	M	Subfield 1 ICC Header Version Name
	(2)	Fixed Binary (numeric)	M	M	Subfield 2 ICC Header Version Number
	(8)	Fixed Binary Hexadecimal	M	M	Subfield 3 Application Cryptogram

Chip Card (9240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
	(33) max (includes LL length indicator)	Variable LLVAR Binary Hexadecimal	M	M	Subfield 4 Issuer Application Data (IAD) (32) Sub-Subfield IAD Data Length (1) Derivation Key Index (1) Cryptogram Version Number (1) Card Verification Results (CVR) (4)
	(4)	Fixed Binary Hexadecimal	M	M	Subfield 5 Unpredictable Number
	(2)	Fixed Binary Hexadecimal	M	M	Subfield 6 Application Transaction Counter (ATC)
	(5)	Fixed Binary Hexadecimal	M	M	Subfield 7 Terminal Verification Results (TVR)
	(3)	Fixed Binary (numeric)	M	M	Subfield 8 Transaction Date
	(1)	Fixed Binary (numeric)	M	M	Subfield 9 Transaction Type
	(6)	Fixed Binary (numeric)	M	M	Subfield 10 Amount Indicator
	(2)	Fixed Binary (numeric)	M	M	Subfield 11 Transaction Currency Code
	(2)	Fixed Binary (numeric)	M	M	Subfield 12 Terminal Country Code
	(2)	Fixed Binary Hexadecimal	M	M	Subfield 13 Application Interchange Profile (AIP)
	(6)	Fixed Binary (numeric)	M	M	Subfield 14 Amount Other
	(1)	Fixed Binary (numeric)	M	M	Subfield 15 Application PAN Sequence Number
	(1)	Fixed Binary Hexadecimal	M	M	Subfield 16 Cryptogram Information Data

Chip Card (9240) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			Out-clear	In-clear	
		Undefined Variable to bring length of field to 256 bytes	F	F	Subfield 17 Filler
5	X(96)	842-937	F	F	Filler
6	9(3)	938-940	M	M	Message Transaction Sequence Number
7	X(65)	941-1005	F	F	Filler
8	9(15)	1006-1020	F	M	Transaction Identifier (TID)
9	X(11)	1021-1031	F	F	Filler
10	9(8)	1032-1039	M	M	Message Number
11	X(239)	1040-1278	F	F	Filler
12	X(40)	1279-1318	C	C	Reject Reason Codes 1-10
13	X(82)	1319-1400	F	F	Filler

Programming Notes for Chip Card (9240)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 9240 goes with a 1240 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 07 = Chip Card Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 3

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(579)
Positions	7-585

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Chip Card (9240)
Field 4 ICC System Related Data Message Layout

Optionality **Outclear:** Filler
Inc clear: Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 4 **ICC System Related Data**

Definition This is the data sent to and from the Integrated Circuit Card and used in an AEIPS or Expresspay Transaction.
Format X(256)
Positions 586-841
Optionality **Outclear:** Mandatory
Inc clear: Mandatory
Notes If ICC data is read from the Card, you must send the data in this field. This table shows that this data extends across more than 1 subfield structure.

Maximum Length	Fixed/ Variable	Source	Field Name
4	F	Acquirer	ICC Header Version Name
2	F	Acquirer	ICC Header Version Number
8	F	Chip Card	Application Cryptogram
33	V	Chip Card	Issuer Application Data (IAD)
4	F	Terminal	Unpredictable Number
2	F	Chip Card	Application Transaction Counter (ATC)
5	F	Terminal	Terminal Verification Results (TVR)
3	F	Terminal	Transaction Date
1	F	Terminal	Transaction Type
6	F	Terminal	Amount, Authorized
2	F	Terminal	Transaction Currency Code
2	F	Terminal	Terminal Country Code
2	F	Chip Card	Application Interchange Profile (AIP)
6	F	Terminal	Amount, Other
1	F	Chip Card	Application PAN Sequence Number
1	F	Chip Card	Cryptogram Information Data
Undefined - Variable to bring length of field to 256 bytes	V	Chip Card	Filler

Field 4 Layout

The layout contains these subfields.

Subfield	Format	Optionality		Notes
		Outclear	Inc clear	
1 ICC Header Version Name	AN(4) EBCDIC	Mandatory	Mandatory	Required Value: AGNS
2 ICC Header Version Number	(2) Fixed Binary (numeric)	Mandatory	Mandatory	Required Value: 0001
3 Application Cryptogram	(8) Fixed Binary Hexadecimal	Mandatory	Mandatory	

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Chip Card (9240)
Field 4 ICC System Related Data Message Layout

Subfield	Format	Optionality		Notes
4 Issuer Application Data (IAD) Sub-Subfields are: - IAD Data Length (1) - Derivation Key Index (1) - Cryptogram Version Number (1) - Card Verification Results (CVR) (4)	(33) max Variable LLVAR Binary Hexadecimal (includes length LL indicator)	Mandatory	Mandatory	As Subfield 4 is a variable length field of type LLVAR, the "LL" length bytes must be present at the start of this field in Binary (Hexadecimal) format. Add the LLVAR length byte to the 32 byte maximum data length for a total of 33 bytes). Example: ICC Structure Subfield 4, Issuer Application Data formatted according to the LLVAR and structure described above is: 07 06 01 01 03 A0 00 00 where: 07 = overall length indicator for Subfield 4 LLVAR 06 = IAD Data Length (1 byte) 01 = Derivation Key Index (1 byte) 01 = Cryptogram Version Number (1 byte) 03A00000 = CVR (4 bytes)
5 Unpredictable Number	Fixed Binary Hexadecimal	Mandatory	Mandatory	
6 Application Transaction Counter (ATC)	(2) Fixed Binary Hexadecimal	Mandatory	Mandatory	
7 Terminal Verification Results (TVR)	(5) Fixed Binary Hexadecimal	Mandatory	Mandatory	
8 Transaction Date	(3) Fixed Binary (numeric)	Mandatory	Mandatory	Date Format: YYMMDD
9 Transaction Type	(1) Fixed Binary (numeric)	Mandatory	Mandatory	Valid Values: 00 = Debit 01 = Cash 20 = Credit 30 = Debit (Restricted use - valid only for Transactions originating from certain markets)
10 Amount Indicator	(6) Fixed Binary (numeric)	Mandatory	Mandatory	
11 Transaction Currency Code	(2) Fixed Binary (numeric)	Mandatory	Mandatory	
12 Terminal Country Code	(2) Fixed Binary (numeric)	Mandatory	Mandatory	
13 Application Interchange Profile (AIP)	(2) Fixed Binary Hexadecimal	Mandatory	Mandatory	Expresspay Mobile Transactions Valid Values: Byte 2, Bit 7 0 = Expresspay Mobile not supported 1 = Expresspay Mobile supported
14 Amount Other	(6) Fixed Binary (numeric)	Mandatory	Mandatory	Should be zero-filled if cash back is not supported.
15 Application PAN Sequence Number	(1) Fixed Binary (numeric)	Mandatory	Mandatory	PAN and PAN Sequence Number are required to validate the Application Cryptogram.
16 Cryptogram Information Data	(1) Fixed Binary Hexadecimal	Mandatory	Mandatory	
17 Filler	Undefined variable to bring length of field to 256 bytes	Filler	Filler	

Field 5

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(96)
Positions	842-937
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 6

Definition	Message Transaction Sequence Number A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Outclear: Mandatory Inclear: Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 7

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	941-1005
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 8

Definition	Transaction Identifier (TID) A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Outclear: Filler Inclear: Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 . Numeric Filler fields must contain zeros.

Field 9

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1021-1031
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 10

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Outclear: Mandatory Inclear: Mandatory

Field 11

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(239)
Positions	1040-1278
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 12

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Outclear: Conditional. The message must be rejected or informational. Inclear: Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Outclear: Filler Inclear: Filler
Notes	Alphanumeric Filler fields must contain spaces.

Corporate Purchasing Card Transaction Detail (9240)

Description

Companies review their internal processing to decrease costs and increase employee productivity. To do this, many companies use the Corporate Purchasing Card (CPC).

The CPC is a charge card designed to:

- Purchase some types of goods and services.
- Decrease the cost of purchases and the administrative purchasing process.
- Supply more Transaction data to the Issuer for reporting CPC Transactions to CPC clients.

For more instruction on Corporate Purchasing Cards, refer to the *Business and Operational Policies* manual or contact your AEGNS Representative.

If sent, a POS First or Second Presentment (1240) message must come before the Corporate Purchasing Card Transaction Detail Addendum Message.

The fields in the Message Layout have more data for a Corporate Purchasing Card Transaction, representing fields that pertain to the entire Transaction.

In the outclear and inclear columns, the optionality is defined for the outclear and inclear files. Although many of the fields are optional, the Corporate Client will determine which S/Es must collect and report the enhanced data, and what data is necessary.

Certification

Acquirer - Acquirers must certify to send the 9240 Corporate Purchasing Card Addendum, if applicable. The Network will not send an addendum from a non-certified Acquirer to the Issuer.

Issuer - Issuers must certify to receive the 9240 Corporate Purchasing Card Addendum, if applicable. The Network will not send an addendum to an Issuer that is not certified to receive the Corporate Purchasing Card addendum.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Corporate Purchasing Card Transaction Detail (9240). Refer to the [Programming Notes for Corporate Purchasing Card Transaction Detail \(9240\) on page 4-171](#) for more instruction.

Corporate Purchasing Card Transaction Detail (9240) Message Layout

Field Number	Format	Positions	First Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
1	X(4)	1-4	M	M	M	M	Message Type Identifier

Corporate Purchasing Card Transaction Detail (9240) Message Layout (continued)

Field Number	Format	Positions	First Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
2	X(2)	5-6	M	M	M	M	Addenda Type Code
3	X(38)	7-44	O	O	O	O	Ship to Name
4	X(35)	45-79	O	O	O	O	Contact Email Address
5	X(38)	80-117	O	O	O	O	Ship To Address Line 1
6	X(38)	118-155	O	O	O	O	Ship To Address Line 2
7	X(38)	156-193	O	O	O	O	Ship to City
8	X(15)	194-208	O	O	O	O	Ship to Postal Code
9	X(3)	209-211	O	O	O	O	Ship to Region Code
10	X(3)	212-214	O	O	O	O	Ship to Country Code
11	X(1)	215	O	O	O	O	Ship to EU Country
12	X(38)	216-253	O	O	O	O	Ship From Company Name
13	X(38)	254-291	O	O	O	O	Ship From Address Line 1
14	X(38)	292-329	O	O	O	O	Ship From Address Line 2
15	X(38)	330-367	O	O	O	O	Ship From City
16	X(15)	368-382	O	O	O	O	Ship From Postal Code
17	X(3)	383-385	O	O	O	O	Ship From Region Code
18	X(3)	386-388	O	O	O	O	Ship From Country Code
19	X(1)	389	O	O	O	O	Ship From EU Country
20	X(30)	390-419	O	O	O	O	Shipping Carrier
21	9(15)	420-434	O	O	O	O	Total Tax Amount
22	X(13)	435-447	O	O	O	O	Filler
23	X(40)	448-487	O	O	O	O	Tax Authority Location
24	X(1)	488	O	O	O	O	Tax Liability Code
25	X(13)	489-501	O	O	O	O	Card Acceptor Invoice Number
26	X(13)	502-514	O	O	O	O	Card Acceptor Original Invoice Number
27	X(38)	515-552	O	O	O	O	Card Acceptor Headquarters Name
28	9(15)	553-567	O	O	O	O	Card Acceptor Headquarters Number
29	9(15)	568-582	O	O	O	O	Charge Item Amount 1
30	9(15)	583-597	O	O	O	O	Shipping Charge
31	9(8)	598-605	O	O	O	O	Shipping Date
32	X(10)	606-615	O	O	O	O	Net Weight
33	9(15)	616-630	O	O	O	O	Duty Amount
34	9(7)v9(8)	631-645	O	O	O	O	Shipping Rate
35	9(7)v9(8)	646-660	O	O	O	O	Discount Rate
36	9(15)	661-675	O	O	O	O	Discount Amount

Corporate Purchasing Card Transaction Detail (9240) Message Layout (continued)

Field Number	Format	Positions	First Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
37	X(45)	676-720	O	O	O	O	Charge Item Description 1
38	9(15)	721-735	O	O	O	O	Other Charges Amount
39	9(15)	736-750	O	O	O	O	Charge Item Amount 2
40	9(15)	751-765	O	O	O	O	Net Transaction Amount Euro
41	X(3)	766-768	O	O	O	O	Tax Type Code 1
42	9(7)v9(8)	769-783	O	O	O	O	Tax Rate Percent 1
43	9(15)	784-798	O	O	O	O	Tax Monetary Amount 1
44	X(1)	799	O	O	O	O	Tax Exempt Code 1
45	X(3)	800-802	O	O	O	O	Tax Type Code 2
46	9(7)v9(8)	803-817	O	O	O	O	Tax Rate Percent 2
47	9(15)	818-832	O	O	O	O	Tax Monetary Amount 2
48	X(1)	833	O	O	O	O	Tax Exempt Code 2
49	X(3)	834-836	O	O	O	O	Tax Type Code 3
50	9(7)v9(8)	837-851	O	O	O	O	Tax Rate Percent 3
51	9(15)	852-866	O	O	O	O	Tax Monetary Amount 3
52	X(1)	867	O	O	O	O	Tax Exempt Code 3
53	X(3)	868-870	O	O	O	O	Tax Type Code 4
54	9(7)v9(8)	871-885	O	O	O	O	Tax Rate Percent 4
55	9(15)	886-900	O	O	O	O	Tax Monetary Amount 4
56	X(1)	901	O	O	O	O	Tax Exempt Code 4
57	X(3)	902-904	F	F	F	F	Filler
58	9(7)v9(8)	905-919	F	F	F	F	Filler
59	9(15)	920-934	F	F	F	F	Filler
60	X(1)	935	F	F	F	F	Filler
61	X(2)	936-937	F	F	F	F	Filler
62	X(3)	938-940	M	M	M	M	Message Transaction Sequence Number
63	X(40)	941-980	O	O	O	O	Charge Item Description 2
64	9(15)	981-995	O	O	O	O	Charge Item Amount 3
65	X(10)	996-1005	C	C	C	C	Line Item Detail Key 1
66	9(15)	1006-1020	F	M	M	M	Transaction Identifier (TID)
67	X(11)	1021-1031	C	C	C	C	Line Item Detail Key 2
68	9(8)	1032-1039	M	M	M	M	Message Number
69	X(20)	1040-1059	O	O	O	O	Cardmember Reference Number
70	X(22)	1060-1081	O	O	O	O	Tax Reference Number
71	X(38)	1082-1119	O	O	O	O	Requester Name
72	X(35)	1120-1154	O	O	O	O	Requester Email

Corporate Purchasing Card Transaction Detail (9240) Message Layout (continued)

Field Number	Format	Positions	First Presentment		Second Presentment		Field Name
			Out-clear	In-clear	Out-clear	In-clear	
73	X(38)	1155-1192	O	O	O	O	Requester Address Line 1
74	X(38)	1193-1230	O	O	O	O	Requester Address Line 2
75	X(38)	1231-1268	O	O	O	O	Requester City
76	X(15)	1269-1283	O	O	O	O	Requester Postal Code
77	X(3)	1284-1286	O	O	O	O	Requester Region Code
78	X(3)	1287-1289	O	O	O	O	Requester Country Code
79	X(2)	1290-1291	O	O	O	O	Business Ownership Classification Code
80	X(40)	1292-1331	O	O	O	O	Charge Item Description 3
81	X(40)	1332-1371	O	O	O	O	Charge Item Description 4
82	9(15)	1372-1386	O	O	O	O	Charge Item Amount 4
83	9(03)	1387-1389	O	O	O	O	Charge Item Quantity 1
84	9(03)	1390-1392	O	O	O	O	Charge Item Quantity 2
85	9(03)	1393-1395	O	O	O	O	Charge Item Quantity 3
86	9(03)	1396-1398	O	O	O	O	Charge Item Quantity 4
87	X(02)	1399-1400	F	F	F	F	Filler

Programming Notes for Corporate Purchasing Card Transaction Detail (9240)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory Second Presentment: Outclear: Mandatory Inclear: Mandatory
Notes	Required Value: 9240 goes with a 1240 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Presentment: Outclear: Mandatory Inclear: Mandatory

Notes	Second Presentment: Outclear: Mandatory Inclear: Mandatory
	Required Value: 05 = Corporate Purchasing Card Transaction Detail Refer to the Addenda Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 3	Ship to Name
Definition	The name of the person or company where the goods were shipped.
Format	X(38)
Positions	7-44
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 4	Contact Email Address
Definition	The email address of the contact for shipping questions.
Format	X(35) contact@abc.co.uk
Positions	45-79
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 5	Ship To Address Line 1
Definition	The two lines of the shipping address where the goods were shipped.
Format	X(38)
Positions	80-117
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 6	Ship To Address Line 2
Definition	The two lines of the shipping address where the goods were shipped.
Format	X(38)
Positions	118-155
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Notes	Ship To Address Line 1 must contain a value before you use Ship To Address Line 2.

Field 7

Definition
Format
Positions
Optionality

Ship to City

The shipping address's city name where the goods were shipped.

X(38)

156-193

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 8

Definition
Format
Positions
Optionality

Ship to Postal Code

The shipping address's postal code where the goods were shipped.

X(15)

194-208

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 9

Definition
Format
Positions
Optionality

Ship to Region Code

A code representing the region (or equivalent, such as State or Province) where the goods were shipped.

X(3)

209-211

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 10

Definition
Format
Positions
Optionality

Ship to Country Code

The code representing the country where the goods were shipped.

X(3)

212-214

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 11

Definition
Format
Positions
Optionality

Ship to EU Country

An indicator to specify if the country where goods were shipped is a member of the European Union.

X(1)

215

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Values:

- Y = Yes
- N = No

Field 12

Definition
Format
Positions
Optionality

Ship From Company Name

The name of the company from which the goods were shipped. Please check local tax authority requirements for all shipping-related fields.

X(38)

216-253

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 13

Definition
Format
Positions
Optionality

Ship From Address Line 1

The two lines used to indicate the shipping address from where the goods were shipped.

X(38)

254-291

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 14

Definition
Format
Positions
Optionality

Ship From Address Line 2

The two lines of the shipping address where the goods were shipped.

X(38)

292-329

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 15

Definition

Format

Positions

Optionality

Ship From City

The shipping address's city name from where the goods were shipped.

X(38)

330-367

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 16

Definition

Format

Positions

Optionality

Ship From Postal Code

The shipping address's postal code from where the goods were shipped.

X(15)

368-382

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 17

Definition

Format

Positions

Optionality

Ship From Region Code

A code representing the region (or equivalent, such as state or province) from which the goods were shipped. If there is no shipping, this field must be space-filled.

X(3)

383-385

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 18

Definition

Format

Positions

Optionality

Ship From Country Code

The code representing the country from where the goods were shipped.

X(3)

386-388

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 19

Definition

Ship From EU Country

An indicator to specify if the country from where goods were shipped is a member of the European Union.

Format

X(1)

Positions

389

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Values:

- Y = Yes
- N = No

Field 20

Definition

Shipping Carrier

The name of the carrier transporting the goods.

Format

X(30)

Positions

390-419

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 21

Definition

Total Tax Amount

The total amount of tax assessed at the point of sale for all items.

Format

9(15)

Positions

420-434

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 22

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(13)

Positions

435-447

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Alphanumeric Filler fields must contain spaces.

Field 23

Definition
Format
Positions
Optionality

Tax Authority Location

The location of the tax authority.

X(40)

448-487

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 24

Definition
Format
Positions
Optionality

Tax Liability Code

A code that indicates which entity is liable for the taxes of the Transaction.

X(1)

488

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Valid Values:

- A = The Supplier holds the tax liability
- B = The Purchaser holds the tax liability
- C = The Supplier is a non-company supplier

Field 25

Definition
Format
Positions
Optionality

Card Acceptor Invoice Number

A unique number assigned by the S/E to track a Transaction. The invoice number is assigned to the Transaction by the supplier.

X(13)

489-501

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 26

Definition
Format
Positions
Optionality

Card Acceptor Original Invoice Number

The original invoice number assigned to the Transaction by the supplier. Required for refund Transactions.

A unique number assigned by the S/E to track a Transaction. The invoice number is assigned to the Transaction by the supplier.

Format

X(13)

502-514

Presentment:

Outclear: Optional

Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Corporate Purchasing Card Transaction Detail (9240)
Field 27 Card Acceptor Headquarters Name Message Layout

Notes	Second Presentment: Outclear: Optional Inclear: Optional
	Required for refund Transactions.
Field 27	Card Acceptor Headquarters Name
Definition	If the supplier is part of a corporation, the location name may be different than the headquarters. This is the name of the corporation.
Format	X(38)
Positions	515-552
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 28	Card Acceptor Headquarters Number
Definition	If the supplier is part of a corporation, this is the Card Acceptor number assigned to the headquarters of the corporation.
Format	9(15)
Positions	553-567
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 29	Charge Item Amount 1
Definition	The unit cost of the item which corresponds to the items described in the Charge Item Description and Charge Item Quantity fields.
Format	9(15)
Positions	568-582
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional
Field 30	Shipping Charge
Definition	The total shipping charge for all items purchased, including insurance if applicable, stated in the Transaction currency as it was executed at the Card Acceptor location.
Format	9(15)
Positions	583-597
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 31

Definition
Format
Positions
Optionality

Shipping Date

The date the order was shipped.

9(8)

598-605

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 32

Definition
Format
Positions
Optionality

Net Weight

A freeform text field that describes the net weight of the shipment.

X(10)

606-615

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 33

Definition
Format
Positions
Optionality

Duty Amount

The total duty amount for all items purchased, stated in the Transaction currency as it was executed at the Card Acceptor location.

9(15)

616-630

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 34

Definition
Format
Positions
Optionality

Shipping Rate

The rate used to calculate the charge for transporting goods by common carrier. Two decimal places are implied.

9(7)v9(8)

631-645

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 35

Definition
Format
Positions
Optionality

Discount Rate

The rate used to calculate the decrease from the list price of the item. Two decimal places are implied.

9(7)v9(8)

646-660

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 36

Definition
Format
Positions
Optionality

Discount Amount

The total discount amount for all items purchased, stated in the Transaction currency as it was executed at the Card Acceptor location.

9(15)

661-675

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 37

Definition
Format
Positions
Optionality

Charge Item Description 1

A concise description of the goods or services purchased which corresponds to the items described in the Charge Item Amount and Charge Item Quantity fields.

X(45)

676-720

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 38

Definition
Format
Positions
Optionality

Other Charges Amount

The amount of miscellaneous charges.

9(15)

721-735

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Corporate Purchasing Card Transaction Detail (9240)
Field 39 Charge Item Amount 2 Message Layout

Field 39

Definition

Charge Item Amount 2

The unit cost of the item which corresponds to the items described in the Charge Item Description and Charge Item Quantity fields.

Format

9(15)

Positions

736-750

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 40

Definition

Net Transaction Amount Euro

The total transaction amount for all items purchased, excluding amounts such as tax, shipping, duty, etc., stated in Euro.

Format

9(15)

Positions

751-765

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 41

Definitions

Tax Type Code 1

Uniquely identifies the type of tax payment associated with the Transaction when the tax amounts can be categorized as one tax type.

Format

X(3)

Positions

766-768

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 42

Definition

Tax Rate Percent 1

The percentage tax rate associated with the Tax Type Code.

Format

9(7)v9(8)

Positions

769-783

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 43

Definition

Format

Positions

Optionality

Tax Monetary Amount 1

The amount associated with the Tax Type Code, stated in the Transaction currency as it was executed at the Card Acceptor location.

9(15)

784-798

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 44

Definition

Format

Positions

Optionality

Tax Exempt Code 1

Identifies the tax-exempt code associated with the Tax Type Code.

X(1)

799

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 45

Definition

Format

Positions

Optionality

Tax Type Code 2

Uniquely identifies the type of tax payment associated with the Transaction when the tax amounts can be categorized as one tax type.

X(3)

800-802

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 46

Definition

Format

Positions

Optionality

Tax Rate Percent 2

The percentage tax rate associated with the Tax Type Code.

9(7)v9(8)

803-817

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 47

Definition

Format

Positions

Optionality

Tax Monetary Amount 2

The amount associated with the Tax Type Code, stated in the Transaction currency as it was executed at the Card Acceptor location.

9(15)

818-832

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 48

Definition

Format

Positions

Optionality

Tax Exempt Code 2

Identifies the tax-exempt code associated with the Tax Type Code.

X(1)

833

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 49

Definition

Format

Positions

Optionality

Tax Type Code 3

Uniquely identifies the type of tax payment associated with the Transaction when the tax amounts can be categorized as one tax type.

X(3)

834-836

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 50

Definition

Format

Positions

Optionality

Tax Rate Percent 3

The percentage tax rate associated with the Tax Type Code.

9(7)v9(8)

837-851

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 51

Definition

Format

Positions

Optionality

Tax Monetary Amount 3

The amount associated with the Tax Type Code, stated in the Transaction currency as it was executed at the Card Acceptor location.

9(15)

852-866

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 52

Definition

Format

Positions

Optionality

Tax Exempt Code 3

Identifies the tax-exempt code associated with the Tax Type Code.

X(1)

867

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 53

Definition

Format

Positions

Optionality

Tax Type Code 4

Uniquely identifies the type of tax payment associated with the Transaction when the tax amounts can be categorized as one tax type.

X(3)

868-870

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 54

Definition

Format

Positions

Optionality

Tax Rate Percent 4

The percentage tax rate associated with the Tax Type Code.

9(7)v9(8)

871-885

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 55

Definition

Tax Monetary Amount 4

The amount associated with the Tax Type Code, stated in the Transaction currency as it was executed at the Card Acceptor location.

Format

9(15)

Positions

886-900

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 56

Definition

Tax Exempt Code 4

Identifies the tax-exempt code associated with the Tax Type Code.

Format

X(1)

Positions

901

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 57

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(3)

Positions

902-904

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 58

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

9(7)v9(8)

Positions

905-919

Optionality

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Notes

Numeric Filler fields must contain zeros.

Field 59

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

9(15)

920-934

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Numeric Filler fields must contain zeros.

Field 60

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1)

935

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 61

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

936-937

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Field 62

Definition

Format

Positions

Optionality

Notes

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

X(3)

938-940

First Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 63

Definition

Charge Item Description 2

A concise description of the goods or services purchased which corresponds to the items described in the Charge Item Amount and Charge Item Quantity fields.

Format

X(40)

Positions

941-980

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 64

Definition

Charge Item Amount 3

The unit cost of the item which corresponds to the items described in the Charge Item Description and Charge Item Quantity fields.

Format

9(15)

Positions

981-995

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 65

Definition

Line Item Detail Key 1

A number used by the S/E to tell the Issuer of Line Item Detail data sent outside of the Network.

Format

X(10)

Positions

996-1005

Optionality

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Field 66

Definition

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

1006-1020

Optionality

Presentment:

Outclear: Filler

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see [The Role of the Transaction Identifier on page 2-15](#).

Numeric Filler fields must contain zeros.

Field 67

Definition
Format
Positions
Optionality

Line Item Detail Key 2

A number used by the S/E to tell the Issuer of Line Item Detail data sent outside of the Network.

X(11)

1021-1031

Presentment:

Outclear: Conditional

Inclear: Conditional

Second Presentment:

Outclear: Conditional

Inclear: Conditional

Field 68

Definition
Format
Positions
Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Presentment:

Outclear: Mandatory

Inclear: Mandatory

Second Presentment:

Outclear: Mandatory

Inclear: Mandatory

Field 69

Definition
Format
Positions
Optionality

Cardmember Reference Number

A Cardmember designated reference number that corresponds with the Transaction.

X(20)

1040-1059

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 70

Definition
Format
Positions
Optionality

Tax Reference Number

An identifier linking tax amount(s) in the Transaction to an external taxation requirement or regulation, taxation authority, tax documentation, or other tax reporting requirement.

X(22)

1060-1081

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Corporate Purchasing Card Transaction Detail (9240)
Field 71 Requester Name Message Layout

Field 71

Definition

Format

Positions

Optionality

Requester Name

The name of the person ordering the product or making the purchase, if the requestor is not the Cardmember. Otherwise, this field must be space-filled.

X(38)

1082-1119

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 72

Definition

Format

Positions

Optionality

Requester Email

The email address of the person ordering the product or making the purchase, if the requestor is not the Cardmember. Otherwise, this field must be space-filled.

X(35) requester@abc.co.uk

1120-1154

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 73

Definition

Format

Positions

Optionality

Requester Address Line 1

The two lines used to indicate the address of the person requesting the Transaction.

X(38)

1155-1192

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 74

Definition

Format

Positions

Optionality

Requester Address Line 2

The two lines used to indicate the address of the person requesting the Transaction.

X(38)

1193-1230

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Notes

Ship To Address Line 1 must contain a value before you use Ship To Address Line 2.

Field 75

Definition
Format
Positions
Optionality

Requester City

The city name of the person requesting the Transaction.

X(38)

1231-1268

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 76

Definition
Format
Positions
Optionality

Requester Postal Code

The postal code of the person requesting the Transaction.

X(15)

1269-1283

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 77

Definition

Format
Positions
Optionality

Requester Region Code

The code representing the region (or equivalent, such as state or province) for the requester of the purchase. Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

1284-1286

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 78

Definition

Format
Positions
Optionality

Requester Country Code

The Country Code of the Country of the person requesting the Transaction. Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(3)

1287-1289

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Corporate Purchasing Card Transaction Detail (9240)
Field 79 Business Ownership Classification Code Message Layout

Field 79

Business Ownership Classification Code

Definition	Indicates the category of the business owner as may be needed by special interest groups in specific regions.
Format	X(2)
Positions	1290-1291
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 80

Charge Item Description 3

Definition	A concise description of the goods or services purchased which corresponds to the items described in the Charge Item Amount and Charge Item Quantity fields.
Format	X(40)
Positions	1292-1331
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 81

Charge Item Description 4

Definition	A concise description of the goods or services purchased which corresponds to the items described in the Charge Item Amount and Charge Item Quantity fields.
Format	X(40)
Positions	1332-1371
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 82

Charge Item Amount 4

Definition	The unit cost of the item which corresponds to the items described in the Charge Item Description and Charge Item Quantity fields.
Format	9(15)
Positions	1372-1386
Optionality	Presentment: Outclear: Optional Inclear: Optional Second Presentment: Outclear: Optional Inclear: Optional

Field 83

Definition

Charge Item Quantity 1

The quantity of items purchased that corresponds to the Charge Item Amount and Charge Item Description fields.

Format

9(3)

Positions

1387-1389

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 84

Definition

Charge Item Quantity 2

The quantity of items purchased that corresponds to the Charge Item Amount and Charge Item Description fields.

Format

9(3)

Positions

1390-1392

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 85

Definition

Charge Item Quantity 3

The quantity of items purchased that corresponds to the Charge Item Amount and Charge Item Description fields.

Format

9(3)

Positions

1393-1395

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 86

Definition

Charge Item Quantity 4

The quantity of items purchased that corresponds to the Charge Item Amount and Charge Item Description fields.

Format

9(3)

Positions

1396-1398

Optionality

Presentment:

Outclear: Optional

Inclear: Optional

Second Presentment:

Outclear: Optional

Inclear: Optional

Field 87

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

1399-1400

Presentment:

Outclear: Filler

Inclear: Filler

Second Presentment:

Outclear: Filler

Inclear: Filler

Alphanumeric Filler fields must contain spaces.

Extended Financial Addendum (9240)

Important

The Issuer must have permission from AEGNS, and be certified to receive the Extended Financial Addendum (9240).

Description

The Extended Financial Addendum (9240) contains more financial data for POS and ATM Transactions, and additional data supporting a Transaction using payment tokenization.

The Extended Financial Addendum (9240) is used for multiple financial features that align with regulatory or contractual requirements in which Issuers must disclose financial data to their Cardmembers.

Note: Issuers in the European Union (EU), European Economic Area (EEA), and the United Kingdom (UK) should refer to the Payment Service Directive (PSD) for instruction on foreign exchange data disclosure. Look on Knowledge Base and use the Search function to locate the Payment Services Directive (PSD) document.

If the Participant elects to receive more financial data, the Extended Financial Addendum will accompany the First and Second Presentment (1240) and directly follow the 1240 message.

Foreign Currency Factor Feature

A Foreign Currency Factor is assessed by AEGNS on the processing of Charges and cash withdrawals made in a currency different from Authorized Currency.

The Extended Financial Addendum supplies the Foreign Currency Factor amount, currency code, and decimalization for a Transaction that lets Issuers align with regulatory or contractual requirements in which Issuers must disclose financial data to their Cardmembers.

Certification

Issuers must be certified to receive this addendum, if applicable.

Length of Record

1400 Bytes

Message Layout

This is the message layout for the Extended Financial Addendum (9240). Refer to the [Programming Notes for Extended Financial Addendum \(9240\) on page 4-195](#) for more instruction.

Extended Financial Addendum (9240) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	X(2)	5-6	M	Addenda Type Code
3	9(15)	7-21	C	Foreign Currency Factor Amount

Extended Financial Addendum (9240) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
4	X(3)	22-24	C	Foreign Currency Factor Amount Currency Code
5	9(1)	25	C	Foreign Currency Factor Amount Decimalization
6	9(15)	26-40	F	Reserved Field
7	X(3)	41-43	F	Reserved Field
8	9(1)	44	F	Reserved Field
9	9(15)	45-59	C	Fee Amount
10	X(3)	60-62	C	Fee Amount Currency Code
11	9(1)	63	C	Fee Amount Decimalization
12	X(874)	64-937	F	Reserved Field
13	9(3)	938-940	M	Message Transaction Sequence Number
14	X(23)	941-963	F	Reserved Field
15	X(23)	964-986	F	Reserved Field
16	X(19)	987-1005	F	Reserved Field
17	9(15)	1006-1020	M	Transaction Identifier (TID)
18	X(11)	1021-1031	F	Filler
19	9(8)	1032-1039	M	Message Number
20	9(7)v9(8)	1040-1054	F	Reserved Field
21	9(7)v9(8)	1055-1069	F	Reserved Field
22	9(2)	1070-1071	C	Token Length
23	X(19)	1072-1090	C	Token
24	X(2)	1091-1092	C	Wallet Provider ID
25	X(2)	1093-1094	F	Reserved Field
26	X(11)	1095-1105	C	Token Requestor ID (TRID)
27	X(173)	1106-1278	F	Filler
28	X(40)	1279-1318	C	Reject Reason Codes 1-10
29	X(82)	1319-1400	F	Filler

Programming Notes for Extended Financial Addendum (9240)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9240 goes with a 1240 message Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Addenda Type Code

Definition	A specific type of addendum message.
Format	X(2)
Positions	5-6
Optionality	Mandatory
Notes	Required Value: 09 = Extended Financial

Refer to the Addenda Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 3

Foreign Currency Factor Amount

Definition	An amount assessed by AEGNS for the processing of Charges and cash withdrawals made in a currency different from the currency in which the Card is denominated.
Format	9(15)
Positions	7-21
Optionality	Conditional. The Network puts a value into this field if the Issuer is certified for the Foreign Currency Factor Feature.

Field 4

Foreign Currency Factor Amount Currency Code

Definition	The currency used for the Foreign Currency Factor Amount. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(3)
Positions	22-24
Optionality	Conditional. The Network puts a value into this field if the Issuer is certified for the Foreign Currency Factor Feature.

Field 5

Foreign Currency Factor Amount Decimalization

Definition	The currency decimalization of the Foreign Currency Factor Amount. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	9(1)
Positions	25
Optionality	Conditional. The Network puts a value into this field if the Issuer is certified for the Foreign Currency Factor Feature.

Field 6

Reserved Field

Definition	This field is for AEGNS internal use.
Format	(15)
Positions	26-40
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 7

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	41-43
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 8

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(1)
Positions	44
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 9

Fee Amount

Definition	The amount assessed to specific Issuers who are contractually obligated to receive the 9240 Extended Financial Addendum.
Format	9(15)
Positions	45-59
Optionality	Conditional. The Network puts a value into this field if the Issuer is certified for the Foreign Currency Factor Feature.

Field 10

Fee Amount Currency Code

Definition	The currency code of the Fee Amount. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(3)
Positions	60-62
Optionality	Conditional. The Network puts a value into this field if the Issuer is certified for the Foreign Currency Factor Feature.

Field 11

Fee Amount Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Fee Amount. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	9(1)
Positions	63
Optionality	Conditional. The Network puts a value into this field if the Issuer is certified for the Foreign Currency Factor Feature.

Field 12

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(874)
Positions	64-937
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 13

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 14

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(23)
Positions	941-963
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 15	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(23)
Positions	964-986
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 16	Reserved Field
Definition	This field is for AEGNS internal use.
Format	X(19)
Positions	987-1005
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.
Field 17	Transaction Identifier (TID)
Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	1006-1020
Optionality	Mandatory
Notes	For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .
Field 18	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1021-1031
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 19	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Mandatory
Field 20	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	1040-1054
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.
Field 21	Reserved Field
Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	1055-1069
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 22

Definition	The number of positions or length of the token.
Format	9(2)
Positions	1070-1071
Optionality	Conditional. If this is a token Transaction, this bit will be sent to the certified Issuer.
Notes	Valid Values: 15-19

Token Length

Field 23

Definition	A surrogate PAN value consisting of a series of digits used to identify a customer account or relationship.
Format	X(19)
Positions	1072-1090
Optionality	Conditional. If this is a payment tokenization Transaction, this bit will be sent to the certified Issuer.

Token

Field 24

Definition	A two byte code, assigned by the Network, used to identify the Wallet Provider.
Format	X(2)
Positions	1091-1092
Optionality	Conditional. If this is a payment tokenization Transaction, this bit will be sent to the certified Issuer.

Wallet Provider ID

Field 25

Definition	This field is for AEGNS internal use.
Format	X(2)
Positions	1093-1094
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 26

Definition	An 11-byte code pairing Token Requestor with Token Domain.
Format	x(11)
Positions	1095-1105
Optionality	Conditional: TRID will only be passed to Issuers certified to receive it.
Notes	Spaces will be passed if no TRID is available or if the Issuer is not certified to receive the TRID in the Extended Financial Addendum (9240) message.

Token Requestor ID (TRID)

Field 27

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(173)
Positions	1105-1278
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 28

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Conditional
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Codes

Field 29

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(82)

1319-1400

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

5 Data Collection Messages

Data Collection Clearing Data Flow

Overview

The Network processes Clearing and Settlement files for financial Transactions and/or transmits Data Collection (non-financial) messages. The Data Collection messages are used to support the necessary statistics and data of the American Express Global Network Services (AEGNS) business. These messages are passed through the Network between Participants and various systems outside the Network, but are not settled through the Network.

Messages can pass through the Global Clearing and Settlement system or can be routed to other systems.

Message File Structure

All Data Collection message types must be in isolated files, not mixed in one file. They cannot be sent with a financial message file. Data Collection message types distinctly identify the type of message sent to or from the Network to transmit data from one source to another.

Each Data Collection message file must be submitted between a Data Collection File Header Message (9844) and Data Collection File Trailer Message (9845). Addenda messages for each record must follow the presentment message submitted for that type of file, when applicable.

Reject Processing for Non-Financial Messages

There are three (3) categories of rejected files:

- Network File Header or File Trailer (which can include out-of-balance Transaction counts or amounts)
- Network Message-level
- Receiving system rejected

Table 5-1. Rejected File Categories

If...	Then...
The Network rejects a file due to errors in the header or trailer	A Network File Acknowledgment (1844) message is transmitted to the sender of the file, reporting the reason for the rejected header or trailer and reasons for a rejected message in the file.
The Network rejects a file due to errors at the message level	The Network accepts the file and returns only the rejected messages to the Participant. A Network File Acknowledgment (1844) message is transmitted to the sender of the file. All message-level reject reasons are reported for each message rejected in the file.
A file is rejected by the receiving system	Contact your local AEGNS Representative for the rejection process for rejects outside of the Network.

Network File Acknowledgment for Data Collection Messages

Overview

The Network File Acknowledgment message shows the file is one of these three statuses:

- Accepted
- A valid file with rejected messages
- Rejected

Reject Processing and File Acknowledgment

The reject processing for the 9640 SE Demographics and 1340 On Us messages are the same, as shown in Figure 5-1.




Figure 5-1. Incleared Data Collection Messages with Network File Acknowledgment

- If the file was fully accepted, the File Acknowledgment has a Data Collection Header (9844), a Network File Acknowledgment (1844), and a Data Collection File Trailer (9845) with data echoing the values in the file received from the Participant.
- If the file rejected, the acknowledgment file has a Data Collection Header (9844), a Network File Acknowledgment (1844), and a Data Collection File Trailer (9845) and all of the rejected records with

Reject Reason Codes. The rejected file is returned to the Acquirer using the same File Sequence Number that was used to send it. The File Name Code in the file will also be the same, but the File Name Code is appended with a “.rej” attached, to alert the sender that the file was rejected.

- If only some of the records reject, the acknowledgment file has a Data Collection Header (9844), a Network File Acknowledgment (1844), and a Data Collection File Trailer (9845) with only the rejected records and Reject Reason Codes.

Resubmission Process

If only some of the messages rejected, they should be resubmitted as soon as they are corrected. When the messages are resubmitted, the File Sequence Number and Message Number should be changed in accordance with the new file. Messages must be sent again with all mandatory fields populated, and not only those field(s) in error before.

Data Collection Message File Structure

Overview

Data Collection messages transmit data to support the necessary statistics and data of Participants, the AEGNS business and a variety of supporting systems or program administrators.

All Data Collection message types must be in isolated files, not mixed in one file. They cannot be sent with a financial message file. Data Collection message types distinctly identify the type of message sent to or from the Network to transmit data from one source to another.

Each Data Collection message file must be submitted between a Data Collection File Header Message (9844) and Data Collection File Trailer Message (9845). Addenda messages for each record must follow the presentment message submitted for that type of file, when applicable.

Outclear Example

Figure 5-2 gives an example of possible layouts of Data Collection message files for the file submission process.




Figure 5-2. Example of Outcleared Data Collection Messages

File Sequence Number for Data Collection Messages

Edits During Processing

For file integrity, an edit to check for duplicate files is done on the file sequence number of each Data Collection Message type processed through the Network. This edit is done when Data Collection Messages are processed. It is done at the Acquirer Authorized Processor or Issuer Authorized Processor level, not at the Acquirer or Issuer level.

Note: The Data Collection Message procedure does not make a distinction between file types when doing file sequence number edits.

Authorized Processor File Sequencing

Each Acquirer can have its own file sequence number system. If an Acquirer Authorized Processor sends files from multiple Acquirers to the Network, the files are re-sequenced to be received by the Network in sequential order from the Authorized Processor, not from the Acquirers. It is the same for Issuer Authorized Processors and for Authorized Processors who represent Issuers and Acquirers. Refer to the illustrations in the section below.

File Sequencing Example

Figure 5-3 gives an example of the file sequence numbers as they are transmitted to the Network for Data Collection Message processing.

In this example, two (2) Acquirers and one (1) Issuer submitted Data Collection files. All have assigned the same File Sequence Number (FSN1). The Authorized Processor (Acquirer, Issuer, or Acquirer/Issuer) reassigns the FSNs so that they are unique (FSN 1, FSN 2, FSN 3), and then sends them to the Network in the order that they are received.




Figure 5-3. Three Files from 2 Acquirers & 1 Issuer, Sent by Authorized Processor

Data Collection File Header (9844)

Description

The Data Collection File Header (9844) message comes before all Data Collection messages and is the first data record on the file and serves as the highest level of control in a file. Each file can have only one Data Collection File Header message. It designates date, time, and file identification fields that uniquely distinguish the file from the other files transmitted by a Participant. The Data Collection File Header message is created by the forwarding institution for the file.

The fields of the Data Collection File Header (9844) are used for routing and file integrity verification. A Data Collection File Header must come before all Data Collection Messages.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Data Collection File Header (9844). Refer to the [Programming Notes for Data Collection File Header \(9844\)](#) on page 5-6 for more instruction.

Data Collection File Header (9844) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(1264)	137-1400	F	Filler

Programming Notes for Data Collection File Header (9844)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9844

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Data Collection File Header (9844)
Field 2 File Sequence Number Message Layout

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

Definition

File Sequence Number

A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999.

Note: File Sequence Number 900000-999999 are reserved for test files.

Format

9(6)

Positions

5-10

Optionality

Mandatory

Field 3

Definition

Transmittal Date

The date when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(8) CCYYMMDD

Positions

11-18

Optionality

Mandatory

Field 4

Definition

Transmittal Time

The time when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(6) HHMMSS

Positions

19-24

Optionality

Mandatory

Field 5

Definition

Originating Institution Identification Code

A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.

Format

X(11)

Positions

25-35

Optionality

Mandatory

Notes

Outclear:

- Issuer Institution Identifier (IIN)
- Acquiring Institution Identification Code (AIN)

Inclear: Refer to "Institution Identification Codes" in the *Codes Reference Guide* for codes and descriptions.

Refer to the Institution Identification Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6

Definition

Forwarding Institution Identification Code

The institution identifier assigned to the processing institution that is sending the file.

Format

X(11)

Positions

36-46

Optionality

Mandatory

Notes

Outclear:

- Issuer Processor Identifier (IPN)
- Acquiring Institution Processor Identifier (APN)

Inclear: Refer to "Institution Identification Codes" in the *Codes Reference Guide* for codes and descriptions.

Field 7

Definition

Format

Positions

Optionality

Notes

Receiving Institution Identifier

The unique institution identifier assigned to the Participant who received the Transaction.

X(11)

47-57

Mandatory

Outclear: Refer to "Institution Identification Codes" in the *Codes Reference Guide* for codes and descriptions.

Inclear:

- Issuer Processor Identifier (IPN)
- Acquiring Institution Processor Identifier (APN)

Field 8

Definition

Format

Positions

Optionality

Notes

Destination Institution Identification Code

A unique number that identifies the final destination institution receiving the data record.

X(11)

58-68

Mandatory

Outclear: Refer to "Institution Identification Codes" in the *Codes Reference Guide* for codes and descriptions.

Inclear:

- Issuer Institution Identifier (IIN)
- Issuer Processor Identifier (IPN)
- Acquiring Institution Identification Code (AIN)
- Acquiring Institution Processor Identifier (APN)

Refer to the Institution Identification Codes section of the *Codes Reference Guide*.

Field 9

Definition

Format

Positions

Optionality

Notes

Action Code

The type of action done or the type of action to do for a Transaction.

X(3)

69-71

Mandatory

Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 10

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

72-79

Mandatory

Field 11

Definition

Format

Positions

Optionality

File Name Code

Used to identify the contents of the file.

X(17)

80-96

Mandatory

Field 12

Definition

Format

Positions

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

97-136

Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1264)
Positions	137-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Data Collection File Trailer (9845)

Description

The Data Collection File Trailer (9845) message comes after the Data Collection messages. It is the last data record in the Data Collection message file. Each file has only one Data Collection File Trailer message. It echoes data from the file header and includes control totals used to make an analysis of the integrity of the file after transmission. The Data Collection File Trailer message is created by the forwarding institution for the file.

The fields of the Data Collection File Trailer (9845) are used for routing and file integrity verification. The Data Collection File Trailer (9845) can only be used with the Data Collection File Header (9844).

Length of Record

1400 bytes

Message Layout

This is the message layout for the Data Collection File Trailer (9845). Refer to the [Programming Notes for Data Collection File Trailer \(9845\)](#) on page 5-11 for more instruction.

Data Collection File Trailer (9845) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	9(10)	137-146	M	Hash Total Amount
14	X(1254)	147-1400	F	Filler

Programming Notes for Data Collection File Trailer (9845)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9845 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	19-24
Optionality	Mandatory

Field 5

Originating Institution Identification Code

Definition	A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.
Format	X(11)
Positions	25-35
Optionality	Mandatory
Notes	Outclear: - Issuer Institution Identifier (IIN) - Acquiring Institution Identification Code (AIN) Inclear: Refer to "Institution Identification Codes" in the <i>Codes Reference Guide</i> for codes and descriptions. Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 6

Forwarding Institution Identification Code

Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	36-46

Optionality	Mandatory
Notes	Outclear: • Issuer Processor Identifier (IPN) • Acquiring Institution Processor Identifier (APN) Inclear: Refer to "Institution Identification Codes" in the <i>Codes Reference Guide</i> for codes and descriptions.

Field 7

Receiving Institution Identifier

Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	47-57
Optionality	Mandatory
Notes	Outclear: Refer to "Institution Identification Codes" in the <i>Codes Reference Guide</i> for codes and descriptions. Inclear: • Issuer Processor Identifier (IPN) • Acquiring Institution Processor Identifier (APN)

Field 8

Destination Institution Identification Code

Definition	A unique number that identifies the final destination institution receiving the data record.
Format	X(11)
Positions	58-68
Optionality	Mandatory
Notes	Outclear: Refer to "Institution Identification Codes" in the <i>Codes Reference Guide</i> for codes and descriptions. Inclear: • Issuer Institution Identifier (IIN) • Issuer Processor Identifier (IPN) • Acquiring Institution Identification Code (AIN) • Acquiring Institution Processor Identifier (APN) Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> .

Field 9

Action Code

Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	69-71
Optionality	Mandatory
Notes	Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 10

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	72-79
Optionality	Mandatory
Notes	This number must equal the total number of records in the file, plus the file header and trailer. If the trailer is attached to a Network File Acknowledgment (1844) message, the Message Number is that of the File Trailer Message Number of the first file that was acknowledged.

Field 11

Definition	Used to identify the contents of the file.
Format	X(17)
Positions	80-96
Optionality	Mandatory

File Name Code

Field 12

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	97-136
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Codes 1-10

Field 13

Definition	A hash total of values in the Transaction Amount field (byte positions 32-46) for all financial messages (i.e., 1240, 1442, 1740, 1742, 1744).
Format	9(10)
Positions	137-146
Optionality	Mandatory

Hash Total Amount

Field 14

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1254)
Positions	147-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

On Us POS First and Second Presentment (1340)

Description

The On Us POS (1340) messages apply to Participants that own the Cardmember and S/E relationships, and Multinational Accounts serviced by the Participant. These messages are used to collect data on Transactions that were not processed through the Network.

On Us First Presentment and Second Presentment (1340) messages contain data related to a single Cardmember Transaction that occurred outside the Network on a Participant's card network. This data includes account number, reference codes, debit or credit amount, and purchase description. Participants must include, in their On Us First and Second Presentment (1340) messages, their own Cardmembers' Transactions that occur at Multinational Accounts in the Participants' markets.

The On Us POS messages are modeled after the Clearing and Settlement financial messages but, like all Data Collection messages, must be outcleared daily to the Network in a separate file. On Us Presentment messages can be sent alone or with On Us Addenda (9340) messages. These messages must have a Data Collection Header (9844) message before and a Data Collection Trailer (9845) message after.

The On Us 1340 messages must be submitted on a daily basis.

Certification

Certification is required for the On Us POS First Presentment (1340) message for Participants that own the Cardmember and S/E relationships or process On Us Transactions, including Transactions of Multinational Accounts service by the Participants.

Certification is recommended for the On Us POS Second Presentment (1340) message for Participants that own the Cardmember and S/E relationships or process On Us Transactions, and Transactions of Multinational Accounts serviced by the Participant.

Note: AEGNS will tell Acquirers if they must certify for and send the On Us POS Second Presentment (1340) message.

Length of Record

1400 bytes

Message Layout

This is the message layout for the On Us POS First and Second Presentment (1340). Refer to the [Programming Notes for On Us POS First and Second Presentment \(1340\) on page 5-17](#) for more instruction.

On Us POS First and Second Presentment (1340) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(2)	5-6	M	Primary Account Number Length
3	X(19)	7-25	M	Primary Account Number (PAN)
4	X(6)	26-31	M	Processing Code
5	9(15)	32-46	M	Transaction Amount

On Us POS First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
6	X(15)	47-61	F	Reserved Field
7	9(15)	62-76	F	Reserved Field
8	X(12)	77-88	F	Filler
9	9(7)v9(8)	89-103	F	Reserved Field
10	X(8)	104-111	F	Filler
11	9(8)	112-119	M	Transaction Date
12	9(6)	120-125	O	Transaction Time
13	X(8)	126-133	F	Filler
14	9(8)	134-141	O	Capture Date
15	X(4)	142-145	M	Merchant Category Code
16	X(9)	146-154	F	Filler
17 (FP)	X(12)	155-166	M	Point of Service Data Code
17 (SP)	X(12)	155-166	O	Point of Service Data Code
18	X(3)	167-169	M	Function Code
19	X(4)	170-173	F	Reserved Field
20	9(1)	174	M	Approval Code Length
21	9(8)	175-182	F	Reserved Field
22	9(3)	183-185	F	Reserved Field
23	9(15)	186-200	M	First Presentment Transaction Amount
24	X(11)	201-211	M	Acquiring Institution Identification (AIN) Code
25	X(11)	212-222	M	Acquiring Institution Processor Identifier (APN)
26	X(23)	223-245	M	Acquirer Reference Number (ARN)
27	X(6)	246-251	C	Approval Code
28	X(3)	252-254	F	Filler
29	X(8)	255-262	O	Card Acceptor Terminal Identification
30	X(15)	263-277	M	Card Acceptor Identification Code
31	X(38)	278-315	M	Card Acceptor Name
32	X(38)	316-353	M	Card Acceptor Address Line 1-4
33	X(38)	354-391	O	Card Acceptor Address Line 1-4
34	X(21)	392-412	M	Card Acceptor City
35	X(15)	413-427	O	Card Acceptor Postal Code
36	X(3)	428-430	M	Card Acceptor Country Code
37	X(3)	431-433	O	Card Acceptor Region Code
38	9(15)	434-448	F	Reserved Field
39	9(15)	449-463	F	Reserved Field
40	X(103)	464-566	F	Filler
41	9(2)	567-568	F	Reserved Field
42	9(15)	569-583	F	Reserved Field

On Us POS First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
43	9(7)v9(8)	584-598	F	Reserved Field
44	X(3)	599-601	F	Reserved Field
45	9(1)	602	F	Reserved Field
46	X(3)	603-605	M	First Presentment Transaction Currency Code
47	9(1)	606	M	First Presentment Transaction Decimalization
48	9(15)	607-621	M	First Presentment Presentment Amount
49	9(7)v9(8)	622-636	M	First Presentment Transaction To Presentment Conversion Rate
50	X(3)	637-639	M	First Presentment Presentment Currency Code
51	9(1)	640	M	First Presentment Presentment Decimalization
52	X(1)	641	O	Card Acceptor Multinational Indicator
53	X(3)	642-644	M	Transaction Currency Code
54	X(3)	645-647	F	Reserved Field
55	X(3)	648-650	F	Reserved Field
56	X(1)	651	F	Filler
57	X(1)	652	O	Additional Amount Accounting Effect Type Code 1-5
58	9(15)	653-667	O	Additional Amount 1-5
59	X(3)	668-670	O	Additional Amount Type 1-5
60	X(1)	671	O	Additional Amount Accounting Effect Type Code 1-5
61	9(15)	672-686	O	Additional Amount 1-5
62	X(3)	687-689	O	Additional Amount Type 1-5
63	X(1)	690	O	Additional Amount Accounting Effect Type Code 1-5
64	9(15)	691-705	O	Additional Amount 1-5
65	X(3)	706-708	O	Additional Amount Type 1-5
66	X(1)	709	O	Additional Amount Accounting Effect Type Code 1-5
67	9(15)	710-724	O	Additional Amount 1-5
68	X(3)	725-727	O	Additional Amount Type 1-5
69	X(1)	728	O	Additional Amount Accounting Effect Type Code 1-5
70	9(15)	729-743	O	Additional Amount 1-5
71	X(3)	744-746	O	Additional Amount Type 1-5
72	9(2)	747-748	O	Alternate Card Acceptor Identification Code Length
73	X(15)	749-763	O	Alternate Card Acceptor Identification Code
74	X(2)	764-765	F	Filler
75	9(8)	766-773	M	First Presentment Transaction Date
76	9(6)	774-779	M	First Presentment Transaction Time
77	X(4)	780-783	F	Filler
78	X(2)	784-785	M	ICC Chip/PIN Indicator
79	X(1)	786	O	Card Capability

On Us POS First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
80	9(8)	787-794	F	Reserved Field
81	9(6)	795-800	F	Reserved Field
82	9(1)	801	M	Transaction Decimalization
83	X(95)	802-896	F	Filler
84	9(6)	897-902	O	Capture Time
85	9(6)	903-908	F	Reserved Field
86	9(8)	909-916	F	Reserved Field
87	9(6)	917-922	F	Reserved Field
88	X(2)	923-924	M	Format Code
89	X(11)	925-935	M	Issuer Institution Identifier (IIN)
90	X(2)	936-937	O	Media Code
91	9(3)	938-940	M	Message Transaction Sequence Number
92	X(40)	941-980	O	Card Acceptor Location Text
93	X(2)	981-982	F	Filler
94	X(23)	983-1005	F	Filler
95	9(15)	1006-1020	F	Reserved Field
96	9(2)	1021-1022	M	Extended Payment Data
97	X(9)	1023-1031	F	Filler
98	9(8)	1032-1039	M	Message Number
99	X(11)	1040-1050	M	Issuer Processor Identifier (IPN)
100	X(180)	1051-1230	F	Reserved Field
101	X(30)	1231-1260	O	Invoice Number
102	X(15)	1261-1275	F	Filler
103	X(3)	1276-1278	F	Filler
104	X(40)	1279-1318	C	Reject Reason Codes 1-10
105	X(56)	1319-1374	F	Filler
106	X(15)	1375-1389	F	Reserved Field
107	X(11)	1390-1400	F	Filler

Programming Notes for On Us POS First and Second Presentment (1340)

Field 1

Message Type Identifier

Definition

This code identifies the type of message sent by the forwarding institution.

Format

X(4)

Positions

1-4

Optionality

Mandatory

Notes

Required Value: 1340

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us POS First and Second Presentment (1340)
Field 2 Primary Account Number Length Message Layout

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Mandatory
Notes	This field must be numeric.

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Mandatory
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	32-46
Optionality	Mandatory
Notes	First Presentment This field must be greater than zero. Second Presentment Amount must be equal to or less than the First Presentment Transaction Amount.

Field 6

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	47-61
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 7

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	62-76
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 8

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(12)

77-88

Filler

Alphanumeric Filler fields must contain spaces.

Field 9

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

9(7)v9(8)

89-103

Filler

Numeric Reserved Fields must contain zeros.

Field 10

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(8)

104-111

Filler

Alphanumeric Filler fields must contain spaces.

Field 11

Definition

Format

Positions

Optionality

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

9(8) CCYYMMDD

112-119

Mandatory

Field 12

Definition

Format

Positions

Optionality

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

9(6) HHMMSS

120-125

Optional

Field 13

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(8)

126-133

Filler

Alphanumeric Filler fields must contain spaces.

Field 14

Definition

Capture Date

The Capture Date on which Transaction data was processed.

Format	9(8) CCYYMMDD
Positions	134-141
Optionality	Optional
Notes	This is the date when the Acquirer processed the Cardmember Transaction.

Field 15

Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	142-145
Optionality	Mandatory
Notes	This field must be a valid MCC.

Cash Disbursement: If the Processing Code is 014008 or 220000 (Cash Disbursement), then Merchant Category Code 6010 is valid.

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 16

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(9)
Positions	146-154
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 17

Definition	This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).
Format	X(12)
Positions	155-166
Optionality	Mandatory (FP) Optional (SP)
Notes	The Point of Service Data Code should be the same in the POS Authorization Request (1100) and the POS First Presentment (1240) messages. This accurately shows the conditions at the time a Transaction occurred at the POS. Refer to the Point of Service Data Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 18

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	167-169
Optionality	Mandatory
Notes	Valid Values: 200 = First Presentment 205 = Second Presentment Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 19

Definition	This field is for AEGNS internal use.
Format	X(4)

Positions	170-173
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 20

Approval Code Length

Definition	The length of the approval code from the Approval Code data field within a message.
Format	9(1)
Positions	174
Optionality	Mandatory
Notes	Valid Values: 0 = No Approval Code 2 = Valid Approval Code Length 6 = Valid Approval Code Length

Field 21

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(8)
Positions	175-182
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 22

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(3)
Positions	183-185
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 23

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	186-200
Optionality	Mandatory
Notes	This field must be greater than zero.

Field 24

Acquiring Institution Identification (AIN) Code

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	201-211
Optionality	Mandatory
Notes	This must be a valid AIN.

Field 25

Acquiring Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	212-222
Optionality	Mandatory
Notes	This must be a valid APN.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us POS First and Second Presentment (1340)
Field 26 Acquirer Reference Number (ARN) Message Layout

Field 26	Acquirer Reference Number (ARN)
Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Mandatory
Notes	Do not space fill this field.
Field 27	Approval Code
Definition	A unique code assigned by the Card Transaction authorizing institution to indicate the disposition for the Transaction.
Format	X(6)
Positions	246-251
Optionality	Conditional. This field must contain a value if the Approval Code Length is larger than zero.
Notes	This field must be numeric.
Field 28	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(3)
Positions	252-254
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.
Field 29	Card Acceptor Terminal Identification
Definition	This code identifies a POS terminal at a Card Acceptor location.
Format	X(8)
Positions	255-262
Optionality	Optional
Field 30	Card Acceptor Identification Code
Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	263-277
Optionality	Mandatory
Notes	This field must pass the S/E Number Check Digit computation. Acquirers must use S/E numbers within the range supplied during implementation. Refer to the Unique S/E Number section in the <i>Business and Operational Policies</i> manual for more instruction.
Field 31	Card Acceptor Name
Definition	The name of the Card Acceptor, also know as Service Establishment (S/E).
Format	X(38)
Positions	278-315
Optionality	Mandatory
Notes	Do not space fill this field.
Field 32	Card Acceptor Address Line 1-4
Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	316-353

American Express Global Network Services
Network Specifications - Financial/Non-Financial
 On Us POS First and Second Presentment (1340)
 Field 33 Card Acceptor Address Line 1-4 Message Layout

Optionality Mandatory
Notes Do not space fill this field.

Field 33

Card Acceptor Address Line 1-4

Definition The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format X(38)
Positions 354-391
Optionality Optional

Field 34

Card Acceptor City

Definition The city name of the Card Acceptor location.
Format X(21)
Positions 392-412
Optionality Mandatory
Notes Do not space fill this field.

Field 35

Card Acceptor Postal Code

Definition The postal code of the Card Acceptor location.
Format X(15)
Positions 413-427
Optionality Optional
Notes Do not space fill this field.

Field 36

Card Acceptor Country Code

Definition The Country Code of the Card Acceptor location.
Format X(3)
Positions 428-430
Optionality Mandatory
Notes This field must be a valid country code.
 Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 37

Card Acceptor Region Code

Definition A code for the state, province, or region of the Card Acceptor location.
Format X(3)
Positions 431-433
Optionality Optional
Notes Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 38

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(15)
Positions 434-448
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 39

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(15)
Positions 449-463
Optionality Filler

Notes Numeric Reserved Fields must contain zeros.

Field 40

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(103)

Positions

464-566

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 41

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(2)

Positions

567-568

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 42

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(15)

Positions

569-583

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 43

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(7)v9(8)

Positions

584-598

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 44

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(3)

Positions

599-601

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 45

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(1)

Positions

602

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 46

Definition

First Presentment Transaction Currency Code

The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.

Format

X(3)

Positions

603-605

Optionality

Mandatory

Notes

This field must be a valid currency code.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us POS First and Second Presentment (1340)
Field 47 First Presentment Transaction Decimalization Message Layout

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 47

Definition

First Presentment Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.

Format

9(1)

Positions

606

Optionality

Mandatory

Notes

Valid Values: 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 48

Definition

First Presentment Presentment Amount

The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.

Format

9(15)

Positions

607-621

Optionality

Mandatory

Notes

You must use a valid presentment currency code to get the amount for this field.

Field 49

Definition

First Presentment Transaction To Presentment Conversion Rate

The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.

Format

9(7)v9(8)

Positions

622-636

Optionality

Mandatory

Field 50

Definition

First Presentment Presentment Currency Code

The currency code of the First Presentment Presentment Amount submitted to the Network.

Format

X(3)

Positions

637-639

Optionality

Mandatory

Notes

This field must be a valid currency code.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 51

Definition

First Presentment Presentment Decimalization

The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.

Format

9(1)

Positions

640

Optionality

Mandatory

Notes

Valid Values: 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us POS First and Second Presentment (1340)
Field 52 Card Acceptor Multinational Indicator Message Layout

Field 52

Card Acceptor Multinational Indicator

Definition	A Y (Yes) or N (no) indicator that shows if a particular Transaction relates to an AEGNS Multinational Account (MNA).
Format	X(1)
Positions	641
Optionality	Optional
Notes	AEGNS is responsible for designating those relationships deemed MNAs. Contact your AEGNS Representative for more instruction. If this Transaction is related to an MNA, the field must contain a 'Y'.

Field 53

Transaction Currency Code

Definition	The currency code in which the Transaction was executed.
Format	X(3)
Positions	642-644
Optionality	Mandatory
Notes	This field must be a valid currency code. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 54

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	645-647
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 55

Reserved Field

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	648-650
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 56

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	651
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 57

Additional Amount Accounting Effect Type Code 1-5

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	652
Optionality	Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 58

Definition

Additional Amount 1-5

The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.

Format

9(15)

Positions

653-667

Optionality

Optional

Notes

The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 59

Definition

Additional Amount Type 1-5

A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.

Format

X(3)

Positions

668-679

Optionality

Optional

Notes

Refer to the Additional Amount Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 60

Definition

Additional Amount Accounting Effect Type Code 1-5

A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.

Format

X(1)

Positions

671

Optionality

Optional

Notes

Valid Values:

- "+" = Additional amount is a positive number (default)
- "-" = Additional amount is a negative number

Field 61

Definition

Additional Amount 1-5

The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.

Format

9(15)

Positions

672-686

Optionality

Optional

Notes

The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 62

Definition

Additional Amount Type 1-5

A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.

Format

X(3)

Positions

687-689

Optionality

Optional

Notes

Refer to the Additional Amount Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 63

Definition

Additional Amount Accounting Effect Type Code 1-5

A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.

Format	X(1)
Positions	690
Optionality	Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 64

Additional Amount 1-5

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	691-705
Optionality	Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 65

Additional Amount Type 1-5

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	706-708
Optionality	Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 66

Additional Amount Accounting Effect Type Code 1-5

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	709
Optionality	Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 67

Additional Amount 1-5

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	710-724
Optionality	Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 68

Additional Amount Type 1-5

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	725-727

Field 69 Additional Amount Accounting Effect Type Code 1-5 Message Layout

Optionality	Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 69 **Additional Amount Accounting Effect Type Code 1-5**

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	728
Optionality	Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 70 **Additional Amount 1-5**

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	729-743
Optionality	Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 71 **Additional Amount Type 1-5**

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message. Examples of amount types include No-Show Reservation Transactions, meal, beverage, and tip amounts from a restaurant charge addendum, or local tax on a First Presentment message.
Format	X(3)
Positions	744-746
Optionality	Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 72 **Alternate Card Acceptor Identification Code Length**

Definition	The number of positions or length of the Alternate Card Acceptor Identification Code.
Format	9(2)
Positions	747-748
Optionality	Optional
Notes	Valid Values: 00-15

Field 73 **Alternate Card Acceptor Identification Code**

Definition	A Card Acceptor identification number used internally by a Participant.
Format	X(15)
Positions	749-763
Optionality	Optional

Field 74 **Filler**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	764-765
Optionality	Filler

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us POS First and Second Presentment (1340)
Field 75 First Presentment Transaction Date Message Layout

Notes Alphanumeric Filler fields must contain spaces.

Field 75 **First Presentment Transaction Date**

Definition The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.

Format 9(8) CCYYMMDD

Positions 766-773

Optionality Mandatory

Field 76 **First Presentment Transaction Time**

Definition The local time when a Cardmember Transaction was executed at a Card Acceptor location.

Format 9(6) HHMMSS

Positions 774-779

Optionality Mandatory

Field 77 **Filler**

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(2)

Positions 780-783

Optionality Filler

Notes Alphanumeric Filler fields must contain spaces.

Field 78 **ICC Chip/PIN Indicator**

Definition A code assigned by the Network to show if a Chip or a Chip and PIN Transaction has occurred.

Format X(2)

Positions 784-785

Optionality Mandatory

Notes Refer to the ICC Chip/PIN Indicator Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 79 **Card Capability**

Definition This field indicates the highest form of technology present in the Card.

Format X(1)

Positions 786

Optionality Optional

Notes **Valid Values:**

- 0 = unknown
- 1 = magnetic stripe
- 2 = chip

Field 80 **Reserved Field**

Definition This field is for AEGNS internal use.

Format 9(8)

Positions 787-794

Optionality Filler

Notes Numeric Reserved Fields must contain zeros.

Field 81 **Reserved Field**

Definition This field is for AEGNS internal use.

Format 9(6)

Positions 795-800

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us POS First and Second Presentment (1340)
Field 82 Transaction Decimalization Message Layout

Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 82

Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.
Format	9(1)
Positions	801
Optionality	Mandatory
Notes	Valid Value: 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 83

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(95)
Positions	802-896
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 84

Capture Time

Definition	The Capture Time on which Transaction data was processed.
Format	9(6) HHMMSS
Positions	897-902
Optionality	Optional
Notes	This is the time when the Acquirer processed the Cardmember Transaction.

Field 85

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(6)
Positions	903-908
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 86

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(8)
Positions	909-916
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 87

Reserved Field

Definition	This field is for AEGNS internal use.
Format	9(6)
Positions	917-922
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 88

Format Code

	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Mandatory
Notes	Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 89

Issuer Institution Identifier (IIN)

Definition	A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer.
	The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format	X(11)
Positions	925-935
Optionality	Mandatory
Notes	Must be a valid IIN.

Field 90

Media Code

Definition	The media used to initiate a Cardmember transaction processed by the Network.
Format	X(2)
Positions	936-937
Optionality	Optional
Notes	Refer to the Media Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 91

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940
Optionality	Mandatory
Notes	Valid Value: 001 Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 92

Card Acceptor Location Text

Definition	The free form text location of the Card Acceptor.
Format	X(40)
Positions	941-980
Optionality	Optional

Field 93

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	981-982
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 94

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(23)

983-1005

Filler

Alphanumeric Filler fields must contain spaces.

Field 95

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

9(15)

1006-1020

Filler

Numeric Reserved Fields must contain zeros.

Field 96

Definition

Format

Positions

Optionality

Notes

Extended Payment Data

The number of extended payment installments requested for a card transaction (e.g., 16 = 16 months).

9(2)

1021-1022

Mandatory

Valid Values: 01-99

Default Value: 01

Field 97

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(9)

1023-1031

Filler

Alphanumeric Filler fields must contain spaces.

Field 98

Definition

Format

Positions

Optionality

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

1032-1039

Mandatory

Field 99

Definition

Format

Positions

Optionality

Notes

Issuer Processor Identifier (IPN)

The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.

X(11)

1040-1050

Mandatory

Must be a valid IPN.

Field 100

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

X(180)

1051-1230

Filler

Alphanumeric Reserved Fields must contain spaces.

Field 101

Definition	A unique number assigned by the S/E to track a Transaction.
Format	X(30)
Positions	1231-1260
Optionality	Optional

Invoice Number**Field 102**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(15)
Positions	1261-1275
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler**Field 103**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(3)
Positions	1276-1278
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler**Field 104**

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Reject Reason Codes 1-10**Field 105**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(56)
Positions	1319-1374
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler**Field 106**

Definition	This field is for AEGNS internal use.
Format	X(15)
Positions	1375-1389
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field**Field 107**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(11)
Positions	1390-1400
Optionality	Filler

Filler

Notes

Alphanumeric Filler fields must contain spaces.

On Us ATM First and Second Presentment (1340)

Description

On Us ATM First and Second Presentments contain data related to one Cardmember Transaction.

The On Us ATM 1340 messages must be submitted on a daily basis by those Participants that own the Cardmember and S/E relationships or process On Us Transactions.

Certification

Certification is required for Participants that own the Cardmember and S/E relationships or process On Us Transactions.

Length of Record

1400 bytes

Message Layout

This is the message layout for the On Us ATM First and Second Presentment (1340). Refer to the Programming Notes for On Us ATM First and Second Presentment (1340) on page 5-40 for more instruction.

On Us ATM First and Second Presentment (1340) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(2)	5-6	M	Primary Account Number Length
3	X(19)	7-25	M	Primary Account Number (PAN)
4	X(6)	26-31	M	Processing Code
5	9(15)	32-46	M	Transaction Amount
6	9(15)	47-61	F	Reserved Field
7	9(15)	62-76	F	Reserved Field
8	X(12)	77-88	F	Filler
9	X(15)	89-103	F	Reserved Field
10	X(8)	104-111	F	Filler
11	9(8)	112-119	M	Transaction Date
12	9(6)	120-125	M	Transaction Time
13	X(8)	126-133	F	Filler
14	9(8)	134-141	O	Capture Date
15	X(4)	142-145	M	Merchant Category Code
16	X(9)	146-154	F	Filler
17	X(12)	155-166	M	Point of Service Data Code
18	X(3)	167-169	M	Function Code
19	X(4)	170-173	F	Filler

On Us ATM First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
20	9(1)	174	M	Approval Code Length
21	9(8)	175-182	F	Reserved Field
22	9(3)	183-185	F	Reserved Field
23	9(15)	186-200	M	First Presentment Transaction Amount
24	X(11)	201-211	M	Acquiring Institution Identification (AIN) Code
25	X(11)	212-222	M	Acquiring Institution Processor Identifier (APN)
26	X(23)	223-245	M	Acquirer Reference Number (ARN)
27	X(6)	246-251	M	Approval Code
28	X(3)	252-254	F	Filler
29	X(8)	255-262	M	Card Acceptor Terminal Identification
30	X(15)	263-277	M	Card Acceptor Identification Code
31	X(38)	278-315	M	Card Acceptor Name
32	X(38)	316-353	O	Card Acceptor Address Line 1-4
33	X(38)	354-391	O	Card Acceptor Address Line 1-4
34	X(21)	392-412	M	Card Acceptor City
35	X(15)	413-427	O	Card Acceptor Postal Code
36	X(3)	428-430	M	Card Acceptor Country Code
37	X(3)	431-433	O	Card Acceptor Region Code
38	X(2)	434-435	F	Reserved Field
39	X(1)	436	F	Reserved Field
40	9(8)	437-444	F	Filler
41	9(8)	445-452	F	Reserved Field
42	X(2)	453-454	F	Reserved Field
43	X(1)	455	F	Reserved Field
44	9(8)	456-463	F	Filler
45	9(8)	464-471	F	Reserved Field
46	X(2)	472-473	F	Reserved Field
47	X(1)	474	F	Reserved Field
48	9(8)	475-482	F	Filler
49	9(8)	483-490	F	Reserved Field
50	X(2)	491-492	F	Reserved Field
51	X(1)	493	F	Reserved Field
52	9(8)	494-501	F	Reserved Field
53	9(8)	502-509	F	Reserved Field
54	X(2)	510-511	F	Reserved Field
55	X(1)	512	F	Reserved Field
56	9(8)	513-520	F	Filler
57	9(8)	521-528	F	Reserved Field

On Us ATM First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
58	X(2)	529-530	F	Reserved Field
59	X(1)	531	F	Reserved Field
60	9(8)	532-539	F	Filler
61	9(8)	540-547	F	Reserved Field
62	X(1)	548	F	Reserved Field
63	9(15)	549-563	F	Reserved Field
64	X(3)	564-566	F	Reserved Field
65	9(1)	567	F	Reserved Field
66	9(1)	568	F	Reserved Field
67	9(15)	569-583	F	Reserved Field
68	9(7)v9(8)	584-598	F	Reserved Field
69	X(3)	599-601	F	Reserved Field
70	9(1)	602	F	Reserved Field
71	X(3)	603-605	M	First Presentment Transaction Currency Code
72	9(1)	606	M	First Presentment Transaction Decimalization
73	9(15)	607-621	M	First Presentment Presentment Amount
74	9(7)v9(8)	622-636	M	First Presentment Transaction To Presentment Conversion Rate
75	X(3)	637-639	M	First Presentment Presentment Currency Code
76	9(1)	640	M	First Presentment Presentment Decimalization
77	X(1)	641	O	Card Acceptor Multinational Indicator
78	X(3)	642-644	M	Transaction Currency Code
79	X(3)	645-647	F	Reserved Field
80	X(3)	648-650	F	Reserved Field
81	X(1)	651	F	Filler
82	X(1)	652	O	Additional Amount Accounting Effect Type Code 1-5
83	9(15)	653-667	O	Additional Amount 1-5
84	X(3)	668-670	O	Additional Amount Type 1-5
85	X(1)	671	O	Additional Amount Accounting Effect Type Code 1-5
86	9(15)	672-686	O	Additional Amount 1-5
87	X(3)	687-689	O	Additional Amount Type 1-5
88	X(1)	690	O	Additional Amount Accounting Effect Type Code 1-5
89	9(15)	691-705	O	Additional Amount 1-5
90	X(3)	706-708	O	Additional Amount Type 1-5
91	X(1)	709	O	Additional Amount Accounting Effect Type Code 1-5
92	9(15)	710-724	O	Additional Amount 1-5
93	X(3)	725-727	O	Additional Amount Type 1-5
94	X(1)	728	O	Additional Amount Accounting Effect Type Code 1-5

On Us ATM First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
95	9(15)	729-743	O	Additional Amount 1-5
96	X(3)	744-746	O	Additional Amount Type 1-5
97	X(1)	747	F	Reserved Field
98	9(15)	748-762	F	Reserved Field
99	X(3)	763-765	F	Reserved Field
100	9(8)	766-773	M	First Presentment Transaction Date
101	9(6)	774-779	M	First Presentment Transaction Time
102	X(7)	780-786	F	Filler
103	9(8)	787-794	F	Reserved Field
104	9(6)	795-800	F	Reserved Field
105	9(1)	801	M	Transaction Decimalization
106	9(15)	802-816	F	Reserved Field
107	9(15)	817-831	F	Reserved Field
108	9(15)	832-846	F	Reserved Field
109	9(15)	847-861	F	Reserved Field
110	9(15)	862-876	F	Reserved Field
111	9(15)	877-891	F	Reserved Field
112	X(5)	892-896	F	Filler
113	9(6)	897-902	O	Capture Time
114	9(6)	903-908	F	Reserved Field
115	9(8)	909-916	F	Reserved Field
116	9(6)	917-922	F	Reserved Field
117	X(2)	923-924	M	Format Code
118	X(11)	925-935	M	Issuer Institution Identifier (IIN)
119	X(2)	936-937	O	Media Code
120	9(3)	938-940	M	Message Transaction Sequence Number
121	X(40)	941-980	F	Filler
122	X(2)	981-982	F	Filler
123	X(23)	983-1005	F	Filler
124	9(15)	1006-1020	F	Reserved Field
125	9(2)	1021-1022	F	Filler
126	X(9)	1023-1031	F	Filler
127	9(8)	1032-1039	M	Message Number
128	X(11)	1040-1050	M	Issuer Processor Identifier (IPN)
129	X(225)	1051-1275	F	Reserved Field
130	X(3)	1276-1278	F	Filler
131	X(40)	1279-1318	C	Reject Reason Codes 1-10
132	X(1)	1319	F	Filler

On Us ATM First and Second Presentment (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
133	9(15)	1320-1334	F	Reserved Field
134	9(15)	1335-1349	F	Reserved Field
135	9(15)	1350-1364	F	Reserved Field
136	9(15)	1365-1379	F	Reserved Field
137	X(21)	1380-1400	F	Reserved Field

Programming Notes for On Us ATM First and Second Presentment (1340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 1340 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Mandatory
Notes	This field must be numeric.

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	26-31
Optionality	Mandatory
Notes	Valid Values: 010000 = ATM Cash 060000 = ATM Travelers Cheques 170920 = ATM Virtual Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5

Definition

Transaction Amount

The dispensed amount including service fees charged by the dispensing unit in the Transaction Currency as it was executed at the Card Acceptor expressed in the currency and decimalization of the Transaction amount.

Format

9(15)

Positions

32-46

Optionality

Mandatory

Notes

First Presentment: This field must be greater than zero.

Second Presentment: Amount must be equal to or less than the First Presentment Transaction Amount.

Field 6

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(15)

Positions

47-61

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 7

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(15)

Positions

62-76

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 8

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(12)

Positions

77-88

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 9

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(15)

Positions

89-103

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 10

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(8)

Positions

104-111

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 11

Definition

Transaction Date

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
 On Us ATM First and Second Presentment (1340)
 Field 12 Transaction Time Message Layout

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format 9(8) CCYYMMDD
Positions 112-119
Optionality Mandatory

Field 12

Definition

Transaction Time

The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor.

On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.

Format 9(6) HHMMSS
Positions 120-125
Optionality Mandatory

Field 13

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(8)
Positions 126-133
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 14

Definition

Capture Date

The Capture Date on which Transaction data was processed.

Format 9(8) CCYYMMDD
Positions 134-141
Optionality Optional

Field 15

Definition

Merchant Category Code

A code that identifies the industry in which the S/E does business.

Format X(4)
Positions 142-145
Optionality Mandatory
Notes **Required Value:** 6011 = Financial Institution Automated Cash Disbursement

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 16

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(9)
Positions 146-154
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 17

Definition

Point of Service Data Code

This is a series of codes that shows the capability, security data, and conditions of a terminal (or wallet) when a Transaction occurs at the point of service (or during provisioning).

Format X(12)
Positions 155-166

Optionality	Mandatory
Notes	Valid Values: - ATM Non-Chip Card = 210201210141 - ATM Chip Card = 510201510141 Refer to the Point of Service Data Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 18

Definition	Function Code This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	167-169
Optionality	Mandatory
Notes	Valid Values: 200 = First Presentment 205 = Second Presentment Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 19

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(4)
Positions	170-173
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 20

Definition	Approval Code Length The length of the approval code from the Approval Code data field within a message.
Format	9(1)
Positions	174
Optionality	Mandatory
Notes	Required Value: 6 = Valid Approval Code Length

Field 21

Definition	Reserved Field This field is for AEGNS internal use.
Format	9(8)
Positions	175-182
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 22

Definition	Reserved Field This field is for AEGNS internal use.
Format	9(3)
Positions	183-185
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 23

Definition	First Presentment Transaction Amount The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
-------------------	---

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us ATM First and Second Presentment (1340)
Field 24 Acquiring Institution Identification (AIN) Code Message Layout

Format	9(15)
Positions	186-200
Optionality	Mandatory
Notes	This field must be greater than zero.

Field 24 **Acquiring Institution Identification (AIN) Code**

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	201-211
Optionality	Mandatory
Notes	This must be a valid AIN.

Field 25 **Acquiring Institution Processor Identifier (APN)**

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	212-222
Optionality	Mandatory
Notes	This must be a valid APN.

Field 26 **Acquirer Reference Number (ARN)**

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Mandatory
Notes	Do not space fill this field.

Field 27 **Approval Code**

Definition	A unique code assigned by the Card Transaction authorizing institution to indicate the disposition for the Transaction.
Format	X(6)
Positions	246-251
Optionality	Mandatory
Notes	This field must be numeric.

Field 28 **Filler**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(3)
Positions	252-254
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 29**Definition****Format****Positions****Optionality****Notes****Card Acceptor Terminal Identification**

This code identifies a POS terminal at a Card Acceptor location.

X(8)

255-262

Mandatory

Do not space fill this field.

Field 30**Definition****Format****Positions****Optionality****Notes****Card Acceptor Identification Code**

The routing transit number in an ATM Transaction. This value is a 10-digit number.

X(15)

263-277

Mandatory

Do not space fill this field.

Field 31**Definition****Format****Positions****Optionality****Notes****Card Acceptor Name**

The ATM location as it is known to Cardmembers.

X(38)

278-315

Mandatory

Do not space fill this field.

Field 32**Definition****Format****Positions****Optionality****Card Acceptor Address Line 1-4**

The Card Acceptor (also known as Service Establishment (S/E)) location address.

X(38)

316-353

Optional

Field 33**Definition****Format****Positions****Optionality****Card Acceptor Address Line 1-4**

The Card Acceptor (also known as Service Establishment (S/E)) location address.

X(38)

354-391

Optional

Field 34**Definition****Format****Positions****Optionality****Notes****Card Acceptor City**

The city name of the Card Acceptor location.

X(21)

392-412

Mandatory

Do not space fill this field.

Field 35**Definition****Format****Positions****Optionality****Card Acceptor Postal Code**

The postal code of the Card Acceptor location.

X(15)

413-427

Optional

Field 36**Definition****Format****Positions****Optionality****Card Acceptor Country Code**

The Country Code of the Card Acceptor location.

X(3)

428-430

Mandatory

Notes This field must be a valid country code.
 Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 37 **Card Acceptor Region Code**
Definition A code for the state, province, or region of the Card Acceptor location.
Format X(3)
Positions 431-433
Optionality Optional
Notes Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 38 **Reserved Field**
Definition This field is for AEGNS internal use.
Format X(2)
Positions 434-435
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 39 **Reserved Field**
Definition This field is for AEGNS internal use.
Format X(1)
Positions 436
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 40 **Filler**
Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format 9(8)
Positions 437-444
Optionality Filler
Notes Numeric Filler fields must contain zeros.

Field 41 **Reserved Field**
Definition This field is for AEGNS internal use.
Format 9(8)
Positions 445-452
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 42 **Reserved Field**
Definition This field is for AEGNS internal use.
Format X(2)
Positions 453-454
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

Field 43 **Reserved Field**
Definition This field is for AEGNS internal use.
Format X(1)
Positions 455
Optionality Filler

Notes Alphanumeric Reserved Fields must contain spaces.

Field 44

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

9(8)

Positions

456-463

Optionality

Filler

Notes

Numeric Filler fields must contain zeros.

Field 45

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(8)

Positions

464-471

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 46

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(2)

Positions

472-473

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 47

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(1)

Positions

474

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 48

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

9(8)

Positions

475-482

Optionality

Filler

Notes

Numeric Filler fields must contain zeros.

Field 49

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(8)

Positions

483-490

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 50

Definition	This field is for AEGNS internal use.
Format	X(2)
Positions	491-492
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 51

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	493
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 52

Definition	This field is for AEGNS internal use.
Format	9(8)
Positions	494-501
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 53

Definition	This field is for AEGNS internal use.
Format	9(8)
Positions	502-509
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 54

Definition	This field is for AEGNS internal use.
Format	X(2)
Positions	510-511
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 55

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	512
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 56

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(8)
Positions	513-520
Optionality	Filler
Notes	Numeric Filler fields must contain zeros.

Filler

Field 57

Definition	This field is for AEGNS internal use.
-------------------	---------------------------------------

Reserved Field

Format	9(8)
Positions	521-528
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 58

Definition	This field is for AEGNS internal use.
Format	X(2)
Positions	529-530
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 59

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	531
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 60

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(8)
Positions	532-539
Optionality	Filler
Notes	Numeric Filler fields must contain zeros.

Filler

Field 61

Definition	This field is for AEGNS internal use.
Format	9(8)
Positions	540-547
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 62

Definition	This field is for AEGNS internal use.
Format	X(1)
Positions	548
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 63

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	549-563
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 64

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	564-566

Reserved Field

Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Field 65

Definition	This field is for AEGNS internal use.
Format	9(1)
Positions	567
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 66

Definition	This field is for AEGNS internal use.
Format	9(1)
Positions	568
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 67

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	569-583
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 68

Definition	This field is for AEGNS internal use.
Format	9(7)v9(8)
Positions	584-598
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 69

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	599-601
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field

Field 70

Definition	This field is for AEGNS internal use.
Format	9(1)
Positions	602
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 71

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	603-605
Optionality	Mandatory
Notes	This field must be a valid currency code.

First Presentment Transaction Currency Code

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us ATM First and Second Presentment (1340)
Field 72 First Presentment Transaction Decimalization Message Layout

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 72

Definition

First Presentment Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.

Format

9(1)

Positions

606

Optionality

Mandatory

Notes

Valid Values: 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 73

Definition

First Presentment Presentment Amount

The dispensed amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction Currency.

Format

9(15)

Positions

607-621

Optionality

Mandatory

Notes

Valid Values: 0-9

Use a valid presentment currency code to get the amount for this field.

Field 74

Definition

First Presentment Transaction To Presentment Conversion Rate

The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.

Format

9(7)v9(8)

Positions

622-636

Optionality

Mandatory

Field 75

Definition

First Presentment Presentment Currency Code

The currency code of the First Presentment Presentment Amount submitted to the Network.

Format

X(3)

Positions

637-639

Optionality

Mandatory

Notes

This field must be a valid currency code.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 76

Definition

First Presentment Presentment Decimalization

The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.

Format

9(1)

Positions

640

Optionality

Mandatory

Notes

Valid Values: 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us ATM First and Second Presentment (1340)
Field 77 Card Acceptor Multinational Indicator Message Layout

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 77

Definition

Card Acceptor Multinational Indicator

A Y (Yes) or N (no) indicator that shows if a particular Transaction relates to an AEGNS Multinational Account (MNA).

Format

X(1)

Positions

641

Optionality

Optional

Notes

AEGNS is responsible for designating those relationships deemed MNAs. Contact your AEGNS Representative for more instruction.

If this Transaction relates to an MNA, the field must contain a 'Y'.

Field 78

Definition

Transaction Currency Code

The currency code in which the Transaction was executed.

Format

X(3)

Positions

642-644

Optionality

Mandatory

Notes

This field must be a valid currency code.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 79

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(3)

Positions

645-647

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 80

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(3)

Positions

648-650

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 81

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(1)

Positions

651

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 82

Definition

Additional Amount Accounting Effect Type Code 1-5

A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.

Format

X(1)

Positions

652

Optionality

Optional

Notes

Valid Values:

- "+" = Additional amount is a positive number (default)

- “-” = Additional amount is a negative number

Field 83

Definition

The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.

Format

9(15)

Positions

653-667

Optionality

Optional

Notes

The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Additional Amount 1-5

Field 84

Definition

A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.

Format

X(3)

Positions

668-679

Optionality

Optional

Notes

Refer to the Additional Amount Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Additional Amount Type 1-5

Field 85

Definition

A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.

Format

X(1)

Positions

671

Optionality

Optional

Notes

Valid Values:

- “+” = Additional amount is a positive number (default)
- “-” = Additional amount is a negative number

Additional Amount Accounting Effect Type Code 1-5

Field 86

Definition

The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.

Format

9(15)

Positions

672-686

Optionality

Optional

Notes

The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Additional Amount 1-5

Field 87

Definition

A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.

Format

X(3)

Positions

687-689

Optionality

Optional

Notes

Refer to the Additional Amount Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Additional Amount Type 1-5

Field 88

Definition

A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.

Additional Amount Accounting Effect Type Code 1-5

Format	X(1)
Positions	690
Optionality	Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 89

Additional Amount 1-5

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	691-705
Optionality	Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 90

Additional Amount Type 1-5

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	706-708
Optionality	Optional
Notes	Refer to the Additional Amount Type Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 91

Additional Amount Accounting Effect Type Code 1-5

Definition	A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.
Format	X(1)
Positions	709
Optionality	Optional
Notes	Valid Values: • "+" = Additional amount is a positive number (default) • "-" = Additional amount is a negative number

Field 92

Additional Amount 1-5

Definition	The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.
Format	9(15)
Positions	710-724
Optionality	Optional
Notes	The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 93

Additional Amount Type 1-5

Definition	A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.
Format	X(3)
Positions	725-727
Optionality	Optional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us ATM First and Second Presentment (1340)
Field 94 Additional Amount Accounting Effect Type Code 1-5 Message Layout

Notes Refer to the Additional Amount Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 94 **Additional Amount Accounting Effect Type Code 1-5**

Definition A code that indicates the accounting effect of the corresponding additional amount field on a Presentment message or Transaction.

Format X(1)

Positions 728

Optionality Optional

Notes **Valid Values:**

- "+" = Additional amount is a positive number (default)
- "-" = Additional amount is a negative number

Field 95 **Additional Amount 1-5**

Definition The amount for which a specific data element has not been defined on the Presentment message due to the amount being specific to a particular market or region, or specific to a type of Transaction addendum.

Format 9(15)

Positions 729-743

Optionality Optional

Notes The currency and decimalization of this amount are the First Presentment Presentment Currency and Decimalization.

Field 96 **Additional Amount Type 1-5**

Definition A code that classifies the type of another amount in the Additional Amount fields of the Presentment Message.

Format X(3)

Positions 744-746

Optionality Optional

Notes Refer to the Additional Amount Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 97 **Reserved Field**

Definition This field is for AEGNS internal use.

Format X(1)

Positions 747

Optionality Filler

Notes Alphanumeric Reserved Fields must contain spaces.

Field 98 **Reserved Field**

Definition This field is for AEGNS internal use.

Format 9(15)

Positions 748-762

Optionality Filler

Notes Numeric Reserved Fields must contain zeros.

Field 99 **Reserved Field**

Definition This field is for AEGNS internal use.

Format X(3)

Positions 763-765

Optionality Filler

Notes Alphanumeric Reserved Fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us ATM First and Second Presentment (1340)
Field 100 First Presentment Transaction Date Message Layout

Field 100

Definition

First Presentment Transaction Date

The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.

Format

9(8) CCYYMMDD

Positions

766-773

Optionality

Mandatory

Field 101

Definition

First Presentment Transaction Time

The local time when a Cardmember Transaction was executed at a Card Acceptor location.

Format

9(6) HHMMSS

Positions

774-779

Optionality

Mandatory

Field 102

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(7)

Positions

780-786

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 103

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(8)

Positions

787-794

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 104

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(6)

Positions

795-800

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 105

Definition

Transaction Decimalization

The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format

9(1)

Positions

801

Optionality

Mandatory

Notes

Valid Values: 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 106

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(15)

Positions

802-816

Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Field 107

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	817-831
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 108

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	832-846
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 109

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	847-861
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 110

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	862-876
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 111

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	877-891
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

Field 112

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(5)
Positions	892-896
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

Field 113

Definition	The Capture Time on which Transaction data was processed.
Format	9(6) HHMMSS
Positions	897-902
Optionality	Optional
Notes	This is the time when the Acquirer processed the Cardmember Transaction.

Capture Time

Field 114

Definition	This field is for AEGNS internal use.
Format	9(6)
Positions	903-908
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 115**

Definition	This field is for AEGNS internal use.
Format	9(8)
Positions	909-916
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 116**

Definition	This field is for AEGNS internal use.
Format	9(6)
Positions	917-922
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 117**

Definition	The type of industry specific detail to be supplied in the addendum and amount fields for a Presentment message. More data is kept for certain types of spending (e.g., for airline, hotel, restaurant, and retail store purchases).
Format	X(2)
Positions	923-924
Optionality	Mandatory
Notes	Refer to the Format Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Format Code**Field 118**

Definition	A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer. The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format	X(11)
Positions	925-935
Optionality	Mandatory
Notes	This must be a valid IIN.

Issuer Institution Identifier (IIN)**Field 119**

Definition	The media used to initiate a Cardmember transaction processed by the Network.
Format	X(2)
Positions	936-937
Optionality	Optional
Notes	Refer to the Media Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Media Code**Field 120**

Definition	A number that associates and sequences all components of a primary message type.
Format	9(3)
Positions	938-940

Message Transaction Sequence Number

Optionality Mandatory
Notes **Valid Value:** 001

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 121

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(40)

Positions

941-980

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 122

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(2)

Positions

981-982

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 123

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(23)

Positions

983-1005

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 124

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(15)

Positions

1006-1020

Optionality

Filler

Notes

Numeric Reserved Fields must contain zeros.

Field 125

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

9(2)

Positions

1021-1022

Optionality

Filler

Notes

Numeric Filler fields must contain zeros.

Field 126

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(9)

Positions

1023-1031

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 127

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

1032-1039

Optionality

Mandatory

Field 128

Definition

Issuer Processor Identifier (IPN)

The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.

Format

X(11)

Positions

1040-1050

Optionality

Mandatory

Notes

This must be a valid IPN.

Field 129

Definition

Reserved Field

This field is for AEGNS internal use.

Format

X(225)

Positions

1051-1275

Optionality

Filler

Notes

Alphanumeric Reserved Fields must contain spaces.

Field 130

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(3)

Positions

1276-1278

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 131

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

1279-1318

Optionality

Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 132

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(1)

Positions

1319

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 133

Definition

Reserved Field

This field is for AEGNS internal use.

Format

9(15)

Positions

1320-1334

Optionality

Filler

Notes Numeric Reserved Fields must contain zeros.

Field 134

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(15)
Positions 1335-1349
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 135

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(15)
Positions 1350-1364
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 136

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(15)
Positions 1365-1379
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 137

Reserved Field

Definition This field is for AEGNS internal use.
Format X(21)
Positions 1380-1400
Optionality Filler
Notes Alphanumeric Reserved Fields must contain spaces.

On Us First and Final Chargeback Notification (1340)

Description

The On Us First and Final Chargeback Notification message is used to process a Chargeback for a previous Transaction.

The On Us 1340 messages must be sent daily by Participants that own the Cardmember and S/E relationships or process On Us Transactions.

Certification

Certification is recommended for Participants that own the Cardmember and S/E relationships or process On Us Transactions.

Note: AEGNS will tell Acquirers if they must certify for and send the On Us First and Final Chargeback Notification (1340) message.

Length of Record

1400 bytes

Message Layout

This is the message layout for the On Us First and Final Chargeback Notification (1340). Refer to the [Programming Notes for On Us First and Final Chargeback Notification \(1340\) on page 5-64](#) for more instruction.

On Us First and Final Chargeback Notification (1340) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(2)	5-6	M	Primary Account Number Length
3	X(19)	7-25	M	Primary Account Number (PAN)
4	X(6)	26-31	M	Processing Code
5	9(15)	32-46	M	Transaction Amount
6	X(65)	47-111	F	Filler
7	9(8)	112-119	M	Transaction Date
8	9(6)	120-125	O	Transaction Time
9	9(8)	126-133	F	Filler
10	9(8)	134-141	O	Capture Date
11	X(4)	142-145	M	Merchant Category Code
12	X(21)	146-166	F	Filler
13	X(3)	167-169	M	Function Code
14	X(4)	170-173	M	Message Reason Code
15	X(12)	174-185	F	Filler

On Us First and Final Chargeback Notification (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
16	9(15)	186-200	M	First Presentment Transaction Amount
17	X(11)	201-211	M	Acquiring Institution Identification (AIN) Code
18	X(11)	212-222	M	Issuer Processor Identifier (IPN)
19	X(23)	223-245	M	Acquirer Reference Number (ARN)
20	X(17)	246-262	F	Filler
21	X(15)	263-277	M	Card Acceptor Identification Code
22	X(156)	278-433	F	Filler
23	9(15)	434-448	F	Reserved Field
24	9(15)	449-463	F	Reserved Field
25	X(105)	464-568	F	Filler
26	9(15)	569-583	F	Reserved Field
27	9(15)	584-598	F	Reserved Field
28	X(3)	599-601	F	Reserved Field
29	9(1)	602	F	Reserved Field
30	X(3)	603-605	M	First Presentment Transaction Currency Code
31	9(1)	606	M	First Presentment Transaction Decimalization
32	9(15)	607-621	M	First Presentment Presentment Amount
33	9(7)v9(8)	622-636	M	First Presentment Transaction To Presentment Conversion Rate
34	X(3)	637-639	M	First Presentment Presentment Currency Code
35	9(1)	640	M	First Presentment Presentment Decimalization
36	X(1)	641	F	Filler
37	X(3)	642-644	M	Transaction Currency Code
38	X(102)	645-746	F	Filler
39	9(2)	747-748	O	Alternate Card Acceptor Identification Code Length
40	X(15)	749-763	O	Alternate Card Acceptor Identification Code
41	X(2)	764-765	F	Filler
42	9(8)	766-773	M	First Presentment Transaction Date
43	9(6)	774-779	O	First Presentment Transaction Time
44	X(7)	780-786	F	Filler
45	9(8)	787-794	F	Reserved Field
46	9(6)	795-800	F	Reserved Field
47	9(1)	801	M	Transaction Decimalization
48	X(95)	802-896	O	Chargeback Reason Text
49	9(6)	897-902	O	Capture Time
50	X(6)	903-908	F	Filler
51	9(8)	909-916	F	Reserved Field
52	9(6)	917-922	F	Reserved Field

On Us First and Final Chargeback Notification (1340) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
53	X(2)	923-924	F	Filler
54	X(11)	925-935	M	Issuer Institution Identifier (IIN)
55	X(2)	936-937	F	Filler
56	9(3)	938-940	M	Message Transaction Sequence Number
57	X(40)	941-980	F	Filler
58	X(2)	981-982	F	Filler
59	X(23)	983-1005	F	Filler
60	9(15)	1006-1020	F	Reserved Field
61	X(11)	1021-1031	F	Filler
62	9(8)	1032-1039	M	Message Number
63	X(11)	1040-1050	M	Acquiring Institution Processor Identifier (APN)
64	X(228)	1051-1278	F	Filler
65	X(40)	1279-1318	C	Reject Reason Codes 1-10
66	X(82)	1319-1400	F	Filler

Programming Notes for On Us First and Final Chargeback Notification (1340)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 1340 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

Primary Account Number Length

Definition	The number of positions or length of the Primary Account Number.
Format	9(2)
Positions	5-6
Optionality	Mandatory
Notes	Valid Values: 15-19

Field 3

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	7-25
Optionality	Mandatory
Notes	This field must be numeric.

Field 4

Processing Code

Definition	This is the service being requested.
Format	X(6)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
 On Us First and Final Chargeback Notification (1340)
 Field 5 Transaction Amount Message Layout

Positions	26-31
Optionality	Mandatory
Notes	Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 5 **Transaction Amount**

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes. It does not include fees.
Format	9(15)
Positions	32-46
Optionality	Mandatory
Notes	Final Chargeback: This field must be less than or equal to the Second Presentment Transaction Amount.

Field 6 **Filler**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(65)
Positions	47-111
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 7 **Transaction Date**

Definition	The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor. - For telecommunication Transactions, the Transaction Date is the date the bill summary was presented. - For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.
Format	9(8) CCYYMMDD
Positions	112-119
Optionality	Mandatory

Field 8 **Transaction Time**

Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	9(6) HHMMSS
Positions	120-125
Optionality	Optional

Field 9 **Filler**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	9(8)
Positions	126-133
Optionality	Filler
Notes	Numeric Filler fields must contain zeros.

Field 10 **Capture Date**

Definition	The Capture Date on which Transaction data was processed.
Format	9(8) CCYYMMDD

American Express Global Network Services
Network Specifications - Financial/Non-Financial
 On Us First and Final Chargeback Notification (1340)
 Field 11 Merchant Category Code Message Layout

Positions 134-141
Optionality Optional

Field 11 **Merchant Category Code**

Definition A code that identifies the industry in which the S/E does business.
Format X(4)
Positions 142-145
Optionality Mandatory
Notes This must be a valid MCC.
 Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 12 **Filler**

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(21)
Positions 146-166
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 13 **Function Code**

Definition This code shows the reason for a message in its Message Type.
Format X(3)
Positions 167-169
Optionality Mandatory
Notes **Valid Values:**

- 450 = First Chargeback
- 451 = Final Chargeback

 Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14 **Message Reason Code**

Definition This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format X(4)
Positions 170-173
Optionality Mandatory
Notes Refer to the Message Reason Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15 **Filler**

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(12)
Positions 174-185
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 16 **First Presentment Transaction Amount**

Definition The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us First and Final Chargeback Notification (1340)
Field 17 Acquiring Institution Identification (AIN) Code Message Layout

Format	9(15)
Positions	186-200
Optionality	Mandatory
Notes	This amount must be greater than zero.

Field 17 **Acquiring Institution Identification (AIN) Code**

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	201-211
Optionality	Mandatory
Notes	This must be a valid AIN.

Field 18 **Issuer Processor Identifier (IPN)**

Definition	The unique identification number assigned by the Network to the designated Authorized Processor of an Issuer.
Format	X(11)
Positions	212-222
Optionality	Mandatory
Notes	This must be a valid AIN.

Field 19 **Acquirer Reference Number (ARN)**

Definition	A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.
Format	X(23)
Positions	223-245
Optionality	Mandatory
Notes	Do not space fill this field.

Field 20 **Filler**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(17)
Positions	246-262
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 21 **Card Acceptor Identification Code**

Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	263-277
Optionality	Mandatory
Notes	This field must pass the S/E Number Check Digit computation.

Field 22 **Filler**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(156)
Positions	278-433
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 23

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	434-448
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 24**

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	449-463
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 25**

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(105)
Positions	464-568
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler**Field 26**

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	569-583
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 27**

Definition	This field is for AEGNS internal use.
Format	9(15)
Positions	584-598
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field**Field 28**

Definition	This field is for AEGNS internal use.
Format	X(3)
Positions	599-601
Optionality	Filler
Notes	Alphanumeric Reserved Fields must contain spaces.

Reserved Field**Field 29**

Definition	This field is for AEGNS internal use.
Format	9(1)
Positions	602
Optionality	Filler
Notes	Numeric Reserved Fields must contain zeros.

Reserved Field

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us First and Final Chargeback Notification (1340)
Field 30 First Presentment Transaction Currency Code Message Layout

Field 30

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	603-605
Optionality	Mandatory
Notes	This field must be a valid currency code. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 31

First Presentment Transaction Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.
Format	9(1)
Positions	606
Optionality	Mandatory
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 32

First Presentment Presentment Amount

Definition	The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.
Format	9(15)
Positions	607-621
Optionality	Mandatory
Notes	Use a valid presentment currency code to get the amount for this field.

Field 33

First Presentment Transaction To Presentment Conversion Rate

Definition	The rate used to convert the Transaction Amount to the First Presentment Presentment Amount in an applicable presentment currency, when the card Transaction is not in a valid presentment currency.
Format	9(7)v9(8)
Positions	622-636
Optionality	Mandatory

Field 34

First Presentment Presentment Currency Code

Definition	The currency code of the First Presentment Presentment Amount submitted to the Network.
Format	X(3)
Positions	637-639
Optionality	Mandatory
Notes	This field must be a valid currency code. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 35

First Presentment Presentment Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.
Format	9(1)
Positions	640

Optionality	Mandatory
Notes	Valid Values: 0-9 This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left). Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 36

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	641
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 37

Definition	Transaction Currency Code The currency code in which the Transaction was executed.
Format	X(3)
Positions	642-644
Optionality	Mandatory
Notes	This must be a valid currency code. Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 38

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(102)
Positions	645-746
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 39

Definition	Alternate Card Acceptor Identification Code Length The number of positions or length of the Alternate Card Acceptor Identification Code.
Format	9(2)
Positions	747-748
Optionality	Optional
Notes	Valid Values: 00-15

Field 40

Definition	Alternate Card Acceptor Identification Code A Card Acceptor identification number used internally by a Participant.
Format	X(15)
Positions	749-763
Optionality	Optional

Field 41

Definition	Filler Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	764-765
Optionality	Filler

American Express Global Network Services
Network Specifications - Financial/Non-Financial
On Us First and Final Chargeback Notification (1340)
Field 42 First Presentment Transaction Date Message Layout

Notes Alphanumeric Filler fields must contain spaces.

Field 42 **First Presentment Transaction Date**

Definition The local date when a Cardmember Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Transaction Date is the date the goods were shipped.

Format 9(8) CCYYMMDD

Positions 766-773

Optionality Mandatory

Field 43 **First Presentment Transaction Time**

Definition The local time when a Cardmember Transaction was executed at a Card Acceptor location.

Format 9(6) HHMMSS

Positions 774-779

Optionality Optional

Field 44 **Filler**

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(7)

Positions 780-786

Optionality Filler

Notes Alphanumeric Filler fields must contain spaces.

Field 45 **Reserved Field**

Definition This field is for AEGNS internal use.

Format 9(8)

Positions 787-794

Optionality Filler

Notes Numeric Reserved Fields must contain zeros.

Field 46 **Reserved Field**

Definition This field is for AEGNS internal use.

Format 9(6)

Positions 795-800

Optionality Filler

Notes Numeric Reserved Fields must contain zeros.

Field 47 **Transaction Decimalization**

Definition The number of places the decimal must be moved to the left to correctly represent the Transaction Amount.

Format 9(1)

Positions 801

Optionality Mandatory

Notes **Valid Values:** 0-9

This decimalization must be valid for the Currency Code of the Issuer Settlement Amount. Dollar amounts are kept without decimal positions (for example, decimalization for U.S. Dollars is 2. Move the decimal point 2 positions to the left).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 48 **Chargeback Reason Text**

Definition More formatted text to further qualify the Message Reason Code for a Chargeback.

Format X(95)
Positions 802-896
Optionality Optional

Field 49

Capture Time

Definition The Capture Time on which Transaction data was processed.
Format 9(6) HHMMSS
Positions 897-902
Optionality Optional
Notes This is the time when the Acquirer processed the Cardmember Transaction.

Field 50

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(6)
Positions 903-908
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 51

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(8)
Positions 909-916
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 52

Reserved Field

Definition This field is for AEGNS internal use.
Format 9(6)
Positions 917-922
Optionality Filler
Notes Numeric Reserved Fields must contain zeros.

Field 53

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(2)
Positions 923-924
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 54

Issuer Institution Identifier (IIN)

Definition A unique 11-digit number assigned by AEGNS to an Issuer to identify Transactions belonging to that Issuer.
The first 6 digits of the IIN is the Bank Identifier Number (BIN).
Format X(11)
Positions 925-935
Optionality Mandatory
Notes This must be a valid IIN.

Field 55

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

936-937

Filler

Alphanumeric Filler fields must contain spaces.

Field 56

Definition

Format

Positions

Optionality

Notes

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

9(3)

938-940

Mandatory

Valid Value: 001

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 57

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(40)

941-980

Filler

Alphanumeric Filler fields must contain spaces.

Field 58

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

981-982

Filler

Alphanumeric Filler fields must contain spaces.

Field 59

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(23)

983-1005

Filler

Alphanumeric Filler fields must contain spaces.

Field 60

Definition

Format

Positions

Optionality

Notes

Reserved Field

This field is for AEGNS internal use.

9(15)

1006-1020

Filler

Numeric Reserved Fields must contain zeros.

Field 61

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format	X(11)
Positions	1021-1031
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 62

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	1032-1039
Optionality	Mandatory

Field 63

Acquiring Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	1040-1050
Optionality	Mandatory

Field 64

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(228)
Positions	1051-1278
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 65

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	1279-1318
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 66

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(82)
Positions	1319-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

S/E Demographics Detail Data (9640)

Description

The required S/E Demographics Detail Data (9640) message contains demographic data about new S/Es, updated data about existing S/Es, and Multinational Accounts serviced by the Participant.

Acquirers must submit an initial file containing S/E demographics data for all S/Es.

After the initial file submission, the S/E Demographics Detail Data (9640) message must be submitted when these occur:

- An S/E becomes part of the Acquirer's network
- The relationship between the Acquirer and S/E ends
- The S/E has a change in demographic data (e.g., address, etc.)
- AEGNS requests additions or changes to Multinational Accounts serviced by the Participant

These messages must have a Data Collection Header (9844) message before and a Data Collection Trailer (9845) message after. Authorized Processors submitting for multiple Acquirers must submit files for each Acquirer.

The Acquirer must submit an empty dataset (only 9844 Data Collection File Header and 9845 Data Collection File Trailer) by the 5th of the next month to show no changes in an Acquirer's portfolio.

Certification

Acquirers must certify for this mandatory message.

Length of Record

1400 bytes

Message Layout

This is the message layout for the S/E Demographics Detail Data (9640). Refer to the Programming Notes for S/E Demographics Detail Data (9640) on page 5-77.

S/E Demographics Detail Data (9640) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code

S/E Demographics Detail Data (9640) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	O	Transport Data
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(15)	193-207	M	Card Acceptor Identification Code
20	X(3)	208-210	F	Filler
21	X(38)	211-248	M	Card Acceptor Name
22	X(42)	249-290	F	Filler
23	X(38)	291-328	M	Card Acceptor Address Line 1-4
24	X(38)	329-366	O	Card Acceptor Address Line 1-4
25	X(38)	367-404	O	Card Acceptor Address Line 1-4
26	X(38)	405-442	O	Card Acceptor Address Line 1-4
27	X(21)	443-463	M	Card Acceptor City
28	X(15)	464-478	C	Card Acceptor Postal Code
29	X(3)	479-481	M	Card Acceptor Region Code
30	X(3)	482-484	M	Card Acceptor Country Code
31	X(1)	485	M	Status Code
32	X(8)	486-493	M	Active Effective Date
33	X(8)	494-501	C	Canceled Effective Date
34	X(8)	502-509	C	Reinstated Effective Date
35	X(2)	510-511	C	Status Reason Code
36	X(3)	512-514	M	Role Type Code
37	X(4)	515-518	M	Merchant Category Code
38	X(2)	519-520	F	Filler
39	X(1)	521	M	Card Acceptor Full Recourse Status
40	X(1)	522	M	Card Acceptor High Risk Indicator
41	X(2)	523-524	C	Hierarchy Level Number
42	X(15)	525-539	C	New Hierarchy Superior Merchant
43	X(8)	540-547	C	New Hierarchy Effective Date
44	X(8)	548-555	C	New Hierarchy End Date
45	X(2)	556-557	M	New Hierarchy Participant Code
46	X(1)	558	F	Filler
47	X(3)	559-561	F	Filler

S/E Demographics Detail Data (9640) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
48	X(15)	562-576	O	New Relationship Superior Merchant
49	X(8)	577-584	C	New Relationship Effective Date
50	X(8)	585-592	C	New Relationship End Date
51	X(1)	593	M	Contactless Payment Acceptor
52	X(1)	594	M	American Express MNA Indicator
53	X(3)	595-597	C	S/E Floor Limit Currency
54	X(15)	598-612	C	S/E Floor Limit Amount
55	X(15)	613-627	C	Base Discount Rate
56	X(3)	628-630	F	Filler
57	X(3)	631-633	F	Filler
58	X(3)	634-636	F	Filler
59	X(3)	637-639	F	Filler
60	X(3)	640-642	F	Filler
61	X(8)	643-650	F	Filler
62	X(8)	651-658	F	Filler
63	X(20)	659-678	M	Card Acceptor Telephone Number
64	X(722)	679-1400	F	Filler

Programming Notes for S/E Demographics Detail Data (9640)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9640 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory
Notes	This field must contain the same value as Field 2 in the 9844 File Header.

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18

Optionality Mandatory

Field 4 Transmittal Time

Definition The time when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format 9(6) HHMMSS

Positions 19-24

Optionality Mandatory

Field 5 Originating Institution Identification Code

Definition A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.

Format X(11)

Positions 25-35

Optionality Mandatory

Notes **Required Value:** Acquiring Institution Identification Code (AIN)

Refer to the Institution Identification Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6 Forwarding Institution Identification Code

Definition The institution identifier assigned to the processing institution that is sending the file.

Format X(11)

Positions 36-46

Optionality Mandatory

Notes **Required Value:** Acquiring Institution Processor Identifier (APN)

Field 7 Receiving Institution Identifier

Definition The unique institution identifier assigned to the Participant who received the Transaction.

Format X(11)

Positions 47-57

Optionality Mandatory

Notes **Required Value:** 90000000010

Field 8 Destination Institution Identification Code

Definition A unique number that identifies the final destination institution receiving the data record.

Format X(11)

Positions 58-68

Optionality Mandatory

Notes **Required Value:** 90000000010

Refer to the Institution Identification Codes section of the *Codes Reference Guide*.

Field 9 Action Code

Definition The type of action done or the type of action to do for a Transaction.

Format X(3)

Positions 69-71

Optionality Mandatory

Notes **Valid Values:**

- 891 = Initial S/E Demographics File
- 892 = Production File
- 893 = Test File

American Express Global Network Services
Network Specifications - Financial/Non-Financial
S/E Demographics Detail Data (9640)
Field 10 Message Number Message Layout

This value must be the same as the Action Code in the Data Collection File Header (9844) and Data Collection File Trailer (9845).

Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 10

Definition

Format

Positions

Optionality

Notes

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

9(8)

72-79

Mandatory

Must be sequential from previous Transaction.

Field 11

Definition

Format

Positions

Optionality

Notes

File Name Code

Used to identify the contents of the file.

X(17)

80-96

Mandatory

Required Value: SE.DEMO.V2

Field 12

Definition

Format

Positions

Optionality

Notes

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

X(40)

97-136

Conditional. The message must be rejected or informational.

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 13

Definition

Format

Positions

Optionality

Notes

Function Code

This code shows the reason for a message in its Message Type.

X(3)

137-139

Mandatory

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Definition

Format

Positions

Optionality

Notes

Processing Code

This is the service being requested.

X(6)

140-145

Mandatory

Required Value: 380000 = Non-Financial Transaction

Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition

Format

Positions

Optionality

Transport Data

This field is used by the Participant to identify the file, S/E, or the Transaction. This field, if populated, will be returned unchanged to the Participant.

X(25)

146-170

Optional

Field 16 Message Transaction Sequence Number Message Layout

Field 16

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(6)
Positions	171-176
Optionality	Mandatory
Notes	Required Value: 000001 Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17

Record Hash Value

Definition	This field is calculated when financial balancing is required for a given Data Collection Message type.
Format	9(10)
Positions	177-186
Optionality	Mandatory

Field 18

Systems Trace Audit Number

Definition	This is a unique (where applicable) trace number given to each Transaction or provisioning request.
Format	9(6)
Positions	187-192
Optionality	Mandatory

Field 19

Card Acceptor Identification Code

Definition	The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.
Format	X(15)
Positions	193-207
Optionality	Mandatory
Notes	This field must pass the S/E Number Check Digit computation. Acquirers must use S/E numbers within the range supplied during implementation. Refer to the Unique S/E Number section in the <i>Business and Operational Policies</i> manual for more instruction.

Field 20

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(3)
Positions	208-210
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 21

Card Acceptor Name

Definition	The name of the Card Acceptor, also know as Service Establishment (S/E).
Format	X(38)
Positions	211-248
Optionality	Mandatory
Notes	Do not space fill this field.

Field 22

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(42)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
S/E Demographics Detail Data (9640)
Field 23 Card Acceptor Address Line 1-4 Message Layout

Positions	249-290
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 23

Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	291-328
Optionality	Mandatory
Notes	Do not space fill this field.

Card Acceptor Address Line 1-4

Field 24

Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	329-366
Optionality	Optional

Card Acceptor Address Line 1-4

Field 25

Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	367-404
Optionality	Optional

Card Acceptor Address Line 1-4

Field 26

Definition	The Card Acceptor (also known as Service Establishment (S/E)) location address.
Format	X(38)
Positions	405-442
Optionality	Optional

Card Acceptor Address Line 1-4

Field 27

Definition	The city name of the Card Acceptor location.
Format	X(21)
Positions	443-463
Optionality	Mandatory
Notes	Do not space fill this field.

Card Acceptor City

Field 28

Definition	The postal code of the Card Acceptor location.
Format	X(15)
Positions	464-478
Optionality	Conditional
Notes	This field must contain a postal code if the geographical area uses postal codes. If not, this field must contain spaces.

Card Acceptor Postal Code

Field 29

Definition	A code for the state, province, or region of the Card Acceptor location.
Format	X(3)
Positions	479-481
Optionality	Mandatory
Notes	Do not space fill this field.

Card Acceptor Region Code

Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
S/E Demographics Detail Data (9640)
Field 30 Card Acceptor Country Code Message Layout

Field 30

Definition

Format

Positions

Optionality

Notes

Card Acceptor Country Code

The Country Code of the Card Acceptor location.

X(3)

482-484

Mandatory

Do not space fill this field.

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 31

Definition

Format

Positions

Optionality

Notes

Status Code

A Transaction that loads funds into a payment application for subsequent payments, including purchases of Goods or Services, at single or multiple payment acceptors.

X(1)

485

Mandatory

Valid Values:

- A = Active
- C = Canceled
- R = Reinstated

Field 32

Definition

Format

Positions

Optionality

Active Effective Date

The date the Service Establishment was placed in an active status.

X(8) CCYYMMDD

486-493

Mandatory

Field 33

Definition

Format

Positions

Optionality

Notes

Canceled Effective Date

The date the Service Establishment was placed in a cancelled status if the Status Code indicates cancelled or reinstated.

X(8) CCYYMMDD

494-501

Conditional

This field must contain a date if the Card Acceptor is canceled by the Acquirer.

Field 34

Definition

Format

Positions

Optionality

Notes

Reinstated Effective Date

The date the Service Establishment was placed in a reinstated status if the Status Code indicates reinstated.

X(8) CCYYMMDD

502-509

Conditional

This field must contain a date if the Card Acceptor is reinstated by the Acquirer.

Field 35

Definition

Format

Positions

Optionality

Notes

Status Reason Code

Defines the reason the Service Establishment was cancelled or reinstated, if the Status Code indicates cancelled or reinstated.

X(2)

510-511

Conditional

This field must contain a value if the Status Code (Field 31) equals 'R' or 'C'.

Refer to the Status Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 36

Definition**Format****Positions****Optionality****Notes**

Role Type Code

A code that uniquely identifies the Service Establishment's business role.

X(3)

512-514

Mandatory

Valid Values:

- 001 = Card Acceptance
- 022 = Payee
- 100 = Card Acceptor Payee
- 109 = Statistical

Refer to the Role Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 37

Definition**Format****Positions****Optionality****Notes**

Merchant Category Code

A code that identifies the industry in which the S/E does business.

X(4)

515-518

Mandatory

This must be a valid MCC.

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 38

Definition**Format****Positions****Optionality****Notes**

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(2)

519-520

Filler

Alphanumeric Filler fields must contain spaces.

Field 39

Definition**Format****Positions****Optionality****Notes**

Card Acceptor Full Recourse Status

A Y (Yes) or N (no) indicator that shows if the Card Acceptor is on a Full Recourse Agreement with the Acquirer.

X(1)

521

Mandatory

Valid Values:

- Y = Yes
- N = No

Field 40

Definition**Format****Positions****Optionality**

Card Acceptor High Risk Indicator

Designates the current High Risk Status of the Card Acceptor (S/E).

Note: S/E Volume Summary Messages must be submitted for all S/Es, not just those with High Risk Indicators. Refer to the Card Acceptor High Risk Indicators section of the *Codes Reference Guide* for a complete list of codes and descriptions.

X(1)

522

Mandatory

Field 41

Definition

Hierarchy Level Number

The hierarchy level of the S/E.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
S/E Demographics Detail Data (9640)
Field 42 New Hierarchy Superior Merchant Message Layout

Level 02 is the lowest level and level 08 is the highest. This data is mandatory for all S/Es that are members of a hierarchy (chain or group); i.e., where the supplied New Hierarchy Participant Code is 02 or 03. How hierarchy levels are reported in the S/E Demographic Message change based on the functionality in the Participant's systems.

Format

X(2)

Positions

523-524

Optionality

Conditional

Notes

If the New Hierarchy Participant Code (Field 45) is:

- 01, this field must contain spaces
- 02, this field must be greater than 02
- 03, this field must contain data

Valid Values: Simple Hierarchy

- 02 = Card Accepting Location (New Hierarchy Participant Code (Field 45) = 03)
- 06 = Headquarters (New Hierarchy Participant Code (Field 45) = 02)

Valid Values: Complex Hierarchy

- 02 = Card Accepting Location (New Hierarchy Participant Code (Field 45) = 03)
- 06 = Intermediate level, superior to Level 05 (New Hierarchy Participant Code (Field 45) = 03)
- 08 = Country Headquarters (New Hierarchy Participant Code (Field 45) = 02)

Valid Values: Very Complex Hierarchy

- 02 = Card Accepting Location (New Hierarchy Participant Code (Field 45) = 03)
- 05 = Intermediate level, superior to Level 02 (New Hierarchy Participant Code (Field 45) = 03)
- 06 = Intermediate level, superior to Level 05 (New Hierarchy Participant Code (Field 45) = 03)
- 07 = Intermediate level, superior to Level 06 (New Hierarchy Participant Code (Field 45) = 03)
- 08 = Country Headquarters (New Hierarchy Participant Code (Field 45) = 02)

Field 42

New Hierarchy Superior Merchant

Definition

The S/E number of this Service Establishment's new superior in the hierarchy.

Format

X(15)

Positions

525-539

Optionality

Conditional

Notes

This field must contain a value if New Hierarchy Participant Code (Field 45) = 02 or 03.

Field 43

New Hierarchy Effective Date

Definition

The date the new hierarchy link went into effect.

Format

X(8) CCYYMMDD

Positions

540-547

Optionality

Conditional

Notes

This field must contain a value if New Hierarchy Participant Code (Field 45) = 02 or 03.

Field 44

New Hierarchy End Date

Definition

The date the new hierarchy link ceased to exist.

Format

X(8) CCYYMMDD

Positions

548-555

Optionality

Conditional

Notes

This field must contain a value if New Hierarchy Participant Code (Field 45) = 02 or 03.

Field 45

New Hierarchy Participant Code

Definition

Shows if the S/E is in a hierarchy (chain or group) of S/Es. If so, it shows if the S/E is at the top of the hierarchy or a dependent in that hierarchy.

Format	X(2)
Positions	556-557
Optionality	Mandatory
Notes	Valid Values: 01 = This S/E is not in a hierarchy (i.e., the S/E is independent). 02 = This S/E is at the top of the hierarchy. 03 = This S/E has a dependent position in a hierarchy.

Field 46

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1)
Positions	558
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 47

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(3)
Positions	559-561
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 48

Definition	The S/E number of the superior to this S/E in the relationship.
Format	X(15)
Positions	562-576
Optionality	Optional

Field 49

Definition	The date the new relationship link went into effect.
Format	X(8) CCYYMMDD
Positions	577-584
Optionality	Conditional
Notes	This field must contain a value if New Relationship Superior Merchant (Field 48) contains a value.

Field 50

Definition	The date the new relationship link ceased to exist.
Format	X(8) CCYYMMDD
Positions	585-592
Optionality	Conditional
Notes	This field must contain a value if New Relationship Superior Merchant (Field 48) contains a value.

Field 51

Definition	A Y (Yes) or N (No) indicator that shows if the Card Acceptor is enabled to process payments initiated with an Expresspay (Contactless) device.
Format	X(1)
Positions	593
Optionality	Mandatory
Notes	Valid Values:

American Express Global Network Services
Network Specifications - Financial/Non-Financial
S/E Demographics Detail Data (9640)
Field 52 American Express MNA Indicator Message Layout

- Y = Yes
- N = No

Field 52

Definition

American Express MNA Indicator

Y (yes) or N (no) flag that indicates if this Service Establishment (S/E) is an American Express Multinational Account (MNA).

Format

X(1)

Positions

594

Optionality

Mandatory

Notes

Valid Values:

- Y = Yes
- N = No

Field 53

Definition

S/E Floor Limit Currency

The currency used for the S/E Floor Limit Amount.

Format

X(3)

Positions

595-597

Optionality

Conditional

Notes

This field must contain a value if American Express MNA Indicator (Field 52) = Y (Yes).

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 54

Definition

S/E Floor Limit Amount

The floor limit amount set by the Acquirer for this S/E. If no S/E floor limit is set, the Network floor limit for S/Es in the S/E's country is used. There is no implied decimal point.

Format

X(15)

Positions

598-612

Optionality

Conditional

Notes

This field must contain a value if American Express MNA Indicator (Field 52) = Y (Yes).

Field 55

Definition

Base Discount Rate

The S/E's base discount rate, not including fees or incentives. This has three implied decimal places.

For example, a Base Discount Rate of 3.250 would be populated as 3250 for the field value.

Format

X(15)

Positions

613-627

Optionality

Conditional

Notes

This field must contain a value if American Express MNA Indicator (Field 52) = Y (Yes).

Field 56

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(3)

Positions

628-630

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 57

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(3)

Positions

631-633

Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 58

Definition **Filler** Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(3)
Positions 634-636
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 59

Definition **Filler** Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(3)
Positions 637-639
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 60

Definition **Filler** Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(3)
Positions 640-642
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 61

Definition **Filler** Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(8)
Positions 643-650
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 62

Definition **Filler** Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(8)
Positions 651-658
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 63

Definition **Card Acceptor Telephone Number** The telephone number used to contact the Card Acceptor.
Format X(20)
Positions 659-678
Optionality Mandatory

Field 64

Definition **Filler** Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(722)

Positions	679-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Program Specific Data Collection (9344)

Description

The Program Specific Data Collection (9344) message lets Participants send and receive data to and from program administrators or third party vendors of special programs and services outside of the Network. Some of these program administrators use American Express systems, but others use vendor systems not affiliated with American Express. The Program Specific Data Collection message is a standard procedure to send data necessary for value-added programs available to Participants.

Program specific data collections messages include these:

- Acquirer S/E Fraud Detail
- ATM Location List
- Fusion Membership Rewards
- Chip Card Request and Response
- Batch Exception Update Request
- Batch Exception Update Response Count and Detail

Message Contents

Each message must contain the first 20 fields (byte positions 1-208) in the message layout, with a Data Collection Header (9844) message before and a Data Collection Trailer (9845) message after. Program Specific Data (Field 21, positions 209-1400) contains the data (e.g., message layouts, field definitions, codes, etc.) necessary to use a specific program. If the data is specific to all Participants of the program, it is communicated in this manual.

For messages transmitted to program administrators outside of American Express (i.e., messages special to each Participant), data about the technical specifications required to use specific programs supplied by each program administrator is not in this manual. Contact your regional AEGNS Representative for more instruction regarding specific programs available to Participants.

Acquirer S/E Fraud Detail (9344)

Description

The Acquirer S/E Fraud Detail (9344) message lets Acquirers see fraud trends that start in their S/E base. This file shows the same data that is included in the Acquirer S/E Fraud Detail Report. The file can be found in GNS FraudNet on <https://network.americanexpress.com/globalnetwork/v4/secure/knowledge-base>.

The Acquirer S/E Fraud Detail (9344) message gives Acquirers a list of the S/Es in their market with fraudulent Transactions, as reported by Issuers on the Network.

Length of Record

1400 bytes

Positions 1-208 are constant. Positions 209-1400 are configurable by program. The Acquirer S/E Fraud detail data is in positions 209-1400 (Field 21 Program Specific Data).

Message Layout

This is the message layout for the Acquirer S/E Fraud Detail (9344). Refer to the [Programming Notes for Acquirer S/E Fraud Detail \(9344\)](#) on page 5-91 for more instruction.

Acquirer S/E Fraud Detail (9344) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	F	Filler
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Program Code
20	X(8)	201-208	M	AEGNS Issuer BIN Number
21	X(19)	209-227	M	Primary Account Number (PAN)
22	9(15)	228-242	M	Fraud Transaction Amount
23	9(1)	243	M	Fraud Transaction Currency Decimalization
24	X(1)	244	O	Fraud Transaction Amount Accounting Effect Type Code
25	9(8)	245-252	M	Issuer Original Fraud Disposition Date
26	9(8)	253-260	M	Transaction Date
27	9(2)	261-262	M	Fraud Type Code
28	X(60)	263-322	M	Fraud Type Description
29	X(15)	323-337	M	Card Acceptor Identification Code
30	X(38)	338-375	M	Card Acceptor Name
31	X(3)	376-378	M	Card Acceptor Country Code
32	X(15)	379-393	M	Card Acceptor Country Name
33	9(15)	394-408	M	Transaction Identifier (TID)

Acquirer S/E Fraud Detail (9344) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
34	X(1)	409	M	Current Status Code
35	X(26)	410-435	M	Create Timestamp
36	S9(14)V9(3)	436-452	M	First Presentment Transaction Amount
37	X(3)	453-455	M	First Presentment Transaction Currency Code
38	X(2)	456-457	M	Fraud Disposition Code
39	X(3)	458-460	M	Function Code
40	X(10)	461-470	M	Issuer Final Disposition Date
41	X(4)	471-474	M	Merchant Category Code
42	X(4)	475-478	M	Forwarding Institution Identification Code
43	X(6)	479-484	M	Approval Code
44	X(11)	485-495	M	Acquiring Institution Identification (AIN) Code
45	X(11)	496-506	M	Acquiring Institution Processor Identifier (APN)
46	X(894)	507-1400	F	Filler

Programming Notes for Acquirer S/E Fraud Detail (9344)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9344 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS

Field 5 Originating Institution Identification Code Message Layout

Positions 19-24
Optionality Mandatory

Field 5 **Originating Institution Identification Code**

Definition A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.

Format X(11)

Positions 25-35

Optionality Mandatory

Notes **Required Value:** 900000000005

Refer to the Institution Identification Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6 **Forwarding Institution Identification Code**

Definition The institution identifier assigned to the processing institution that is sending the file.

Format X(11)

Positions 36-46

Optionality Mandatory

Notes **Required Value:** 900000000002

Field 7 **Receiving Institution Identifier**

Definition The unique institution identifier assigned to the Participant who received the Transaction.

Format X(11)

Positions 47-57

Optionality Mandatory

Field 8 **Destination Institution Identification Code**

Definition A unique number that identifies the final destination institution receiving the data record.

Format X(11)

Positions 58-68

Optionality Mandatory

Notes Refer to the Institution Identification Codes section of the *Codes Reference Guide*.

Field 9 **Action Code**

Definition The type of action done or the type of action to do for a Transaction.

Format X(3)

Positions 69-71

Optionality Mandatory

Notes Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 10 **Message Number**

Definition A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format 9(8)

Positions 72-79

Optionality Mandatory

Field 11 **File Name Code**

Definition Used to identify the contents of the file.

Format X(17)

Positions 80-96

Optionality Mandatory

Notes **Required Value:** GNS.FRAUD.REPORTS

Field 12 **Reject Reason Codes 1-10**

Definition Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format X(40)

Positions 97-136

Optionality Conditional. The message must be rejected or informational.

Notes Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 13 **Function Code**

Definition This code shows the reason for a message in its Message Type.

Format X(3)

Positions 137-139

Optionality Mandatory

Notes Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14 **Processing Code**

Definition This is the service being requested.

Format X(6)

Positions 140-145

Optionality Mandatory

Notes Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15 **Filler**

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format X(25)

Positions 146-170

Optionality Filler

Notes Alphanumeric Filler fields must contain spaces.

Field 16 **Message Transaction Sequence Number**

Definition A number that associates and sequences all components of a primary message type.

Format 9(6)

Positions 171-176

Optionality Mandatory

Notes **Example:** A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17 **Record Hash Value**

Definition This field is calculated when financial balancing is required for a given Data Collection Message type.

Format 9(10)

Positions 177-186

Optionality Mandatory

Field 18 **Systems Trace Audit Number**

Definition This is a unique (where applicable) trace number given to each Transaction or provisioning request.

Format 9(6)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Acquirer S/E Fraud Detail (9344)
Field 19 Program Code Message Layout

Positions	187-192
Optionality	Mandatory
Notes	This number must be the same as the File Sequence Number (Field 2)

Field 19

Program Code

Definition	Represents the name of message data contained in the Program Specific Data field.
Format	X(8)
Positions	193-200
Optionality	Mandatory
Notes	Required Value: GFRSEDTL (S/E Detail) Refer to the Program Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20

AEGNS Issuer BIN Number

Definition	A number assigned by AEGNS to uniquely identify the Issuer of American Express Cards. The first six bytes of the Cardmember's Primary Account number for their American Express Card are the Bank Identifier Number (BIN) for the Issuer. During the Participant Setup process, specific Card products can be differentiated using bytes 7 and 8 of this field.
Format	X(8)
Positions	201-208
Optionality	Mandatory

Field 21

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	209-227
Optionality	Mandatory

Field 22

Fraud Transaction Amount

Definition	The total amount of the fraud Transaction in the Issuer's settlement currency identified as the Fraud Transaction Currency Code. The Fraud Transaction Amount value also displays as the Record Hash Total.
Format	9(15)
Positions	228-242
Optionality	Mandatory

Field 23

Fraud Transaction Currency Decimalization

Definition	The number of places the decimal must be moved to the left to correctly represent the Fraud Transaction Amount. (Monetary amounts are stored without decimal places).
Format	9(1)
Positions	243
Optionality	Mandatory
Notes	Refer to the Currency Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 24

Fraud Transaction Amount Accounting Effect Type Code

Definition	A + or - sign indicating the accounting effect of the Fraud Transaction Amount.
Format	X(1)
Positions	244
Optionality	Optional

Field 25 Issuer Original Fraud Disposition Date Message Layout

Notes

Valid Values:

- "+" = Amount is a positive number (default)
- "-" = Amount is a negative number

Field 25

Issuer Original Fraud Disposition Date

Definition

The local date when the Cardmember reported the fraud to the Issuer, or the Issuer discovered the fraud.

Format

9(8) CCYYMMDD

Positions

245-252

Optionality

Mandatory

Field 26

Transaction Date

Definition

The local date when the Cardmember's original Transaction occurred at a Card Acceptor location or sent by the designated Authorized Processor.

- For telecommunication Transactions, the Transaction Date is the date the bill summary was presented.
- For Mail/Telephone/Internet Transactions, the Transaction date is the Date goods are shipped.

Format

9(8) CCYYMMDD

Positions

253-260

Optionality

Mandatory

Notes

This is the date of the first Transaction.

Field 27

Fraud Type Code

Definition

A code identifying the type of fraud reported. Must be a valid Fraud Type Code.

Format

9(2)

Positions

261-262

Optionality

Mandatory

Notes

Refer to the Fraud Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 28

Fraud Type Description

Definition

A description of the type of fraud reported. Descriptions include:

- Fraudulent Application
- Altered/Counterfeit Card
- Account Takeover
- S/E Fraud
- Lost
- Non Received - Including Returned Plastic
- Stolen - Including Stolen And Returned
- Mail/Phone Order - Including Internet Orders
- Card Not Present - Excluding Mail/Phone Order
- Convenience Check
- Other
- Skimming
- Unknown Fraud Type

Format

X(60)

Positions

263-322

Optionality

Mandatory

Field 29 Card Acceptor Identification Code Message Layout

Field 29

Definition

Card Acceptor Identification Code

The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.

Format

X(15)

Positions

323-337

Optionality

Mandatory

Field 30

Definition

Card Acceptor Name

The name of the Card Acceptor, also know as Service Establishment (S/E).

Format

X(38)

Positions

338-375

Optionality

Mandatory

Field 31

Definition

Card Acceptor Country Code

The Country Code of the Card Acceptor location.

Format

X(3)

Positions

376-378

Optionality

Mandatory

Notes

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 32

Definition

Card Acceptor Country Name

The name of the country in which the Card Acceptor is located.

Format

X(15)

Positions

379-393

Optionality

Mandatory

Field 33

Definition

Transaction Identifier (TID)

A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.

Format

9(15)

Positions

394-408

Optionality

Mandatory

Notes

For instruction about the TID and the Authorization life cycle, see The Role of the Transaction Identifier in the *Network Specifications - Authorization* manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15.

Field 34

Definition

Current Status Code

Identifies the status of the fraud Transaction at this reporting period.

Format

X(1)

Positions

409

Optionality

Mandatory

Notes

Valid Values:

- space = Active-Transaction newly reported to GFR
- C = Complete-Final chargeback has been processed
- D = Delete-Removed from GFR

Field 35

Definition

Create Timestamp

The time the Transaction was entered into the Global Fraud Repository.

Format

X(26) HHMMSS

Positions

410-435

Optionality

Mandatory

Field 36 First Presentment Transaction Amount Message Layout

Field 36

First Presentment Transaction Amount

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	S9(14)v9(3)
Positions	436-452
Optionality	Mandatory

Field 37

First Presentment Transaction Currency Code

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	X(3)
Positions	453-455
Optionality	Mandatory
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 38

Fraud Disposition Code

Definition	The current status of a fraud transaction reported to the GNS Fraud Repository. Refer to the Fraud Chargeback Status Indicators section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Format	X(2)
Positions	456-457
Optionality	Mandatory

Field 39

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	458-460
Optionality	Mandatory
Notes	Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 40

Issuer Final Disposition Date

Definition	The date when the Issuer revised the fraud Transaction data.
Format	X(10) MMDDCCYY
Positions	461-470
Optionality	Mandatory

Field 41

Merchant Category Code

Definition	A code that identifies the industry in which the S/E does business.
Format	X(4)
Positions	471-474
Optionality	Mandatory
Notes	Refer to the Merchant Category Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 42

Forwarding Institution Identification Code

Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(4)
Positions	475-478
Optionality	Mandatory

Field 43

Definition

Approval Code

A unique code assigned by the Card Transaction authorizing institution to indicate the disposition for the Transaction.

Format

X(6)

Positions

479-484

Optionality

Mandatory

Field 44

Definition

Acquiring Institution Identification (AIN) Code

This is a unique identification code given to an Acquirer by the Network.

Format

X(11)

Positions

485-495

Optionality

Mandatory

Field 45

Definition

Acquiring Institution Processor Identifier (APN)

The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.

Format

X(11)

Positions

496-506

Optionality

Mandatory

Field 46

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(894)

Positions

507-1400

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

ATM Location List (9344)

Description

Participants use the ATM Location List message to tell Cardmembers of the physical location of a Participant's ATM device.

How To Update Locations

Participants send updated file data regarding the location of devices to American Express who then posts the data to the website on a monthly basis. A full replacement file is required to update the website.

The website address for ATM Location List updates is www.locateanatm.com.

Processing

Only accepted records are on the website. If a mandatory field is not included, that record is not on the website. If this occurs, the Participant must update the data and send the Network a full replacement file, as rejected files or records are not returned to the Participant.

Optional data is used for reporting (i.e., how many ATMs are in Hong Kong).

Length of Record

1400 bytes

Positions 1-208 are constant. Positions 209-1400 are configurable by program. The fields of the ATM Location List message are in byte positions 209-1400 (Field 21, Program Specific Data).

Message Layout

This is the message layout for the ATM Location List (9344). Refer to the [Programming Notes for ATM Location List \(9344\)](#) on page 5-100 for more instruction.

ATM Location List (9344) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code

ATM Location List (9344) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	F	Filler
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Program Code
20	X(8)	201-208	M	AEGNS Issuer BIN Number
21	X(8)	209-216	O	Card Acceptor Terminal Identification
22	X(38)	217-254	M	Card Acceptor Name
23	X(38)	255-292	M	Card Acceptor Address Line 1
24	X(38)	293-330	O	Card Acceptor Address Line 2
25	X(21)	331-351	M	Card Acceptor City
26	X(3)	352-354	M	Card Acceptor Region Code
27	X(15)	355-369	M	Card Acceptor Postal Code
28	X(3)	370-372	M	Card Acceptor Country Code
29	X(6)	373-378	M	Beginning Hours of Operation
30	X(6)	379-384	M	Ending Hours of Operation
31	X(15)	385-399	M	Card Acceptor Identification Code
32	X(38)	400-437	C	Device Network Name
33	X(15)	438-452	C	Device Network Routing/Transit Number
34	X(2)	453-454	O	Device Location Code
35	X(3)	455-457	O	Transaction Currency Code
36	X(15)	458-472	O	Customer Service Number
37	X(3)	473-475	C	Airport Code
38	X(10)	476-485	F	Filler
39	X(20)	486-505	F	Filler
40	X(10)	506-515	F	Filler
41	X(5)	516-520	F	Filler
42	X(10)	521-530	O	Device Properties Code
43	X(870)	531-1400	F	Filler

Programming Notes for ATM Location List (9344)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM Location List (9344)
Field 2 File Sequence Number Message Layout

Notes

Required Value: 9344

Refer to the Message Type Identifier section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition

A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999.

Note: File Sequence Number 900000-999999 are reserved for test files.

Format

9(6)

Positions

5-10

Optionality

Mandatory

Field 3

Transmittal Date

Definition

The date when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(8) CCYYMMDD

Positions

11-18

Optionality

Mandatory

Field 4

Transmittal Time

Definition

The time when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format

9(6) HHMMSS

Positions

19-24

Optionality

Mandatory

Field 5

Originating Institution Identification Code

Definition

A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.

Format

X(11)

Positions

25-35

Optionality

Mandatory

Notes

Required Value: 900000000005

Refer to the Institution Identification Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6

Forwarding Institution Identification Code

Definition

The institution identifier assigned to the processing institution that is sending the file.

Format

X(11)

Positions

36-46

Optionality

Mandatory

Notes

Required Value: 900000000002

Field 7

Receiving Institution Identifier

Definition

The unique institution identifier assigned to the Participant who received the Transaction.

Format

X(11)

Positions

47-57

Optionality

Mandatory

Field 8

Destination Institution Identification Code

Definition

A unique number that identifies the final destination institution receiving the data record.

Format

X(11)

Positions	58-68
Optionality	Mandatory
Notes	Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> .

Field 9

Action Code

Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	69-71
Optionality	Mandatory
Notes	Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 10

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	72-79
Optionality	Mandatory

Field 11

File Name Code

Definition	Used to identify the contents of the file.
Format	X(17)
Positions	80-96
Optionality	Mandatory
Notes	Required Value: GFS.ATM.LIST

Field 12

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	97-136
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	137-139
Optionality	Mandatory
Notes	Required Value: 304 = Replace Record. This must be a full replacement file. Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 14

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	140-145
Optionality	Mandatory
Notes	Required Value: 390000 = ATM Location List Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 15**Definition****Filler**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(25)

Positions

146-170

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 16**Definition****Message Transaction Sequence Number**

A number that associates and sequences all components of a primary message type.

Format

9(6)

Positions

171-176

Optionality

Mandatory

Notes

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17**Definition****Record Hash Value**

This field is calculated when financial balancing is required for a given Data Collection Message type.

Format

9(10)

Positions

177-186

Optionality

Mandatory

Field 18**Definition****Systems Trace Audit Number**

This is a unique (where applicable) trace number given to each Transaction or provisioning request.

Format

9(6)

Positions

187-192

Optionality

Mandatory

Field 19**Definition****Program Code**

Represents the name of message data contained in the Program Specific Data field.

Format

X(8)

Positions

193-200

Optionality

Mandatory

Notes

Required Value: LOCLIST0

Refer to the Program Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 20**Definition****AEGNS Issuer BIN Number**

A number assigned by AEGNS to uniquely identify the Issuer of American Express Cards.

The first six bytes of the Cardmember's Primary Account number for their American Express Card are the Bank Identifier Number (BIN) for the Issuer. During the Participant Setup process, specific Card products can be differentiated using bytes 7 and 8 of this field.

Format

X(8)

Positions

201-208

Optionality

Mandatory

Field 21**Definition****Card Acceptor Terminal Identification**

This code identifies a POS terminal at a Card Acceptor location.

Format

X(8)

Positions

209-216

Optionality

Optional

Field 22**Definition****Format****Positions****Optionality****Card Acceptor Name**

The ATM location as it is known to Cardmembers.

X(38)

217-254

Mandatory

Field 23**Definition****Format****Positions****Optionality****Notes****Card Acceptor Address Line 1**

The Card Acceptor (also known as Service Establishment (S/E)) location address.

X(38)

255-292

Mandatory

This must be a physical address of the ATM.

Field 24**Definition****Format****Positions****Optionality****Notes****Card Acceptor Address Line 2**

The Card Acceptor (also known as Service Establishment (S/E)) location address.

X(38)

293-330

Optional

This is a description of the ATM location.

Field 25**Definition****Format****Positions****Optionality****Card Acceptor City**

The city name of the Card Acceptor location.

X(21)

331-351

Mandatory

Field 26**Definition****Format****Positions****Optionality****Notes****Card Acceptor Region Code**

A code for the state, province, or region of the Card Acceptor location.

X(3)

352-354

Mandatory

Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 27**Definition****Format****Positions****Optionality****Card Acceptor Postal Code**

The postal code of the Card Acceptor location.

X(15)

355-369

Mandatory

Field 28**Definition****Format****Positions****Optionality****Notes****Card Acceptor Country Code**

The Country Code of the Card Acceptor location.

X(3)

370-372

Mandatory

Refer to the Country Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 29**Definition****Format****Positions****Beginning Hours of Operation**

The local time the device (ATM) location begins hours of operation (i.e., the time the business opens and is available for Cardmember use). If the device is available 24 hours a day, default to 000001.

X(6) HHMMSS

373-378

American Express Global Network Services
Network Specifications - Financial/Non-Financial
ATM Location List (9344)
Field 30 Ending Hours of Operation Message Layout

Optionality Mandatory

Field 30 **Ending Hours of Operation**

Definition The local time that the device (ATM) location ends hours of operation (i.e., the time the business closes and is no longer available for Cardmember use). If the device is available 24 hours a day, default to 000001.

Format X(6) HHMMSS

Positions 379-384

Optionality Mandatory

Field 31 **Card Acceptor Identification Code**

Definition The routing transit number in an ATM Transaction. This value is a 10-digit number.

Format X(15)

Positions 385-399

Optionality Mandatory

Field 32 **Device Network Name**

Definition The name of the device (ATM) Network used by the owner of the ATM (i.e., Bank One).

Format X(38)

Positions 400-437

Optionality Conditional

Notes This field must contain a value if the Device Network Routing/Transit Number (Field 33) has no value.

Field 33 **Device Network Routing/Transit Number**

Definition A unique routing/transit number assigned by AEGNS to the device to identify the ATM Participant.

Format X(15)

Positions 438-452

Optionality Conditional

Notes This field must contain a value if the Device Network Name (Field 32) has no value.

This field is left justified and contains spaces.

Field 34 **Device Location Code**

Definition A unique code identifying the type of device (ATM) location (e.g., shopping center, airport, business district).

Format X(2)

Positions 453-454

Optionality Optional

Notes Refer to the Location Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 35 **Transaction Currency Code**

Definition The currency code in which the Transaction was executed.

Format X(3)

Positions 455-457

Optionality Optional

Notes Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 36 **Customer Service Number**

Definition The telephone number to contact a customer service representative for help at the device (ATM) location (the owner or service of the machine).

Format X(15)

Positions 458-472
Optionality Optional

Field 37

Airport Code

Definition The IATA Travel Point code of the airport in which the device (ATM) is located.
Format X(3)
Positions 473-475
Optionality Conditional
Notes Refer to the IATA Airline Coding Directory for valid IATA Travel Point Codes.

Field 38

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(10)
Positions 476-485
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 39

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(20)
Positions 486-505
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 40

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(10)
Positions 506-515
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 41

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(5)
Positions 516-520
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 42

Device Properties Code

Definition Up to four unique codes that describe the properties of the functions of the device (ATM) at this location (e.g., deposits accepted, restricted access, security camera on site, surcharge, etc.).
Format X(10)
Positions 521-530
Optionality Optional
Notes Refer to the Device Properties Code section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 43

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(870)

531-1400

Filler

Alphanumeric Filler fields must contain spaces.

Fusion Membership Rewards (9344)

Overview

American Express Membership Rewards is widely considered one of the world's most successful loyalty and affinity programs. AEGNS' Fusion Membership Rewards serves to attract and retain a premier customer base, stimulate spending in existing customers, and promote activation in new ones.

Fusion Membership Rewards gives AEGNS Independent Operators (I/O) and Joint Venture Participants access to valuable rewards programs with international Membership Reward Partners. AEGNS Participants who use the Fusion Membership Rewards program have the benefits of product differentiation and customer value in a competitive market.

Description

The Fusion Membership Rewards (9344) message contains data enabling Cardmembers to redeem points with American Express contracted Membership Rewards (MR) Partners through an automatic transfer capability between the Participant and the MR partners through American Express Network.

The Fusion Membership Rewards (9344) message is used to:

- Transmit the request to redeem points
- Acknowledge the receipt and processing of the file
- Return the file with a list of reject response codes
- Acknowledge the transfer request was completed by the MR partner

After the points transfer is complete, the response file returned to the Participant verifies the points total and file sequence numbers.

Messages can pass through the Global Clearing and Settlement system or can be routed to other systems.

Eligibility

The Fusion Membership Rewards program is available to AEGNS Independent Operator (I/O) and Joint Venture Participants. AEGNS I/O and J/V To get more instructions about Fusion Membership Rewards, with Licensing Agreements and access to global partners, contact your AEGNS Marketing Representative or Business Development Leader.

Certification

Certification is necessary.

Reject Processing

The Network reviews the file before sending it to the MR partner. If the Network rejects the file, a Reject Reason Code is appended to the reject message describing the edits that failed.

This table describes reject processing for the Fusion Membership Rewards (9344) message:

Table 5-2. Fusion Membership Rewards Reject Processing

If...	Then...
All detail records pass the pre-edit check	The Network acknowledgment will contain the Data Collection File Header (9844) and Data Collection File Trailer (9845) only.
Records in the file fail the pre-edit check	The acknowledgment will contain the Data Collection File Header (9844), Fusion Membership Rewards (9344) message containing only the records that failed, and Data Collection File Trailer (9845).
The header record fails the edit check (e.g., for duplicate sequence number or out of sequence)	The reject file (identified in the File Name Code field as MEMBER.REWARD.REJ) will contain the Data Collection File Header (9844), Fusion Membership Rewards (9344) message containing all detail records, and Data Collection File Trailer (9845).

MR Partner Reject Process

The file is sent to the MR Partner where more edits occur if the file passes the pre-edit check by the Network.

The MR Partner can reject the message with Reject Reason Code 6113 that is in positions 97-136. If this occurs, the MR Partner appends a response code with the reason for the reject. The record is passed to the Network which returns it to the Issuer.

Note: As response codes differ from MR Partner to MR Partner, the codes are not listed in this document or the *Codes Reference Guide*. Response codes for MR Partners can be found on Knowledge Base. Use the Knowledge Base Search function to locate Fusion Membership Rewards.

Length of Record

1400 bytes

Positions 1-208 are constant. Positions 209-1400 are configurable by program. The fields in the Fusion Membership Rewards message are in positions 209-1400 (Field 21 Program Specific Data) of the Program Specific Data Collection (9344) message.

Message Layout

This is the message layout for the Fusion Membership Rewards (9344). Refer to the [Programming Notes for Fusion Membership Rewards \(9344\)](#) on page 5-111 for more instruction.

Fusion Membership Rewards (9344) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code

Fusion Membership Rewards (9344) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	F	Filler
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Program Code
20	X(8)	201-208	M	AEGNS Issuer BIN Number
21	9(6)	209-214	M	Original File Sequence Number
22	9(8)	215-222	M	Message Number
23	X(19)	223-241	M	Primary Account Number (PAN)
24	X(3)	242-244	M	Product Code
25	X(10)	245-254	M	Sub Product Code
26	X(40)	255-294	M	Card Account Name
27	X(40)	295-334	O	Cardmember First Name
28	X(40)	335-374	M	Cardmember Last Name
29	X(40)	375-414	M	Cardmember Address Line 1
30	X(40)	415-454	O	Cardmember Address Line 2
31	X(40)	455-494	O	Cardmember Address Line 3
32	X(40)	495-534	O	Cardmember Address Line 4
33	X(21)	535-555	O	Cardmember Billing City
34	X(15)	556-570	O	Cardmember Billing Postal Code
35	X(3)	571-573	O	Cardmember Billing Region Code
36	X(17)	574-590	F	Filler
37	X(3)	591-593	M	Cardmember Billing Country Code
38	X(3)	594-596	M	Tier Value
39	X(6)	597-602	M	MR Partner Code
40	X(15)	603-617	M	MR Partner Program ID Number
41	9(7)	618-624	M	MR Points Transfer
42	X(10)	625-634	C	MR Partner Response Code
43	X(766)	635-1400	F	Filler

Programming Notes for Fusion Membership Rewards (9344)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9344 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory
Notes	This value must be the same as the File Sequence Number (Field 2) in the Data Collection File Header (9844) for outcleared files. The Network gives a new File Sequence Number to this field for incleared files.

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	Mandatory
Notes	This value must be the same as the File Sequence Number (Field 2) in the Data Collection File Header (9844) for outcleared files. The Network give a new File Sequence Number to this field for incleared files.

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	19-24
Optionality	Mandatory
Notes	This value must be the same as the Transmittal Date (Field 3) in the Data Collection File Header (9844).

Field 5

Originating Institution Identification Code

Definition	A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.
Format	X(11)
Positions	25-35
Optionality	Mandatory
Notes	Outclear: Issuer Institution Identifier (IIN)/Issuer Processor Identifier (IPN) Inclear: 90000000021 Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fusion Membership Rewards (9344)
Field 6 Forwarding Institution Identification Code Message Layout

Field 6	Forwarding Institution Identification Code
Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	36-46
Optionality	Mandatory
Notes	Outclear: Issuer Processor Identifier (IPN) Inclear: 90000000021
Field 7	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	47-57
Optionality	Mandatory
Notes	Outclear: 90000000021 Inclear: Issuer Processor Identifier (IPN)
Field 8	Destination Institution Identification Code
Definition	A unique number that identifies the final destination institution receiving the data record.
Format	X(11)
Positions	58-68
Optionality	Mandatory
Notes	Outclear: 90000000021 Inclear: Issuer Institution Identifier (IIN) Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> .
Field 9	Action Code
Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	69-71
Optionality	Mandatory
Notes	This value must be the same as the Action Code (Field 9) in the Data Collection File Header (9844) for incleared files. Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.
Field 10	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	72-79
Optionality	Mandatory
Field 11	File Name Code
Definition	Used to identify the contents of the file.
Format	X(17)
Positions	80-96
Optionality	Mandatory
Field 12	Reject Reason Codes 1-10
Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fusion Membership Rewards (9344)
Field 13 Function Code Message Layout

Format	X(40)
Positions	97-136
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	137-139
Optionality	Mandatory
Notes	Required Value: 301 = Add Record Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 14

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	140-145
Optionality	Mandatory
Notes	Required Value: 380000 = Non Financial Transaction Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 15

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(25)
Positions	146-170
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 16

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(6)
Positions	171-176
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17

Record Hash Value

Definition	This field is calculated when financial balancing is required for a given Data Collection Message type.
Format	9(10)
Positions	177-186
Optionality	Mandatory
Notes	This value must be the same as the value in MR Points Transfer (Field 41). The values from this field make up the Hash Total Amount (Field 13) in the Data Collection File Trailer (9845) message.

Field 18

Systems Trace Audit Number

Definition	This is a unique (where applicable) trace number given to each Transaction or provisioning request.
------------	---

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fusion Membership Rewards (9344)
Field 19 Program Code Message Layout

Format	9(6)
Positions	187-192
Optionality	Mandatory
Notes	The value of this field is the same for all messages in the file. This number is the same as the number in File Sequence Number (Field 2).

Field 19

Program Code

Definition	Represents the name of message data contained in the Program Specific Data field.
Format	X(8)
Positions	193-200
Optionality	Mandatory
Notes	Refer to the Program Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20

AEGNS Issuer BIN Number

Definition	A number assigned by AEGNS to uniquely identify the Issuer of American Express Cards. The first six bytes of the Cardmember's Primary Account number for their American Express Card are the Bank Identifier Number (BIN) for the Issuer. During the Participant Setup process, specific Card products can be differentiated using bytes 7 and 8 of this field.
Format	X(8)
Positions	201-208
Optionality	Mandatory

Field 21

Original File Sequence Number

Definition	The File Sequence Number reported on the File Header and File Trailer. The File Sequence Number is sequential and assigned to each file by the file originator. This ascending number starts at 000001 for the first file and increments by one for all other files. The number rolls over after it has reached 899999. The Network echoes the field on the Network File Acknowledgment (1844) as it is received. The Participant echoes the field on the Participant File Acknowledgment (1824) as it is received.
Format	9(6)
Positions	209-214
Optionality	Mandatory
Notes	This value must be the same as the value in File Sequence Number (Field 2) in the Data Collection File Header (9844).

Field 22

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	215-222
Optionality	Mandatory

Field 23

Primary Account Number (PAN)

Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)
Positions	223-241
Optionality	Mandatory

Field 24

Product Code

Definition	Indicates the type of Card product used to accrue and redeem the Fusion Membership Rewards points.
------------	--

Format	X(3)
Positions	242-244
Optionality	Mandatory
Notes	Refer to the Product Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 25

Sub Product Code

Definition	A Participant specific, AEGNS defined code that further defines the Card product used to accrue and redeem the Fusion Membership Rewards points.
Format	X(10)
Positions	245-254
Optionality	Mandatory

Field 26

Card Account Name

Definition	The name embossed on the front of the Card. This could be different from the Primary Account holder's name.
Format	X(40)
Positions	255-294
Optionality	Mandatory

Field 27

Cardmember First Name

Definition	The first name of the Cardmember.
Format	X(40)
Positions	295-334
Optionality	Optional

Field 28

Cardmember Last Name

Definition	The last name of the Cardmember.
Format	X(40)
Positions	335-374
Optionality	Mandatory

Field 29

Cardmember Address Line 1

Definition	A line used for the Cardmember address.
Format	X(40)
Positions	375-414
Optionality	Mandatory

Field 30

Cardmember Address Line 2

Definition	A line used for the Cardmember address.
Format	X(40)
Positions	415-454
Optionality	Optional

Field 31

Cardmember Address Line 3

Definition	A line used for the Cardmember address.
Format	X(40)
Positions	455-494
Optionality	Optional

Field 32

Cardmember Address Line 4

Definition	A line used for the Cardmember address.
Format	X(40)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fusion Membership Rewards (9344)
Field 33 Cardmember Billing City Message Layout

Positions 495-534
Optionality Optional

Field 33 **Cardmember Billing City**

Definition The city associated with the Cardmember's billing address.
Format X(21)
Positions 535-555
Optionality Optional

Field 34 **Cardmember Billing Postal Code**

Definition The postal code of the Cardmember's billing address.
Format X(15)
Positions 556-570
Optionality Optional

Field 35 **Cardmember Billing Region Code**

Definition The Region code of the Cardmember based on the issuing BIN.
Format X(3)
Positions 571-573
Optionality Optional
Notes Refer to the Region Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 36 **Filler**

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(17)
Positions 574-590
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Field 37 **Cardmember Billing Country Code**

Definition The Country Code of the Cardmember based on the issuing BIN.
Format X(3)
Positions 591-593
Optionality Mandatory
Notes Refer to the Country Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 38 **Tier Value**

Definition An AEGNS defined code that uniquely identifies each Issuer participating in the Fusion Membership Rewards program.
Format X(3)
Positions 594-596
Optionality Mandatory

Field 39 **MR Partner Code**

Definition A unique code assigned by AEGNS to the Membership Rewards (MR) partner (e.g., DL for Delta Airlines).
Format X(6)
Positions 597-602
Optionality Mandatory

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fusion Membership Rewards (9344)
Field 40 MR Partner Program ID Number Message Layout

Notes Refer to Knowledge Base and use the Search function to locate Fusion Membership Rewards for data on the MR Partner Code and MR Partner Program ID Number.

Field 40

MR Partner Program ID Number

Definition The identification number associated with a particular Fusion Membership Rewards program.
Format X(15)
Positions 603-617
Optionality Mandatory

Field 41

MR Points Transfer

Definition The number of points the Cardmember is transferring to a Membership Rewards (MR) Partner.
Format 9(7)
Positions 618-624
Optionality Mandatory
Notes This field must contain the same value as Record Hash Value (Field 17).

Refer to Knowledge Base and use the Search function to locate Fusion Membership Rewards for data for the minimum and maximum of transfer amounts per transfer per Cardmember in a 24 hour time period.

Field 42

MR Partner Response Code

Definition A Membership Rewards (MR) Partner specific code that indicates the MR Partner response to a points transfer request.
Format X(10)
Positions 625-634
Optionality Conditional
Notes Refer to Knowledge Base and use the Search function to locate Fusion Membership Rewards for specifics for the code and description associated with the return of a request from the MR Partner.

Field 43

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(766)
Positions 635-1400
Optionality Filler
Notes Alphanumeric Filler fields must contain spaces.

Chip Card Request and Response (9344)

Important

Positions 209-1400 are unique for each Participant for this message. Contact your AEGNS Representative.

Description

The Chip Card Request message is used to transmit data from the Issuer to the vendor for creation and personalization of a chip card. The Chip Card Response message is sent from the vendor to the Issuer and contains data on all cards that have been successfully personalized and dispatched.

Data Validation

The vendor validates all vendor specific fields in the Program Specific Data Collection (9344) message and reports rejects to the Participant. The Network does file integrity validation on the Chip Card Response message, but does not do specific validation on the fields of the record. If the Network rejects a Chip Card Response message, it is returned to the vendor with the File Name Code updated with ".REJ" appended to the end of the field. Reject Reason Codes can be included in the Data Collection File Header or Trailer records or the Program Specific Detail record.

Batch Submissions

The file from the Issuer to the vendor can include multiple batches from the Issuer. Issuers should sort the request files into batches using Product Code and Request Type. After the cards are made, the vendor returns a separate response file to the Issuer. The file structure is illustrated in [Figure 5-4 Chip Card Request and Response File Structure on page 5-119](#).




Figure 5-4. Chip Card Request and Response File Structure

Reject Processing

The vendor validates all vendor specific fields in the Program Specific Data Collection (9344) message and reports rejects to the Participant. The Network does file integrity validation on the Chip Card Response message, but does not do specific validation on the fields of the record. If the Network rejects a Chip Card Response message, it is returned to the vendor with the File Name Code updated with ".REJ" appended to the end of the field. Reject Reason Codes can be included in the Data Collection File Header or Trailer records or the Program Specific Detail record.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Chip Card Request and Response (9344). Refer to the [Programming Notes for Chip Card Request and Response \(9344\)](#) on page 5-120 for more instruction.

Chip Card Request and Response (9344) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	F	Filler
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Program Code
20	X(8)	201-208	M	AEGNS Issuer BIN Number
21	X(1192)	209-1400	F	Filler

Programming Notes for [Chip Card Request and Response \(9344\)](#)

Field 1

[Message Type Identifier](#)

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9344 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

[File Sequence Number](#)

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
-------------------	--

Format 9(6)
Positions 5-10
Optionality Mandatory

Field 3

Transmittal Date

Definition The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format 9(8) CCYYMMDD
Positions 11-18
Optionality Mandatory

Field 4

Transmittal Time

Definition The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format 9(6) HHMMSS
Positions 19-24
Optionality Mandatory

Field 5

Originating Institution Identification Code

Definition A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.
Format X(11)
Positions 25-35
Optionality Mandatory
Notes Refer to the Institution Identification Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6

Forwarding Institution Identification Code

Definition The institution identifier assigned to the processing institution that is sending the file.
Format X(11)
Positions 36-46
Optionality Mandatory

Field 7

Receiving Institution Identifier

Definition The unique institution identifier assigned to the Participant who received the Transaction.
Format X(11)
Positions 47-57
Optionality Mandatory

Field 8

Destination Institution Identification Code

Definition A unique number that identifies the final destination institution receiving the data record.
Format X(11)
Positions 58-68
Optionality Mandatory
Notes Refer to the Institution Identification Codes section of the *Codes Reference Guide*.

Field 9

Action Code

Definition The type of action done or the type of action to do for a Transaction.
Format X(3)
Positions 69-71
Optionality Mandatory
Notes Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 10

Definition

Message Number

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

72-79

Optionality

Mandatory

Field 11

Definition

File Name Code

Used to identify the contents of the file.

Format

X(17)

Positions

80-96

Optionality

Mandatory

Notes

Required Value: ICC.REQ

Field 12

Definition

Reject Reason Codes 1-10

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

97-136

Optionality

Conditional. The message must be rejected or informational.

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 13

Definition

Function Code

This code shows the reason for a message in its Message Type.

Format

X(3)

Positions

137-139

Optionality

Mandatory

Notes

Required Value: 301 = Add Record

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Definition

Processing Code

This is the service being requested.

Format

X(6)

Positions

140-145

Optionality

Mandatory

Notes

Required Value: 000000 = Card Issuance Request and Response

Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(25)

Positions

146-170

Optionality

Filler

Notes

Alphanumeric Filler fields must contain spaces.

Field 16

Definition

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

Format

9(6)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Chip Card Request and Response (9344)
Field 17 Record Hash Value Message Layout

Positions	171-176
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17	Record Hash Value
Definition	This field is calculated when financial balancing is required for a given Data Collection Message type.
Format	9(10)
Positions	177-186
Optionality	Mandatory

Field 18	Systems Trace Audit Number
Definition	This is a unique (where applicable) trace number given to each Transaction or provisioning request.
Format	9(6)
Positions	187-192
Optionality	Mandatory

Field 19	Program Code
Definition	Represents the name of message data contained in the Program Specific Data field.
Format	X(8)
Positions	193-200
Optionality	Mandatory
Notes	Required Value: ICC000000 Refer to the Program Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 20	AEGNS Issuer BIN Number
Definition	A number assigned by AEGNS to uniquely identify the Issuer of American Express Cards. The first six bytes of the Cardmember's Primary Account number for their American Express Card are the Bank Identifier Number (BIN) for the Issuer. During the Participant Setup process, specific Card products can be differentiated using bytes 7 and 8 of this field.
Format	X(8)
Positions	201-208
Optionality	Mandatory

Field 21	Filler
Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(1192)
Positions	209-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Batch Exception Update Request (9344)

Description

This Program Specific Data Collection message is used to transmit batch Authorization exception update messages from the Issuer to the Network. The Network uses this data to update the Network Exception Database. Refer to [Figure 5-5, "Batch Exception Update Request File Structure"](#) for instruction about the functionality of these messages.

The Network responds with the Batch Exception Update Response Count and Detail message.

Processing Frequency

Batch Exception Update Request (9344) files are processed hourly, on the half hour (00:30, 01:30). An Issuer can send 1 Batch Exception Update Request (9344) message for each card account in a processing period.

If the Network receives a Batch Exception Update Request (9344) file at 8:45AM, the accepted records are processed in the 9:30AM processing period before they update in the Network Exception Database.

Batch Exception Update Request Structure

The structure of a sample request file is illustrated below.




Figure 5-5. Batch Exception Update Request File Structure

Network Response to a Batch Exception Update Request

The Network returns the Batch Exception Update Response Count and Detail file to the Issuer to supply:

- Instruction about the records that were rejected,
- The number of records received, and
- The number of records processed.

The response file always contains a Batch Exception Update Response Count. Response files contain Batch Exception Update Request Detail records only if the Network rejected the records. Refer to the example in Table 5-3.

Note: The Batch Exception Update Response Count and Detail (9344) is generated by the Network and sent to the Issuer after the Network Authorization system receives the Batch Exception Update Request (9344) and validates the message.

Table 5-3. Count and Detail Records Example

Contents of Field 21 (Position 209)	Number of Records in Response File	Record Type	Record Description and Use
D	One for each rejected record	Detail	An echo of the Batch Exception Update Request records that were rejected by the Network
C	1	Count	The total number of records received, processed and rejected from the request file

Batch Exception Update Response Count and Detail Structure

The structure of a sample response file is illustrated below.




Figure 5-6. Batch Exception Update Response Count and Detail File Structure

Table 5-4. Batch Exception Reject Process

If...	Then...
The Batch Exception Update Request (9344) message is accepted	The Batch Exception Update Response Count and Detail (9344) message is sent to the sender of the Batch Exception Update Request. This includes: • A Data Collection File Header (9844) • A Batch Exception Update Response Count and Detail (9344) that shows the number of records accepted and processed • A Data Collection File Trailer (9845)
The Network rejects the Batch Exception Update Request (9344) message	The entire Batch Exception Update Request (9344) message is returned to the sender. Field 12, Reject Reason Codes contains a value in the records that have errors. Errors could be in the header, trailer or detail records.

Table 5-4. Batch Exception Reject Process(continued)

If...	Then...
The receiving system rejects a record(s)	The Batch Exception Update Response Count and Detail (9344) message is sent with only the records that rejected. Field 12 - Reject Reason Codes will contain a value. This file includes: • A Data Collection File Header (9844) • A Batch Exception Update Response Count and Detail (9344) that shows the records received, processed, and rejected • A Data Collection File Trailer (9845) Note: Field 11 - File Name Code will be appended with a '.rej' to show the sender that the file was rejected.

Empty Dataset

Issuers should send batch exception files when they have updates to card statuses. For Issuers with systems that must generate daily batch exception files, make sure that the system generates batch exception files that contain, at a minimum, a header and trailer record.

Length of Record

1400 bytes

Positions 1-208 are constant. Positions 209-1400 are configurable by program. The fields of the Batch Exception Update Request message are in positions 209-1400 (Field 21 Program Specific Data).

Message Layout

This is the message layout for the Batch Exception Update Request (9344). Refer to the [Programming Notes for Batch Exception Update Request \(9344\) on page 5-127](#) for more instruction.

Batch Exception Update Request (9344) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code

Batch Exception Update Request (9344) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	F	Filler
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Program Code
20	X(8)	201-208	M	AEGNS Issuer BIN Number
21	X(1)	209	M	Record Type
22	X(19)	210-228	M	Primary Account Number (PAN)
23	9(4)	229-232	M	Record Expiration Date
24	9(4)	233-236	M	Message Reason Code
25	X(40)	237-276	C	Reject Reason Codes 1-10
26	X(1)	277	C	Card Type Indicator
27	X(15)	278-292	C	Card Acceptor Identification Code
28	X(12)	293-304	C	Transaction Amount, Minimum
29	X(12)	305-316	C	Transaction Amount, Maximum
30	X(3)	317-319	C	Currency Code, Transaction
31	X(1081)	320-1400	F	Filler

Programming Notes for Batch Exception Update Request (9344)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9344 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18

Optionality Mandatory

Field 4 Transmittal Time

Definition The time when the file was transmitted by the institution identified by the Forwarding Identification Code.

Format 9(6) HHMMSS

Positions 19-24

Optionality Mandatory

Field 5 Originating Institution Identification Code

Definition A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.

Format X(11)

Positions 25-35

Optionality Mandatory

Notes **Valid Value:** Issuer Institution Identifier (IIN)

Refer to the Institution Identification Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 6 Forwarding Institution Identification Code

Definition The institution identifier assigned to the processing institution that is sending the file.

Format X(11)

Positions 36-46

Optionality Mandatory

Notes **Valid Value:** Issuer Processor Identifier (IPN)

Field 7 Receiving Institution Identifier

Definition The unique institution identifier assigned to the Participant who received the Transaction.

Format X(11)

Positions 47-57

Optionality Mandatory

Notes **Valid Value:** 90000000002

Field 8 Destination Institution Identification Code

Definition A unique number that identifies the final destination institution receiving the data record.

Format X(11)

Positions 58-68

Optionality Mandatory

Notes **Valid Value:** 11000000117

This field must contain a numeric value.

This field must contain a value on the inclear file for the Batch Exception Update Request.

Refer to the Institution Identification Codes section of the *Codes Reference Guide*.

Field 9 Action Code

Definition The type of action done or the type of action to do for a Transaction.

Format X(3)

Positions 69-71

Optionality Mandatory

Notes For deletions, the Batch Exception Update Request (9344) message must contain the same Primary Account Number (PAN) (Field 22) and Message Reason Code (Field 24) that are in the Network Exception Database.

Refer to the Action Codes section of the *Codes Reference Guide* for a list of codes and descriptions.

Field 10

Message Number

Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	72-79
Optionality	Mandatory

Field 11

File Name Code

Definition	Used to identify the contents of the file.
Format	X(17)
Positions	80-96
Optionality	Mandatory
Notes	Required Value: GNS.CAS.EXCEPTION

Field 12

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	97-136
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	137-139
Optionality	Mandatory
Notes	Valid Values: 301 = Add Record 303 = Delete Record Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 14

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	140-145
Optionality	Mandatory
Notes	Required Value: 920892 = Exception Update Request or Response Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 15

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(25)
Positions	146-170
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Batch Exception Update Request (9344)
Field 16 Message Transaction Sequence Number Message Layout

Field 16	Message Transaction Sequence Number
Definition	A number that associates and sequences all components of a primary message type.
Format	9(6)
Positions	171-176
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.
Field 17	Record Hash Value
Definition	This field is calculated when financial balancing is required for a given Data Collection Message type.
Format	9(10)
Positions	177-186
Optionality	Mandatory
Field 18	Systems Trace Audit Number
Definition	This is a unique (where applicable) trace number given to each Transaction or provisioning request.
Format	9(6)
Positions	187-192
Optionality	Mandatory
Field 19	Program Code
Definition	Represents the name of message data contained in the Program Specific Data field.
Format	X(8)
Positions	193-200
Optionality	Mandatory
Notes	Required Value: CASEXCEP Refer to the Program Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 20	AEGNS Issuer BIN Number
Definition	A number assigned by AEGNS to uniquely identify the Issuer of American Express Cards. The first six bytes of the Cardmember's Primary Account number for their American Express Card are the Bank Identifier Number (BIN) for the Issuer. During the Participant Setup process, specific Card products can be differentiated using bytes 7 and 8 of this field.
Format	X(8)
Positions	201-208
Optionality	Mandatory
Notes	This field must contain a value for a Batch Update Request.
Field 21	Record Type
Definition	A unique code that identifies a type of record.
Format	X(1)
Positions	209
Optionality	Mandatory
Notes	Required Value: D = Detail Level Record
Field 22	Primary Account Number (PAN)
Definition	A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.
Format	X(19)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Batch Exception Update Request (9344)
Field 23 Record Expiration Date Message Layout

Positions	210-228
Optionality	Mandatory
Notes	Issuers must use a scramble routine for the Primary Account Number in transmissions to the Network. Refer to Scrambling Primary Account Numbers in the <i>Network Specifications - Instructions</i> manual.

Field 23

Record Expiration Date

Definition	The date that the exception record is set to expire on the Network Exception Database. This date often coincides with the date of the Card expiration.
Format	9(4) MMY or 9999
Positions	229-232
Optionality	Mandatory
Notes	Valid Value: 9999 - The exception record will not expire from the Network Exception Database if this value is used. This date can not be later than seventy-two months from the date the message is received by the Network, except when the value = 9999. This date must be greater than the current month and year when the Network receives the Batch Exception Update Request (9344). Valid Value (for permanent status updates): 9999. This status remains on the Network Exception Database until the Issuer sends a Batch Exception Update Request (9344) to delete the status. For deletions, the date must obey these programming notes to prevent a message reject. The Network validation for deletion records is the same for add records. The Network deletes the record from the Network Exception Database when it receives the Batch Exception Update Request (9344).

Field 24

Message Reason Code

Definition	This code gives the cause of a First and Final Chargeback, Retrieval Request Notification, File Acknowledgment, ATM and POS, and Reversal requests.
Format	9(4)
Positions	233-236
Optionality	Mandatory
Notes	Refer to Table 2-12. Exception and Message Reason Code Priority on page 2-14 for Exception and Message Reason Code Priority. Refer to the Message Reason Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 25

Reject Reason Codes 1-10

Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format	X(40)
Positions	238-276
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 26

Card Type Indicator

Definition	When populated with the value of "C" by an Issuer, the Card Type Indicator identifies the account as an Expresspay-enabled Card.
Format	X(1)
Positions	277
Optionality	Conditional
Notes	Valid Value: C = Expresspay-enabled Card/device Expresspay Issuers must identify their Expresspay-enabled card/device accounts.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Batch Exception Update Request (9344)
Field 27 Card Acceptor Identification Code Message Layout

Expresspay: Expresspay Issuers must show a Card Type Indicator on the Exception File, the Batch Exception Update Request (9344), or the Enhanced Exception File messages to identify Expresspay-enabled Card/device accounts.

Field 27

Definition

Format

Positions

Optionality

Notes

Card Acceptor Identification Code

The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.

X(15)

278-292

Conditional

- Required when Message Reason Code = 3704
- Space-filled for all other Message Reason Codes
- Must be a valid Card Acceptor Identification Code

Field 28

Definition

Format

Positions

Optionality

Notes

Transaction Amount, Minimum

The minimum Transaction amount that the Network will block as part of the Recurring Billing Cancellation Service.

X(12)

293-304

Conditional

- Required when Message Reason Code = 3704.
- Space-filled for all other Message Reason Codes.
- This Transaction amount is in the Transaction currency. Field 30, Currency Code, Transaction determines the decimal point location. For example, \$100.00 USD shows as 000000010000.
- Must be less than or equal to Field 29, Transaction Amount, Maximum.

Field 29

Definition

Format

Positions

Optionality

Notes

Transaction Amount, Maximum

The maximum Transaction amount that the Network will block as part of the Recurring Billing Cancellation Service.

X(12)

305-316

Conditional

- Required when Message Reason Code = 3704.
- Space-filled for all other Message Reason Codes.
- This Transaction amount is in the Transaction currency. Field 30, Currency Code, Transaction determines the decimal point location. For example, \$100.00 USD shows as 000000010000.
- Must be greater than or equal to Field 28, Transaction Amount, Maximum.
- Must be greater than zero (0).

Field 30

Definition

Format

Positions

Optionality

Notes

Currency Code, Transaction

This is the numeric code for the currency used in the Transaction or Payment Token Provisioning Request.

X(3)

317-319

Conditional

- Required when Message Reason Code = 3704.
- Space-filled for all other Message Reason Codes.
- Must be a valid Currency Code.

Field 31

Definition

Format

Positions

Optionality

Notes

Filler

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(1081)

320-1400

Filler

Alphanumeric Filler fields must contain spaces.

Batch Exception Update Response Count and Detail (9344)

Description

The Network returns the Batch Exception Update Response Count and Detail message to supply the count of the total number of records received and detail about the rejected records.

Length of Record

1400 bytes

Positions 1-208 are constant. Positions 209-1400 are configurable by program. The fields of the Batch Exception Update Response Count and Detail message are in positions 209-1400 (Field 21 Program Specific Data).

Message Layout

This is the message layout for the Batch Exception Update Response Count and Detail (9344). Refer to the [Programming Notes for Batch Exception Update Response Count and Detail \(9344\)](#) on page 5-135 for more instruction.

Batch Exception Update Response Count and Detail (9344) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	F	Filler
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Program Code
20	X(8)	201-208	M	AEGNS Issuer BIN Number

Batch Exception Update Response Count and Detail (9344) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
21	X(1)	209	M	Record Type
22	9(9)	210-218	M	Total Records Received
23	9(9)	219-227	M	Total Records Processed
24	9(9)	228-236	M	Total Records Rejected
25	X(1164)	237-1400	F	Filler

Programming Notes for Batch Exception Update Response Count and Detail (9344)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9344 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	19-24
Optionality	Mandatory

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Batch Exception Update Response Count and Detail (9344)
Field 5 Originating Institution Identification Code Message Layout

Field 5	Originating Institution Identification Code
Definition	A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.
Format	X(11)
Positions	25-35
Optionality	Mandatory
Notes	Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.
Field 6	Forwarding Institution Identification Code
Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	36-46
Optionality	Mandatory
Field 7	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	47-57
Optionality	Mandatory
Field 8	Destination Institution Identification Code
Definition	A unique number that identifies the final destination institution receiving the data record.
Format	X(11)
Positions	58-68
Optionality	Mandatory
Notes	Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> .
Field 9	Action Code
Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	69-71
Optionality	Mandatory
Notes	Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.
Field 10	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	72-79
Optionality	Mandatory
Field 11	File Name Code
Definition	Used to identify the contents of the file.
Format	X(17)
Positions	80-96
Optionality	Mandatory
Notes	Required Value: GNS.CAS.EXCEPTION
Field 12	Reject Reason Codes 1-10
Definition	Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Batch Exception Update Response Count and Detail (9344)
Field 13 Function Code Message Layout

Format	X(40)
Positions	97-136
Optionality	Conditional. The message must be rejected or informational.
Notes	Refer to the Reject Reason Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 13

Function Code

Definition	This code shows the reason for a message in its Message Type.
Format	X(3)
Positions	137-139
Optionality	Mandatory
Notes	Valid Values: • 301 = Add Record • 303 = Delete Record Refer to the Function Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 14

Processing Code

Definition	This is the service being requested.
Format	X(6)
Positions	140-145
Optionality	Mandatory
Notes	Required Value: 920892 = Exception Update Request or Response Refer to the Processing Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 15

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(25)
Positions	146-170
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Field 16

Message Transaction Sequence Number

Definition	A number that associates and sequences all components of a primary message type.
Format	9(6)
Positions	171-176
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17

Record Hash Value

Definition	This field is calculated when financial balancing is required for a given Data Collection Message type.
Format	9(10)
Positions	177-186
Optionality	Mandatory

Field 18

Systems Trace Audit Number

Definition	This is a unique (where applicable) trace number given to each Transaction or provisioning request.
Format	9(6)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Batch Exception Update Response Count and Detail (9344)
Field 19 Program Code Message Layout

Positions 187-192
Optionality Mandatory

Field 19

Program Code

Definition Represents the name of message data contained in the Program Specific Data field.
Format X(8)
Positions 193-200
Optionality Mandatory
Notes **Required Value:** CASEXCEP

Refer to the Program Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 20

AEGNS Issuer BIN Number

Definition A number assigned by AEGNS to uniquely identify the Issuer of American Express Cards.

The first six bytes of the Cardmember's Primary Account number for their American Express Card are the Bank Identifier Number (BIN) for the Issuer. During the Participant Setup process, specific Card products can be differentiated using bytes 7 and 8 of this field.
Format X(8)
Positions 201-208
Optionality Mandatory

Field 21

Record Type

Definition A unique code that identifies a type of record.
Format X(1)
Positions 209
Optionality Mandatory
Notes Required Value: C = Count Record

Field 22

Total Records Received

Definition The total number of request records received in the request file.
Format 9(9)
Positions 210-218
Optionality Mandatory

Field 23

Total Records Processed

Definition The total number of request records processed.
Format 9(9)
Positions 219-227
Optionality Mandatory

Field 24

Total Records Rejected

Definition The total number of rejected request records.
Format 9(9)
Positions 228-236
Optionality Mandatory

Field 25

Filler

Definition Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format X(1164)
Positions 237-1400
Optionality Filler

Notes Alphanumeric Filler fields must contain spaces.

Clearing and Settlement to Fraud Mapping

Introduction

Many fields in the financial messages that pass through Clearing and Settlement must be “echoed,” or repeated in a subsequent message as they are in a prior message. When Participants create messages, they must retrieve data from a prior message to get data for fields that are mandatory echoes.

The Clearing and Settlement Mandatory Echoes table listed below is for reference only.

Mapping from 1240 to 9324

This table can be used for quick reference and assistance during initial programming for converting the Clearing and Settlement First Presentment (1240) data to a Fraud Update Record (9324) for echoed fields.

Table 5-5. POS Clearing and Settlement to Fraud Mapping

POS First Presentment (1240)		Fraud Repository Update and Response (9324/9334)	
Positions	Field Name	Field Name	Positions
5-6	Primary Account Number Length	Primary Account Number Length	193-194
7-25	Primary Account Number	Primary Account Number	195-213
1006-1020	Transaction Identifier	Transaction Identifier (TID)	214-228
434-448	Issuer Gross Settlement Amount	Fraud Transaction Amount	229-243
599-601	Issuer Settlement Currency Code	Fraud Transaction Currency Code	244-246
602	Issuer Settlement Decimalization	Fraud Transaction Currency Decimalization	247
112-119	Transaction Date	Fraud Transaction Date	248-255
142-145	Merchant Category Code	Merchant Category Code	312-315
223-245	Acquirer Reference Number	Acquirer Reference Number (ARN)	316-338
246-251	Approval Code	Approval Code	339-344
263-277	Card Acceptor ID Code	Card Acceptor Identification Code	345-359
255-262	Card Acceptor Terminal Identification	Card Acceptor Terminal Identification	360-367
278-315	Card Acceptor Name	Card Acceptor Name	368-405
316-353	Card Acceptor Address Line 1	Card Acceptor Address Line 1	406-443
354-391	Card Acceptor Address Line 2	Card Acceptor Address Line 2	444-481
392-412	Card Acceptor City	Card Acceptor City	482-502
413-427	Card Acceptor Postal Code	Card Acceptor Postal Code	503-517
428-430	Card Acceptor Country Code	Card Acceptor Country Code	518-520
431-433	Card Acceptor Region Code	Card Acceptor Region Code	521-523
32-46	Transaction Amount (from the First Presentment (1240))	First Presentment Transaction Amount	524-538

Table 5-5. POS Clearing and Settlement to Fraud Mapping (continued)

POS First Presentment (1240)		Fraud Repository Update and Response (9324/9334)	
Positions	Field Name	Field Name	Positions
642-644	Transaction Currency Code	First Presentment Transaction Currency Code	539-541
606	Transaction Decimalization	First Presentment Transaction Decimalization	542
607-621	First Presentment Presentment Amount	First Presentment Presentment Amount	543-557
637-639	First Presentment Presentment Currency Code	First Presentment Presentment Currency Code	558-560
640	First Presentment Presentment Decimalization	First Presentment Presentment Decimalization	561
175-182	Issuer Settlement Date	First Presentment Network Processing Date	562-569
201-211	Acquiring Institution Identification Code	Acquiring Institution Identification Code (AIN)	620-630
212-222	Acquiring Institution Processor Identifier	Acquiring Institution Processor Identifier (APN)	631-641

Table 5-6. ATM Clearing and Settlement to Fraud Mapping

ATM First Presentment (1240)		Fraud Repository Update and Response (9324/9334)	
Positions	Field Name	Field Name	Positions
7-25	Primary Account Number	Primary Account Number	195-213
32-46	Transaction Amount (from the First Presentment (1240))	First Presentment Transaction Amount	524-538
642-644	Transaction Currency Code	First Presentment Transaction Currency Code	539-541
606	Transaction Decimalization	First Presentment Transaction Decimalization	542
175-182	Issuer Settlement Date	First Presentment Network Processing Date	562-569
1006-1020	Transaction Identifier	Transaction Identifier (TID)	214-228

Fraud Repository Update and Response (9324/9334)

Description

The Fraud Repository Update (9324) message reports fraud Transaction data from the Issuer to the GNS Fraud Repository.

The Fraud Repository Update Record is returned to the Issuer as a Fraud Repository Response (9334) message when the file is not fully or fully accepted into the GNS Fraud Repository. Data elements are echoed back to the Issuer.

No Fraud to Report

When an Issuer has not submitted fraud Transactions for a given month, the Issuer must submit an empty data file to show that no fraud has occurred. An empty dataset is defined as a header record and trailer record with zero hash count.

Refer to Submitting Fraud Updates to the GFR in Chapter 7 of the *Network Specifications - Instructions* manual for more instruction.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Fraud Repository Update and Response (9324/9334). Refer to the [Programming Notes for Fraud Repository Update and Response \(9324/9334\) on page 5-144](#) for more instruction.

Fraud Repository Update and Response (9324/9334) Message Layout

Field Number	Format	Positions	Optionality		Field Name
			9324	9334	
1	X(4)	1-4	M	M	Message Type Identifier
2	9(6)	5-10	M	M	File Sequence Number
3	9(8)	11-18	M	M	Transmittal Date
4	9(6)	19-24	M	M	Transmittal Time
5	X(11)	25-35	M	M	Originating Institution Identification Code
6	X(11)	36-46	M	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	M	Receiving Institution Identifier
8	X(11)	58-68	M	M	Destination Institution Identification Code
9	X(3)	69-71	M	M	Action Code
10	9(8)	72-79	M	ME	Message Number
11	X(17)	80-96	M	M	File Name Code
12	X(40)	97-136	F	C	Reject Reason Codes 1-10
13	X(3)	137-139	M	ME	Function Code
14	X(6)	140-145	M	ME	Processing Code

Fraud Repository Update and Response (9324/9334) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			9324	9334	
15	X(25)	146-170	O	OE	Transport Data
16	9(6)	171-176	M	ME	Message Transaction Sequence Number
17	9(10)	177-186	M	ME	Record Hash Value
18	9(6)	187-192	M	ME	Systems Trace Audit Number
19	9(2)	193-194	M	ME	Primary Account Number Length
20	X(19)	195-213	M	ME	Primary Account Number (PAN)
21	9(15)	214-228	C	M	Transaction Identifier (TID)
22	9(15)	229-243	M	ME	Fraud Transaction Amount
23	X(3)	244-246	M	ME	Fraud Transaction Currency Code
24	9(1)	247	M	ME	Fraud Transaction Currency Decimalization
25	9(8)	248-255	M	ME	Fraud Transaction Date
26	9(6)	256-261	M	ME	Fraud Transaction Time
27	9(2)	262-263	M	ME	Fraud Type Code
28	9(2)	264-265	O	OE	Issuer Fraud Chargeback Status Indicator
29	9(4)	266-269	O	OE	Issuer Fraud Chargeback Reason Code
30	9(8)	270-277	M	ME	Issuer Original Fraud Disposition Date
31	9(6)	278-283	M	ME	Issuer Original Fraud Disposition Time
32	9(8)	284-291	F	M	Network Processing Date
33	9(6)	292-297	F	M	Network Processing Time
34	9(8)	298-305	M	ME	Issuer Last Revision Date
35	9(6)	306-311	M	ME	Issuer Last Revision Time
36	X(4)	312-315	M	ME	Merchant Category Code
37	X(23)	316-338	M	ME	Acquirer Reference Number (ARN)
38	X(6)	339-344	C	CE	Approval Code
39	X(15)	345-359	C	CE	Card Acceptor Identification Code
40	X(8)	360-367	O	OE	Card Acceptor Terminal Identification
41	X(38)	368-405	C	CE	Card Acceptor Name
42	X(38)	406-443	C	CE	Card Acceptor Address Line 1
43	X(38)	444-481	C	CE	Card Acceptor Address Line 2
44	X(21)	482-502	C	CE	Card Acceptor City
45	X(15)	503-517	C	CE	Card Acceptor Postal Code
46	X(3)	518-520	M	ME	Card Acceptor Country Code
47	X(3)	521-523	O	OE	Card Acceptor Region Code
48	9(15)	524-538	M	ME	First Presentment Transaction Amount
49	9(3)	539-541	M	ME	First Presentment Transaction Currency Code
50	9(1)	542	M	ME	First Presentment Transaction Decimalization
51	9(15)	543-557	M	ME	First Presentment Presentment Amount
52	X(3)	558-560	M	ME	First Presentment Presentment Currency Code

Fraud Repository Update and Response (9324/9334) Message Layout (continued)

Field Number	Format	Positions	Optionality		Field Name
			9324	9334	
53	9(1)	561	M	ME	First Presentment Presentment Decimalization
54	9(8)	562-569	M	ME	First Presentment Network Processing Date
55	9(8)	570-577	M	ME	Card Expiration Date
56	9(15)	578-592	O	OE	Cardmember Billing Amount
57	X(3)	593-595	O	OE	Cardmember Billing Currency Code
58	9(1)	596	O	OE	Cardmember Billing Decimalization
59	9(8)	597-604	M	ME	Cardmember Billing Date
60	X(15)	605-619	C	CE	Cardmember Billing Postal Code
61	X(11)	620-630	C	CE	Acquiring Institution Identification (AIN) Code
62	X(11)	631-641	C	CE	Acquiring Institution Processor Identifier (APN)
63	X(225)	642-866	O	OE	Transaction Time
64	X(534)	867-1400	F	F	Filler

Important

The File Sequence Number from the outcleared 9844 Data Collection Header message is echoed in positions 187-192 of the 9844 Data Collection File Header incleared back to the Issuer.

Programming Notes for Fraud Repository Update and Response (9324/9334)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Required Values: Outclear: 9324 Inclear: 9334 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Required Values: Outclear: This value must be the same as the value in the Data Collection File Header (9844). Inclear: This field is not echoed. The Network gives this field a new File Sequence Number.

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	9324 - Mandatory 9334 - Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	19-24
Optionality	9324 - Mandatory 9334 - Mandatory

Field 5

Originating Institution Identification Code

Definition	A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.
Format	X(11)
Positions	25-35
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Outclear: Issuer Institution Identifier (IIN) or Issuer Processor Identifier (IPN) - For Authorized Processors certified to submit for more than one Issuer, the Originating Institution Identification Code field should contain the Authorized Processor's IPN in the Data Collection File Header (9844) and the Data Collection File Trailer (9845), with the Issuer's IIN in the detail record. - For Authorized Processors submitting for only one Issuer, the Issuer's IIN should be the Originating Institution Identification Code field - For Issuers with multiple BINS, contact your AEGNS Representative for the applicable IIN to use in this message. - Certification can be required if an Issuer submitting only for themselves wishes to support more Issuers Inclear: 900000000005 Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fraud Repository Update and Response (9324/9334)
Field 6 Forwarding Institution Identification Code Important

Field 6	Forwarding Institution Identification Code
Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	36-46
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Outclear: Issuer Processor Identifier (IPN) Inclear: 90000000002
Field 7	Receiving Institution Identifier
Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	47-57
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Outclear: 90000000002 Inclear: Issuer Processor Identifier (IPN)
Field 8	Destination Institution Identification Code
Definition	A unique number that identifies the final destination institution receiving the data record.
Format	X(11)
Positions	58-68
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Outclear: 90000000005 Inclear: Issuer Institution Identifier (IIN) or Issuer Processor Identifier (IPN) Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> .
Field 9	Action Code
Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	69-71
Optionality	9324 - Mandatory 9334 - Mandatory
Notes	Outclear: This value must be the same as the Action Code (892 or 893) in the Data Collection File Header (9844). Inclear: (for 9324 Message only, not valid in the 9334 Message) Valid Values: • 892 = Production File • 893 = Test File Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.
Field 10	Message Number
Definition	A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.
Format	9(8)
Positions	72-79
Optionality	9324 - Mandatory

9334 - Mandatory Echo

Field 11

File Name Code

Definition Used to identify the contents of the file.
Format X(17)
Positions 80-96
Optionality 9324 - Mandatory
9334 - Mandatory
Notes **Required Values:**
Outclear - GNS.FRAUD.REPOSIT
Inclear - GNS.FRAUD.RESP

Field 12

Reject Reason Codes 1-10

Definition Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.
Format X(40)
Positions 97-136
Optionality 9324 - Filler
9334 - Conditional. The message must be rejected or informational.
Notes Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.
Alphanumeric Filler fields must contain spaces.

Field 13

Function Code

Definition This code shows the reason for a message in its Message Type.
Format X(3)
Positions 137-139
Optionality 9324 - Mandatory
9334 - Mandatory Echo
Notes These situations cause the GNS Fraud Repository to reject an outcleared record because of the Function Code:

- If the Participant submits a duplicate add record for the same Transaction Identifier, the second record is rejected.
- If the Participant submits a change or delete record for a Transaction Identifier that is not in the GNS Fraud Repository, the change or delete record is rejected.
- Valid Values:
 - 301 = Add Record
 - 302 = Change Record
 - 303 = Delete Record

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14

Processing Code

Definition This is the service being requested.
Format X(6)
Positions 140-145
Optionality 9324 - Mandatory
9334 - Mandatory Echo
Notes **Required Value:** 380000 = Non-Financial Transaction

Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15

Definition

Format

Positions

Optionality

Transport Data

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

X(25)

146-170

9324 - Optional

9334 - Optional Echo

Field 16

Definition

Format

Positions

Optionality

Notes

Message Transaction Sequence Number

A number that associates and sequences all components of a primary message type.

9(6)

171-176

9324 - Mandatory

9334 - Mandatory Echo

Required Value: 000001

Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17

Definition

Format

Positions

Optionality

Record Hash Value

This field is calculated when financial balancing is required for a given Data Collection Message type.

9(10)

177-186

9324 - Mandatory

9334 - Mandatory Echo

Field 18

Definition

Format

Positions

Optionality

Notes

Systems Trace Audit Number

This is a unique (where applicable) trace number given to each Transaction or provisioning request.

9(6)

187-192

9324 - Mandatory

9334 - Mandatory Echo

This number must be the same as the File Sequence Number (Field 2)

Field 19

Definition

Format

Positions

Optionality

Notes

Primary Account Number Length

The number of positions or length of the Primary Account Number.

9(2)

193-194

9324 - Mandatory

9334 - Mandatory Echo

Required Value: 15

Field 20

Definition

Format

Positions

Primary Account Number (PAN)

A series of digits encoded into the magnetic stripe, stored on the chip of a Chip Card, and printed on the Card; used to identify the Card Issuer and the Cardmember (CM) account or relationship. Valid American Express Card account numbers begin with 34 or 37 and end in a valid check digit.

X(19)

195-213

Optionality	9324 - Mandatory
	9334 - Mandatory Echo
Notes	This field must contain spaces and be left justified.

Field 21 **Transaction Identifier (TID)**

Definition	A unique number given by the Network to identify a Cardmember Transaction throughout its life cycle.
Format	9(15)
Positions	214-228
Optionality	9324 - Conditional
	9334 - Mandatory
Notes	Mandatory for all Transactions received through the 1240 POS or ATM First Presentment message. For instruction about the TID and the Authorization life cycle, see <i>The Role of the Transaction Identifier</i> in the <i>Network Specifications - Authorization</i> manual. For instruction about the TID and the clearing life cycle, see The Role of the Transaction Identifier on page 2-15 .

Field 22 **Fraud Transaction Amount**

Definition	The total amount of the fraud Transaction in the Issuer's settlement currency identified as the Fraud Transaction Currency Code. The Fraud Transaction Amount value also displays as the Record Hash Total.
Format	9(15)
Positions	229-243
Optionality	9324 - Mandatory
	9334 - Mandatory Echo

Field 23 **Fraud Transaction Currency Code**

Definition	The currency code of the Fraud Transaction Amount.
Format	X(3)
Positions	244-246
Optionality	9324 - Mandatory
	9334 - Mandatory Echo
Notes	Refer to the Currency Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 24 **Fraud Transaction Currency Decimalization**

Definition	The number of places the decimal must be moved to the left to correctly represent the Fraud Transaction Amount. (Monetary amounts are stored without decimal places).
Format	9(1)
Positions	247
Optionality	9324 - Mandatory
	9334 - Mandatory Echo
Notes	Refer to the Currency Code section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 25 **Fraud Transaction Date**

Definition	The local date when the fraud Transaction was executed at a Card Acceptor location. If mail order or telephone order, the Fraud Transaction Date is the date the goods were shipped.
Format	9(8) CCYYMMDD
Positions	248-255
Optionality	9324 - Mandatory
	9334 - Mandatory Echo

Field 26

Definition

Format

Positions

Optionality

Fraud Transaction Time

The local time when the fraud Transaction was executed at a Card Acceptor location.

9(6) HHMMSS

256-261

9324 - Mandatory

9334 - Mandatory Echo

Field 27

Definition

Format

Positions

Optionality

Fraud Type Code

A code identifying the type of fraud reported. Must be a valid Fraud Type Code.

9(2)

262-263

9324 - Mandatory

9334 - Mandatory Echo

Notes

Refer to the Fraud Type Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 28

Definition

Format

Positions

Optionality

Issuer Fraud Chargeback Status Indicator

Identifies the current financial responsibility status of a fraud Transaction.

9(2)

264-265

9324 - Optional

9334 - Optional Echo

Notes

Refer to the Fraud Disposition Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 29

Definition

Format

Positions

Optionality

Issuer Fraud Chargeback Reason Code

The Message Reason Code is used when a Chargeback has been submitted for the fraud Transaction.

9(4)

266-269

9324 - Optional

9334 - Optional Echo

Notes

This is the Message Reason Code of the Chargeback.

Field 30

Definition

Format

Positions

Optionality

Issuer Original Fraud Disposition Date

The local date when the Cardmember reported the fraud to the Issuer, or the Issuer discovered the fraud.

9(8) CCYYMMDD

270-277

9324 - Mandatory

9334 - Mandatory Echo

Field 31

Definition

Format

Positions

Optionality

Issuer Original Fraud Disposition Time

The local time when the Cardmember reported the fraud to the Issuer, or the Issuer discovered the fraud.

9(6) HHMMSS

278-283

9324 - Mandatory

9334 - Mandatory Echo

Field 32**Definition****Network Processing Date**

The date the Network accepted or processed the transaction.

Format

9(8) CCYYMMDD

Positions

284-291

Optionality

9324 - Filler

9334 - Mandatory

Notes

Numeric Filler fields must contain zeros.

Field 33**Definition****Network Processing Time**

The time the Network accepted or processed the Transaction.

Format

9(6) HHMMSS

Positions

292-297

Optionality

9324 - Filler

9334 - Mandatory

Notes

Numeric Filler fields must contain zeros.

Field 34**Definition****Issuer Last Revision Date**

The local date when the Issuer revised the fraud Transaction data.

Format

9(8) CCYYMMDD

Positions

298-305

Optionality

9324 - Mandatory

9334 - Mandatory Echo

Field 35**Definition****Issuer Last Revision Time**

The local time when the Issuer revised the fraud Transaction data.

Format

9(6) HHMMSS

Positions

306-311

Optionality

9324 - Mandatory

9334 - Mandatory Echo

Field 36**Definition****Merchant Category Code**

A code that identifies the industry in which the S/E does business.

Format

X(4)

Positions

312-315

Optionality

9324 - Mandatory

9334 - Mandatory Echo

Notes

Refer to the Merchant Category Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 37**Definition****Acquirer Reference Number (ARN)**

A unique number assigned by the Acquirer. It contains data supplied by an Acquirer and used by an Acquirer to match Transactions.

Format

X(23)

Positions

316-338

Optionality

9324 - Mandatory

9334 - Mandatory Echo

Field 38**Definition****Approval Code**

A unique code assigned by the Card Transaction authorizing institution to indicate the disposition for the Transaction.

American Express Global Network Services
Network Specifications - Financial/Non-Financial
 Fraud Repository Update and Response (9324/9334)
 Field 39 Card Acceptor Identification Code Important

Format X(6)
Positions 339-344
Optionality **9324** - Conditional
9334 - Conditional Echo

Field 39

Card Acceptor Identification Code

Definition The Service Establishment (S/E) number given to one or more locations of the Card Acceptor. The number is ten digits, followed by five spaces for a total of 15 bytes.

Format X(15)
Positions 345-359
Optionality **9324** - Conditional
9334 - Conditional Echo

Notes If the Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces.
 If the Merchant Category Code (Field 36) **does not** contain 6011 (ATM), this field must contain a valid Card Acceptor Identification Code.

Field 40

Card Acceptor Terminal Identification

Definition This code identifies a POS terminal at a Card Acceptor location.

Format X(8)
Positions 360-367
Optionality **9324** - Optional
9334 - Optional Echo

Field 41

Card Acceptor Name

Definition The name of the Card Acceptor, also know as Service Establishment (S/E).

Format X(38)
Positions 368-405
Optionality **9324** - Conditional
9334 - Conditional Echo

Notes If Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces.

Field 42

Card Acceptor Address Line 1

Definition The Card Acceptor (also known as Service Establishment (S/E)) location address.

Format X(38)
Positions 406-443
Optionality **9324** - Conditional
9334 - Conditional Echo

Notes If the Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces.

Field 43

Card Acceptor Address Line 2

Definition The Card Acceptor (also known as Service Establishment (S/E)) location address.

Format X(38)
Positions 444-481
Optionality **9324** - Conditional
9334 - Conditional Echo

Notes If the Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces.

Field 44

Card Acceptor City

Definition The city name of the Card Acceptor location.

Format X(21)

American Express Global Network Services
 Network Specifications - Financial/Non-Financial
 Fraud Repository Update and Response (9324/9334)
 Field 45 Card Acceptor Postal Code Important

Positions	482-502
Optionality	9324 - Conditional
	9334 - Conditional Echo
Notes	If Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces.

Field 45 **Card Acceptor Postal Code**

Definition	The postal code of the Card Acceptor location.
Format	X(15)
Positions	503-517
Optionality	9324 - Conditional
	9334 - Conditional Echo
Notes	If the Card Acceptor Country has a postal code, you must use it. If the Card Acceptor Country does not have a postal code, you must use spaces.

Field 46 **Card Acceptor Country Code**

Definition	The Country Code of the Card Acceptor location.
Format	X(3)
Positions	518-520
Optionality	9324 - Mandatory
	9334 - Mandatory Echo
Notes	Refer to the Country Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 47 **Card Acceptor Region Code**

Definition	A code for the state, province, or region of the Card Acceptor location.
Format	X(3)
Positions	521-523
Optionality	9324 - Optional
	9334 - Optional Echo
Notes	Refer to the Region Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 48 **First Presentment Transaction Amount**

Definition	The sale or credit amount of the original Cardmember Transaction in the Transaction currency as it was executed at the Card Acceptor location. This is the exact sales invoice amount, including taxes, and does not include fees.
Format	9(15)
Positions	524-538
Optionality	9324 - Mandatory
	9334 - Mandatory Echo
Notes	This field must contain the value of the Transaction Amount (Field 5, Positions 32-46) of the POS First Presentment (1240) message.

Field 49 **First Presentment Transaction Currency Code**

Definition	The currency code of the local currency in which the First Presentment Transaction Amount was executed at the Card Acceptor location.
Format	9(3)
Positions	539-541
Optionality	9324 - Mandatory
	9334 - Mandatory Echo

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fraud Repository Update and Response (9324/9334)
Field 50 First Presentment Transaction Decimalization Important

Notes This field must contain the value of the Transaction Currency Code (Field 68, Positions 642-644) of the POS First Presentment (1240) message.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 50 **First Presentment Transaction Decimalization**

Definition The number of places the decimal must be moved to the left to correctly represent the First Presentment Transaction Amount.

Format 9(1)

Positions 542

Optionality **9324** - Mandatory

9334 - Mandatory Echo

Notes This field must contain the value of the Transaction Decimalization (Field 62, Positions 606) of the POS First Presentment (1240) message.

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 51 **First Presentment Presentment Amount**

Definition The sale or credit amount of the original Cardmember Transaction as it was executed by the Card Acceptor represented in the Transaction currency.

Format 9(15)

Positions 543-557

Optionality **9324** - Mandatory

9334 - Mandatory Echo

Field 52 **First Presentment Presentment Currency Code**

Definition The currency code of the First Presentment Presentment Amount submitted to the Network.

Format X(3)

Positions 558-560

Optionality **9324** - Mandatory

9334 - Mandatory Echo

Notes Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 53 **First Presentment Presentment Decimalization**

Definition The number of places the decimal must be moved to the left to correctly represent a First Presentment Presentment Amount.

Format 9(1)

Positions 561

Optionality **9324** - Mandatory

9334 - Mandatory Echo

Notes Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 54 **First Presentment Network Processing Date**

Definition The date the First Presentment Transaction was accepted by the Network.

Format 9(8) CCYYMMDD

Positions 562-569

Optionality **9324** - Mandatory

9334 - Mandatory Echo

Field 55

Definition

Format

Positions

Optionality

Notes

Card Expiration Date

This is the Card Expiration Date embossed on the face of the Card.

9(8) CCYYMMDD

570-577

9324 - Mandatory

9334 - Mandatory Echo

Valid Values:

- If the Fraud Type Code (Field 27) contains 02, this field must contain 00010101.
- If the Fraud Type Code (Field 27) **does not** contain 02, this field must contain a valid date

Field 56

Definition

Format

Positions

Optionality

Cardmember Billing Amount

The Cardmember billing amount calculated for an individual Transaction, inclusive of fees, in the currency defined by the Issuer's contractual agreement with the Cardmember identified in the Cardmember Billing Currency Code.

9(15)

578-592

9324 - Optional

9334 - Optional Echo

Field 57

Definition

Format

Positions

Optionality

Notes

Cardmember Billing Currency Code

The numeric currency code of the Cardmember Billing Amount.

X(3)

593-595

9324 - Optional

9334 - Optional Echo

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 58

Definition

Format

Positions

Optionality

Notes

Cardmember Billing Decimalization

The number of places the decimal must be moved to the left to correctly represent the Cardmember Billing Amount. (Monetary amounts are stored without decimal places.)

9(1)

596

9324 - Optional

9334 - Optional Echo

Refer to the Currency Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 59

Definition

Format

Positions

Optionality

Cardmember Billing Date

The local date when the Issuer billed the Cardmember account.

9(8) CCYYMMDD

597-604

9324 - Mandatory

9334 - Mandatory Echo

Field 60

Definition

Format

Positions

Optionality

Cardmember Billing Postal Code

The postal code of the Cardmember's billing address.

X(15)

605-619

9324 - Conditional

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fraud Repository Update and Response (9324/9334)
Field 61 Acquiring Institution Identification (AIN) Code Important

9334 - Conditional Echo

Field 61

Acquiring Institution Identification (AIN) Code

Definition	This is a unique identification code given to an Acquirer by the Network.
Format	X(11)
Positions	620-630
Optionality	9324 - Conditional 9334 - Conditional Echo
Notes	If the Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces. If the Merchant Category Code (Field 36) does not contain 6011 (ATM), this field must contain a valid Acquiring Institution Identification Code.

Field 62

Acquiring Institution Processor Identifier (APN)

Definition	The unique identification number assigned by AEGNS to the designated Authorized Processor for an Acquirer.
Format	X(11)
Positions	631-641
Optionality	9324 - Conditional 9334 - Conditional Echo
Notes	If the Merchant Category Code (Field 36) contains 6011 (ATM), this field must contain spaces. If the Merchant Category Code (Field 36) does not contain 6011 (ATM), this field must contain a valid Acquiring Institution Processor Identification Code.

Field 63

Transaction Time

Definition	The local time when a Cardmember's original Transaction occurred at a Card Acceptor location or was sent by the designated Authorized Processor. On a Second Presentment, this is the time the second presentment Transaction was executed by the Acquirer or its designated Authorized Processor.
Format	X(225)
Positions	642-866
Optionality	9324 - Optional 9334 - Optional Echo

Field 64

Filler

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(534)
Positions	867-1400
Optionality	9324 - Filler 9334 - Filler
Notes	Alphanumeric Filler fields must contain spaces.

Fraud Report Record (9644)

Description

The Fraud Report Record (9644) message delivers monthly fraud reports from the GNS Fraud Repository in an electronic format. The Fraud Report File is Network to Participant and no response is necessary.

Length of Record

1400 bytes

Message Layout

This is the message layout for the Fraud Report Record (9644). Refer to the [Programming Notes for Fraud Report Record \(9644\)](#) on page 5-158 for more instruction.

Fraud Report Record (9644) Message Layout

Field Number	Format	Positions	Optionality	Field Name
1	X(4)	1-4	M	Message Type Identifier
2	9(6)	5-10	M	File Sequence Number
3	9(8)	11-18	M	Transmittal Date
4	9(6)	19-24	M	Transmittal Time
5	X(11)	25-35	M	Originating Institution Identification Code
6	X(11)	36-46	M	Forwarding Institution Identification Code
7	X(11)	47-57	M	Receiving Institution Identifier
8	X(11)	58-68	M	Destination Institution Identification Code
9	X(3)	69-71	M	Action Code
10	9(8)	72-79	M	Message Number
11	X(17)	80-96	M	File Name Code
12	X(40)	97-136	N/A	Reject Reason Codes 1-10
13	X(3)	137-139	M	Function Code
14	X(6)	140-145	M	Processing Code
15	X(25)	146-170	O	Transport Data
16	9(6)	171-176	M	Message Transaction Sequence Number
17	9(10)	177-186	M	Record Hash Value
18	9(6)	187-192	M	Systems Trace Audit Number
19	X(8)	193-200	M	Report Name
20	9(1)	201	M	Number of Report Lines Present
21	X(133)	202-334	M	Report Line 1
22	X(133)	335-467	C	Report Line 2
23	X(133)	468-600	C	Report Line 3
24	X(133)	601-733	C	Report Line 4

Fraud Report Record (9644) Message Layout (continued)

Field Number	Format	Positions	Optionality	Field Name
25	X(133)	734-866	C	Report Line 5
26	X(133)	867-999	C	Report Line 6
27	X(133)	1000-1132	C	Report Line 7
28	X(133)	1133-1265	C	Report Line 8
29	X(133)	1266-1398	C	Report Line 9
30	X(2)	1399-1400	F	Filler

Programming Notes for Fraud Report Record (9644)

Field 1

Message Type Identifier

Definition	This code identifies the type of message sent by the forwarding institution.
Format	X(4)
Positions	1-4
Optionality	Mandatory
Notes	Required Value: 9644 Refer to the Message Type Identifier section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 2

File Sequence Number

Definition	A sequential number given to each file by the file originator. This number starts at 000001 for the first file and increments by one for all other files. The number starts at 000001 after it gets to 899999. Note: File Sequence Number 900000-999999 are reserved for test files.
Format	9(6)
Positions	5-10
Optionality	Mandatory

Field 3

Transmittal Date

Definition	The date when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(8) CCYYMMDD
Positions	11-18
Optionality	Mandatory

Field 4

Transmittal Time

Definition	The time when the file was transmitted by the institution identified by the Forwarding Identification Code.
Format	9(6) HHMMSS
Positions	19-24
Optionality	Mandatory

Field 5 Originating Institution Identification Code Message Layout

Field 5

Originating Institution Identification Code

Definition	A unique identification number that identifies the original source of the data sent in the data record for one or more institutions.
Format	X(11)
Positions	25-35
Optionality	Mandatory
Notes	Required Value: 900000000005 Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> for a complete list of codes and descriptions.

Field 6

Forwarding Institution Identification Code

Definition	The institution identifier assigned to the processing institution that is sending the file.
Format	X(11)
Positions	36-46
Optionality	Mandatory
Notes	Required Value: 900000000002

Field 7

Receiving Institution Identifier

Definition	The unique institution identifier assigned to the Participant who received the Transaction.
Format	X(11)
Positions	47-57
Optionality	Mandatory
Notes	Valid Values: • Issuer Processor Identifier (IPN) • Acquiring Institution Processor Identifier (APN)

Field 8

Destination Institution Identification Code

Definition	A unique number that identifies the final destination institution receiving the data record.
Format	X(11)
Positions	58-68
Optionality	Mandatory
Notes	Valid Values: • Acquiring Institution Identification Code (AIN) • Acquiring Institution Processor Identifier (APN) • Issuer Institution Identifier (IIN) • Issuer Processor Identifier (IPN) Refer to the Institution Identification Codes section of the <i>Codes Reference Guide</i> .

Field 9

Action Code

Definition	The type of action done or the type of action to do for a Transaction.
Format	X(3)
Positions	69-71
Optionality	Mandatory
Notes	Valid Values: • 892 = Production • 893 = Test Refer to the Action Codes section of the <i>Codes Reference Guide</i> for a list of codes and descriptions.

Field 10**Definition****Message Number**

A sequential number assigned by the message originator to each message in a file. This number is used to monitor the integrity and continuity of the data being exchanged.

Format

9(8)

Positions

72-79

Optionality

Mandatory

Field 11**Definition****File Name Code**

Used to identify the contents of the file.

Format

X(17)

Positions

80-96

Optionality

Mandatory

Notes

Required Values: GNS.FRAUD.REPORTS

Field 12**Definition****Reject Reason Codes 1-10**

Up to ten 4-byte fields that show the reason(s) for a message reject or informational Reject Reason Code.

Format

X(40)

Positions

97-136

Optionality

Not Applicable

Required Value

Spaces

Notes

Refer to the Reject Reason Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 13**Definition****Function Code**

This code shows the reason for a message in its Message Type.

Format

X(3)

Positions

137-139

Optionality

Mandatory

Notes

Required Value: 694 = Replace Report

Refer to the Function Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 14**Definition****Processing Code**

This is the service being requested.

Format

X(6)

Positions

140-145

Optionality

Mandatory

Notes

Required Value: 380000 = Non-Financial Transaction

Refer to the Processing Codes section of the *Codes Reference Guide* for a complete list of codes and descriptions.

Field 15**Definition****Transport Data**

Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.

Format

X(25)

Positions

146-170

Optionality

Optional

Field 16**Definition****Message Transaction Sequence Number**

A number that associates and sequences all components of a primary message type.

Format

9(6)

American Express Global Network Services
Network Specifications - Financial/Non-Financial
Fraud Report Record (9644)
Field 17 Record Hash Value Message Layout

Positions	171-176
Optionality	Mandatory
Notes	Example: A primary message with Message Type Identifier 1240 has a Message Transaction Sequence Number of 001, the first addendum to this message, Message Type Identifier 9240 has a Message Transaction Sequence Number of 002.

Field 17	Record Hash Value
Definition	This field is calculated when financial balancing is required for a given Data Collection Message type.
Format	9(10)
Positions	177-186
Optionality	Mandatory
Notes	This field must contain zeros.

Field 18	Systems Trace Audit Number
Definition	This is a unique (where applicable) trace number given to each Transaction or provisioning request.
Format	9(6)
Positions	187-192
Optionality	Mandatory
Notes	This number must be the same as the File Sequence Number (Field 2)

Field 19	Report Name
Definition	The name of the Fraud Report as it is printed on the report.
Format	X(8)
Positions	193-200
Optionality	Mandatory

Field 20	Number of Report Lines Present
Definition	Each Fraud report contains up to 9 report lines. This field identifies how many of the 9 report line fields contains report data.
Format	9(1)
Positions	201
Optionality	Mandatory

Field 21	Report Line 1
Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	202-334
Optionality	Mandatory

Field 22	Report Line 2
Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	335-467
Optionality	Conditional

Field 23	Report Line 3
Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	468-600
Optionality	Conditional

Field 24	Report Line 4
Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.

Format	X(133)
Positions	601-733
Optionality	Conditional

Field 25

Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	734-866
Optionality	Conditional

Report Line 5

Field 26

Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	867-999
Optionality	Conditional

Report Line 6

Field 27

Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	1000-1132
Optionality	Conditional

Report Line 7

Field 28

Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	1133-1265
Optionality	Conditional

Report Line 8

Field 29

Definition	Lines 1-9 of the report data in the Fraud Report. The first byte of each line contains a control character.
Format	X(133)
Positions	1266-1398
Optionality	Conditional

Report Line 9

Field 30

Definition	Filler fields show positions in a message that are not used, but must contain default values described in the Notes section. Ignore data sent in this field.
Format	X(2)
Positions	1399-1400
Optionality	Filler
Notes	Alphanumeric Filler fields must contain spaces.

Filler

6 Index

Numerics

- 1240
 - ATM First and Second Presentment
 - message layout 3-62
 - programming notes 3-67
 - POS First and Second Presentment
 - message layout 3-26
 - programming notes 3-31
- 1244
 - Promotional Program Debit File
 - message layout 3-256
 - programming notes 3-258
- 1324
 - Daily Activity File
 - File Header
 - message layout 3-171
 - programming notes 3-171
- 1325
 - Daily Activity File
 - File Trailer
 - message layout 3-252
 - programming notes 3-253
- 1340
 - On Us ATM First and Second Presentment
 - message layout 5-36
 - programming notes 5-40
 - On Us First and Final Chargeback Notification
 - message layout 5-62
 - programming notes 5-64
 - On Us POS First and Second Presentment
 - message layout 5-14
 - programming notes 5-17
- 1442
 - First and Final Chargeback Notification
 - message layout 3-152
 - programming notes 3-154
- 1640
 - Fulfillment Notification
 - message layout 3-137
 - programming notes 3-139
- 1642
 - Retrieval Request Notification
 - message layout 3-119
 - programming notes 3-121
- 1644
 - Daily Activity File
 - ATM Fees
 - message layout 3-194
 - programming notes 3-196
 - ATM First and Second Presentments
 - message layout 3-185
 - programming notes 3-187
 - File Returned
 - message layout 3-236
 - programming notes 3-238
 - First and Final Chargebacks
 - message layout 3-227
 - programming notes 3-229
 - Fulfillment Notification
 - message layout 3-219
 - programming notes 3-220
 - Network Fees
 - message layout 3-203
 - programming notes 3-204
 - Non-Cleared
 - message layout 3-245
 - programming notes 3-246
 - POS First and Second Presentments
 - message layout 3-174
 - programming notes 3-176
 - Retrieval Request Notification
 - message layout 3-211
 - programming notes 3-212
- 1740/1742
 - ATM Fees
 - message layout 3-107
 - programming notes 3-109
- 1744
 - Fee Collection
 - message layout 3-95
 - programming notes 3-97
- 1824
 - Participant File Acknowledgment
 - message layout 3-21
 - programming notes 3-22
- 1844
 - Network File Acknowledgment
 - message layout 3-13
 - programming notes 3-14
- 9240
 - Chip Card
 - message layout 4-161
 - programming notes 4-163
 - Corporate Purchasing Card Transaction Detail
 - message layout 4-168
 - programming notes 4-171
 - Double Byte Character
 - message layout 4-143
 - programming notes 4-144
 - Extended Financial Addendum
 - message layout 4-194
 - programming notes 4-195
 - Market Specific Data

message layout	4-150
programming notes	4-152
9240/9340	
Airline Industry Specific Detail	
message layout	4-2
programming notes	4-5
Auto Rental Industry Specific Detail	
message layout	4-29
programming notes	4-31
Communication Services Industry Specific Detail	
message layout	4-43
programming notes	4-44
Deferred Payment Plan	
message layout	4-131
programming notes	4-132
Entertainment/Ticketing Industry Specific Detail	
message layout	4-54
programming notes	4-55
General Format Industry Specific Detail	
message layout	4-61
programming notes	4-62
Industry Specific Detail Addenda	4-1
Insurance Industry Specific Detail	
message layout	4-68
programming notes	4-69
Lodging Industry Specific Detail	
message layout	4-75
programming notes	4-76
Rail Industry Specific Detail	
message layout	4-86
programming notes	4-87
Restaurant Industry Specific Detail	
message layout	4-97
programming notes	4-98
Retail Industry Specific Detail	
message layout	4-105
programming notes	4-106
Travel/Cruise Industry Specific Detail	
message layout	4-116
programming notes	4-118
9324/9334	
Fraud Repository Update and Response	
message layout	5-142
programming notes	5-144
9344	
Acquirer S/E Fraud Detail	
message layout	5-90
programming notes	5-91
ATM Location List	
message layout	5-99
programming notes	5-100
Batch Exception Update Request	5-124
message layout	5-126
programming notes	5-127
Batch Exception Update Response Count and Detail	
message layout	5-134
programming notes	5-135
Chip Card Request and Response	5-118
message layout	5-120
programming notes	5-120
Fusion Membership Rewards	5-108
message layout	5-109
programming notes	5-111
Program Specific Data Collection	5-89
9640	
S/E Demographics Detail Data	
message layout	5-75
programming notes	5-77
9644	
Fraud Report Record	
message layout	5-157
programming notes	5-158
9824	
File Header	
message layout	3-1
programming notes	3-2
9825	
File Trailer	
message layout	3-6
programming notes	3-7
9844	
Data Collection File Header	
message layout	5-6
programming notes	5-6
9845	
Data Collection File Trailer	
message layout	5-10
programming notes	5-11
A	
Addenda data	2-24
B	
Batch Exception Update Request 9344	5-124
C	
capitalization in this manual	1-1
Cash Disbursement	2-28
Chargebacks	
Clearing and Settlement	2-2
Chip Card	
Request and Response	
file structure	5-119
Request and Response 9344	5-118
Clearing and Settlement	
Chargebacks	2-2
data collection file submission process	5-4
data flow	2-1

- Expresspay transit capabilities 2-28
- file structure 2-15
- Final Chargeback 2-2
- First Presentments 2-2
- Fulfillment Notification 2-2
- mandatory echoes 2-4
- mapping to fraud 5-140
- overview 2-1
- process flow chart 2-18
- process steps 2-19
- Retrieval Requests 2-2
- Second Presentments 2-2

- Contactless
(Expresspay) 2-28

- Count and Detail
records 5-125

D

- Daily Activity
File

- multiples 2-34

- structure 2-33

- formats 2-32

- Process (DAP) 2-32

- Report (DAR) 2-32

- DAP (Daily Activity Process) 2-32

- DAR (Daily Activity Report) 2-32

- Data Collection messages

- file sequence number 5-4

- file structure 5-1, 5-3

- Deferred Payment Plan

- file layout 4-131

E

- error thresholds 2-20

- Expresspay

- Contactless 2-28

F

- File Control Window 2-20

- File Sequence Number 5-4

- Final Chargeback

- Clearing and Settlement 2-2

- Financial messages

- DAF File Returned 3-236

- Network File Acknowledgment 2-22

- reject processing 2-20

- First Presentments

- Clearing and Settlement 2-2

- fraud

- mapping for Clearing and Settlement 5-140

- Fulfillment Notification

- Clearing and Settlement 2-2

- mandatory echoes 2-10

- Fusion Membership Rewards 9344 5-108

I

- Inclear

- Data Collection messages with Network

- Acknowledgment File 5-2

- incleared message 2-1

- Industry Specific Detail

- Addenda 9240/9340 4-1

- Auto Rental 4-29

- Communications Services 4-43

M

- mandatory echoes

- Clearing and Settlement 2-4

- First and Final Chargeback Notification 2-12

- Fulfillment Notification 2-10

- POS/ATM Second Presentment 2-4

- Retrieval Request Notification 2-7

- message layout

- Acquirer S/E Fraud Detail 9344 5-90

- Airline Industry Specific Detail 9240/9340 4-2

- ATM Fees 1740/1742 3-107

- ATM First and Second Presentment 1240 3-62

- ATM Location List 9344 5-99

- Auto Rental Industry Specific Detail 9240/9340 4-29

- Batch Exception Update Request 9344 5-126

- Batch Exception Update Response Count and Detail
9344 5-134

- Chip Card 9240 4-161

- Chip Card Request and Response 9344 5-120

- Communication Services Industry Specific Detail
9240/9340 4-43

- Corporate Purchasing Card Transaction Detail 9240
4-168

- Daily Activity File

- ATM Fees 1644 3-194

- ATM First and Second Presentments 1644 3-185

- File Header 1324 3-171

- File Returned 1644 3-236

- File Trailer 1325 3-252

- First and Final Chargebacks 1644 3-227

- Fulfillment Notification 1644 3-219

- Network Fees 1644 3-203

- Non-Cleared 1644 3-245

- POS First and Second Presentments 1644 3-174

- Retrieval Request Notification 1644 3-211

- Data Collection File Header 9844 5-6

- Data Collection File Trailer 9845 5-10

- Deferred Payment Plan 9240/9340 4-131

- Double Byte Character 9240 4-143

- Entertainment/Ticketing Industry Specific Detail
9240/9340 4-54

Extended Financial Addendum 9240 4-194
Fee Collection 1744 3-95
File Header 9824 3-1
File Trailer 9825 3-6
First and Final Chargeback Notification 1442 3-152
Fraud Report Record 9644 5-157
Fraud Repository Update and Response 9324/9334
5-142
Fulfillment Notification 1640 3-137
Fusion Membership Rewards 9344 5-109
General Format Industry Specific Detail 9240/9340
4-61
Insurance Industry Specific Detail 9240/9340 4-68
Lodging Industry Specific Detail 9240/9340 4-75
Market Specific Data 9240 4-150
Network File Acknowledgment 1844 3-13
On Us ATM First and Second Presentment 1340 5-36
On Us First and Final Chargeback Notification 1340
5-62
On Us POS First and Second Presentment 1340 5-14
Participant File Acknowledgment 1824 3-21
POS First and Second Presentment 1240 3-26
Promotional Program Debit File 1244 3-256
Rail Industry Specific Detail 9240/9340 4-86
Restaurant Industry Specific Detail 9240/9340 4-97
Retail Industry Specific Detail 9240/9340 4-105
Retrieval Request Notification 1642 3-119
S/E Demographics Detail Data 9640 5-75
Travel/Cruise Industry Specific Detail 9240/9340
4-116
Multi-currency processing 2-26
multiple
message Transaction
reject processing 2-21

N

Network

File Acknowledgment
in clearing and settlement process 2-19
File Acknowledgment for Financial Messages 2-22
File Acknowledgment rejected outclear messages
2-20

O

On Us
addenda 4-1
outclear message 2-1
example 2-17

P

PCSC

Printed Card Security Code 2-30
pre-capture
reject processing 2-21

Printed Card Security Code (PCSC) 2-30
Program Specific Data Collection 9344 5-89
programming notes
Acquirer S/E Fraud Detail 9344 5-91
Airline Industry Specific Detail 9240/9340 4-5
ATM Fees 1740/1742 3-109
ATM First and Second Presentment 1240 3-67
ATM Location List 9344 5-100
Auto Rental Industry Specific Detail 9240/9340 4-31
Batch Exception Update Request 9344 5-127
Batch Exception Update Response Count and Detail
9344 5-135
Chip Card 9240 4-163
Chip Card Request and Response 9344 5-120
Communication Services Industry Specific Detail
9240/9340 4-44
Corporate Purchasing Card Transaction Detail 9240
4-171
Daily Activity File
ATM Fees 1644 3-196
ATM First and Second Presentments 3-187
File Header 1324 3-171
File Returned 1644 3-238
File Trailer 1325 3-253
First and Final Chargebacks 1644 3-229
Fulfillment Notification 1644 3-220
Network Fees 1644 3-204
Non-Cleared 1644 3-246
POS First and Second Presentments 1644 3-176
Retrieval Request Notification 1644 3-212
Data Collection File Header 9844 5-6
Data Collection File Trailer 9845 5-11
Deferred Payment Plan 9240/9340 4-132
Double Byte Character 9240 4-144
Entertainment/Ticketing Industry Specific Detail
9240/9340 4-55
Extended Financial Addendum 9240 4-195
Fee Collection 1744 3-97
File Header 9824 3-2
File Trailer 9825 3-7
First and Final Chargeback Notification 1442 3-154
Fraud Report Record 9644 5-158
Fraud Repository Update and Response 9324/9334
5-144
Fulfillment Notification 1640 3-139
Fusion Membership Rewards 9344 5-111
General Format Industry Specific Detail 9240/9340
4-62
Insurance Industry Specific Detail 9240/9340 4-69
Lodging Industry Specific Detail 9240/9340 4-76
Market Specific Data 9240 4-152
Network File Acknowledgment 1844 3-14
On Us ATM First and Second Presentment 1340 5-40
On Us First and Final Chargeback Notification 1340
5-64

On Us POS First and Second Presentment 1340 5-17
Participant File Acknowledgment 1824 3-22
POS First and Second Presentment 1240 3-31
Promotional Program Debit File 1244 3-258
Rail Industry Specific Detail 9240/9340 4-87
Restaurant Industry Specific Detail 9240/9340 4-98
Retail Industry Specific Detail 9240/9340 4-106
Retrieval Request Notification 1642 3-121
Travel/Cruise Industry Specific Detail 9240/9340
4-118

Promotional Program Capability 2-29

R

reference to other manuals 1-1
reject processing
categories 2-20
for Financial Messages 2-20
multiple-message Transaction 2-21
pre-capture 2-21
sample messages 2-21
unbalanced Outclear files 2-21
Reject Reason Codes 2-20
Retrieval Request
Clearing and Settlement 2-2
Notification mandatory echoes 2-7

S

S/E Demographics Detail Data 9640 5-77
sample messages
reject processing 2-21
Second Presentments
Clearing and Settlement 2-2
Service Establishment
On Us relationships 5-14, 5-36, 5-62
Special Programs 2-30

T

TID (Transaction Identifier)
Life Cycle
for certified Acquirers 2-15
for uncertified Acquirers 2-15
role in Authorization process 2-15
transit capabilities
Clearing and Settlement
Expresspay 2-28

U

unbalanced Outclear files
reject processing 2-21

Z

ZCV (ZIP Code Verification) 2-30
ZIP Code Verification (ZCV) 2-30