

Issuer Credit and Debit

Test Cases 25.Q4 v1

24 June 2025



Contents

Issuer Credit and Debit Test Cases 25.Q4 v1.....	10
Chapter 1: About the Issuer Credit and Debit Test Cases manual.....	14
Intended Audience.....	16
Table Notations.....	16
Card ID.....	18
Chapter 2: Dual Message Authorization: Issuer Credit and Debit.....	19
Issuer Base Testing for Dual Message MSR and CNP Authorization Operations.....	25
Table 0800001: All Business Transactions (MCC,DMC,PVL).....	25
Table 0800002: All Business Transactions (MSI,CIR).....	35
Table 0800004: Technical Conditions.....	43
Table 0800009: CVC 1 and CVC 2.....	45
Table 0800010: Stand-In and X-Code Authorization Advices.....	46
Table 0800055: Transaction Data Elements Program.....	48
Table 0800060: Mastercard Identity Check.....	59
Table 0800065: Account Status Inquiry Service.....	62
Table 0800075: Acquirer Country Code.....	66
Issuer Products and Services Testing for Dual Message MSR and CNP Authorization Operations.....	68
Table 0800101: Merchant Advice Code.....	68
Table 0800102: Embedded Flexible Interchange (EFI).....	69
Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators.....	70
Table 0800190: Gaming and Gambling Transactions.....	84
Table 0800201: Recurring Payments.....	86
Table 0800225: Business-to-Business Transactions.....	89
Table 0800250: Payment Resiliency Service.....	90
Table 0800360: Issuer Token Notification.....	91
Table 0800371: Payment Account Reference (PAR) on Funding PAN.....	93
Table 0800401: Fleet Cards.....	94
Table 0800415: Buy Now Pay Later Installment Payment Product Codes Program (Participating Countries).....	96
Table 0800575: Staged Digital Wallet Operator (Brazil).....	99
Table 0800625: Transit Program (Post-Authorized Aggregated Model – US Region).....	101
Table 0800629: Transit Program (Prefunded Model and All Debt Recovery).....	103
Table 0800633: Electric Vehicle Charging.....	105
Table 0800645: Automated Fuel Dispenser.....	106
Table 0800719: PSD2 RTS Compliance (Europe Region).....	110

Table 0800720: Debit Online Low Risk Merchant (DOLM) Program (Europe).....	113
Table 0800801: Address Verification Service.....	114
Table 0800815: Name Validation Request.....	116
Table 0800900: Acceptor Tax Data (Brazil).....	120
Table 0800903: Flex Card Service (Brazil).....	121
Table 0800908: Mastercard Installment Payment Services.....	124
Table 0800942: Uruguay Domestic Processing Program.....	125
Table 0800943: Argentina Domestic Processing Program.....	131
Table 0800944: Paraguay Domestic Processing Program.....	138
Table 0800945: Paraguay Domestic Processing Program.....	139
Table 0800946: Paraguay Domestic Processing Program.....	146
Table 0800947: Chile Domestic Processing Program.....	153
Table 0801001: Parcelas Payment Transactions (Brazil).....	158
Table 0801004: Cuotas Payments (Peru).....	160
Table 0801006: Citizen ID (Venezuela).....	161
Table 0801009: Installment Payments (Philippines).....	162
Table 0801050: Domestic Processing (Colombia).....	163
Table 0801145: Tokenization Request and Notification Messages.....	169
Table 0801501: Member-defined data.....	181
Table 0801770: Additional Recurring Payments Information (India).....	182
Table 0802101: Sweden Domestic Authorization Switching Service.....	184
Table 0802301: Maestro Parking and Tollway Transactions (Europe Acquired).....	185
Table 0802402: Alternate Issuer Routing.....	186
Table 0802701: Mastercard Hosted Mobile Phone Top-up ATM Transactions.....	187
Table 0803201: ATM Credit Card Cash Advance in Installments (Argentina).....	188
Table 0803301: ATM Bill Payment (Non-Europe Acquired).....	192
Table 0803302: ATM Bill Payment (Europe Acquired).....	193
Table 0805000: Receipt Free Text (Peru).....	195
Table 0805510: Merchant Direct Settlement (Europe Region).....	196
Table 0848401: Mexico Domestic Switching (POS Transactions).....	197
Table 0848402: Mexico Domestic Switching (ATM Transactions).....	203
Issuer Base Testing for Dual Message ICC Authorization Operations.....	210
Table 0850001: All Business Transactions (MCC,DMC,PVL).....	211
Table 0850002: All Business Transactions (MSI,CIR).....	216
Table 0850003: Unapproved Response Codes.....	221
Table 0850004: Technical Conditions.....	223
Table 0850006: Acquirer-generated Authorization Advices.....	229
Table 0850007: System-generated Reversal Advices.....	230
Table 0850010: System-generated Authorization Advice.....	231
Table 0850012: Dynamic Currency Conversions.....	233
Table 0850050: Additional Merchant Data.....	235
Table 0850055: Transaction Data Elements Program.....	238
Table 0850075: Acquirer Country Code.....	244

Table 0853001: DE 28 Transaction Fee.....	246
Issuer Product and Services Testing for Dual Message ICC Authorization Operations.....	248
Table 0850020: Transaction Link ID.....	248
Table 0850140: ISO Format 4 PIN Blocks.....	249
Table 0850190: Gambling Transactions and Gaming Transactions.....	251
Table 0850201: Recurring Payments.....	253
Table 0850314: Mastercard ATM Cash Pick Up Service.....	254
Table 0850371: Payment Account Reference (PAR) on Funding PAN.....	255
Table 0850400: Fleet Conexus Standards Program.....	257
Table 0850601: PIN Management (All Business Transactions).....	264
Table 0850602: PIN Management (Selected Response Codes).....	265
Table 0850625: Transit Program (Post-Authorized Aggregated Model – US Region).....	266
Table 0850627: TSP Token (Transit).....	268
Table 0850629: Transit Program (All Models, Debt Recovery and ATC Update).....	269
Table 0850633: Electric Vehicle Charging.....	274
Table 0850645: Automated Fuel Dispenser.....	278
Table 0850715: Transit Top-Up Payment Transactions (India).....	284
Table 0850719: Single Tap and PIN Request.....	286
Table 0850801: Address Verification Service.....	289
Table 0850903: Flex Card Service (Brazil).....	290
Table 0850945: Paraguay Domestic Processing Program.....	294
Table 0850946: Paraguay Domestic Processing Program.....	299
Table 0851015: Domestic Processing (Japan).....	301
Table 0851050: Domestic Processing (Colombia).....	304
Table 0851101: Contactless M/Chip (All Business Transactions - MCC, DMC, PVL).....	309
Table 0851102: Contactless M/Chip (All Business Transactions - MSI, CIR).....	313
Table 0851103: Contactless M/Chip (Technical Conditions).....	317
Table 0851104: Contactless M/Chip (Over CVM Ceiling Limit).....	320
Table 0851145: MDES Tokenization Request via Chip Card.....	321
Table 0851150: Domestic Processing (Colombia).....	330
Table 0851501: Member-defined Data.....	335
Table 0851601: Partial Approval.....	336
Table 0851702: Mastercard Biometric Card Authentication.....	338
Table 0851801: Account Level Management (U.S. Region).....	342
Table 0851802: Account Level Management (Canada Region).....	352
Table 0851803: Account Level Management (Global Domestic Except United States and Canada Regions).....	355
Table 0851807: Account Level Management (Cross-Border).....	357
Table 0851809: Account Level Management (Mastercard Wholesale Program).....	359
Table 0851951: Mastercard rePower Load Value Payment Transaction.....	360
Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service.....	362
Table 0852201: Real-Time Substantiation (U.S. Region).....	367

Table 0852402: Alternate Issuer Routing.....	371
Table 0852701: Mastercard Hosted Mobile Phone Top-up ATM Transactions.....	372
Table 0853501: Third Party Processor Identification Program.....	373
Table 0855500: High-Risk Purchase Identifier.....	374
Chapter 3: Dual Message Clearing: Issuer Credit and Debit.....	377
Generated Files: Issuer Dual Message Clearing.....	382
Customer-generated File.....	383
Mastercard-generated File.....	383
Issuer Product and Services Testing for Dual Message MSR Clearing Operations for Customer-generated Files.....	384
Table 1813525: Merchant Presented QR Payment Transactions.....	384
Issuer Base Testing for Dual Message MSR Clearing Operations for Mastercard- generated Files.....	386
Table 1820001: All Business Transactions (MCC,DMC,PVL).....	386
Table 1820002: All Business Transactions (MSI, CIR).....	395
Table 1820005: Financial Detail Addendum.....	404
Table 1820010: Message Reason Codes.....	411
Table 1820020: Transaction Link ID.....	413
Table 1820255: Geographic Coordinates Data Fields.....	413
Table 1820259: Revised Standards for Multiple Clearing Messages	414
Table 1820302: MoneySend Payment Transactions.....	415
Table 1820304: Service Provider and Merchant Identification.....	418
Issuer Product and Services Testing for Dual Message MSR Clearing Operations for Mastercard-generated Files.....	422
Table 1820201: Contactless Magnetic Stripe.....	423
Table 1820225: Miscellaneous Core Systems Updates.....	427
Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators.....	428
Table 1820301: Funding or Funding Refund Transactions.....	440
Table 1820305: Digital Secure Remote Payment (UCAF).....	455
Table 1820308: Mastercard Identity Check.....	461
Table 1820310: Installment Payment Service (Installment Calculation and Posting).....	464
Table 1820314: Mastercard ATM Cash Pick Up Service.....	467
Table 1820401: Mastercard In Control.....	468
Table 1820405: Interchange Structure Indicator (U.S.).....	470
Table 1820515: Domestic Processing (Japan).....	471
Table 1820580: Domestic Processing (Colombia).....	473
Table 1820610: Tokenized VCNs	479
Table 1820625: Transit Program (Post-Authorized Aggregated Model – U.S. Region)....	481
Table 1820629: Transit Program (Debt Recovery).....	482
Table 1820701: Mastercard Hosted Mobile Phone Top-Up.....	484

Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)	485
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)	521
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)	528
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)	562
Table 1820903: Flex Card Service (Brazil)	570
Table 1821001: Account Level Management (U.S. Region)	573
Table 1821002: Account Level Management (Europe, LAC, A/P, MEA Regions)	588
Table 1821004: Account Level Management (Canada Region)	591
Table 1822001: Mastercard Pay with Rewards Service	595
Table 1822109: Installment Payment Service (Europe Region)	596
Table 1822110: MDES (Device Tokens)	598
Table 1822201: Real-time Substantiation (U.S. Region)	601
Table 1823535: Merchant Presented QR Refund Transactions	605
Table 1823555: Merchant Presented QR Funding Transactions	606
Table 1824001: Installment Payment Service (Philippines)	608
Table 1825001: Mastercard rePower Load Value Payment Transaction	611
Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services	612
Table 1826161: Token Service Provider (Token/PAN Mapping)	616
Table 1829001: Click to Pay	617
Issuer Base Testing for Dual Message ICC Clearing Operations for Mastercard-generated Files	619
Table 1840001: All Business Transactions (MCC, DMC, PVL)	619
Table 1840002: All Business Transactions (MSI, CIR)	624
Table 1840005: Financial Detail Addendum	627
Table 1840020: Transaction Link ID	631
Table 1840255: Geographic Coordinates Data Fields	632
Table 1840302: MoneySend Payment Transactions	633
Table 1840304: Service Provider and Merchant Identification	635
Table 1840610: Tokenized VCNs	639
Issuer Product and Services Testing for Dual Message ICC Clearing Operations for Mastercard-generated File	641
Table 1840201: Contactless M/Chip (All Business Transactions)	641
Table 1840306: MDES (Cloud-Based Payments)	645
Table 1840310: Installment Payment Service (Installment Calculation and Posting)	648
Table 1840405: Interchange Structure Indicator (U.S.)	651
Table 1840625: Transit Program (Post-Authorized Aggregated Model – U.S. Region)	652
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)	654
Table 1840715: Transit Top-Up Payment Transactions (India)	662
Table 1840903: Flex Card Service (Brazil)	663
Table 1841510: MDES (Secure Element)	666

Table 1842001: Mastercard Pay with Rewards Service.....	668
Table 1842109: Installment Payment Service (Europe Region).....	669
Table 1842110: MDES (Device Tokens).....	671
Table 1842201: Real-time Substantiation (U.S. Region).....	673
Table 1842402: Cardholder Authentication Service.....	676
Table 1845001: Mastercard rePower Load Value Payment Transaction.....	678
Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services.....	679
Table 1846161: Token Service Provider (Token/PAN Mapping).....	683

Chapter 4: Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit.....	685
Test Cases: Issuer Credit and Debit.....	686
Table 2750001: Base Testing.....	687
Message Flows: Mandatory Business Transactions.....	692
Table 2750201: Mandatory Business Transactions.....	693

Chapter 5: Single Message Authorization: Issuer Credit and Debit.....	699
Issuer Base Testing for Single Message MSR and CNP Authorization Operations.....	704
Table 3300001: All Business Transactions (MCC, DMC).....	704
Table 3300002: All Business Transactions (MSI, CIR).....	714
Table 3300003: Unapproved Response Codes.....	725
Table 3300004: Technical Conditions.....	727
Table 3300009: CVC 1 and CVC 2.....	729
Table 3300010: System-generated Advices.....	730
Table 3300055: Transaction Data Elements Program.....	731
Table 3300060: Mastercard Identity Check.....	742
Table 3300065: Account Status Inquiry Service.....	744
Table 3301701: DE 28 Transaction Fee.....	748
Issuer Products and Services Testing for Single Message MSR and CNP Authorization Operations.....	751
Table 3300020: Transaction Link ID.....	751
Table 3300075: Acquirer Country Code	752
Table 3300101: Merchant Advice Code.....	754
Table 3300130: Maestro Multiple Completions.....	755
Table 3300131: Maestro Preauthorization Incrementals.....	757
Table 3300140: ISO Format 4 PIN Blocks.....	760
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators.....	761
Table 3300190: Gaming and Gambling Transactions.....	773
Table 3300225: Business-to-Business Transactions.....	775

Table 3300250: Payment Resiliency Service.....	776
Table 3300360: Issuer Token Notification.....	777
Table 3300371: Payment Account Reference (PAR) on Funding PAN.....	779
Table 3300575: Staged Digital Wallet Operator (Brazil).....	781
Table 3300616: Mastercard Utility Payment Program.....	783
Table 3300625: Transit Program (Post-Authorized Aggregated Model – US Region).....	784
Table 3300629: Transit Program (Prefunded Model and all Debt Recovery).....	786
Table 3300633: Electric Vehicle Charging.....	788
Table 3300645: Automated Fuel Dispenser.....	789
Table 3300801: Address Verification Service.....	792
Table 3300815: Name Validation Request.....	794
Table 3300900: Acceptor Tax Data (Brazil).....	798
Table 3300942: Uruguay Domestic Processing Program.....	799
Table 3300943: Argentina Domestic Processing Program.....	810
Table 3301099: Contactless Magnetic Stripe (All Business Transactions)	825
Table 3301145: Tokenization Request and Notification Messages.....	826
Table 3301351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service.....	839
Table 3301550: Domestic Processing (Colombia).....	840
Table 3301801: PIN Management (ATM PIN Change).....	845
Table 3301850: Maestro switching of Visa CP PIN-less transactions (U.S. Region).....	847
Table 3303101: Fraud Notification Service.....	848
Table 3308402: Mexico Domestic Switching (ATM Transactions).....	850
Table 3308403: Mexico Domestic Switching (ATM Transactions).....	853
Table 3309001: Argentina Regulatory Mandate.....	855
Issuer Base Testing for Single Message ICC Authorization Operations.....	856
Table 3350001: All Business Transaction (MCC, DMC).....	856
Table 3350002: All Business Transactions (MSI, CIR).....	860
Table 3350003: Unapproved Response Codes.....	864
Table 3350004: Technical Conditions.....	866
Table 3350010: System-generated Financial Transaction Advices.....	869
Table 3350041: Dynamic Currency Conversion	871
Table 3350050: Additional Merchant Data.....	873
Table 3350055: Transaction Data Elements Program.....	876
Table 3350095: DE 110 (Additional Data-2).....	882
Table 3350201: Partial Approval Processing.....	885
Table 3351701: DE 28 Transaction Fee.....	886
Issuer Products and Services Testing for Single Message ICC Authorization Operations.....	888
Table 3350020: Transaction Link ID.....	888
Table 3350101: Merchant Advice Code.....	890
Table 3350102: PIN Management (Selected Response Codes).....	891
Table 3350103: PIN Management (All Business Transactions).....	892
Table 3350140: ISO Format 4 PIN Blocks.....	893

Table 3350190: Gaming and Gambling Payments Program.....	894
Table 3350341: Mastercard <i>rePower</i>	896
Table 3350371: Payment Account Reference (PAR) on Funding PAN	898
Table 3350445: Maestro Switching of Visa CP PIN-less Transactions (U.S. Region).....	899
Table 3350501: Contactless M/Chip (All Business Transactions).....	900
Table 3350503: Contactless M/Chip (Technical Conditions).....	903
Table 3350504: Contactless M/Chip (Over CVM Ceiling Limit).....	907
Table 3350601: Purchase with Cash Back.....	908
Table 3350625: Transit Program (Post-Authorized Aggregated Model – US Region).....	910
Table 3350629: Transit Program (All Models, Debt Recovery and ATC Update).....	913
Table 3350633: Electric Vehicle Charging.....	918
Table 3350645: Automated Fuel Dispenser.....	922
Table 3350646: Maestro Automated Fuel Dispenser (AFD) Transactions.....	928
Table 3350715: Transit Top-Up Payment Transactions (India).....	931
Table 3350751: ATM Deposit Sharing.....	933
Table 3350801: Address Verification Service.....	934
Table 3350945: Paraguay Domestic Processing Program.....	935
Table 3351145: MDES Tokenization Request via Chip Card.....	939
Table 3351201: Funding Transactions at the ATM.....	949
Table 3351351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service.....	950
Table 3351702: Cardholder Authentication Service with Biometric Card.....	952
Table 3351821: PIN Translation Option.....	956
Table 3352201: Real-time Substantiation (U.S. Region).....	957
Table 3353101: Fraud Notification Service.....	961
Table 3359500: High-Risk Purchase Identifier.....	963
 Notices.....	 965

Issuer Credit and Debit Test Cases 25.Q4 v1

Overview

The testing guide describes Mastercard core system releases, and mandates the issuers regarding the latest updates on basic functionalities and product change. It provides test cases for the issuers to prepare their systems to accommodate these basic functionalities and updates.

Audience

Issuer Credit and Debit is intended for all acquirers who consume the programs and services provided by Mastercard.

Details

Table 1: Publication information

Metadata	Value
Audience	• Issuer • Processor • Network Enablement Partner
Region	Global
Type	Testing Guide
Publish Date	24 June 2025

Table 2: Summary of Changes

Description of Change	Release Version	Where to Look
Removed table 0800003 Unapproved Response Codes	25.Q4 v1	
Removed table 0800006 System generated Reversal Advices	25.Q4 v1	
Removed table 0800012 Dynamic Currency Conversion	25.Q4 v1	
Removed table 0800050 Additional Merchant Data	25.Q4 v1	
Removed table 0803001 DE 28 Transaction Fee	25.Q4 v1	

Description of Change	Release Version	Where to Look
Removed table 0800020 Transaction Link ID	25.Q4 v1	
Removed table 0800140 ISO Format 4 PIN Blocks	25.Q4 v1	
Removed table 0800314 Mastercard ATM Cash Pick Up Service	25.Q4 v1	
Removed table 0800701 Balance Inquiry	25.Q4 v1	
Removed table 0801015 Domestic Processing (Japan)	25.Q4 v1	
Removed table 0801100: Contactless Magnetic Stripe (All Business Transactions - MCC,DMC,PVL)		
Removed table 0801101 Contactless Magnetic Stripe (Technical Conditions)	25.Q4 v1	
Removed table 0801601 Partial Approval	25.Q4 v1	
Removed table 0801801 Account Level Management (U.S. Region Domestic)	25.Q4 v1	
Removed table 0801802 Account Level Management (Canada Region Domestic)	25.Q4 v1	
Removed table 0801803 Account Level Management (Global Domestic Except United States and Canada Regions)	25.Q4 v1	
Removed table 0801807 Account Level Management (Cross- Border)	25.Q4 v1	
Removed table 0801809 Account Level Management (Mastercard Wholesale Program)	25.Q4 v1	
Removed table 0801951 Mastercard rePower Load Value Payment Transaction	25.Q4 v1	

Description of Change	Release Version	Where to Look
Removed table 0802051 Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, or ECB Rate Service Program	25.Q4 v1	
Removed table 0802201 Real-Time substantiation (U.S. Region)	25.Q4 v1	
Removed table 0802601 Purchase with Cashback (Technical Conditions)	25.Q4 v1	
Removed table 0803401 PIN Management	25.Q4 v1	
Removed table 0803501 Third Party Processor Identification Program	25.Q4 v1	
Removed table 0805500 High-Risk Purchase Identifier	25.Q4 v1	
Removed table 0850065 Airport Lounge Access	25.Q4 v1	
Removed table 0850101 Balance Inquiry	25.Q4 v1	
Removed table 0850401 Fleet Cards	25.Q4 v1	
Removed table 0852601 Purchase with Cash Back (Technical Conditions)	25.Q4 v1	
Removed table 1840316 Mastercard Cardless ATM Program	25.Q4 v1	
Removed table 3300003 Unapproved Response Code	25.Q4 v1	
Removed table 3350041 Dynamic Currency Conversion (DCC)	25.Q4 v1	
Removed table 3300050 Additional Merchant Data	25.Q4 v1	
Removed table Table 3300095 Enhancements to DE 110 (Additional Data-2)	25.Q4 v1	

Description of Change	Release Version	Where to Look
Removed table 3300201: Partial Approval Processing	25.Q4 v1	
Removed table 3300301: Payment Transactions	25.Q4 v1	
Removed table 3300341: Mastercard rePower Load Value Payment Transaction	25.Q4 v1	
Removed table 3300445: Maestro Switching of Visa CP PIN-less Transactions (U.S. Region)	25.Q4 v1	
Removed table 3300601: Purchase with Cashback	25.Q4 v1	
Removed table 3300646: Maestro Automated Fuel Dispenser (AFD) Transactions	25.Q4 v1	
Removed table 3300751: ATM Deposit Sharing	25.Q4 v1	
Removed table 3300922: Merchant Tax ID (Brazil)	25.Q4 v1	
Removed table 3301100: Contactless Magnetic Stripe (Technical Conditions)	25.Q4 v1	
Removed table 3301201: Funding Transactions at the ATM	25.Q4 v1	
Removed table 3301821: PIN Translation Option	25.Q4 v1	
Removed table 3302201: Real-time Substantiation (U.S. Region)	25.Q4 v1	
Removed table 3309500: High-Risk Purchase Identifier	25.Q4 v1	
Removed table 3350006: ICC Expectations	25.Q4 v1	

Chapter 1 About the Issuer Credit and Debit Test Cases manual

Mastercard core systems releases recommend and mandate the issuers regarding the latest updates on basic functionalities and product changes. The Issuer Credit and Debit Test Cases manual provides test cases for the issuers to prepare their systems to accommodate these basic functionalities and updates.

Intended Audience.....	16
Table Notations.....	16
Card ID.....	18

The chapters contain details about the test cases applicable to the *Issuer Credit and Debit Test Cases* business profile during individual application testing and validation of an issuer's Dual and Single Message authorization application.

Each chapter in this document provides test cases to verify whether an issuer's dual and single message application can successfully conduct the authorization, clearing, and debit operations as recommended by Mastercard. Through the successful conduct of these test cases, an acquirer ensures that their current production systems can migrate to the requisite level of operations.

The test cases allow the issuer to test both magnetic stripe-based (MCC) and integrated circuit card (ICC) based operations for various programs as provided by Mastercard from time to time.

Separate test cases are provided for magnetic stripe-based operations and for upgrading to integrated circuit card (ICC)-based operations. Depending on the nature of a customer's proposed operations, test cases must be selected as follows:

- For customers undergoing testing and validation for magnetic stripe-based operations, only those test cases described in the Test Cases—Magnetic Stripe-based Operations section must be conducted.
- For customers undergoing testing and validation for both magnetic stripe-based operations and ICC-based operations, the test cases described in both the Test Cases—Magnetic Stripe-based Operations section and in the Test Cases—ICC-based Operations section must be conducted.
- For customers that have been validated for magnetic stripe-based operations and are now undergoing upgrade testing and validation to additionally conduct ICC-based operations, only those test cases provided in the Test Cases—ICC-based Operations section must be conducted.

Within the Test Cases—Magnetic Stripe-based Operations and the Test Cases—ICC-based Operations sections, test cases are described for both contact operations and contactless operations. Depending on the nature of a customer's proposed operations, test cases must be selected as follows:

- For customers undergoing testing and validation for contact operations, only those test cases described for contact operations must be conducted.
- For customers undergoing testing and validation for both contact operations and contactless operations, the test cases described for both contact operations and contactless operations must be conducted.
- For customers that have been validated for contact operations and are now undergoing upgrade testing and validation to additionally conduct contactless operations, only those test cases described for contactless operations must be conducted.

If customers intend to support

- contactless magnetic stripe-based operations, they must have been previously validated for contact magnetic stripe-based operations.
- contactless ICC-based operations, they must have been previously validated for upgrade to contact ICC-based operations.

The following manuals in the **Testing References** document set in the **Technical Resource Center** provide references to these test cases, indicating when they should be conducted:

- *Offline Validation*
- *Online Validation*

Intended Audience

The Issuer Credit and Debit is intended for all acquirers who consume the programs and services provided by Mastercard. The issuers can use these test cases to validate their systems and ensure that their systems work correctly before going into production on Mastercard.

Table Notations

This table defines the notations that appear in the test cases throughout this manual.

Notation	Definition	Applicable Chapters
M	Indicates a Mandatory business transaction.	• Dual Message Authorization • Integrated Authorization and Clearing • Dual Message Clearing • Single Message Authorization

Notation	Definition	Applicable Chapters
C	Indicates a Conditional business transaction.	• Dual Message Authorization • Integrated Authorization and Clearing • Dual Message Clearing • Single Message Authorization
V	Where it displays in a DE 52 column, indicates a valid PIN value.	• Dual Message Authorization • Single Message Authorization
	Where it displays in an RC column, indicates any valid response or any specified response provided.	Single Message Authorization
IV	Where it displays in a DE 52 column, indicates an invalid PIN value.	• Dual Message Authorization • Single Message Authorization
b	Indicates a blank space when used in DE 48, subelement 71 fourth position.	• Dual Message Authorization • Single Message Authorization
N/A	Indicates Not Applicable.	• Dual Message Authorization • Integrated Authorization and Clearing • Dual Message Clearing • Single Message Authorization
x	For addenda messages, indicates No Information.	• Dual Message Authorization • Integrated Authorization and Clearing • Dual Message Clearing • Single Message Authorization

Notation	Definition	Applicable Chapters
1	Where it displays in a SIM or MTF column, indicates that testing is recommended for that environment.	• Dual Message Authorization • Single Message Authorization
	Indicates the number of messages that are provided.	• Integrated Authorization and Clearing • Dual Message Clearing
0	Where it displays in a SIM or MTF column, indicates that testing is available for that environment.	• Dual Message Authorization • Single Message Authorization
	Indicates the number of messages that are provided.	• Integrated Authorization and Clearing • Dual Message Clearing
-	Indicates that customers do not have to send, or will not receive, any messages normally indicated in that column.	Integrated Authorization and Clearing

Card ID

Within the Authorization, Integrated Authorization and Clearing, and Single Message test case tables, the values indicated in Card ID designate the card brands that may be applicable for the particular test case.

Within the Clearing test case tables, the Card Program ID, when present, designates the card brands applicable; otherwise, the issuer determines the brand if it is not present.

Chapter 2 Dual Message Authorization: Issuer Credit and Debit

The test cases listed in this section are applicable to Magnetic stripe-based (MSR) and Integrated Circuit Code-based (ICC) operations.

Issuer Base Testing for Dual Message MSR and CNP Authorization Operations.....	25
Table 0800001: All Business Transactions (MCC,DMC,PVL).....	25
Table 0800002: All Business Transactions (MSI,CIR).....	35
Table 0800004: Technical Conditions.....	43
Table 0800009: CVC 1 and CVC 2.....	45
Table 0800010: Stand-In and X-Code Authorization Advices.....	46
Table 0800055: Transaction Data Elements Program.....	48
Table 0800060: Mastercard Identity Check.....	59
Table 0800065: Account Status Inquiry Service.....	62
Table 0800075: Acquirer Country Code.....	66
Issuer Products and Services Testing for Dual Message MSR and CNP Authorization Operations.....	68
Table 0800101: Merchant Advice Code.....	68
Table 0800102: Embedded Flexible Interchange (EFI).....	69
Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators.....	70
Table 0800190: Gaming and Gambling Transactions.....	84
Table 0800201: Recurring Payments.....	86
Table 0800225: Business-to-Business Transactions.....	89
Table 0800250: Payment Resiliency Service.....	90
Table 0800360: Issuer Token Notification.....	91
Table 0800371: Payment Account Reference (PAR) on Funding PAN.....	93
Table 0800401: Fleet Cards.....	94
Table 0800415: Buy Now Pay Later Installment Payment Product Codes Program (Participating Countries).....	96

Table 0800575: Staged Digital Wallet Operator (Brazil).....	99
Table 0800625: Transit Program (Post-Authorized Aggregated Model – US Region).....	101
Table 0800629: Transit Program (Prefunded Model and All Debt Recovery).....	103
Table 0800633: Electric Vehicle Charging.....	105
Table 0800645: Automated Fuel Dispenser.....	106
Table 0800719: PSD2 RTS Compliance (Europe Region).....	110
Table 0800720: Debit Online Low Risk Merchant (DOLM) Program (Europe).....	113
Table 0800801: Address Verification Service.....	114
Table 0800815: Name Validation Request.....	116
Table 0800900: Acceptor Tax Data (Brazil).....	120
Table 0800903: Flex Card Service (Brazil).....	121
Table 0800908: Mastercard Installment Payment Services.....	124
Table 0800942: Uruguay Domestic Processing Program.....	125
Table 0800943: Argentina Domestic Processing Program.....	131
Table 0800944: Paraguay Domestic Processing Program.....	138
Table 0800945: Paraguay Domestic Processing Program.....	139
Table 0800946: Paraguay Domestic Processing Program.....	146
Table 0800947: Chile Domestic Processing Program.....	153
Table 0801001: Parcelas Payment Transactions (Brazil).....	158
Table 0801004: Cuotas Payments (Peru).....	160
Table 0801006: Citizen ID (Venezuela).....	161
Table 0801009: Installment Payments (Philippines).....	162
Table 0801050: Domestic Processing (Colombia).....	163
Table 0801145: Tokenization Request and Notification Messages.....	169
Table 0801501: Member-defined data.....	181
Table 0801770: Additional Recurring Payments Information (India).....	182
Table 0802101: Sweden Domestic Authorization Switching Service.....	184

Table 0802301: Maestro Parking and Tollway Transactions (Europe Acquired).....	185
Table 0802402: Alternate Issuer Routing.....	186
Table 0802701: Mastercard Hosted Mobile Phone Top-up ATM Transactions.....	187
Table 0803201: ATM Credit Card Cash Advance in Installments (Argentina).....	188
Table 0803301: ATM Bill Payment (Non-Europe Acquired).....	192
Table 0803302: ATM Bill Payment (Europe Acquired).....	193
Table 0805000: Receipt Free Text (Peru).....	195
Table 0805510: Merchant Direct Settlement (Europe Region).....	196
Table 0848401: Mexico Domestic Switching (POS Transactions).....	197
Table 0848402: Mexico Domestic Switching (ATM Transactions).....	203
Issuer Base Testing for Dual Message ICC Authorization Operations.....	210
Table 0850001: All Business Transactions (MCC,DMC,PVL).....	211
Table 0850002: All Business Transactions (MSI,CIR).....	216
Table 0850003: Unapproved Response Codes.....	221
Table 0850004: Technical Conditions.....	223
Table 0850006: Acquirer-generated Authorization Advices.....	229
Table 0850007: System-generated Reversal Advices.....	230
Table 0850010: System-generated Authorization Advice.....	231
Table 0850012: Dynamic Currency Conversions.....	233
Table 0850050: Additional Merchant Data.....	235
Table 0850055: Transaction Data Elements Program.....	238
Table 0850075: Acquirer Country Code.....	244
Table 0853001: DE 28 Transaction Fee.....	246
Issuer Product and Services Testing for Dual Message ICC Authorization Operations.....	248
Table 0850020: Transaction Link ID.....	248
Table 0850140: ISO Format 4 PIN Blocks.....	249
Table 0850190: Gambling Transactions and Gaming Transactions.....	251

Table 0850201: Recurring Payments.....	253
Table 0850314: Mastercard ATM Cash Pick Up Service.....	254
Table 0850371: Payment Account Reference (PAR) on Funding PAN.....	255
Table 0850400: Fleet Connexus Standards Program.....	257
Table 0850601: PIN Management (All Business Transactions).....	264
Table 0850602: PIN Management (Selected Response Codes).....	265
Table 0850625: Transit Program (Post-Authorized Aggregated Model – US Region).....	266
Table 0850627: TSP Token (Transit).....	268
Table 0850629: Transit Program (All Models, Debt Recovery and ATC Update).....	269
Table 0850633: Electric Vehicle Charging.....	274
Table 0850645: Automated Fuel Dispenser.....	278
Table 0850715: Transit Top-Up Payment Transactions (India).....	284
Table 0850719: Single Tap and PIN Request.....	286
Table 0850801: Address Verification Service.....	289
Table 0850903: Flex Card Service (Brazil).....	290
Table 0850945: Paraguay Domestic Processing Program.....	294
Table 0850946: Paraguay Domestic Processing Program.....	299
Table 0851015: Domestic Processing (Japan).....	301
Table 0851050: Domestic Processing (Colombia).....	304
Table 0851101: Contactless M/Chip (All Business Transactions - MCC, DMC, PVL).....	309
Table 0851102: Contactless M/Chip (All Business Transactions - MSI, CIR).....	313
Table 0851103: Contactless M/Chip (Technical Conditions).....	317
Table 0851104: Contactless M/Chip (Over CVM Ceiling Limit).....	320
Table 0851145: MDES Tokenization Request via Chip Card.....	321
Table 0851150: Domestic Processing (Colombia).....	330
Table 0851501: Member-defined Data.....	335
Table 0851601: Partial Approval.....	336

Table 0851702: Mastercard Biometric Card Authentication.....	338
Table 0851801: Account Level Management (U.S. Region).....	342
Table 0851802: Account Level Management (Canada Region).....	352
Table 0851803: Account Level Management (Global Domestic Except United States and Canada Regions).....	355
Table 0851807: Account Level Management (Cross-Border).....	357
Table 0851809: Account Level Management (Mastercard Wholesale Program).....	359
Table 0851951: Mastercard rePower Load Value Payment Transaction.....	360
Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service	362
Table 0852201: Real-Time Substantiation (U.S. Region).....	367
Table 0852402: Alternate Issuer Routing.....	371
Table 0852701: Mastercard Hosted Mobile Phone Top-up ATM Transactions.....	372
Table 0853501: Third Party Processor Identification Program.....	373
Table 0855500: High-Risk Purchase Identifier.....	374

The test cases allow the issuer to test both contact and contactless MSR-based and ICC-based operations. The issuer would need to refer to ICC-based operations test cases while upgrading their systems to the same.

Select the appropriate business transactions from the following tables and conduct the associated test cases.

Dual message authorization table column definition

Table 3: Table column definition

Column name	Column definition
Case ID	Test case identifier.
MTI	Message Type Indicator.
Test Case Ref No	Optional information that may be included in issuer messages for traceability.
SIM	The authorization message sent by an acquirer, or received by an issuer when the test case is conducted during the Offline Validation activity.
MTF	The authorization message sent by an acquirer, or received by an issuer when the test case is conducted during the Online Validation activity.
Business Transactions	The name of the business transaction that must be used during the test case. It is then the customer's choice which of the card products to use.
DE 3_1	Cardholder Transaction Type Code.
DE 22_1	POS Terminal PAN Entry Mode. It is then the customer's choice which of the four card products to use.
DE 61_10	Cardholder Activated Terminal Level. It is then the customer's choice which of the four card products to use.
DE 52	Personal ID Number (PIN) Data.
Card ID	The identifier related to the test card that must be used for the test case: - For an acquirer business profile, the identifier will refer to the Mastercard test cards as provided in the <i>Test BINs and Card Data for Acquirers</i> manual. - For an issuer business profile, the identifier will refer to an issuer brand.

Column name	Column definition
RC	The response code that will be returned in the response message.
RC in 0400 (or 0120)	The response code present in a reversal or advice message indicating the reason for the message.
NOTE: This may also be present in some of the test case tables, if needed.	

NOTE: General comments are provided with each test case to indicate the nature of the test case.

Issuer Base Testing for Dual Message MSR and CNP Authorization Operations

The following test cases in this section test whether an issuer's Dual Message Authorization application can receive correctly formatted authorization requests and process the resulting authorization responses when presented with the required basic functionalities for MSR-based operations.

NOTE: Mastercard issuers must be prepared to receive ATM online PIN transactions for CAT levels 0 and 1.

Table 0800001: All Business Transactions (MCC,DMC,PVL)

The test cases in table 0800001 address how an issuer processes dual message authorization requests, advice, reversals, and responses of different Mastercard (MCC), Debit Mastercard (DMC), and Private Label (PVL) card transactions.

Types of business transactions

The different business transactions that these test cases validate contain various combinations of PAN entry mode, transaction type, cardholder activated terminal level, and cardholder verification method.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Base

Program: All Business Transactions (MCC,DMC,PVL)

Table 4: Table 0800001

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080000100001	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC	00
		ATM withdrawal transaction. Final Authorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 1 (Final authorization); and DE 61, SF 7 = 0 (Normal request).									
2	0100	080000100003	1	1	MANUAL ENTRY PURCHASE SIGNATURE	00	01	0		MCC DMC PVL	00
		Manual retail transaction. Normal Authorization/Undefined Finality is indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality); and DE 61, SF 7 = 0 (Normal request). NOTE: See Standards for Undefined for permitted regions.									
3	0100	080000100004	1	1	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		MCC DMC PVL	00
		Phone order or mail order transaction. Preauthorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality); and DE 61, SF 7 = 4 (Preauthorized request).									

Dual Message Authorization: Issuer Credit and Debit
Table 0800001: All Business Transactions (MCC,DMC,PVL)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	080000100005	1	1	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	MCC DMC	00
		Automated dispensing machine transaction.									
5	0100	080000100006	1	1	MSR CAT LEVEL 2 PURCHASE NO CVM	00	90	2			00
		Self-service terminal transaction.									
6	0100	080000100007	1	1	MSR CAT LEVEL 4 PURCHASE NO CVM MCC DMC PVL	00	90	4		MCC DMC PVL	00
		In-flight commerce transaction.									
7	0100	080000100009	1	1	MSR CASH DISBURSEMENT SIGNATURE	17	90	0		MCC DMC	00
		Cash disbursement transaction. Final Authorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 1 (Final authorization); and DE 61, SF 7 = 0 (Normal request).									
8	0100	080000100011	1	1	MSR CAT LEVEL 7 PURCHASE NO CVM	00	90	7		MCC DMC PVL	00
		Transponder transaction at gas station.									
9	0100	080000100012	1	1	ELECTRONIC COMMERCE PURCHASE ONLINE PIN	00	81	6	V	MCC DMC	00
		Electronic commerce transaction.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800001: All Business Transactions (MCC,DMC,PVL)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
10	0100	080000100013	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC PVL	00
		Electronic commerce transaction. Preauthorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality); and DE 61, SF 7 = 4 (Preauthorized request).									
11	0100	080000100014	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MCC DMC	00
		Magnetic stripe purchase transaction.									
12	0100	080000100015	1	1	MSR CASH DISBURSEMENT ONLINE PIN	17	90	0	V	MCC DMC	00
		Magnetic stripe cash disbursement.									
13	0100	080000100017	1	1	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM	28	81	6		MCC DMC PVL	00
		Electronic commerce payment transaction where DE 48, SE 77 = C02 (Rebate).									
14	0100	080000100021	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MCC DMC	00
	0400		1	1	DE 39 = 17						00
		Normal business transaction - full reversal for customer cancellation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800001: All Business Transactions (MCC,DMC,PVL)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
15	0100	080000100022	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC PVL	00
	0400		1	1	DE 39 = 32						00
		Normal business transaction - partial reversal.									
16	0100	080000100025	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC	00
	0400		1	1	DE 39 = 06						00
		Normal business transaction - full reversal for an error. Final Authorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 1 (Final authorization); and DE 61, SF 7 = 0 (Normal request).									
17	0100	080000100027	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC PVL	00
	0400		1	1	DE 39 = 34						00
		Card Not Present (CNP) transaction - electronic commerce purchase and UCAF no support. 0400: Full reversal, DE 39 = 34 (Suspect Fraud).									
18	0100	080000100031	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC PVL	00
		Original authorization request to be followed by an incremental authorization request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
19	0100	080000100032	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC PVL	00
	0400		1	1	DE 39 = 32						00
		Incremental authorization request indicated by presence of DE 48, SE 63. 0400: Partial reversal of previously approved original and incremental authorization request.									
20	0100	080000100134	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC PVL	00
		Online initiated transaction identified as submitted using a wallet. DE 48, SE 26, SF 1 = any valid Wallet Identifier value.									
21	0100	080000100038	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC PVL	00
	0400		1	1	DE 39 = 32						00
		Restaurant transaction with 10% gratuity. DE 54 present with amount type 44 (Amount Gratuity). 0400: DE 39 = 32 (Partial reversal).									
22	0100	080000100039	1	1	MSR CAT LEVEL 9 PURCHASE SIGNATURE	00	90	9		MCC DMC PVL	00
		mPOS device Phone/Tablet +Dongle with PIN Pad DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									

Dual Message Authorization: Issuer Credit and Debit
Table 0800001: All Business Transactions (MCC,DMC,PVL)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
23	0100	080000100042	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		MCC DMC	00
		Purchase with Cash Back transaction - where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 54 present with amount type 40 (Purchase with Cash Back).									
24	0100	080000100043	1	1	MSR CASH BACK ONLY SIGNATURE	09	90	0		MCC DMC	00
		Cash back only transaction - where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 54 present with amount type 40 (Purchase with Cash Back).									
25	0100	080000100051	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		MCC DMC	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); and SF 5 = 1 (Card not present).									
26	0100	080000100052	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC	00
		Mail order or phone order transaction where cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 2 (Mail/facsimile order) or 3 (Phone/ARU order); and SF 5 = 1 (Card not present).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
27	0100	080000100053	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 4 (Standing order / recurring transactions); and SF 5 = 1 (Card not present).									
28	0100	080000100054	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC	00
		Unknown reason how cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present, unspecified); and SF 5 = 1 (Card not present).									
29	0100	080000100055	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC	00
		Brick and mortar where cardholder has saved a credential-on-file with merchant. DE 61, SF 4 = 0 (Cardholder present); and SF 5 = 1 (Card not present).									
30	0120	080000100058	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		MCC DMC	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase advice approved by merchant or acquirer. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); and SF 5 = 1 (Card not present). DE 39 = 00 (Approved) and DE 60 = 190 (APS approved).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
31	0100	080000100059	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		MCC DMC	00
	0400		1	1	DE 39 = 17						00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase request followed by reversal message. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); and SF 5 = 1 (Card not present). Reversal: DE 39 = 17 (Customer cancellation).									
32	0100	080000100061	1	1	MSR CAT LEVEL 9 PURCHASE SIGNATURE OR NO CVM	00	90	9		MCC DMC PVL	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
33	0100	080000100062	1	1	MSR CAT LEVEL 9 PURCHASE SIGNATURE OR NO CVM	00	90	9		MCC DMC PVL	00
		mPOS device Phone/Tablet with or without Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
34	0100	080000100063	1	1	MSR REFUND SIGNATURE	20	90	0		MCC DMC PVL	00
	0400		1	1	DE 39 = 17						00
		Refund transaction followed by full reversal. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
35	0100	080000100064	1	1	MANUAL ENTRY REFUND SIGNATURE	20	01	0		MCC DMC PVL	00
		Refund transaction. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
36	0100	080000100065	1	1	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MCC DMC PVL	00
		Refund transaction. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
37	0100	080000100066	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC PVL	00
		DE 61, SF 7 = 1 (Deferred authorization).									

Table 0800002: All Business Transactions (MSI,CIR)

The test cases in table 0800002 address how an issuer processes dual message authorization requests, advices, reversals, and responses of different Maestro (MCC) and Cirrus (CIR) business transactions.

Types of business transactions

The different business transactions that these test cases validate contain various combinations of PAN entry mode, transaction type, cardholder activated terminal level, and cardholder verification method.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Base

Program: All Business Transactions (MSI,CIR)

Table 5: Table 0800002

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080000200001	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default account). Final Authorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 1 (Final authorization); and DE 61, SF 7 = 0 (Normal request).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080000200002	1	1	MSR ELECTRONIC CASH ADVANCE ONLINE PIN	01	90	0	V	MSI CIR	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default account). Final Authorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 1 (Final authorization); and DE 61, SF 7 = 0 (Normal request).									
3	0100	080000200003	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		DE 3, SF 2 = 10 (Savings account).									
4	0100	080000200004	1	1	MSR PURCHASE SIGNATURE	00	90	0		MSI	00
		DE 3, SF 2 = 20 (Checking account).									
5	0100	080000200005	1	1	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	MSI	00
		DE 3, SF 2 = 10 (Savings account).									
6	0100	080000200007	1	1	ELECTRONIC COMMERCE PURCHASE ONLINE PIN	00	81	6	V	MSI	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default account).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0100	080000200008	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
	0400		1	1	DE 39 = 34						00
		DE 3, SF 2 = 20 (Checking account). Preauthorization indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality); and DE 61, SF 7 = 4 (Preauthorized request). 0400: Full reversal, DE 39 = 34 (Suspect Fraud).									
8	0100	080000200009	1	1	MSR PURCHASE WITH CASH BACK ONLINE PIN	09	90	0	V	MSI	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default account). Purchase with Cash Back transaction - where allowed for domestic and/or cross-border Maestro cards.									
9	0100	080000200010	1	1	MSR CASH BACK ONLY SIGNATURE	09	90	0		MSI	00
		DE 3, SF 2 = 20 (Checking account). Cash back only transaction - where allowed for domestic and/or cross-border Maestro cards.									
10	0100	080000200012	1	1	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM	28	81	6		MSI	00
		DE 3, SF 3 = 20 (Checking account). DE 48, SE 77 (Transaction Type Identifier) = C02 (Rebate).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
11	0100	080000200013	1	1	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		MSI	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default account). Normal Authorization/Undefined Finality is indicated by: DE 4 amount greater than zero; DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality); and DE 61, SF 7 = 0 (Normal request). NOTE: See Standards for Undefined for permitted regions.									
12	0100	080000200018	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Online initiated transaction identified as submitted using a wallet. DE 48, SE 26, SF 1 = any valid Wallet Identifier value.									
13	0100	080000200022	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	00
	0400		1	1	DE 39 = 32						00
		Partial reversal - 0400: DE 39 = 32 (Partial reversal).									
14	0100	080000200023	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	00
	0400		1	1	DE 39 = 06						00
		Full reversal - 0400: DE 39 = 06 (Error).									
15	0100	080000200026	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	V
		0110: DE 48, SE 87 = Y (Invalid CVC 1) - Issuer decision to decline or approve.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0100	080000200031	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		Original authorization request to be followed by an incremental authorization request.									
17	0100	080000200032	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		Incremental authorization request indicated by presence of DE 48, SE 63 (Trace ID).									
18	0100	080000200036	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
	0400		1	1	DE 39 = 32						00
		Restaurant transaction with 10% gratuity. DE 54 present with amount type 44 (Amount Gratuity). 0400: DE 39 = 32 (Partial reversal).									
19	0100	080000200021	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 61, SF 10 = 9 (mPOS Acceptance Device).									
20	0100	080000200030	1	1	MSR ATM PURCHASE ONLINE PIN	00	90	0	V	MSI CIR	00
		ATM purchase transaction indicated by DE 3, SF 1 = 00; DE 18 = 6012; and DE 48tcc = R.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
21	0100	080000200041	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction. DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present); and SF 5 = 1 (Card not present).									
22	0100	080000200042	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Mail order or phone order transaction where cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 2 (Mail/facsimile order) or 3 (Phone/ARU order); and SF 5 = 1 (Card not present).									
23	0100	080000200043	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 4 (Standing order / recurring transactions); and SF 5 = 1 (Card not present).									
24	0100	080000200044	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Unknown reason how cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present, unspecified); and SF 5 = 1 (Card not present).									
25	0100	080000200045	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Brick and mortar where cardholder has saved a credential-on-file with merchant. DE 61, SF 4 = 0 (Cardholder present); and SF 5 = 1 (Card not present).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
26	0120	080000200048	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase advice approved by merchant or acquirer. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 1 (No terminal used); SF 4 = 1 (Cardholder not present); and SF 5 = 1 (Card not present). DE 39 = 00 (Approved) and DE 60 = 190 (APS approved).									
27	0100	080000200049	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		MSI	00
	0400		1	1	DE 39 = 17						00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase request followed by reversal message. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); and SF 5 = 1 (Card not present). Reversal: DE 39 = 17 (Customer cancellation).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
28	0100	080000200051	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI	00
		mPOS device Phone/Tablet +Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 61, SF 10 = 9 (mPOS Acceptance Device).									
29	0100	080000200052	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI	00
		mPOS device Phone/Tablet with or without Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). DE 61, SF 10 = 9 (mPOS Acceptance Device).									
30	0100	080000200068	1	1	MSR REFUND ONLINE PIN	20	90	0	V	MSI	00
		Refund transaction. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
31	0100	080000200069	1	1	MSR REFUND SIGNATURE	20	90	0		MSI	00
	0400		1	1	DE 39 = 32						00
		Refund transaction followed by partial reversal. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
32	0100	080000200070	1	1	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MSI	00
	0400		1	1	DE 39 = 17						00
		Refund transaction followed by full reversal. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
33	0100	080000200071	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		DE 61, SF 7 = 1 (Deferred authorization).									

Table 0800004: Technical Conditions

The test cases in table 0800004 address how an issuer processes dual message authorization requests and responses when presented with some of the less common, but valid, general conditions surrounding the authorization system.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization requests

Operation Type: MSR

Testing Type: Base

Program: Technical Conditions

Table 6: Table 0800004

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	080000400012	1	N/A	MANUAL ENTRY PURCHASE SIGNATURE	00	01	0		MCC DMC MSI PVL	00
		Containing only the mandatory data elements that constitute a valid message.									
13	0100	080000400013	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Containing only the mandatory data elements that constitute a valid message.									
14	0100	080000400014	1	N/A	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MCC DMC MSI CIR	00
		Containing all mandatory and optional data elements.									
15	0100	080000400021	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC	00
		Acquirer of Brazil merchant provides merechant fraud score value of issuer choice in DE 112, SE 028.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0100	080000400025	1	N/A	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC	00
		Card present POS transactions acquired in India contain DE 48, SE 65 (Terminal Compliant Indicator) indicating Terminal Line Encryption (TLE) and Unique Key Per Terminal/Derived Unique Key Per Terminal (UKPT/DUKPT) certification status of issuer choice.									

Table 0800009: CVC 1 and CVC 2

The test cases in table 0800009 address how an issuer processes dual message authorization requests and responses containing Card Validation Code 1 (CVC1) and Card Validation Code 2 (CVC 2).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Base

Program: CVC 1 and CVC 2

Table 7: Table 0800009

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080000900101	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC MSI PVL	V
		0110: DE 48, SE 87 = Y (Invalid CVC 1) - Issuer decision to decline or approve if invalid CVC 1.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080000900102	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	V
		0110: DE 48, SE 87 = M (Valid CVC 2) or = N (Invalid CVC 2) - Issuer decision to decline or approve if invalid CVC 2.									
3	0100	080000900103	1	0	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	V
		0110: DE 48, SE 87 = Y (Invalid CVC 1) - Issuer decision to decline or approve if invalid CVC 1.									

Table 0800010: Stand-In and X-Code Authorization Advices

The test cases in table 0800010 address how an issuer processes dual message authorization requests and responses with system-generated Stand-In and X-Code authorization advices for the reasons indicated in DE 60. They also verify whether the issuer can successfully approve or decline these authorization advices having relevant impact to available buying limits and other internal postings for affected accounts.

NOTE: Test transaction data must be updated to create additional DE 60 values of customer choice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Advices (System-generated)

Operation Type: MSR

Testing Type: Base

Program: Stand-In and X-Code Authorization Advices

Table 8: Table 0800010

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0120	080001000105	1	N/A	ELECTRONIC COMMERCE ASI PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Account Status Inquiry routed to Stand-In and approved. 0120: DE 4 (Amount, Transaction) = 000000000000; DE 39 = 00 (Approved); DE 61, SF 7 = 8 (Account Status Inquiry); and DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0000 (Accept).									
6	0120	080001000106	1	N/A	ELECTRONIC COMMERCE ASI PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Account Status Inquiry routed to Stand-In and declined. 0120: DE 4 (Amount, Transaction) = 000000000000; DE 39 = 05 (Do not honor); DE 61, SF 7 = 8 (Account Status Inquiry); and DE 60, SF 1 valid values of customer choice and DE 60, SF 2 valid values of customer choice.									
7	0120	080001000107	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Dynamic Decisioning Stand-in advice for approval. 0120: DE 39 = 00; DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0101.									
8	0120	080001000108	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Dynamic Decisioning Stand-in advice for decline. 0120: DE 39 = 05; DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0101.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0120	080001000109	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Account Balance Listing Stand-in advice for approval. 0120: DE 39 = 00; DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0100.									
10	0120	080001000110	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Account Balance Listing Stand-in advice for decline. 0120: DE 39 = 05; DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0100.									

Table 0800055: Transaction Data Elements Program

The test cases in table 0800055 address how an issuer processes dual message integrated circuit-based authorization requests, advices, reversals, and responses for standardizing requirements for key transaction data elements.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Base

Program: Transaction Data Elements Program

Table 9: Table 0800055

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	080005500003	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; DE 43, SF 1 (Acceptor Name) = valid value for website name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if applicable; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	080005500004	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce transactions with in-store purchase pickup. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; DE 43, SF 1 (Acceptor Name) = valid value for website name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value of business office and DE 61, SF 14 (Acceptor Postal Code) = valid value of business office if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if applicable; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value; DE 122, SE 001, SF 009 (Service Location City Name) = valid value of pickup location; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value of pickup location if applicable; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value of pickup location; and DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value of pickup location if country utilizes postal codes.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	080005500005	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce Payment Facilitator enabled purchase delivery transactions. DE 18 (Merchant Type) = valid value of Sponsored Merchant. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value of Payment Facilitator; and DE 43, SF 1 (Acceptor Name) contains 3,7,12 character abbreviated Payment Facilitator name followed by * in position 4, 8, or 13 and then Sponsored Merchant name; DE 43, SF 3 (Acceptor City Name) = valid value of Sponsored Merchant; and DE 43, SF 5 (Acceptor Country Code) = valid value of Sponsored Merchant. DE 48, SE 37, SF 1 (Payment Facilitator ID) = valid value and DE 48, SE 37, SF 3 (Sponsored Merchant ID) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value of Sponsored Merchant and DE 61, SF 14 (Acceptor Postal Code) = valid value of Sponsored Merchant if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of Sponsored Merchant; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present of Sponsored Merchant; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value of Sponsored Merchant.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	080005500006	1	0	MANUAL ENTRY MAIL ORDER PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Mail order transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value for catalog name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 = 2 (Cardholder not present [mail/facsimile order]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value that must be present for US and Canada transactions and should be present for all other transactions unless a URL is provided for contact.									
7	0100	080005500007	1	0	MANUAL ENTRY PHONE ORDER PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Phone order transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value for catalog name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 = 3 (Cardholder not present [phone or Automated Response Unit {ARU}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value that must be present for US and Canada transactions and should be present for all other transactions unless a URL is provided for contact.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0100	080005500008	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC MSI PVL	00
		Recurring payment transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 = 4 (Recurring transactions). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value that must be present for US and Canada transactions and should be present for all other transactions unless a URL is provided for contact.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	080005500009	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce Airlines transactions. DE 18 (Merchant Type) = valid value in 3000-3350 range. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing 9 character abbreviated Airline name followed by * in position 10 and thereafter the Airline Ticket Number; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value. NOTE: For airlines (MCC 3000–3350), the acceptor address fields (street address, city, state, postal code, and country) may reflect either the airline's headquarters information or the location of where the ticket was purchased but not a combination of the two.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
10	0100	080005500010	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce Automobile/Vehicle Rentals transactions. DE 18 (Merchant Type) = valid value in 3351-3500 range. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing first 9 characters of the description in QRB followed by * in position 10 and thereafter a unique identifier for each location; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 01 (Acceptor Street Address) = valid value of the point-of-sale; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
11	0100	080005500011	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce Hotels and Motels transactions. DE 18 (Merchant Type) = valid value in 3501-3999 range. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing first 9 characters of the description in QRB followed by * in position 10 and thereafter a unique identifier for each location; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of the point-of-sale; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
15	0100	080005500015	1	0	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Mail/Phone order transaction with purchase delivery may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 contains 2(Cardholder not present [mail/facsimile order]), 3(Cardholder not present [phone or Automated Response Unit {ARU}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; and DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present, DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
16	0100	080005500016	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Electronic commerce transaction with purchase delivery may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; and DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present, DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present, DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present.									

Table 0800060: Mastercard Identity Check

The test cases in table 0800060 address how an issuer processes dual message integrated circuit-based authorization requests and responses containing Identity Check authentication data.

NOTE: Test transaction data must be updated to create DE 48, SE 43 valid values of issuer choice and DE 48, SE 66 may be removed at issuer option.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Base

Program: Mastercard Identity Check

Table 10: Table 0800060

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080006000101	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		UCAF data collection is not supported by the merchant. DE 48, SE 42 = 210 (No UCAF) and SE 43 not present.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080006000111	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		SPA2 merchant attempts processing DE 48, SE 42 = 211 (Merchant attempts AAV); SE 43 with AAV control bytes 'kE', 'kL', or 'kM' of issuer choice; and SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									
3	0100	080006000112	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		SPA2 issuer authenticated DE 48, SE 42 = 212; SE 43 with AAV control bytes 'kA', 'kB', 'kC', 'kD', 'kG', 'kH', 'kJ', 'kK', 'kQ', 'kR', 'kS', or 'kT' of issuer choice; and SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									
4	0100	080006000115	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		SPA2 merchant risk based decisioning DE 48, SE 42 = 216 and SE 43 with AAV control byte 'kN', 'kU', 'kV', 'kW'. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									
5	0100	080006000116	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		SPA2 partial shipment DE 48, SE 42 = 217 and SE 43 with AAV control byte 'kO' or 'kP' of issuer choice. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	080006000117	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC MSI	V
		SPA2 recurring payment DE 48, SE 42 = 217 and SE 43 with AAV control byte 'kO' or 'kP' of issuer choice. DE 48, SE 63 (Trace ID) to link to the original authorization. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID). DE 61, SF 4 = 4 (Standing order/recurring transactions).									
7	0100	080006000121	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		No EMV 3DS Authentication, only Authorization Request. DE 48, SE 42 (SLI) = 210 (Not Authenticated) and SE 43 (UCAF) not present. DE 48, SE 22, SF 1 (Low-Risk Merchant Indicator) value 01, 02, 04, 05, 06, 07 of customer choice. Authorization decision of customer choice and if declined may require subsequent SCA.									
8	0100	080006000122	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	V
		SPA2 recurring payment Authorization Request. DE 48, SE 42 (SLI) = 217 (Partial Shipment or Recurring Payment) and SE 43 (UCAF) first two positions kO. DE 48, SE 22, SF 1 (Low-Risk Merchant Indicator) = 03 (Recurring Payment). DE 61, SF 4 = 4 (Standing order/recurring transactions). NOTE: This transaction applies only to issuers in the EEA countries within the Europe region.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0100	080006000214	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	V
		SPA2 merchant has chosen to share authentication data within authorization. DE 48, SE 42 = 214 (Identity Check Insights transactions) and DE 48, SE 43 positions 1-2 = contains kX, kY, kZ. DE 48, SE 56, SF 01 = DII (Digital Identity Insights); DE 48, SE 56, SF 02 = ORA or other valid values of issuer choice. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID) = present.									

Table 0800065: Account Status Inquiry Service

The test cases in table 0800065 address how an issuer processes authorization requests for Account Status Inquiry (ASI) transactions including those with optional Card Validation Code 2 (CVC 2) value and Address Verification Service (AVS) requests. They also verify if the issuer can provide authorization responses for DE 39 (Response Code), AVS, or CVC 2.

Issuer responses and validations for ASI transactions

It is the issuer's decision to send the following values in DE 39 (Response Code):

- 00 - Approved or completed successfully
- 05 - Do not honor
- 85 - Not declined
- Any other valid value for business decline responses

The issuer must update transaction data for DE 4, DE 18 and DE 48, SE 77 with valid values of its choice.

For more information on Account Status Inquiry Service, refer to the [Account Status Inquiry Service](#) section in the *Authorization Manual* available on TRC.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Base

Program: Account Status Inquiry Service

Table 11: Table 0800065

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080006500101	1	1	MANUAL ENTRY ASI PURCHASE NO CVM	00	01	0		MCC DMC, MSI PVL	V
		Account Status Inquiry only. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes.									
2	0100	080006500102	1	0	ELECTRONIC COMMERCE ASI PURCHASE NO CVM	00	81	6		MCC DMC, MSI PVL	V
		Account Status Inquiry with AVS request and CVC 2. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 48, SE 82 = 52 (AVS and Authorization Request) and SE 92 (CVC 2). 0110: DE 48, SE 83 (AVS Response) and SE 87 (CVC Result) valid values of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	080006500103	1	0	CREDENTIAL ON FILE ASI PURCHASE NO CVM	00	10	0		MCC DMC, MSI PVL	V
		Account Status Inquiry only for card on file. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes.									
4	0100	080006500104	1	0	MANUAL ENTRY ASI PAYMENT TRANSACTION NO CVM	28	01	0		MCC DMC, MSI PVL	V
		Account Status Inquiry for a Payment Transaction. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes or a nonzero value of issuer choice. DE 18 (MCC) = 6533 (Payment Transaction—Merchant) or any other valid value of issuer choice for the payment transaction type. DE 48, SE 77 (Transaction Type Identifier) = C03 (rePower) or any other valid value of issuer choice.									
5	0100	080006500105	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC, MSI	V
		Name Validation Data. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 108, SE 01, SFs 01,02,03 containing Receiver First, Middle, Last Name. DE 108, SE 07, SF 01 = 10 (Receiver Name Validation Request). 0110: DE 108, SE 08, SF 1 (Receiver Name Validation Response) contains A,B,C,U of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	080006500106	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC, MSI	V
		Name Validation Data. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 108, SE 02, SFs 01,02,03 containing Sender First, Middle, Last Name. DE 108, SE 07, SF 01 = 11 (Sender Name Validation Request). 0110: DE 108, SE 08, SF 2 (Sender Name Validation Response) contains A,B,C,U of issuer choice.									
7	0100	080006500107	1	1	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM	28	81	6		MCC DMC MSI	V
		Name Validation Data and issuer provides valid receiver name for Name Match Service. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) greater than zero. DE 48, SE 77 (Transaction Type Identifier[TTI]) contains C02,C03,C04 and appropriate other data for TTI. DE 108, SE 01, SFs 01,02,03 containing Receiver First, Middle, Last Name. DE 108, SE 07, SF 01 = 10 (Receiver Name Validation Request). 0110: DE 108, SE 09 (Account Owner Information 1), SFs 1-5. 0110: May also contain DE 108, SE 10/11 if card has more than one user.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0100	080006500108	1	1	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM	00	81	6		MCC DMC MSI	V
		Name Validation Data and issuer provides valid sender name for Name Match Service. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 108, SE 02, SFs 01,02,03 containing Sender First, Middle, Last Name. DE 108, SE 07, SF 01 = 11 (Sender Name Validation Request). 0110: DE 108, SE 09 (Account Owner Information 1), SFs 1-5. 0110: May also contain DE 108, SE 10/11 if card has more than one user.									
9	0100	080006500109	1	1	ICC ASI PURCHASE NO CVM	00	05	0	V	MCC DMC MSI	V
		Account Status Inquiry with chip data and PIN. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes.									

Table 0800075: Acquirer Country Code

The test cases in table 0800075 address how an issuer processes dual message authorization requests and responses having Acquirer Country Code. Issuers are not required to retain and return the Acquirer Country Code on any response messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Base

Program: Acquirer Country Code

Table 12: Table 0800075

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	080007500003	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
	0400		1	1	DE 39 = 17						00
		Electronic Commerce transaction any applicable MCC. DE 19 (Acquiring Institution Country Code) present. 0400: Full reversal of approved amount for customer cancellation. 0400: DE 19 (Acquiring Institution Country Code) present.									

Issuer Products and Services Testing for Dual Message MSR and CNP Authorization Operations

The following test cases in this section test whether an issuer's Dual Message Authorization application can receive correctly formatted authorization requests and process the resulting authorization responses under conditions that are specific to all additional features available.

Table 0800101: Merchant Advice Code

The test cases in the table 0800101 address how an issuer processes dual message authorization requests and responses for Merchant Advice Code values.

NOTE: The POS entry mode values for the following test cases are a representative sampling of the possible values.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Merchant Advice Code

Table 13: Table 0800101

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080010100102	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	V
		0110: DE 39 (Response Code) and DE 48, SE 84 (Merchant Advice Code) valid combination of values of issuer choice for approved and declined transactions.									

Table 0800102: Embedded Flexible Interchange (EFI)

The test cases in the table 0800102 address how an issuer processes dual message authorization requests and responses for Embedded Flexible Interchange (EFI) transactions.

NOTE: Acquirers and issuers must register for the EFI program.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Embedded Flexible Interchange (EFI)

Table 14: Table 0800102

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080010200001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Issuer approved negotiated interchange rate. DE 48, SE 50 (Embedded Interchange Data), SFs 01-06 = valid values.									
2	0100	080010200002	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	13
		Issuer declined negotiated interchange rate. DE 48, SE 50 (Embedded Interchange Data), SFs 01-06 = valid values. 0110: DE 48, SE 84 = 05 (Negotiated value not approved).									

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

The test cases in the table 0800180 address how an issuer processes dual message authorization requests and responses for non-tokenized and tokenized cardholder-initiated transactions (CIT) and merchant-initiated transactions (MIT).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Table 15: Table 0800180

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080018000001	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized initial CIT stores credential-on-file. DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as • an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8), or • a preauthorized request (DE 61, SF 7 = 4) such as for subsequent related or delayed charges, future no shows, or future resubmission transactions.									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080018000002	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized initial CIT stores credential-on-file for a standing order. DE 48, SE 22, SF 05 = C102 (Cardholder-initiated: Standing Order). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									
3	0100	080018000003	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized initial CIT stores credential-on-file for a subscription. DE 48, SE 22, SF 05 = C103 (Cardholder-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	080018000004	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized initial CIT stores credential-on-file for a multi-authorization installment plan or for a single-authorization installment plan where subsequent installment transactions are submitted as clearing transactions only. DE 48, SE 22, SF 05 = C104 (Cardholder-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									
5	0100	080018000005	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent CIT uses credential-on-file (ad hoc). DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	080018000006	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT uses credential-on-file. DE 48, SE 22, SF 05 = M101 (Merchant-initiated: Unscheduled Credential-on-File). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
7	0100	080018000007	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for a standing order uses credential-on-file. DE 48, SE 22, SF 05 = M102 (Merchant-initiated: Standing Order [Recurring Payment or Installment]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0100	080018000008	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for a subscription uses credential-on-file. DE 48, SE 22, SF 05 = M103 (Merchant-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
9	0100	080018000009	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for installment uses credential-on-file. DE 48, SE 22, SF 05 = M104 (Merchant-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
10	0100	080018000010	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for partial shipment uses credential-on-file. DE 48, SE 22, SF 05 = M205 (Merchant-initiated: Partial Shipment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as a preauthorized request (DE 61, SF 7 = 4).									
11	0100	080018000011	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for related/delayed charge uses credential-on-file. DE 48, SE 22, SF 05 = M206 (Merchant-initiated:Related/Delayed Charge). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as • an electronic commerce request (DE 22, SF 1 = 81), or • a preauthorized request (DE 61, SF 7 = 4).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
12	0100	080018000012	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for future no shows uses credential-on-file. DE 48, SE 22, SF 05 = M207 (Merchant-initiated: No Shows). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). DE 61, SF 7 (POS Transaction Status) = 1 (Deferred Authorization). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									
13	0100	080018000013	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for Strong Cardholder Authenticated (SCA) countries. Non-tokenized subsequent MIT for future resubmissions uses credential-on-file. DE 48, SE 22, SF 05 = M208 (Merchant-initiated: Resubmissions). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 48, SE 64, SF 1 = 07 (Debt recovery) and SF 2 applicable value of customer choice if transit MCC. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
14	0100	080018000014	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized initial CIT stores credential-on-file. DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as • an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8), or • a preauthorized request (DE 61, SF 7 = 4) such as for subsequent related or delayed charges, future no shows, or future resubmission transactions.									
15	0100	080018000015	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized initial CIT stores credential-on-file for a standing order. DE 48, SE 22, SF 05 = C102 (Cardholder-initiated: Standing Order). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
16	0100	080018000016	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized initial CIT stores credential-on-file for a subscription. DE 48, SE 22, SF 05 = C103 (Cardholder-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									
17	0100	080018000017	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized initial CIT stores credential-on-file for a multi-authorization installment plan or for a single-authorization installment plan where subsequent installment transactions are submitted as clearing transactions only. DE 48, SE 22, SF 05 = C104 (Cardholder-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
18	0100	080018000018	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent CIT uses credential-on-file (ad hoc). DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order).									
19	0100	080018000019	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT uses credential-on-file. DE 48, SE 22, SF 05 = M101 (Merchant-initiated: Unscheduled Credential-on-File). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
20	0100	080018000020	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for a standing order uses credential-on-file. DE 48, SE 22, SF 05 = M102 (Merchant-initiated: Standing Order [Recurring Payment or Installment]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
21	0100	080018000021	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for a subscription uses credential-on-file. DE 48, SE 22, SF 05 = M103 (Merchant-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
22	0100	080018000022	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for installment uses credential-on-file. DE 48, SE 22, SF 05 = M104 (Merchant-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
23	0100	080018000023	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for partial shipment uses credential-on-file. DE 48, SE 22, SF 05 = M205 (Merchant-initiated: Partial Shipment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as a preauthorized request (DE 61, SF 7 = 4).									
24	0100	080018000024	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for related/delayed charge uses credential-on-file. DE 48, SE 22, SF 05 = M206 (Merchant-initiated:Related/Delayed Charge). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as • an electronic commerce request (DE 22, SF 1 = 81), or • a preauthorized request (DE 61, SF 7 = 4).									

Dual Message Authorization: Issuer Credit and Debit

Table 0800180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
25	0100	080018000025	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for future no shows uses credential-on-file. DE 48, SE 22, SF 05 = M207 (Merchant-initiated: No Shows). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). DE 61, SF 7 (POS Transaction Status) = 1 (Deferred Authorization). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									
26	0100	080018000026	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		This test case is non-tokenized for non-SCA countries. Non-tokenized subsequent MIT for future resubmissions uses credential-on-file. DE 48, SE 22, SF 05 = M208 (Merchant-initiated: Resubmissions). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 64, SF 1 = 07 (Debt recovery) and SF 2 applicable value of customer choice if transit MCC. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									

Table 0800190: Gaming and Gambling Transactions

The test cases in the table 0800190 address how an issuer processes dual messages authorization requests and responses for gaming and gambling value.

NOTE: Such transactions are restricted to where permitted by law. Refer table 0901920 in *Issuer On-behalf Services manual for Gaming and Gambling Payment Transactions*.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization requests

Operation Type: MSR

Testing Type: Product and Services

Program: Gaming and Gambling Transactions

Table 16: Table 0800190

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080019000013	1	0	ELECTRONIC COMMERCE CAT LEVEL 6 PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Purchase of gambling chips or other value usable for gambling. DE 18 (Merchant Type) = 7995 and DE 48tcc = U (Unique). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	080019000017	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Purchase of lottery tickets, reoccurring lottery subscription services, or both by a government authority located globally, excluding the U.S. region. DE 18 (Merchant Type) = 9406 and DE 48tcc = T (Phone, Mail, or Electronic Commerce Order). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									
7	0100	080019000022	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Purchase of lottery tickets from state lottery merchant located in U.S. region. DE 18 (Merchant Type) = 7800 and DE 48tcc = T (Electronic Commerce Order). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	080019000023	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Purchase of value used for gambling from Internet merchant located in U.S. region. DE 18 (Merchant Type) = 7801 and DE 48tcc = T (Electronic Commerce Order). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									

Table 0800201: Recurring Payments

The test case in the table 0800201 address how an issuer processes dual message authorization requests and responses for recurring payment transactions.

Mastercard requires the subsequent transactions of a recurring payment arrangement to be identified as a recurring payment. The first transaction of a card-present recurring payment series are not identified as recurring payment transactions except in the European Economic Area (EEA).

Validations for recurring payments

The following validations apply:

- Effective 7 June 2022 in the U.S. Region and 14 October 2022 in all other Regions (unless an earlier effective date applies), the value of 4 must be used when the first payment in a recurring payment series occurs in a card-not-present (CNP) environment.
- The mix of business transactions and coding for final, undefined, or preauth do not represent all the possible combinations.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Recurring Payments

Table 17: Table 0800201

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080020100011	1	1	MSR PURCHASE NO CVM	00	90	0		MCC DMC MSI PVL	00
		Original recurring payment transaction coded as a final authorization. DE 61, SF 4 = 0 (Cardholder present) except in EEA DE 61, SF 4 = 4 (Standing order/recurring transactions). DE 48, SE 61, SF 5 = 1 (Final Authorization).									
2	0100	080020100012	1	1	MANUAL ENTRY MOTO PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Original recurring payment transaction coded as normal authorization/undefined finality. DE 61, SF 4 = 4 (Standing order/recurring transactions). DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality) or may be absent. NOTE: See Standards for Undefined for permitted regions.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080020100023	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	00
		Original recurring payment transaction coded as preauthorization. DE 61, SF 4 = 4 (Standing order/recurring transactions) and DE 61, SF 7 = 4 (Preauthorized request). DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality) or may be absent.									
4	0100	080020100031	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC MSI	00
		Subsequent recurring payment transaction coded as a final authorization. DE 61, SF 4 = 4 (Standing order/recurring transactions). DE 48, SE 61, SF 5 = 1 (Final Authorization).									
5	0100	080020100042	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		Subsequent European acquired recurring payment arrangement that is qualified for the Mastercard Utility Payment Program and coded as final authorization. DE 18 (Merchant Type) may be any of the following values: MCC 4814, MCC 4816, MCC 4899 Telecommunication, Internet Access, Cable and Satellite television services; MCC 4900 Utilities; MCC 6300 Insurances; MCC 6050 Quasi Cash Member Financial Institution; and MCC 6051 Quasi Cash Merchant. DE 61, SF 4 = 4 (Standing order/recurring transactions). DE 48, SE 32 contains Mastercard Assigned ID for Mastercard Utility Payment Program. DE 48, SE 42 = 213 (Merchant does support UCAF and provided static AAV UCAF data). DE 48, SE 43 = 5MUPPPROGRAM9999999999999999 which is static AAV for Mastercard Utility Payment Program. DE 48, SE 61, SF 5 = 1 (Final Authorization).									

Table 0800225: Business-to-Business Transactions

The test cases in the table 0800225 address how an issuer processes dual message authorization requests and responses for business-to-business transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization requests

Operation Type: MSR

Testing Type: Product and Services

Program: Business-to-Business Transactions

Table 18: Table 0800225

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080022500001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Business-to-Business Transaction. DE 18 (Merchant Type) = 7399 (Business Services: not elsewhere classified). DE 48, SE 42 (Security Level Indicator) = 210 (no UCAF). DE 48, SE 77 = P11 (Business-to-Business Payment).									

Table 0800250: Payment Resiliency Service

The test cases in the table 0800250 address how an issuer processes dual message authorization requests and responses for the Payment Resiliency Service.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Payment Resiliency Service

Table 19: Table 0800250

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080025000001	1	N/A	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC MSI	05
	0120		1	N/A	DE 39 = 00						00
		Advice transaction for On-Demand Decisioning that changes issuer 0100 request decline to an approval. 0120: DE 60, SF 1 = 300; SF 2 = 1000 (Accept: On-Demand Decisioning Rule); and SF 3 = valid value for advice detail text.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080025000002	1	N/A	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC MSI	05
	0120		1	N/A	DE 39 = 41						00
		Advice transaction for On-Demand Decisioning that changes issuer 0100 request decline to a different request decline reason. 0120: DE 60, SF 1 = 300; SF 2 = 1001 (Reject: On-Demand Decisioning Rule); and SF 3 = valid value for advice detail text.									

Table 0800360: Issuer Token Notification

The test cases in the table 0800360 address how an issuer participating in the Mastercard Digital Enablement Service (MDES) processes dual message authorization requests and responses.

These test cases verify whether the issuers who have opted for administrative advice can receive the token notifications and send correctly formatted administrative responses. The test transaction data must be updated with the DE 120 values that issuers want to receive in each test case.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Administrative Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Issuer Token Notification

Table 20: Table 0800360

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0620	080036000001	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					MCC DMC MSI PVL	00
		DE 60 = 1410250 (MDES Advice to Issuer - Activation Code Notification). DE 120 contains Activation Code and related data of issuer choice.									
2	0620	080036000002	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					MCC DMC MSI PVL	00
		DE 60 = 1410251 (MDES Advice to Issuer - Tokenization Complete Notification). DE 120 contains Token to PAN mapping details and related data of issuer choice.									
3	0620	080036000003	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					MCC DMC MSI PVL	00
		DE 60 = 1410252 (MDES Advice to Issuer - Tokenization Event Notification). DE 120 contains, field 7 (Tokenization Event Indicator) = 1,2,3,4,5,6,7,8,9,a,b as well as related data all of issuer choice.									
4	0620	080036000004	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					MCC DMC MSI PVL	00
		Tokenization Event Notification for payment channel disabled by cardholder of issuer in India. DE 60 = 1410252 (MDES Advice to Issuer - Tokenization Event Notification). DE 120 contains tokenization event containing Field ID 7 = 2 (Payment Channel Preference Updated); and Field ID 17 indicating Cardholder Disabled Payment Channel of issuer choice; and related data of issuer choice.									

Table 0800371: Payment Account Reference (PAR) on Funding PAN

The test cases in the table 0800371 address how an issuer processes dual message authorization requests, advice, and reversals containing PAR in DE 56.

NOTE: PAR does not apply to ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Payment Account Reference (PAR) on Funding PAN

Table 21: Table 0800371

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
10	0120	080037100032	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		MCC DMC MSI	00
		Funding PAN used by non-tokenized account on acquirer-generated 0120 advice. 0120: DE 39 = 00 (Approved) and DE 60 = 190 (APS approved transaction). 0120: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
11	0100	080037100033	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		MCC DMC MSI	00
	0400		1	1	DE 39 = 17						00
		Funding PAN used by non-tokenized account on acquirer-generated 0400 reversal request. 0100: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller. 0400: DE 39 = 17 (Customer Cancellation). 0400: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									
12	0420	080037100034	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90			MCC DMC MSI	00
		Funding PAN used by non-tokenized account on system-generated 0420 reversal advice due to Mastercard unable to deliver 0400 request request to issuer. DE 39 = 17 (Customer Cancellation) and DE 60, SF 1 = 403 (Issuer signed out). DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									

Table 0800401: Fleet Cards

The test cases in the table 0800401 address how an issuer processes dual message authorization requests and responses for a fleet cards.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Fleet Cards

Table 22: Table 0800401

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080040100101	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	V
		Magnetic stripe product type code = 1 (ID number and odometer). 0100: DE 48, SE 98 contains ID number. 0110: Issuer decision to approve (DE 39 = 00); or reject for invalid transaction (DE 39 = 12) and include additional response data (DE 44); or provide some other valid response code.									
2	0100	080040100102	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	V
		Magnetic stripe product type code = 2 (Vehicle number and odometer). 0100: DE 48, SE 99 contains vehicle number. 0110: Issuer decision to approve (DE 39 = 00); or reject for invalid transaction (DE 39 = 12) and include additional response data (DE 44); or provide some other valid response code.									
3	0100	080040100103	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	V
		Magnetic stripe product type code = 3 (Driver number and odometer). 0100: DE 48, SE 98 contains driver number. 0110: Issuer decision to approve (DE 39 = 00); or reject for invalid transaction (DE 39 = 12) and include additional response data (DE 44); or provide some other valid response code.									

Dual Message Authorization: Issuer Credit and Debit

Table 0800415: Buy Now Pay Later Installment Payment Product Codes Program (Participating Countries)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	080040100104	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	V
		Magnetic stripe product type code = 4 (Odometer only). 0110: Issuer decision to approve (DE 39 = 00) or provide some other valid response code.									
5	0100	080040100105	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	V
		Magnetic stripe product type code = 5 (No prompt). 0110: Issuer decision to approve (DE 39 = 00) or provide some other valid response code.									

Table 0800415: Buy Now Pay Later Installment Payment Product Codes Program (Participating Countries)

The test cases in the table 0800415 address how an issuer processes dual message authorization requests and responses for approved Buy Now Pay Later (BNPL) installment payment transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Buy Now Pay Later Installment Payment Product Codes Program (Participating Countries)

Table 23: Table 0800415

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080041500001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment payment domestic transaction; merchant opt-in and request approved. DE 43, SF 5 (Acceptor Country Code) = valid value same as account range country. DE 48, SE 32 (Mastercard Assigned ID) = valid value. DE 61, SF 13 (POS Country Code) = valid value same as account range country. DE 63, SF 1 (Financial Network Code) contains ETA,ETB,ETC,ETD,ETE,ETF,ETG or ETH,ETI,ETJ,ETK,ETL,ETM,ETN as applicable for transaction PAN.									
2	0100	080041500002	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment payment domestic transaction; merchant did not opt-out and request approved. DE 43, SF 5 (Acceptor Country Code) = valid value same as account range country. DE 48, SE 32 (Mastercard Assigned ID) = not present. DE 61, SF 13 (POS Country Code) = valid value same as account range country. DE 63, SF 1 (Financial Network Code) contains SPP,SPS or SBJ,SBK as applicable for transaction PAN.									

Dual Message Authorization: Issuer Credit and Debit

Table 0800415: Buy Now Pay Later Installment Payment Product Codes Program (Participating Countries)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0120	080041500003	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment payment domestic transaction; merchant did not opt-in and issuer receives decline advice. DE 39 = 05 (Do not honor); DE 48, SE 84 = 22 (Merchant does not qualify for product code); and DE 60, SF 1 = 120 (Transaction Blocking). DE 43, SF 5 (Acceptor Country Code) = valid value same as account range country. DE 48, SE 32 (Mastercard Assigned ID) = not present. DE 61, SF 13 (POS Country Code) = valid value same as account range country. DE 63, SF 1 (Financial Network Code) contains ETA,ETB,ETC,ETD,ETE,ETF,ETG or ETH,ETI,ETJ,ETK,ETL,ETM,ETN as applicable for transaction PAN.									
4	0120	080041500004	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment payment domestic transaction; merchant opt-out and issuer receives decline advice. DE 39 = 05 (Do not honor); DE 48, SE 84 = 22 (Merchant does not qualify for product code); and DE 60, SF 1 = 120 (Transaction Blocking). DE 43, SF 5 (Acceptor Country Code) = valid value same as account range country. DE 48, SE 32 (Mastercard Assigned ID) = valid value. DE 61, SF 13 (POS Country Code) = valid value same as account range country. DE 63, SF 1 (Financial Network Code) contains SPP,SPS or SBJ,SBK as applicable for transaction PAN.									

Table 0800575: Staged Digital Wallet Operator (Brazil)

The test cases in the table 0800415 address how an issuer processes dual message authorization requests and responses for Staged Digital Wallet Operator (Brazil).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Staged Digital Wallet Operator (Brazil)

Table 24: Table 0800575

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080057500001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Transfer to the same person or organization in the same staged digital wallet account. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080057500002	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Transfer to another person or organization in the same staged digital wallet account. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account). DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 11, 18 and SE 03 (Transaction Reference Data), SF 01, SF 05 = 14 (Transfer to another person or organization in the same Staged Digital Wallet [Brazil]) all mandatory.									
3	0100	080057500003	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Transfer to another person or organizations in a different stage digital wallet or scheme. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F07 (General Person-to-Person Transfer).									
4	0100	080057500004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Transfer to own staged digital wallet account for an unidentified Boleto. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account). DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 11, 18 and SE 03 (Transaction Reference Data), SF 01, SF 05 = 15 (Boleto Payment [Brazil]) all mandatory.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800625: Transit Program (Post-Authorized Aggregated Model – US Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	080057500005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Transfer to own staged digital wallet account for an identified Boleto. DE 18 (Merchant Type) = valid value of end merchant. DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account). DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 11, 18 and SE 03 (Transaction Reference Data), SF 01, SF 05 = 15 (Boleto Payment [Brazil]) all mandatory. DE 112, SE 012, positions 111-130 (End-Merchant Tax ID).									

Table 0800625: Transit Program (Post-Authorized Aggregated Model – US Region)

The test cases in the table 0800625 address how and issuer processes dual message authorization requests and responses for Debt Recovery transactions applicable to U.S region Transit Post-Authorized Aggregated Model.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Transit Program (Post-Authorized Aggregated Model – US Region)

Table 25: Table 0800625

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080062500005	1	0	MANUAL ENTRY PURCHASE NO CVM	00	01	0		MCC DMC MSI	00
		Card not present manual entry debt recovery transit transaction for automatic debt recovery, mail order, or phone order. DE 2 (Primary Account Number [PAN]) = valid value for funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 61, SF 7 (POS Transaction Status) = 0 (Normal request - original presentment).									

Dual Message Authorization: Issuer Credit and Debit
Table 0800629: Transit Program (Prefunded Model and All Debt Recovery)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080062500008	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Card not present electronic commerce debt recovery transaction. DE 2 (Primary Account Number [PAN]) = valid value for funding PAN. DE 4 (Amount, Transaction) = valid value amount to be recovered and DE 61, SF 7 = 1 (Normal). DE 18 (Merchant Type) = valid value applicable for transit transaction. DE 48, SE 42 (Electronic Commerce Indicators) = valid value. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) = valid value. DE 61, SF 7 (POS Transaction Status) = 0 (Normal request - original presentment).									

Table 0800629: Transit Program (Prefunded Model and All Debt Recovery)

The test cases in the table 0800629 address how an issuer processes dual message authorization requests and responses for applicable transit models and Transit Debt Recovery transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Transit Program (Prefunded Model and All Debt Recovery)

Table 26: Table 0800629

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080062900001	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Prefunded transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains fare for travel subscription or plan. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No UCAF). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 01 (Prefunded) and SF 2 (Transportation Mode Indicator) contains an applicable valid value.									
2	0100	080062900007	1	0	MANUAL ENTRY PURCHASE NO CVM	00	01	0		MCC DMC MSI	00
		Card not present manual entry debt recovery transit transaction for automatic debt recovery, mail order, or phone order. DE 2 (Primary Account Number [PAN]) contains funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) contains an applicable valid value of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080062900008	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Card not present electronic commerce debt recovery transit transaction. DE 2 (Primary Account Number [PAN]) contains funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 42 (Electronic Commerce Indicators) is present. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) contains an applicable valid value of issuer choice.									

Table 0800633: Electric Vehicle Charging

The test cases in the table 0800633 address how an issuer processes dual message authorization Credential on File requests and responses for Electric Vehicle Charging transactions.

Validations for electric vehicle charging transactions:

- The consumer downloads a proprietary merchant app to their phone and stores a card on file with the merchant.
- The consumer loads a value to the wallet and the stored value balance is decreased by each purchase amount. As needed, a value can be added through a top-up transaction.

NOTE: Please see AN 3852 - Revised Standards - Electric Vehicle Charging Transaction Processing Procedures for details.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Electric Vehicle Charging

Table 27: Table 0800633

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080063300001	1	1	CREDENTIAL ON FILE PURCHASE CDCVM	00	10	6		MCC DMC MSI	00
		Authorization for electric vehicle charging; cardholder specifies order quantity; and issuer approves request amount. DE 4 (Amount, Transaction) equals the amount for the service requested by the cardholder. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 00001 indicating final authorization. DE 61, SF 7 = 0 (Normal request).									

Table 0800645: Automated Fuel Dispenser

The test cases in the table 0800645 address how an issuer processes preauthorization dual message requests and responses for Automated Fuel Dispenser transactions. The issuer will receive completion authorization advice or reversal request message, if applicable.

Refer to the following announcements for more details and effective dates:

- AN 3886 - Revised Standards - Automated Fuel Dispenser Transaction Processing Procedures
- AN 2697 - Revised Standards - Electronic Commerce Transactions at Automated Fuel Dispensers

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Automated Fuel Dispenser

Table 28: Table 0800645

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0100	080064500021	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
	0120		1	1	DE 39 = 00						00
		AFD in-app preauthorization approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 42 (Electronic Commerce Indicators) and, if applicable, SE 43 (UCAF) valid values of customer choice. DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0120: DE 4 contains final AFD amount (pumped amount or all zeroes) and DE 39 = 00 (Approved). 0120: may contain optional DE 28 (Amount, Transaction Fee) for surcharge amount also included in DE 4. 0120: DE 48, SE 20 = S (Signature). 0120: DE 60, SF 1 = 191 (Acquirer Processing [APS] Completed Authorization Transaction). 0130: DE 48, SE 15 (Authorization System Advice Date and Time).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	080064500022	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	10
	0120		1	1	DE 39 = 10						00
		AFD in-app preauthorization partial approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 42 (Electronic Commerce Indicators) and, if applicable, SE 43 (UCAF) valid values of customer choice. DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0110: DE 4 contains partial approval amount; pump should stop if that amount is reached. 0120: DE 4 contains final AFD amount and DE 39 = 10 (Partial Approval). 0120: may contain optional DE 28 (Amount, Transaction Fee) for surcharge amount also included in DE 4. 0120: DE 48, SE 20 = S (Signature). 0120: DE 60, SF 1 = 191 (Acquirer Processing [APS] Completed Authorization Transaction). 0130: DE 48, SE 15 (Authorization System Advice Date and Time).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0100	080064500023	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
	0400		1	1	DE 39 = 17						00
		AFD in-app preauthorization approved and full reversal sent within 60 minutes due to cancelled purchase or no fuel pumped. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 42 (Electronic Commerce Indicators) and, if applicable, SE 43 (UCAF) valid values of customer choice. DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0400: DE 4 contains amount from preauthorization request. 0400: DE 39 = 17 (Customer cancellation) or other applicable value. 0400: DE 48, SE 63 (Trace ID) and DE 90 (Original Data Elements) must be present. 0400: DE 95 (Replacement Amounts) if present must contain all zeros to indicate a full reversal.									

Table 0800719: PSD2 RTS Compliance (Europe Region)

The test cases in the table 0800719 verify whether an issuer Dual Message Authorization application that processes Europe domestic electronic transactions can support the requirements for Strong Cardholder Authentication (SCA).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: PSD2 RTS Compliance (Europe Region)

Table 29: Table 0800719

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080071900010	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		e-Commerce transaction containing PSD2 SCA acquirer exemption for non-3DS authorization and approved by issuer. DE 48, SE 22, SF 1 (Low-Risk Merchant Indicator) containing valid value of customer choice. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (no 3DS).									
2	0100	080071900011	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	65
		e-Commerce transaction containing PSD2 SCA acquirer exemption for non-3DS authorization and declined by issuer. DE 48, SE 22, SF 1 (Low-Risk Merchant Indicator) containing valid value of customer choice. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (no 3DS). NOTE: Acquirer online merchants in the Europe region must retry with an EMV 3DS authentication in response to a declined authorization message with Response Code 65. The merchant must not request the cardholder to re-enter card data or any other data before performing the retry of the transaction that was previously soft-declined by the issuer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080071900020	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		e-Commerce first transaction in a series of recurring payment transactions that has undergone SCA and approved by issuer. DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated) and SE 43 contains Accountholder Authentication Value (AAV). DE 48, SE 66, SF 1 (Program Protocol) = valid value; and, if applicable, SF 2 (Directory Server Transaction ID). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
4	0100	080071900021	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		e-Commerce subsequent recurring payments that reference the initial SCA and approved by issuer. DE 48, SE 22, SF 1 (Low-Risk Merchant Indicator) = 03 (Recurring Payment). DE 48, SE 42 (Electronic Commerce Indicators) = 210 (no 3DS) and SE 43 not present. DE 48, SE 63 (Trace ID) from the original Authorization Request Response/0110 message. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
5	0100	080071900030	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		e-Commerce first transaction in a series of Merchant-initiated Transactions (MIT) that has undergone SCA and approved by issuer. DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated) and SE 43 contains Accountholder Authentication Value (AAV). DE 48, SE 66, SF 1 (Program Protocol) = valid value; and, if applicable, SF 2 (Directory Server Transaction ID). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Dual Message Authorization: Issuer Credit and Debit
Table 0800720: Debit Online Low Risk Merchant (DOLM) Program (Europe)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	080071900031	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC MSI	00
		e-Commerce subsequent Merchant-initiated Transactions that reference the initial SCA and approved by issuer. DE 48, SE 22, SF 1 (Low-Risk Merchant Indicator) = 01 (Merchant Initiated Transaction). DE 48, SE 42 (Electronic Commerce Indicators) = 210 (no 3DS) and SE 43 not present. DE 48, SE 63 (Trace ID) from the original Authorization Request Response/0110 message. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Table 0800720: Debit Online Low Risk Merchant (DOLM) Program (Europe)

The test cases in the table 0800720 address how an issuer processes dual message requests and responses for e-commerce Maestro transactions acquired in the EEA countries, United Kingdom, and Gibraltar from merchants participating in the Belgium Debit Online Low Risk Merchant (DOLM) Program.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Debit Online Low Risk Merchant (DOLM) Program (Europe)

Table 30: Table 0800720

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080072000001	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		e-Commerce first transaction in a series of recurring payment transactions that has undergone SCA and approved by issuer. DE 48, SE 42, SF 1 = 212 (fully authenticated) and SE 43 contains AAV with leading indicator "kB". DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
2	0100	080072000002	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MSI	00
		Credential on file subsequent Merchant-initiated Transaction that references the initial SCA. DE 48, SE 22, SF 01 = 03 (Recurring Payment). DE 48, SE 32 (Mastercard Assigned ID). DE 48, SE 42, SF 1 = 213, SE 43 = 5MUPPPROGRAM9999999999999999. DE 48, SE 63 (Trace ID) of the initial authorization. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Table 0800801: Address Verification Service

The test cases in the table 0800801 address how an issuer processes dual message authorization requests and responses with the Address Verification Service (AVS) data.

The test transaction data must be updated with the DE 120 address values that issuers want to receive in each test case or they may accept the default value of 1520 Main St Suite 3, St. Louis, MO 63146-4236.

NOTE: Mastercard mandates the support of AVS for issuers in specified regions or countries. If issuers intend to support the AVS, they must successfully complete the connectivity test cases applicable to Dual Message Authorization. This involves Sign-on Requests containing the Service Indicator (DE 94).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Address Verification Service

Table 31: Table 0800801

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080080100102	1	0	MANUAL ENTRY MAIL ORDER PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0110: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									
3	0100	080080100103	1	0	MANUAL ENTRY PHONE ORDER PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0110: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	080080100104	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI PVL	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0110: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									
5	0100	080080100105	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MCC DMC MSI	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0110: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									

Table 0800815: Name Validation Request

The test cases in table 0800815 address how an issuer processes dual message authorization requests and responses with Name Validation Request data.

NOTE: Not all applicable POS Entry Modes nor all user scenarios have test cases.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Name Validation Request.

Table 32: Table 0800815

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080081500001	1	1	ELECTRONIC COMMERCE PAYMENT NO CVM	28	81	6		MCC DMC MSI	85
		Name Validation Service request only for receiver name. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 0 (Normal request). DE 61, SF 9 = 1 (Validation request). DE 108, SE 01, SFs 01-03 (Receiver name) = valid values. DE 108, SE 07, SF 01 = 10 (Receiver name request). 0110: DE 108, SE 08, SF 01 = A (Match).									
2	0100	080081500002	1	1	ELECTRONIC COMMERCE PAYMENT NO CVM	28	81	6		MCC DMC MSI	85
		Name Validation Service request only for sender name. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 0 (Normal request). DE 61, SF 9 = 1 (Validation request). DE 108, SE 02, SFs 01-03 (Sender name) = valid values. DE 108, SE 07, SF 01 = 11 (Sender name request). 0110: DE 108, SE 08, SF 02 = A (Match).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	080081500003	1	1	ELECTRONIC COMMERCE PAYMENT NO CVM	28	81	6		MCC DMC MSI	85
		Name Validation Service request for MoneySend Payment receiver name. DE 4 (Amount, Transaction) = all zeroes. DE 18 (Merchant Type) = 6537 (MoneySend Intercountry) or = 6536 (MoneySend Intracountry). DE 48, SE 77 = valid value C07, C52, C54-C57, C60 and C65 of customer choice. DE 61, SF 7 = 0 (Normal request). DE 61, SF 9 = 1 (Validation request). DE 108, SE 01, SFs 01-03 (Receiver name) = valid values. DE 108, SE 07, SF 01 = 10 (Receiver name request). DE 108 other data is mandatory for MoneySend Payment transaction. 0110: DE 108, SE 08, SF 01 = A (Match).									
4	0100	080081500004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	85
		Name Validation Service request for receiver name and Account Status Inquiry. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 8 (Account Status Inquiry). DE 61, SF 9 = 1 (Validation request). DE 108, SE 01, SFs 01-03 (Receiver name) = valid values. DE 108, SE 07, SF 01 = 10 (Receiver name request). 0110: DE 108, SE 08, SF 01 = A (Match).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	080081500005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	85
		Name Validation Service request for sender name and Account Status Inquiry. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 8 (Account Status Inquiry). DE 61, SF 9 = 1 (Validation request). DE 108, SE 02, SFs 01-03 (Sender name) = valid values. DE 108, SE 07, SF 01 = 11 (Sender name request). 0110: DE 108, SE 08, SF 02 = A (Match).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	080081500006	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	85
		Name Validation Service request for Funding Transaction sender name and Account Status Inquiry. DE 4 (Amount, Transaction) = all zeroes. DE 18 (Merchant Type) = 6538 (Funding Transactions for MoneySend). DE 48, SE 77 = valid value C07, C52, C54, and C56-C57 of customer choice. DE 61, SF 7 = 8 (Account Status Inquiry). DE 61, SF 9 = 1 (Validation request). DE 108, SE 02, SFs 01-03 (Sender name) = valid values. DE 108, SE 07, SF 01 = 11 (Sender name request). DE 108 other data is mandatory for Funding transaction. 0110: DE 108, SE 08, SF 02 = A (Match).									

Table 0800900: Acceptor Tax Data (Brazil)

The test cases in table 0800900 address how an issuer processes dual message authorization requests and responses with Acceptor Tax Data transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Acceptor Tax Data (Brazil)

Table 33: Table 0800900

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080090000002	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC MSI	00
		Issuers in Brazil that generate their own VCN and provide Mastercard with PAN associated to the VCN may also, when applicable, provide indicator of consumer single-use or multiuse VCN. DE 2 (PAN) = valid value for issuer-generated VCN. 0110: DE 48, SE 09, SF 01 (Additional Account Number Indicator) = A (Primary Account Number). 0110: DE 48, SE 09, SF 02 (Additional Account Number) = valid value. 0110: DE 48, SE 09, SF 03 (Additional Account Number Expiration Date) = valid value. 0110: optional DE 48, SE 84 contains 41, 43 of customer choice.									

Table 0800903: Flex Card Service (Brazil)

The test cases in the table 0800903 address how a registered Brazil issuer processes dual message authorization requests and responses for the Flex Card Service containing DE 48, Subelement 14 indicating routing to a credit or debit processor.

NOTE: The Flex Card Service applies to 01xx and 04xx messages and also to various transaction types and POS entry modes. Test cases 1-4 are Brazil domestic and 5-6 are global acquired cross border transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Flex Card Service (Brazil)

Table 34: Table 0800903

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080090300001	1	0	MSR PURCHASE ONLINE PIN	00	90	0	V	DMC	00
		Brazil domestic transaction with debit Account Type Indicator. DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = D (Debit). DE 63, SF 1 (Financial Network Code) contains Debit Mastercard product code.									
2	0100	080090300002	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Brazil domestic transaction with credit Account Type Indicator. DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080090300003	1	0	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	DMC	00
		Brazil domestic transaction with debit Account Type Indicator. DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = D (Debit). DE 63, SF 1 (Financial Network Code) contains Debit Mastercard product code.									
4	0100	080090300004	1	0	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		Brazil domestic transaction with credit Account Type Indicator. DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									
5	0100	080090300011	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Brazil domestic transaction with credit Account Type Indicator. DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	080090300012	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Brazil cross-border non-chip with credit Account Type Indicator. DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									

Table 0800908: Mastercard Installment Payment Services

The test cases in table 0800908 address how an issuer processes dual message authorization requests and responses for Mastercard Installment Payment Services transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Mastercard Installment Payment Services

Table 35: Table 0800908

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080090800001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC	V
		Issuer participating in Mastercard Installment Payment Services. DE 112, SE 022, SF 01 (Installment Plan ID) = 3d56f5a7-db48-41f0-875e-30920e8465f3 which is a Mastercard assigned unique sample value.									

Table 0800942: Uruguay Domestic Processing Program

The test cases in the table 0800942 address how an issuer processes dual message authorization requests and responses for domestic transactions in Uruguay.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Uruguay Domestic Processing Program

Table 36: Table 0800942

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
1	0100	080094200001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Issuer Financed Installment transaction (Plan 20). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 20XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									
2	0100	080094200002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Merchant Financed Installment transaction (Plan 21). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 21XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									
3	0100	080094200003	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Acquirer Financed Installment transaction (Plan 22). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 22XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800942: Uruguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
4	0100	080094200004	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Average type Installment transaction (Plan 23). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 23XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									
5	0100	080094200005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Issuer Financed Installment transaction (Plan 20). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 20XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									
6	0100	080094200006	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Merchant Financed Installment transaction (Plan 21). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 21XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
7	0100	080094200007	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Acquirer Financed Installment transaction (Plan 22). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 22XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									
8	0100	080094200008	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Average type Installment transaction (Plan 23). DE 48, SE 95 = URYCTA. DE 112, SE 001 = 23XX; where XX is the number of installments. 0110: DE 112 DE 48.SE 95 echoed.									
9	0100	080094200009	1	1	COF PURCHASE NO CVM	00	10	0		MCC, DMC, Prepaid	00
		Initial recurring payment transaction where cardholder saves a credential-on-file with merchant (1st time payment). DE 61.SF 1 = 0, 1 or 2. DE 61.SF 4 = 0, 1, 2, 3 or 5. DE 61.SF 5 = 0 or 1. DE 124, positions 1- 5 present with Billing period. DE 124, positions 6 -17 present with Reference number. 0110: DE 124 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
10	0100	080094200010	1	1	COF PURCHASE NO CVM	00	10	0		MCC, DMC, Prepaid	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant (for the subsequent transactions). DE 61.SF 1 = 1 - unattended terminal or 2 - no terminal used. DE 61.SF 4 = 4 – recurring. DE 61.SF 5 = 1 - card not present. DE 61.SF 10 = 0. DE 61.SF 11 = 6 - key entry only. DE 124, positions 1- 5 present with Billing period. DE 124, positions 6 -17 present with Reference number. 0110: DE 124 echoed.									
11	0100	080094200011	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC, DMC, Prepaid	00
		Card present domestic 0100 purchase transaction followed by 0400 - Full reversal due to acquirer terminal error.									
12	0100	080094200012	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC, DMC, Prepaid	00
		Card present domestic 0100 purchase transaction followed by a card not present 0100 full refund.									
13	0100	080094200112	1	1	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MCC, DMC, Prepaid	00
		Preceding purchase transaction followed by this card not present 0100 full refund.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
13	0100	080094200013	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC, DMC, Prepaid	00
		Card not present domestic 0100 purchase transaction followed by a card not present 0100 full refund.									
14	0100	080094200113	1	1	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MCC, DMC, Prepaid	00
		Preceding purchase transaction followed by this card not present 0100 full refund.									
15	0100	080094200014	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC, DMC, Prepaid	00
		Card present domestic 0100 purchase transaction with local currency 858 - URY.									
16	0100	080094200015	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC, DMC, Prepaid	00
		Card present domestic 0100 purchase transaction with local currency 840 - USD.									
17	0100	080094200016	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC, DMC, Prepaid	00
		Magnetic Stripe domestic 0100 purchase transaction with DE45 - track1data present.									
18	0100	080094200017	1	1	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		DMC	00
		Card present domestic 0100 purchase with cash back transaction. DE54 present with a cash back amount (DE54,SF2 = 40).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
19	0100	080094200018	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC, DMC, Prepaid	00
		Card Present domestic 0100 purchase with gratuity amount. DE 18 = TE merchant category code (MCC). DE54 present with tip amount (DE54.SF2 = 44).									
20	0100	080094200019	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	*	MCC, DMC, Prepaid	00
		ATM magstripe withdrawal transactions.									
21	0100	080094200020	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	*	MCC, DMC, Prepaid	00
		ATM ICC withdrawal transactions.									

Table 0800943: Argentina Domestic Processing Program

The test cases in the table 0800943 address how an issuer processes dual message authorization requests and responses for domestic transactions in Argentina.

Validation for Argentina Domestic Processing Program transactions:

DE 124 may be present and is conditional echo, meaning that the DE 124 is required in the Authorization Request Response/0110, if it was present in the original Authorization Request/0100 message, and it must contain the same value (echoed) from the original message.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Argentina Domestic Processing Program

Table 37: Table 0800943

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
1	0100	080094300001	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC	00
		Issuer Financed Installment transaction (Plan 20). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 20XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									
2	0100	080094300002	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC	00
		Merchant Financed Installment transaction (Plan 21). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 21XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
3	0100	080094300003	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC	00
		Acquirer Financed Installment transaction (Plan 22). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 22XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									
4	0100	080094300004	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC	00
		Ahora XX" type Installment transaction (Plan 26). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 26XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									
5	0100	080094300005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Issuer Financed Installment transaction (Plan 20). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 20XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
6	0100	080094300006	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Merchant Financed Installment transaction (Plan 21). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 21XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									
7	0100	080094300007	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Acquirer Financed Installment transaction (Plan 22). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 22XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									
8	0100	080094300008	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Ahora XX" type Installment transaction (Plan 26). DE 48, SE 95 = ARGCTA. DE 112, SE 001 = 26XX; where XX is the number of installments. 0110: DE 112 and DE 48.SE 95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
9	0100	080094300009	1	1	COF PURCHASE NO CVM	00	10	6		MCC, DMC, Prepaid	00
		Initial recurring payment transaction where cardholder saves a credential-on-file with merchant (1st time payment). DE 48.SE 22.SF5 - CIT/MIT indicator = C103 – CIT Subscription, for the 1st transaction (add). DE 61.SF 1 = 1 - unattended terminal. DE 61.SF 3 = 2 - off premises of card acceptor facility (cardholder terminal including home PC, mobile phone, PDA). DE 61.SF 4 = 4 – recurring. DE 61.SF 5 = 1 - card not present. DE 61.SF 10 = 6 - ecommerce. DE 124, positions 1- 5 present with Billing period. DE 124, positions 6 -17 present with Reference number. 0110: DE 124 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
10	0100	080094300010	1	1	COF PURCHASE NO CVM	00	10	6		MCC, DMC, Prepaid	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant (for the subsequent transactions). DE 48.SF 22.SF 5 - CIT/MIT indicator = M103 – MIT Subscription, for the subsequent transactions. DE 61.SF 1 = 1 - unattended terminal. DE 61.SF 3 = 2 - off premises of card acceptor facility (cardholder terminal including home PC, mobile phone, PDA). DE 61.SF 4 = 4 – recurring. DE 61.SF5 = 1 - card not present. DE 61.SF 10 = 6 - ecommerce. DE 124, positions 1- 5 present with Billing period. DE 124, positions 6 -17 present with Reference number. 0110: DE 124 echoed.									
11	0100	080094300011	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC, DMC, Prepaid	00
		Normal domestic card present 0100 purchase transaction followed by 0100 full refund done by a card not present method.									
12	0100	080094300012	1	1	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MCC, DMC, Prepaid	00
		Preceding purchase followed by 0100 full refund done by a card not present method.									
13	0100	080094300013	1	1	COF PURCHASE NO CVM	00	81	0		MCC, DMC, Prepaid	00
		Normal domestic 0100 purchase transaction followed by 0100 full refund.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800943: Argentina Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
14	0100	080094300014	1	1	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MCC, DMC, Prepaid	00
		Preceding purchase followed by 0100 full refund.									
15	0100	080094300015	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC, DMC, Prepaid	00
		Normal domestic 0100 purchase transaction. DE35 - Track 2 Data present.									
16	0100	080094300016	1	1	ICC PURCHASE WITH CASH BACK SIGNATURE OR NO CVM	09	05	0		MCC, DMC, Prepaid	00
		Normal domestic 0100 purchase transaction. DE45 - Track 1 Data present.									
17	0100	080094300017	1	1	COF MERCHANT PRESENTED QR PURCHASE NO CVM	00	10	0		MCC, DMC, Prepaid	00
		Argentina domestic interoperable merchant presented QR initiated with a COF DAC wallet. DE61 SF4 (POS Cardholder Presence)= 4 (recurring) and DE48 SE26 SF1 (Wallet Identifier) = DAC WID (Non-MDES). DE48 SE22 SF05 (CIT/MIT Indicator) = may be present.									

Table 0800944: Paraguay Domestic Processing Program

The test cases in table 0800944 address how an issuer process dual message authorization requests and responses for domestic payments in Paraguay.

Test cases include various ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Paraguay Domestic Processing Program

Table 38: Table 0800944

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080094400001	1	N/A	MSR ATM INSTALLMENT WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM installment request approved. DE 3, SF 2 = 30 (Credit Card Account). DE 4 = Contains the amount of the cash advance. DE 61, SF 7 = 0 (Normal request [original presentment]). DE 112, SE 001 = 81 (ATM Installment Withdrawal); = 01–99 (the number of installments requested by the cardholder). 0110: DE 3 = echo 0100; 0110: DE 4 = echo 0100; and DE 112, SE 01 = echo 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080094400002	1	N/A	MSR ATM INSTALLMENT WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	05
		ATM installment request declined. DE 3, SF 2 = 30 (Credit Card Account). DE 4 = Contains the amount of the cash advance. DE 61, SF 7 = 0 (Normal request [original presentment]). DE 112, SE 001 = 81 (ATM Installment Withdrawal); = 01–99 (the number of installments requested by the cardholder). 0110: DE 3 = echo 0100; 0110: DE 4 = echo 0100; and DE 112, SE 01 = echo 0100.									

Table 0800945: Paraguay Domestic Processing Program

The test cases in table 0800945 address how an issuer processes dual message authorization requests and responses for various types of Paraguay domestic payments, recurring payments, and normal purchase transactions.

Issuers may test associated clearing messages in Issuer Credit and Debit test case table 1820945.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Paraguay Domestic Processing Program

Table 39: Table 0800945

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080094500001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment Request: 3 Installments - Issuer-financed. DE 18 = 5722 (Household Appliance Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA. DE 112, SE 007 = 20030600 wherein 20 = Issuer-financed Plan 1; 03 = total number of installments; 0 = grace period; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									
2	0100	080094500002	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment Request: 6 Installments - Issuer-financed. DE 18 = 5310 (Discount Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA. DE 112, SE 007 = 20060600 wherein 20 = Issuer-financed — Plan 1; 06 = total number of installments; 0 = grace period; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani) .									

Dual Message Authorization: Issuer Credit and Debit
Table 0800945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	080094500003	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Preauthorization Installment Request: 12 Installments - Grace Period. DE 18 = 5441 (Grocery Stores, Supermarkets). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA and DE 61, SF 7 = 4 (Preauthorized Request). DE 112, SE 007 = 21121600 wherein 21 = Grace Period - Plan 2; 12 = total number of installments; 1 = grace period 30 days; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									
4	0100	080094500004	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Preauthorization Installment Request: 2 Installments - Grace Period. DE 18 = 5399 (Miscellaneous General Merchandise Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA and DE 61, SF 7 = 4 (Preauthorized Request). DE 112, SE 007 = 21021600 wherein 21 = Grace Period - Plan 2; 02 = total number of installments; 1 = grace period 30 days; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									

Dual Message Authorization: Issuer Credit and Debit
Table 0800945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	080094500005	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Preauthorization Installment Request: 3 Installments - Grace Period. DE 18 = 5311 (Department Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA and DE 61, SF 7 = 4 (Preauthorized Request). DE 112, SE 007 = 21032600 wherein 21 = Grace Period - Plan 2; 03 = total number of installments; 2 = grace period 30 days; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									
6	0100	080094500006	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment Request: 2 Installments - Merchant-financed. DE 18 = 5122 (Drugs, Drug Proprietors, and Druggists Sundries). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA. DE 112, SE 007 = 22020600 wherein 22 = Merchant-financed - Plan 3; 02 = total number of installments; 0 = grace period; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									

Dual Message Authorization: Issuer Credit and Debit
Table 0800945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
7	0100	080094500007	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Installment Request: 3 Installments - Merchant-financed. DE 18 = 4511 (Air Carriers, Airlines—Not Elsewhere Classified). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA. DE 112, SE 007 = 22030600 wherein 22 = Merchant-financed - Plan 3; 03 = total number of installments; 0 = grace period; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									
8	0100	080094500008	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC Prepaid	00
		Recurring payment. DE 18 = 4814 (Telecommunication Services including but not limited to prepaid phone services and recurring phone services). DE 37 (Retrieval Reference Number) and DE 42 (Card Acceptor ID Code) are mandatory. DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA and DE 61, SF 4 = 4 (Standing order/recurring transactions). If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421071. DE 124 positions 1-5 Billing Period and positions 6-17 Reference Number.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	080094500009	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC Prepaid	00
		Recurring payment. DE 18 = 4814 (Telecommunication Services including but not limited to prepaid phone services and recurring phone services). DE 37 (Retrieval Reference Number) and DE 42 (Card Acceptor ID Code) are mandatory. DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA and DE 61, SF 4 = 4 (Standing order/recurring transactions). If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421070. DE 124 positions 1-5 Billing Period and positions 6-17 Reference Number.									
10	0100	080094500010	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC Prepaid	00
		Recurring payment. DE 18 = 4814 or 9311 (Tax Payments). DE 37 (Retrieval Reference Number) and DE 42 (Card Acceptor ID Code) are mandatory. DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 61, SF 4 = 4 (Standing order/recurring transactions). DE 124 positions 1-5 Billing Period and positions 6-17 Reference Number.									

Dual Message Authorization: Issuer Credit and Debit
Table 0800945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
11	0100	080094500011	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC Prepaid	00
		Normal domestic transaction. DE 18 = 5411 (Grocery Stores, Supermarkets). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421069.									
12	0100	080094500012	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC Prepaid	00
		Normal domestic transaction. DE 18 = 5814 (Fast Food Restaurants). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600.									
13	0100	080094500013	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC Prepaid	00
		Normal domestic transaction. DE 18 = 9399 (Government Services—not elsewhere classified). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 124 positions 1-5 Billing Period and positions 6-17 Reference Number.									
14	0100	080094500014	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC Prepaid	00
		Normal domestic transaction. DE 18 = 5541 (Service Stations [with or without Ancillary Services]). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
15	0100	080094500015	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC Prepaid	00
		Normal domestic transaction. DE 4 (Amount, Transaction) contains gratuity amount and tax (IAC). DE 18 = 5812 (Eating Places, Restaurants). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 54, SF 2 (Amount Type) = 44 (Amount Gratuity) and SF 3 (Currency Code) = 600.									
16	0100	080094500016	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC Prepaid	05
		Installment Request: 3 Installments - Issuer-financed. DE 18 = 5722 (Household Appliance Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 48, SE 95 = PRYCTA. DE 112, SE 007 = 20030600 —wherein 20 = Issuer-financed — Plan 1; 03 = total number of installments; 0 = grace period; and 600 = Transaction Currency Code (restricted to Paraguayan Guarani).									

Table 0800946: Paraguay Domestic Processing Program

The test cases in table 0800946 address how an issuer processes dual message authorization requests and responses for transactions in Paraguay.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Paraguay Domestic Processing Program

Table 40: Table 0800946

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080094600001	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Issuer Financed Installment transaction (Plan 1). DE 48, SE 95 = PRYCTA. DE 112, SE 007, position 1-2 = 20. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600. DE 112, SE 042 = Merchant Tax ID (10 digits). Note: For MTF online testing, the test case will be executed as a magstripe transaction.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080094600002	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Grace Period Combined financing Installment transaction (Plan 2). DE 48, SE 95 = PRYCTA. DE 61,SF 7 = 4 - preauthorization. DE 112, SE 007, position 1-2 = 21. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 1 or 2 (30 or 60 days grace period). DE 112, SE 007, position 6-8 = 600. DE 112, SE 042 = Merchant Tax ID (10 digits). Note: For MTF online testing, the test case will be executed as magstripe transaction.									
3	0100	080094600003	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Merchant Financed Installment transaction (Plan 3). DE 48, SE 95 = PRYCTA. DE 61,SF 7 = 4 - preauthorization. DE 112, SE 007, position 1-2 = 22. DE 112, SE 007, position 3-4 = 02 or 03. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600. DE 112, SE 042 = Merchant Tax ID (10 digits). For MTF online testing, the test case will be executed as a magstripe transaction.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	080094600004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Issuer Financed Installment transaction (Plan 1). DE 48, SE 95 = PRYCTA. DE 112, SE 007, position 1-2 = 20. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600. DE 112, SE 042 = Merchant Tax ID (10 digits).									
5	0100	080094600005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Grace Period Combined financing Installment transaction (Plan 2). DE 48, SE 95 = PRYCTA. DE 61,SF 7 = 4 - preauthorization. DE 112, SE 007, position 1-2 = 21. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 1 or 2 (30 or 60 days grace period). DE 112, SE 007, position 6-8 = 600. DE 112, SE 042 = Merchant Tax ID (10 digits).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	080094600006	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Merchant Financed Installment transaction (Plan 3). DE 48, SE 95 = PRYCTA. DE61,SF7 = 4 - preauthorization. DE 112, SE 007, position 1-2 = 22. DE 112, SE 007, position 3-4 = 02 or 03. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600. DE 112, SE 042 = Merchant Tax ID (10 digits).									
7	0100	080094600007	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MCC, DMC, Prepaid	00
		ATM balance inquiry. DE 112.SE 042 = Merchant Tax ID.									
8	0100	080094600008	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC, DMC, Prepaid	00
		ATM Withdrawal. DE 112.SE 042 = Merchant Tax ID.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	080094600009	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC, DMC, Prepaid	00
		Normal domestic 0100 purchase transaction followed by 0400 full reversal. DE 112.SE 042 = Merchant Tax ID (10 digits). Note: For MTF online testing, the test case will be executed as magstripe transaction.									
10	0100	080094600110	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Normal domestic 0100 purchase transaction followed by 0100 full refund via magstripe. DE112.SE042 = Merchant Tax ID. NOTE: For MTF online testing, the purchase test case will be executed as magstripe transaction.									
11	0100	080094600111	1	1	MANUAL REFUND NO CVM	20	01	0		MCC, DMC, Prepaid	00
		Preceding 0100 purchase followed by this 0100 full refund.									
12	0100	080094600112	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC, DMC, Prepaid	00
		Normal domestic 0100 purchase transaction with a Merchant with a Mastercard Assigned ID (MAID). DE 48,SE 32 = nnnnnn (MAID). DE 112.SE 042 = Merchant Tax ID. Note: For MTF online testing, the test case will be executed as magstripe transaction.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
13	0100	080094600013	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		MCC, DMC, Prepaid	00
		Recurring payment transaction where the cardholder has saved a credential-on-file with the merchant. DE 112.SE 042 = Merchant Tax ID. DE 61, SF 4 = 4 (Standing order / recurring transactions); and SF 5 = 1 (Card not present).									
14	0100	080094600014	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Normal domestic 0100 e-commerce purchase transaction. DE 112.SE 042 = Merchant Tax ID.									
15	0100	080094600015	1	1	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	MCC, DMC, Prepaid	00
		Normal domestic 0100 purchase with cashback transaction. DE 112.SE 042 = Merchant Tax ID. DE 54.SF 1 = DE 3.SF 2. DE 54.SF 2 = 40 (Cash Back). DE 54.SF 3 = 600. DE 54.SF 4 = D. DE 54 SF 5 = valid value for cashback amount. Note: For MTF online testing, the test case will be executed as a magstripe transaction.									

Table 0800947: Chile Domestic Processing Program

The test cases in table 0800947 address how an issuer processes dual message authorization requests and responses for transactions in Chile.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Chile Domestic Processing Program

Table 41: Table 0800947

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080094700001	1	N/A	ICC PURCHASE ONLINE PIN	00	05	0	*	MCC	00
		Issuer Financed Installment transaction (Financing Option 1). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = XX (number of installments). DE 112, SE 010, SF 3 = 1 (financing option). DE 112, SE 010, SF 4 -20 = zero filled. 0110: DE 112.SE 010 DE 48.SE 95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	080094700002	1	N/A	ICC PURCHASE ONLINE PIN	00	05	0	*	MCC	00
		Merchant Financed Installment transaction (Financing Option 2). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = 02 or 03 (number of installments). DE 112, SE 010, SF 3 = 2 (financing option). DE 112, SE 010, SF 4 -20 = zero filled. 0110: DE 112.SE 010 DE 48.SE 95 echoed.									
3	0100	080094700003	1	N/A	ICC PURCHASE ONLINE PIN	00	05	0	*	MCC	00
		Merchant Financed Installment transaction (Financing Option 3). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = 04 or more (number of installments). DE 112, SE 010, SF 3 = 3 (financing option). DE 112, SE 010, SF 4 -20 = zero filled. 0110: DE 112.SE 010 DE 48.SE 95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	080094700004	1	N/A	ICC REFUND ONLINE PIN	20	05	0	*	MCC	00
		Refund for a previously approved card present Issuer Financed Installment transaction (Financing Option 1). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = XX (number of installments). DE 112, SE 010, SF 3 = 1 (financing option). DE 112, SE 010, SF 4 -20 = zero filled. 0110: DE 112.SE 010 DE 48.SE 95 echoed.									
5	0100	080094700005	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Issuer Financed Installment transaction (Financing Option 1). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = XX (number of installments). DE 112, SE 010, SF 3 = 1 (financing option). DE 112, SE010, SF 4 -20 = zero filled. 0110: DE 112.SE010 & DE48.SE95 echoed									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	080094700006	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Merchant Financed Installment transaction (Financing Option 2). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = 02 or 03 (number of installments). DE 112, SE 010, SF 3 = 2 (financing option). DE 112, SE010, SF 4 -20 = zero filled. 0110: DE 112.SE010 & DE48.SE95 echoed.									
7	0100	080094700007	1	N/A	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Issuer Financed Installment transaction (Financing Option 1). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = XX (number of installments). DE 112, SE 010, SF 3 = 1 (financing option). DE 112, SE010, SF 4 -20 = zero filled. 0110: DE 112.SE010 & DE48.SE95 echoed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0100	080094700008	1	N/A	ELECTRONIC COMMERCE REFUND NO CVM	20	81	6		MCC	00
		Refund for a previously approved card not present Issuer Financed Installment transaction (Financing Option 1). DE 48, SE 95 = CHLCTA. DE 112, SE 010, SF 1 = zero filled. DE 112, SE 010, SF 2 = XX (number of installments). DE 112, SE 010, SF 3 = 1 (financing option). DE 112, SE010, SF 4 -20 = zero filled. 0110: DE 112.SE010 & DE48.SE95 echoed.									
9	0100	080094700009	1	N/A	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07	0		MCC DMC	00
		Maximum number of contactless purchases without CVM reached, issuer declines transaction. 0110: DE124 = PE (PIN Entry Required).									
10	0100	080094700010	1	N/A	ICC CONTACTLESS PURCHASE ONLINE PIN	00	07	0	*	MCC DMC	00
		Subsequent contactless purchase attempt, but with Online PIN CVM , the issuer approves the transaction.									

Table 0801001: Parcelas Payment Transactions (Brazil)

The test cases in the table 0801001 address how an issuer processes dual message authorization requests and responses for installment transactions in Brazil that include the Parcelas promotion code and the installment payment information.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Parcelas Payment Transactions (Brazil)

Table 42: Table 0801001

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080100100001	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		0100: DE 112, SE 001 = 2006 (Issuer financed transaction with interests and paid in 6 Parcelas). 0110: DE 112, SE 001 echoed and SE 002 contains installment payment response data.									
2	0100	080100100002	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		0100: DE 112, SE 001 = 2102 (Merchant financed transaction without interests and paid in 2 Parcelas). 0110: DE 112, SE 001 echoed and SE 002 contains installment payment response data.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801001: Parcelas Payment Transactions (Brazil)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080100100003	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		0100: DE 112, SE 001 = 2003 (Issuer financed transaction with interests and paid in 3 Parcelas). 0110: DE 112, SE 001 echoed and SE 002 contains installment payment response data.									
4	0100	080100100004	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		0100: DE 112, SE 001 = 2103 (Merchant financed transaction without interests and paid in 3 Parcelas). 0110: DE 112, SE 001 echoed and SE 002 contains installment payment response data.									
5	0100	080100100010	1	0	MSR ASI PURCHASE SIGNATURE	00	90	0		MCC	V
		Crediaro Account Status Inquiry (ASI). 0100: DE 4 (Amount, Transaction) all zeros. 0100: DE 48, SE 95 = PARCEL. 0100: DE 61, SF 7 = 8 (Account Status Inquiry Service). 0100: DE 112, SE 001, positions 1-2 = 25 (Crediaro) and positions 3-4 (Total Number of Installments). 0100: DE 112, SE 019 (Original Purchase Amount). 0110: DE 112, SE 001 and SE 019 echo from 0100. 0110: DE 112 containing SE 013 only; or SE 013 and SE 014; or SE 013, SE 014, and SE 015 to accomplish testing the various scenarios of installment payment responses.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	080100100011	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		0100: DE 112, SE 001, positions 1-2 = 25 (Crediarío) and positions 3-4 contains total number of installments. 0110: DE 112, SE 001 echoed from 0100 request and SE 013 contains installment payment response data.									

Table 0801004: Cuotas Payments (Peru)

The test cases in the table 0801004 address how an issuer processes dual message authorization requests and responses for transactions in Peru that include the Cuotas promotion code and installment payment information.

Validation for Cuotas Payments (Peru) transactions

Customers must return the authorization response/0110 message with the same data that was received in the authorization request/0100 message.

- DE 48, subelement 95 (Mastercard Promotion Code)
- DE 112, subelement 007 (Installment Payment Data)
- Issuer response data in DE 112, subelement 008 (Installment Payment Response Data).

NOTE: Issuers that choose to test receiving various values in DE 112 for number of installments, grace periods, and transaction currency code may ask their Customer Implementation Specialist to create a customized 0100 Request for the desired values.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Cuotas Payments (Peru)

Table 43: Table 0801004

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080100400001	1	0	MANUAL ENTRY PURCHASE NO CVM	00	01	0		MCC	00
		0100: DE 48, SE 95 = PERCTA. 0100: DE 112, subelement 007 = 20121604 (20 = Issuer financed, 12 = number of installments, 1 = months grace, 604 = Peru Nuevo Sol transaction currency). 0110: DE 112, subelement 007 = 20121604 (Same as 0100 data). 0110: DE 112, subelement 008 data containing installment amount, due date of first installment, financing currency code, and payment plan.									

Table 0801006: Citizen ID (Venezuela)

The test cases in the table 0801006 address how an issuer processes dual message authorization requests and responses that contain the Venezuelan citizen ID data.

NOTE: The citizen ID service is only available to issuers in Venezuela.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Citizen ID (Venezuela)

Table 44: Table 0801006

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080100600001	1	0	MANUAL ENTRY PURCHASE NO CVM	00	01	0		MCC	00
		Transaction with Citizen ID information. DE 48, SE 41, SF 11 (Citizen ID).									
2	0100	080100600002	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Transaction with Citizen ID information. DE 48, SE 41, SF 11 (Citizen ID).									

Table 0801009: Installment Payments (Philippines)

The test cases in the table 0801009 address how an issuer processes dual message authorization requests containing credit installment payment information in DE 48, subelement 95 and DE 112, subelement 009.

They also verify if the resulting response is returned in DE 112, subelement 009. Issuers may test other valid values for number of installment by changing the value in subelement 009.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Installment Payments (Philippines)

Table 45: Table 0801009

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080100900004	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		0100: DE 48, SE 95 = PHINST and DE 112, SE 009 merchant financed for 12 installments.									
2	0100	080100900006	1	0	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
	0400		1	0	DE 39 = 17						00
		0100: DE 48, SE 95 = PHINST and DE 112, SE 009 merchant financed for 24 installments.									

Table 0801050: Domestic Processing (Colombia)

The test cases in table 0801050 address how an issuer processes dual messages authorization requests, advices, reversals, and responses for various types of Colombia domestic transactions.

Domestic Issuer must provide data echoed for DE 48 subelement 95, DE112 subelement 010 and 011 if present. They are also required for Credit products and optional for MC Debit. DE124 is required in all POS domestic messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Domestic Processing (Colombia)

Table 46: Table 0801050

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080105000001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Restaurant transaction with gratuity and installments if applicable. DE 54 present with amount type 44 (Amount Gratuity). DE 48 sub95 as COLCTA, DE 32 as 999962. DE 112 SE010, SE011, and DE 124 must be present containing Colombia domestic transaction information.									
2	0100	080105000002	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
	0400		1	1	DE 39 = 17						00
		Purchase transaction, no special characteristics, followed by customer cancellation full amount reversal transaction. DE 48 sub95 as COLCTA; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962. 0400: DE 124 present including SF 10 (Original Transaction Data).									
3	0100	080105000003	1	1	MSR CASH ADVANCE SIGNATURE	17	90	0		MCC	00
		Cash disbursement transaction. DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	080105000004	1	1	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		MCC	05
		Phone or Mail order transaction for three installments containing an invalid national customer identifier. DE32 as 999962. 0100: DE 48, SE 95 = COLCTA, DE 112, SE 010 = 03 and SE 011 (Customer ID) = 12345678901 (test value); and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962. 0110: DE 39 = 05 (Do not honor) and DE 124 includes SF 9 = M2 (Invalid national customer identifier).									
5	0100	080105000005	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		MCC	00
		Purchase with a cashback transaction. DE 48, SE 95, and DE 112 present. DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
6	0100	080105000006	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Purchase a transaction for 12 installments using Mastercard assigned ID. DE 48, SE 95 = COLCTA and SE 32 = 230269 Fallabella; MCC = 5311; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
7	0100	080105000007	1	1	MSR CAT LEVEL 9 PURCHASE SIGNATURE	00	90	9		MCC	00
		Attended mobile POS terminal, on or off premises, magnetic stripe PAN input. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (mPOS Software-based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 48, SE 95 present, DE 112, SE 010 = 02 and SE 011 (Customer ID) = 12345678901 (test value); and DE 124 present containing Colombia domestic transaction information. DE 61, SF 10 = 9 (mPOS Acceptance Device). DE 32 as 999962.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	080105000008	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		e-Commerce purchase transaction with Customer ID and installments. DE 48, SE 95 present; DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 150000 (Public utilities) and SF 8 = 7 (Web payment). DE 32 as 999962.									
9	0100	080105000009	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Utilities transaction through web. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 150000 (Public utilities) and SF 8 = 7 (Web payment). DE 32 as 999962.									
10	0100	080105000010	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Billing payment transaction. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 350000 (Billing payment) and SF 7 (Bill Payment/Top Up Data). DE32 as 999962.									
11	0100	080105000011	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Cellular phone top-up transaction. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 380000 (Cellular phone top up) and SF 7 (Bill Payment/Top Up Data). DE 32 as 999962.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	080105000012	1	1	MSR PAYMENT SIGNATURE	28	90	0		MCC	00
		Payment transaction. DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
13	0100	080105000013	1	1	MANUAL ENTRY PAYMENT NO CVM	28	01	0		MCC	00
		Payment transaction. DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
14	0120	080105000014	1	N/A	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Stand-In Advice for Colombia domestic installment payment transaction. DE 39 = 00 (Approved) and DE 60 = 1010000 (IPS signed out; Accept). DE 32 as 999962. DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information.									
15	0120	080105000015	1	1	MSR ACIERTA PURCHASE SIGNATURE	00	90	0		MCC	00
		Acierta purchase for Colombia domestic installment payment transaction. 0120: DE 39 = 00 (Approved), DE 38 = AC1234, DE 60 = 190 or 191. DE 32 as 999962. 0120: DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0100	080105000016	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC	00
		Purchase transaction with promotional reimbursement. DE 48, SE 95 = COLCTA and SE 32 = 230263 Almacenes Exito; DE 18 MCC = 5311; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
17	0100	080105000017	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC	00
		Purchase transaction. DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4, 8 or 13 and then Sponsored Merchant name. DE 32 as 999962. DE 48, SE 37, SF 1 = Payment Facilitator ID, SF 2 = Independent Sales Organization ID, and SF 3 = Sponsored Merchant ID.									
18	0100	080105000018	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM Withdrawal transaction.									
19	0100	080105000019	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
	0400		1	1	DE 39 = 17						00
		ATM Withdrawal transaction with full reversal for customer cancellation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
20	0100	080105000020	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MCC	00
		ATM Balance Inquiry transaction.									
21	0100	080105000021	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL FEE INQUIRY ONLINE PIN	01	90	1	V	MCC	00
		ATM Withdrawal Fee Inquiry transaction. 0100 Fee inquiry: DE 61, SF 7 (POS Transaction Status Indicator) = 8 (Account Status Inquiry) and DE 112, SE 35 = 01 (Issuer Fee inquiry). 0110 Fee Response: DE 112, SE 36 = fee amount.									
22	0100	080105000022	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM Withdrawal transaction with transaction fee. DE 3, SF 2 according to account selection; DE 28 present.									

Table 0801145: Tokenization Request and Notification Messages

The test cases in the table 0801145 address how an issuer participating in Mastercard Digital Enablement Service (MDES) processes dual message authorization tokenization requests, notification transactions, and their resulting responses.

These messages are available to issuers to enable them to decide real-time card tokenization and subsequent notification of information related to tokenization.

Validations for tokenization request and notification messages transactions:

- The test transaction data must be updated with the DE 48, subelement 33, and DE 124 values that issuers want to receive in each test case.
- DE 43, SF 5; DE 49; and DE 61, SF 13 may contain values applicable for the Local Use Only Account Ranges rather than USA/840.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Tokenization Request and Notification Messages

Table 47: Table 0801145

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100		1	N/A	MANUAL TOKENIZATION ELIGIBILITY PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	V
		Tokenization Eligibility Request for a new token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name or Location), SF 1 contains the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 124 positions 1-2 = TE (Tokenization Eligibility Request), position 17 (PAN Source) contains 1,2,3,4,5,6 of issuer choice, position 159 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. NOTE: 0110: Issuer response option below indicates how Mastercard shall proceed with the tokenization process • DE 39 = 00 (Continue) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, or • DE 39 = 05 (Decline) and DE 124 must not be present, or • DE 39 = 85 (Continue, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if the issuer does not use the default activation method, or • DE 39 = 85 (Continue, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses the default activation method.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100		1	N/A	MANUAL TOKENIZATION AUTHORIZATION PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	V

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		Tokenization Authorization Request for a new token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name or Location), SF 1 contains the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 82 = 52 (AVS and Authorization) and when applicable DE 48, SE 92 (CVC 2) value of issuer choice. DE 120 (Record Data) containing AVS postal code and address data in the format specified by the issuer. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) contains 1,2,3,4,5,6 of issuer choice, position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0110: DE 48, SE 83 contains AVS response of issuer choice and when applicable SE 87 contains CVC 2 response of issuer choice. 0110: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller. NOTE: 0110: Issuer response option below indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, or • DE 39 = 05 (Decline) and DE 124 must not be present, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if the issuer does not use the default activation method, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses the default activation method.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		NOTE: Per the MDES Issuer Implementation Guide, issuers are recommended to implement a velocity check to mitigate the risk of a brute force attack on a cards CVC 2. Requests received with an invalid CVC 2 before exceeding the velocity limit should be responded to by the issuer with DE 39 = 05 (Do not honor) and DE 48, SE 87 = N (Invalid CVC 2 non-match). Requests received with an invalid CVC 2 after the velocity limit is exceeded should be responded to with DE 39 = 05 and DE 48, SE 87 = P (CVC not processed). Issuers may execute this test case as many times as necessary to exceed their invalid CVC 2 velocity limit.									
3	0100		1	N/A	MANUAL ACTIVATION CARD NOTIFICATION PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Activation Code Notification for a new token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name/Location), SF 1 contains the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), and SF 6 (Token Requestor ID) values of issuer choice. DE 124 positions 1-2 = AC (Activation Code Notification) and other data of issuer choice. 0110: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100		1	N/A	MANUAL TOKENIZATION COMPLETE NOTIFICATION PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Tokenization Complete Notification. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name or Location), SF 1 contains the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), SF 5 (Token Assurance Method), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 56 (Payment Account Data) only for MDES tokens. DE 124 positions 1-2 = TC (Tokenization Complete Notification) and other data of issuer choice. 0110: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100		1	N/A	MANUAL TOKENIZATION EVENT NOTIFICATION PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Tokenization Event Notification. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name or Location), SF 1 contains the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 06, SF 01 (Binding ID) = valid value. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), SF 5 (Token Assurance Method), remove and SF 6 (Token Requestor ID), and SF 8 (Storage Technology). DE 104, SE 004, SFs 001 and 002 may be present with values of issuer choice. DE 124 positions 1-2 = TV (Tokenization Event Notification), position 17 (Tokenization Event Indicator) = 1,2,3,4,5,6,7,8,9,a,b and replacement token and related data including Token Unique Reference (TUR) all of issuer choice. 0110: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100		1	N/A	MANUAL TOKENIZATION EVENT NOTIFICATION PURCHASE NO CVM	00	01	0		MCC DMC PVL	00
		Tokenization Event Notification for payment channel disabled by cardholder of issuer in India. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), and SF 6 (Token Requestor ID). DE 124 positions 1-2 (Message Type) = TV (Tokenization Event Notification); position 17 (Tokenization Event Indicator) = 2 (Payment Channel Preference Updated); positions 69-71 (Cardholder Disabled Payment Channel) value of issuer choice and all other positions values of issuer choice. 0110: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0100		1	N/A	MANUAL TOKENIZATION AMR PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Tokenization Authentication Methods Request (AMR) for token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 48, SE 06 (Advanced Digital Transaction Data 1) , SFs 01-03; DE 48, SE 07 (Advanced Digital Transaction Data 2), SFs 01-02; and DE 48, SE 08 (Advanced Digital Transaction Data 3), SF 01. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), SF 5 Token Assurance Method) as applicable; SF 6 (Token Requestor ID) as applicable; and SF 8 (Storage Technology) as applicable. DE 104, SE 004 (Digital Service Provider), SFs 001-002 as applicable and DE 104, SE 005 (Digital Authentication Data), SFs 001-002 as applicable. DE 124, positions 1-2 = AM (Authentication Methods Request); position 65 (Token Type) contains C,F,S of issuer choice; positions 66-71 (Reason Codes) contains 01,02,03,04,05,06; and other data of issuer choice. NOTE: 0110: Issuer response option below indicates how Mastercard shall proceed with the tokenization process. DE 39 = 00 (Approve and Cardholder Authentication not required), or DE 39 = 85 (Approve but require Cardholder Authentication) and DE 124 present DE 39 all other values for request not approved.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100		1	N/A	MANUAL ACN FOR AMR PURCHASE NO CVM	00	01	0		MCC DMC MSI PVL	00
		Activation Code Notification for AMR for a new token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type), and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator); SF 2 (Account Number); and SF 6 (Token Requestor ID) values of issuer choice. DE 124 positions 1-2 = AC (Activation Code Notification) and other data of issuer choice. 0110: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Dual Message Authorization: Issuer Credit and Debit
Table 0801145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
10	0100		1	N/A	MANUAL TOKENIZATION AUTHORIZATION PURCHASE NO CVM	00	01	0		MCC DMC MSI	V
		Tokenization Authorization Request (TAR) for a new token for an issuer-generated consumer VCN. DE 2 (Primary Account Number) contains issuer-generated consumer VCN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name / Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 82 = 52 (AVS and Authorization) and when applicable DE 48, SE 92 (CVC 2) value of issuer choice. DE 120 (Record Data) containing AVS postal code and address data in format specified by issuer. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) contains 1,2,3,4,5,6 of issuer choice, position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		0110: DE 48, SE 09, SF 01 = A (Primary Account Number); DE 48, SE 09, SF 02 = valid value of PAN associated to the VCN being tokenized; and DE 48, SE 09, SF 03 = valid value of expiry date. 0110: DE 48, SE 83 contains AVS response of issuer choice; DE 48, SE 84 contains 41,43 indicating Single-Use VCN or Multi-Use VCN; and when applicable DE 48, SE 87 contains CVC 2 response of issuer choice. 0110: DE 48, SE 84 (Merchant Advice Code) contains 41,43 of issuer choice. 0110: DE 56 (Payment Account Data) contains PAR provided by issuer when issuer or its designated service provider is BIN Controller. NOTE: 0110: Issuer response option below indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, or • DE 39 = 05 (Decline) and DE 124 must not be present, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if issuer does not use default activation method, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if issuer does not use default activation method									

Table 0801501: Member-defined data

The test cases in the table 0801501 address how an issuer processes dual message authorization requests and responses that contain member-defined data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Member-defined data

Table 48: Table 0801501

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080150100001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC MSI PVL	00
		Authorization request containing DE 124 member-defined data. Response to include DE 124 member-defined data same as received or different than received in the request.									

Table 0801770: Additional Recurring Payments Information (India)

The test cases in the table 0801801 address how an issuer participating in ALM processes dual message authorization requests that contain ALM account category codes in DE 48, subelement 38.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Additional Recurring Payments Information (India)

Table 49: Table 0801770

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	080177000001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MCC DMC	00
		Original transaction of recurring payment arrangement for India domestic transaction or global transaction. DE 48, SE 22, SF 05 (Cardholder/Merchant Initiated Transaction Indicator)) = valid value of customer choice. DE 48, SE 41, SF 01 (Additional Recurring Payments Information) = valid value of customer choice. DE 48, SE 42, SF 01 (Electronic Commerce Security Level Indicator and UCAF Collection Indicator) = 210 (No UCAF). DE 61, SF 4 = 4 (Standing order/recurring transactions). 0110: The issuer may echo back data received, or modify data received, and/or add additional data in DE 48, SE 41, SF 01 response message.									
2	0100	080177000002	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		MCC DMC	00
		Subsequent transaction of recurring payment arrangement for India domestic transaction or global transaction. DE 48, SE 22, SF 05 (Cardholder/Merchant Initiated Transaction Indicator)) = valid value of customer choice. DE 48, SE 41, SF 01 (Additional Recurring Payments Information) = valid value of customer choice. DE 61, SF 4 = 4 (Standing order/recurring transactions). 0110: The issuer may echo back data received, or modify data received, and/or add additional data in DE 48, SE 41, SF 01 response message.									

Table 0802101: Sweden Domestic Authorization Switching Service

The test cases in table 0802101 address how an issuer processes dual message authorization requests, reversals, and responses for Sweden Domestic Authorization Switching Service (SASS).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Sweden Domestic Authorization Switching Service

Table 50: Table 0802101

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080210100001	1	0	MSR REFUND SIGNATURE	20	90	0		MCC DMC MSI	00
		DE 3, SF 1 = 20 (Refund).									
2	0100	080210100002	1	0	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MCC DMC MSI	00
		0110: DE 123 contains receipt free text.									
3	0100	080210100003	1	0	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	0	V	MCC DMC MSI	00
		0100: DE 48, SE 58 contains watermark. 0110: DE 54 contains account balance information.									

Dual Message Authorization: Issuer Credit and Debit
Table 0802301: Maestro Parking and Tollway Transactions (Europe Acquired)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0400	080210100004	1	0	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	0		MCC DMC MSI	00
		0400: DE 48, SE 58 contains forgotten card information.									
5	0100	080210100005	1	0	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MCC DMC MSI	00
	0400		1	1	DE 39 = 17						00
		0100: DE 48, SE 58 contains watermark information. 0400: DE 48, SE 58 contains forgotten card information.									

Table 0802301: Maestro Parking and Tollway Transactions (Europe Acquired)

The test cases in the table 0802301 address how an issuer processes dual message authorization requests and responses for Maestro parking and tollway transactions acquired in Europe without cardholder verification.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Maestro Parking and Tollway Transactions (Europe Acquired)

Table 51: Table 0802301

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card Id	RC
1	0100	080230100001	1	1	MSR CAT LEVEL 2 PURCHASE NO CVM	00	90	2		MSI	00
		0100: DE 4 amount within maximum allowed for Maestro magnetic stripe online transaction without cardholder verification. 0100: DE 18 = 4784 (Bridge and Road Fees, Tolls).									
2	0100	080230100003	1	1	MSR CAT LEVEL 2 PURCHASE NO CVM	00	90	2		MSI	00
		0100: DE 4 amount within maximum allowed for Maestro magnetic stripe online transaction without cardholder verification. 0100: DE 18 = 7523 (Automobile Parking Lots and Garages).									

Table 0802402: Alternate Issuer Routing

The test cases in table 0802402 address how an issuer processes dual message authorization requests and responses on an alternate issuer host indicated by DE 48, subelement 12 (Routing Indicator) value A.

NOTE: A system-generated authorization Advice/0120 message will be sent to the primary issuer following each Authorization Request processed by the alternate issuer.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Request and Advice

Operation Type: MSR

Testing Type: Product and Services

Program: Alternate Issuer Routing

Table 52: Table 0802402

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080240200003	1	0	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	00
		DE 48, SE 12 = A (Alternate issuer host routing). NOTE: Alternate issuer host must be signed in for alternate issuer routing.									
4	0120	080240200004	1	0	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0		MSI CIR	00
		Advice to primary issuer for authorization request processed by alternate issuer host.									

Table 0802701: Mastercard Hosted Mobile Phone Top-up ATM Transactions

The test cases in table 0802701 address how an issuer processes dual message authorization requests and responses for Mastercard-hosted mobile phone top-up ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Mastercard Hosted Mobile Phone Top-up ATM Transactions

Table 53: Table 0802701

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080270100001	1	1	MSR CAT LEVEL 1 ATM PURCHASE ONLINE PIN	00	90	1	V	MCC DMC MSI CIR	00
		DE 12, DE 13, DE 43, and DE 52 mandatory. DE 18 = 4814 (Telecommunication services). DE 48 TCC = Z (ATM). DE 48, SE 13 (Mobile phone top-up request data). NOTE: DE 48, SE 13 need not be returned in 0110 but if it is returned it must be same value as in 0100. If not same value, then will reject issuer 0110 via a 0190 containing DE 39 = 30 and DE 44 = 048.									

Table 0803201: ATM Credit Card Cash Advance in Installments (Argentina)

The test case in table 0803201 address how an issuer processes authorization requests, reversals, and responses for Argentina domestic ATM credit card installment cash advance transactions.

They verify the ATM installment inquiry and followed by ATM installment withdrawal approval within Argentina.

NOTE: All test cases need to be run in ARS 032 and USD 840 as original amount currency.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversal

Operation Type: MSR

Testing Type: Product and Services

Program: ATM Credit Card Cash Advance in Installments (Argentina)

Table 54: Table 0803201

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080320100001	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM installment inquiry approved for requested term. DE 61, SF 7 = 3 (ATM installment inquiry). DE 112, SE 001 = 8012 (ATM installment inquiry for 12 installments). DE 112, SE 027, SF 1 = 80 (ATM installment inquiry). DE 112, SE 027, SF 2 = 12 (Requested number of installments). Argentina domestic transaction.									
2	0100	080320100002	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM installment inquiry approved for requested term and followed by approved ATM installment withdrawal (Test case ID 3). DE 61, SF 7 = 3 (ATM installment inquiry). DE 112, SE 001 = 8012 (ATM installment inquiry for 12 installments). DE 112, SE 027, SF 1 = 80 (ATM installment inquiry). DE 112, SE 027, SF 2 = 12 (Requested number of installments). Argentina domestic transaction.									

Dual Message Authorization: Issuer Credit and Debit
Table 0803201: ATM Credit Card Cash Advance in Installments (Argentina)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	080320100003	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
	0400		1	1	DE 39 = 17						00
		ATM installment withdrawal approved and followed by reversal. DE 61, SF 7 = 0 (Normal request [Original presentment]). DE 112, SE 001 = 8112 (ATM installment withdrawal for 12 installments). DE 112, SE 027, SF 1 = 81 (ATM installment withdrawal). DE 112, SE 027, SF 2 = 12 (Requested number of installments). Argentina domestic transaction.									
4	0100	080320100004	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM installment inquiry approved for a different term than the requested 12 installments and followed by approved ATM installment withdrawal (Test case ID 5). DE 61, SF 7 = 3 (ATM installment inquiry). DE 112, SE 001 = 8012 (ATM installment inquiry for 12 installments). DE 112, SE 027, SF 1 = 80 (ATM installment inquiry). DE 112, SE 027, SF 2 = 12 (Requested number of installments). Argentina domestic transaction.									

Dual Message Authorization: Issuer Credit and Debit
Table 0803201: ATM Credit Card Cash Advance in Installments (Argentina)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	080320100005	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	00
		ATM installment withdrawal approved. DE 61, SF 7 = 0 (Normal request [Original presentment]). DE 112, SE 001 = 8106 (ATM installment withdrawal for 6 installments). DE 112, SE 027, SF 1 = 81 (ATM installment withdrawal). DE 112, SE 027, SF 2 = 06 (Requested number of installments). Argentina domestic transaction.									
6	0100	080320100006	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	V
		ATM installment inquiry declined. DE 61, SF 7 = 3 (ATM installment inquiry). DE 112, SE 001 = 8012 (ATM installment inquiry for 12 installments). DE 112, SE 027, SF 1 = 80 (ATM installment inquiry). DE 112, SE 027, SF 2 = 12 (Requested number of installments). Argentina domestic transaction.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0100	080320100007	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC	V
		ATM installment withdrawal declined. DE 61, SF 7 = 0 (Normal request [Original presentment]). DE 112, SE 001 = 8103 (ATM installment withdrawal for 3 installments). DE 112, SE 027, SF 1 = 81 (ATM installment withdrawal). DE 112, SE 027, SF 2 = 03 (Requested number of installments). Argentina domestic transaction.									

Table 0803301: ATM Bill Payment (Non-Europe Acquired)

The test cases in table 0803302 address how an issuer processes dual message authorization requests and responses for non-Europe acquired Bill Payment transactions at the ATM.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversal

Operation Type: MSR

Testing Type: Product and Services

Program: ATM Bill Payment (Non-Europe Acquired)

Table 55: Table 0803301

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080330100001	1	0	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	MCC	00
	0400		1	0	DE 39 = 00						00
		This transaction is currently setup for Argentina intracountry. The currency and country information will need to be changed for any other intracountry transaction. DE 18 = 6539 (Funding [Excluding MoneySend]) and DE 48, TCC = R (Retail). DE 124 containing bill payment information.									
2	0100	080330100002	1	0	MSR CAT LEVEL 2 PURCHASE NO CVM	00	90	2		MCC	00
	0400		1	0	DE 39 = 00						00
		This transaction is currently setup for Argentina intracountry. The currency and country information will need to be changed for any other intracountry transaction. DE 18 = 6539 (Funding [Excluding MoneySend]) and DE 48, TCC = R (Retail). DE 124 containing bill payment information.									

Table 0803302: ATM Bill Payment (Europe Acquired)

The test cases in table 0803302 address how an issuer processes dual message authorization requests and responses for Europe acquired Bill Payment transactions at the ATM.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: ATM Bill Payment (Europe Acquired)

Table 56: Table 0803302

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080330200001	1	0	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	MCC DMC MSI CIR	00
	0400		1	0	DE 39 = 00						00
		This transaction is currently setup for Belgium intracountry. The currency and country information will need to be changed for any other intracountry transaction. DE 18 = 6050 (Quasi cash - Customer). DE 48, TCC = U (Unique). DE 124 containing bill payment information (Optional).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	080330200002	1	0	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	MCC DMC MSI CIR	00
	0400		1	0	DE 39 = 17						00
		This transaction is currently setup for Belgium intracountry. The currency and country information will need to be changed for any other intracountry transaction. DE 18 = 4900 (Utilities: Electric, Gas, Heating Oil, Sanitary, Water). DE 48, TCC = U (Unique). DE 124 containing bill payment information (Optional).									

Table 0805000: Receipt Free Text (Peru)

The test cases in table 0805000 address how an issuer processes dual message authorization requests and responses containing Receipt Free Text in DE 123 for Peru domestic transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Receipt Free Text (Peru)

Table 57: Table 0805000

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080500000001	1	1	MSR PURCHASE SIGNATURE	00	90	0		MCC DMC	00
		0110: DE 123 contains receipt free text. NOTE: Applicable only for Peru intracountry transactions.									

Table 0805510: Merchant Direct Settlement (Europe Region)

The test cases in table 0805510 address how an issuer in the Europe region processes dual message authorization requests containing the Prepaid Voucher Settlement Service in DE 124, SF 01 and the resulting responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Merchant Direct Settlement (Europe Region)

Table 58: Table 0805510

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	080551000001	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		MCC DMC	00
		0110: DE 124, SF 01 (Merchant Direct Settlement) = B00 (Voucher transactions will be settled bilaterally by the issuer directly with the merchant).									

Table 0848401: Mexico Domestic Switching (POS Transactions)

The test cases in table 0848401 address how an issuer processes dual message authorization requests and responses for Mexico domestic switching POS transactions.

Validations for Mexico domestic switching (POS Transactions):

The following data elements and values uniquely identify a formatted MxDS transaction:

- DE 43 (Acceptor Name/Location), subfield 5 (Merchant's State [or Country Code, if not U.S.]) = MEX
- DE 49 (Currency Code, Transaction) = 484
- DE 61 (Point-of-Service [POS] Data), subfield 13 (POS Country Code) = 484

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversal

Operation Type: MSR

Testing Type: Product and Services

Program: Mexico Domestic Switching (POS Transactions)

Table 59: Table 0848401

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	084840100001	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#2	00
		This test case is for Mastercard credit card issuers 0100: DE 3 = 003000, DE 4 = 600.00, DE 18 = 8398 (Organizations, Charitable and Social Service).									
2	0100	084840100002	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 17						00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 003000, DE 4 = 300.00, DE 18 = 5812 (Eating Places, Restaurants). 0400: Full reversal for customer cancellation.									
3	0100	084840100003	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#2	00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 003000, DE 4 = 1,600.00, DE 18 = 8211 (Schools, Elementary and Secondary).									
4	0100	084840100004	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 17						00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 003000, DE 4 = 1,300.00, DE 18 = 9211 (Court Costs including Alimony and Child Support). 0400: Full reversal for customer cancellation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848401: Mexico Domestic Switching (POS Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	084840100005	1	1	MSR PURCHASE SIGNATURE	00	90	2		FROM MBR MCC_#2	00
	0120		1	1	DE 39 = 00						
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 003000, DE 4 = 500.00, DE 18 = 5542 (Automated Fuel Dispenser), DE 61 subfield 7 = 4 (Preauthorized request). 0120: DE 4 = 200.00 completed amount, DE 60 = 191 (Acquirer Processing System [APS] Completed Authorization Transaction).									
6	0100	084840100007	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#3	00
		This test case is for Mastercard credit card issuers. Installment purchase transaction. 0100: DE 3 = 003000, DE 4 = 5000.00 MXN, DE 18 = 5311 (Department Stores), DE 48, SE 95 = MEXCTA, DE 112, SE 007 present containing positions 1-2 = 00 (No promotion).									
7	0100	084840100008	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#3	00
		This test case is for Mastercard credit card issuers. Installment purchase transaction. 0100: DE 3 = 003000, DE 4 = 6000.00 MXN, DE 18 = 5311 (Department Stores), DE 48, SE 95 = MEXCTA, DE 112, SE 007 present containing positions 1-2 = 03 (Without interest for the cardholder).									

Dual Message Authorization: Issuer Credit and Debit
Table 0848401: Mexico Domestic Switching (POS Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	084840100009	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#3	00
		This test case is for Mastercard credit card issuers. Installment purchase transaction. 0100: DE 3 = 003000, DE 4 = 7000.00 MXN, DE 18 = 5311 (Department Stores), DE 48, SE 95 = MEXCTA, DE 112, SE 007 present containing positions 1-2 = 05 (With interest for the cardholder).									
9	0100	084840100010	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR MCC_#3	00
		This test case is for Mastercard credit card issuers. Installment purchase transaction. 0100: DE 3 = 003000, DE 4 = 8000.00 MXN, DE 18 = 5311 (Department Stores), DE 48, SE 95 = MEXCTA, DE 112, SE 007 present containing positions 1-2 = 07 (Buy today, pay later).									
10	0100	084840100011	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		FROM MBR MCC_#1	00
		This test case is for Mastercard credit card issuers. Purchase with cash back transaction fully approved by issuer. 0100: DE 3 = 093000, DE 4 = 500.00, DE 18 = 5411 (Grocery Stores, Supermarkets), DE 54 contains the cash back amount 100.00.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848401: Mexico Domestic Switching (POS Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
11	0100	084840100012	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		FROM MBR MCC_#1	87
	0400		1	1	DE 39 = 17						00
		This test case is for Mastercard credit card issuers. Purchase with cash back transaction approved by issuer for purchase amount only and reversed for customer cancellation. 0100: DE 3 = 093000, DE 4 = 1000.00, DE 18 = 5411 (Grocery Stores, Supermarkets), DE 54 contains the cash back amount 200.00. 0100: DE 48, SE 61 = 01000 (Merchant terminal supports receipt of purchase only approvals). 0110: DE 39 = 87 (Purchase only; no cash back allowed), DE 6 = 800.00 purchase amount only, DE 38 and DE 51 present. 0400: Full reversal for customer cancellation.									
12	0100	084840100051	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR DMC_#1	00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 002000, DE 4 = 700.00, DE 18 = 5311 (Department Stores).									
13	0100	084840100052	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR DMC_#1	00
	0400		1	1	DE 39 = 17						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 003000, DE 4 = 300.00, DE 18 = 5812 (Eating Places, Restaurants). 0400: Full reversal for customer cancellation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848401: Mexico Domestic Switching (POS Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
14	0100	084840100053	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR DMC_#1	00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 002000, DE 4 = 1,700.00, DE 18 = 5912 (Drug Stores, Pharmacies).									
15	0100	084840100054	1	1	MSR PURCHASE SIGNATURE	00	90	0		FROM MBR DMC_#1	00
	0400		1	1	DE 39 = 17						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 002000, DE 4 = 1,200.00, DE 18 = 4722 (Travel Agencies and Tour Operators). 0400: Full reversal for customer cancellation.									
16	0100	084840100055	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		FROM MBR DMC_#1	00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 092000, DE 4 = 1450.00, DE 18 = 5411 (Grocery Stores, Supermarkets), DE 54 cash back amount = 500.00.									
17	0100	084840100056	1	1	MSR PURCHASE NO CVM	00	90	2		FROM MBR DMC_#1	00
	0120		1	1	DE 39 = 00						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 003000, DE 4 = 500.00, DE 18 = 5542 (Automated Fuel Dispenser), DE 61 SF 7 = 4 (Preauthorized request). 0120: DE 4 = 200.00 completed amount, DE 60 = 191 (Acquirer Processing System [APS] Completed Authorization Transaction).									

Table 0848402: Mexico Domestic Switching (ATM Transactions)

The test cases in table 0848401 address how an issuer processes dual message authorization requests and responses for Mexico domestic switching ATM transactions.

Validations for Mexico domestic switching (ATM Transactions)

The following data elements and values uniquely identify a formatted MxDS transaction:

- DE 43 (Acceptor Name/Location), subfield 5 (Merchant's State or Country Code,) = MEX
- DE 49 (Currency Code, Transaction) = 484
- DE 61 (Point-of-Service [POS] Data), subfield 13 (POS Country Code) = 484

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Mexico Domestic Switching (ATM Transactions)

Table 60: Table 0848402

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	084840200001	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#2	00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 013000, DE 4 = 520.00, DE 28 = 20.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 112, SE 004 contains currency code and CLUF amount in MXN; SE 005 contains issuing bank name and SE 006 contains Issuer FIID.									
2	0100	084840200002	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR MCC_#2	55
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 303000, DE 4 = 10.00, SE 28 = 10.00, DE 18 = 6011 (Automated Cash Disbursement - Customer Financial Institution). 0110: DE 54 account balance information not present because transaction rejected because of invalid PIN.									
3	0100	084840200003	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 013000, DE 4 = 420.00, DE 28 = 20.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 112, SE 004 contains currency code and CLUF amount in MXN; SE 005 contains issuing bank name and SE. 0400: Full reversal.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	084840200004	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 303000, DE 4 = 10.00, SE 28 = 10.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 containing account balance information. 0400: Full reversal.									
5	0100	084840200005	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#2	00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 013000, DE 4 = 1,510.00, DE 28 = 10.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 112, SE 004 contains currency code and CLUF amount in MXN; SE 005 contains issuing bank name and SE 006 contains issuer FIID.									
6	0100	084840200006	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR MCC_#2	00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 303000, DE 4 = 5.00, DE 28 = 5.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 containing account balance information.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0100	084840200007	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 013000, DE 4 = 1,410.00, DE 28 = 10.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 112, SE 004 contains currency code and CLUF amount in MXN; SE 005 contains issuing bank name and SE 006 contains issuer FIID. 0400: Full reversal.									
8	0100	084840200008	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Mastercard credit card issuers. 0100: DE 3 = 303000, DE 4 = 5.00, DE 28 = 5.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 containing account balance information. 0400: Full reversal.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0100	084840200009	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#2	00
		This test case is for Mastercard credit card issuers. ATM credit card cash advance with ATM access fee and issuer approved response containing credit line usage fee. 0100: DE 3 = 013000, DE 4 = 2,030.00, DE 28 = 30.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 112, SE 004 contains currency code and CLUF amount in MXN; SE 005 contains issuing bank name and SE 006 contains issuer FIID.									
10	0100	084840200010	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Mastercard credit card issuers. ATM credit card cash advance with ATM access fee, issuer approved response containing credit card line usage fee, cardholder cancels transaction due to CLUF amount, and ATM reversal is sent. 0100: DE 3 = 013000, DE 4 = 4,030.00, DE 28 = 30.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 112, SE 004 contains currency code and CLUF amount in MXN, SE 005 contains issuing bank name and SE 006 contains Issuer FIID. 0400: Full reversal.									
11	0100	084840200051	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 172000, DE 4 = 730.00, DE 28 = 30.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution).									

Dual Message Authorization: Issuer Credit and Debit
Table 0848402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	084840200052	1	1	MSR BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	55
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 302000, DE 4 = 15.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 account balance information not present because transaction rejected because of invalid PIN.									
13	0100	084840200053	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 172000, DE 4 = 230.00, DE 28 = 30.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0400: Full reversal for customer cancellation.									
14	0100	084840200054	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 302000, DE 4 = 15.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 containing account balance information. 0400: Full reversal for customer cancellation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0848402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
15	0100	084840200055	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 172000, DE 4 = 1,715.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution).									
16	0100	084840200056	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 302000, DE 4 = 7.50, DE 28 = 7.50, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 containing account balance information.									
17	0100	084840200057	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
	0400		1	1	DE 39 = 00						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 172000, DE 4 = 1,215.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0400: Full reversal for customer cancellation.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
18	0100	084840200058	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	
	0400		1	1	DE 39 = 00						00
		This test case is for Debit Mastercard issuers. 0100: DE 3 = 302000, DE 4 = 7.50, DE 28 = 7.50, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0110: DE 54 containing account balance information. 0400: Full reversal for customer cancellation.									

Issuer Base Testing for Dual Message ICC Authorization Operations

The following test cases in this section test whether an issuer's Dual Message Authorization application can receive correctly formatted authorization requests and process the resulting authorization responses when presented with the required basic functionalities for Integrated Circuit Card (ICC) operations.

NOTE:

- If customers support ICC-based operations, all of the ICC-based business transactions become pre-selected—with the possible exception of offline PIN-based transactions, which customers may have chosen not to support.
- Mastercard issuers must be prepared to receive ATM online PIN transactions for CAT levels 0 and 1.

Authorization Response Contact M/Chip-specific General Acceptance Criteria unless otherwise specified in the comments field of each test case, the following conditions must be fulfilled with all Contact M/Chip Authorization Response/0110 Messages:

- When present in Authorization Request Message, DE 52 (PIN Data) must be validated successfully by the Issuer.
- DE 23 (Card Sequence Number) must not be present.

- When DE 55 (ICC System Related Data) is present, the Authorization Response Cryptogram (ARPC) present in Tag 91 must be successfully validated by the simulator.
- When DE 55 is present, only mandatory and optional tags must be included in DE 55.
- When DE 55 (ICC System Related Data) is present, the Authorization Response Code (ARC) present in Tag 91 just after the ARPC must be a valid value according to the Card Application used. The ARC exists in various lengths, formats and contents.

Table 0850001: All Business Transactions (MCC,DMC,PVL)

The test cases in table 0850001 address how an issuer processes dual message authorization requests, advice, reversals, and responses of different Mastercard (MCC), Debit Mastercard (DMC), and Private Label (PVL) card transactions.

Types of business transactions

The different business transactions that these test cases validate contain various combinations of PAN entry mode, transaction type, cardholder activated terminal level, and cardholder verification method.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Base

Program: All Business Transactions (MCC,DMC,PVL)

Table 61: Table 0850001

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085000100001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC	00
	0400		1	1	DE 39 = 17						00
		Request from full grade acquirer. Full reversal 0400: DE 39 = 17 (Customer Cancellation).									
2	0100	085000100002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
	0400		1	1	DE 39 = 32						00
		Request from full grade acquirer. Partial reversal 0400: DE 39 = 32 (Partial Reversal) and DE 95, SF 1 contains new completion amount.									
3	0100	085000100003	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MCC DMC PVL	00
	0400		1	0	DE 39 = 17						00
		Request from full grade acquirer. Full reversal 0400: DE 39 = 17 (Customer Cancellation).									
4	0100	085000100004	1	0	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	MCC DMC PVL	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	085000100005	1	0	ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	00	05	1		MCC DMC PVL	00
		Request from full grade acquirer.									
6	0100	085000100006	1	1	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC PVL	00
		Request from full grade acquirer.									
7	0100	085000100007	1	0	ICC CAT LEVEL 4 PURCHASE NO CVM	00	05	4		MCC DMC PVL	00
		Request from full grade acquirer.									
8	0100	085000100008	1	1	ICC CASH DISBURSEMENT SIGNATURE	17	05	0		MCC DMC	00
		Request from full grade acquirer.									
9	0100	085000100009	1	0	ICC CASH DISBURSEMENT OFFLINE PIN	17	05	0		MCC DMC	00
		Request from full grade acquirer.									
10	0100	085000100012	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC PVL	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
11	0100	085000100013	1	0	ICC CASH DISBURSEMENT ONLINE PIN	17	05	0	V	MCC DMC	00
		Request from full grade acquirer.									
12	0100	085000100014	1	0	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	MCC DMC	00
		Purchase with Cash Back transaction applies where allowed by Mastercard. This transaction is currently setup as acquired from Belgium. The currency and country information will need to be changed for any other intracountry or cross-border transaction. Request from full grade acquirer.									
13	0100	085000100015	1	0	ICC PURCHASE WITH CASH BACK OFFLINE PIN	09	05	0		MCC DMC	00
		Purchase with Cash Back transaction applies where allowed by Mastercard. This transaction is currently setup as acquired from Belgium. The currency and country information will need to be changed for any other intracountry or cross-border transaction. Request from full grade acquirer.									
14	0100	085000100016	1	0	ICC CAT LEVEL 9 PURCHASE SIGNATURE	00	05	9		MCC DMC PVL	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
15	0100	085000100035	1	0	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	MCC DMC	00
		Canada allows Purchase with Cash Back for Mastercard prepaid card initiated with Chip with PIN transactions. Request from full grade acquirer.									
16	0100	085000100036	1	0	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	MCC DMC	87
		Canada allows Purchase with Cash Back for Mastercard Prepaid Chip card with PIN transactions. Merchant terminal supports purchase only approvals - DE 48, SE 61, SF 2 = 1. Issuer Response DE 39 = 87 (Purchase Amount Only, no cash back allowed). Request from full grade acquirer.									
17	0100	085000100041	1	1	ICC CAT LEVEL 9 PURCHASE SIGNATURE OR NO CVM	00	05	9		MCC DMC PVL	00
		mPOS device Phone/Tablet +Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
18	0100	085000100042	1	0	ICC CAT LEVEL 9 PURCHASE SIGNATURE OR NO CVM	00	05	9		MCC DMC PVL	00
		mPOS device Phone/Tablet with or without Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). Request from full grade acquirer.									
19	0100	085000100043	1	1	ICC REFUND SIGNATURE	20	05	0		MCC DMC PVL	00
		NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
20	0100	085000100044	1	1	ICC CONTACTLESS REFUND SIGNATURE	20	07	0		MCC DMC PVL	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 0850002: All Business Transactions (MSI,CIR)

The test cases in the table 0850002 address how an issuer processes dual message authorization requests, advices, reversals, and responses of different Maestro (MCC) and Cirrus (CIR) business transactions.

Types of business transactions

The different business transactions that these test cases validate contain various combinations of PAN entry mode, transaction type, cardholder activated terminal level, and cardholder verification method.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Base

Program: All Business Transactions (MSI,CIR)

Table 62: Table 0850002

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085000200001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	00
	0400		1	1	DE 39 = 06						00
		Request from full grade acquirer. Full reversal 0400: DE 39 = 06 (Error).									
2	0100	085000200002	1	1	ICC ELECTRONIC CASH ADVANCE ONLINE PIN	01	05	0	V	MSI CIR	00
		Request from full grade acquirer.									
3	0100	085000200003	1	0	ICC ELECTRONIC CASH ADVANCE OFFLINE PIN	01	05	0		MSI CIR	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085000200004	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MSI	00
	0400		1	1	DE 39 = 32						00
		Request from full grade acquirer. Partial reversal 0400: DE 39 = 32 (Partial reversal) and DE 95, SF 1 contains completed amount.									
5	0100	085000200005	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MSI	00
	0400		1	0	DE 39 = 17						00
		Request from full grade acquirer. Full reversal 0400: DE 39 = 17 (Customer Cancellation).									
6	0100	085000200006	1	0	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	MSI	00
		Request from full grade acquirer.									
7	0100	085000200007	1	0	ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	00	05	1		MSI	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	085000200008	1	0	ICC CAT LEVEL 9 PURCHASE OFFLINE PIN	00	05	9		MSI	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 61, SF 10 = 9 (mPOS Acceptance Device).									
9	0100	085000200009	1	1	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	MSI	00
		Request from full grade acquirer.									
10	0100	085000200010	1	0	ICC PURCHASE WITH CASH BACK OFFLINE PIN	09	05	0		MSI	00
		Request from full grade acquirer.									
11	0100	085000200011	1	0	ICC PURCHASE NO CVM	00	05	0		MSI	00
		This case will test whether Maestro issuers will approve Europe region full grade M/Chip acquired tollway transactions with no CVM. DE 18 = 4784 (Bridge and Road Fees, Tolls). DE 55 TAG 95 (TVR) byte 3 bit 8 = 1 (Cardholder verification was not successful). DE 55 TAG 95 (TVR) byte 3 bit 5 = 1 (PIN entry required and PIN pad not present or not working).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	085000200012	1	0	ICC PURCHASE NO CVM	00	05	0		MSI	00
		This case will test whether Maestro issuers will approve Europe region full grade M/Chip acquired parking transactions with no CVM. DE 18 = 7523 (Automobile Parking Lots and Garages). DE 55 TAG 95 (TVR) byte 3 bit 8 = 1 (Cardholder verification was not successful). DE 55 TAG 95 (TVR) byte 3 bit 5 = 1 (PIN entry required and PIN pad not present or not working).									
13	0100	085000200021	1	0	ICC CAT LEVEL 9 PURCHASE ONLINE PIN	00	05	9	V	MSI	00
		mPOS device Phone/Tablet +Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 61, SF 10 = 9 (mPOS Acceptance Device).									
14	0100	085000200022	1	0	ICC CAT LEVEL 9 PURCHASE ONLINE PIN	00	05	9	V	MSI	00
		mPOS device Phone/Tablet with or without Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). DE 61, SF 10 = 9 (mPOS Acceptance Device).									
15	0100	085000200023	1	1	ICC REFUND NO CVM	20	05	0		MSI	00
		NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0100	085000200024	1	0	ICC REFUND ONLINE PIN	20	05	0	V	MSI	00
		NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
17	0100	085000200025	1	1	ICC REFUND SIGNATURE	20	05	0		MSI	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 0850003: Unapproved Response Codes

The test cases in table 0850003 address how an issuer processes dual message authorization requests and provides unapproved response codes in authorization responses.

NOTE: Issuers must respond with the designated response codes and may optionally respond with other unapproved values of issuer choice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Base

Program: Unapproved Response Codes

Table 63: Table 0850003

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085000300101	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC MSI PVL	V
		Call Issuer (01), Capture (04,41,43), Decline (05,12,14,51,54,57,94), and other declines of issuer choice.									
2	0100	085000300102	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC MSI PVL	30
		Format Error DE 39 = 30 and, if applicable, DE 44 (Additional Response Data) data of issuer choice. If format error in DE 48, DE 108, or DE 112, then DE 44 should contain six positions consisting of data element and subelement in error. if format error not in DE 48, DE 108, or DE 112 then DE 44 should contain three positions consisting of data element in error. NOTE: Simulator edits may be turned off to allow bad data to be passed to issuer.									
3	0100	085000300103	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	V
		Capture (04,41,43), Decline (05,12,14,51,54,55,57,61,94), and other declines of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085000300104	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	30
		Format Error DE 39 = 30 and, if applicable, DE 44 (Additional Response Data) data of issuer choice. If format error in DE 48, DE 108, or DE 112, then DE 44 should contain six positions consisting of data element and subelement in error. if format error not in DE 48, DE 108, or DE 112 then DE 44 should contain three positions consisting of data element in error. NOTE: Simulator edits may be turned off to allow bad data to be passed to issuer.									

Table 0850004: Technical Conditions

The test cases in table 0850004 address how an issuer processes dual message authorization requests and responses when presented with some of the less common, but valid, general conditions surrounding the authorization system.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Base

Program: Technical Conditions

Table 64: Table 0850004

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085000400001	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC MSI PVL	00
		Request from full grade acquirer containing all mandatory and optional DE 55 subelements.									
2	0100	085000400002	1	0	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	MCC DMC MSI PVL	00
		Request from full grade acquirer. Issuer response should include one or more issuer script. The script template contains one or more issuer script commands. Required only if issuer supports EMV post-issuance commands. No parsing error of the script template by the simulator.									
3	0100	085000400003	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC MSI PVL	00
		Request from full grade acquirer. Issuer response should include one or more issuer scripts. The script template contains one or more issuer script commands. Required only if issuer supports EMV post-issuance commands. No parsing error of the script template by the simulator.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085000400004	1	0	ICC FALLBACK TO MAGNETIC STRIPE PURCHASE SIGNATURE	00	80	0		MCC DMC MSI PVL	V
		Fallback to magnetic stripe on hybrid cards (DE 022 = 80x) authorization request. DE 55 is not present in response message. Issuers may approve or decline Fallback to Magnetic Stripe requests at their discretion, and may return any valid Response Code in DE 39 of the response. The purpose of this test is to confirm that the issuer's system can process a Fallback request without failure or error.									
5	0100	085000400005	1	0	ICC FALLBACK TO MANUAL ENTRY PURCHASE SIGNATURE	00	79	0		MCC DMC MSI PVL	V
		Fallback to PAN manual entry on hybrid cards (DE 022 = 79x) authorization request. Issuers may approve or decline Fallback to Manual Entry requests at their discretion, and may return any valid Response Code in DE 39 of the response. The purpose of this test is to confirm that the issuer's system can process a Fallback request without failure or error.									
6	0100	085000400006	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC MSI PVL	00
		Request from full grade acquirer containing only the mandatory data elements that constitute a valid message. Issuer should respond appropriately. DE 61, SF 11 = 8 (EMV specification [compatible chip reader], magnetic stripe reader and key entry).									
7	0100	085000400007	1	0	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	MCC DMC MSI PVL	00
		Request from full grade acquirer containing only the mandatory data elements that constitute a valid message. Issuer should respond appropriately. DE 61, SF 11 = 9 (EMV specification [compatible chip reader] only).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	085000400012	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI PVL	V
		This case will test whether issuers do not respond with an Application Response Cryptogram (ARPC) when the Application Request Cryptogram (ARQC) in the request is invalid. Request from full grade acquirer containing the mandatory data elements that constitute a valid message, with an invalid ARQC cryptogram in DE 55 TAG 9F26. Issuer should respond appropriately (must decline) and provide DE 48, SE 74 = 50I (Application Cryptogram invalid) if supported by issuer.									
9	0100	085000400013	1	0	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC DMC MSI PVL	00
		Contact Chip request from full grade acquirer supporting contactless M/Chip containing the mandatory data elements that constitute a valid message. Issuer should respond appropriately. DE 61, SF 11 = 3 (Contactless M/Chip [Proximity Chip]).									
10	0100	085000400014	1	0	ICC FALLBACK TO MAGNETIC STRIPE PURCHASE SIGNATURE	00	80	0		MCC DMC MSI PVL	V
		Fallback to magnetic stripe on hybrid cards (DE 022 = 80x) authorization request. DE 61, SF 11 = 3 (Contactless M/Chip [Proximity Chip]). Issuer should respond as if to a normal magnetic stripe transaction.									
11	0100	085000400022	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	00
		Request from full grade acquirer - containing all mandatory and optional DE 55 data elements.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	085000400023	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	00
		Request from full grade acquirer. Issuer returns one or more issuer scripts in response. The script template contains one or more issuer script commands. Required only if issuer supports EMV post-issuance commands. No parsing error of the script template by the simulator.									
13	0100	085000400024	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MSI CIR	00
		Request from full grade acquirer. Issuer returns one or more issuer scripts in response. The script template contains one or more issuer script commands. Required only if issuer supports EMV post-issuance commands. No parsing error of the script template by the simulator.									
14	0100	085000400025	1	0	ICC FALLBACK TO MAGNETIC STRIPE ATM WITHDRAWAL ONLINE PIN	01	80	0	V	MSI CIR	V
		Fallback to magnetic stripe on hybrid cards (DE 22, SF 1 = 80). DE 55 is not present in response message. Issuers may approve or decline Fallback to Magnetic Stripe requests at their discretion, and may return any valid Response Code in DE 39 of the response. The purpose of this test is to confirm that the issuer's system can process a Fallback request without failure or error.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
15	0100	085000400026	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	00
		Request from full grade acquirer containing only the mandatory data elements that constitute a valid message. DE 61, SF 11 = 8 (EMV specification [compatible chip reader], magnetic stripe reader and key entry).									
16	0100	085000400027	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MSI CIR	00
		Request from full grade acquirer containing only the mandatory data elements that constitute a valid message. DE 61, SF 11 = 9 (EMV specification [compatible chip reader] only).									
17	0100	085000400028	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	V
		This case will test whether issuers do not respond with an Application Response Cryptogram (ARPC) when the Application Request Cryptogram (ARQC) in the request is invalid. Request from full grade acquirer containing the mandatory data elements that constitute a valid message, with an invalid ARQC cryptogram in DE 55 TAG 9F26 (Application Cryptogram). Issuer should respond appropriately (must decline) and provide DE 48, SE 74 = 50I (Application Cryptogram invalid) if supported by issuer. DE 55 must not be included.									
18	0100	085000400029	1	0	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		MCC DMC MSI PVL	00
		Contact request from full grade acquirer supporting contactless M/Chip containing the mandatory data elements that constitute a valid message. DE 61, SF 11 = 3 (Contactless M/Chip [Proximity Chip]).									

Table 0850006: Acquirer-generated Authorization Advices

The test cases in table 0850006 address how an issuer processes acquirer-generated authorization advice and responses for dual message authorization requests. They also address the reasons for sending authorization advice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Advices

Operation Type: ICC

Testing Type: Base

Program: Acquirer-generated Authorization Advices

Table 65: Table 0850006

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0120	085000600001	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		Advice from full grade acquirer - advising of approval.									
2	0120	085000600003	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI PVL	00
		Advice from full grade acquirer - advising of approval.									
3	0120	085000600004	1	0	ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	00	05	1		MCC DMC MSI PVL	00
		Advice from full grade acquirer - advising of approval.									

Table 0850007: System-generated Reversal Advices

The test cases in table 0850007 address if an issuer can process system-generated reversal advices and return correctly formatted responses for dual message authorization requests. Reversal advices are system-generated from requests that could not be immediately delivered online to issuers.

NOTE: Test transaction data must be updated to create additional DE 39 and DE 60 values of issuer choice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Advices

Operation Type: ICC

Testing Type: Base

Program: System-generated Reversal Advices

Table 66: Table 0850007

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0420	085000700001	1	0	ICC PURCHASE NO CVM	00	05			MCC DMC MSI PVL	00
		0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 400 (APS unable to deliver response).									
2	0420	085000700002	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05			MCC DMC MSI PVL	00
		0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 413 (Issuer Undelivered).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0420	085000700003	1	0	ICC PURCHASE NO CVM	00	05			MCC DMC MSI PVL	00
		0420: DE 39 = 82 (Time-out at issuer) and DE 60, SF 1 = 402 (Issuer Time-out).									

Table 0850010: System-generated Authorization Advice

The test cases in table 0850010 address how an issuer processes dual message) authorization requests and responses with system-generated Stand-In and X-Code authorization advice for the reasons indicated in DE 60. They also verify whether the issuer can successfully approve or decline these authorization advice having relevant impact to available buying limits and other internal postings for affected accounts.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Advices

Operation Type: ICC

Testing Type: Base

Program: System-generated Authorization Advice

Table 67: Table 0850010

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0120	085001000001	1	N/A	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		0120: DE 39 = 00 (Approved) and DE 60, SF 1 valid values of customer choice and SF 2 = 0000 (Accept).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0120	085001000002	1	N/A	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		0120: DE 39 = 05 (Do not honor) and DE 60, SF 1 and SF 2 valid values of customer choice.									
3	0120	085001000003	1	N/A	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1		MCC DMC MSI	00
		0120: DE 39 = 00 (Approved) and DE 60, SF 1 valid values of customer choice and SF 2 = 0000 (Accept).									
4	0120	085001000004	1	N/A	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1		MCC DMC MSI	00
		0120: DE 39 = 05 (Do not honor) and DE 60, SF 1 and SF 2 valid values of customer choice.									
9	0120	085001000109	1	N/A	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Account Balance Listing Stand-in advice for approval. 0120: DE 39 = 00; DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0100.									
10	0120	085001000110	1	N/A	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Account Balance Listing Stand-in advice for decline. 0120: DE 39 = 05; DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0100.									

Table 0850012: Dynamic Currency Conversions

The test cases in table 0850012 address how an issuer processes dual message authorization requests, reversals, and responses for Dynamic Currency Conversion (DCC) transactions having point-of-interaction (POI) data in DE 54.

Dynamic currency conversion validation for issuers

If DCC services are prohibited for an account range, then issuers must not offer or apply DCC services to face-to-face (ATM or POS) transaction. Issuers must create their own test card data from test account ranges that allow DCC and prohibit DCC for the test cases in this table.

For more information, refer to the following:

- Integrated Product Messages (IPM) Mastercard Parameter Extract (MPE) Table IP0040T1 Issuer Account for Dual Message System, or
- FIT (Financial Institution Table) Optional Addendum Record (FIT1) for Single Message System.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Base

Program: Dynamic Currency Conversion

Table 68: Table 0850012

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	085001200002	1	1	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
	0400		1	1	DE 39 = 32						00
		DCC on a POS Purchase. DE 4 (Amount, Transaction) contains the amount in the dynamic conversion currency. DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 58 (POI Amount); SF 3 (Currency Code) different than DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the preconversion currency. 0400: DE 39 = 32 (Partial reversal), DE 4 contains amount from 0100, and DE 95, SF 1 contain the adjusted transaction amount in appropriate currency.									
3	0100	085001200003	1	1	ICC PURCHASE WITH CASHBACK ONLINE PIN	09	05	0	V	MCC DMC, MSI	00
		DCC on a POS Purchase with Cash Back where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 4 (Amount, Transaction) contains the amount in the dynamic conversion currency. First occurrence of DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 58 (POI Amount); SF 3 (Currency Code) different than DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the preconversion currency. Second occurrence of DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 40 (Amount Cash Back), SF 3 (Currency Code) same as DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the converted currency.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	085001200004	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI	00
		DCC on ATM Withdrawal. DE 4 (Amount, Transaction) contains the amount in the dynamic conversion currency. DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 58 (POI Amount); SF 3 (Currency Code) different than DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the preconversion currency.									

Table 0850050: Additional Merchant Data

The test cases in table 0850050 address how an issuer processes dual message authorization requests, reversals, and responses for different payment processing systems.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Base

Program: Additional Merchant Data

Table 69: Table 0850050

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085005000001	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 (Payment Facilitator ID) and SF 3 (Sponsored Merchant ID).									
2	0100	085005000002	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		DE 43 with Merchant Name. DE 48, SE 37, SF 2 (Independent Sales Organization ID).									
3	0100	085005000003	1	1	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 (Payment Facilitator ID), SF 2 (Independent Sales Organization ID), and SF 3 (Sponsored Merchant ID).									
4	0100	085005000007	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		DE 48, SE 37, SF 4 (Merchant Country of Origin) is present. NOTE: SF 4 may also be present with any valid combinations of subfields 1-3.									

Dual Message Authorization: Issuer Credit and Debit
Table 0850050: Additional Merchant Data

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	085005000004	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 (Payment Facilitator ID) and SF 3 (Sponsored Merchant ID).									
6	0100	085005000005	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DE 43 with Merchant Name. DE 48, SE 37, SF 2 (Independent Sales Organization ID).									
7	0100	085005000006	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		This test case tests whether an issuer's Dual Message Authorization application can receive and process Merchant Country of Origin in DE 48, SE 37, SF 4 in authorization messages. DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 (Payment Facilitator ID), SF 2 (Independent Sales Organization ID), and SF 3 (Sponsored Merchant ID).									
8	0100	085005000008	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		This test case tests whether an issuer's Dual Message Authorization application can receive and process Merchant Country of Origin in DE 48, SE 37, SF 4 in authorization messages. DE 48, SE 37, only SF 4 (Merchant Country of Origin) is optional. NOTE: SF 4 may also be present with any valid combinations of subfields 1-3.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	085005000009	1	0	ICC DSRP ELECTRONIC COMMERCE PURCHASE NO CVM	00	09	6		MCC DMC MSI	00
		This test case tests whether an issuer's Dual Message Authorization application can receive and process Merchant Payment Gateway in DE 48, SE 37, SF 5 in authorization messages. DE 48, SE 37, SF 5 (Merchant Payment Gateway ID) = valid value. NOTE: SF 5 may also be present with any valid combinations of subfields 1-4.									

Table 0850055: Transaction Data Elements Program

The test cases in table 0850055 address how an issuer processes dual message authorization requests, advices, reversals, and responses for standardizing requirements for key transaction data elements.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Base

Program: Transaction Data Elements Program

Table 70: Table 0850055

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085005500001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		ATM business transaction. DE 18 (Merchant Type) = 6011 and DE 48tcc = Z (ATM). DE 41 (Acceptor Terminal ID) = valid value of ATM terminal; DE 42 (Acceptor ID) = valid value of ATM acceptor; and DE 43, SF 1 (Acceptor Name) = valid value of ATM owner; DE 43, SF 3 (Acceptor City Name) = valid value of ATM terminal location; and DE 43, SF 5 (Acceptor Country Code) = valid value of ATM terminal location. DE 61, SF 13 (POS Country Code) = valid value of ATM terminal location and DE 61, SF 14 (Acceptor Postal Code) = valid value of ATM terminal location if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of ATM terminal location; DE 122, SE 001, SF 002 (Acceptor Country Subdivision Code) = valid value if applicable; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	085005500002	1	0	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	01	07	0	V	MCC DMC MSI CIR	00
		ATM business transaction. DE 18 (Merchant Type) = 6011 and DE 48tcc = Z (ATM). DE 41 (Acceptor Terminal ID) = valid value of ATM terminal; DE 42 (Acceptor ID) = valid value of ATM acceptor; and DE 43, SF 1 (Acceptor Name) = valid value of ATM owner; DE 43, SF 3 (Acceptor City Name) = valid value of ATM terminal location; and DE 43, SF 5 (Acceptor Country Code) = valid value of ATM terminal location. DE 61, SF 13 (POS Country Code) = valid value of ATM terminal location and DE 61, SF 14 (Acceptor Postal Code) = valid value of ATM terminal location if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of ATM terminal location; DE 122, SE 001, SF 002 (Acceptor Country Subdivision Code) = valid value if applicable; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085005500003	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		Payment Facilitator enabled purchase transactions. DE 18 (Merchant Type) = valid value of Sponsored Merchant. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value of Payment Facilitator; and DE 43, SF 1 (Acceptor Name) contains 3,7,12 character abbreviated Payment Facilitator name followed by * in position 4, 8, or 13 and then Sponsored Merchant name; DE 43, SF 3 (Acceptor City Name) = valid value of Sponsored Merchant; and DE 43, SF 5 (Acceptor Country Code) = valid value of Sponsored Merchant. DE 48, SE 37, SF 1 (Payment Facilitator ID) = valid value and DE 48, SE 37, SF 3 (Sponsored Merchant ID) = valid value. DE 61, SF 13 (POS Country Code) = valid value of Sponsored Merchant and DE 61, SF 14 (Acceptor Postal Code) = valid value if present of Sponsored Merchant if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of Sponsored Merchant; DE 122, SE 001, SF 002 (Acceptor Country Subdivision Code) = valid value if present of Sponsored Merchant; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value of Sponsored Merchant.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	085005500004	1	0	ICC PAYMENT NO CVM	28	05	0		MCC DMC MSI PVL	00
		rePower load value transactions. Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate. DE 4 (Amount, Transaction) = nnnnnnn7754 where nnnnnnn indicates the additional values necessary to represent a reasonable transaction amount in transaction currency to obtain DE 54 in response. DE 18 (Merchant type [MCC] contains 6532 (Payment Transaction - Member Financial Institution), 6533 (Payment Transaction - Merchant). DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing Merchant name followed by "MC rePower"; DE 48, SF 3 (Acceptor City Name) = valid value; and DE 48, SF 5 (Acceptor Country Code) = valid value. DE 48tcc = P (Payment) and DE 48, SE 77 = C03 (rePower Load Value). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Subdivision Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value. 0110: DE 54 = valid value containing post-load account balance.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	085005500005	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		M/chip transaction may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Subdivision Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Subdivision Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; and DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present, DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	085005500006	1	1	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC DMC MSI PVL	00
		M/chip contactless transaction may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Subdivision Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Subdivision Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Table 0850075: Acquirer Country Code

The test cases in table 0850075 address how an issuer processes dual message authorization requests and responses having Acquirer Country Code. Issuers are not required to retain and return the Acquirer Country Code on any response messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Base

Program: Acquirer Country Code

Table 71: Table 0850075

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085007500001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	1	MCC MSI CIR	00
	0400		1	1	DE 39 = 00						00
		ATM withdrawal transaction containing DE 18 = 6011 and DE 48tcc = Z. DE 61, SF 7 = 0 (Normal request). DE 19 (Acquiring Institution Country Code) present. 0400: Full reversal of approved amount for customer cancellation. 0400: DE 19 (Acquiring Institution Country Code) present.									
2	0100	085007500002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
	0400		1	1	DE 39 = 17						00
		Purchase transaction any applicable MCC. DE 19 (Acquiring Institution Country Code) present. 0400: Full reversal of approved amount for customer cancellation. 0400: DE 19 (Acquiring Institution Country Code) present.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0120	085007500004	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		Acquirer host X-Code processing due to acquirer host cannot communicate with the acquirer MIP. DE 39 = 00 (Approved) and DE 60, SF 1 = 190 (Acquirer Processing System (APS) Approved). DE 19 (Acquiring Institution Country Code) present.									

Table 0853001: DE 28 Transaction Fee

The test cases in table 0803001 address how an issuer processes dual message authorization requests, advices, reversals, and responses containing DE 28 (Amount, Transaction Fee) for convenience, surcharge, or ATM access fees when applicable in an approved region or country.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Base

Program: DE 28 Transaction Fee

Table 72: Table 0853001

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085300100001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC, MSI	00
	0400		1	1	DE 39 = 32						00
		Convenience fee or merchant surcharge in DE 28 and in DE 4 of request and partial reversal message.									
2	0100	085300100002	1	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
	0400		1	1	DE 39 = 17						00
		ATM access fee in DE 28 and in DE 4 of request and full reversal message.									
3	0100	085300100003	1	0	ICC CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	05	1	V	MCC DMC, MSI CIR	00
	0400		1	0	DE 39 = 06						00
		ATM access fee in DE 28 and in DE 4 of request and full reversal message.									
4	0120	085300100004	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI	00
		Convenience fee or merchant surcharge in DE 28 and in DE 4 of advice message. DE 39 = 00 and DE 60, SF 1 = 190 (APS approved).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0120	085300100005	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0		MCC DMC MSI CIR	00
		ATM access fee in DE 28 and in DE 4 of advice message. DE 39 = 00 (Approved) and DE 60 = 1010000 (IPS signed out; Accept).									
6	0100	085300100006	1	1	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC, MSI	00
	0120		1	1	DE 39 = 00						00
		Surcharge amount applied by Automated Fuel Dispenser (AFD) merchant on the AFD completion advice. 0100: DE 18 = 5542 (Automated Fuel Dispenser) and DE 28 not present. 0120: DE 60 = 191 (APS Completed Authorization Transaction) and DE 28 contains surcharge amount.									

Issuer Product and Services Testing for Dual Message ICC Authorization Operations

The following test cases in this section test whether an issuer's Dual Message Authorization application can send correctly formatted authorization requests and process the resulting authorization responses when presented under conditions that are specific to all additional features available.

Table 0850020: Transaction Link ID

The test cases in the table 0850020 address how an issuer processes dual message authorization requests and responses for Transaction Link ID in authorization messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transaction Link ID

Table 73: Table 0850020

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085002000001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCS DMC MSI	00
	0400		1	1	DE 39 = 00						00
		Transaction containing Multi-Use Transaction Identification Data in 0100 and 0400. DE 105 (Multi-Use Transaction Identification Data), SE 001 (Transaction Link Identifier) = valid value. 0400: DE 105, SE 001 = valid value.									
2	0120	085002000002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCS DMC MSI	00
		Transaction containing Multi-Use Transaction Identification Data in 0120. DE 105 (Multi-Use Transaction Identification Data), SE 001 (Transaction Link Identifier) = valid value.									

Table 0850140: ISO Format 4 PIN Blocks

The test cases in the table 0850140 address how an issuer processes dual message authorization requests and responses for PIN transactions using ISO Format 4 PIN Blocks.

Issuers must migrate to DE 110 layout and implement the ISO Format 4 PIN Block as the PIN block format for supporting AES keys.

NOTE: DE 110 contains PIN; DE 52 not present.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: ISO Format 4 PIN Blocks

Table 74: Table 0850140

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE110	Card ID	RC
1	0100	085014000001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		ATM withdrawal transaction containing DE 18 = 6011 and DE 48tcc = Z. DE 61, SF 7 = 0 (Normal request). DE 110 (Encryption Data) contains dataset 01 (PIN Encryption) mandatory tags 80, 81, 87, 88 while for Europe tags 83, 86 also mandatory.									
4	0100	085014000004	1	1	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	MCC DMC MSI	00
		DE 110 (Encryption Data) contains dataset 01 (PIN Encryption) mandatory tags 80, 81, 87, 88 while for Europe tags 83, 86 also mandatory.. Request from full grade acquirer.									

Table 0850190: Gambling Transactions and Gaming Transactions

The test cases in the table 0850190 address how an issuer processes dual messages authorization requests and responses for gaming and gambling value.

NOTE: Such transactions are restricted to where permitted by law.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Gambling Transactions and Gaming Transactions

Table 75: Table 0850190

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085019000001	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		Purchase of gambling chips or other value usable for gambling. DE 18 (Merchant Type) = 7995 and DE 48tcc = U (Unique).									
2	0100	085019000002	1	0	ICC CAT LEVEL 4 PURCHASE NO CVM	00	05	4		MCC DMC	00
		Purchase of gambling chips or other value usable for gambling. DE 18 (Merchant Type) = 7995 and DE 48tcc = U (Unique).									

Dual Message Authorization: Issuer Credit and Debit
Table 0850190: Gambling Transactions and Gaming Transactions

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085019000003	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		Purchase of lottery tickets, reoccurring lottery subscription services, or both by a government authority located globally, excluding the U.S. region. DE 18 (Merchant Type) = 9406 and DE 48tcc = R (Retail).									
4	0100	085019000004	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		Purchase of lottery tickets from state lottery merchant located in U.S. region. DE 18 (Merchant Type) = 7800 and DE 48tcc = R (Retail).									
5	0100	085019000005	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		Wagering on horse or dog racing or pari-mutuel activities from licensed merchants located in U.S. region. DE 18 (Merchant Type) = 7802 and DE 48tcc = U (Unique).									
6	0100	085019000006	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI PVL	00
		Purchase for participation in U.S. region merchant offering skill games or a skill games merchant located outside the U.S. region that accepts payment from U.S. region cardholders. DE 18 (Merchant Type) = 7994 and DE 48tcc = R.									

Table 0850201: Recurring Payments

The test cases in the table 0850201 address how an issuer processes dual message authorization requests and responses for recurring payment transactions. Mastercard requires the subsequent transactions of a recurring payment arrangement to be identified as a recurring payment.

Validations for recurring payments

The following validations apply:

- Effective 7 June 2022 in the U.S. Region and 14 October 2022 in all other Regions (unless an earlier effective date applies), the value of 4 must be used when the first payment in a recurring payment series occurs in a Card-not-present (CNP) environment.
- The mix of business transactions and coding for final, undefined, or preauth do not represent all the possible combinations.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Recurring Payments

Table 76: Table 0850201

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085020100001	1	1	ICC PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		Original recurring payment transaction coded as a final authorization. DE 61, SF 4 = 0 (Cardholder present). DE 48, SE 61, SF 5 = 1 (Final Authorization).									

Table 0850314: Mastercard ATM Cash Pick Up Service

The test cases in the table 0850314 address how the participating issuer processes dual message authorization requests and responses of Mastercard ATM Cash Pick Up service containing ATM Cash Pick Up identifier.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Mastercard ATM Cash Pick Up Service

Table 77: Table 0850314

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085031400001	1	0	ICC ATM CASH PICKUP ONLINE PIN	01	05	1	V	MCC DMC CIR	00
		ATM withdrawal transaction initiated via the Mastercard ATM Cash Pick Up service. DE 48, SE 77 = P01 (Mastercard ATM Cash Pick Up Transaction).									

Table 0850371: Payment Account Reference (PAR) on Funding PAN

The test cases in the table 0850371 address how an issuer processes dual message authorization requests, advice, and reversals containing PAR in DE 56.

NOTE: PAR does not apply to ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Payment Account Reference (PAR) on Funding PAN

Table 78: Table 0850371

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
10	0120	085037100032	1	1	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07	0		MCC DMC MSI	00
		This test case is for non-tokenized account with Mastercard as BIN Controller. Funding PAN used by non-MDES issuer's cardholder on acquirer-generated 0120 advice. 0120: DE 39 = 00 (Approved) and DE 60 = 190 (APS approved transaction). 0120: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									
11	0100	085037100033	1	1	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07	0		MCC DMC MSI	00
	0400		1	1	DE 39 = 17						00
		This test case is for non-tokenized account with Mastercard as BIN Controller. Funding PAN used by non-MDES issuer's cardholder on acquirer-generated 0400 reversal request. 0100: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller. 0400: DE 39 = 17 (Customer Cancellation). 0400: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0420	085037100034	1	1	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07			MCC DMC MSI	00
		This test case is for non-tokenized accounts with Mastercard as BIN Controller. System-generated 0420 reversal advice due to Mastercard unable to deliver 0400 request request to issuer. DE 39 = 17 (Customer Cancellation) and DE 60, SF 1 = 403 (Issuer signed out). DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									

Table 0850400: Fleet Connexus Standards Program

The test cases in the table 0850400 address how an issuer processes dual message authorization requests and responses for fleet card Connexus Standards.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Fleet Connexus Standards Program

Table 79: Table 0850400

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085040000001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		No prompt or purchase restriction. DE 18 (Merchant Type) = valid values of customer choice for fuel items and or non-fuel items. DE 106, SE 001 not present due to no prompt codes. DE 106, SE 004, SF 001-003 (Fuel Item Purchased) = valid values of customer choice, and or DE 106, SE 005, SF 001-012 (Non-Fuel Item Purchased) = valid values of customer choice.									
2	0100	085040000002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer; no purchase restriction. DE 18 (Merchant Type) = valid values of customer choice for fuel items and/or non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. 0110: DE 106, SE 001 echoed from 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085040000003	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer and driver ID; no purchase restriction. DE 18 (Merchant Type) = valid values of customer choice for fuel items and/or non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. 0110: DE 106, SE 001 echoed from 0100.									
4	0100	085040000004	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer, driver ID, and trip number; no purchase restriction. DE 18 (Merchant Type) = valid values of customer choice for fuel items and/or non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. DE 106, SE 001, SF 003 (Prompt Code 3) = 011. DE 106, SE 001, SF 003 (Driver Related Data 3) = 100. 0110: DE 106, SE 001 echoed from 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	085040000005	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer, driver ID, trip number, and job number; no purchase restriction. DE 18 (Merchant Type) = valid values of customer choice for fuel items and/or non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. DE 106, SE 001, SF 003 (Prompt Code 3) = 011. DE 106, SE 001, SF 003 (Driver Related Data 3) = 100. DE 106, SE 001, SF 004 (Prompt Code 4) = 021. DE 106, SE 001, SF 004 (Driver Related Data 4) = 1855. 0110: DE 106, SE 001 echoed from 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	085040000006	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer, driver ID, trip number, job number, and department number; no purchase restriction. DE 18 (Merchant Type) = valid values of customer choice for fuel items and/or non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. DE 106, SE 001, SF 003 (Prompt Code 3) = 011. DE 106, SE 001, SF 003 (Driver Related Data 3) = 100. DE 106, SE 001, SF 004 (Prompt Code 4) = 021. DE 106, SE 001, SF 004 (Driver Related Data 4) = 1855. DE 106, SE 001, SF 005 (Prompt Code 5) = 023. DE 106, SE 001, SF 005 (Driver Related Data 5) = 1052. 0110: DE 106, SE 001 echoed from 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
7	0100	085040000007	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer and driver ID; no purchase restriction; purchased 2 non-fuel items. DE 18 (Merchant Type) = valid values of customer choice for non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. DE 106, SE 005, SF 001 = 1140000000001002EAbbbbbbbbb000000004500. DE 106, SE 005, SF 002 = 4220000000001002EAbbbbbbbbb000000000499. 0110: DE 106, SE 001 echoed from 0100.									
8	0100	085040000008	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer and driver ID; no purchase restriction; purchased 1 fuel item. DE 18 (Merchant Type) = valid values of customer choice for fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. DE 106, SE 004, SF 001 = 001000000003250101025330000000003332. 0110: DE 106, SE 001 echoed from 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	085040000009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer and driver ID; no purchase restriction; purchased 2 fuel items. DE 18 (Merchant Type) = valid values of customer choice for fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 001, SF 002 (Prompt Code 2) = 004. DE 106, SE 001, SF 002 (Driver Related Data 2) = 6789. DE 106, SE 004, SF 001 = 001000000003250101025330000000003830. DE 106, SE 004, SF 002 = 062000000005500100125030000000000688. 0110: DE 106, SE 001 echoed from 0100.									
10	0100	085040000010	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC	00
		Prompt for odometer; no purchase restriction; Fleet Spend Control Override Items. DE 18 (Merchant Type) = valid values of customer choice for fuel items and/or non-fuel items. DE 106, SE 001, SF 001 (Prompt Code 1) = 005. DE 106, SE 001, SF 001 (Driver Related Data 1) = 12345. DE 106, SE 002 = 1 (Supports spend control override). 0110: DE 106, SE 001 echoed from 0100. 0110: DE 106, SE 003 (Fleet Spend Control Override Items)= E7E08000000000C0.									

Table 0850601: PIN Management (All Business Transactions)

The test cases in the table 0850601 verify whether an issuer's Dual Message Authorization application can receive PIN management authorization requests and reversals, process them, and return correctly formatted authorization responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: PIN Management (All Business Transactions)

Table 80: Table 0850601

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	085060100011	1	1	ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	05	1	V	MCC DMC MSI CIR	85
	0400		1	1							00
		Full reversal after timeout plus the following: DE 55, tag 71 or 72 (Issuer script) must be present in response message and contain a valid PIN change command.									
4	0100	085060100012	1	1	ICC ATM PIN UNBLOCK ONLINE PIN	91	05	0	V	MCC DMC MSI CIR	85
	0400		1	1	DE 39 = 06						00
		DE 55, tag 71 or 72 (Issuer script) must be present in response message and contain a valid PIN unblock command. Full reversal after issuer script implementation failure at acquirer - 0400: DE 39 = 06 (Error).									

Table 0850602: PIN Management (Selected Response Codes)

The test cases in the table 0850602 address how an issuer processes dual message authorization requests and decline responses for PIN management.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: PIN Management (Selected Response Codes)

Table 81: Table 0850602

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085060200001	1	0	ICC ATM PIN UNBLOCK ONLINE PIN	91	05	0	V	MCC DMC MSI CIR	70
		Contact card issuer.									
2	0100	085060200002	1	0	ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	05	1	V	MCC DMC MSI CIR	71
		PIN not changed.									
3	0100	085060200003	1	0	ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	05	1	V	MCC DMC MSI CIR	89
		Unacceptable PIN - transaction declined; retry.									

Table 0850625: Transit Program (Post-Authorized Aggregated Model – US Region)

The test cases in the table 0850625 address how an issuer processes dual message authorization requests and responses for Account Status Inquiry, Debt Recovery, ATC Update, and Aggregated transactions applicable to the U.S. region Transit Post-Authorized Aggregated Model

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transit Program (Post-Authorized Aggregated Model – US Region)

Table 82: Table 0850625

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085062500005	1	0	ICC CONTACTLESS ASI PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Card present contactless M/Chip real-time Account Status Inquiry transaction. DE 4 (Amount, Transaction) = 000000000000. DE 18 (Merchant Type) = valid value applicable for transit transaction. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 05 (Other) and SF 2 (Transportation Mode Indicator) = valid value. DE 55 = not present for this ASI transit transaction. DE 61, SF 7 (POS Transaction Status) = 8 (Account Status Inquiry). NOTE: If the Issuer approves or does not decline the ASI request, then the Merchant may proceed with tap aggregation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0850625: Transit Program (Post-Authorized Aggregated Model – US Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085062500001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Post-Authorized Aggregated U.S. region transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) = valid value of aggregation cycle not to exceed applicable contactless transaction CVM limit. DE 18 (Merchant Type) = valid value applicable for transit transaction. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 05 (Other) and SF 2 (Transportation Mode Indicator) = valid value. DE 55 = valid value for data populated from the last tap. DE 61, SF 7 (POS Transaction Status) = 1 (Deferred authorization).									
3	0100	085062500007	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Card present debt recovery transit transaction. DE 2 (Primary Account Number [PAN]) contains device PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 61, SF 05 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 01 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains an applicable valid value. DE 61, SF 7 (POS Transaction Status) = 0 (Normal request - original presentment).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085062500009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		ATC Update Request with the most recent ATC (Application Transaction Counter) value and other applicable data. DE 4 (Amount, Transaction) contains all zeros. DE 55 contains ICC data from the most recent tap. DE 61, SF 7 (POS Transaction Status) = 6 (ATC Update). NOTE: Transit merchants must initiate an ATC update with most recent ATC value at least once every 20 times a card is used in the transit system from the last authorization or ATC update request.									

Table 0850627: TSP Token (Transit)

The test cases in the table 0850627 address how an issuer processes dual message authorization requests and responses containing embossed account data for Token Service Provider (TSP) token transit model transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: TSP Token (Transit)

Table 83: Table 0850627

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085062700001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		TSP token Prefunded transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains fare for travel subscription or plan. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 01 (Prefunded) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains fare for travel subscription or plan. DE 55 contains ICC data from the tap for fare for travel subscription or plan. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27). 0110: DE 48, SE 33, SFs 1-3 containing embossed card information for the transit merchant.									

Table 0850629: Transit Program (All Models, Debt Recovery and ATC Update)

The test cases in the table 0850629 address how an issuer processes dual message authorization requests and responses for Prefunded, Real-Time Authorized, or Post-Authorized Aggregated models and their applicable associated Debt Recovery and ATC Update transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transit Program (All Models, Debt Recovery and ATC Update)

Table 84: Table 0850629

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085062900001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Prefunded transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains fare for travel subscription or plan. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 01 (Prefunded) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains fare for travel subscription or plan. DE 55 contains ICC data from the tap for fare for travel subscription or plan. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Dual Message Authorization: Issuer Credit and Debit
Table 0850629: Transit Program (All Models, Debt Recovery and ATC Update)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085062900002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Real-Time Authorized transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains single/known ride fare. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 02 (Real-Time Authorized) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains single/known ride fare. DE 55 contains ICC data from the tap for single/known ride fare. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									
3	0100	085062900003	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC	00
		Post-Authorized Aggregated transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains nominal amount such as 0.10. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 03 (Post-Authorized Aggregated) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the tap. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Dual Message Authorization: Issuer Credit and Debit
Table 0850629: Transit Program (All Models, Debt Recovery and ATC Update)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085062900006	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	00
		Post-Authorized Aggregated transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains nominal amount such as 0.10. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 06 (Maestro Contactless Transit Aggregated) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the tap. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Dual Message Authorization: Issuer Credit and Debit
Table 0850629: Transit Program (All Models, Debt Recovery and ATC Update)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	085062900007	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Card present debt recovery transit transaction via M/Chip contactless tap using funding PAN on an attended or unattended terminal. DE 2 (Primary Account Number[PAN]) contains funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 01 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains an applicable valid value. DE 48, SE 61, SF 05 (Final Authorization Indicator) = 1 (Final Authorization). DE 55, tag 9F02 (Amount, Authorized) contains amount to be recovered. DE 55 contains ICC data from the tap for amount to be recovered. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									
6	0100	085062900009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		ATC Update request with the most recent ATC (Application Transaction Counter) value and other applicable data. DE 4 (Amount, Transaction) contains all zeros. DE 55 contains ICC data from the most recent tap. DE 61, SF 7 (POS Transaction Status) = 6 (ATC Update). NOTE: Transit merchants must initiate an ATC update with most recent ATC value at least once every 20 times a card is used in the transit system from the last authorization or ATC update request.									

Table 0850633: Electric Vehicle Charging

The test cases in the table 0850633 address how an issuer processes dual message M/Chip Contactless authorization request, reversals, and responses for Electric Vehicle Charging transactions when applicable.

For more information, see *AN 3852—Revised Standards—Electric Vehicle Charging Transaction Processing Procedures*.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Electric Vehicle Charging

Table 85: Table 0850633

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085063300001	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	10
	0400		1	1	DE 39 = 32						00
		Preauthorization before electric vehicle charging; merchant terminal optionally supports partial approvals; issuer provides partial approval response; and completed transaction amount less than partial approval amount. DE 4 (Amount, Transaction) equals the terminal maximum dispense amount or a specific amount requested by the cardholder that does not exceed the applicable contactless CVM limit. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 10000 indicating merchant terminal supports receipt of partial approvals. DE 61, SF 7 = 4 (Preauthorized request). 0110: DE 6 contains partial approval amount and DE 39 = 10 (Partial approval). 0400: DE 39 = 32 (Partial reversal); DE 48, SE 63 (Trace ID); and DE 95, SF 1 (Actual Amount, Transaction) is best practice even if submitted into clearing within 24 hours of authorization.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085063300002	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	00
	0400		1	1	DE 39 = 32						00
		Preauthorization before electric vehicle charging; merchant terminal does not support partial approvals; issuer approves request; and completed transaction amount less than approved request amount. DE 4 (Amount, Transaction) equals the terminal maximum dispense amount or a specific amount requested by the cardholder that does not exceed the applicable contactless CVM limit. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 00000 indicating merchant terminal does not support receipt of partial approvals. DE 61, SF 7 = 4 (Preauthorized request). 0400: DE 39 = 32 (Partial reversal); DE 48, SE 63 (Trace ID); and DE 95, SF 1 (Actual Amount, Transaction) is best practice even if submitted into clearing within 24 hours of authorization.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	085063300003	1	0	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	00
		Preauthorization before electric vehicle charging; merchant terminal does not support partial approvals; issuer approves request; and completed transaction amount greater than approved request amount. DE 4 (Amount, Transaction) equals the terminal maximum dispense amount or a specific amount requested by the cardholder that does not exceed the applicable contactless CVM limit. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 00000 indicating merchant terminal does not support receipt of partial approvals. DE 61, SF 7 = 4 (Preauthorized request). NOTE: Acquirer must send an additional (incremental) authorization request for the unauthorized amount to obtain chargeback protection.									
4	0100	085063300004	1	0	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	00
		Incremental authorization for electric vehicle charging request whose completed transaction amount was greater than approved request amount. DE 4 (Amount, Transaction) for the incremental amount. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail); SE 61 (POS Data Extended Condition Codes) = 00001 indicating final authorization; and DE 48, SE 63 (Trace ID). DE 61, SF 7 = 0 (Normal request).									

Table 0850645: Automated Fuel Dispenser

The test cases in the table 0850645 address how an issuer processes preauthorization dual message requests and responses for Automated Fuel Dispenser transactions. The issuer will receive completion authorization advice or reversal request message, if applicable.

Refer to the following announcements for more details and effective dates:

- AN 3886 - Revised Standards - Automated Fuel Dispenser Transaction Processing Procedures
- AN 2697 - Revised Standards - Electronic Commerce Transactions at Automated Fuel Dispensers

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Automated Fuel Dispenser

Table 86: Table 0850645

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085064500001	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC MSI	00
	0120		1	0	DE 39 = 00						00
		AFD dip pre-authorization approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0120: DE 4 contains final AFD amount (pumped amount) or all zeros if no fuel is dispensed or transaction cancelled and DE 39 = 00 (Approved). 0120: may contain optional DE 28 (Amount, Transaction Fee) for surcharge amount also included in DE 4. 0120: DE 48, SE 20 = S (Signature). 0120: DE 60, SF 1 = 191 (Acquirer Processing [APS] Completed Authorization Transaction). 0130: DE 48, SE 15 (Authorization System Advice Date and Time).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085064500002	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC MSI	10
	0120		1	0	DE 39 = 10						00
		AFD dip preauthorization partially approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0110: DE 4 contains partial approval amount; pump should stop if that amount is reached. 0120: DE 4 contains final AFD amount and DE 39 = 10 (Partial Approval). 0120: may contain optional DE 28 (Amount, Transaction Fee) for surcharge amount also included in DE 4. 0120: DE 48, SE 20 = S (Signature). 0120: DE 60, SF 1 = 191 (Acquirer Processing [APS] Completed Authorization Transaction). 0130: DE 48, SE 15 (Authorization System Advice Date and Time).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	085064500003	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC MSI	00
	0400		1	0	DE 39 = 17						00
		AFD dip preauthorization approved and full reversal sent within 60 minutes due to cancelled purchase or no fuel pumped. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0400: DE 4 contains amount from preauthorization request. 0400: DE 39 = 17 (Customer cancellation) or other applicable value. 0400: DE 48, SE 63 (Trace ID) and DE 90 (Original Data Elements) must be present. 0400: DE 95 (Replacement Amounts) if present must contain all zeros to indicate a full reversal.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085064500011	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	00
	0120		1	1	DE 39 = 00						00
		AFD tap preauthorization approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0120: DE 4 contains final AFD amount (pumped amount) or all zeros if no fuel is dispensed or transaction cancelled and DE 39 = 00 (Approved). 0120: may contain optional DE 28 (Amount, Transaction Fee) for surcharge amount also included in DE 4 0120: DE 48, SE 20 = S (Signature). 0120: DE 60, SF 1 = 191 (Acquirer Processing [APS] Completed Authorization Transaction). 0130: DE 48, SE 15 (Authorization System Advice Date and Time).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	085064500012	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	10
	0120		1	1	DE 39 = 10						00
		AFD tap preauthorization partially approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0110: DE 4 contains partial approval amount; pump should stop if that amount is reached. 0120: DE 4 contains final AFD amount and DE 39 = 10 (Partial Approval). 0120: may contain optional DE 28 (Amount, Transaction Fee) for surcharge amount also included in DE 4. 0120: DE 48, SE 20 = S (Signature). 0120: DE 60, SF 1 = 191 (Acquirer Processing [APS] Completed Authorization Transaction). 0130: DE 48, SE 15 (Authorization System Advice Date and Time).									

Dual Message Authorization: Issuer Credit and Debit
Table 0850715: Transit Top-Up Payment Transactions (India)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	085064500013	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC MSI	00
	0400		1	1	DE 39 = 17						00
		AFD tap preauthorization approved and full reversal sent within 60 minutes due to cancelled purchase or no fuel pumped. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0400: DE 4 contains amount from preauthorization request. 0400: DE 39 = 17 (Customer cancellation) or other applicable value. 0400: DE 48, SE 63 (Trace ID) and DE 90 (Original Data Elements) must be present. 0400: DE 95 (Replacement Amounts) if present must contain all zeros to indicate a full reversal.									

Table 0850715: Transit Top-Up Payment Transactions (India)

The test cases in the table 0850715 verify whether an issuer Dual Message Authorization application can receive India domestic transit top-up payment transactions in authorization requests; process them, and send correctly formatted authorization responses containing issuer script and balance information.

NOTE: Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transit Top-Up Payment Transactions (India)

Table 87: Table 0850715

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085071500001	1	0	ICC PAYMENT TRANSACTION ONLINE PIN	28	05	0	V	MCC	00
		DE 4 (Amount, Transaction) = 000000100000 top-up amount. DE 18 (Merchant Type [MCC]) = 6532 (Payment Transaction - Member Financial Institution) or 6533 (Payment Transaction - Merchant). DE 48tcc = P (Payment Transaction). DE 48, SE 77 (Transaction Type Identifier) = C03 (Mastercard rePower). DE 55, tag 9F02 (Amount, Authorized) = top-up amount. DE 55, tag 9F10 (Issuer Application Data) includes Accumulator 1 as balance. DE 55 contains other ICC data. 0110: DE 54 contains post-load transaction account balance. 0110: DE 55 contains Issuer Authentication Data (tag 91) and Issuer Script Template 1 (tag 71) for offline balance update.									

Table 0850719: Single Tap and PIN Request

The test cases in the table 0850719 verify whether an issuer's Dual Message Authorization application can support single tap and PIN request processing.

NOTE: If applicable to your region.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Advices

Operation Type: ICC

Testing Type: Product and Services

Program: Single Tap and PIN Request

Table 88: Table 08050719

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085071900001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Low-value transaction with limits not reached. DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). 0110: Issuer approves transaction DE 39 = 00 and issuer or Mastercard monitoring system increments counter or accumulator.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085071900002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	65
		Low-value transaction with limits reached. DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). 0110: Issuer requests PIN authentication using DE 39 = 65 and DE 48, SE 22, SF 04 = 1 (Issuer requests PIN in Single Tap mode) due to issuer monitoring system indicating limits reached for counter or accumulator. NOTE: This transaction is not applicable to issuer who uses Mastercard On-Behalf Contactless Counters Service.									
3	0100	085071900003	1	0	ICC CONTACTLESS PURCHASE ONLINE PIN	00	07	0	V	MCC DMC MSI	00
		Low-value transaction authentication request containing online PIN and updated values in DE 11 and DE 37 due to Mastercard or issuer previous decline with DE 39 = 65 and request for PIN in single tap mode. DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). DE 48, SE 22, SF 03 = 1 (Transaction contains an intentionally-duplicated [replayed] ATC value). DE 48, SE 63 (Trace ID) optional but recommended to be present for issuer matching to the original request. 0110: Issuer approves transaction DE 39 = 00 and issuer or Mastercard monitoring system resets counter or accumulator.									
4	0100	085071900004	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	65
		Low-value transaction with limits reached. DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). 0110: Issuer requests contact chip and PIN authentication using DE 39 = 65 due to issuer monitoring system indicating limits reached for counter or accumulator. NOTE: This transaction is not applicable to issuer who uses Mastercard On-Behalf Contactless Counters Service.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	085071900005	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC MSI	00
		Merchant submits contact chip and PIN for this Low-value transaction that exceeded counter or accumulator and was previously declined by Mastercard or issuer with DE 39 = 65 and no DE 48, SE 22, SF 04 indicating issuer did not want single tap processing. NOTE: Offline PIN may also be allowed as the CVM based on terminal capabilities and issuer preferences expressed in the CVM List or elsewhere on the card. DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). 0110: Issuer approves transaction DE 39 = 00 and issuer or Mastercard monitoring system resets counter or accumulator.									
6	0120	085071900009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI	00
		Issuer declined advice from Safety Net for Mastercard On-Behalf Contactless Counters Service for PSD2 Compliance. DE 39 = 65; DE 60, SF 1 = 120 (Transaction Blocking); and DE 121 = 000003 (On-Behalf Service). DE 48, SE 71 = 18Cb for successful Fraud Scoring Service. DE 48, SE 75, SF 1 (Fraud Score) = 001 and SF 2 (Score Reason Code) = S3 (Contactless Counter Reason Code).									
7	0100	085071900007	1	0	ICC CONTACTLESS PURCHASE ONLINE PIN	00	07	0	IV	MCC DMC MSI	55
		DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). 0110: DE 39 = 55 (Invalid PIN) and DE 48, SE 22, SF 4 = 1 (Issuer requests PIN in Single Tap mode).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	085071900000	1	0	ICC CONTACTLESS PURCHASE ONLINE PIN	00	07	0	V	MCC DMC MSI	00
		Issuer must be aware that acquirers will re-use the data from the original request (including DE 55) and identify the transaction as duplicated due to issuer request for valid PIN. DE 48, SE 22, SF 02 = 1 (Merchant capable of single tap processing). DE 48, SE 22, SF 03 = 1 (Intentionally duplicated [replayed] AC value). DE 48, SE 63 (Trace ID) optional but recommended to be present for issuer matching to the original request.									

Table 0850801: Address Verification Service

The test cases in the table 0850801 address how an issuer processes dual message authorization requests and responses with the Address Verification Service (AVS) data.

The test transaction data must be updated with the DE 120 address values that issuers want to receive in each test case or they may accept the default value of 1520 Main St Suite 3, St. Louis, MO 63146-4236.

NOTE: Mastercard mandates the support of AVS for issuers in specified regions or countries. If issuers intend to support the AVS, they must successfully complete the connectivity test cases applicable to Dual Message Authorization. This involves Sign-on Requests containing the Service Indicator (DE 94).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Address Verification Service

Table 89: Table 0850801

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085080100101	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		MCC DMC	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0110: DE 48, SE 83 (AVS Response), and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									

Table 0850903: Flex Card Service (Brazil)

The test cases in the table 0850903 address how a registered Brazil issuer processes dual message authorization requests and responses for the Flex Card Service containing DE 48, Subelement 14 indicating routing to a credit or debit processor.

NOTE: The Flex Card Service applies to 01xx and 04xx messages and also applies to various transaction types and POS entry modes.

Table Description:

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Flex Card Service (Brazil)

Table 90: Table 0850903

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085090300001	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC	00
		This test case is for Brazil domestic acquired cross border transactions. Brazil domestic transaction with debit Account Type Indicator. DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = D (Debit). DE 63, SF 1 (Financial Network Code) contains Debit Mastercard product code.									
2	0100	085090300002	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		This test case is for Brazil domestic acquired cross border transactions. Brazil domestic transaction with credit Account Type Indicator. DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0100	085090300003	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	DMC	00
		Brazil domestic transaction with debit Account Type Indicator. DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = D (Debit). DE 63, SF 1 (Financial Network Code) contains Debit Mastercard product code. This test case is for Brazil domestic acquired cross border transactions.									
4	0100	085090300004	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	00
		This test case is for Brazil domestic acquired cross border transactions. Brazil domestic transaction with credit Account Type Indicator. DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									
5	0100	085090300011	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC	00
		This test case is for global acquired cross border transactions. Brazil cross-border chip transaction with debit Account Type Indicator. DE 23 (Card Sequence Number) second digit is in the range of 5-9. DE 48, SE 14 (Account Type Indicator) = D (Debit). DE 63, SF 1 (Financial Network Code) contains Debit Mastercard product code.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	085090300012	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		This test case is for global acquired cross border transactions. Brazil cross-border chip transaction with credit Account Type Indicator. DE 23 (Card Sequence Number) second digit is in the range of 0-4. DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									
7	0100	085090300013	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		This test case is for global acquired cross border transactions. Brazil cross-border chip transaction with credit Account Type Indicator. DE 23 (Card Sequence Number) is not present. DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									
8	0100	085090300014	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	DMC	00
		This test case is for global acquired cross border transactions. Brazil cross-border chip transaction with debit Account Type Indicator. DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = D (Debit). DE 63, SF 1 (Financial Network Code) contains Debit Mastercard product code.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0100	085090300015	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	00
		This test case is for global acquired cross border transactions. Brazil cross-border chip transaction with credit Account Type Indicator. DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 48, SE 14 (Account Type Indicator) = C (Credit). DE 63, SF 1 (Financial Network Code) contains Mastercard credit product code.									

Table 0850945: Paraguay Domestic Processing Program

The test cases in table 0850945 address how an issuer processes dual message authorization requests and responses for various types of Paraguay domestic payments, recurring payments, and normal purchase transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Paraguay Domestic Processing Program

Table 91: Table 0850945

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085094500001	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Issuer Financed Installment transaction (Plan 1). DE 48, SE 95 = PRYCTA. DE 112, SE 007, position 1-2 = 20. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600.									
2	0100	085094500002	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Grace Period Combined financing Installment transaction (Plan 2). DE 48, SE 95 = PRYCTA. DE 61, SF 7 = 4 - pre-authorization. DE 112, SE 007, position 1-2 = 21. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 1 or 2 (30 or 60 days grace period). DE 112, SE 007, position 6-8 = 600.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085094500003	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Merchant Financed Installment transaction (Plan 3). DE 48, SE 95 = PRYCTA. DE 61, SF 7 = 4 - pre-authorization. DE 112, SE 007, position 1-2 = 22. DE 112, SE 007, position 3-4 = 02 or 03. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600.									
4	0100	085094500004	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Issuer Financed Installment transaction (Plan 1). DE 48, SE 95 = PRYCTA. DE 112, SE 007, position 1-2 = 20. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0100	085094500005	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Grace Period Combined financing Installment transaction (Plan 2). DE 48, SE 95 = PRYCTA. DE 61, SF 7 = 4 - pre-authorization. DE 112, SE 007, position 1-2 = 21. DE 112, SE 007, position 3-4 = nn - number of installments. DE 112, SE 007, position 5 = 1 or 2 (30 or 60 days grace period). DE 112, SE 007, position 6-8 = 600.									
6	0100	085094500006	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC	00
		Merchant Financed Installment transaction (Plan 3). DE 48, SE 95 = PRYCTA. DE 61, SF 7 = 4 - pre-authorization DE 112, SE 007, position 1-2 = 22. DE 112, SE 007, position 3-4 = 02 or 03. DE 112, SE 007, position 5 = 0. DE 112, SE 007, position 6-8 = 600.									
7	0100	085094500007	1	1	ICC CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	05	1	V	MCC DMC Prepaid	00
		ATM balance inquiry.									

Dual Message Authorization: Issuer Credit and Debit
Table 0850945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0100	085094500008	1	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC Prepaid	00
		ATM withdrawal.									
9	0100	085094500009	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC Prepaid	00
		Normal domestic 0100 purchase transaction followed by 0400 full reversal.									
10	0100	085094500010	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC Prepaid	00
		Normal domestic 0100 purchase transaction followed by 0100 full refund.									
11	0100	085094500011	1	1	ICC REFUND SIGNATURE	20	05	0		MCC DMC Prepaid	00
		Preceding 0100 purchase followed by this 0100 full refund.									
12	0100	085094500012	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC Prepaid	00
		Normal domestic 0100 purchase transaction with a Merchant with a Mastercard Assigned ID (MAID). DE 48,SE 32 = nnnnnn (MAID).									
13	0100	085094500013	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC Prepaid	00
		Normal domestic 0100 purchase transaction with a Merchant with a Mastercard Assigned ID (MAID). DE 48,SE 32 = nnnnnn (MAID).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
14	0100	085094500014	1	1	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	DMC Prepaid	00
		Normal domestic 0100 purchase with cashback transaction. DE 54. SF 1 = DE 3, SF 2. DE 54. SF 2 = 40 (Cash Back). DE 54. SF 3 = 600. DE 54. SF 4 = D + cash back amount.									
15	0100	085094500015	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MCC DMC Prepaid	00
		Normal domestic transaction. DE 4 (Amount, Transaction) contains gratuity amount and tax (IAC). DE 18 = 5812 (Eating Places, Restaurants). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. DE 54, SF 2 (Amount type) = 44 (Amount Gratuity) and SF 3 (Currency Code, Transaction) = 600.									

Table 0850946: Paraguay Domestic Processing Program

The test cases in table 0850946 address how an issuer process dual message authorization requests and responses for domestic payments Paraguay.

Test cases include various ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Paraguay Domestic Processing Program

Table 92: Table 0850946

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085094600001	1	1	ICC ATM INSTALLMENT WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	00
		ATM installment request approved. DE 3, SF 2 = 30 (Credit Card Account). DE 4 = Contains the amount of the cash advance. DE 61, SF 7 = 0 (Normal request [original presentment]). DE 112, SE 001 = 81 (ATM Installment Withdrawal); = 01–99 (the number of installments requested by the cardholder). 0110: DE 3 = echo 0100; 0110: DE 4 = echo 0100; and DE 112, SE 01 = echo 0100.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	085094600002	1	1	ICC ATM INSTALLMENT WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	05
		ATM installment request declined. DE 3, SF 2 = 30 (Credit Card Account). DE 4 = Contains the amount of the cash advance. DE 61, SF 7 = 0 (Normal request [original presentment]). DE 112, SE 001 = 81 (ATM Installment Withdrawal); = 01–99 (the number of installments requested by the cardholder). 0110: DE 3 = echo 0100; 0110: DE 4 = echo 0100; and DE 112, SE 01 = echo 0100.									

Table 0851015: Domestic Processing (Japan)

The test cases in the table 0851015 address how an issuer processes dual message authorization request and responses for domestic Japan POS transaction containing Japan National Data, and Japan Payment Output in DE 112.

NOTE: Issuer must initiate setup of SE 30 and SE 32 data they want to receive in request.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Domestic Processing (Japan)

Table 93: Table 0851015

	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085101500011	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Japan domestic POS transactions, DE 61, SF 13 (POS Country) = 392 (Japan). Issuer receives DE 112 containing SE 30 (Japan Domestic POS Data) and SE 32 (Japan Payment Options) in request. Issuer sends DE 112 SE 30 and SE 32 in approved response.									
2	0100	085101500002	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	05
		Japan domestic POS transactions, DE 61, SF 13 (POS Country) = 392 (Japan). Issuer receives DE 112 containing SE 30 (Japan Domestic POS Data) and SE 32 (Japan Payment Options) in request. Issuer sends DE 112, SE 30, SE 31 (Japan Domestic Response Code), and SE 32 in declined response.									
3	0100	085101500003	1	0	ICC REFUND SIGNATURE	20	05	0		MCC DMC	00
		Japan domestic POS transactions, DE 61, SF 13 (POS Country) = 392 (Japan). Issuer receives DE 112, SE 30 (Japan Domestic POS Data) and SE 32 (Japan Payments Options) in refund. Issuer sends DE 112, SE 30 and SE 32 in response.									

	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	085101500004	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
	0400		1	0	DE 39 = 17						00
		Japan domestic POS transactions, DE 61, SF 13 (POS Country) = 392 (Japan). Issuer receives DE 112, SE 30 (Japan Domestic POS Data) and SE 32 (Japan Payment Options) in request and reversal. Issuer sends DE 112, SE 30 and SE 32 in approved response and reversal.									
5	0100	085101500005	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Issuer receives DE 61, SF 13 (POS Country) that is not equal to 392 (Japan). Issuer does not receive DE 112, SE 30 (Japan Domestic POS Data) or SE 32 (Japan Payment Options).									
6	0120	085101500006	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Japan domestic POS transactions, DE 61, SF 13 (POS Country) = 392 (Japan). Issuer receives DE 39 = 00 (Approved) and DE 60 = 1010000 (IPS signed out: Accept). Issuer receives DE 112 containing SE 030 (Japan Domestic POS Data) and SE 032 (Japan Payment Options). Issuer sends DE 112, SE 030 and SE 032 in approved response.									
7	0120	0851015000007	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Issuer receives DE 61, SF 13 (POS Country) = 392 (Japan). Issuer receives DE 112 containing SE 30 (Japan Domestic POS Data), position 105 = 1 (Memory) and SE 32 (Japan Payment Options), SF 1 = 10 (Single Payment) in request. Issuer sends DE 112, SE 30 and SE 32 in approved response.									

	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
	0420	085101500008	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
8		System-generated Reversal Advice/0420 sent to issuer due to unable to deliver Reversal Request/0400. Issuer receives DE 39 = 17 (Cancelled) and DE 60, SF 1 = 413 (Issuer Undelivered). Issuer receives DE 112 containing SE 030 (Japan Domestic POS Data), position 107 (Authorization Type) value 1, 2, 3, 4, or 6 of customer choice. Issuer receives DE 112 containing SE 032 (Japan Payment Options). Issuer sends DE 112, SE 030 and SE 032 in approved response.									

Table 0851050: Domestic Processing (Colombia)

The test cases in the table 0851050 address how an issuer processes dual messages authorization requests, advices, reversals, and responses for various types of Colombia domestic transactions.

Domestic issuer must provide data echoed for DE 48 subelement 95, DE112 subelement 010 and 011 if present. They are also required for Credit products and optional for MC Debit. DE124 is required in all POS domestic messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Domestic Processing (Colombia)

Table 94: Table 0851050

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085105000001	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Restaurant transaction with gratuity and installments if applicable. DE 54 present with amount type 44 (Amount Gratuity). DE 48, sub95 as COLCTA, DE 32 as 999962. DE 112, SE010, SE011 and DE 124 must be present containing Colombia domestic transaction information.									
2	0100	085105000002	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
	0400		1	0	DE 39 = 17						00
		Purchase transaction; no special characteristics, followed by customer cancellation full amount reversal transaction. DE 48, sub95 as COLCTA; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962. 0400: DE 124 is present including SF 10 (Original Transaction Data).									
3	0100	085105000003	1	0	ICC CASH ADVANCE SIGNATURE	17	05	0		MCC	00
		Cash disbursement transaction. DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085105000004	1	0	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		MCC	00
		Purchase with a cashback transaction. DE 48, SE 95 and DE 112 are present. DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
5	0100	085105000005	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Purchase transaction for 12 installments using Mastercard assigned ID. DE 48, SE 95 = COLCTA and SE 32 = 230269 Fallabella; MCC = 5311; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
6	0100	085105000006	1	0	ICC CAT LEVEL 9 PURCHASE SIGNATURE	00	05	9		MCC	00
		Attended mobile POS terminal, on or off premises, magnetic stripe PAN input. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (mPOS Software-based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI-compliant dongle [with or without key pad]). DE 48, SE 95 present; DE 112, SE 010 = 02 and SE 011 (Customer ID) = 12345678901 (test value); and DE 124 is present containing Colombia domestic transaction information. DE 61, SF 10 = 9 (mPOS Acceptance Device). DE 32 as 999962.									
7	0100	085105000007	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Billing payment transaction. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 350000 (Billing payment) and SF 7 (Bill Payment/Top Up Data). DE 32 as 999962.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	085105000008	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Cellular phone top-up transaction. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 380000 (Cellular phone top-up) and SF 7 (Bill Payment/Top Up Data). DE 32 as 999962.									
9	0100	085105000009	1	0	ICC PAYMENT SIGNATURE	28	05	0		MCC	00
		Payment transaction. DE 124 is present containing Colombia domestic transaction information. DE 32 as 999962.									
10	0120	085105000010	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Stand-In Advice for Colombia domestic installment payment transaction. DE 39 = 00 (Approved) and DE 60 = 1010000 (IPS signed out; Accept). DE 32 as 999962. DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information.									
11	0120	085105000011	1	0	ICC ACIERTA PURCHASE SIGNATURE	00	05	0		MCC	00
		Acierta purchase for Colombia domestic installment payment transaction. 0120: DE 39 = 00 (Approved), DE 38 = AC1234, DE 60 = 190 or 191. DE 32 as 999962. 0120: DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	085105000012	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		Purchase transaction with promotional reimbursement. DE 48, SE 95 = COLCTA and SE 32 = 230263 Almacenes Exito; DE 18 MCC = 5311; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
13	0100	085105000013	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	00
		ATM Withdrawal transaction.									
14	0100	085105000014	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	00
	0400		1	0	DE 39 = 17						00
		ATM Withdrawal transaction with full reversal for customer cancellation.									
15	0100	085105000015	1	0	ICC CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	05	1	V	MCC	00
		ATM Balance Inquiry transaction.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851101: Contactless M/Chip (All Business Transactions - MCC, DMC, PVL)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0100	085105000016	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL FEE INQUIRY ONLINE PIN	01	05	1	V	MCC	00
		ATM Withdrawal Fee Inquiry transaction. 0100 Fee inquiry: DE 61, SF 7 (POS Transaction Status Indicator) = 8 (Account Status Inquiry) and DE 112, SE 35 = 01 (Issuer Fee inquiry). 0110 Fee Response: DE 112, SE 36 = fee amount.									
17	0100	085105000017	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC	00
		ATM Withdrawal transaction with transaction fee. DE 3, SF 2 according to account selection; DE 28 present.									

Table 0851101: Contactless M/Chip (All Business Transactions - MCC, DMC, PVL)

The test cases in the table 0851101 address how an issuer processes contactless M/Chip dual message authorization requests, reversals, and responses for various business transactions.

Authorization Response Contactless M/Chip-specific General Acceptance Criteria

The test cases in this section will test whether an issuer can properly process dual message application for Mastercard® contactless M/Chip messages. specified in the comments field of each test case, the following conditions must be fulfilled with all Contactless M/Chip Authorization Response/0110 Messages:

- DE 23 (Card Sequence Number) must not be present.
- DE 55 (ICC System Related Data) must not be present as a best practice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Contactless M/Chip (All Business Transactions-MCC, DMC, PVL)

Table 95: Table 0851101

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085110100001	1	1	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07	0		MCC DMC PVL	00
		Request from full grade contactless M/Chip acquirer.									
2	0100	085110100002	1	1	ICC CONTACTLESS CAT LEVEL 1 PURCHASE ONLINE PIN	00	07	1	V	MCC DMC PVL	00
		Request from full grade contactless M/Chip acquirer.									
3	0100	085110100003	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MCC DMC PVL	00
		Request from full grade contactless M/Chip acquirer.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851101: Contactless M/Chip (All Business Transactions - MCC, DMC, PVL)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085110100004	1	1	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	01	07	0	V	MCC DMC	00
		Request from full grade contactless M/Chip acquirer.									
5	0100	085110100005	1	1	ICC CONTACTLESS CASH DISBURSEMENT SIGNATURE OR NO CVM	17	07	0		MCC DMC	00
		Request from full grade contactless M/Chip acquirer.									
6	0100	085110100006	1	1	ICC CONTACTLESS CASH DISBURSEMENT ONLINE PIN	17	07	0	V	MCC DMC	00
		Request from full grade contactless M/Chip acquirer.									
7	0100	085110100009	1	1	ICC CONTACTLESS PURCHASE ONLINE PIN	00	07	0	V	MCC DMC PVL	00
		Request from full grade contactless M/Chip acquirer.									
8	0100	085110100010	1	1	ICC CONTACTLESS CAT LEVEL 4 PURCHASE NO CVM	00	07	4		MCC DMC PVL	00
		Request from full grade contactless M/Chip Acquirer.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851101: Contactless M/Chip (All Business Transactions - MCC, DMC, PVL)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0100	085110100011	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC PVL	V
		Request from full grade contactless M/Chip Acquirer. This case will test whether an issuer Dual Message online application is able to receive DE 4 (Amount, Transaction) that is a different value than DE 55, tag 9F02 (Amount Authorized) of Authorization Request, process the message, and return correctly formatted Authorization Response.									
10	0100	085110100012	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC PVL	V
		Request from full grade contactless M/Chip Acquirer. This case will test whether an issuer Dual Message online application is able to receive DE 13 (Date, Local Transaction) that is a different value than DE 55, tag 9A (Transaction Date) of Authorization Request, process the message, and return correctly formatted Authorization Response.									
11	0100	085110100021	1	1	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07	0		MCC DMC PVL	00
	0400		1	1	DE 39 = 17						00
		Request from full grade contactless M/Chip acquirer. Full reversal - customer cancellation.									
12	0100	085110100022	1	1	ICC CONTACTLESS PURCHASE WITH CASH BACK CDCVM	09	07	0		MCC DMC	00
		Request from full grade contactless M/Chip Acquirer.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851102: Contactless M/Chip (All Business Transactions - MSI, CIR)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
13	0100	085110100023	1	1	ICC CONTACTLESS PURCHASE WITH CASH BACK ONLINE PIN	09	07	0	V	MCC DMC	00
		Request from full grade contactless M/Chip Acquirer.									
14	0100	085110100024	1	1	ICC CONTACTLESS REFUND SIGNATURE	20	07	0		MCC DMC	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 0851102: Contactless M/Chip (All Business Transactions - MSI, CIR)

The test cases in the table 0851102 address how an issuer processes dual message authorization requests, reversals, and responses for various business transactions.

NOTE: DE 4 (Amount, Transaction) is within the Maestro contactless CVM ceiling limits.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Contactless M/Chip (All Business Transactions - MSI, CIR)

Table 96: Table 0851102

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085110200001	1	1	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	00
		Request from a full grade contactless M/Chip acquirer.									
2	0100	085110200003	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		MSI	00
		Request from full grade contactless M/Chip acquirer.									
3	0100	085110200004	1	1	ICC CONTACTLESS CAT LEVEL 4 PURCHASE NO CVM	00	07	4		MSI	00
		Request from full grade contactless M/Chip acquirer.									
4	0100	085110200005	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	00
		This case will test whether Maestro issuers will approve Europe region full grade M/Chip contactless acquired tollway transactions with no CVM. DE 18 = 4784 (Bridge and Road Fees, Tolls). DE 55 TAG 95 (TVR) byte 3 bit 8 = 1 (Cardholder verification was not successful). DE 55 TAG 95 (TVR) byte 3 bit 5 = 1 (PIN entry required and PIN pad not present or not working).									

Dual Message Authorization: Issuer Credit and Debit
Table 0851102: Contactless M/Chip (All Business Transactions - MSI, CIR)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0100	085110200006	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	00
		This case will test whether Maestro issuers will approve Europe region full grade M/Chip contactless acquired parking transactions with no CVM. DE 18 = 7523 (Automobile Parking Lots and Garages). DE 55 TAG 95 (TVR) byte 3 bit 8 = 1 (Cardholder verification was not successful). DE 55 TAG 95 (TVR) byte 3 bit 5 = 1 (PIN entry required and PIN pad not present or not working).									
6	0100	085110200011	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	V
		Request from a full grade contactless M/Chip Acquirer. This case will test whether an issuer Dual Message online application is able to receive DE 4 (Amount, Transaction) that is a different value than DE 55, tag 9F02 (Amount Authorized) of Authorization Request, process the message, and return correctly formatted Authorization Response.									
7	0100	085110200012	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	V
		Request from a full grade contactless M/Chip Acquirer. This case will test whether an issuer Dual Message online application is able to receive DE 13 (Date, Local Transaction) that is a different value than DE 55, tag 9A (Transaction Date) of Authorization Request, process the message, and return correctly formatted Authorization Response.									
8	0100	085110200008	1	1	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	01	07	0	V	MSI CIR	00
		Request from a full grade contactless M/Chip acquirer. DE 61, SF 11 (POS Card Data Terminal Input Capability Indicator) = 3 (Contactless M/Chip [Proximity Chip]).									

Dual Message Authorization: Issuer Credit and Debit
Table 0851102: Contactless M/Chip (All Business Transactions - MSI, CIR)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0100	085110200009	1	1	ICC CONTACTLESS ATM BALANCE INQUIRY ONLINE PIN	30	07	0	V	MSI CIR	00
		Request from a full grade contactless M/Chip acquirer. DE 61, SF 11 (POS Card Data Terminal Input Capability Indicator) = 3 (Contactless M/Chip [Proximity Chip]).									
10	0100	085110200021	1	1	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	00
	0400		1	1	DE 39 = 17						00
		Request from full grade contactless M/Chip acquirer.									
11	0100	085110200022	1	1	ICC CONTACTLESS PURCHASE WITH CASH BACK CDCVM	09	07	0		MSI	00
		Request from a full grade contactless M/Chip acquirer.									
12	0100	085110200023	1	1	ICC CONTACTLESS PURCHASE WITH CASH BACK ONLINE PIN	09	07	0	V	MSI	00
		Request from a full grade contactless M/Chip acquirer.									
13	0100	085110200024	1	1	ICC CONTACTLESS REFUND SIGNATURE	20	07	0		MSI	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 0851103: Contactless M/Chip (Technical Conditions)

The test cases in the table 0851103 verify whether an issuer's Dual Message Authorization application can receive Mastercard contactless M/Chip authorization requests for various technical conditions, process them, and return correctly formatted authorization responses.

Issuers that do not include:

- ATMs in their Application Usage Control data must still execute ATM contactless M/Chip test cases, and.
- Online PIN in their CVM list must still execute ATM contactless M/Chip test cases.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Contactless M/Chip (Technical Conditions)

Table 97: Table 0851103

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085110300001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	V
		Request from full grade contactless M/Chip Acquirer. This case will test whether an issuer Dual Message application is able to receive an application transaction counter (ATC) update in Authorization Request and process the resulting Authorization Response that contains DE 39 = 85 or 00 for approval or 05 for decline. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 6 (ATC Update).									

Dual Message Authorization: Issuer Credit and Debit
Table 0851103: Contactless M/Chip (Technical Conditions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085110300002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		Large ATC Gap test. This should be run 2 times in immediate succession. DE 18 (Merchant Category Code) = 4111 (Transportation - Suburban and Local Commuter Passenger, including Ferries). DE 48 (TCC - Transaction Category Code) = X. On the second test, the ATC will be incremented by 50. Issuer should approve transaction.									
3	0100	085110300003	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		ATC out of sequence test. This should be run only by UK Issuers. This test should be run 2 times in immediate succession. DE 18 (Merchant Category Code) = 4111 (Transportation - Suburban and Local Commuter Passenger, including Ferries). DE 48 (TCC - Transaction Category Code) = X. UK acquired transaction - DE 43, SE 5 (Merchant Country Code) = GBR (United Kingdom). On the second test, the ATC will be decremented by 9. Issuer should approve transaction.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851103: Contactless M/Chip (Technical Conditions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085110300008	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		This case should only be executed by issuers using M/Chip 4 with Mastercard Proprietary session key derivation. This case will test receiving M/Chip contactless acquirer authorization transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									
5	0100	085110300011	1	0	ICC CONTACTLESS ATM BALANCE INQUIRY ONLINE PIN	30	07	0	V	MCC DMC MSI	00
		This is the first of two ATM service requests initiated by a single contactless tap wherein the cryptographic data will be the same for both requests when Transaction Type (DE 55 tag 9C) is equal to '93' (contactless).									
6	0100	085110300012	1	0	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	01	07	0	V	MCC DMC MSI	00
		This is the second of two ATM service requests initiated by a single contactless tap wherein the cryptographic data will be the same for both requests when Transaction Type (DE 55 tag 9C) is equal to '93' (contactless).									
7	0100	085110300019	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		This case should only be executed by issuers using M/Chip 4 with EMV Common session key derivation. This case will test receiving M/Chip contactless acquirer authorization transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	085110300020	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		This case should only be executed by issuers using M/Chip Advance with Mastercard Proprietary session key derivation. This case will test receiving M/Chip contactless acquirer authorization transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									
9	0100	085110300021	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MCC DMC MSI PVL	00
		This case should only be executed by issuers using M/Chip Advance with EMV Common session key derivation. This case will test receiving M/Chip contactless acquirer authorization transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									

Table 0851104: Contactless M/Chip (Over CVM Ceiling Limit)

Normally, Maestro M/Chip contactless transactions must be within the contactless ceiling limit and will be run with no Cardholder Verification Method (no CVM). However, in approved markets (where online PIN verification is widely used), merchants will be able to process Maestro contactless M/Chip transactions above the CVM Required Limit using online PIN verification when both card and terminal have been enabled for online PIN entry.

Issuers should first complete the contactless M/Chip (under limit) test cases defined in the previous two tables, then run the test cases in the table below.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Contactless M/Chip (Over CVM Ceiling Limit)

Table 98: Table 0851104

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0100	085110400002	1	1	ICC CONTACTLESS CAT LEVEL 1 PURCHASE ONLINE PIN	00	07	1	V	MSI	00
		Request from full grade contactless M/Chip acquirer - appropriate response from issuer. Amount above Maestro contactless CVM ceiling limit.									

Table 0851145: MDES Tokenization Request via Chip Card

The test cases in the table 0851145 verify whether an issuer's Dual Message online application that is receiving MDES Tokenization Request via Chip Card transactions can process Authorization Requests and return correctly formatted response messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: MDES Tokenization Request via Chip Card

Table 99: Table 0851145

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
1	0100	085114500001	1	N/A	ICC OR ICC CONTACTLESS TOKENIZATION REQUEST NO CVM	00	05 or 07	0		MCC DMC MSI	V

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		Tokenization Authorization Request via Chip Card and Issuer performs chip cryptogram validation. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 23 (Card Sequence Number); DE 35 (Track 2 Data); and DE 55 (ICC Data) are present. DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 80 = TV (The Dual Message Authorization System translated the PIN for issuer verification). DE 48, SE 82 = 52 (AVS and Authorization) and DE 48, SE 92 (CVC2) are optional. DE 120 (Record Data) for Address Verification Service (AVS) is present only if an AVS request. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) = 6 (Account added via chip data), position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0110: DE 48, SE 83 (AVS response) and DE 48, SE 87 (CVC 2 response) only present if AVS and CVC2 in request. 0110: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller. 0110: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, • or DE 39 = 05 (Decline) and DE 124 must not be present, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code • Distribution Methods if the issuer does not use the default activation method,									

Dual Message Authorization: Issuer Credit and Debit
Table 0851145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		• or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses default activation method, • or DE 39 = 63 (Security Validation) or DE 39 = 88 (Cryptographic Failure) if the issuer declines provisioning due to chip data validation.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
2	0100	085114500002	1	N/A	ICC OR ICC CONTACTLESS TOKENIZATION REQUEST NO CVM	00	05 or 07	0		MCC DMC MSI	V

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		Tokenization Authorization Request via Chip Card and Issuer uses Mastercard OBS 02 or OBS 03 for chip cryptogram validation. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 71, SF 1 (OBS Service) = 02 or 03 and SF 2 (OBS Result) value of issuer choice as detailed below: • DE 48, SE 71 = 02Ab or 03Ab (Valid Application Cryptogram [AC]; ATC outside allowed range), or • DE 48, SE 71 = 02Fb or 03Fb (Format error), or • DE 48, SE 71 = 02Kb or 03Kb (No matching key file for this PAN, PAN expiry date and KDI combination), or • DE 48, SE 71 = 02Ub or 03Ub (Unable to process), or • DE 48, SE 71 = 02Vb or 03Vb (Valid), or • DE 48, SE 71 = 02Xb or 03Xb (Security platform time out), or • DE 48, SE 71 = 02Zb or 03Zb (Security platform processing error). DE 48, SE 82 = 52 (AVS and Authorization) and DE 48, SE 92 (CVC2) are optional. DE 120 (Record Data) for Address Verification Service (AVS) is present only if an AVS request. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) = 6 (Account added via chip data), position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0110: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, • or DE 39 = 05 (Decline) and DE 124 must not be present,									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		• or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Methods if the issuer does not use the default activation method, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses default activation method. 0110: DE 48, SE 83 (AVS response) and DE 48, SE 87 (CVC 2 response) only present if AVS and CVC2 in request. 0110: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
3	0100	085114500003	1	N/A	ICC OR ICC CONTACTLESS TOKENIZATION REQUEST ONLINE PIN	00	05 or 07	0	V	MCC DMC MSI	V

Dual Message Authorization: Issuer Credit and Debit
Table 0851145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		Tokenization Authorization Request via Chip Card and Issuer performs chip cryptogram validation. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 22, SF 2 = 3 (mPOS Software-based PIN Entry Capability). DE 23 (Card Sequence Number); DE 35 (Track 2 Data); and DE 55 (ICC Data) are present. DE 33 (Forwarding Institution ID Code) = 201115. DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless the issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 80 = TV (The Dual Message Authorization System translated the PIN for issuer verification). DE 48, SE 82 = 52 (AVS and Authorization) and DE 48, SE 92 (CVC2) are optional. DE 52 PIN Block Format 0 or DE 110 Dataset 01 for PIN Block Format 4 of customer choice . DE 120 (Record Data) for Address Verification Service (AVS) is present only if an AVS request. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) = 6 (Account added via chip data), position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0110: DE 48, SE 83 (AVS response) and DE 48, SE 87 (CVC 2 response) only present if AVS and CVC2 in request. 0110: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller. 0110: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number,									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		• or DE 39 = 05 (Decline) and DE 124 must not be present, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code • Distribution Methods if the issuer does not use the default activation method, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses default activation method, • or DE 39 = 63 (Security Validation) or DE 39 = 88 (Cryptographic Failure) if the issuer declines provisioning due to chip data validation. • or DE 39 = 55 (Incorrect PIN) or DE 39 = 75 (Allowable number of PIN tries exceeded) or DE 39 = 86 (PIN Validation not possible) if the issuer declines provisioning due to PIN validation errors.									

Table 0851150: Domestic Processing (Colombia)

The test cases in the table 0851150 address how an issuer processes dual Message Authorization application can receive various types of Colombia domestic transactions containing applicable data in authorization requests, advices, and reversal messages; process them, and send correctly formatted authorization responses containing applicable response data.

Domestic Issuer must provide data echoed for:

- 1`DE 48, SE 95; DE 112; and DE 124,
- a` DE 48 sub 95, DE 112, SE010 and 011, if present

They are also required for Credit products and optional for MC Debit. DE 124 is required in all POS domestic messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Domestic Processing (Colombia)

Table 100: Table 0851150

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085115000001	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
		Restaurant transaction with gratuity and installments if applicable. DE 54 present with amount type 44 (Amount Gratuity). DE 48 sub95 as COLCTA, DE 32 as 999962. DE 112, SE010, SE011 and DE 124 must be present containing Colombia domestic transaction information.									
2	0100	085115000002	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
	0400		1	0	DE 39 = 17						00
		Purchase transaction; no special characteristics, followed by customer cancellation full amount reversal transaction. DE 48 sub95 as COLCTA; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962. 0400: DE 124 present including SF 10 (Original Transaction Data).									
3	0100	085115000003	1	0	ICC CONTACTLESS CASH ADVANCE SIGNATURE	17	07	0		MCC	00
		Cash disbursement transaction. DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0100	085115000004	1	0	ICC CONTACTLESS PURCHASE WITH CASH BACK SIGNATURE	09	07	0		MCC	00
		Purchase with Cash Back transaction. DE 48, SE 95 and DE 112 present. DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
5	0100	085115000005	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
		Purchase transaction for twelve installments using Mastercard assigned ID. DE 48, SE 95 = COLCTA and SE 32 = 230269 Fallabella; MCC = 5311; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
6	0100	085115000006	1	0	ICC CONTACTLESS CAT LEVEL 9 PURCHASE SIGNATURE	00	07	9		MCC	00
		Attended mobile POS terminal, on or off premises, magnetic stripe PAN input. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (mPOS Software-based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 48, SE 95 present; DE 112, SE 010 = 02 and SE 011 (Customer ID) = 12345678901 (test value); and DE 124 present containing Colombia domestic transaction information. DE 61, SF 10 = 9 (mPOS Acceptance Device). DE 32 as 999962.									
7	0100	085115000007	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
		Billing payment transaction. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 350000 (Billing payment) and SF 7 (Bill Payment/Top Up Data). DE 32 as 999962.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0100	085115000008	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
		Cellular phone top up transaction. DE 112 and DE 124 present containing Colombia domestic transaction information including SF 6 (Original Processing Code) = 380000 (Cellular phone top up) and SF 7 (Bill Payment/Top Up Data). DE 32 as 999962.									
9	0100	085115000009	1	0	ICC CONTACTLESS PAYMENT SIGNATURE	28	07	0		MCC	00
		Payment transaction. DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
10	0120	085115000010	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
		Stand-In Advice for Colombia domestic installment payment transaction. DE 39 = 00 (Approved) and DE 60 = 1010000 (IPS signed out; Accept). DE 32 as 999962. DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information.									
11	0120	085115000011	1	0	ICC CONTACTLESS ACIERTA PURCHASE SIGNATURE	00	07	0		MCC	00
		Acierta purchase for Colombia domestic installment payment transaction. 0120: DE 39 = 00 (Approved), DE 38 = AC1234, DE 60 = 190 or 191. DE 32 as 999962. 0120: DE 48, SE 95; DE 112 and DE 124 present containing Colombia domestic transaction information.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0100	085115000012	1	0	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		MCC	00
		Purchase transaction with promotional reimbursement. DE 48, SE 95 = COLCTA and SE 32 = 230263 Almacenes Exito; DE 18 MCC = 5311; DE 112 and DE 124 present containing Colombia domestic transaction information. DE 32 as 999962.									
13	0100	085115000013	1	0	ICC CONTACTLESS CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	07	1	V	MCC	00
		ATM Withdrawal transaction.									
14	0100	085115000014	1	0	ICC CONTACTLESS CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	07	1	V	MCC	00
	0400		1	0	DE 39 = 17						00
		ATM Withdrawal transaction with full reversal for customer cancellation.									
15	0100	085115000015	1	0	ICC CONTACTLESS CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	07	1	V	MCC	00
		ATM Balance Inquiry transaction.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0100	085115000016	1	0	ICC CONTACTLESS CAT LEVEL 1 ATM WITHDRAWAL FEE INQUIRY ONLINE PIN	01	07	1	V	MCC	00
		ATM Withdrawal Fee Inquiry transaction. 0100 Fee inquiry: DE 61, SF 7 (POS Transaction Status Indicator) = 8 (Account Status Inquiry) and DE 112, SE 35 = 01 (Issuer Fee inquiry). 0110 Fee Response: DE 112, SE 36 = fee amount.									
17	0100	085115000017	1	0	ICC CONTACTLESS CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	07	1	V	MCC	00
		ATM Withdrawal transaction with transaction fee. DE 3, SF 2 according to account selection; DE 28 present.									

Table 0851501: Member-defined Data

The test cases in the table 0851501 address how an issuer processes dual message authorization requests and responses that contain member-defined data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Member-defined Data

Table 101: Table 0851501

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085150100001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		Authorization request containing DE 124 member-defined data. Response to include DE 124 member-defined data same as received or different than received in request.									
2	0100	080150100002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		Authorization request without DE 124 member-defined data. Response to include DE 124 member-defined data.									
3	0100	085150100003	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	00
		Authorization request containing DE 124 member-defined data. Response not to include DE 124 member-defined data.									

Table 0851601: Partial Approval

The test cases in the table 0851601 address how an issuer processes dual message authorization partial approval request/0100 and response/0110 Messages.

The authorization response must contain the following values:

- DE 6 (Amount, Cardholder Billing) partial approval amount
- DE 51 (Currency Code, Cardholder Billing) the cardholder billing currency

- DE 38 (Authorization ID Response) an approval code
- DE 39, value 10 Partial Approval

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Partial Approval

Table 102: Table 0851601

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0100	085160100001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	10
	0400		1	1	DE 39 = 17						00
		Partial approval amount less than request amount. 0100: DE 48, SE 61, position 1 = 1 (Merchant terminal supports receipt of partial approvals). 0400: Full reversal of partial approval amount due to customer cancellation.									
2	0100	085160100002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	10
		Partial approval amount equals requested amount. 0100: DE 48, SE 61, position 1 = 1 (Merchant terminal supports receipt of partial approvals).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
3	0100	085160100003	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC MSI PVL	10
		Partial approval amount greater than requested amount. DE 48, SE 61, position 1 = 1 (Merchant terminal supports receipt of partial approvals).									

Table 0851702: Mastercard Biometric Card Authentication

The test cases in the table 0851702 address how an issuer participating in Mastercard Biometric Card Authentication service processes dual message authorization requests, advices, and responses for Account Status Inquiry (ASI) and Purchase or Purchase with Cash Back, including DE 48, subelement 17, when applicable indicating successful biometric authentication.

These test cases for Purchase may also be executed as Purchase with Cash Back by changing appropriate transaction data.

NOTE:

- **The test transaction data must be updated with the DE 48, SE 17 values that issuers want to receive in test cases.**
- **Service type 1 applies to designated cards within an account range that are participating in the Cardholder Authentication Service with Biometric Card.**
- **Service type 2 applies to all cards within an account range.**

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Advices

Operation Type: ICC

Testing Type: Product and Services

Program: Mastercard Biometric Card Authentication

Table 103: Table 0851702

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0100	085170200101	1	0	ICC ASI PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI	V
		Account Status Inquiry request transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful).									
2	0120	085170200102	1	0	ICC ASI PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI	00
		Account Status Inquiry advice transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful). DE 39 = 00 (Approved) and DE 60 = 192 (M/Chip Offline Advice to Issuer).									
3	0100	085170200103	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI	00
		Purchase request transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains non-zero amount and DE 61, SF 7 = 0 (Normal Request). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful).									

Dual Message Authorization: Issuer Credit and Debit
Table 0851702: Mastercard Biometric Card Authentication

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0120	085170200104	1	0	ICC ASI PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI	00
		Account Status Inquiry request transaction rejected by Mastercard due to unsuccessful Cardholder Authentication Service and advice sent to issuer for either Type 1 or 2 of issuer choice. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) not present. DE 55, tag 9F10 contains byte2bit2 value other than 1 (biometric), or byte1bit1 value other than 1 (successful). DE 39 = 05 (Do not honor) and DE 60 = 1600078 (Authentication Advice to Issuer: M/Chip Biometric Data not present).									
5	0100	085170200105	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MCC DMC MSI	V
		Purchase request transaction unsuccessful Cardholder Authentication Service for either Type 1 or 2 of issuer choice. DE 4 (Amount, Transaction) contains non-zero amount and DE 61, SF 7 = 0 (Normal Request). DE 48, SE 17 (Authentication Indicator) not present. DE 55, tag 9F10 values that indicate unsuccessful authentication available for issuer choice per below: - Option 1 - byte2bit2 = 0 (Not Biometric) and byte1bit1 = 0 (Not Successful) - Option 2 - byte2bit2 = 0 (Not Biometric) and byte1bit1 = 1 (Successful), or - Option 3 - byte2bit2 = 1 (Biometric) and byte1bit1 = 0 (Not Successful) 0110: DE 39 (Response Code) valid value of issuer choice.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851702: Mastercard Biometric Card Authentication

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0100	085170200201	1	0	ICC CONTACTLESS ASI PURCHASE OFFLINE PIN	00	07	0		MCC DMC MSI	V
		Account Status Inquiry request transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful).									
7	0120	085170200202	1	0	ICC CONTACTLESS ASI OFFLINE PIN	00	07	0		MCC DMC MSI	00
		Account Status Inquiry advice transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful). DE 39 = 00 (Approved) and DE 60 = 192 (M/Chip Offline Advice to Issuer).									
8	0100	085170200203	1	0	ICC CONTACTLESS OFFLINE PIN	00	07	0		MCC DMC MSI	00
		Purchase request transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains non-zero amount and DE 61, SF 7 = 0 (Normal Request). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful).									

Dual Message Authorization: Issuer Credit and Debit
Table 0851801: Account Level Management (U.S. Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0120	085170200204	1	0	ICC CONTACTLESS ASI OFFLINE PIN	00	07	0		MCC DMC MSI	00
		Account Status Inquiry request transaction rejected by Mastercard due to unsuccessful Cardholder Authentication Service and advice sent to issuer for either Type 1 or 2 of issuer choice. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) not present. DE 55, tag 9F10 contains byte2bit2 value other than 1 (biometric), or byte1bit1 value other than 1 (successful). DE 39 = 05 (Do not honor) and DE 60 = 1600078 (Authentication Advice to Issuer: M/Chip Biometric Data not present).									
10	0100	085170200205	1	0	ICC CONTACTLESS OFFLINE PIN	00	07	0		MCC DMC MSI	V
		Purchase request transaction unsuccessful Cardholder Authentication Service for either Type 1 or 2 of issuer choice. DE 4 (Amount, Transaction) contains non-zero amount and DE 61, SF 7 = 0 (Normal Request). DE 48, SE 17 (Authentication Indicator) not present . DE 55, tag 9F10 values that indicate unsuccessful authentication available for issuer choice per below: • Option 1 - byte2bit2 = 0 (Not Biometric) and byte1bit1 = 0 (Not Successful) • Option 2 - byte2bit2 = 0 (Not Biometric) and byte1bit1 = 1 (Successful), or • Option 3 - byte2bit2 = 1 (Biometric) and byte1bit1 = 0 (Not Successful) 0110: DE 39 (Response Code) valid value of issuer choice.									

Table 0851801: Account Level Management (U.S. Region)

The test cases in the table 0801801 address how an issuer participating in ALM processes dual message authorization requests that contain ALM account category codes in DE 48, subelement 38.

They also verify if the authorization responses contain the ALM account category code in DE 38, position 6.

Issuers may also receive a product code in DE 63, SF 1 that is different than the product code assigned to the account range when an account is registered in ALM with a different product.

Purchase and purchase with cashback transactions apply for ALM for all the applicable POS entry modes. The issuer can duplicate the presented purchase business transaction and update it to purchase with cashback, if needed.

Validations for Account Level Management (U.S. Region Domestic)

- U.S. issuers who participate in Account Level Management (ALM) are required to test. The test transaction data must be updated with the DE 48 subelement 38 values that issuers want to receive in test cases 9-14.
- Effective with 24.Q4 AN 7723 Modifying Account Level Management Service Data Participation Requirements, the ALM Service Data will be populated by Mastercard on qualifying transactions and no longer require customer opt-in to receive this data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Account Level Management (U.S. Region)

Table 104: Table 0851801

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085180100001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE) and SF 2-4 = XXX. 0100: DE 48, SE 38 = Z (Account range participates in ALM but account number does not). 0100: DE 63, SF 1 contains product code of the PAN account range. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
2	0100	085180100002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS), SF 2-3 contains product values, and SF 4 = XXX. 0100: DE 48, SE 38 = P (Account registered for ALM Product Graduation [PG] only). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851801: Account Level Management (U.S. Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085180100003	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00402 (ENHANCED VALUE), SF 2-3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = B (Account registered for Enhanced Value for Consumer Credit). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
4	0100	085180100004	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00513 (ENHANCED VALUE and PRODUCT GRADUATION PLUS), SF 2-3 contains product values, and SF 4 = XXX. 0100: DE 48, SE 38 = M (Account registered for ALM EV and ALM PG). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
5	0100	085180100005	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 01519 (WORLD HIGH VALUE), SF 2-3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = S (Account registered for ALM High Value). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851801: Account Level Management (U.S. Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	085180100006	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 01620 (WORLD HIGH VALUE and PRODUCT GRADUATION PLUS), SF 2-3 = contains product values, and SF 4 = XXX. 0100: DE 48, SE 38 = T (Account registered for ALM High Value and ALM PG). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
7	0100	085180100007	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 01323 (AFFLUENT SHORTFALL WORLD ELITE MASTERCARD) or 01723 (AFFLUENT SHORTFALL WORLD MASTERCARD), SF 2-3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = W (Account registered for ALM Spend Shortfall). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
8	0100	085180100008	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 01425 (AFFLUENT SHORTFALL WORLD ELITE MASTERCARD and PRODUCT GRADUATION PLUS) or = 01825 (AFFLUENT SHORTFALL WORLD MASTERCARD and PRODUCT GRADUATION PLUS), SF 2-3 contains product values, and SF 4 = XXX. 0100: DE 48, SE 38 = Y (Account registered for ALM Spend Shortfall and ALM PG). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	085180100009	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data) contains values of issuer choice, SF 1 = 00703 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 1), or SF 1 = 00705 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 2), or SF 1 = 00707 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 3), or SF 1 = 00710 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 4), or SF 1 = 00717 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 5), and SF 2-3 = XXX and SF 4 = XXX. 0100: DE 48, SE 38 contains values of issuer choice C, E, G, J, Q (Account registered for ALM Small Business Spend) Credit Core. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
10	0100	085180100010	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data) contains values of issuer choice, SF 1 = 00804 (SMALL BUSINESS SPEND - CREDIT CORE, AND PRODUCT GRADUATION PLUS LEVEL 1), or SF 1 = 00806 (SMALL BUSINESS SPEND - CREDIT CORE, AND PRODUCT GRADUATION PLUS LEVEL 2), or SF 1 = 00808 (SMALL BUSINESS SPEND - CREDIT CORE, AND PRODUCT GRADUATION PLUS LEVEL 3), or SF 1 = 00811 (SMALL BUSINESS SPEND - CREDIT CORE, AND PRODUCT GRADUATION PLUS LEVEL 4), or SF 1 = 00818 (SMALL BUSINESS SPEND - CREDIT CORE, AND PRODUCT GRADUATION PLUS LEVEL 5), and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 48, SE 38 contains values of issuer choice D, F, H, K, R (Account registered for ALM Small Business Spend Credit Core and ALM PG). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
11	0100	085180100011	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data) contains values of issuer choice, SF 1 = 00903 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 1), or SF 1 = 00905 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 2), or SF 1 = 00907 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 3), or SF 1 = 00910 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 4), or SF 1 = 00917 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 5), and SF 2-3 = XXX and SF 4 = XXX. 0100: DE 48, SE 38 contains values of issuer choice C, E, G, J, Q (Account registered for ALM Small Business Spend Credit World). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
12	0100	085180100012	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data) contains values of issuer choice, SF 1 = 01004 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 1), or SF 1 = 01006 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 2), or SF 1 = 01008 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 3), or SF 1 = 01011 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 4), or SF 1 = 01018 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 5), and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 48, SE 38 contains values of issuer choice D, F, H, K, R (Account registered for ALM Small Business Spend Credit World). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
13	0100	085180100013	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data) contains values of issuer choice, SF 1 = 01103 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 1), or SF 1 = 01105 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 2), or SF 1 = 01107 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 3), or SF 1 = 01110 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 4), or SF 1 = 01117 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 5), and SF 2-3 = XXX and SF 4 = XXX. 0100: DE 48, SE 38 contains values of issuer choice C, E, G, J, Q (Account registered for ALM Small Business Spend Credit World Elite). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
14	0100	085180100014	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data) contains values of issuer choice, SF 1 = 01204 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 1), or SF 1 = 01206 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 2), or SF 1 = 01208 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 3), or SF 1 = 01211 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 4), or SF 1 = 01218 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 5), and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 48, SE 38 contains values of issuer choice D,F,H,K,R (Account registered for ALM Small Business Spend Credit World). 0100: DE 63, SF 1 contains graduated product code for the issuer ALM registered PAN. 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Table 0851802: Account Level Management (Canada Region)

The test cases in the table 0851802 address how an issuer in Canada processes domestic dual message authorization requests and responses that contain Account Level Management account category codes.

Issuers in Canada that participate in Account Level Management Consumer Product Monitoring service are required to test with Mastercard.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Account Level Management (Canada Region)

Table 105: Table 0851802

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085180200001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 02217 (CONSUMER PRODUCT MONITORING SERVICE: MUSE MASTERCARD QUALIFIED), SF 2 contains product values, SF 3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = Q (Muse Mastercard Qualified) and DE 63, SF 1 = MSP (Muse Mastercard). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
2	0100	085180200002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 02301 (CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 1 [MUSE MASTERCARD REQUALIFIED]), SF 2 contains product values, SF 3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = A (Muse Mastercard Requalified) and DE 63, SF 1 = MSP (Muse Mastercard). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851802: Account Level Management (Canada Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085180200003	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 02210 (CONSUMER PRODUCT MONITORING SERVICE: WORLD ELITE QUALIFIED), SF 2 contains product values, SF 3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = J (World Elite Qualified) and DE 63, SF 1 = MWE (World Elite Mastercard). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
4	0100	085180200004	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 02424 (CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 2 [WORLD ELITE REQUALIFIED]), SF 2 contains product values, SF 3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = X (World Elite Requalified) and DE 63, SF 1 = MWE (World Elite Mastercard). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
5	0100	085180200005	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 02207 (CONSUMER PRODUCT MONITORING SERVICE: NAME FOR GCMS PRODUCT ID MPE QUALIFIED), SF 2 contains product values, SF 3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = G (Name for GCMS Product ID MPE Qualified) and DE 63, SF 1 = MPE (Name for GCMS Product ID MPE). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Dual Message Authorization: Issuer Credit and Debit

Table 0851803: Account Level Management (Global Domestic Except United States and Canada Regions)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	085180200006	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 02205 (CONSUMER PRODUCT MONITORING SERVICE: WORLD QUALIFIED), SF 2 contains product values, SF 3 = XXX, and SF 4 = XXX. 0100: DE 48, SE 38 = E (World Qualified) and DE 63, SF 1 = MCW (World Mastercard). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									
7	0100	085180200007	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC	00
		0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE) and SF 2-4 = XXX. 0100: DE 48, SE 38 = Z (Account range participates in ALM but account number does not) and DE 63, SF 1 = MCC (Mastercard Card). 0110: DE 38, position 6 contains the value provided by the Authorization Platform in DE 48, SE 38 of the Authorization Request/0100 message for an approved request.									

Table 0851803: Account Level Management (Global Domestic Except United States and Canada Regions)

The test cases in the table 0851803 verify whether an issuer's Dual Message Authorization application that is participating in Account Level Management (ALM) Mastercard Product Graduation Plus, Mastercard Enhanced Value, or both can receive and process authorization requests that contain the ALM Service Data. Issuers may also receive a product code in DE 63, subfield 1 (Financial Network Code) that is different than the product code assigned to the account range when an account has been registered for Product Graduation Plus.

NOTE:

- Issuers that participate in Account Level Management (ALM) are required to test.
- Effective with 24.Q4 AN 7723 Modifying Account Level Management Service Data Participation Requirements the ALM Service Data will be populated by Mastercard on qualifying transactions and no longer requiring customer opt-in to receive this data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Account Level Management (Global Domestic Except United States and Canada Regions)

Table 106: Table 0851803

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085180300001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Account range participates in ALM but PAN is not registered for ALM. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE) and SF 2-4 = XXX. 0100: DE 63, SF 1 contains product code of the PAN account range.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	085180300002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		PAN is registered for ALM Product Graduation Plus. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS) and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 63, SF 1 contains graduated product code of the registered PAN.									
3	0100	085180300003	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		PAN is registered for ALM Enhanced Value. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00402 (ENHANCED VALUE), SF 2-3 = XXX, and SF 4 = XXX. 0100: DE 63, SF 1 contains product code of the PAN account range.									
4	0100	085180300004	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		PAN is registered for ALM Enhanced value and Product Graduation Plus. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00513 (ENHANCED VALUE and PRODUCT GRADUATION PLUS) and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 63, SF 1 contains graduated product code of the registered PAN.									

Table 0851807: Account Level Management (Cross-Border)

The test cases in the table 0851807 address how an issuer participating in Account Level Management (ALM) processes dual message authorization requests and responses containing ALM Service Data.

Issuers participating in Product Graduation Plus will receive a product code in DE 63, subfield 1 (Financial Network Code) that is different than the product code assigned to the account range.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Account Level Management (Cross-Border)

Table 107: Table 0851807

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085180700001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Account range participates in ALM but PAN is not registered for ALM. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTEREDFOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE) and SF 2-4 = XXX.									
2	0100	085180700002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		PAN is registered for ALM Product Graduation Plus. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS) and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 63, SF 1 contains graduated product code of the registered PAN.									

Table 0851809: Account Level Management (Mastercard Wholesale Program)

The test cases in the table 0851809 address how an issuer participating in Mastercard Wholesale Program and Account Level Management processes dual message authorization requests and responses containing ALM Service Data.

Issuers participating in ALM Product Graduation Plus will receive a product code in DE 63, subfield 1 (Financial Network Code) that is different than the product code assigned to the account range.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Account Level Management (Mastercard Wholesale Program)

Table 108: Table 0851809

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085180900001	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Account range participates in ALM but PAN is not registered for ALM. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE) and SF 2-4 = XXX. 0100: DE 63, SF 1 contains product code of the PAN account range.									

Dual Message Authorization: Issuer Credit and Debit
Table 0851951: Mastercard rePower Load Value Payment Transaction

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0100	085180900002	1	1	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		PAN is registered for ALM Product Graduation Plus. 0100: DE 48, SE 24 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS) and SF 2-3 contains product values and SF 4 = XXX. 0100: DE 63, SF 1 contains graduated product code of the registered PAN.									

Table 0851951: Mastercard rePower Load Value Payment Transaction

The test cases in the table 0851951 address how an issuer processes dual message authorization requests and responses for Mastercard rePower load value payment transactions containing post-load account balance.

NOTE: These processing scenarios and response codes do not represent the full range possible. Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Mastercard rePower Load Value Payment Transaction

Table 109: Table 0851951

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085195100001	1	0	ICC PAYMENT TRANSACTION NO CVM	28	05	0		MCC DMC MSI PVL	00
		rePower load value payment transaction approved by issuer. 0100: DE 18 (Merchant Type [MCC] = 6532 (Payment Transaction - Member Financial Institution) or 6533 (Payment Transaction - Merchant). 0100: DE 48, SE 77 = C03 (rePower Load Value). 0110: DE 54 contains a post-load account balance.									
2	0100	085195100002	1	0	ICC PAYMENT TRANSACTION NO CVM	28	05	0		MCC DMC MSI	00
	0400		1	0	DE 39 = 17						00
		rePower load value payment transaction approved by issuer. 0100: DE 18 (Merchant Type [MCC] = 6532 (Payment Transaction - Member Financial Institution) or 6533 (Payment Transaction - Merchant). 0100: DE 48, SE 77 = C03 (rePower Load Value). 0110: DE 54 contains a post-load account balance. 0400: DE 39 = 17 (Customer Cancellation).									

Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service

The test cases in the table 0852051 address how an issuer processes dual message authorization requests and responses for transactions containing ICCR percentage, CBFM markup, or ECB Rate Service applied to the cardholder billing amounts.

Test cases 1-5 are for ICCR only or CBFM only.

NOTE: Issuers must initiate setup of the ICCR percentage parameter, or only the CBFM markup parameter, or the CBFM with ECB Rate Service parameter, or only the ECB Rate Service for each participating account range.

NOTE:

If the issuer is utilizing the CBFM markup percentage parameter, please use the calculator provided in Mastercard Currency Converter | Currency Exchange Rate Calculator to verify if the amount mentioned in DE 6 includes the correct CBFM markup after conversion.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service

Dual Message Authorization: Issuer Credit and Debit

Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085205100001	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
	0400		1	0	DE 39 = 32						00
		This test case is for ICCR only or CBFM only. ICCR percentage or Cross-Border Fee Manager markup applied on purchase and partial reversal transactions. 0100: DE 6 contains ICCR amount or Cross-Border Fee Manager markup amount. 0400: DE 39 = 32 (Partial reversal); DE 6 and DE 95, SF 3 contain ICCR amount or Cross-Border Fee Manager markup amount.									
2	0100	085205100002	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		This test case is for ICCR only or CBFM only. ICCR percentage or Cross-Border Fee Manager markup applied on ATM Withdrawal. 0100: DE 6 contains ICCR amount or Cross-Border Fee Manager markup amount.									
3	0100	080205100003	1	0	ICC CASH DISBURSEMENT SIGNATURE	17	05	0		MCC DMC	00
		This test case is for ICCR only or CBFM only. ICCR percentage or Cross-Border Fee Manager markup applied on cash disbursement. 0100: DE 6 contains ICCR amount or Cross-Border Fee Manager markup amount.									

Dual Message Authorization: Issuer Credit and Debit

Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	085205100004	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	10
		This test case is for ICCR only or CBFM only. ICCR percentage or Cross-Border Fee Manager markup applied on purchase with partial approval transaction. 0100: DE 6 contains ICCR amount or Cross-Border Fee Manager markup amount. 0110: DE 6 = partial approval amount including ICCR amount or Cross-Border Fee Manager markup amount, DE 38 present, DE 39 = 10, and DE 51 = same value from 0100.									
5	0100	085205100005	1	0	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		MCC DMC	87
		This test case is for ICCR only or CBFM only. ICCR percentage or Cross-Border Fee Manager markup applied on purchase with cash back for a purchase only approval transaction. 0100: DE 6 contains ICCR amount or Cross-Border Fee Manager markup amount. 0100: DE 54 containing cash back information does not include ICCR amount or Cross-Border Fee Manager markup amount on the cash back amount. 0110: DE 6 = purchase approval amount including ICCR amount or Cross-Border Fee Manager markup amount, DE 38 present, DE 39 = 87, and DE 51 = same value from 0100. 0110: Issuer need not provide DE 54 containing the cash back information.									

Dual Message Authorization: Issuer Credit and Debit

Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	085205100006	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
	0400		1	0	DE 39 = 17						00
		This test case is for ECB Rate Service only or ECB plus CBFM. Issuer participates in CBFM and CBFM ECB Rate Service, transaction approved by issuer, and cancellation sent by acquirer. DE 6 includes CBFM markup of issuer choice. DE 48, SE 60, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate for offline Mastercard Authorization Simulator testing. For online Mastercard Test Facility testing SE 60 values will be populated by Mastercard. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. 0400: DE 39 = 17 (Customer cancellation) and DE 48, SE 63 (Trace ID) are present.									
7	0120	085205100007	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		This test case is for ECB Rate Service only or ECB plus CBFM. Issuer participates in CBFM and CBFM ECB Rate Service, and transaction approved by Stand-In. DE 6 includes CBFM markup of issuer choice. DE 48, SE 60, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate for offline Mastercard Authorization Simulator testing. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. DE 39 (Response Code) = 00 (Approved) and DE 60, SF 1 (Advice Reason Code) value of issuer choice and SF 2 (Advice Detail Code) = 0000 (Accept).									

Table 0852051: Issuer Currency Conversion Rate (ICCR) Service, Cross-Border Fee Manager (CBFM) Service, and/or ECB Rate Service

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0100	085205100008	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
	0400		1	0	DE 39 = 17						00
		This test case is for ECB Rate Service only or ECB plus CBFM. Issuer does not participate in CBFM but has registered for CBFM ECB Rate Service, transaction approved by issuer, and cancellation sent by acquirer. DE 6 does not include CBFM markup. DE 48, SE 60, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate for offline Mastercard Authorization Simulator testing. For online Mastercard Test Facility testing SE 60 values will be populated by Mastercard. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. 0400: DE 39 = 17 (Customer cancellation) and DE 48, SE 63 (Trace ID) are present.									
9	0120	085205100009	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		This test case is for ECB Rate Service only or ECB plus CBFM. Issuer does not participate in CBFM but has registered for CBFM ECB Rate Service, and transaction approved by Stand-In. DE 6 does not include CBFM markup. DE 48, SE 60, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate for offline Mastercard Authorization Simulator testing. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. DE 39 (Response Code) = 00 (Approved) and DE 60, SF 1 (Advice Reason Code) value of issuer choice and SF 2 (Advice Detail Code) = 0000 (Accept).									

Table 0852201: Real-Time Substantiation (U.S. Region)

The test cases in the table 0852201 address how an issuer processes dual message authorization requests, reversals, and responses for Real-time Substantiation authorization

Real-time substantiation is performed by merchants against a qualifying Inventory Information Approval System (IIAS) to determine if purchases on Flexible Spending Account (FSA) and Healthcare Reimbursement Arrangement (HRA) cards are healthcare eligible.

NOTE: All issuers must be prepared to receive DE 48, subelement 32 (Mastercard Assigned ID) and ignore it if the issuer is not participating in Real-time Substantiation.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Real-Time Substantiation (U.S. Region)

Table 110: Table 0852201

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085220100001	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC	00
		Merchant verifies against IIAS and provides prescription eligibility amount equal to healthcare eligibility amount. DE 48, SE 32 contains the merchant Mastercard Assigned ID. DE 48, SE 61, SF 3 = 1 (Merchant terminal verified the purchased items against an Inventory Information Approval System [IIAS]). DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 11 (Prescription Eligibility Amount) all contain the same amount value. Full approval of healthcare eligibility amount for prescription.									
2	0100	085220100011	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Merchant verifies against IIAS and provides vision RX eligibility amount. DE 48, SE 32 (Mastercard Assigned ID) is present. DE 48, SE 61, SF 3 = 1 (Merchant terminal did verify purchased items against Inventory Information Approval System [IIAS]). DE 54, SF 2 (Amount Type) = 12 (Vision Rx Eligibility Amount) only. DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 12 (Vision RX Eligibility Amount) contain the same amount value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0100	085220100002	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC	00
		Merchant verifies against IIAS and provides healthcare eligibility amount only. DE 48, SE 32 contains the merchant Mastercard Assigned ID. DE 48, SE 61, SF 3 = 1 (Merchant terminal verified the purchased items against an Inventory Information Approval System [IIAS]). DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility) contain the same amount value. Full approval of healthcare eligibility amount.									
4	0100	085220100003	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC	10
	0400		1	0	DE 39 = 17						00
		Merchant verifies against IIAS and provides healthcare and prescription eligibility amounts. DE 48, SE 32 contains the merchant Mastercard Assigned ID. DE 48, SE 61, SF 3 = 1 (Merchant terminal verified the purchased items against an Inventory Information Approval System [IIAS]) and SF 1 = 1 (merchant terminal supports partial approvals). DE 4 (Amount, Transaction) equals the combined amount of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 11 (Prescription Eligibility Amount). Acquirer full reversal of issuer partial approval.									
5	0100	085220100004	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC	V
		Un-substantiated healthcare transaction. DE 48, SE 61, SF 3 = 4 (Transaction was submitted as real-time substantiated but from a non-IIAS-certified merchant) and DE 48, SE 32 (Mastercard Assigned ID) is present but could not be verified.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0100	085220100005	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC	00
		Un-substantiated healthcare transaction. DE 48, SE 61, SF 3 = 0 (Merchant terminal did not verify against IIAS) and DE 48, SE 32 (Mastercard Assigned ID) is present but could not be validated.									
7	0100	085220100006	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC	00
		Merchant exempt from IIAS. DE 48, SE 61, SF 3 = 2 (Merchant claims exemption from using an IIAS based on the IRS 90 percent rule). DE 54 may contain SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 11 (Prescription Eligibility Amount) or only for 10 (Healthcare Eligibility Amount).									
8	0100	085220100008	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Merchant verifies against IIAS and provides healthcare eligibility amount and vision RX eligibility amount. DE 48, SE 32 (Mastercard Assigned ID) is present. DE 48, SE 61, SF 3 = 1 (Merchant terminal did verify purchased items against Inventory Information Approval System [IIAS]). DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0100	085220100009	1	0	ICC PURCHASE SIGNATURE	00	05	0		MCC DMC	00
		Merchant verifies against IIAS and provides healthcare eligibility amount, prescription eligibility amount, and vision RX eligibility amount. DE 48, SE 32 (Mastercard Assigned ID) is present. DE 48, SE 61, SF 3 = 1 (Merchant terminal did verify purchased items against Inventory Information Approval System [IIAS]). DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount), 11 (Prescription Eligibility Amount), and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). The amount type 11 is included in amount type 10.									

Table 0852402: Alternate Issuer Routing

The test cases in the table 0852402 address how an issuer processes dual message authorization requests and responses on an alternate issuer host indicated by DE 48, subelement 12 (Routing Indicator) value A.

NOTE: A system-generated Authorization Advice/0120 message will be sent to the primary issuer following each authorization request processed by the alternate issuer.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Request and Advice

Operation Type: ICC

Testing Type: Product and Services

Program: Alternate Issuer Routing

Table 111: Table 0852402

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085240200001	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Routing to alternate issuer host designated by presence of DE 48, SE 12 = A (Alternate issuer host routing). NOTE: Alternate issuer host must be signed in for alternate issuer routing.									
2	0120	085240200002	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Advice to primary issuer for authorization request processed by alternate issuer host.									

Table 0852701: Mastercard Hosted Mobile Phone Top-up ATM Transactions

The test cases in the table 0852701 address how an issuer processes dual message authorization requests and responses for Mastercard-hosted mobile phone top-up ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Mastercard Hosted Mobile Phone Top-up ATM Transactions

Table 112: Table 0852701

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085270100001	1	1	ICC CAT LEVEL 1 ATM PURCHASE ONLINE PIN	00	05	1	V	DMC MSI	00
		DE 12, DE 13, DE 43, and DE 52 mandatory. DE 18 = 4814 (Telecommunication services). DE 48 TCC = Z (ATM). DE 48, SE 13 (Mobile phone top-up request data). NOTE: DE 48, SE 13 need not be returned in 0110 but if it is returned it must be same value as in 0100. If not same value, then will reject issuer 0110 via a 0190 containing DE 39 = 30 and DE 44 = 048.									

Table 0853501: Third Party Processor Identification Program

The test cases in the table 0853501 0803501 address how an issuer processes dual message authorization requests, advices, and responses containing DE 48, subelement 16 (Processor Pseudo ICA).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests and Advices

Operation Type: ICC

Testing Type: Product and Services

Program: Third Party Processor Identification Program

Table 113: Table 0853501

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085350100001	1	1	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		DE 48, SE 16 = Processor pseudo ICA.									
2	0120	085350100002	1	1	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		DE 48, SE 16 = Processor pseudo ICA and DE 60, SF 1 = 190 (APS approved).									
3	0100	085350100003	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	00
		DE 48, SE 16 = Processor pseudo ICA.									
4	0120	085350100004	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MSI CIR	00
		DE 48, SE 16 = Processor pseudo ICA and DE 60, SF 1 = 190 (APS approved).									

Table 0855500: High-Risk Purchase Identifier

The test cases in the table 0855500 address how an issuer processes dual message authorization requests and responses for identified cryptocurrency and high-risk securities transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: High-Risk Purchase Identifier

Table 114: Table 0855500

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0100	085550000001	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Purchase of cryptocurrency outside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6051 (Quasi Cash— Merchant). DE 48, SE 77 (Transaction Type Identifier) = P70 (Cryptocurrency).									
2	0100	085550000002	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Purchase of high-risk securities outside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6211 (Securities—Brokers/Dealers). DE 48, SE 77 (Transaction Type Identifier) = P71 (High-risk Securities).									
3	0100	085550000003	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Purchase of cryptocurrency inside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6051 (Quasi Cash—Merchant). DE 48, SE 77 (Transaction Type Identifier) contains F52,F61. DE 108, SE 03, SF 05 (Transaction Purpose) = 11 (Cryptocurrency).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0100	085550000004	1	0	ICC PURCHASE NO CVM	00	05	0		MCC DMC MSI	00
		Purchase of high-risk securities inside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6211 (Securities-Brokers/Dealers). DE 48, SE 77 (Transaction Type Identifier) contains F52,F61. DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 07 (Conditional), 11, 18 and SE 03 (Transaction Reference Data), SF 01 and SF 05 (Transaction Purpose) = 16 (High Risk Securities) are mandatory.									

Chapter 3 Dual Message Clearing: Issuer Credit and Debit

This chapter describes the test cases used to conduct individual application testing and validation of a customer's Dual Message clearing application.

Generated Files: Issuer Dual Message Clearing.....	382
Customer-generated File.....	383
Mastercard-generated File.....	383
Issuer Product and Services Testing for Dual Message MSR Clearing Operations for Customer-generated Files.....	384
Table 1813525: Merchant Presented QR Payment Transactions.....	384
Issuer Base Testing for Dual Message MSR Clearing Operations for Mastercard-generated Files.....	386
Table 1820001: All Business Transactions (MCC,DMC,PVL).....	386
Table 1820002: All Business Transactions (MSI, CIR).....	395
Table 1820005: Financial Detail Addendum.....	404
Table 1820010: Message Reason Codes.....	411
Table 1820020: Transaction Link ID.....	413
Table 1820255: Geographic Coordinates Data Fields.....	413
Table 1820259: Revised Standards for Multiple Clearing Messages	414
Table 1820302: MoneySend Payment Transactions.....	415
Table 1820304: Service Provider and Merchant Identification.....	418
Issuer Product and Services Testing for Dual Message MSR Clearing Operations for Mastercard-generated Files.....	422
Table 1820201: Contactless Magnetic Stripe.....	423
Table 1820225: Miscellaneous Core Systems Updates.....	427
Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators.....	428
Table 1820301: Funding or Funding Refund Transactions.....	440
Table 1820305: Digital Secure Remote Payment (UCAF).....	455

Table 1820308: Mastercard Identity Check.....	461
Table 1820310: Installment Payment Service (Installment Calculation and Posting).....	464
Table 1820314: Mastercard ATM Cash Pick Up Service.....	467
Table 1820401: Mastercard In Control.....	468
Table 1820405: Interchange Structure Indicator (U.S.).....	470
Table 1820515: Domestic Processing (Japan).....	471
Table 1820580: Domestic Processing (Colombia).....	473
Table 1820610: Tokenized VCNs	479
Table 1820625: Transit Program (Post-Authorized Aggregated Model – U.S. Region).....	481
Table 1820629: Transit Program (Debt Recovery).....	482
Table 1820701: Mastercard Hosted Mobile Phone Top-Up.....	484
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments).....	485
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions).....	521
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments).....	528
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions).....	562
Table 1820903: Flex Card Service (Brazil).....	570
Table 1821001: Account Level Management (U.S. Region).....	573
Table 1821002: Account Level Management (Europe, LAC, A/P, MEA Regions).....	588
Table 1821004: Account Level Management (Canada Region).....	591
Table 1822001: Mastercard Pay with Rewards Service.....	595
Table 1822109: Installment Payment Service (Europe Region).....	596
Table 1822110: MDES (Device Tokens).....	598
Table 1822201: Real-time Substantiation (U.S. Region).....	601
Table 1823535: Merchant Presented QR Refund Transactions.....	605
Table 1823555: Merchant Presented QR Funding Transactions.....	606
Table 1824001: Installment Payment Service (Philippines).....	608
Table 1825001: Mastercard rePower Load Value Payment Transaction.....	611

Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services.....	612
Table 1826161: Token Service Provider (Token/PAN Mapping).....	616
Table 1829001: Click to Pay.....	617
Issuer Base Testing for Dual Message ICC Clearing Operations for Mastercard-generated Files.....	619
Table 1840001: All Business Transactions (MCC, DMC, PVL).....	619
Table 1840002: All Business Transactions (MSI, CIR).....	624
Table 1840005: Financial Detail Addendum.....	627
Table 1840020: Transaction Link ID.....	631
Table 1840255: Geographic Coordinates Data Fields.....	632
Table 1840302: MoneySend Payment Transactions.....	633
Table 1840304: Service Provider and Merchant Identification.....	635
Table 1840610: Tokenized VCNs	639
Issuer Product and Services Testing for Dual Message ICC Clearing Operations for Mastercard-generated File.....	641
Table 1840201: Contactless M/Chip (All Business Transactions).....	641
Table 1840306: MDES (Cloud-Based Payments).....	645
Table 1840310: Installment Payment Service (Installment Calculation and Posting).....	648
Table 1840405: Interchange Structure Indicator (U.S.).....	651
Table 1840625: Transit Program (Post-Authorized Aggregated Model – U.S. Region).....	652
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim).....	654
Table 1840715: Transit Top-Up Payment Transactions (India).....	662
Table 1840903: Flex Card Service (Brazil).....	663
Table 1841510: MDES (Secure Element).....	666
Table 1842001: Mastercard Pay with Rewards Service.....	668
Table 1842109: Installment Payment Service (Europe Region).....	669
Table 1842110: MDES (Device Tokens).....	671
Table 1842201: Real-time Substantiation (U.S. Region).....	673
Table 1842402: Cardholder Authentication Service.....	676

Table 1845001: Mastercard rePower Load Value Payment Transaction.....	678
Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services.....	679
Table 1846161: Token Service Provider (Token/PAN Mapping).....	683

It contains details about the test cases applicable to the *Issuer Credit and Debit* business profile during individual application testing and validation of a customer's issuer Dual Message clearing application.

Separate test cases are provided for magnetic stripe-based operations and for upgrading to integrated circuit card (ICC)-based operations. Depending on the nature of a customer's proposed operations, test cases must be selected as follows:

- For customers undergoing testing and validation for magnetic stripe-based operations, only those test cases described in the Test Cases—Magnetic Stripe-based Operations section must be conducted.
- For customers undergoing testing and validation for both magnetic stripe-based operations and ICC-based operations, the test cases described in both the Test Cases—Magnetic Stripe-based Operations section and in the Test Cases—ICC-based Operations section must be conducted.
- For customers that have been validated for magnetic stripe-based operations and are now undergoing upgrade testing and validation to additionally conduct ICC-based operations, only those test cases provided in the Test Cases—ICC-based Operations section must be conducted.

Within the Test Cases—Magnetic Stripe-based operations and the Test Cases—ICC-based operations sections, test cases are described for both standard operations and contactless operations. Depending on the nature of a customer's proposed operations, test cases must be selected as follows:

- For customers undergoing testing and validation for contact operations, only those test cases described for contact operations must be conducted.
- For customers undergoing testing and validation for both contact operations and contactless operations, the test cases described for both contact operations and contactless operations must be conducted.
- For customers that have been validated for contact operations and are now undergoing upgrade testing and validation to additionally conduct contactless operations, only those test cases described for contactless operations must be conducted.

NOTE: If customers intend to support

- **contactless magnetic stripe-based operations, they must have been previously validated for contact magnetic stripe-based operations.**
- **contactless ICC-based operations, they must have been previously validated for upgrade to contact ICC-based operations.**

The following manuals in the **Testing References** document set in the **Technical Resource Center** provide references to these test cases, indicating when they should be conducted:

- *Offline Validation*
- *Online Validation*

Dual message clearing table column definition

Table 115: Table column definition

Column name	Column definition
Case ID	Test case identifier. like the Test Case Ref No, this number may change throughout the life cycle of a tesnUt case.
Test Case Ref No	Unique identifier for the a test case. Unlike the Case ID, this number remains static throughout a test case life cycle.
SIM	The clearing message to be sent (by an acquirer) or received (by an issuer) when the test case is conducted during the Offline Validation activity.
MTF	The clearing message to be sent (by an acquirer) or received (by an issuer) when the test case is conducted during the Online Validation activity.
M or C	Indicates whether a test case is Mandatory or Conditional.
Business Transaction	The name of the business transaction that must be used during the test case.

Generated Files: Issuer Dual Message Clearing

There are two types of files generated by an issuer's Dual Message Clearing application:

- Customer-generated File, and
- Mastercard-generated File

Both the file types are discussed in the subsequent sections.

Customer-generated File

A customer's issuer Dual Message Clearing application should be able to build and send a valid customer-generated file that contains correctly formatted clearing messages. All business transactions applicable to a customer's business activities are addressed, as are all message types.

Customers must take into account the following when building a customer-generated file:

- If customers use multiple reconciliation currencies, the file must contain at least one example of each of those currencies.
- If customers issue using multiple Customer IDs, the file must contain at least one example of each of those Customer IDs.
- The file must contain examples of messages destined to at least three different acquirer Customer IDs.
- While the above points must be taken into account, a customer-generated file must still consist of the same message types and number of messages that are indicated in the test case table.

Mastercard-generated File

A customer's issuer Dual Message Clearing application should be able to receive and process valid files generated by Mastercard that contain clearing messages.

The following is taken into account when building the files generated by Mastercard for transmission to a customer's host:

- If customers use multiple reconciliation currencies, the file will contain at least one example of each of those currencies.
- If customers issue using multiple Customer IDs, a file will be provided for each of those Customer IDs.
- Each Financial Detail Addendum message will be preceded by a First Presentment in the file.
- The file will contain examples of messages originating from at least three different acquirer Customer IDs.

Customers must confirm that the files generated by Mastercard have been received, and successfully processed by a customer's host.

Issuer Product and Services Testing for Dual Message MSR Clearing Operations for Customer-generated Files

The following test cases verify whether an issuer's Dual Message Clearing application can send and process a valid customer-generated file that contains correctly formatted clearing messages.

Table 1813525: Merchant Presented QR Payment Transactions

The test cases in the table 1813525 address how an Originating Institution's (OI) dual message clearing application that is participating in Merchant Presented QR Service can submit Merchant Presented QR Payment Presentment transactions.

NOTE: The OI is also known as the consumer bank.

Table Description

Business Profile: Issuer Credit and Debit
Processing Platform: Dual Message Clearing
Operation Type: MSR
Testing Type: Product and Services
File Type: Customer-generated File
Program:

Table 116: Table 1813525

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment.					

Dual Message Clearing: Issuer Credit and Debit
Table 1813525: Merchant Presented QR Payment Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	181352500001	1	1	C	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM
	Inter-regional Merchant Presented QR - region to region. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for IRD QR. DE 3 (Processing Code), SF 1 = 28 (Payment). DE 26 (CAB) = Any value within valid CAB Program for IRD QR. PDS 0004 (Funding Account Information), SF 1 (Funding Source) and SF 2 (Sender Account Number). PDS 0043 = C67 (Merchant Presented QR). PDS 0052 (Security Level Indicator) any valid value of OI choice. PDS 0158, SF 4 (IRD) = QR. Must contain the appropriate transaction data for submitted transaction type, MTI, and IRD QR.				
2	181352500002	1	1	C	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM
	Intraregional Merchant Presented QR - within region. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for IRD QR. DE 3 (Processing Code), SF 1 = 28 (Payment). DE 26 (CAB) = Any value within valid CAB Program for IRD QR. PDS 0004 (Funding Account Information), SF 1 (Funding Source) and SF 2 (Sender Account Number). PDS 0043 = C67 (Merchant Presented QR). PDS 0052 (Security Level Indicator) any valid value of OI choice. PDS 0158, SF 4 (IRD) = QR. Must contain the appropriate transaction data for submitted transaction type, MTI, and IRD QR.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	181352500003	1	1	C	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM
	Intracountry Merchant Presented QR - within country. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for IRD QR. DE 3 (Processing Code), SF 1 = 28 (Payment). DE 26 (CAB) = Any value within valid CAB Program for IRD QR. PDS 0004 (Funding Account Information), SF 1 (Funding Source) and SF 2 (Sender Account Number). PDS 0043 = C67 (Merchant Presented QR). PDS 0052 (Security Level Indicator) any valid value of OI choice. PDS 0158, SF 4 (IRD) = QR. Must contain the appropriate transaction data for submitted transaction type, MTI, and IRD QR.				

Issuer Base Testing for Dual Message MSR Clearing Operations for Mastercard-generated Files

The following test cases in this section test whether an issuer's Dual Message Clearing application can receive correctly formatted authorization requests and process the resulting authorization responses when presented with the required basic functionalities for MSR-based operations.

Table 1820001: All Business Transactions (MCC,DMC,PVL)

The test cases in the table 1820001 address how an issuer processes dual messages valid files that Mastercard generates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: All Business Transactions (MCC, DMC, PVL)

Table 117: Table 1820001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182000100001	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values.
Presentment/1240 - First Presentment					
2	182000100002	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - First Presentment					
3	182000100003	1	1	M	MANUAL PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.

Dual Message Clearing: Issuer Credit and Debit
Table 1820001: All Business Transactions (MCC,DMC,PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182000100004	1	1	M	MOTO PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
5	182000100005	1	1	M	MSR CAT LEVEL 1 PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
6	182000100006	1	1	M	MSR CAT LEVEL 2 PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
7	182000100007	1	1	M	MSR CAT LEVEL 3 PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
8	182000100008	1	1	M	MSR CAT LEVEL 4 PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
9	182000100009	1	1	M	MSR CASH ADVANCE SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values.

Dual Message Clearing: Issuer Credit and Debit
Table 1820001: All Business Transactions (MCC,DMC,PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	182000100010	1	1	M	MANUAL CASH ADVANCE SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values.
11	182000100011	1	1	M	MANUAL PAYMENT TRANSACTION NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
12	182000100012	1	1	C	MSR CAT LEVEL 7 PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
13	182000100013	1	1	M	ELECTRONIC COMMERCE PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
14	182000100014	1	1	M	ELECTRONIC COMMERCE PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
15	182000100015	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.

Dual Message Clearing: Issuer Credit and Debit
Table 1820001: All Business Transactions (MCC,DMC,PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
16	182000100016	1	1	M	MSR CASH ADVANCE ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values.
17	182000100017	1	1	M	MSR PAYMENT TRANSACTION NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
18	182000100018	1	1	M	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
19	182000100166	1	1	M	MSR CAT LEVEL 9 PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
20	182000100167	1	1	M	MSR CAT LEVEL 9 PURCHASE SIGNATURE
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
21	182000100168	1	1	M	MSR CAT LEVEL 9 PURCHASE NO CVM
	mPOS device Phone/Tablet without or with Dongle without PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820001: All Business Transactions (MCC,DMC,PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
22	182000100022	1	1	M	CREDENTIAL ON FILE PURCHASE NO CVM Card Program ID: MCC, DMC; GCMS Product ID applicable values.
23	182000100023	1	1	M	MSR REFUND SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - Reversal of First Presentment.					
24	182000100041	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
25	182000100056	1	1	M	MANUAL PAYMENT TRANSACTION NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - Second Presentment(Full).					
26	182000100092	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values. DE 54 data from the original First Presentment/1240 transaction will be included by the Clearing system if issuer has opted to receive this data.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820001: All Business Transactions (MCC,DMC,PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
27	182000100102	1	1	M	MANUAL PAYMENT TRANSACTION NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - Second Presentment(Partial).					
28	182000100111	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - Reversal of Second Presentment(Full).					
29	182000100129	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - Reversal of Second Presentment(Partial).					
30	182000100147	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Fee Collection/1740 - Fee Collection (Member-generated).					
31	182000100058	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Fee Collection/1740 - Reversal of Fee Collection (Member-generated).					

Dual Message Clearing: Issuer Credit and Debit
Table 1820001: All Business Transactions (MCC,DMC,PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
32	182000100075	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Fee Collection/1740 - Fee Collection Return.					
33	182000100164	1	1	M	NOT RELATED TO A BUSINESS TRANSACTION Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Fee Collection/1740 - Reversal of Fee Collection Return.					
34	182000100165	1	1	M	NOT RELATED TO A BUSINESS TRANSACTION Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
Presentment/1240 - First Presentment.					
35	182000100101	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values.
DE 54, SF 2 (Amount Type) value of customer choice.					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
36	182000100036	1	1	M	PURCHASE WITH CASH BACK SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values.
Purchase with Cash Back transaction - where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 54, SF 2 (Amount Type) = 40 (Amount, Cash Back).					
37	182000100037	1	1	M	MSR CASH BACK ONLY SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values.
Cash Back only transaction - where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 54, SF 2 (Amount Type) = 40 (Amount, Cash Back).					

Table 1820002: All Business Transactions (MSI, CIR)

The test cases in the table 1820002 address how an issuer processes clearing dual messages for valid files that Mastercard generates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: All Business Transactions (MSI, CIR)

Table 118: Table 1820002

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - Reversal of First Presentment.					
1	182000200001	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
2	182000200002	1	1	M	MSR ELECTRONIC CASH ADVANCE ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
Presentment/1240 - First Presentment.					
3	182000200003	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
4	182000200004	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MSI; GCMS Product ID applicable values.
5	182000200005	1	1	M	MSR CAT LEVEL 1 PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	182000200006	1	1	M	MANUAL PAYMENT TRANSACTION NO CVM Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - Reversal of First Presentment.					
7	182000200007	1	1	M	ELECTRONIC COMMERCE PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
8	182000200008	1	1	M	ELECTRONIC COMMERCE PURCHASE NO CVM Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - First Presentment.					
9	182000200009	1	1	M	MSR PURCHASE WITH CASH BACK ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
10	182000200010	1	1	M	MSR PURCHASE WITH CASH BACK SIGNATURE Card Program ID: MSI; GCMS Product ID applicable values.

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
11	182000200011	1	1	M	MSR PAYMENT TRANSACTION NO CVM Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - Reversal of First Presentment.					
12	182000200012	1	1	M	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM Card Program ID: MSI; GCMS Product ID applicable values.
13	182000200013	1	1	M	ELECTRONIC COMMERCE PURCHASE NO CVM Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - First Presentment.					
14	182000200096	1	1	M	MSR CAT LEVEL 9 PURCHASE ONLINE PIN
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
15	182000200097	1	1	M	MSR CAT LEVEL 9 PURCHASE SIGNATURE
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
16	182000200098	1	1	M	MSR CAT LEVEL 9 PURCHASE NO CVM
	mPOS device Phone/Tablet without or with Dongle without PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
Presentment/1240 - Reversal of First Presentment.					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
17	182000200017	1	1	M	CREDENTIAL ON FILE PURCHASE NO CVM Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - First Presentment.					
18	182000200090	1	1	M	MSR REFUND SIGNATURE Card Program ID: MSI; GCMS Product ID applicable values.
19	182000200091	1	1	M	MSR REFUND ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - Reversal of First Presentment.					
20	182000200016	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values
21	182000200019	1	1	M	MANUAL PAYMENT TRANSACTION NO CVM Card Program ID: MSI; GCMS Product ID applicable values.

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
22	182000200103	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
Presentment/1240 - Second Presentment(Full).					
23	182000200048	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
24	182000200105	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
Presentment/1240 - Second Presentment(Partial).					
25	182000200060	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
26	182000200107	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
Presentment/1240 - Reversal of Second Presentment(Full).					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
27	182000200072	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values
28	182000200109	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
Presentment/1240 - Reversal of Second Presentment(Partial).					
29	182000200084	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
30	182000200111	1	1	M	MSR ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values.
Fee Collection/1740 - Fee Collection (Member-generated).					
31	182000200026	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
Fee Collection/1740 - Reversal of Fee Collection (Member-generated).					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
32	182000200036	1	1	M	MSR PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values.
Fee Collection/1740 - Fee Collection Return.					
33	182000200094	1	1	M	NOT RELATED TO A BUSINESS TRANSACTION Card Program ID: MSI; GCMS Product ID applicable values.
Fee Collection/1740 - Reversal of Fee Collection Return.					
34	182000200095	1	1	M	NOT RELATED TO A BUSINESS TRANSACTION Card Program ID: MSI; GCMS Product ID applicable values.
Presentment/1240 - First Presentment.					
35	182000200101	1	1	M	MSR PURCHASE SIGNATURE Card Program ID: MSI; GCMS Product ID applicable values.
DE 54, SF 2 (Amount Type) value of customer choice.					

Table 1820005: Financial Detail Addendum

The test cases in the table 1820005 address how an issuer processes clearing dual messages for files Mastercard generates which contains First Presentment/1240 with Financial Detail Addendum/1644.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: Financial Detail Addendum

Table 119: Table 1820005

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182000500001	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 airline MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
2	182000500001	1	1	C	PASSENGER TRANSPORT DETAIL (GENERAL TICKET INFORMATION)
	This message supports ticketing transactions for airline, railway, and travel agency transactions to provide passenger ticket information for the cardholder.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182000500001	1	1	C	PASSENGER TRANSPORT DETAIL (TRIP LEG DATA)
	This message supports ticketing transactions for airline, railway, and travel agency transactions to provide detailed itinerary information for the cardholder.				
Presentment/1240 - First Presentment					
4	182000500002	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 railway MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
5	182000500002	1	1	C	PASSENGER TRANSPORT DETAIL (GENERAL TICKET INFORMATION)
	This message supports ticketing transactions for airline, railway, and travel agency transactions to provide passenger ticket information for the cardholder.				
6	182000500002	1	1	C	PASSENGER TRANSPORT DETAIL (TRIP LEG DATA)
	This message supports ticketing transactions for airline, railway, and travel agency transactions to provide detailed itinerary information for the cardholder.				
7	182000500002	1	1	C	PASSENGER TRANSPORT DETAIL (RAIL DATA)
	This message supports ticketing information for railway transactions to provide detailed itinerary information for the cardholder.				
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
8	182000500004	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 vehicle rental MCC code for the designated Financial Detail Addendum/1644 message. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
9	182000500004	1	1	C	VEHICLE RENTAL DETAIL
	This message provides detailed vehicle rental information for the cardholder.				
Presentment/1240 - First Presentment					
10	182000500005	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 lodging MCC code for the designated Financial Detail Addendum/1644 message. Whenever the Financial Detail Addendum (Lodging Summary)/1644 message is present, and the transaction involves one of the Mastercard Corporate Cards, the following addendum messages optionally may be provided: 1) Corporate Card Common Data Requirement, usage code 98, industry record number 000; 2) Corporate Card Line Item Detail, usage code 98, industry record number 950. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
11	182000500005	1	1	C	LODGING SUMMARY
	This message provides detailed information about lodging accommodations and related expenses for the cardholder.				
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	182000500006	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 temporary services MCC code for the designated Financial Detail Addendum/1644 message. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
13	182000500006	1	1	C	TEMPORARY SERVICES
	The Temporary Services detail addendum provides detailed information regarding the billing for services rendered on a temporary or contract basis.				
Presentment/1240 - First Presentment					
14	182000500006	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 shipping/courier MCC code for the designated Financial Detail Addendum/1644 messages. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
15	182000500007	1	1	C	SHIPPING/COURIER SERVICES
	The Shipping/Courier Service detail addendum provides detailed information regarding delivery or courier services.				
Presentment/1240 - First Presentment					
16	182000500008	1	1	C	BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 payment transaction MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
17	182000500008	1	1	C	PAYMENT TRANSACTION DETAIL
	This message supports data related to a program permitting Mastercard cardholders to receive payments from a money transfer agent or a financial institution.				
Presentment/1240 - First Presentment					
18	182000500009	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 telecommunication transaction MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
19	182000500009	1	1	C	TELEPHONY BILLING (SUMMARY)
	The Telephony Billing Service summary addendum is designed to carry telephony billing data and to enable issuers to supply more transaction information to their consumer and corporate clients. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
20	182000500009	1	1	C	TELEPHONY BILLING (DETAIL)
	The Telephony Billing Service detail addendum is designed to carry telephony billing data and to enable issuers to supply more transaction information to their consumer and corporate clients. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
Presentment/1240 - First Presentment					
21	182000500010	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 travel agency MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
22	182000500010	1	1	C	TRAVEL AGENCY DETAIL
	This message supports corporate transactions for travel agency transactions. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
Presentment/1240 - First Presentment					
23	182000500011	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 travel MCC code for the designated Financial Detail Addendum/1644 messages. This transaction is conducted with a lodged account which is defined as a corporate card account used by a travel agency for multiple individuals within the same corporate client.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
24	182000500011	1	1	C	LODGED ACCOUNT DETAIL
	This message supports Lodged Account transaction information for corporate cardholders. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.				
Presentment/1240 - First Presentment					
25	182000500012	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 healthcare MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
26	182000500012	1	1	C	HEALTHCARE
	The Financial Detail Addendum (Healthcare) provides a detailed description of the item purchased.				
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
27	182000500013	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 MCC code for the designated Financial Detail Addendum/1644 messages.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
28	182000500013	1	1	C	ELECTRONIC INVOICES (TRANSACTION DATA)
	The Electronic Invoice detail addendum messages are designed to carry electronic invoice data that is not present in other addendum messages, and to allow issuers to supply more transaction information to their corporate clients. This message contains detail about the items listed in the invoice.				
29	182000500013	1	1	C	ELECTRONIC INVOICES (PARTY INFORMATION)
	The Electronic Invoice detail addendum messages are designed to carry electronic invoice data that is not present in other addendum messages, and to allow issuers to supply more transaction information to their corporate clients. This message contains information about the buyer, the supplier, the invoice recipient, the payee, the delivery party, and the ship from party.				
Presentment/1240 - First Presentment					
30	182000500014	1	1	C	POS BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 MCC code for the designated Financial Detail Addendum/1644 messages and conducted with a Mastercard corporate card.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
31	182000500014	1	1	C	CORPORATE CARD COMMON DATA REQUIREMENTS
	This addendum is required for specific corporate transactions occurring in the United States and conditionally required for specific interchange programs outside the U.S. region.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
32	182000500014	1	1	C	CORPORATE LINE ITEM DETAIL
	This message supports a single corporate program transaction with multiple line item details.				
Presentment/1240 - First Presentment					
33	182000500015	1	1	C	BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 MCC code for the designated Financial Detail Addendum/1644 messages and conducted with a Mastercard corporate card.				
Financial Detail Addendum/1644 - Financial Detail Addendum					
34	182000500015	1	1	C	GENERIC DETAIL
	This message supports data related to new programs and services the Corporation introduces that require the presence of data not available in First Presentment/1240 messages.				

Table 1820010: Message Reason Codes

The test cases in the table 1820010 address how an issuer processes clearing dual messages to support Message Reason Codes.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: Message Reason Codes

Table 120: 1820010

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182001000001	1	1	M	MSR PURCHASE SIGNATURE
	DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 (Purchase), 18 (Unique Transaction), 20 (Purchase Return). DE 25 (Message Reason Code) = 1452 Duplicate transaction (Reversals: Duplicate transaction). DE 41 (Acceptor Terminal ID) must be present with valid value. DE 42 (Acceptor ID Code) must be present. DE 43 (Acceptor Name/Location) must be present with valid value. DE 63 (Trace ID) must be present. PDS 0025 (Message reversal indicator SF 1 = R and SF 2 (Central Site Processing Date of Original Message) = valid value. Must contain all other appropriate transaction data for the submitted transaction.				
2	182001000002	1	1	M	MSR PURCHASE SIGNATURE
	DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 (Purchase), 18 (Unique Transaction), 20 (Purchase Return). DE 25 (Message Reason Code) = 1451 (Incorrect transaction parameters). DE 41 (Acceptor Terminal ID) must be present with valid value. DE 42 (Acceptor ID Code) must be present. DE 43 (Acceptor Name/Location) must be present with valid value. DE 63 (Trace ID) must be present. PDS 0025 (Message reversal indicator, SF 1 = R and SF 2 (Central Site Processing Date of Original Message) = valid value. Must contain all other appropriate transaction data for the submitted transaction.				

Table 1820020: Transaction Link ID

The test cases in the table 1820020 address how an issuer processes clearing dual messages to support a transaction identifier called Transaction Link Identifier (TLID).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: Transaction Link ID

Table 121: Table 1820020

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182002000001	1	1	M	MSR PURCHASE SIGNATURE
	DE 105, subfield 001 (TLID) = 22-Character Universally Unique Identifier (UUID). Must contain all other appropriate transaction data for the submitted transaction.				

Table 1820255: Geographic Coordinates Data Fields

The test cases in the table 1820255 address how an issuer processes clearing dual messages to prepare to support Geographic Coordinates Data fields.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: Geographic Coordinates Data Fields

Table 122: Table 1820255

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182025500001	1	1	M	MSR PURCHASE SIGNATURE
	PDS 0216, subfield 05, if present, must contain the correctly formatted location latitude and longitude of the acceptor. Must contain all other appropriate transaction data for the submitted transaction.				
2	182025500002	1	1	M	MSR PURCHASE SIGNATURE
	PDS 0216, subfield 06, if present, must contain the correctly formatted location latitude and longitude of the service location. Must contain all other appropriate transaction data for the submitted transaction.				

Table 1820259: Revised Standards for Multiple Clearing Messages

The test cases in the table 1820259 address how an issuer processes dual messages for types of Revised Standards for Multiple Clearing Messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: Revised Standards for Multiple Clearing Messages

Table 123: Table 1820259

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182025900001	1	1	M	MSR PURCHASE SIGNATURE
	DE 4 = partial amount. DE 25 = 1403 (Previously approved authorization—partial amount, multi-clearing). DE 38 = must be present and must match with value in the original Authorization/ 0110 message. DE 63 SF 2 = must be present and must match with value in the original Authorization/0110 message.				
2	182025900002	1	1	M	MSR PURCHASE SIGNATURE
	DE 4 = final amount. DE 25 = 1404 (Previously approved authorization—partial amount, final clearing). DE 38 = must be present and must match with value in the original Authorization/ 0110 message. DE 63 SF 2 = must be present and must match with value in the original Authorization/0110 message.				

Table 1820302: MoneySend Payment Transactions

The test cases in the table 1820302 address how an issuer processes clearing dual messages for various types of Mastercard MoneySend Payment Transactions.

NOTE: Transactions are submitted with the MoneySend interchange programs. Effective 11 April 2025 Mastercard is lifecycling interchange rate designator (IRD) MS: Mastercard MoneySend for select markets in the Latin America and Caribbean region per announcement LAC 11050.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Base

File Type: Mastercard-generated File

Program: MoneySend Payment Transactions

Table 124: Table 1820302

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182030200001	1	1	C	MANUAL PAYMENT TRANSACTION NO CVM
	MoneySend Payment Intracountry or Intercountry Interchange Program. Card Program ID: MCC, DMC, MSI GCMS Product ID: Any applicable product codes for IRD MS. DE 26 = 6536 (Intracountry) or 6537 (Intercountry) PDS 0043 = C07 (MoneySend Person-to-Person); PDS 0158, SF 04 = MS. PDS 0170, SF 1 (Customer Service Phone Number) present; PDS 0175 (Acceptor URL) present. Financial Detail Addendum/1644 with required PDS for MoneySend transactions. Must contain any other appropriate transaction data for IRD MS.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820302: MoneySend Payment Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182030200002	1	1	C	MANUAL PAYMENT TRANSACTION NO CVM
	MoneySend Payment Intracountry or Intercountry Interchange Program. Card Program ID: MCC, DMC, MSI. GCMS Product ID: Any applicable product codes for IRD MS DE 26 = 6536 (Intracountry) or 6537 (Intercountry). PDS 0043 = C52, C53, C54, C55, C56, C57, C60, or C65 of issuer choice; PDS 0158 SF 04 = MS. PDS 0170, SF 1 (Customer Service Phone Number) present; PDS 0175 (Acceptor URL) present. Financial Detail Addendum/1644 with required PDS for MoneySend transactions. Must contain any other appropriate transaction data for IRD MS.				
3	182030200031	1	1	C	MSR ATM PAYMENT TRANSACTION ONLINE PIN
	MoneySend Payment Intracountry Interchange Program. Card Program ID: MCC, DMC, MSI, CIR. GCMS Product ID: Any applicable product codes for IRD MS. DE 26 (CAB) = Any value within valid CAB Program MON1 (MoneySend) for IRD MS. PDS 0043 = C58 (Cash in at ATM). PDS 0158, SF 4 (IRD) = MS (MoneySend). PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL). Financial Detail Addendum/1644 with required PDS for MoneySend transactions. Must contain any other appropriate transaction data for IRD MS.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182030200032	1	1	C	MSR PAYMENT TRANSACTION ONLINE PIN
	MoneySend Payment Intracountry Interchange Program. Card Program ID: MCC, DMC, MSI. GCMS Product ID: Any applicable product codes for IRD MS. DE 26 (CAB) = Any value within valid CAB Program MON1 (MoneySend) for IRD MS. PDS 0043 = C59 (Cash in at POS). PDS 0158, SF 4 (IRD) = MS (MoneySend). PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL). Financial Detail Addendum/1644 with required PDS for MoneySend transactions. Must contain any other appropriate transaction data for IRD MS.				
6	182030200036	1	1	C	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM
	MoneySend Payment Transaction for fast refund to original card. PDS0043(Transaction Type Identifier) = C60 (Fast Refund to Original Card). PDS 0158, SF 4 (IRD) = QX: Fast Refund to Original Card. Must contain all other appropriate transaction data for submitted business transaction.				

Table 1820304: Service Provider and Merchant Identification

The test cases in the table 1820304 verify whether an issuer Dual Message Clearing application is able to receive PDS 0208 (Additional Merchant Data), SF 1 (Payment Facilitator ID), SF 2 (Sponsored Merchant ID) and PDS 0209 (Independent Sales Organization ID) identifying that a payment facilitator or an independent sales organization participated in a transaction.

Table Description

Business Profile: Issuer Credit and Debit
Processing Platform: Dual Message Clearing
Operation Type: MSR
Testing Type: Base
File Type: Mastercard-generated File
Program: Service Provider and Merchant Identification

Table 125: Table 1820304

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1820304: Service Provider and Merchant Identification

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182030400001	1	1	M	MSR PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator ID is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				
2	182030400002	1	1	M	MSR PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator ID is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820304: Service Provider and Merchant Identification

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182030400003	1	1	M	MSR PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values . PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43 = Merchant Name (business as usual).				
4	182030400004	1	1	M	MSR ATM CASH WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator ID is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182030400005	1	1	M	MSR ATM CASH WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator ID is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				
6	182030400006	1	1	M	MSR ATM CASH WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values. PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43 = Merchant Name (business as usual).				

Issuer Product and Services Testing for Dual Message MSR Clearing Operations for Mastercard-generated Files

The following test cases verify whether an issuer's Dual Message Clearing application can receive a valid Mastercard-generated file that contains correctly formatted clearing messages.

Table 1820201: Contactless Magnetic Stripe

The test cases in the table 1820201 address how and issuer processes clearing dual messages for valid files that Mastercard generates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Contactless Magnetic Stripe

Table 126: Table 1820201

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182020100001	1	1	C	MSR CONTACTLESS ATM WITHDRAWAL ONLINE PIN
	Tokenized ATM magnetic stripe contactless business transaction. Card Program ID: MCC, DMC, CIR; GCMS Product ID applicable values. PDS 0001 (Mastercard Mapping Service Account Number). PDS 0058 (Token Assurance Method) and PDS 0059 (Token Requestor ID) are present. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) are present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182020100002	1	1	C	MSR CONTACTLESS PURCHASE SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values
3	184020100003	1	1	C	MSR CONTACTLESS CAT LEVEL 1 PURCHASE ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values
4	182020100004	1	1	C	MSR CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM Card Program ID: MCC, DMC; GCMS Product ID applicable values
5	182020100005	1	1	C	MSR CONTACTLESS CAT LEVEL 3 PURCHASE NO CVM Card Program ID: MCC, DMC; GCMS Product ID applicable values
6	182020100006	1	1	C	MSR CONTACTLESS CASH ADVANCE SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values
7	182020100007	1	1	C	MSR CONTACTLESS PURCHASE ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
8	182020100008	1	1	C	MSR CONTACTLESS CASH ADVANCE ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values
9	182020100009	1	1	C	MSR CONTACTLESS CAT 4 PURCHASE NO CVM Card Program ID: MCC, DMC; GCMS Product ID applicable values
10	182020100010	1	1	C	MSR CONTACTLESS CAT LEVEL 9 PURCHASE SIGNATURE OR NO CVM
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
11	182020100011	1	1	C	MSR CONTACTLESS CAT LEVEL 9 PURCHASE SIGNATURE
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
12	182020100012	1	1	C	MSR CONTACTLESS CAT LEVEL 9 PURCHASE NO CVM
	mPOS device Phone/Tablet without or with Dongle without PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Table 1820225: Miscellaneous Core Systems Updates

The test cases in the table 1820225 address how an issuer processes clearing dual messages to support Miscellaneous Core System updates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Miscellaneous Core Systems Updates

Table 127: Table 1820225

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182022500001	1	1		MSR PURCHASE SIGNATURE
	PDS 0043 must be present with value P11. DE 26 (Acceptor Business Code) = 7399 (Business Services: not elsewhere classified). DE 49 (Currency Code, Transaction) = DE 49 in the Authorization Request/0100 message. Must contain all other appropriate transaction data for the submitted transaction.				

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

The test cases in the table 182028 address how an issuer processes dual messages for CIT and MIT indicator values in First Presentment/1240 clearing messages.

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Table 128: Table 1820280

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182028000001	1	1	C	POS PURCHASE NO CVM
	Non-tokenized initial CIT stores credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0218 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182028000002	1	1	C	POS PURCHASE NO CVM
	Non-tokenized initial CIT stores credential-on-file for a standing order. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0218 = C102 (Cardholder-initiated: Standing Order. Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
3	182028000003	1	1	C	POS PURCHASE NO CVM
	Non-tokenized initial CIT stores credential-on-file for a subscription. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0218 = C103 (Cardholder-initiated: Subscription. Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
4	182028000004	1	1	C	POS PURCHASE NO CVM
	Non-tokenized initial CIT stores credential-on-file for a multi-authorization installment plan or for a single-authorization installment plan where subsequent installment transactions are submitted as clearing transactions only. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. DE 48, SE 22, SF 05 = C104 (Cardholder-initiated: Installment. Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182028000005	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent CIT uses credential-on-file (ad hoc). Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
6	182028000006	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M101 (Merchant-initiated: Unscheduled Credential-on-File). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
7	182028000007	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for a standing order uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M102 (Merchant-initiated: Standing Order [Recurring Payment or Installment]). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
8	182028000008	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for a subscription uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M103 (Merchant-initiated: Subscription). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
9	182028000009	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for installment uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M104 (Merchant-initiated: Installment). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
10	182028000010	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for partial shipment uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M205 (Merchant-initiated: Partial Shipment). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
11	182028000011	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for related/delayed charge uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M206 (Merchant-initiated: Related/Delayed Charge). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD. NOTE: May also be ELECTRONIC COMMERCE transaction with associated data.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	182028000012	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for future no shows uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M207 (Merchant-initiated: No Shows). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD. NOTE: May also be ELECTRONIC COMMERCE transaction with associated data.				
13	182028000013	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Non-tokenized subsequent MIT for future resubmissions uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0218 = M208 (Merchant-initiated: Resubmissions). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD. NOTE: May also be ELECTRONIC COMMERCE transaction with associated data.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
14	182028000014	1	1	C	POS PURCHASE NO CVM
	Tokenized initial CIT stores credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
15	182028000015	1	1	C	POS PURCHASE NO CVM
	Tokenized initial CIT stores credential-on-file for a standing order. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = C102 (Cardholder-initiated: Standing Order). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
16	182028000016	1	1	C	POS PURCHASE NO CVM
	Tokenized initial CIT stores credential-on-file for a subscription. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = C103 (Cardholder-initiated: Subscription). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
17	182028000017	1	1	C	POS PURCHASE NO CVM
	Tokenized initial CIT stores credential-on-file for a multi-authorization installment plan or for a single-authorization installment plan where subsequent installment transactions are submitted as clearing transactions only. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) values of customer choice. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = C104 (Cardholder-initiated: Installment). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
18	182028000018	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent CIT uses credential-on-file (ad hoc). Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
19	182028000019	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M101 (Merchant-initiated: Unscheduled Credential-on-File). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
20	182028000020	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for a standing order uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M102 (Merchant-initiated: Standing Order [Recurring Payment or Installment]). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
21	182028000021	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for a subscription uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M103 (Merchant-initiated: Subscription). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
22	182028000022	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for installment uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M104 (Merchant-initiated: Installment). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				
23	182028000023	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for partial shipment uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M205 (Merchant-initiated: Partial Shipment). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
24	182028000024	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for related/delayed charge uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0052 (Electronic Commerce Security Level Indicator), PDS 0185 (Accountholder Authentication Value), and PDS 0186 (Program Protocol) may be present if electronic commerce transaction. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M206 (Merchant-initiated:Related/Delayed Charge). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD. NOTE: May also be ELECTRONIC COMMERCE transaction with associated data.				

Dual Message Clearing: Issuer Credit and Debit

Table 1820280: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
25	182028000025	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for future no shows uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0052 (Electronic Commerce Security Level Indicator), PDS 0185 (Accountholder Authentication Value), and PDS 0186 (Program Protocol) may be present if electronic commerce transaction. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M207 (Merchant-initiated: No Shows). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD. NOTE: May also be ELECTRONIC COMMERCE transaction with associated data.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
26	182028000026	1	1	C	CREDENTIAL ON FILE PURCHASE NO CVM
	Tokenized subsequent MIT for future resubmissions uses credential-on-file. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0001, SF 1 contains MDES token type and SF 2 contains token PAN of customer choice. PDS 0052 (Electronic Commerce Security Level Indicator), PDS 0185 (Accountholder Authentication Value), and PDS 0186 (Program Protocol) may be present if electronic commerce transaction. PDS 0058 (Token Assurance Level) optional and PDS 0059 (Token Requestor ID) conditional. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) may be present if available. PDS 0218 = M208 (Merchant-initiated: Resubmissions). Must contain all other appropriate transaction data for submitted business transaction, transaction type, MTI, and IRD. NOTE: May also be ELECTRONIC COMMERCE transaction with associated data.				

Table 1820301: Funding or Funding Refund Transactions

The test cases in the table 1820301 address how an issuer processes dual messages for valid file Mastercard generates that contains correctly formatted Funding or Funding Refund Transaction clearing messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Funding or Funding Refund Transactions

Table 129: Table 1820301

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182030100001	1	1	C	MSR ATM FUNDING TRANSACTION ONLINE PIN
	Funding transactions for MCC 6538. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6538 (Funding Transactions for MoneySend). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = ATM (ATM Terminal). PDS 0043 = C07, C52-C57, or C65 of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182030100002	1	1	C	MSR FUNDING TRANSACTION SIGNATURE
	Funding transactions for MCC 6538. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6538 (Funding Transactions for MoneySend). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = NA (Unknown or not available). PDS 0043 = C07, C52, C53, C54, C55, C56, C57, or C65 of issuer choice. PDS 0158, SF 4(Interchange Rate Designator) contains applicable value of customer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds. Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182030100003	1	1	C	MSR CAT LEVEL 2 FUNDING TRANSACTION NO CVM
	Funding transactions for MCC 6538. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6538 (Funding Transactions for MoneySend). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = CT2 (Self-service terminal). PDS 0043 = C07, C52, C53, C54, C55, C56, C57, or C65 of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182030100004	1	1	C	ELECTRONIC COMMERCE TRANSACTION FUNDING NO CVM
	Funding transactions for MCC 6538. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6538 (Funding Transactions for MoneySend). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = CT6 (Electronic commerce transaction). PDS 0043 = C07, C52, C53, C54, C55, C56, C57, or C65 of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds. Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182030100005	1	1	C	MSR FUNDING REFUND SIGNATURE
	Funding Refund transactions for MCC 6538. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 20 (Purchase Return). DE 26 = 6538 (Funding Transactions for MoneySend). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = NA (Unknown or not available). PDS 0043 = C07, C52, C53, C54, C55, C56, C57, or C65 of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds. Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	182030100011	1	1	C	MSR ATM FUNDING TRANSACTION ONLINE PIN
	Funding transactions for MCC 4829. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 4829 (Money Transfer). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = ATM (ATM Terminal). PDS 0043 = F07-F08, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182030100012	1	1	C	MSR FUNDING TRANSACTION SIGNATURE
	Funding transactions for MCC 4829. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 4829 (Money Transfer). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = NA (Unknown or unavailable terminal). PDS 0043 = F07-F08, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
8	182030100013	1	1	C	MSR CAT LEVEL 2 FUNDING TRANSACTION NO CVM
	Funding transactions for MCC 4829. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 4829 (Money Transfer). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = CT2 (CAT LEVEL 2). PDS 0043 = F07, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
9	182030100014	1	1	C	ELECTRONIC COMMERCE FUNDING TRANSACTION NO CVM
	Funding transactions for MCC 4829. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 4829 (Money Transfer). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = CT6 (CAT LEVEL 6). PDS 0043 = F07-F08, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	182030100015	1	1	C	MSR FUNDING REFUND SIGNATURE
	Funding Refund transactions for MCC 4829. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 20 (Purchase Return). DE 26 = 4829 (Money Transfer). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = NA (Unknown or unavailable terminal). PDS 0043 = F07, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
11	182030100021	1	1	C	MSR ATM FUNDING TRANSACTION ONLINE PIN
	Funding transactions for MCC 6540. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6540 (Funding Transactions). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = ATM (ATM Terminal). PDS 0043 = F07-F08, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	182030100022	1	1	C	MSR FUNDING TRANSACTION SIGNATURE
	Funding transactions for MCC 6540. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6540 (Funding Transactions). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = NA (Unknown or unavailable terminal). PDS 0043 = F07-F08, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
13	182030100023	1	1	C	MSR CAT LEVEL 2 FUNDING TRANSACTION NO CVM
	Funding transactions for MCC 6540. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6540 (Funding Transactions). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = CT2 (CAT LEVEL 2). PDS 0043 = F07-F08, F52-F55, F61, or F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820301: Funding or Funding Refund Transactions

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
14	182030100024	1	1	C	ELECTRONIC COMMERCE FUNDING TRANSACTION NO CVM
	Funding transactions for MCC 6540. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 00 (Purchase). DE 26 = 6540 (Funding Transactions). PDS 0023 = CT6 (CAT LEVEL 6). DE 42 (Acceptor ID) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0043 = F08, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
15	182030100025	1	1	C	MSR FUNDING REFUND SIGNATURE
	Refund transactions for MCC 6540. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 3, SF 1 = 20 (Purchase Return). DE 26 = 6540 (Funding Transactions). DE 42 (Acceptor ID Code) and DE 43 (Acceptor Name/Location) are mandatory. PDS 0023 = NA (Unknown or unavailable terminal). PDS 0043 = F07, F52-F55, F61, or F64-F65 value of issuer choice. PDS 0158, SF 4 (Interchange Rate Designator) contains applicable value of issuer choice. PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL) may optionally be present. Financial Detail Addendum/1644 may optionally contain PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and/or PDS 0674 (Additional Trace/Reference Number Used by Acceptor). Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD.				

Table 1820305: Digital Secure Remote Payment (UCAF)

The test cases in the table 1820305 address how an issuer processes clearing dual messages for Digital Secure Remote (DSRP) transactions with UCAF data for each of the valid indicator in PDS 0052 in Presentment messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Digital Secure Remote Payment (UCAF)

Table 130: Table 1820305

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182030500001	1	1	M	ELECTRONIC COMMERCE PURCHASE NO CVM
	This test case is for non-MDES issuers. Original DSRP transaction - non-MDES issuer. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 contains PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (PAN Entry via electronic commerce, including chip). PDS 0023 = CT6 (CAT level 6 [electronic commerce transaction])). PDS 0052 SF 1 = 2 (Channel). PDS 0052 SF 2 = 4 (Digital Secure Remote Payment transaction). PDS 0052 SF 3 = 2 (Both merchant and issuer are UCAF-enabled, as indicated in the Authorization Request/0100 message).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182030500002	1	1	M	ELECTRONIC COMMERCE PURCHASE NO CVM
	This test case is for non-MDES issuers. Original DSRP transaction - non-MDES issuer. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 contains PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (PAN Entry via electronic commerce, including chip). PDS 0023 = CT6 (CAT level 6 [electronic commerce transaction]). PDS 0052 SF 1 = 2 (Channel). PDS 0052 SF 2 = 4 (Digital Secure Remote Payment transaction). PDS 0052 SF 3 = 6 (Merchant Risk Based Decisioning).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182030500003	1	1	M	ELECTRONIC COMMERCE PURCHASE NO CVM
	This test case is for non-MDES issuers. Subsequent DSRP transaction - non-MDES issuer. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 contains PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (PAN Entry via electronic commerce, including chip). PDS 0023 = CT6 (CAT level 6 [electronic commerce transaction]). PDS 0052 SF 1 = 2 (Channel). PDS 0052 SF 2 = 4 (Digital Secure Remote Payment transaction). PDS 0052 SF 3 = 7 (Partial shipment or recurring payment [DE 48, subelement 43 not required]. Liability will depend on the original UCAF values provided and matching with the initial transaction).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182030500004	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	This test case is for Mastercard Digital Enablement Service (MDES) issuers. Original DSRP transaction - MDES issuer. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 contains PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (PAN Entry via electronic commerce, including chip). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction)). PDS 0001 SF 1 = C Space (C followed by a space) or CC; H Space (H followed by a space) or HC. PDS 0001 SF 2 contains Token. PDS 0052 SF 1 = 2 (Channel). PDS 0052 SF 2 = 4 (Digital Secure Remote Payment transaction). PDS 0052 SF 3 = 2 (Both merchant and issuer are UCAF-enabled, as indicated in the Authorization Request/0100 message).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182030500005	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	This test case is for Mastercard Digital Enablement Service (MDES) issuers. Original DSRP transaction - MDES issuer. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 contains PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (PAN Entry via electronic commerce, including chip). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction)). PDS 0001 SF 1 = C Space (C followed by a space) or CC; H Space (H followed by a space) or HC. PDS 0001 SF 2 contains Token. PDS 0052 SF 1 = 2 (Channel). PDS 0052 SF 2 = 4 (Digital Secure Remote Payment transaction). PDS 0052 SF 3 = 6 (Merchant Risk Based Decisioning).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	182030500006	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	This test case is for Mastercard Digital Enablement Service (MDES) issuers. Subsequent DSRP transaction - MDES issuer. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 contains PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (PAN Entry via electronic commerce, including chip). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction). PDS 0001 SF 1 = C Space (C followed by a space) or CC; H Space (H followed by a space) or HC. PDS 0001 SF 2 contains Token. PDS 0052 SF 1 = 2 (Channel). PDS 0052 SF 2 = 4 (Digital Secure Remote Payment transaction). PDS 0052 SF 3 = 7 (Partial shipment or recurring payment [DE 48, subelement 43 not required]. Liability will depend on the original UCAF values provided and matching with the initial transaction).				

Table 1820308: Mastercard Identity Check

The test cases in the table 1820308 address how an issuer processes clearing dual messages for First Presentment for Identity Check transactions with or without additional authentication data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mastercard Identity Check

Table 131: Table 1820308

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182030800003	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Any applicable business service level and IRD for this transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for submitted IRD. PDS 0052 (Electronic Commerce Security Level Indicator) = 212 (Fully authenticated). PDS 0184 (Directory Server Transaction ID); PDS 0185 (Accountholder Authentication Value) contains AAV; and PDS 0186 (Program Protocol) = 2 (3DS 2.0) are present. Must contain the appropriate data for submitted transaction.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182030800004	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Any applicable business service level and IRD for this transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for submitted IRD. PDS 0052 (Electronic Commerce Security Level Indicator) = 211 (Merchant attempt). PDS 0184 (Directory Server Transaction ID); PDS 0185 (Accountholder Authentication Value) contains AAV; and PDS 0186 (Program Protocol) = 2 (3DS 2.0) are present. Must contain the appropriate data for submitted transaction.				
3	182030800010	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Any applicable business service level and IRD for this transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for submitted IRD. PDS 0052 (Electronic Commerce Security Level Indicator) = 210 (Non UCAF). PDS 0184 (Directory Server Transaction ID); PDS 0185 (Accountholder Authentication Value); and PDS 0186 (Program Protocol) are not present. Must contain the appropriate data for submitted transaction.				
4	182030800011	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Any applicable business service level and IRD for this transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for submitted IRD. PDS 0052 (Electronic Commerce Security Level Indicator) = 214. PDS 0184 (Directory Server Transaction ID); PDS 0185 (Accountholder Authentication Value) contains AAV; and PDS 0186 (Program Protocol) = 2 (3DS 2.0) are present. Must contain the appropriate data for submitted transaction.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820310: Installment Payment Service (Installment Calculation and Posting)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182030800012	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Any applicable business service level and IRD for this transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for submitted IRD. PDS 0052 (Electronic Commerce Security Level Indicator) = 216. PDS 0184 (Directory Server Transaction ID); PDS 0185 (Accountholder Authentication Value) contains AAV; and PDS 0186 (Program Protocol) = 2 (3DS 2.0) are present. Must contain the appropriate data for submitted transaction.				
6	182030800013	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Any applicable business service level and IRD for this transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for submitted IRD. PDS 0052 (Electronic Commerce Security Level Indicator) = 217. PDS 0184 (Directory Server Transaction ID); PDS 0185 (Accountholder Authentication Value) contains AAV; and PDS 0186 (Program Protocol) = 2 (3DS 2.0) are present. Must contain the appropriate data for submitted transaction.				

Table 1820310: Installment Payment Service (Installment Calculation and Posting)

The test cases in the table 1820310 address how an issuer participating in Mastercard Installment Payment Service (Installment Calculation and Posting) processes clearing dual messages for First Presentments containing installment payment information.

NOTE: Issuers must provide the installment transaction identification rules and installment parameters via the user interface and/or uploading a batch file of identification rules and parameters for Mastercard to manage the installment payment processing.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Installment Payment Service (Installment Calculation and Posting)

Table 132: Table 1820310

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	202031000001	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Transaction approved for installment payment processing when issuer has provided one time approval at time of registration for Installment Calculation and Posting service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = A (Approved for installment processing). PDS 0181 (Installment Payment Data), subfields 1-7 present wherein SF 1 = 20 (Issuer-financed).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820310: Installment Payment Service (Installment Calculation and Posting)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182031000002	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Transaction meets the installment criteria provided by issuer during registration for the Installment Calculation and Posting service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = Y (Transaction qualifies for the installment processing).				
3	182031000003	N/A	1	C	MSR CREDIT SIGNATURE OR NO CVM
	Mastercard sends non-financial First Presentment/1240 message with DE 3 (Processing Code), subfield 1 (Processing Code) with value 20 (Refund) to the issuer if the issuer has opted to have Mastercard process the credit transaction. The issuer then reverses the original transaction on the cardholder statement for each original transaction amount that was converted into an installment. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = C (Credit transaction to reverse the purchase transaction).				
4	182031000004	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Mastercard created split installment transactions. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 4 (Transaction Amount) for the split installment amount. PDS 0045 (Mastercard Generated Installment identifier) = P (Purchase transaction of each split installment transaction). PDS 0182 (Installment Payment Cardholder Statement Data), subfields 1-11 present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182031000011	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Transaction approved for installment payment processing for the Issuer Merchant Co-Financed and issuer is participating in Mastercard Installment Payment Service (Installment Calculation and Posting). Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = E (Transaction eligible for Installment Processing). PDS 0181 (Installment Payment Data), subfields 1-7 present wherein SF 1 = 24 (Issuer Merchant Co-Financed) and optional subfields 8-10 are present containing commission details. NOTE: Issuers may test receiving the clearing daily raw data file containing data to settle their commissions.				

Table 1820314: Mastercard ATM Cash Pick Up Service

The test cases in the table 1820314 address how an issuer participating in the Mastercard ATM Cash Pick Up service processes clearing dual messages for First Presentment/1240 messages containing the Mastercard ATM Cash Pick Up Identifier.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mastercard ATM Cash Pick Up Service

Table 133: Table 1820314

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182031400001	1	1	C	MSR ATM CASH PICKUP ONLINE PIN
	ATM withdrawal transaction initiated via the Mastercard ATM Cash Pick Up service. Card Program ID: MCC, DMC, CIR; GCMS Product ID applicable values. PDS 0001, SF 1 = 8 (Mastercard In Control account number) and SF 2 (Account Number). PDS 0043 = P01 (Mastercard ATM Cash Pick Up Transaction).				

Table 1820401: Mastercard In Control

The test cases in the table 1820401 address how an issuer processes dual messages for a valid file Mastercard generates that contains correctly formatted Mastercard In Control clearing messages.

Table Description:

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mastercard In Control

Table 134: Table 1820401

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182040100001	N/A	1	C	MAIL ORDER TRANSACTION NO CVM
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. PDS 0001, SF 1 (Token indicator) and SF 2 (MDES token). PDS 0011, SF 1 (VCN indicator) and SF 2 (VCN).				
2	182040100002	N/A	1	C	TELEPHONE ORDER TRANSACTION NO CVM
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. PDS 0001, SF 1 (Token indicator) and SF 2 (MDES token). PDS 0011, SF 1 (VCN indicator) and SF 2 (VCN).				
3	182040100003	N/A	1	C	ELECTRONIC COMMERCE TRANSACTION NO CVM
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. PDS 0001, SF 1 (Token indicator) and SF 2 (MDES token). PDS 0011, SF 1 (VCN indicator) and SF 2 (VCN).				
Presentment/1240 - Second Presentment(Full)					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	182040100010	N/A	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. PDS 0001, SF 1 (Token indicator) and SF 2 (MDES token). PDS 0011, SF 1 (VCN indicator) and SF 2 (VCN).				
Fee Collection/1740 - Fee Collection Return					
12	182040100012	N/A	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. PDS 0001, SF 1 (Token indicator) and SF 2 (MDES token).				

Table 1820405: Interchange Structure Indicator (U.S.)

The test cases in the table 1820405 verify whether an Issuer's Dual Message clearing application receive and process Clearing messages for Interchange Structure Indicator transactions.

Table Description:

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Interchange Structure Indicator (U.S.)

Table 135: Table 1820405

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182040500001	1	1	C	MSR PURCHASE SIGNATURE
	US Intraregional Interchange Program. Card Program ID: MCC, DMC, MSI. DE 3, SF 1 = 00, 09, 18, 20, 28. PDS 0017 (Interchange Structure Indicator) = valid value. Must contain all other appropriate transaction data for the submitted transaction.				

Table 1820515: Domestic Processing (Japan)

The test cases in the table 1820515 address how an issuer processes clearing dual messages for presentments for Japan domestic POS transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Domestic Processing (Japan)

Table 136: Table 1820515

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182051500001	1	1	C	POS CP BUSINESS TRANSACTION AND CVM OF CUSTOMER CHOICE
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. Refer to <i>Japan Domestic Switching Implementation Guide</i> for message details.				
2	182051500002	N/A	1	C	POS CP BUSINESS TRANSACTION AND CVM OF CUSTOMER CHOICE
	Card Program ID: MCC, DMC; GCMS Product ID applicable values. (Optional) Receive GCMS Japan Domestic Reconciliation Reports (TR32 production/ TR34 test bulk file). Refer to section 'GCMS Japan Domestic Reconciliation Reports' of <i>Japan Domestic Switching Implementation Guide</i> for message details.				
3	182051500003	1	1	C	MSR PURCHASE SIGNATURE
	Japan domestic clearing messages. DE 3, SF 1 (Cardholder Transaction Type) = 00 (Purchase), 18 (Unique) or 20 (Refund). PDS 0046 (Japan Common Merchant Code) must be present and contain a valid Japan CMC Code. PDS 0171 (Alternate Acceptor Description Data), subfield 1 (Character Set Indicator) is mandatory with value KAN. PDS 0178 (Alternate Acceptor Description Data 2), subfield 1 (Character Set Indicator 2) is mandatory with value KAT. Must contain all other appropriate transaction data for the submitted transaction				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182051500004	1	1		MSR PURCHASE SIGNATURE
	Japan domestic clearing messages for installment payments. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 18 (Unique Transaction). PDS 0046 must be present and contain a valid Japan CMC Code. PDS 0171, subfield 1 = KAN and PDS 0178, subfield 1 = KAT are mandatory. PDS 0195 (Installment Data) if present must contain subfield 1 (Total Number of Installments) and subfield 2 (Payment Option Code). PDS 0195 (Installment Data), subfield 4 (Bonus Code) value 0 (Delayed Settlement) when PDS 0195, subfield 2 (Payment Option Code) contains value 21 (Bonus Payment). Must contain all other appropriate transaction data for the submitted transaction.				

Table 1820580: Domestic Processing (Colombia)

The test cases in the table 1820580 address how an issuer processes dual messages for a file Mastercard generates for various Colombia Domestic Processing clearing messages. Certain business transactions applicable to customers business activities are addressed.

NOTE: Mastercard is supporting Colombia-specific transaction information in DE 54 amount type 44 (Amount Gratuity), PDS 1001-1019 (Member-to-Member Proprietary Data), and business service arrangement 4/170001 in PDS 0158 (Business Activity).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Domestic Processing (Colombia)

Table 137: Table 1820580

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182058000001	N/A	1	C	MSR PURCHASE SIGNATURE
	Restaurant transaction with gratuity. Card Program ID: MCC; GCMS Product ID applicable values. DE 26 (Acceptor Business Code [MCC]) = 5812 (Eating Places, Restaurants). DE 32 (Acquiring Institution ID Code) = 999692. DE 33 (Forwarding Institution ID Code) = 999692. DE 54 present with gratuity amount. PDS 1001 to PDS 1019 with domestic data, PDS 0777 present.				
2	182058000002	N/A	1	C	MSR CASH ADVANCE SIGNATURE
	Cash Advance transaction. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0777 present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182058000003	N/A	1	C	MANUAL ENTRY MO/TO PURCHASE NO CVM
	Purchase transaction for 3 installments. Card Program ID: MCC, DMC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0777 present, PDS 1012 present.				
4	182058000004	N/A	1	C	MSR PURCHASE WITH CASH BACK SIGNATURE
	Purchase with Cash Back transaction. Card Program ID: DMC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data.				
5	182058000005	N/A	1	C	MSR PURCHASE SIGNATURE
	Purchase transaction using MAID for 12 installments. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0777 present, PDS 0176 present.				
6	182058000006	N/A	1	C	MSR CAT LEVEL 9 PURCHASE SIGNATURE
	Purchase transaction for 2 installments. Card Program ID: MCC; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 1001 to PDS 1018 with domestic data, PDS 0777 present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182058000007	N/A	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Purchase transaction with installments. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0777 present, PDS 1012 present.				
8	182058000008	N/A	1	C	MSR PURCHASE SIGNATURE
	Purchase transaction for Utilities payment. Card Program ID: MCC; GCMS Product ID applicable values. DE 32 (Acquiring Institution ID Code) = 999692. DE 33 (Forwarding Institution ID Code) = 999692. PDS 1006 (Original Processing Code)= 150000. PDS 1001 to PDS 1018 with domestic data.				
9	182058000009	N/A	1	C	MSR PURCHASE SIGNATURE
	Purchase transaction for Bill payment. Card Program ID: MCC; GCMS Product ID applicable values. DE 32 (Acquiring Institution ID Code) = 999692. DE 33 (Forwarding Institution ID Code) = 999692. PDS 1006 (Original Processing Code)= 350000. PDS 1001 to PDS 1018 with domestic data.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	182058000010	N/A	1	C	MSR PURCHASE SIGNATURE
	Purchase transaction for Cellular phone top-up payment. Card Program ID: MCC; GCMS Product ID applicable values. DE 32 (Acquiring Institution ID Code) = 999692. DE 33 (Forwarding Institution ID Code) = 999692. PDS 1006 (Original Processing Code)= 380000. PDS 1001 to PDS 1018 with domestic data.				
11	182058000011	N/A	1	C	MSR PAYMENT SIGNATURE
	Payment transaction. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0043 present.				
12	182058000012	N/A	1	C	MANUAL ENTRY PAYMENT NO CVM
	Payment transaction. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0043 present.				
13	182058000013	N/A	1	C	MSR ACIERTA PURCHASE SIGNATURE
	Acierta Purchase transaction, DE 38 = ACXXXX. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0777 present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
14	182058000014	N/A	1	C	MSR PURCHASE SIGNATURE
	Purchase transaction with issuer promotional reimbursement. Card Program ID: MCC; GCMS Product ID applicable values. PDS 1001 to PDS 1018 with domestic data, PDS 0777 may be present, PDS 1019 with data/amount present.				
15	182058000015	N/A	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Electronic Commerce Purchase transaction. Card Program ID: MCC; GCMS Product ID applicable values. DE 3, SF 1 = 00 Purchase (Goods and Services). PDS 0208, SF 1 = Payment Facilitator ID is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				
Presentment/1240 - Reversal of First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
16	182058000016	N/A	1	C	MSR CASH ADVANCE SIGNATURE
	Reversal of test case 2. Card Program ID: MCC; GCMS Product ID applicable values. PDS 0025 Message Reversal Indicator present. PDS 1010 (Original Transaction Data) present.				

Table 1820610: Tokenized VCNs

The test cases in the table 1820610 address how an issuer processes clearing dual messages for file that Mastercard generates for Virtual Card Numbers to Support Tokenization.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Tokenized VCNs

Table 138: Table 1820610

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182061000001	1	1		MSR PURCHASE SIGNATURE
	DE 2 Primary Account Number (PAN) must be present with FPAN/RCN. DE 38 (Approval Code) must be present. DE 63 (Trace ID) must be present. PDS 0001 (Mastercard Mapping Service Account Number), subfield 01 (Account Number Type) must be present. PDS 0001, subfield 02 (Account Number) representing Token Account Number must be present. PDS 0011 (Mastercard Mapping Service Virtual Card Number), subfield 01 (Virtual Card Number Type) with VCN Indicator of 8C must be present. PDS 0011, subfield 02 (Virtual Card Number) must be present. Must contain all other appropriate transaction data for submitted transaction.				
2	182061000002	1	1		MSR PURCHASE SIGNATURE
	DE 2 Primary Account Number (PAN) must be present with FPAN/RCN. DE 38 (Approval Code) must be present. DE 63 (Trace ID) must be present. PDS 0001 (Mastercard Mapping Service Account Number), subfield 01 (Account Number Type) must be present. PDS 0001, subfield 02 (Account Number) representing Token Account Number must be present. PDS 0011 (Mastercard Mapping Service Virtual Card Number), subfield 01 (Virtual Card Number Type) with VCN Indicator of 8C must be present. PDS 0011, subfield 02 (Virtual Card Number) must be present. PDS 0502 (Custom Identifier), subfield 1 (Custom Identifier Type) will have a value of Other1 must be present. PDS 0502, subfield 2 (Custom Identifier Detail) must contain the VCN number. Must contain all other appropriate transaction data for submitted transaction.				

Table 1820625: Transit Program (Post-Authorized Aggregated Model – U.S. Region)

The test cases in the table 1820625 address how an issuer processes clearing dual messages for a file that Mastercard generates containing First Presentment/1240 messages for Debt Recovery transactions for the transit U.S. region Post-Authorized Aggregated model.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Transit Program (Post-Authorized Aggregated Model – U.S. Region)

Table 139: Table 1820625

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182062500007	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Card not present electronic commerce debt recovery transit transaction. Card Program ID: MCC, DMC, MSI. GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains amount to be recovered. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. PDS 0023 (Terminal Type) = CT6 (CAT level 6 [electronic commerce transaction]). PDS 0052 (Electronic Commerce Security Level Indicator) contains applicable valid value. PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210 (Transit Program), SF 01 = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Table 1820629: Transit Program (Debt Recovery)

The test cases in the table 1820629 address how an issuer processes clearing dual messages for a file that Mastercard generates containing First Presentment/1240 messages for Debt Recovery transactions for the Real-Time Authorized and Post-Authorized Aggregated transit models.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Transit Program (Debt Recovery)

Table 140: Table 1820629

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182062900007	1	1	C	MANUAL ENTRY PURCHASE NO CVM
	Card not present manual entry debt recovery transit transaction for automatic debt recovery, mail order, or phone order. Card Program ID: MCC, DMC, MSI. GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains amount to be recovered. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210 (Transit Program), SF 01 = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182062900008	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Card not present electronic commerce debt recovery transit transaction. Card Program ID: MCC, DMC, MSI. GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains amount to be recovered. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0052 (Electronic Commerce Security Level Indicator) contains applicable valid value. PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210 (Transit Program), SF 01 = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Table 1820701: Mastercard Hosted Mobile Phone Top-Up

The test cases in the table 1820701 address how an issuer [processes clearing dual messages for a valid file that Mastercard generates for the Mobile Phone Top-up in.

NOTE: Applies to ALL intra-European Business Service Arrangements.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mastercard Hosted Mobile Phone Top-Up

Table 141: Table 1820701

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182070100001	1	1	C	MSR PURCHASE ONLINE PIN
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 3, SF 1 = 00 (Purchase [Goods and Services]). DE 26 = MCC from Cab Program T002. PDS 0023 = CT1 (CAT 1 terminal). PDS 0158, SF 4 = AL or MT (AL has a Timeliness requirement; MT does not).				

Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

The test cases in the table 1820801 address how an issuer processes dual messages for a valid file that Mastercard generates for MxDS in clearing messages for Mastercard credit brand. Most business transactions are applicable to customer business activities are addressed but only for the first message type in the clearing cycle.

NOTE: Some of the enclosed test cases were built containing different cases of syntax errors. These will need to be identified by the issuing processing platform and returned as syntax errors.

Table Description

Business Profile: Issuer Credit and Debit
Processing Platform: Dual Message Clearing
Operation Type: MSR
Testing Type: Product and Services
File Type: Mastercard-generated File
Program: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Table 142: Table 1820801

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182080100001	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000010000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8398. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 4840000000000100. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567801. Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182080100002	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000025000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5812. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000250. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 30 (Gas Stations). PDS 0180 (Acceptor Tax ID) = RFC1234567802. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182080100003	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000040000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8211. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000500. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 40 (College and Universities). PDS 0180 (Acceptor Tax ID) = RFC1234567803. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				
Presentment/1240 - Reversal of First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182080100004	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000055000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 9211. DE 94 (Transaction Originator Institution ID Code) = 999665 PDS 0025 (Message Reversal Indicator, subfield 1 (Message Reversal Indicator) = R (Reversal transaction). PDS 0146 (Transaction Fee Amount) = 484000000000688. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 41 (Government). PDS 0180 (Acceptor Tax ID) = RFC1234567804. Reversal Transaction				
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182080100005	1	1	M	MSR PURCHASE SIGNATURE
	DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000070000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5311. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001148. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 50 (Supermarkets). PDS 0176 (Mastercard Assigned ID) = 999001 (Test Mastercard Assigned ID). PDS 0180 (Acceptor Tax ID) = RFC1234567805. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	182080100006	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000008500. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5814. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000001569. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 51 (Fast Food). PDS 0180 (Acceptor Tax ID) = RFC1234567806. Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182080100007	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000010000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5912. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001530. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 52 (Pharmacies). PDS 0180 (Acceptor Tax ID) = RFC1234567807. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
8	182080100008	1	0	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000115000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4722. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000001852. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 53 (Toll). PDS 0180 (Acceptor Tax ID) = RFC1234567808. DE 26 MCC value of 4722 used to be invalid for the IRD 53 in PDS 0158 Subfield 4.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
9	182080100009	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000130000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7523. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001586. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 54 (Parking). PDS 0180 (Acceptor Tax ID) = RFC1234567809. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	182080100010	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000145000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5310. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000002567. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 60 (Supermarket). PDS 0180 (Acceptor Tax ID) = RFC1234567810. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
11	182080100011	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000160000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000002080. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567811. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	182080100012	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000175000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 3352. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000002693. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 62 (Car Rental). PDS 0180 (Acceptor Tax ID) = RFC1234567812. Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
13	182080100013	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000190000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4722. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000003420. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 63 (Travel Agencies). PDS 0180 (Acceptor Tax ID) = RFC1234567813. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
14	182080100014	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000205000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 3600. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000003690. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 64 (Hotels). PDS 0180 (Acceptor Tax ID) = RFC1234567814. DE 26 (Acceptor Business Code [MCC]) value of 3600 is invalid for IRD 64 in PDS 0158, subfield 4. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
15	182080100015	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000220000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7922. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000003014. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 65 (Entertainment). PDS 0180 (Acceptor Tax ID) = RFC1234567815. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
16	182080100016	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000235000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4511. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000004307. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 66 (Air Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567816. Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
17	182080100017	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000250000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4821. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000003900. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 70 (Telecommunication). PDS 0180 (Acceptor Tax ID) = RFC1234567817. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
18	182080100018	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000265000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6300. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000004399. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 71 (Insurance). PDS 0180 (Acceptor Tax ID) = RFC1234567818. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
19	182080100019	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000280000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8062. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000004872. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 72 (Hospitals). PDS 0180 (Acceptor Tax ID) = RFC1234567819. Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
20	182080100020	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000295000. DE 12, subfield 1 (Date and Time, Local Transaction) = YYMMDD (55 days prior to current processing date in PDS 0158, subfield 5). DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5813. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000005635. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 73 (Restaurants). PDS 0158 (Business Activity, subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567820. PDS 0206 (Late Presentment Indicator) = 0551 (Generated by GCMS). Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146. Local Date and time in DE 12 is 55 days before the GCMS populated date in PDS 0158, subfield 5. Late Presentment Indicator is populated by GCMS in PDS 0206 indicating the transaction qualifies for Tier 1, 55 days late.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
21	182080100021	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000310000. DE 12, subfield 1 (Date and Time, Local Transaction) = YYMMDD (125 days prior to current processing date in PDS 0158, subfield 5). DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000004508. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0158 (Business Activity, subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567821. PDS 0206 (Late Presentment Indicator) = 1252 (Generated by GCMS). Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146. Local Date and time in DE 12 is 125 days before the GCMS populated date in PDS 0158, subfield 5. Late Presentment Indicator is populated by GCMS in PDS 0206 indicating the transaction qualifies for Tier 2, 125 days late.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
22	182080100022	1	1	M	MANUAL CREDIT NO CVM
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 20 (Credit). DE 4 (Transaction Amount) = 0000000325000. DE 12, subfield 1 (Date and Time, Local Transaction) = YYMMDD (35 days prior to current processing date in PDS 0158, subfield 5). DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7297. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000005460. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 75 (Other). PDS 0158 (Business Activity, subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS.) PDS 0180 (Acceptor Tax ID) = RFC1234567822. PDS 0206 (Late Presentment Indicator) = 0351 (Generated by GCMS). Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146. Credit Transaction. Local Date and time in DE 12 is 35 days before the GCMS populated date in PDS 0158, subfield 5. Late Presentment Indicator is populated by GCMS in PDS 0206 indicating the transaction qualifies for Tier 1, 35 days late.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
23	182080100023	1	1	M	MANUAL PAYMENT NO CVM
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 28 (Payment). DE 4 (Transaction Amount) = 000000400000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6532. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000100. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567823. Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
24	182080100024	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 2 (Primary Account Number) Pos 12–19 = 0000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000130000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7523. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 2 is in error. PDS 0146 (Transaction Fee Amount) = 484000000001586. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 54 (Parking). PDS 0180 (Acceptor Tax ID) = RFC1234567825. PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error—DE 2 error indicates an 11-digit account number and two spaces caused the error. PDS 0005 indicates Syntax Error 2562. DE 2 contained two spaces in the account number in positions 12–13 in the original message; therefore, GCMS populated PDS 0202 with the erroneous data from DE 2 and populated DE 2 positions 12–19 with zeros.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
25	182080100025	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value . DE 2 (Primary Account Number) Pos 12–19 = 0000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000130000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7523. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 2 is in error. PDS 0146 (Transaction Fee Amount) = 484000000001586. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 54 (Parking). PDS 0180 (Acceptor Tax ID) = RFC1234567825. PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error—DE 2 error indicates an 11-digit account number and two spaces caused the error. PDS 0005 indicates Syntax Error 2562. DE 2 contained two spaces in the account number in positions 12–13 in the original message; therefore, GCMS populated PDS 0202 with the erroneous data from DE 2 and populated DE 2 positions 12–19 with zeros.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
26	182080100026	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000000000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5310. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 4 is in error. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 60 (Supermarket). PDS 0180 (Acceptor Tax ID) = RFC1234567826. PDS 0204 (Amount, Syntax Error) = 0000001250 0. PDS 0446 (Transaction Fee Amount, Syntax Error) = 484000000002567. PDS 0005 indicates Syntax Error 2564. Original values in DE 4 contained a space that caused an error; therefore, GCMS populated DE 4 with zeros and populated PDS 0204 with the erroneous data from DE 4. Because DE 4 was in error, GCMS populated PDS 0146 with zeros as well and then populated PDS 0446 with the original PDS 0146 data. Transaction is settled for zero amount.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
27	182080100027	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000160000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating PDS 0146 is in error. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567827. PDS 0446 (Transaction Fee Amount, Syntax Error) = 48400000000 080. PDS 0005 indicates a Soft Syntax Error of 2562. Original values in PDS 0146 contained a space; therefore, PDS 0146 is set to zeros by GCMS, and PDS 0446 is populated with the original PDS 0146 data. Transaction is settled with DE 4 amount and with a PDS 0146 amount of zero.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
28	182080100028	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000166020. DE 12, subfield 1 (Date and Time, Local Transaction) = 110000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 12 is in error because of zeros in positions 3—6. PDS 0146 (Transaction Fee Amount) = 484000000005000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567828. PDS 0005 indicates a Syntax Error of 2567. DE 12 positions 3—6 contain all zeros.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
29	182080100029	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000500000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000005000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567829. PDS 0663 = 001212484000010000029121148400. Installment transaction. Addendum 1644/message contains PDS 0663 code 00 for no promotion.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
30	182080100030	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000600000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000005500. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567830. PDS 0663 = 0312124840000100000029121148400. Installment transaction. Addendum 1644/message contains PDS 0663 for promotion code 03 (without interest for the cardholder).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
31	182080100031	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000700000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000006000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567831. PDS 0663 = 051212484000010000029121148400. Installment transaction. Addendum 1644/message contains PDS 0663 for promotion code 05 (with interest for the cardholder).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
32	182080100032	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000800000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000007000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567832. PDS 0663 = 071212484000010000029121148400. Installment transaction. Addendum 1644/message contains PDS 0663 for promotion code 07 (Buy today, pay later).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
33	182080100033	1	1	M	MANUAL PAYMENT NO CVM
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 28 (Payment). DE 4 (Transaction Amount) = 000000405000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6532. DE 38 (Approval Code) = 25-H00. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0005 (Message Error Indicator) = Error details indicating DE 38 is in error because of non-numeric characters. PDS 0146 (Transaction Fee Amount) = Null. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567833. Payment transaction. PDS 0005 indicates a Soft Syntax Error of 2566. DE 38 contains non-numeric values.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820801: Mexico Domestic Switching (Mastercard Credit - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
34	182080100034	1	1	M	MSR ATM PURCHASE ONLINE PIN
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000010000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6532. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0023 (Terminal Type) = ATM. PDS 0146 (Transaction Fee Amount) = 484000000006000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567834. Purchase at an ATM transaction.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
35	182080100035	1	1	M	MSR PURCHASE WITH CASH BACK ONLINE PIN
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 09 (Purchase with Cash Back). DE 4 (Transaction Amount) = 000000015000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 54 (Amounts, Additional) = 0040484D000000005000. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 4840000000006000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567835. Purchase with Cash Back transaction.				

Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

The test cases in the table 1820802 address how an issuer processes clearing dual messages for a valid file that Mastercard generates for MxDS in lifecycle clearing messages for Mastercard credit brand. Most business transactions are applicable to customer business activities are addressed but only for the lifecycle messages in the clearing cycle.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Table 143: Table 1820802

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - Second Presentment(Full)					
1	182080200001	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000017500. DE 24 (Function Code) = 205 (Second Presentment). DE 25 (Message Reason Code) = 2999 (Other). DE 26 (Acceptor Business Code [MCC]) = 8211. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), s1 (Card Program Identifier) = MCC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 40 (College and Universities). NOTE: Certain cases were built containing Syntax Errors that will need to be returned by the issuer.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182080200002	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000235000. DE 24 (Function Code) = 205 (Second Presentment). DE 25 (Message Reason Code) = 2999 (Other). DE 26 (Acceptor Business Code [MCC]) = 4511. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), s1 (Card Program Identifier) = MCC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 66 (Air Transportation). Second presentment submitted in response to Chargeback for Test Case ID 16. As being a Second Presentment, PDS 0146 is optional, and if sent must contain zeros in its value subfields. NOTE: Certain cases were built containing Syntax Errors that will need to be returned by the issuer.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182080200003	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000160500. DE 12, subfield 1 (Date and Time, Local Transaction) = 150101. DE 24 (Function Code) = 205 (Second Presentment). DE 25 (Message Reason Code) = 2999 (Other). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 12 is in error. PDS 0146 (Transaction Fee Amount) = 484000000005000. PDS 0158 (Business Activity), s1 (Card Program Identifier) = MCC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0158 (Business Activity), subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567803. PDS 0005 indicates a Syntax Error of 2568. DE 12 is in error because the date is greater than the processing date in PDS 0158, subfield 5. NOTE: Certain cases were built containing Syntax Errors that will need to be returned by the issuer.				
Chargeback/1442 - First Chargeback(Full)					

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182080200011	1	1	M	MSR PURCHASE SIGNATURE
Card Program ID: MCC; GCMS Product ID applicable value. DE 2 (Primary Account Number [PAN]) positions 12–19 = 00000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000235000. DE 25 (Message Reason Code) = 4890 (Chargeback Syntax Return). DE 26 (Acceptor Business Code [MCC]) = 4511. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 66 (Air Transportation). PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error. DE 2 error indicates an 11-digit account number and two spaces caused the error. PDS 0205 (Syntax Return, Message Error Indicator) = Indicates a return caused by a Syntax Error in DE 2. PDS 0225 (Syntax Return, Original Message Reason Code) = 4971. Syntax Error Return to issuer for chargeback. Acquirer changes DE 25 to contain message reason code 4890 for Chargeback Syntax Return. PDS 0225, added by the acquirer, contains the original message reason code. PDS 0205, added by the acquirer, indicates that the error in DE 2 caused the Syntax Error Return. Acquirer must remove PDS 0005 from the original chargeback message before the Syntax Error Return message is sent. As being a Chargeback, PDS 0146 is optional, and if sent must contain zeros in its value subfields.					
Fee Collection/1740 - Fee Collection Return					

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182080200021	1	1	M	MSR PURCHASE SIGNATURE
Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 19 (Fee Collection [Credit to Transaction Originator]). DE 4 (Transaction Amount) = 0000000001160. DE 24 (Function Code) = 780. DE 25 (Message Reason Code) = 7706 (Miscellaneous). PDS 0080 (Amount, Tax), subfield 2 = 000000000160. Fee Collection to issuer for Syntax Return. VAT amount in PDS 0080 is also included in the DE 4 amount.					
Retrieval Request/1644 - Retrieval Request					
6	182080200031	1	1	M	MSR PURCHASE SIGNATURE
Card Program ID: MCC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 24 (Function Code) = 603. DE 25 (Message Reason Code) = 6342. DE 26 (Acceptor Business Code [MCC]) = 6300. DE 30 (Amount, Original) = 000000265000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 71 (Insurance). PDS 0228 (Retrieval Document Code) = 2. Retrieval Request for Test Case ID 18, for potential chargeback or compliance documentation is required.					

Dual Message Clearing: Issuer Credit and Debit
Table 1820802: Mexico Domestic Switching (Mastercard Credit - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182080200032	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 2 (Primary Account Number [PAN]) positions 12–19 = 00000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 24 (Function Code) = 603. DE 25 (Message Reason Code) = 6390 (Retrieval Request Syntax Return). DE 30 (Amount, Original) = 000000265000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = MCC. PDS 0158, subfield 4 (Interchange Rate Designator) = 71 (Insurance). PDS 0228 (Retrieval Document Code) = 2. PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error—DE 2 error indicates an 11-digit account number and two spaces caused the error. PDS 0205 (Syntax Return, Message Error Indicator) = Indicates a return caused by a Syntax Error in DE 2. PDS 0225 (Syntax Return, Original Message Reason Code) = 6342. Syntax Error Return to issuer for Retrieval Request. Acquirer changes DE 25 to contain Message Reason code 6390 for Retrieval Request Syntax Return. PDS 0225, added by the acquirer, contains the original Message Reason Code. PDS 0205, added by the acquirer, indicates the error in DE 2 caused the Syntax Error Return. Acquirer must remove PDS 0005 from the original chargeback message before the Syntax Error Return message is sent.				

Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

The test cases in the table 1820811 address how an issuer processes clearing dual messages for a valid file that Mastercard generates for MxDS Debit Mastercard brand. Most business transactions are applicable to customer business activities are addressed but only for the first message type in the clearing cycle.

NOTE: Some of the enclosed test cases were built containing different cases of syntax errors. These will need to be identified by the issuing processing platform and returned as syntax errors.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Table 144: Table 1820811

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182081100001	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000020000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8398. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000100. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567801. Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182081100002	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000025000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5812. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000113. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 30 (Gas Stations). PDS 0180 (Acceptor Tax ID) = RFC1234567802. ixia_locid="65">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182081100003	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000030000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8211. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000225. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 40 (College and Universities). PDS 0180 (Acceptor Tax ID) = RFC1234567803. ixia_locid="91">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182081100004	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000035000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 9211. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000263. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 41 (Government). PDS 0180 (Acceptor Tax ID) = RFC1234567804. ixia_locid="117">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182081100005	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000040000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5311. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000099. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 50 (Supermarkets). PDS 0176 (Mastercard Assigned ID) = 999001 (Test Mastercard Assigned ID). PDS 0180 (Acceptor Tax ID) = RFC1234567805. ixia_locid="144">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	182081100006	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000045000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5814. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000538. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 51 (Fast Food). PDS 0180 (Acceptor Tax ID) = RFC1234567806. ixia_locid="170">Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182081100007	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000050000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5912. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000500. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 52 (Pharmacies). PDS 0180 (Acceptor Tax ID) = RFC1234567807. ixia_locid="196">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
8	182081100008	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000055000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4722. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000000550. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 53 (Toll). PDS 0180 (Acceptor Tax ID) = RFC1234567808. ixia_locid="222">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
9	182081100009	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000060000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7523. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000600. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 54 (Parking). PDS 0180 (Acceptor Tax ID) = RFC1234567809. ixia_locid="248">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	182081100010	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000065000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5310. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000715. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 60 (Supermarket). PDS 0180 (Acceptor Tax ID) = RFC1234567810. ixia_locid="274">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
11	182081100011	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase.) DE 4 (Transaction Amount) = 000000070000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000770. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567811. ixia_locid="300">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	182081100012	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000075000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 3352. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000525. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 62 (Car Rental). PDS 0180 (Acceptor Tax ID) = RFC1234567812. ixia_locid="326">Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
13	182081100013	1	1	M	DEBIT MASTERCARD MSR PURCHASE SIGNATURE
	DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000080000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4722. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000880. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 63 (Travel Agencies). PDS 0180 (Acceptor Tax ID) = RFC1234567813. ixia_locid="352">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
14	182081100014	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000085000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 3600. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000935. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 64 (Hotels). PDS 0180 (Acceptor Tax ID) = RFC1234567814. ixia_locid="378">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
15	182081100015	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000090000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7922. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000990. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 65 (Entertainment). PDS 0180 (Acceptor Tax ID) = RFC1234567815. ixia_locid="404">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
16	182081100016	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000095000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4511. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 484000000001213. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 66 (Air Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567816. ixia_locid="430">Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
17	182081100017	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000100000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4821. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001150. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 70 (Telecommunication). PDS 0180 (Acceptor Tax ID) = RFC1234567817. ixia_locid="456">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
18	182081100018	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000105000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6300. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001208. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 71 (Insurance). PDS 0180 (Acceptor Tax ID) = RFC1234567818. ixia_locid="482">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
19	182081100019	1	1	M	MSR CREDIT NO CVM
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 20 (Credit). DE 4 (Transaction Amount) = 0000000110000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8062. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001265. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 72 (Hospitals). PDS 0180 (Acceptor Tax ID) = RFC1234567819. ixia_locid="508">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
20	182081100020	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000115000. DE 12, subfield 1 (Date and Time, Local Transaction) = YYMMDD (15 days prior to current processing date in PDS 0158, subfield 5). DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5813. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001323. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 73 (Restaurants). PDS 0158 (Business Activity, subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567820. PDS 0206 (Late Presentment Indicator) = 0151 (Generated by GCMS). ixia_locid="537">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146. ixia_locid="539">Local Date and time in DE 12 is 15 days before the GCMS populated date in PDS 0158, subfield 5. ixia_locid="541">Late Presentment Indicator is populated by GCMS in PDS 0206 indicating the transaction qualifies for Tier 1, 15 days late.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
21	182081100021	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000000120000. DE 12, subfield 1 (Date and Time, Local Transaction) = YYMMDD (55 days prior to current processing date in PDS 0158, subfield 5). DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000680. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0158 (Business Activity, subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567821. PDS 0206 (Late Presentment Indicator) = 0552 (Generated by GCMS). ixia_locid="570">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146. ixia_locid="572">Local Date and time in DE 12 is 55 days before the GCMS populated date in PDS 0158, subfield 5. ixia_locid="574">Late Presentment Indicator is populated by GCMS in PDS 0206 indicating the transaction qualifies for Tier 2, 55 days late.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
22	182081100022	1	1	M	MANUAL CREDIT NO CVM
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 20 (Credit). DE 4 (Transaction Amount) = 0000000125000. DE 12, subfield 1 (Date and Time, Local Transaction) = YYMMDD (16 days prior to current processing date in PDS 0158, subfield 5). DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7297. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001438. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 75 (Other). PDS 0158 (Business Activity, subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567822. PDS 0206 (Late Presentment Indicator) = 0161 (Generated by GCMS). ixia_locid="603">Interchange calculation in PDS 0145 will not equal the submitted value in PDS 0146. ixia_locid="605">Credit Transaction. Local Date and time in DE 12 is 16 days before the GCMS populated date in PDS 0158, subfield 5. ixia_locid="607">Late Presentment Indicator is populated by GCMS in PDS 0206 indicating the transaction qualifies for Tier 1, 16 days late.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
23	182081100023	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000200000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 8211. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000001500. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 40 (College and Universities). PDS 0180 (Acceptor Tax ID) = RFC1234567823. ixia_locid="633">Interchange calculation in PDS 0145 will equal the submitted value in PDS 0146.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
24	182081100024	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 2 (Primary Account Number) Pos 12–19 = 0000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 0000001305000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 7523. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 2 is in error. PDS 0146 (Transaction Fee Amount) = 484000000001587. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 54 (Parking). PDS 0180 (Acceptor Tax ID) = RFC1234567824. PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error. DE 2 error indicates an 11-digit account number and two spaces caused the error. ixia_locid="662">PDS 0005 indicates Syntax Error 2562. DE 2 contained two spaces in the account number in positions 12–13 in the original message; therefore, GCMS populated PDS 0202 with the erroneous data from DE 2 and populated DE 2 positions 12–19 with zeros.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
25	182081100025	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000000000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5310. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 4 is in error. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 60 (Supermarkets). PDS 0180 (Acceptor Tax ID) = RFC1234567825. PDS 0204 (Amount, Syntax Error) = 00000012600. PDS 0446 (Transaction Fee Amount, Syntax Error) = 484000000002577. ixia_locid="691">PDS 0005 indicates a Syntax Error 2564. Original values in DE 4 contained a space that caused an error; therefore, GCMS populated DE 4 with zeros and populated PDS 0204 with the data in error from DE 4. Because DE 4 was in error, GCMS populated PDS 0146 with zeros as well and then populated PDS 0446 with the original PDS 0146 data. Transaction is settled for zero amount.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
26	182081100026	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000166000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating PDS 0146 is in error. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567826. PDS 0446 (Transaction Fee Amount, Syntax Error) = 48400000000 050. ixia_locid="719">PDS 0005 indicates a Soft Syntax Error of 2562. Original values in PDS 0146 contained a space; therefore, PDS 0146 is set to zeros by GCMS, and PDS 0446 is populated with the original PDS 0146 data. Transaction is settled with DE 4 amount and with a PDS 0146 amount of zero.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
27	182081100027	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000766020. DE 12, subfield 1 (Date and Time, Local Transaction) = 110000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 12 is in error because of zeros in positions 3 to 6. PDS 0146 (Transaction Fee Amount) = 484000000005020. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0180 (Acceptor Tax ID) = RFC1234567827. ixia_locid="747">PDS 0005 indicates a Syntax Error of 2567. DE 12 positions 3—6 contain all zeros.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
28	182081100028	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000590000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000006000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567828. PDS 0663 = 001212484000010000029121148400. ixia_locid="774">Installment transaction. Addendum 1644/message contains PDS 0663 code 00 for no promotion.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
29	182081100029	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000609000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000009500. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567829. PDS 0663 = 031212484000010000029121148400. ixia_locid="801">Installment transaction. Addendum 1644/message contains PDS 0663 for promotion code 03 (without interest for the cardholder).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
30	182081100030	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000705000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000002000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567830. PDS 0663 = 051212484000010000029121148400. ixia_locid="828">Installment transaction. Addendum 1644/message contains PDS 0663 for promotion code 05 (with interest for the cardholder).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
31	182081100031	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000810000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000007100. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567831. PDS 0663 = 071212484000010000029121148400. ixia_locid="855">Installment transaction. Addendum 1644/message contains PDS 0663 for promotion code 07 (Buy today, pay later).				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
32	182081100032	1	1	M	DEBIT MASTERCARD MANUAL PAYMENT NO CVM
	DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 28 (Payment). DE 4 (Transaction Amount) = 000000405000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6532. DE 38 (Approval Code) = 25#*00. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0005 (Message Error Indicator) = Error details indicating DE 38 is in error because of non-numeric characters. PDS 0146 (Transaction Fee Amount) = 484000000000100. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567832. ixia_locid="883">Payment transaction. PDS 0005 indicates a Soft Syntax Error of 2566. DE38 contains non-numeric values.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820811: Mexico Domestic Switching (Debit Mastercard - First Presentments)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
33	182081100033	1	1	M	MSR ATM PURCHASE ONLINE PIN
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000011000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 6532. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0023 (Terminal Type) = ATM. PDS 0146 (Transaction Fee Amount) = 484000000000100. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 20 (Charities). PDS 0180 (Acceptor Tax ID) = RFC1234567833. ixia_locid="910">Purchase at an ATM transaction.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
34	182081100034	1	1	M	MSR PURCHASE WITH CASH BACK ONLINE PIN
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 09 (Purchase with Cash Back). DE 4 (Transaction Amount) = 000000025000. DE 25 (Message Reason Code) = 1401 (Previously Approved Authorization—Amount same). DE 26 (Acceptor Business Code [MCC]) = 5598. DE 54 (Amounts, Additional) = 0040484D000000005000. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 484000000000600. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 74 (Retail). PDS 0180 (Acceptor Tax ID) = RFC1234567834. ixia_locid="937">Purchase with Cash Back transaction.				

Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

The test cases in the table 1820812 address how an issuer processes clearing dual messages for a valid file that Mastercard generates for MxDS in lifecycle for Debit Mastercard brand. Most business transactions applicable to customer business activities are addressed but only for the lifecycle messages in the clearing cycle.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Table 145: Table 1820812

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - Second Presentment(Full)					
1	182081200001	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000040000. DE 24 (Function Code) = 205 (Second Presentment). DE 25 (Message Reason Code) = 2999 (Other). DE 26 (Acceptor Business Code [MCC]) = 5311. DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), s1 (Card Program Identifier) = DMC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 50 (Supermarkets). ixia_locid="38">Second presentment submitted in response for Chargeback for Test Case ID 5. As being a Second Presentment, PDS 0146 is optional, and if sent must contain zeros in its value subfields.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182081200002	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000125000. DE 24 (Function Code) = 205 (Second Presentment). DE 25 (Message Reason Code) = 2999 (Other). DE 26 (Acceptor Business Code [MCC]) = 7297. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), s1 (Card Program Identifier) = DMC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 75 (Other). ixia_locid="64">Second presentment submitted in response for Chargeback for Test Case ID 22. As being a Second Presentment, PDS 0146 is optional, and if sent must contain zeros in its value subfields.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182081200003	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000168500. DE 12, subfield 1 (Date and Time, Local Transaction) = 140101. DE 24 (Function Code) = 205 (Second Presentment). DE 25 (Message Reason Code) = 2999 (Other). DE 26 (Acceptor Business Code [MCC]) = 4112. DE 94 (Transaction Originator Institution ID Code) = 999654. PDS 0005 (Message Error Indicator) = Error details indicating DE 12 is in error. PDS 0146 (Transaction Fee Amount) = 484000000005800. PDS 0158 (Business Activity), s1 (Card Program Identifier) = DMC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 61 (Passenger Transportation). PDS 0158 (Business Activity), subfield 5 (Business Date) = YYMMDD (Current Processing Date) (Generated by GCMS). PDS 0180 (Acceptor Tax ID) = RFC1234567803. ixia_locid="94">PDS 0005 indicates a Syntax Error of 2568. DE 12 is in error because the date is greater than the processing date in PDS 0158, subfield 5.				
Chargeback/1442 - First Chargeback(Full)					

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182081200011	1	1	M	MSR PURCHASE SIGNATURE
Card Program ID: DMC; GCMS Product ID applicable value. DE 2 (Primary Account Number [PAN]) positions 12–19 = 00000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 4 (Transaction Amount) = 000000085000. DE 25 (Message Reason Code) = 4890 (Chargeback Syntax Return). DE 26 (Acceptor Business Code [MCC]) = 3600. PDS 0146 (Transaction Fee Amount) = 4840000000000000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) = 64 (Hotels). PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error. DE 2 error indicates an 11-digit account number and two spaces caused the error. PDS 0205 (Syntax Return, Message Error Indicator) = Indicates a return caused by a Syntax Error in DE 2. PDS 0225 (Syntax Return, Original Message Reason Code) = 4971. ixia_locid="124">Syntax Error Return to issuer for Chargeback. Acquirer changes DE 25 to contain message reason code 4890 for Chargeback Syntax Return. PDS 0225, added by the acquirer, contains the original message reason code. PDS 0205, added by the acquirer, indicates that the error in DE 2 caused the Syntax Error Return. The acquirer must remove PDS 0005 from the original chargeback message before the Syntax Error Return message is sent. As this is a Chargeback, PDS 0146 is optional, and if sent must contain zeros in its value subfields.					
Fee Collection/1740 - Fee Collection Return					

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182081200021	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 29 (Fee Collection [Credit to Transaction Originator]). DE 4 (Transaction Amount) = 0000000011600. DE 24 (Function Code) = 780. DE 25 (Message Reason Code) = 7710 (Others). DE 94 (Transaction Originator Institution ID Code) = 999665. PDS 0080 (Amount, Tax), subfield 2 = 000000001600. ixia_locid="149">Fee Collection from acquirer for Difference in Interchange. VAT amount in PDS 0080 is also included in the DE 4 amount.				
Retrieval Request/1644 - Retrieval Request					

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	182081200031	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 24 (Function Code) = 603. DE 25 (Message Reason Code) = 6342. DE 26 (Acceptor Business Code [MCC]) = 6300. DE 30 (Amount, Original) = 000000265000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 71 (Insurance). PDS 0228 (Retrieval Document Code) = 2. ixia_locid="176">Retrieval Request for Test Case ID 18, for potential chargeback or compliance documentation is required.				

Dual Message Clearing: Issuer Credit and Debit
Table 1820812: Mexico Domestic Switching (Debit Mastercard - Lifecycle Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182081200032	1	1	M	MSR PURCHASE SIGNATURE
	Card Program ID: DMC; GCMS Product ID applicable value. DE 2 (Primary Account Number [PAN]) positions 12–19 = 00000000. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code) = 00 (Purchase). DE 24 (Function Code) = 603. DE 25 (Message Reason Code) = 6390 (Retrieval Request Syntax Return). DE 30 (Amount, Original) = 000000265000. PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) = DMC. PDS 0158, subfield 4 (Interchange Rate Designator) = 71 (Insurance). PDS 0228 (Retrieval Document Code) = 2. PDS 0202 (Primary Account Number [PAN] Syntax Error) = Contains the original DE 2 values that were in error—DE 2 error indicates an 11-digit account number and two spaces caused the error. PDS 0205 (Syntax Return, Message Error Indicator) = Indicates a return caused by a Syntax Error in DE 2. PDS 0225 (Syntax Return, Original Message Reason Code) = 6342 ixia_locid="204">Syntax Error Return to issuer for Retrieval Request. Acquirer changes DE 25 to contain Message Reason code 6390 for Retrieval Request Syntax Return. PDS 0225, added by the acquirer, contains the original Message Reason Code. PDS 0205, added by the acquirer, indicates the error in DE 2 caused the Syntax Error Return. Acquirer must remove PDS 0005 from the original chargeback message before the Syntax Error Return message is sent.				

Table 1820903: Flex Card Service (Brazil)

The test cases in the table 1820903 address how a registered Brazil issuer processes clearing dual messages for the Flex Card Service debit and credit domestic and cross-border transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Flex Card Service (Brazil)

Table 146: Table 1820903

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182090300001	1	1	C	MSR PURCHASE NO CVM
	Brazil domestic transaction with debit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: DMC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0027 (Flex Code) = valid value of product code. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand DMC. Transactions meet all interchange program criteria not specifically noted in the test case.				
2	182090300002	1	1	C	MSR PURCHASE NO CVM
	Brazil domestic transaction with credit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: MCC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0027 (Flex Code) = valid value of product code. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand MCC. Transactions meet all interchange program criteria not specifically noted in the test case.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182090300011	1	1	C	MSR PURCHASE NO CVM
	Brazil cross-border transaction with debit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: DMC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand DMC. Transactions meet all interchange program criteria not specifically noted in the test case.				
4	182090300012	1	1	C	MSR PURCHASE NO CVM
	Brazil cross-border transaction with credit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: MCC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand MCC. Transactions meet all interchange program criteria not specifically noted in the test case.				

Table 1821001: Account Level Management (U.S. Region)

The test cases in the table 1821001 address how an issuer processes clearing dual messages for a valid file that Mastercard generates for Account Level Management participants.

NOTE: Effective with 24.Q4 AN 7723 Modifying Account Level Management Service Data Participation Requirements the ALM Service Data will be populated by Mastercard on qualifying presentment transactions and no longer requiring customer opt-in to receive this data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Account Level Management (U.S. Region)

Table 147: Table 1821001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
This test case is for High Value and Product Graduation. Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1821001: Account Level Management (U.S. Region)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182100100001	N/A	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = S [Account qualifies for Mastercard High Value]. PDS 0275 (ALM Service Data), SF 1 = 01519 (WORLD HIGH VALUE), SF 2-3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
2	182100100002	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for High Value and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = T [Account qualifies for Mastercard Product Graduation and High Value]. PDS 0275 (ALM Service Data), SF 1 = 01620 (WORLD HIGH VALUE and PRODUCT GRADUATION PLUS), SF 2-3 contains product values, SF 4 = SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
3	182100100003	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for account range participates in ALM but account number does not. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = Z (Account range participates in ALM but account number does not). PDS 0275 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE), SF 2-4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182100100004	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Enhanced Value and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = B (Enhanced Value). PDS 0275 (ALM Service Data), SF 1 = 00402 (ENHANCED VALUE), SF 2-3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
5	182100100014	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Enhanced Value and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = M (Enhanced Value and Product Graduation). PDS 0275 (ALM Service Data), SF 1 = 00513 (ENHANCED VALUE and PRODUCT GRADUATION PLUS), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
6	182100100015	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Enhanced Value and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = P (Product Graduation). PDS 0275 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182100100021	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Affluent Shortfall and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = W (Spend Shortfall). DE 63 (Trace ID) must be present. PDS 0002 = MWE (World Elite Mastercard Card) or MCW (World Mastercard Card). PDS 0275 (ALM Service Data), SF 1 = 01323 (AFFLUENT SHORTFALL WORLD ELITE. MASTERCARD), or SF 1 = 01723 (AFFLUENT SHORTFALL WORLD MASTERCARD), SF 2-3 = XXX, SF 4 = XXX and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
8	182100100022	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Affluent Shortfall and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = Y (Spend Shortfall and Product Graduation). DE 63 (Trace ID) must be present. PDS 0002 = MWE (World Elite Mastercard Card) or MCW (World Mastercard Card). PDS 0275 (ALM Service Data), SF 1 = 01425 (AFFLUENT SHORTFALL WORLD ELITE MASTERCARD and PRODUCT GRADUATION PLUS) or SF 1 = 01825 (AFFLUENT SHORTFALL WORLD MASTERCARD and PRODUCT GRADUATION PLUS, SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
9	182100100023	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Affluent Shortfall and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = P (Product Graduation). DE 63 (Trace ID) must be present. PDS 0002 = MCW (World Mastercard Card). PDS 0275 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
10	182100100024	N/A	1	C	MSR PURCHASE SIGNATURE
	This test case is for Affluent Shortfall and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = Z (While the account range does participate in Account Level Management/Affluent Spend Shortfall processing, the specific cardholder account found in DE 2 [PAN] of the transaction does not participate in Account Level Management/World Elite Spend Shortfall processing). DE 63 (Trace ID) must be present. PDS 0002 = MWE (World Elite Mastercard Card). PDS 0275 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE), SF 2-4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
11	182100100031	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 1. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = C. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00703 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 1) or SF 1 = 00903 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 1) or SF 1 = 01103 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 1), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	182100100032	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 1 and Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = D. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00804 (SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 1) or SF 1 = 01004 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 1) or SF 1 = 01204 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 1), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
13	182100100033	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 2. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = E. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00705 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 2) or SF 1 = 00905 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 2) or SF 1 = 01105 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 2), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
14	182100100034	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 2 and Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = F. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00806 (SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 2) or SF 1 = 01006 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 2) or SF 1 = 01206 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 2), SF 2-3 contains product values, SF 4 =XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
15	182100100035	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 3. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = G. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00707 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 3) or SF 1 = 00907 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 3) or SF 1 = 01107 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 3), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
16	182100100036	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 3 and Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = H. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00808 (SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 3) or SF 1 = 01008 (SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 3) or SF 1 = 01208 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 3), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
17	182100100037	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 4. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = J. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00710 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 4) or SF 1 = 00910 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 4) or SF 1 = 01110 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 4), SF 2-3 = contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
18	182100100038	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 4 and Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = K. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00811 (SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 4) or SF 1 = 01011 SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 4) or SF 1 = 01211 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 4), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
19	182100100039	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 5. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = Q. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00717 (SMALL BUSINESS SPEND - CREDIT CORE LEVEL 5) or SF 1 = 00917 (SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 5) or SF 1 = 01117 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 5), SF 2-3 = contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
20	182100100040	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	This test case is for Small Business Spend and Product Graduation. Spend Based Level 5 and Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = R. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data) contains values of issuer choice SF 1 = 00818 (SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 5) or SF 1 = 01018 SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 5) or SF 1 = 01218 (SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 5), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
21	182100100041	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
This test case is for Small Business Spend and Product Graduation. Account range participates in Account Level Management but the specific cardholder account found in DE 2 (PAN) does not participate in Account Level Management processing. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 38, position 6 = Z. DE 42 must be present. DE 43, SF 1-6 must be present. DE 63 must be present. PDS 0158, SF 4 appropriate IRD for ALM category code. PDS 0173 (Legal Corporate Name) must be present. PDS 0275 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE), SF 2-4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.					

Table 1821002: Account Level Management (Europe, LAC, A/P, MEA Regions)

The test cases in the table 1821002 address how an issuer processes clearing messages for a file that Mastercard generates for Account Level Management.

NOTE: Effective with 24.Q4 AN 7723 Modifying Account Level Management Service Data Participation Requirements the ALM Service Data will be populated by Mastercard on qualifying presentment transactions and no longer requiring customer opt-in to receive this data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Account Level Management (Europe, LAC, A/P, MEA Regions)

Table 148: Table 1821002

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182100200001	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	PAN is registered for ALM Product Graduation Plus. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00, 09, 18, or 20. PDS 0158, SF 12 = N (Default value). PDS 0275 (ALM Service Data), SF 1 = 00616 (PRODUCT GRADUATION PLUS), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2; and PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Dual Message Clearing: Issuer Credit and Debit
Table 1821002: Account Level Management (Europe, LAC, A/P, MEA Regions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182100200002	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	PAN is registered for ALM Enhanced Value. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00, 09, 18, or 20. PDS 0158, SF 12 = N (Default value). PDS 0275 (ALM Service Data), SF 1 = 00402 (ENHANCED VALUE), SF 2-3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2; and PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
3	182100200003	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	PAN is registered for ALM Enhanced Value and Product Graduation. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00, 09, 18, or 20. PDS 0158, SF 12 = N (Default value). PDS 0275 (ALM Service Data), SF 1 = 00513 (ENHANCED VALUE and PRODUCT GRADUATION PLUS), SF 2-3 contains product values, SF 4 = XXX, and SF 5 = 1 or 2; and PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
4	182100200004	N/A	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Account range participates in ALM but PAN is not registered for ALM. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 3, SF 1 (Cardholder Transaction Type Code) = 00, 09, 18, or 20. PDS 0158, SF 12 = N (Default value). PDS 0275 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE), SF 2-4 = XXX, and SF 5 = 1 or 2; and PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Table 1821004: Account Level Management (Canada Region)

The test cases in the table 1821004 address how an issuer processes clearing dual messages for a valid file that Mastercard generates for Account Level Management (ALM) processing of certain premium card programs in First Presentment/1240 messages.

Validations for account level management (Canada region)

- These test cases apply to Canada domestic consumer credit transactions only.
- Effective with 24.Q4 AN 7723 Modifying Account Level Management Service Data Participation Requirements the ALM Service Data will be populated by Mastercard on qualifying presentment transactions and no longer requiring customer opt-in to receive this data.
- For more information on testing user cases, see Universal Specification scenarios in *Account Level Management Manual*. The ALM Spend Qualification Reports are also detailed in *Account Level Management Manual*.
- For more information on the inclusion of ALM Service Data, see *Universal Specification Detail Response* file.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Account Level Management (Canada Region)

Table 149: Table 1821004

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182100400001	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: MSP based upon PAN registered in ALM. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = Q (Muse Mastercard Qualified). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 02217 (CONSUMER PRODUCT MONITORING SERVICE: MUSE MASTERCARD QUALIFIED), SF 2 contain product values, SF 3 = XXX, SF 4 =XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
2	182100400003	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: MSP based upon PAN registered in ALM. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = A (Muse Mastercard Requalified). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 02301 (CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 1 (MUSE MASTERCARD REQUALIFIED), SF 2 contain product values, SF 3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Dual Message Clearing: Issuer Credit and Debit
Table 1821004: Account Level Management (Canada Region)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182100400005	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: MWE based upon PAN registered in ALM. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = J (World Elite Qualified). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 02210 (CONSUMER PRODUCT MONITORING SERVICE: WORLD ELITE QUALIFIED), SF 2 contain product values, SF 3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
4	182100400007	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: MWE based upon PAN registered in ALM. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = X (World Elite Requalified). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 02424 (CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 2 (WORLD ELITE REQUALIFIED), SF 2 contain product values, SF 3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Dual Message Clearing: Issuer Credit and Debit
Table 1821004: Account Level Management (Canada Region)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182100400009	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: MPE based upon PAN registered in ALM. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = G (Name for GCMS Product ID MPE Qualified). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 02207 (CONSUMER PRODUCT MONITORING SERVICE: NAME FOR GCMS PRODUCT ID MPE QUALIFIED), SF 2 contain product values, SF 3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				
6	182100400011	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: MCW based upon PAN registered in ALM. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = E (World Qualified). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 02205 (CONSUMER PRODUCT MONITORING SERVICE: WORLD QUALIFIED), SF 2 contain product values, SF 3 = XXX, SF 4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	182100400013	N/A	1	C	POS PURCHASE SIGNATURE
	Card Program ID: MCC and GCMS Product ID: any licensed product for brand MCC. DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) = 00 or 18 or 20. DE 38, position 6 = Z (Account range participates in ALM but account number does not). DE 63 (Transaction Life Cycle ID) built from DE 15 and DE 63 of the authorization message. PDS 0275 (ALM Service Data), SF 1 = 00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE), SF 2-4 = XXX, and SF 5 = 1 or 2. PDS 0276 (Fee Amounts, Additional) contains SF 1-9 values of customer choice.				

Table 1822001: Mastercard Pay with Rewards Service

The test cases in the table 1822001 address how an issuer processes clearing dual messages for a valid file that Mastercard generates for Mastercard Pay with Rewards Service.

NOTE: These test cases apply to issuers globally that participate in Mastercard Pay with Rewards. Issuers should be aware that they will receive IRDs not defined for brand product MCO (Mastercard Corporate Card).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mastercard Pay with Rewards Service

Table 150: Table 1822001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182200100001	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. PDS 0001 = Virtual Account Number. PDS 0002 = MCO (Mastercard Corporate Card). PDS 0003 = MCO (Mastercard Corporate Card). DE 2 = Mastercard PAN (Real account number). DE 3 = 00 (Purchase), 18 (Unique Transaction [requires unique MCC]), or 20 (Credit [Purchase Return]). PDS 0158, SF 4 = Valid IRDs associated with MCC acceptance brand and MCO product code.				

Table 1822109: Installment Payment Service (Europe Region)

The test cases in the table 1822109 address how an issuer processes clearing dual messages for installment payment First Presentments containing PDS 0181 (Installment Payment Data) all subfields.

NOTE: The following test cases apply to Europe Region countries where installment payment processing is supported. Transactions are submitted with the standard interchange programs.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Installment Payment Service (Europe Region)

Table 151: Table 1822109

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182210900001	1	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0181 present including SF 1 = 20 (Issuer-financed). PDS 0777 = HGINST.				
2	182210900002	1	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0181 present including SF 1 = 21 (Merchant-financed). PDS 0777 = HGINST.				
3	182210900003	1	1	C	MSR PURCHASE SIGNATURE OR NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0181 present including SF 1 = 22 (Acquirer-financed). PDS 0777 = HGINST.				

Table 1822110: MDES (Device Tokens)

The test cases in the table 1822110 address how an issuer processes clearing dual messages for Mastercard device token transactions that occur contactlessly at a physical merchant terminal or remotely through a remote merchant payment acceptance system.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: MDES (Device Tokens)

Table 152: Table 1822110

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182211000001	1	1	C	MSR CONTACTLESS PURCHASE NO CVM
	Mastercard Cloud-based Payments device token transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 2 = PAN. DE 22 SF 5 = 0 (Cardholder present). DE 22 SF 6 = 1 (Card present). DE 22 SF 7 = A (PAN auto-entry via contactless magnetic stripe). PDS 0001, SF 1 = H space (Mapping was based on the authorization log) or HC (Mapping was based on a source other than the authorization log). PDS 0001, SF 2 = Token.				
2	182211000002	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Mastercard Cloud-based Payments device token transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 = PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (Electronic commerce). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction)). PDS 0001 SF 1 = H space (Mapping was based on the authorization log) or HC (Mapping was based on a source other than the authorization log). PDS 0001 SF 2 = Token. PDS 0052 = 242.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182211000003	1	1	C	MSR CONTACTLESS PURCHASE NO CVM
	Secure Element device token transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 2 = PAN. DE 22 SF 5 = 0 (Cardholder present). DE 22 SF 6 = 1 (Card present). DE 22 SF 7 = A (PAN auto-entry via contactless magnetic stripe). PDS 0001, SF 1 = C space (Mapping was based on the authorization log) or CC (Mapping was based on a source other than the authorization log). PDS 0001, SF 2 = Token.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182211000004	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Secure Element device token transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 = PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = S (Electronic commerce). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction)). PDS 0001 SF 1 = C space (Mapping was based on the authorization log) or CC (Mapping was based on a source other than the authorization log). PDS 0001 SF 2 = Token. PDS 0052 = 242.				

Table 1822201: Real-time Substantiation (U.S. Region)

The test cases in the table 1822201 address how an issuer processes clearing dual messages for First Presentment/1240 messages containing healthcare real-time substantiation amounts.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Real-time Substantiation (U.S. Region)

Table 153: Table 1822201

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182220100001	1	1	C	MSR PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides vision RX eligibility amount. Card Program ID: MCC, DMC; GCMS Product ID applicable value. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization proces. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 12 (Vision Rx Eligibility Amount) only. DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 12 (Vision RX Eligibility Amount) contain the same amount value.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182220100002	1	1	C	MSR PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount and vision RX eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization proces. Card Program ID: MCC, DMC; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount).				
3	182220100003	1	1	C	MSR PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount, prescription eligibility amount, and vision RX eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization proces. Card Program ID: MCC, DMC; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount), 11 (Prescription Eligibility Amount), and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). The amount type 11 is included in amount type 10.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	182220100004	1	1	C	MSR PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization proces. Card Program ID: MCC, DMC; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) only. DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) contain the same amount value.				
5	182220100005	1	1	C	MSR PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount and prescripition RX eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization proces. Card Program ID: MCC, DMC; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 11 (Prescription Rx Eligibility Amount). DE 4 (Amount, Transaction) equals DE 54, SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount). The amount type 11 is included within amount type 10.				

Table 1823535: Merchant Presented QR Refund Transactions

The test cases in the table 1823535 address how an issuer participating in Merchant Presented QR service processes Originating Institution's (OI) clearing dual messages for Merchant Presented QR Refund transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Merchant Presented QR Refund Transactions

Table 154: Table 1823535

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182353500021	1	1	C	ELECTRONIC COMMERCE PAYMENT REFUND NO CVM
	IRD QR (Merchant Presented QR) available globally. Card Program ID: MCC, DMC, MSI; GCMS Product ID appropriate for IRD QR. DE 3 (Processing Code), SF 1 = 28 (Payment). DE 26 (CAB) = Any value within valid CAB Program for IRD QR. PDS 0004 (Funding Account Information) contains SF 1 (Funding Source) and SF 2 (Sender Account Number). PDS 0043 = C68 (Merchant Presented QR Refund). PDS 0052 (Security Level Indicator) = 210. PDS 0158, SF 4 (IRD) = QR. Must contain the appropriate transaction data for submitted transaction type, MTI, and IRD QR.				

Table 1823555: Merchant Presented QR Funding Transactions

The test cases in the table 1823555 address how an issuer participating in Merchant Presented QR service processes clearing dual messages for Presented QR Funding Transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Merchant Presented QR Funding Transactions

Table 155: Table 1823555

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182355500001	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	IRD QR (Merchant Presented QR) available globally. Card Program ID: MCC, DMC, MSI; GCMS Product ID: All valid product identifiers for Card Program IDs. DE 3, SF 1 = 00 (Purchase). DE 26 = any valid value for IRD QR. PDS 0158 (Business Activity), SF 4 (Interchange Rate Designator) = QR. PDS 0043 (Program Registration ID) = C67 (Merchant Presented QR). PDS 0052 (Security Level Indicator) = 210. PDS 0674 (Additional Trace Reference Number) is mandatory. PDS 0028 (Merchant Presented QR Receiving Account Number) is optional. PDS 0029 (Merchant Presented QR Dynamic QR Data) is optional. Must contain all other appropriate transaction data for submitted transaction type, MTI, and IRD QR.				

Table 1824001: Installment Payment Service (Philippines)

The test cases in the table 1824001 address how an issuer processes clearing dual messages for a file that Mastercard generates for Philippines Credit Installment Payments Processing.

NOTE: These test transactions only apply to Acquirers participating in BSA 4/608001 Philippines Intracountry for Installment Payments Processing and only apply to Mastercard (MCC) acceptance brand. For interchange programs details, refer to the *Interchange Manual—AP Region*.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Installment Payment Service (Philippines)

Table 156: Table 1824001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1824001: Installment Payment Service (Philippines)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	182400100001	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 4 (Transaction Amount) = 000000005500. PDS 0181, SF 1 = 21 (Merchant Financed). PDS 0181, SF 2 (Number of Installment) = 02. PDS 0181, SF 3 (Interest Rate) = 00000. PDS 0181, SF 4 (First Installment Amount) = 000000005000. PDS 0181, SF 5 (Subsequent Installment Amount) = 000000000500. PDS 0158, s4 = 90 (Philippines Intracountry Installment Tenure 1).				
2	182400100002	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 4 (transaction Amount) = 000000004000. PDS 0181, SF 1 = 21 (Merchant Financed). PDS 0181, SF 2 (Number of Installment) = 05. PDS 0181, SF 3 (Interest Rate) = 00000. PDS 0181, SF 4 (First Installment Amount) = 000000002000. PDS 0181, SF 5 (Subsequent Installment Amount) = 000000000500. PDS 0158, s4 = 91 (Philippines Intracountry Installment Tenure 1).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	182400100003	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 4 (transaction Amount) = 000000070000. PDS 0181, SF 1 = 21 (Merchant Financed). PDS 0181, SF 2 (Number of Installment) = 07. PDS 0181, SF 3 (Interest Rate) = 00000. PDS 0181, SF 4 (First Installment Amount) = 000000010000. PDS 0181, SF 5 (Subsequent Installment Amount) = 000000010000. PDS 0158, s4 = 92 (Philippines Intracountry Installment Tenure 1).				
4	182400100004	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 4 (transaction Amount) = 000000011000. PDS 0181, SF 1 = 21 (Merchant Financed). PDS 0181, SF 2 (Number of Installment) = 11. PDS 0181, SF 3 (Interest Rate) = 00000. PDS 0181, SF 4 (First Installment Amount) = 000000001000. PDS 0181, SF 5 (Subsequent Installment Amount) = 000000001000. PDS 0158, s4 = 93 (Philippines Intracountry Installment Tenure 1).				

Dual Message Clearing: Issuer Credit and Debit
Table 1825001: Mastercard rePower Load Value Payment Transaction

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182400100005	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC; GCMS Product ID applicable value. DE 4 (transaction Amount) = 000000035500. PDS 0181, SF 1 = 21 (Merchant Financed). PDS 0181, SF 2 (Number of Installment) = 24. PDS 0181, SF 3 (Interest Rate) = 00000. PDS 0181, SF 4 (First Installment Amount) = 000000001000. PDS 0181, SF 5 (Subsequent Installment Amount) = 000000001500. PDS 0158, s4 = 94 (Philippines Intracountry Installment Tenure 1).				

Table 1825001: Mastercard rePower Load Value Payment Transaction

The test cases in the table 1825001 address how an issuer processes clearing dual messages for a valid file that Mastercard generates which contains Mastercard rePower load value payment transactions.

NOTE: Issuer account range must be included in Business Service Arrangement (BSA) X/000509 to qualify for IRD ER. Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

Dual Message Clearing: Issuer Credit and Debit

Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

File Type: Mastercard-generated File

Program: Mastercard rePower Load Value Payment Transaction

Table 157: Table 1825001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182500100001	1	1	C	MSR PAYMENT TRANSACTION NO CVM
	DE 26 (Acceptor Business [MCC] Code) = 6532 (Payment Transaction - Member Financial Institution), or 6533 (Payment Transaction - Merchant). Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0043 (Program Registration ID) = C03 (rePower Load Value).				

Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

The test cases in the table 1826001 address how an issuer processes clearing dual messages for a valid file that Mastercard generates containing correctly formatted clearing messages for the ICCR, CBFM only, CBFM with ECB, and ECB only services.

Test cases 1-3 are for ICCR only or CBFM only. Test cases 4-7 are for ECB Rate Service only or ECB plus CBFM.

Validations for ICCR, CBFM, and ECB Services

The following validations apply:

- Issuers must initiate setup of the ICCR percentage parameter or CBFM markup parameter or ECB parameter for each participating account range.

Dual Message Clearing: Issuer Credit and Debit

Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

- If the issuer is utilizing the CBFM markup percentage parameter, please use the calculator provided in Mastercard Currency Converter | Currency Exchange Rate Calculator to verify if the amount mentioned in DE 6 includes the correct CBFM markup after conversion.
- ECB Rate Service applies only to European Economic Area (EEA).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Table 158: Table 1826001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182600100001	1	1	C	MSR PURCHASE SIGNATURE
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 (Primary Account Number) = (Registered ICCR or CBFM Account Range). DE 6 (Amount, Cardholder Billing) = transaction amount including ICCR amount or CBFM amount. DE 49 (Currency Code, Transaction) not equal to DE 51 (Currency Code, Cardholder Billing).				

Dual Message Clearing: Issuer Credit and Debit

Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182600100002	1	1	C	MSR ATM WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable value. DE 2 (Primary Account Number) = (Registered ICCR or CBFM Account Range). DE 6 (Amount, Cardholder Billing) = transaction amount including ICCR amount or CBFM amount. DE 49 (Currency Code, Transaction) not equal to DE 51 (Currency Code, Cardholder Billing).				
3	182600100003	1	1	C	MSR PURCHASE WITH CASHBACK SIGNATURE
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 (Primary Account Number) = (Registered ICCR or CBFM Account Range). DE 6 (Amount, Cardholder Billing) = transaction amount including ICCR amount or CBFM amount. DE 49 (Currency Code, Transaction) not equal to DE 51 (Currency Code, Cardholder Billing).				
4	182600100011	1	1	C	MSR PURCHASE SIGNATURE
	Issuer participates in CBFM and CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 6 includes CBFM markup of issuer choice. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				

Dual Message Clearing: Issuer Credit and Debit

Table 1826001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	182600100012	1	1	C	MSR ATM WITHDRAWAL ONLINE PIN
	Issuer participates in CBFM and CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable value. DE 6 includes CBFM markup of issuer choice. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				
6	182600100013	1	1	C	MSR PURCHASE SIGNATURE
	Issuer does not participate in CBFM but has registered for CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 6 does not include CBFM markup. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				
7	182600100014	1	1	C	MSR ATM WITHDRAWAL ONLINE PIN
	Issuer does not participate in CBFM but has registered for CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable value. DE 6 does not include CBFM markup. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				

Table 1826161: Token Service Provider (Token/PAN Mapping)

The test cases in the table 1826161 address how an issuer processes clearing dual messages for First Presentment/1240 containing Token Service Provider (TSP) Token/PAN Mapping related information for various POS entry modes.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MSR

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Token Service Provider (Token/PAN Mapping)

Table 159: Table 1826161

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182616100001	1	1	C	MSR CONTACTLESS PURCHASE NO CVM
	TSP Token/PAN mapping completed. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 22, SF 7 = A (PAN auto-entry via contactless magnetic stripe). DE 2 contains PAN. PDS 0001, SF 1 = 1b or 1C and SF 2 = Token account number contains token information. PDS 0058 (Token Assurance Method) and/or PDS 0059 (Token Requestor ID) present if provided by acquirer.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	182616100002	1	1	C	MSR PURCHASE NO CVM
	TSP Token/PAN mapping completed. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 22, SF 7 = 2 (Magnetic stripe reader input). DE 2 contains PAN. PDS 0001, SF 1 = 1b or 1C and SF 2 = Token account number contains token information. PDS 0058 (Token Assurance Method) and/or PDS 0059 (Token Requestor ID) present if provided by acquirer.				
3	182616100003	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	TSP Token/PAN mapping completed. Card Program ID: MCC, DMC; GCMS Product ID applicable value. DE 22, SF 7 = S (Electronic commerce). DE 2 contains PAN. PDS 0001, SF 1 = 1b or 1C and SF 2 = Token account number contains token information. PDS 0058 (Token Assurance Method) and/or PDS 0059 (Token Requestor ID) present if provided by acquirer.				

Table 1829001: Click to Pay

The test cases in the table 1829001 address how an issuer processes clearing dual messages for a file that Mastercard generates for Click to Pay transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: MS.

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Click to Pay

Table 160: Table 1829001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	182900100001	1	1	C	ELECTRONIC COMMERCE PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 3 = 00 Purchase (Goods and Services). PDS 0016, SF 1 (Digital Service Provider ID 1) and if applicable SF 2 (Digital Service Provider ID 2). PDS 0052, SF 1 = 2 (Channel). PDS 0052, SF 2 = 1 (E-commerce). PDS 0052, SF 3 = 0 (Not supported at the merchant Web site). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction). PDS 0207 (Wallet Identifier) = 327 (Merchant Tokenization Program).				

Issuer Base Testing for Dual Message ICC Clearing Operations for Mastercard-generated Files

The following test cases in this section test whether an issuer's Dual Message Clearing application can receive correctly formatted authorization requests and process the resulting authorization responses when presented with the required basic functionalities for MSR-based operations.

NOTE: Mastercard issuers must be prepared to receive ATM online PIN transactions for CAT levels 0 and 1.

Table 1840001: All Business Transactions (MCC, DMC, PVL)

The test cases in the table 1820001 address how an issuer processes clearing dual message messages for valid files that Mastercard generates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: All Business Transactions (MCC, DMC, PVL)

Table 161: Table 1840001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1840001: All Business Transactions (MCC, DMC, PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184000100001	1	1	M	ICC ATM WITHDRAWAL ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values
2	184000100002	1	1	M	ICC PURCHASE SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
3	184000100003	1	1	M	ICC PURCHASE OFFLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
4	184000100004	1	1	M	ICC CAT LEVEL 1 PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
5	184000100005	1	1	M	ICC CAT LEVEL 2 PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
6	184000100006	1	1	M	ICC CAT LEVEL 3 PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values

Dual Message Clearing: Issuer Credit and Debit
Table 1840001: All Business Transactions (MCC, DMC, PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	184000100007	1	1	M	ICC CAT LEVEL 4 PURCHASE NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
8	184000100008	1	1	M	ICC CASH ADVANCE SIGNATURE Card Program ID: MCC, DMC; GCMS Product ID applicable values
9	184000100009	1	1	M	ICC CASH ADVANCE OFFLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values
10	184000100010	1	1	M	ICC PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
11	184000100011	1	1	M	ICC CASH ADVANCE ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values
12	184000100012	1	1	M	ICC PAYMENT TRANSACTION NO CVM Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values

Dual Message Clearing: Issuer Credit and Debit
Table 1840001: All Business Transactions (MCC, DMC, PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
13	184000100025	1	1	M	ICC CAT LEVEL 9 PURCHASE ONLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
14	184000100026	1	1	M	ICC CAT LEVEL 9 PURCHASE SIGNATURE
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840001: All Business Transactions (MCC, DMC, PVL)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
15	184000100027	1	1	M	ICC CAT LEVEL 9 PURCHASE NO CVM
	mPOS device Phone/Tablet without or with Dongle without PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
16	184000100031	1	1	M	ICC REFUND SIGNATURE Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
17	184000100032	1	1	M	ICC REFUND OFFLINE PIN Card Program ID: MCC, DMC, PVL; GCMS Product ID applicable values
18	184000100018	1	1	M	ICC PURCHASE WITH CASH BACK ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values.
	Purchase with Cash Back transaction - where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 54, SF 2 (Amount Type) = 40 (Amount, Cash Back).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
19	184000100019	1	1	M	ICC CASH BACK ONLY ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values.
	Cash Back only transaction - where allowed for domestic and/or cross-border Mastercard credit and Debit Mastercard cards. DE 54, SF 2 (Amount Type) = 40 (Amount, Cash Back).				

Table 1840002: All Business Transactions (MSI, CIR)

The test cases in the table 1840002 address how an issuer processes clearing dual messages for valid files that Mastercard generates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: All Business Transactions (MSI, CIR)

Table 162: Table 1840002

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184000200001	1	1	M	ICC ATM WITHDRAWAL ONLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values
2	184000200002	1	1	M	ICC ELECTRONIC CASH ADVANCE ONLINE PIN, OR ICC ELECTRONIC CASH ADVANCE OFFLINE PIN Card Program ID: MSI, CIR; GCMS Product ID applicable values
3	184000200003	1	1	M	ICC PURCHASE ONLINE PIN, OR MAESTRO ICC PURCHASE OFFLINE PIN Card Program ID: MSI; GCMS Product ID applicable values
4	184000200004	1	1	M	ICC CAT LEVEL 1 PURCHASE ONLINE PIN, OR ICC CAT LEVEL 1 PURCHASE OFFLINE PIN Card Program ID: MSI; GCMS Product ID applicable values
5	184000200005	1	1	M	ICC PURCHASE WITH CASH BACK ONLINE PIN, OR ICC PURCHASE WITH CASH BACK OFFLINE PIN Card Program ID: MSI; GCMS Product ID applicable values
6	184000200006	1	1	M	ICC PAYMENT TRANSACTION NO CVM Card Program ID: MSI; GCMS Product ID applicable values

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	184000200013	1	1	M	ICC CAT LEVEL 9 PURCHASE ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
8	184000200014	1	1	M	ICC CAT LEVEL 9 PURCHASE SIGNATURE
	mPOS device Phone/Tablet +Dongle with PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
9	184000200015	1	1	M	ICC CAT LEVEL 9 PURCHASE NO CVM
	mPOS device Phone/Tablet without or with Dongle without PIN Pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
10	184000200016	1	1	M	ICC REFUND NO CVM Card Program ID: MSI; GCMS Product ID applicable values
11	184000200017	1	1	M	ICC REFUND ONLINE PIN Card Program ID: MSI; GCMS Product ID applicable values

Table 1840005: Financial Detail Addendum

The test cases in the table 1820005 address how an issuer processes clearing dual messages for the file that Mastercard generate that contain First Presentment/1240 with Financial Detail Addendum/1644.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: Financial Detail Addendum

Table 163: Table 1840005

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184000500001	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 airline MCC code for the designated Financial Detail Addendum/1644 messages. Financial detail addendum/1644 transaction should be present.				
2	184000500002	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 railway MCC code for the designated Financial Detail Addendum/1644 messages. Financial detail addendum/1644 transaction should be present.				
3	184000500004	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 vehicle rental MCC code for the designated Financial Detail Addendum/1644 messages. For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	184000500005	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 lodging MCC code for the designated Financial Detail Addendum/1644 messages. Whenever the Financial Detail Addendum (Lodging Summary)/1644 message is present, and the transaction involves one of the Mastercard Corporate Cards, the following addendum messages optionally may be provided: 1) Corporate Card Common Data Requirement, usage code 98, industry record number 000; 2) Corporate Card Line Item Detail, usage code 98, industry record number 950. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				
5	184000500006	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 temporary services MCC code for the designated Financial Detail Addendum/1644 message. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				
6	184000500007	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 shipping/courier MCC code for the designated Financial Detail Addendum/1644 messages. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				
7	184000500008	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 payment MCC code for the designated Financial Detail Addendum/1644 messages. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
8	184000500009	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 telecommunication MCC code for the designated Financial Detail Addendum/1644 messages. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				
9	184000500010	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 travel agency MCC code for the designated Financial Detail Addendum/1644 messages. For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required. Financial detail addendum/1644 transaction should be present.				
10	184000500011	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 travel MCC code for the designated Financial Detail Addendum/1644 messages. This transaction is conducted with a lodged account which is defined as a corporate card account used by a travel agency for multiple individuals within the same corporate client. Financial detail addendum/1644 transaction should be present.				
11	184000500012	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 healthcare MCC code for the designated Financial Detail Addendum/1644 messages. Financial detail addendum/1644 transaction should be present.				
12	184000500013	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 MCC code for the designated Financial Detail Addendum/1644 messages. Financial detail addendum/1644 transaction should be present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
13	184000500014	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 MCC code for the designated Financial Detail Addendum/1644 messages. Financial detail addendum/1644 transaction should be present.				
14	184000500015	1	1	C	ICC BUSINESS TRANSACTION OF CUSTOMER CHOICE
	Must contain an appropriate DE 26 MCC code for the designated Financial Detail Addendum/1644 messages and conducted with a Mastercard corporate card. Financial detail addendum/1644 transaction should be present.				

Table 1840020: Transaction Link ID

The test cases in table 1840020 address how an issuer processes clearing dual messages to be prepared to support a transaction identifier called Transaction Link Identifier (TLID).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: Transaction Link ID

Table 164: Table 1840020

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184002000001	1	1	C	ICC PURCHASE SIGNATURE
	DE 105, subfield 001 (TLID) = 22-Character Universally Unique Identifier (UUID). Must contain all other appropriate transaction data for the submitted transaction.				

Table 1840255: Geographic Coordinates Data Fields

The test cases in table 1840255 address how an issuer processes clearing dual messages to prepare to support Geographic Coordinates Data fields.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: Geographic Coordinates Data Fields

Table 165: Table 1840255

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184025500001	1	1	C	ICC PURCHASE SIGNATURE
	PDS 0216, subfield 05, if present, must contain the correctly formatted location latitude and longitude of the acceptor. Must contain all other appropriate transaction data for the submitted transaction.				
2	184025500002	1	1	C	ICC PURCHASE SIGNATURE
	PDS 0216, subfield 06, if present, must contain the correctly formatted location latitude and longitude of the service location. Must contain all other appropriate transaction data for the submitted transaction.				

Table 1840302: MoneySend Payment Transactions

The test cases in the table 1840302 address how an issuer processes clearing dual messages for various types of Mastercard MoneySend Payment Transactions.

NOTE: Transactions are submitted with the MoneySend interchange programs. Effective 11 April 2025 Mastercard is lifecycling Interchange Rate Designator (IRD) MS Mastercard MoneySend for select markets in the Latin America and Caribbean region per announcement LAC 11050.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: MoneySend Payment Transactions

Table 166: Table 1840302

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184030200031	1	1	C	ICC ATM PAYMENT TRANSACTION ONLINE PIN
	MoneySend Payment Intracountry Interchange Program. Card Program ID: MCC, DMC, MSI, or CIR. GCMS Product ID: Any applicable product codes for IRD MS. DE 3 (Processing Code), SF 1 = 28 (Payment Transaction). DE 26 (CAB) = Any value within valid CAB Program MON1 (MoneySend) for IRD MS. PDS 0043 = C58 (Cash in at ATM). PDS 0158, SF 4 (IRD) = MS (MoneySend). PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL). Financial Detail Addendum/1644 with required PDS for MoneySend transactions. Must contain any other appropriate transaction data for IRD MS.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184030200032	1	1	C	ICC ATM PAYMENT TRANSACTION ONLINE PIN
	MoneySend Payment Intracountry Interchange Program. Card Program ID: MCC, DMC, MSI, or CIR. GCMS Product ID: Any applicable product codes for IRD MS. DE 26 (CAB) = Any value within valid CAB Program MON1 (MoneySend) for IRD MS. PDS 0043 = C59 (Cash in at POS). PDS 0158, SF 4 (IRD) = MS (MoneySend). PDS 0170, SF 1 (Customer Service Phone Number) and PDS 0175 (Acceptor URL). Financial Detail Addendum/1644 with required PDS for MoneySend transactions. Must contain any other appropriate transaction data for IRD MS.				

Table 1840304: Service Provider and Merchant Identification

The test cases in the table 1840304 address how an issuer processes clearing dual messages for PDS 0208 (Additional Merchant Data), SF 1 (Payment Facilitator ID), SF 2 (Sponsored Merchant ID) and PDS 0209 (Independent Sales Organization ID). This identifies that a payment facilitator or an independent sales organization have participated in a transaction.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: Service Provider and Merchant Identification

Table 167: Table 1840304

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184030400001	1	1	M	ICC PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values.				
	PDS 0208, SF 1 = Payment Facilitator is present (n-11).				
	PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces).				
	PDS 0209 = Independent Sales Organization ID is present (n-11).Presentment/1240 - First Presentment				
	DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name.				
	DE 43, SF 2 = Sponsored Merchant Street Address.				
	DE 43, SF 3 = Sponsored Merchant City.				
	DE 43, SF 4 = Sponsored Merchant Postal Code.				
	DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code).				
	DE 43, SF 6 = Sponsored Merchant Country Code.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184030400002	1	1	M	ICC PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				
3	184030400003	1	1	M	ICC PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43 = Merchant Name (business as usual).				

Dual Message Clearing: Issuer Credit and Debit
Table 1840304: Service Provider and Merchant Identification

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	184030400004	1	1	M	ICC ATM CASH WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	184030400005	1	1	M	ICC ATM CASH WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0208, SF 1 = Payment Facilitator is present (n-11). PDS 0208, SF 2 = Sponsored Merchant ID is present (ans-15, left justified with trailing spaces). PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43, SF 1 = payment facilitator name (ans-3, ans-7, or ans-12) * Sponsored Merchant name. DE 43, SF 2 = Sponsored Merchant Street Address. DE 43, SF 3 = Sponsored Merchant City. DE 43, SF 4 = Sponsored Merchant Postal Code. DE 43, SF 5 = Sponsored Merchant State, Province, or Region Code). DE 43, SF 6 = Sponsored Merchant Country Code.				
6	184030400006	1	1	M	ICC ATM CASH WITHDRAWAL ONLINE PIN
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. PDS 0209 = Independent Sales Organization ID is present (n-11). DE 43 = Merchant Name (business as usual).				

Table 1840610: Tokenized VCNs

The test cases in the table 1840610 address how an issuer processes clearing dual messages to support Mandating Use of Mastercard for Virtual Card Numbers to Support Tokenization.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Base

File Type: Mastercard-generated File

Program: Tokenized VCNs

Table 168: Table 1840610

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184061000001	1	1		ICC PURCHASE NO CVM
	DE 2 Primary Account Number (PAN) must be present with FPAN/RCN.				
	DE 38 (Approval Code) must be present.				
	DE 63 (Trace ID) must be present.				
	PDS 0001 (Mastercard Mapping Service Account Number), subfield 01 (Account Number Type) must be present.				
	PDS 0001, subfield 02 (Account Number) representing Token Account Number must be present.				
	PDS 0011 (Mastercard Mapping Service Virtual Card Number), subfield 01 (Virtual Card Number Type) with VCN Indicator of 8C must be present.				
	PDS 0011, subfield 02 (Virtual Card Number) must be present.				
	Must contain all other appropriate transaction data for the submitted transaction.				

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184061000002	1	1		ICC PURCHASE NO CVM
	DE 2 Primary Account Number (PAN) must be present with FPAN/RCN. DE 38 (Approval Code) must be present. DE 63 (Trace ID) must be present. PDS 0001 (Mastercard Mapping Service Account Number), subfield 01 (Account Number Type) must be present. PDS 0001, subfield 02 (Account Number) representing Token Account Number must be present. PDS 0011 (Mastercard Mapping Service Virtual Card Number), subfield 01 (Virtual Card Number Type) with VCN Indicator of 8C must be present. PDS 0011, subfield 02 (Virtual Card Number) must be present. PDS 0502 (Custom Identifier), subfield 1 (Custom Identifier Type) will have a value of Other 1 must be present. PDS 0502, subfield 2 (Custom Identifier Detail) must contain the VCN number. Must contain all other appropriate transaction data for the submitted transaction.				

Issuer Product and Services Testing for Dual Message ICC Clearing Operations for Mastercard-generated File

The following test cases verify whether an issuer's Dual Message Clearing application can receive a valid Mastercard-generated file that contains correctly formatted clearing messages.

Table 1840201: Contactless M/Chip (All Business Transactions)

The test cases in the table 1840201 address how an issuer processes clearing dual messages for valid files that Mastercard generates.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Contactless M/Chip (All Business Transactions)

Table 169: Table 1840201

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184020100001	1	1	C	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable values
2	184020100002	1	1	C	ICC CONTACTLESS PURCHASE SIGNATURE Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values
3	184020100003	1	1	C	ICC CONTACTLESS CAT LEVEL 1 PURCHASE ONLINE PIN Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values
4	184020100004	1	1	C	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values

Dual Message Clearing: Issuer Credit and Debit
Table 1840201: Contactless M/Chip (All Business Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	184020100005	1	1	C	ICC CONTACTLESS CAT LEVEL 3 PURCHASE NO CVM Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values
6	184020100006	1	1	C	ICC CONTACTLESS CASH ADVANCE SIGNATURE Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values
7	184020100007	1	1	C	ICC CONTACTLESS PURCHASE ONLINE PIN Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values
8	184020100008	1	1	C	ICC CONTACTLESS CASH ADVANCE ONLINE PIN Card Program ID: MCC, DMC; GCMS Product ID applicable values
9	184020100009	1	1	C	ICC CONTACTLESS CAT 4 PURCHASE NO CVM Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values

Dual Message Clearing: Issuer Credit and Debit
Table 1840201: Contactless M/Chip (All Business Transactions)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
10	184020100010	1	1	C	ICC CONTACTLESS CAT LEVEL 9 PURCHASE ONLINE PIN
	mPOS device Phone/Tablet +Dongle with PIN pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI-compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				
11	184020100011	1	1	C	ICC CONTACTLESS CAT LEVEL 9 PURCHASE SIGNATURE
	mPOS device Phone/Tablet +Dongle with PIN pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI-compliant dongle [with or without key pad]). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
12	184020100012	1	1	C	ICC CONTACTLESS CAT LEVEL 9 PURCHASE NO CVM
	mPOS device Phone/Tablet without or with Dongle without PIN pad. Any applicable business service level and IRD for this business transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). PDS 0018 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device). PDS 0023 = CT9 (mPOS Acceptance Device). Must contain all other appropriate transaction data for this business transaction.				

Table 1840306: MDES (Cloud-Based Payments)

The test cases in the table 1840306 address how an issuer processes clearing dual messages for Mastercard Cloud-Based Payment transactions that occur contactlessly at a physical merchant terminal or remotely. These transactions are performed using a remote merchant payment acceptance system and processed using Mastercard Digital Enablement Service (MDES).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: MDES (Cloud-Based Payments)

Table 170: Table 1840306

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184030600001	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 = PAN. DE 22 SF 5 = 0 (Cardholder present). DE 22 SF 6 = 1 (Card present). DE 22 SF 7 = M (PAN auto-entry through contactless M/Chip). PDS 0001, SF 1 = H space (Mapping was based on the authorization log) or HC (Mapping was based on a source other than the authorization log). PDS 0001, SF 2 = Token.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184030600002	1	1	C	ICC DSRP ELECTRONIC COMMERCE PURCHASE NO CVM
	DSRP for MDES Cloud-Based Payments token. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 = PAN. DE 22 SF 4 = 2 (On acceptor premises; unattended terminal) or 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = R (Electronic commerce, including remote chip). PDS 0023 = CT6 (CAT level 6 (electronic commerce transaction)). PDS 0001 SF 1 = H space (Mapping was based on the authorization log) or HC (Mapping was based on a source other than the authorization log). PDS 0001 SF 2 = Token.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840310: Installment Payment Service (Installment Calculation and Posting)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	184030600003	1	1	C	ICC BARCODE PURCHASE CDCVM
	Tokenized Mastercard consumer presented QR transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 (Card Data: Input Mode) = M (PAN auto-entry through contactless M/Chip). DE 55 (ICC System-Related Data) and DE 23 (Card Sequence Number) are present. PDS 0001, SF 1 (Account Number Type) = H space (Mapping was based on the authorization log) or HC (Mapping was based on a source other than the authorization log). PDS 0001 SF 2 = Token. PDS 0021 (Transaction Type Indicator) = 1 (Mastercard Consumer-Presented QR). PDS 0058 (Token Assurance Method) and PDS 0059 (Token Requestor ID) are present if applicable and available. PDS 0198 (Device Type) and PDS 0207 (Wallet Identifier) are present if applicable and available. NOTE: Refund business transaction also supported but chip data is not present.				

Table 1840310: Installment Payment Service (Installment Calculation and Posting)

The test cases in table 1840310 address how an issuer participating in Mastercard Installment Payment Service (Installment Calculation and Posting) processes clearing dual messages for First Presentments containing installment payment information.

NOTE: Issuers must provide the installment transaction identification rules and installment parameters via the user interface and/or uploading a batch file of identification rules and parameters for Mastercard to manage the installment payment processing.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Dual Message Clearing: Issuer Credit and Debit
Table 1840310: Installment Payment Service (Installment Calculation and Posting)

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Installment Payment Service (Installment Calculation and Posting)

Table 171: Table 1840310

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184031000001	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Transaction approved for installment payment processing when issuer has provided one time approval at time of registration for Installment Calculation and Posting service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = A (Approved for installment processing). PDS 0181 (Installment Payment Data), subfields 1-7 present wherein SF 1 = 20 (Issuer-financed).				
2	184031000002	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Transaction meets the installment criteria provided by issuer during registration for the Installment Calculation and Posting service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = Y (Transaction qualifies for the installment processing).				

Dual Message Clearing: Issuer Credit and Debit
Table 1840310: Installment Payment Service (Installment Calculation and Posting)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	184031000003	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Mastercard sends non-financial First Presentment/1240 message with DE 3 (Processing Code), subfield 1 (Processing Code) with value 20 (Refund) to the issuer if the issuer has opted to have Mastercard process the credit transaction. The issuer then reverses the original transaction on the cardholder statement for each original transaction amount that was converted into an installment. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = C (Credit transaction to reverse the purchase transaction).				
4	184031000004	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Mastercard created split installment transactions. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 4 (Transaction Amount) for the split installment amount. PDS 0045 (Mastercard Generated Installment identifier) = P (Purchase transaction of each split installment transaction). PDS 0182 (Installment Payment Cardholder Statement Data), subfields 1-11 present.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	184031000005	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Transaction approved for installment payment processing for the Issuer Merchant Co-Financed and issuer is participating in Mastercard Installment Payment Service (Installment Calculation and Posting). Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 4 (Transaction Amount) for the whole purchase amount. PDS 0045 (Mastercard Generated Installment identifier) = E (Transaction eligible for Installment Processing). PDS 0181 (Installment Payment Data), subfields 1-7 present wherein SF 1 = 24 (Issuer Merchant Co-Financed) and optional subfields 8-10 are present containing commission details. NOTE: Issuers may test receiving the clearing daily raw data file containing data to settle their commissions.				

Table 1840405: Interchange Structure Indicator (U.S.)

The test cases in the table 1840405 address how an issuer processes clearing dual messages for Interchange Structure Indicator transactions.

Table Description:

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Interchange Structure Indicator (U.S.)

Table 172: Table 1840405

Case ID	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184040500001	1	1	C	MSR PURCHASE SIGNATURE
	US Intraregional Interchange Program. Card Program ID: MCC, DMC, MSI. DE 3, SF 1 = 00, 09, 18, 20, 28. PDS 0017 (Interchange Structure Indicator) = valid value. Must contain all other appropriate transaction data for the submitted transaction.				

Table 1840625: Transit Program (Post-Authorized Aggregated Model – U.S. Region)

The test cases in the table 1840625 address how an issuer processes clearing dual messages for the file Mastercard generates that contains First Presentment/1240 messages for aggregated transactions for the transit U.S. region Post-Authorized Aggregated model.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Transit Program (Post-Authorized Aggregated Model – U.S. Region)

Table 173: Table 1840625

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184062500005	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	ICC Contactless U.S. Region Post-Authorized Aggregated Transit transaction. Card Program Identifier: MCC (Mastercard), DMC (Debit Mastercard), MSI (Maestro). GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains aggregated transit fare. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the last tap. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 05 (Other) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

The test cases in the table 1840629 address how an issuer processes clearing dual messages for file Mastercard generates that contains First Presentment/1240 messages for Transit Program models and Debt Recovery/Debt Claim transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Transit Program (All Models and Debt Recovery/Debt Claim)

Table 174: Table 1840629

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184062900001	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	ICC Contactless Prefunded Transit transaction. Card Program Identifier: MCC (Mastercard), DMC (Debit Mastercard), MSI (Maestro). GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains fare for travel subscription or plan. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. DE 55, tag 9F02 (Amount, Authorized) contains fare for travel subscription or plan. DE 55 contains ICC data from the last tap for fare for travel subscription or plan. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 01 (Prefunded) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184062900002	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	ICC Contactless Real-Time Authorized Transit transaction. Card Program Identifier: MCC (Mastercard), DMC (Debit Mastercard), MSI (Maestro). GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains single/known ride fare. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. DE 55, tag 9F02 (Amount, Authorized) contains single/known ride fare. DE 55 contains ICC data from thetap for single/known ride fare. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 02 (Real-Time Authorized) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	184062900003	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	ICC Contactless Post-Authorized Aggregated Transit transaction. Card Program Identifier: MCC (Mastercard), DMC (Debit Mastercard). GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains aggregated transit fare. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the last tap. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 03 (Post-Authorized Aggregated) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	184062900006	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	ICC Contactless Post-Authorized Aggregated Transit transaction. Card Program Identifier: MSI (Maestro). GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains aggregated transit fare. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the last tap. PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 06 (Post-Authorized Aggregated Maestro) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	184062900007	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	ICC Contactless Debt Recovery Transit transaction. Card Program Identifier: MCC (Mastercard), DMC (Debit Mastercard), MSI (Maestro). GCMS Product ID: Any applicable product codes for submitted IRD. DE 4 (Amount, Transaction) contains amount to be recovered. DE 26 (Acceptor Business Code [MCC]) contains applicable Merchant Category Code. DE 55, tag 9F02 (Amount, Authorized) contains amount to be recovered. DE 55 contains ICC data from the tap for amount to be recovered. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram. Information Data (tag 9F27). PDS 0023 (Terminal Type) = NA (Terminal type data unknown or not available). PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD.				

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
6	184062900009	1	1	C	ICC CONTACTLESS PURCHASE NO CVM

Dual Message Clearing: Issuer Credit and Debit
Table 1840629: Transit Program (All Models and Debt Recovery/Debt Claim)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
					First Ride Risk (FRR) claim transit transaction. Card Program Identifier: MCC, DMC, MSI. GCMS Product ID: Any applicable product codes for submitted IRD. DE 3 (Processing Code), SF 1 = 00 (Purchase, goods and services). DE 4 (Amount, Transaction) contains the total claim amount in local currency that was incurred within an hour from the time the authorization response was received, and not exceeding the FRR limit set for the country. DE 24 (Function Code) = 200 (First Presentment) and DE 25 (Message Reason Code) = 1400 (Not previously authorized). DE 26 (Acceptor Business Code [MCC]) must be 4111, 4131 or 4784. DE 33 (Forwarding Institution ID Code) must contain a valid Mastercard registered customer ID or processor ID number. DE 41 (Acceptor Terminal ID) is the ID of the terminal that initiates the Authorization Request/0100 message. DE 42 (Acceptor ID Code) is the same ID used for clearing approved transactions in 1240-200 messages. DE 43, SF06 (Acceptor Country Code) must contain valid 3 character ISO alphabetic country code of the acceptor, and must match the numeric ISO standard country codes in PAN country code (DE 20) if provided, and POS country code (DE 61, SF 13) of the original Authorization Request/0100 message. DE 55 (Integrated Circuit Card [ICC] System-Related Data) must match the DE 55 in the original Authorization Request/0100 message. DE 63, SF 02 (Trace ID) contains the DE 15 (Settlement Date) and DE 63 (Network Data) in the original declined Authorization Request Response/0110 message. PDS 0158, SF 04 (Interchange Rate Designator) contains any applicable valid value. PDS 0210, SF 01 (Transit Transaction Type Indicator) = 08 (FRR Claim) and SF 02 (Transportation Mode Indicator) contains applicable valid value. Must contain the other appropriate transaction data for submitted IRD. NOTE: FRR claim must be submitted within three calendar days after the Authorization Request Response/0110 was received for an Unrecoverable reason (DE 39 = 03, 04, 12, 13, 14, 41, 43, 58, 62, 62, or 88.

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
	NOTE: At least nine transit debt recovery Transaction attempts must be made within a period of 45 calendar days from the date of the original Contactless Transit Aggregated Transaction decline, with the last attempt occurring on day 45, and the Issuer declined each attempt for a Temporarily Recoverable reason (DE 39 = 01, 05, 70, 86, 87, or 91). No more than one attempt must be made per 24-hour period. A FRR claim may be submitted if all debt recovery attempts are unsuccessful within the 45 calendar days, and the FRR claim is submitted within three calendar days after day 45.				

Table 1840715: Transit Top-Up Payment Transactions (India)

The test cases in the table 1840715 address how an issuer an issuer processes clearing dual messages for the file Mastercard generates that contains transit top-up domestic India payment transactions .

NOTE: Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Transit Top-Up Payment Transactions (India)

Table 175: Table 1840715

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184071500001	1	1	C	ICC PAYMENT TRANSACTION ONLINE PIN
	Card Program ID: DMC and MCC - GCMS Product ID: applicable values for IRD ER. DE 4 (Amount, Transaction) = top-up amount. DE 26 (Acceptor Business [MCC] Code) = 6532 (Payment Transaction - Member Financial Institution), or 6533 (Payment Transaction - Merchant). PDS 0043 (Program Registration ID) = C03 (rePower Load Value). PDS 0158 (Business Activity), SF 4 (Interchange Rate Designator) = ER (India Intracountry Mastercard repower). PDS 0170 (Acceptor Inquiry Information), SF 1 (Customer Service Phone Number) should contain the customer service phone number. PDS 0175 (Acceptor URL) should contain the customer URL. All other applicable data for submitted business transaction and IRD ER.				

Table 1840903: Flex Card Service (Brazil)

The test cases in the table 1840903 address how a registered Brazil issuer processes clearing dual messages for the Flex Card Service that receive debit and credit domestic and cross-border transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Flex Card Service (Brazil)

Table 176: Table 1840903

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184090300001	1	1	C	ICC PURCHASE NO CVM
	Brazil domestic transaction with debit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: DMC; GCMS Product ID applicable values. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 23 (Card Sequence Number) second digit is in range of 5-9. DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0027 (Flex Code) = valid value of product code. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand MCC. Transactions meet all interchange program criteria not specifically noted in the test case.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184090300002	1	1	C	ICC PURCHASE NO CVM
	Brazil domestic transaction with credit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: MCC; GCMS Product ID applicable values. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 23 (Card Sequence Number) second digit is in range of 0-4. DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0027 (Flex Code) = valid value of product code. PDS 0158 (Business Activity), SF 1 (Card Program Identifier) contains spaces and SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand MCC. Transactions meet all interchange program criteria not specifically noted in the test case.				
3	184090300011	1	1	C	ICC PURCHASE NO CVM
	Brazil cross-border transaction with debit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: DMC; GCMS Product ID applicable values. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) = 10 (Savings Account) or 20 (Checking Account). DE 23 (Card Sequence Number) second digit is in range of 5-9. DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand DMC. Transactions meet all interchange program criteria not specifically noted in the test case.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
4	184090300012	1	1	C	ICC PURCHASE NO CVM
	Brazil cross-border transaction with credit Account Type Indicator indicated in corresponding authorization DE 48, SE 14. Card Program ID: MCC; GCMS Product ID applicable values. DE 3, SF 1 (Cardholder Transaction Type Code) = 00 (Purchase), 18 (Unique Transaction), or 20 (Credit). DE 3, SF 2 (From Account Type Code) not equal to 10 (Savings Account) or 20 (Checking Account). DE 23 (Card Sequence Number) second digit is in range of 0-4. DE 26 (Acceptor Business Code [MCC]) appropriate value for the submitted IRD. PDS 0158 (Business Activity), SF 4 (IRD) value valid for Brazil domestic transaction and acceptance brand MCC. Transactions meet all interchange program criteria not specifically noted in the test case.				

Table 1841510: MDES (Secure Element)

The test cases in the table 1841510 address how an issuer processes clearing messages for Secure Element transactions in First Presentment/1240 messages for accounts enabled with Mastercard Digital Enablement Service (MDES).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: MDES (Secure Element)

Table 177: Table 1841510

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184151000001	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 = PAN. DE 22 SF 5 = 0 (Cardholder present). DE 22 SF 6 = 1 (Card present). DE 22 SF 7 = M (PAN auto-entry through contactless M/Chip). PDS 0001, SF 1 = C space (Mapping was based on the authorization log) or CC (Mapping was based on a source other than the authorization log). PDS 0001, SF 2 = Token.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184151000002	1	1	C	ICC DSRP ELECTRONIC COMMERCE PURCHASE NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 2 = PAN. DE 22 SF 4 = 4 (Off acceptor premises; unattended). DE 22 SF 5 = 5 (Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA])). DE 22 SF 7 = R (PAN entry through electronic commerce, including remote chip). PDS 0001 SF 1 = C Space (C followed by a space) or CC. PDS 0001 SF 2 = Token. PDS 0023 = CT6 {CAT level 6 (electronic commerce transaction)}.				

Table 1842001: Mastercard Pay with Rewards Service

The test cases in the table 1842001 address how an issuer processes clearing dual messages for valid file that Mastercard generates for Mastercard Pay with Rewards Service

NOTE: These test cases apply to issuers globally that participate in Mastercard Pay with Rewards. Issuers should be aware that they will receive IRDs not defined for brand product MCO (Mastercard Corporate Card).

Table 178: Table 1842001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
	Presentment/1240 - First Presentment				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184200100001	1	1	C	ICC PURCHASE SIGNATURE
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0001 = Virtual Account Number. PDS 0002 = MCO (Mastercard Corporate Card). PDS 0003 = MCO (Mastercard Corporate Card). DE 2 = Mastercard PAN (Real account number). DE 3 = 00 (Purchase), 18 (Unique Transaction [requires unique MCC]), or 20 (Credit [Purchase]) PDS 0158, SF 4 = Valid IRDs associated with MCC acceptance brand and MCO product code.				

Table 1842109: Installment Payment Service (Europe Region)

The test cases in the table 1842109 address how an issuer processes clearing dual messages for a valid file that Mastercard generates file for installment payment First Presentments containing PDS 0181 (Installment Payment Data) all subfields.

NOTE: The following test cases apply to Europe Region countries where installment payment processing is supported. Transactions are submitted with the standard interchange programs.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Installment Payment Service (Europe Region)

Table 179: Table 1842109

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184210900001	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0181 present including SF 1 = 20 (Issuer-financed). PDS 0777 (Promotion Code) = HGINST.				
2	184210900002	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0181 present including SF 1 = 20 (Merchant-financed). PDS 0777 (Promotion Code) = HGINST.				
3	184210900003	1	1	C	ICC PURCHASE SIGNATURE OR NO CVM
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0181 present including SF 1 = 20 (Acquirer-financed). PDS 0777 (Promotion Code) = HGINST.				

Table 1842110: MDES (Device Tokens)

The test cases in the table 1842110 verify whether an issuer's Dual Message Clearing application is able to receive Mastercard device token transactions that occur contactless at a physical merchant terminal or remotely via a remote merchant payment acceptance system. This section addresses the release item MDES (Device Tokens).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: MDES (Device Tokens)

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184211000001	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	Mastercard Cloud-based Payments device token transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 = PAN. DE 22 SF 5 = 0 (Cardholder present). DE 22 SF 6 = 1 (Card present). DE 22 SF 7 = M (PAN auto-entry via contactless M/Chip). PDS 0001, SF 1 = H space (Mapping was based on the authorization log) or HC (Mapping was based on a source other than the authorization log). PDS 0001, SF 2 = Token.				
2	184211000003	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	Secure Element device token transaction. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 = PAN. DE 22 SF 5 = 0 (Cardholder present). DE 22 SF 6 = 1 (Card present). DE 22 SF 7 = M (PAN auto-entry via contactless M/Chip). PDS 0001, SF 1 = C space (Mapping was based on the authorization log) or CC (Mapping was based on a source other than the authorization log). PDS 0001, SF 2 = Token.				

Table 1842201: Real-time Substantiation (U.S. Region)

The test cases in the table 1842201 address how an issuer processes clearing dual messages for First Presentment/1240 messages containing healthcare real-time substantiation amounts.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Real-time Substantiation (U.S. Region)

Table 180: Table 1842201

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
1	184220100001	1	1	C	ICC PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides vision RX eligibility amount. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 12 (Vision Rx Eligibility Amount) only. DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 12 (Vision RX Eligibility Amount) contain the same amount value.				
2	184220100002	1	1	C	ICC PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount and vision RX eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount).				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	184220100003	1	1	C	ICC PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount, prescription eligibility amount, and vision RX eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount), 11 (Prescription Eligibility Amount), and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). The amount type 11 is included in amount type 10.				
4	184220100004	1	1	C	ICC PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) only. DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) contain the same amount value.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	184220100005	1	1	C	ICC PURCHASE SIGNATURE
	Merchant verifies against IIAS and provides healthcare eligibility amount and prescription RX eligibility amount. PDS 0057 (Transaction Category Indicator) = 03 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. PDS 0176 (Mastercard Assigned ID) is present. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 11 (Prescription Rx Eligibility Amount). DE 4 (Amount, Transaction) equals DE 54, SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount). The amount type 11 is included within amount type 10.				

Table 1842402: Cardholder Authentication Service

The test cases in the table 1842402 address how an issuer processes clearing dual messages for transactions with the PDS 0072 (Authentication Indicator) for successful cardholder authentication.

Validations for cardholder authentication service

- Service type 1 applies to designated cards within an account range that are participating in the Cardholder Authentication Service.
- Service type 2 applies to all cards within an account range.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Cardholder Authentication Service

Table 181: Table 1842402

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184240200001	1	N/A	C	ICC PURCHASE OFFLINE PIN
	Purchase contact chip transaction successful authentication - transaction qualified for Cardholder Authentication Service Type 1. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 = C (Online Chip). DE 55, tag 9F10, byte2 bit2 = 1 (Biometric) and byte1 bit1 = 1 (Successful). PDS 0072 (Authentication Indicator) = 1 (Transaction qualified for Authentication Service Type 1).				
2	184240200002	1	N/A	C	ICC PURCHASE OFFLINE PIN
	Purchase contact chip transaction unsuccessful authentication - transaction qualified for Cardholder Authentication Service Type 1. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 = C (Online Chip). DE 55, tag 9F10, byte2 bit2 = 0 (Not Biometric) and byte1 bit1 = 0 (Not Successful). PDS 0072 (Authentication Indicator) not present.				

Dual Message Clearing: Issuer Credit and Debit
Table 1845001: Mastercard rePower Load Value Payment Transaction

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
3	184240200003	1	N/A	C	ICC PURCHASE OFFLINE PIN
	Purchase contact chip transaction successful authentication - transaction qualified for Cardholder Authentication Service Type 2. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 = C (Online Chip). DE 55, tag 9F10, byte2 bit2 = 1 (Biometric) and byte1 bit1 = 1 (Successful). PDS 0072 (Authentication Indicator) = 2 (Transaction qualified for Authentication Service Type 2).				
4	184240200004	1	N/A	C	ICC PURCHASE OFFLINE PIN
	Purchase contact chip transaction unsuccessful authentication - transaction qualified for Cardholder Authentication Service Type 2. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable values. DE 22, SF 7 = C (Online Chip). DE 55, tag 9F10, byte2 bit2 = 0 (Not Biometric) and byte1 bit1 = 0 (Not Successful). PDS 0072 (Authentication Indicator) not present.				

Table 1845001: Mastercard rePower Load Value Payment Transaction

The test cases in the table 1845001 address how an issuer processes clearing dual messages for valid files that Mastercard generates which contains Mastercard rePower load value payment transaction.

NOTE: Issuer Account Range must be included in the Business Service Arrangement (BSA) X/000509 to qualify for IRD ER. Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate.

Table Description

Business Profile: Issuer Credit and Debit

Dual Message Clearing: Issuer Credit and Debit

Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Mastercard rePower Load Value Payment Transaction

Table 182: Table 1845001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184500100001	1	1	C	ICC PAYMENT TRANSACTION NO CVM
	DE 26 (Acceptor Business [MCC] Code) = 6532 (Payment Transaction - Member Financial Institution), or 6533 (Payment Transaction - Merchant).				
	Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value.				
	PDS 0043 (Program Registration ID) = C03 (rePower Load Value).				

Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

The test cases in the table 1846001 address how an issuer processes clearing dual messages for a valid file that Mastercard generates containing correctly formatted clearing messages for the ICCR, CBFM only, CBFM with ECB, and ECB only services.

Validations for ICCR, CBFM, and ECB Services

The following validations apply:

- Issuers must initiate setup of the ICCR percentage parameter or CBFM markup parameter or ECB parameter for each participating account range.

Dual Message Clearing: Issuer Credit and Debit

Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

- If the issuer is utilizing the CBFM markup percentage parameter, please use the calculator provided in Mastercard Currency Converter | Currency Exchange Rate Calculator to verify if the amount mentioned in DE 6 includes the correct CBFM markup after conversion.
- ECB Rate Service applies only to European Economic Area (EEA).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Table 183: Table 1846001

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184600100001	1	1	C	ICC PURCHASE SIGNATURE
	This test case is for ICCR only or CBFM only. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 (Primary Account Number) = (Registered ICCR or CBFM Account Range). DE 6 (Amount, Cardholder Billing) = transaction amount including ICCR amount or CBFM amount. DE 49 (Currency Code, Transaction) not equal to DE 51 (Currency Code, Cardholder Billing).				

Dual Message Clearing: Issuer Credit and Debit

Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
2	184600100002	1	1	C	ICC ATM WITHDRAWAL ONLINE PIN
	This test case is for ICCR only or CBFM only. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable value. DE 2 (Primary Account Number) = (Registered ICCR or CBFM Account Range). DE 6 (Amount, Cardholder Billing) = transaction amount including ICCR amount or CBFM amount. DE 49 (Currency Code, Transaction) not equal to DE 51 (Currency Code, Cardholder Billing).				
3	184600100003	1	1	C	ICC PURCHASE WITH CASHBACK SIGNATURE
	This test case is for ICCR only or CBFM only. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 2 (Primary Account Number) = (Registered ICCR or CBFM Account Range). DE 6 (Amount, Cardholder Billing) = transaction amount including ICCR amount or CBFM amount. DE 49 (Currency Code, Transaction) not equal to DE 51 (Currency Code, Cardholder Billing).				
4	184600100011	1	1	C	ICC PURCHASE SIGNATURE
	This test case is for ECB Rate Service only or ECB plus CBFM. Issuer participates in CBFM and CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 6 includes CBFM markup of issuer choice. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				

Dual Message Clearing: Issuer Credit and Debit

Table 1846001: Issuer Currency Conversion Rate (ICCR), Cross-Border Fee Manager (CBFM), and ECB Services

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
5	184600100012	1	1	C	ICC ATM WITHDRAWAL ONLINE PIN
	This test case is for ECB Rate Service only or ECB plus CBFM. Issuer participates in CBFM and CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable value. DE 6 includes CBFM markup of issuer choice. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				
6	184600100013	1	1	C	ICC PURCHASE SIGNATURE
	This test case is for ECB Rate Service only or ECB plus CBFM. Issuer does not participate in CBFM but has registered for CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 6 does not include CBFM markup. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
7	184600100014	1	1	C	ICC ATM WITHDRAWAL ONLINE PIN
	This test case is for ECB Rate Service only or ECB plus CBFM. Issuer does not participate in CBFM but has registered for CBFM ECB Rate Service. Card Program ID: MCC, DMC, MSI, CIR; GCMS Product ID applicable value. DE 6 does not include CBFM markup. DE 49 (Currency Code, Transaction) and DE 51 (Currency Code, Cardholder Billing) are two different EEA regional currencies of issuer choice. PDS 0142, SF 1-3 containing values of issuer choice to test ECB rates that are lower, equal, and/or higher than DE 10 rate.				

Table 1846161: Token Service Provider (Token/PAN Mapping)

The test cases in the table 1846161 address how an issuer processes clearing dual messages for First Presentment/1240 messages containing Token Service Provider (TSP) Token/PAN Mapping related information for various POS entry modes.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Clearing

Operation Type: ICC

Testing Type: Product and Services

File Type: Mastercard-generated File

Program: Token Service Provider (Token/PAN Mapping)

Table 184: Table 1846161

Test Case	Test Case Ref No	SIM	MTF	M or C	Business Transaction
Presentment/1240 - First Presentment					
1	184616100001	1	1	C	ICC CONTACTLESS PURCHASE NO CVM
	TSP Token/PAN mapping completed. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 22, SF 7 = M (PAN auto-entry via contactless M/Chip). DE 2 contains PAN. PDS 0001 (SF 1 = 1b or 1C and SF 2 = Token account number) contains token information. PDS 0058 (Token Assurance Method) and/or PDS 0059 (Token Requestor ID) present if provided by acquirer.				
2	184616100002	1	1	C	ICC PURCHASE NO CVM
	TSP Token/PAN mapping completed. Card Program ID: MCC, DMC, MSI; GCMS Product ID applicable value. DE 22, SF 7 = C (PAN auto-entry via chip (online authorized transaction)). DE 2 contains PAN. PDS 0001 (SF 1 = 1b or 1C and SF 2 = Token account number) contains token information. PDS 0058 (Token Assurance Method) and/or PDS 0059 (Token Requestor ID) present if provided by acquirer.				

Chapter 4 Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit

This chapter describes the test cases for conducting individual integrated application testing and validation of a customer's Dual Message authorization and clearing applications.

Test Cases: Issuer Credit and Debit.....	686
Table 2750001: Base Testing.....	687
Message Flows: Mandatory Business Transactions.....	692
Table 2750201: Mandatory Business Transactions.....	693

It contains details about the test cases applicable to the *Issuer Credit and Debit* business profile during integrated application testing and validation of a customer's issuer Dual Message authorization and clearing applications.

NOTE: When conducted for

- **the purposes of an integrated testing, these test cases are designed to take two days for ATM transactions, and three days for non-ATM transactions.**
- **the customer's own testing purposes, no specific time limits apply.**

The *Online Validation manual* in the **Testing References** document set in the **Technical Resource Center** provides references to these test cases and indicates when they should be conducted.

Test Cases: Issuer Credit and Debit

The following test cases will test whether an issuer's Dual Message Applications are able to successfully process the complete transaction life cycle by addressing all messages exchanged during authorization, clearing, and any subsequent exception cycle. A Customer's applications must also verify that the data used in any message is compliant with that used in previous messages in the life cycle.

The test cases cover MOST business transactions for this business profile. However, customers only need to address the mandatory business transactions (marked as M), together with those conditional business transactions (marked as C) applicable to their proposed business activity.

NOTE: During integrated application testing for purposes of an integrated testing, customers must be capable of supporting all six GCMS clearing cycle cut-off times.

This table lists the test cases applicable to the *Issuer Credit and Debit* business profile. Select the appropriate business transactions in the table and follow the message flows described.

If customers support integrated circuit card (ICC)-based operations, all of the ICC-based business transactions should be additionally selected (with the possible exception of offline PIN-based transactions which customers may have chosen not to support).

If customers support Contactless magnetic stripe-based operations, all of the contactless magnetic stripe-based business transactions must additionally be selected.

If customers support Contactless M/Chip ICC-based operations, all of the contactless M/Chip ICC-based business transactions must additionally be selected.

NOTE: For integrated application testing and validation to be successful for integrated testing purposes, customers must successfully process both the ATM and the non-ATM transactions.

Table 2750001: Base Testing

The table 2750001 lists the test cases applicable to the Issuer Credit and Debit business profile. Select the appropriate business transactions in the table and follow the message flows described.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Integrated Authorization and Clearing

Operation Type: MSR

Testing Type: Base

Program: Base Testing

Table 185: Table 2750001

Test Case ID	Test Case Ref No	M or C	Business Transactions	Test Card ID	0100 Messages	0400/0420 Messages	1240 Messages			
					No. of 0100s	RC in 0110	No. of Rev	RC in Rev	RC in Resp	No. of 1240s
ATM Transactions:										
1	275000100001	M	MSR ATM Online PIN	MCC DMC MSI CIR	2	00	1	17	00	–

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750001: Base Testing

Test Case ID	Test Case Ref No	M or C	Business Transactions	Test Card ID	0100 Messages	0400/0420 Messages	1240 Messages			
					No. of 0100s	RC in 0110	No. of Rev	RC in Rev	RC in Resp	No. of 1240s
							1	32	00	1
				MCC DMC MSI CIR	1	00	-	-	-	1
				MCC DMC MSI CIR	1	51	-	-	-	-
				MCC DMC MSI CIR	1	55	-	-	-	-
				MCC DMC MSI CIR	1	57	-	-	-	-
Non-ATM Transactions:										
2	275000100002	M	MSR purchase signature	MCC DMC MSI	2	00	1	17	00	-
							1	32	00	1
				MCC DMC MSI	1	00	-	-	-	1
				MCC DMC MSI	1	05	-	-	-	-
				MCC DMC MSI	1	51	-	-	-	-

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750001: Base Testing

Test Case ID	Test Case Ref No	M or C	Business Transactions	Test Card ID	0100 Messages	0400/0420 Messages	1240 Messages			
					No. of 0100s	RC in 0110	No. of Rev	RC in Rev	RC in Resp	No. of 1240s
				MCC DMC MSI	1	61	–	–	–	–
3	275000100003	M	Manual purchase signature	MCC DMC	1	00	–	–	–	1
4	275000100004	M	MOTO purchase no CVM	MCC DMC MSI	1	00	–	–	–	1
5	275000100005	M	MSR CAT level 1 purchase online PIN	MCC DMC	1	00	–	–	–	1
6	275000100006	M	MSR CAT level 2 purchase no CVM	MCC DMC	1	00	–	–	–	1
7	275000100007	C	MSR CAT level 3 purchase no CVM MCC DMC ¹	MCC DMC	n/a	n/a	n/a	n/a	n/a	1
8	275000100008	M	MSR CAT level 4 purchase no CVM	MCC DMC	1	00	–	–	–	1
9	275000100009	M	Electronic commerce purchase online PIN	MCC DMC MSI	1	00	–	–	–	1
10	275000100010	M	Electronic commerce purchase no CVM	MCC DMC MSI	1	00	–	–	–	1

¹ CAT level 3 terminals operate in offline mode, therefore online Authorization Requests are not possible. However, the First Presentment derived from the offline authorization can be tested.

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750001: Base Testing

Test Case ID	Test Case Ref No	M or C	Business Transactions	Test Card ID	0100 Messages	0400/0420 Messages	1240 Messages			
					No. of 0100s	RC in 0110	No. of Rev	RC in Rev	RC in Resp	No. of 1240s
11	275000100011	M	MSR cash advance signature	MCC DMC	1	00	–	–	–	1
12	275000100012	M	Manual cash advance signature	MCC DMC MSI	1	00	–	–	–	1
13	275000100013	M	Manual payment transaction no CVM	MCC DMC MSI	1	00	–	–	–	1
14	275000100014	C	MSR CAT level 7 purchase signature ²	MCC DMC	1	00	–	–	–	1
15	275000100015	M	MSR purchase online PIN	MCC DMC MSI	1	00	–	–	–	1
16	275000100016	M	MSR cash advance online PIN	MCC DMC	1	00	–	–	–	1
17	275000100017	M	MSR purchase with cash back signature	DMC MSI	1	00	–	–	–	1
18	275000100018	M	MSR purchase with cash back online PIN	DMC MSI	1	00	–	–	–	1
19	275000100019	M	MSR payment transaction no CVM	MCC DMC MSI	1	00	–	–	–	1

² This business transaction is defined as having no specific constraints on Point of Service Entry Mode and/or Cardholder Verification Method. It could therefore also be present as other transaction types. To not complicate the business profiles, it has been included as this transaction type only.

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750001: Base Testing

Test Case ID	Test Case Ref No	M or C	Business Transactions	Test Card ID	0100 Messages	0400/0420 Messages	1240 Messages			
					No. of 0100s	RC in 0110	No. of Rev	RC in Rev	RC in Resp	No. of 1240s
20	275000100020	M	Electronic commerce payment transaction no CVM	MCC DMC MSI	1	00	–	–	–	1

Message Flows: Mandatory Business Transactions

This figure shows the message flows for Mandatory Business Transactions.




Table 2750201: Mandatory Business Transactions

This table describes the test procedures for the mandatory business transactions within the Issuer Credit and Debit business profile.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Dual Message Integrated Authorization and Clearing

Operation Type:

Testing Type:

Program: Mandatory Business Transactions

Table 186: Table 2750201

Step	Test Case Ref No	Day	Action
1	275020100001	Day 1— morning	The MTF sends the Authorization Requests indicated for each mandatory business transaction.

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750201: Mandatory Business Transactions

Step	Test Case Ref No	Day	Action
2	275020100002	Day 1— morning	For MSR purchase signature: • Approve three transactions using response code 00 • Decline one transaction using response code 51 • Decline one transaction using response code 05 • Decline one transaction using response code 61 To all valid Authorization Requests, customers must respond in the following manner: For MSR ATM online PIN: • Approve three transactions using response code 00 • Decline one transaction using response code 51 • Decline one transaction using response code 55 • Decline one transaction using response code 57

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750201: Mandatory Business Transactions

Step	Test Case Ref No	Day	Action
2 (cont.)	275020100002	Day 1— morning	For each of the following business transactions customers must send an approval response (with response code 00): • Manual purchase signature • MOTO purchase no CVM • MSR CAT level 1 purchase online PIN • MSR CAT level 2 purchase no CVM • MSR CAT level 4 purchase no CVM • Electronic commerce purchase online PIN • Electronic commerce purchase no CVM • MSR cash advance signature • Manual cash advance signature • Manual payment transaction no CVM • MSR purchase online PIN • MSR cash advance online PIN • MSR payment transaction no CVM • Electronic commerce payment transaction no CVM • MSR purchase with cash back signature • MSR purchase with cash back online PIN
3	275020100003	Day 1— morning	Further to four of the approved Authorization Requests, the MTF sends: • For ATM transactions, one partial Reversal Advice and one full Reversal Advice • For non-ATM transactions, one partial Reversal Advice and one full Reversal Advice
4	275020100004	Day 1— morning	Customers must respond to all Reversal Advice messages by sending a Reversal Advice Response with response code 00. The life cycle of the fully reversed transactions ends here.

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750201: Mandatory Business Transactions

Step	Test Case Ref No	Day	Action
5	275020100005	Day 2— morning	The MTF sends First Presentment messages based on the partial Reversal Advices. The MTF also sends one First Presentment for each Authorization Request customers approved. In addition, the MTF sends two First Presentments for transactions equal to or below the floor limit (that is, with no prior Authorization Request). All messages will be delivered in the file generated by Mastercard shortly. Customers must match each First Presentment with a corresponding Authorization Response. Before the end of the day, customers must confirm to Mastercard by fax or e-mail that: • All response messages with response code 00 have been matched and reconciled properly against the Authorization Requests and Reversal Advices. • Every First Presentment that customers received had been previously authorized, except for the transactions below the floor limit.
6	275020100006	Day 2— before COB	Further to the First Presentments relative to the non-ATM transactions, customers must send two Retrieval Requests and two First Chargebacks. Further to the First Presentments relative to the ATM transactions, customers must send two First Chargebacks. Customers must verify that Mastercard receives their file before close of business.

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750201: Mandatory Business Transactions

Step	Test Case Ref No	Day	Action
7	275020100007	Day 3— morning	Further to customers First Chargeback messages relative to ATM transactions, the MTF sends Second Presentments. The life cycle of the ATM transactions ends here_there will be no further message exchange. Further to customers Retrieval Requests relative to non-ATM transactions, the MTF sends two Fee Collections. Further to customers First Chargeback messages relative to non-ATM transactions, the MTF sends Second Presentments. All messages will be delivered in the file generated by Mastercard.
8	275020100008	Day 3— before COB	Further to the non-ATM Second Presentments, customers must send one Arbitration Chargeback (Message Reason Code 4808) and one Partial Arbitration Chargeback. The life cycle of these messages ends here_there will be no further message exchange. Further to the non-ATM Fee Collections, customers must send one Partial First Chargeback and one First Chargeback. Customers must verify that Mastercard receives their file before close of business.
9	275020100009	Day 4— morning	Further to customers Partial First Chargeback, the MTF sends one Partial Second Presentment. Further to customers First Chargeback, the MTF sends one Second Presentment. All messages will be delivered in the file generated by Mastercard.
10	275020100010	Day 4— before COB	Further to the Partial Second Presentment, customers must send one Partial Arbitration Chargeback. Further to the Second Presentment, customers must send one Arbitration Chargeback. Customers must verify that Mastercard receives their file before close of business.

Dual Message Integrated Authorization and Clearing: Issuer Credit and Debit
Table 2750201: Mandatory Business Transactions

Step	Test Case Ref No	Day	Action
11	275020100011	Day 5	When conducting integrated testing for purposes of an integrated testing, customers must contact their Customer Implementation project manager on Day 5 to confirm that the integrated testing has been completed for all mandatory and, if appropriate, conditional business transactions.

Chapter 5 Single Message Authorization: Issuer Credit and Debit

The test cases listed in this section are applicable to Magnetic stripe-based (MSR) and Integrated Circuit Code-based (ICC) operations.

Issuer Base Testing for Single Message MSR and CNP Authorization Operations.....	704
Table 3300001: All Business Transactions (MCC, DMC).....	704
Table 3300002: All Business Transactions (MSI, CIR).....	714
Table 3300003: Unapproved Response Codes.....	725
Table 3300004: Technical Conditions.....	727
Table 3300009: CVC 1 and CVC 2.....	729
Table 3300010: System-generated Advices.....	730
Table 3300055: Transaction Data Elements Program.....	731
Table 3300060: Mastercard Identity Check.....	742
Table 3300065: Account Status Inquiry Service.....	744
Table 3301701: DE 28 Transaction Fee.....	748
Issuer Products and Services Testing for Single Message MSR and CNP Authorization Operations.....	751
Table 3300020: Transaction Link ID.....	751
Table 3300075: Acquirer Country Code	752
Table 3300101: Merchant Advice Code.....	754
Table 3300130: Maestro Multiple Completions.....	755
Table 3300131: Maestro Preauthorization Incrementals.....	757
Table 3300140: ISO Format 4 PIN Blocks.....	760
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators.....	761
Table 3300190: Gaming and Gambling Transactions.....	773
Table 3300225: Business-to-Business Transactions.....	775
Table 3300250: Payment Resiliency Service.....	776

Table 3300360: Issuer Token Notification.....	777
Table 3300371: Payment Account Reference (PAR) on Funding PAN.....	779
Table 3300575: Staged Digital Wallet Operator (Brazil).....	781
Table 3300616: Mastercard Utility Payment Program.....	783
Table 3300625: Transit Program (Post-Authorized Aggregated Model – US Region).....	784
Table 3300629: Transit Program (Prefunded Model and all Debt Recovery).....	786
Table 3300633: Electric Vehicle Charging.....	788
Table 3300645: Automated Fuel Dispenser.....	789
Table 3300801: Address Verification Service.....	792
Table 3300815: Name Validation Request.....	794
Table 3300900: Acceptor Tax Data (Brazil).....	798
Table 3300942: Uruguay Domestic Processing Program.....	799
Table 3300943: Argentina Domestic Processing Program.....	810
Table 3301099: Contactless Magnetic Stripe (All Business Transactions)	825
Table 3301145: Tokenization Request and Notification Messages.....	826
Table 3301351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service.....	839
Table 3301550: Domestic Processing (Colombia).....	840
Table 3301801: PIN Management (ATM PIN Change).....	845
Table 3301850: Maestro switching of Visa CP PIN-less transactions (U.S. Region).....	847
Table 3303101: Fraud Notification Service.....	848
Table 3308402: Mexico Domestic Switching (ATM Transactions).....	850
Table 3308403: Mexico Domestic Switching (ATM Transactions).....	853
Table 3309001: Argentina Regulatory Mandate.....	855
Issuer Base Testing for Single Message ICC Authorization Operations.....	856
Table 3350001: All Business Transaction (MCC, DMC).....	856
Table 3350002: All Business Transactions (MSI, CIR).....	860
Table 3350003: Unapproved Response Codes.....	864

Table 3350004: Technical Conditions.....	866
Table 3350010: System-generated Financial Transaction Advices.....	869
Table 3350041: Dynamic Currency Conversion	871
Table 3350050: Additional Merchant Data.....	873
Table 3350055: Transaction Data Elements Program.....	876
Table 3350095: DE 110 (Additional Data-2).....	882
Table 3350201: Partial Approval Processing.....	885
Table 3351701: DE 28 Transaction Fee.....	886
Issuer Products and Services Testing for Single Message ICC Authorization Operations.....	888
Table 3350020: Transaction Link ID.....	888
Table 3350101: Merchant Advice Code.....	890
Table 3350102: PIN Management (Selected Response Codes).....	891
Table 3350103: PIN Management (All Business Transactions).....	892
Table 3350140: ISO Format 4 PIN Blocks.....	893
Table 3350190: Gaming and Gambling Payments Program.....	894
Table 3350341: Mastercard <i>rePower</i>	896
Table 3350371: Payment Account Reference (PAR) on Funding PAN	898
Table 3350445: Maestro Switching of Visa CP PIN-less Transactions (U.S. Region).....	899
Table 3350501: Contactless M/Chip (All Business Transactions).....	900
Table 3350503: Contactless M/Chip (Technical Conditions).....	903
Table 3350504: Contactless M/Chip (Over CVM Ceiling Limit).....	907
Table 3350601: Purchase with Cash Back.....	908
Table 3350625: Transit Program (Post-Authorized Aggregated Model – US Region).....	910
Table 3350629: Transit Program (All Models, Debt Recovery and ATC Update).....	913
Table 3350633: Electric Vehicle Charging.....	918
Table 3350645: Automated Fuel Dispenser.....	922
Table 3350646: Maestro Automated Fuel Dispenser (AFD) Transactions.....	928

Table 3350715: Transit Top-Up Payment Transactions (India).....	931
Table 3350751: ATM Deposit Sharing.....	933
Table 3350801: Address Verification Service.....	934
Table 3350945: Paraguay Domestic Processing Program.....	935
Table 3351145: MDES Tokenization Request via Chip Card.....	939
Table 3351201: Funding Transactions at the ATM.....	949
Table 3351351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service.....	950
Table 3351702: Cardholder Authentication Service with Biometric Card.....	952
Table 3351821: PIN Translation Option.....	956
Table 3352201: Real-time Substantiation (U.S. Region).....	957
Table 3353101: Fraud Notification Service.....	961
Table 3359500: High-Risk Purchase Identifier.....	963

It contains details about the test cases applicable to the *Issuer Credit* and *Debit* business profile during integrated application testing and validation of a customer's issuer Single Message applications.

Customers must conduct the test cases provided for contact magnetic stripe-based operations.

- If customers contact standard ICC-based operations, they must also conduct the test cases provided for contact ICC-based operations.
- If customers support contactless magnetic stripe-based operations, they must also conduct the test cases provided for contactless magnetic stripe-based operations.
- If customers support contactless ICC-based operations, they must also conduct the test cases provided for contactless ICC-based operations and for contact ICC-based operations.

The *Online Validation manual* in the **Testing References** document set in the **Technical Resource Center** provides references to these test cases and indicates when they should be conducted.

Single message table column definition

Table 187: Table column definition

Column name	Column definition
Case ID	Test case identifier.
MTI	Message Type Indicator.
Test Case Ref No	Optional information that may be included in issuer messages for traceability.
SIM	The authorization message sent by an acquirer, or received by an issuer when the test case is conducted during the Offline Validation activity.
MTF	The authorization message sent by an acquirer, or received by an issuer when the test case is conducted during the Online Validation activity.
Business Transactions	The name of the business transaction that must be used during the test case. It is then the customer's choice which of the card products to use.
DE 3_1	Cardholder Transaction Type Code.
DE 22_1	POS Terminal PAN Entry Mode. It is then the customer's choice which of the four card products to use.

Column name	Column definition
DE 61_10	Cardholder Activated Terminal Level. It is then the customer's choice which of the four card products to use.
DE 52	Personal ID Number (PIN) Data.
Card ID	The identifier related to the test card that must be used for the test case: • For an acquirer business profile, the identifier will refer to the Mastercard test cards as provided in the <i>Test BINs and Card Data for Acquirers</i> manual. • For an issuer business profile, the identifier will refer to an issuer brand.
RC	The response code that will be returned in the response message.

NOTE: General comments are provided with each test case to indicate the nature of the test case.

Issuer Base Testing for Single Message MSR and CNP Authorization Operations

The following test cases will test whether an issuer's Single Message Authorization application can receive correctly formatted financial transaction requests, advices, and reversal advices, and process the resulting responses when presented with the required basic functionalities.

Table 3300001: All Business Transactions (MCC, DMC)

The test cases in table 3300001 address how an issuer processes single message financial transaction requests, advices, reversals, and responses for various types of business transactions.

Validations for all business transactions (MCC, DMC)

The following validations apply:

- Test Member Level Settlement where an issuer's Single Message application can settle transactions at the ICA level instead of at the processor level.

- Perform regression testing with an issuer's Single Message application.
- Perform multiple currency settlement with an issuer's Single Message application to receive transaction messages, reports, 250-byte Batch Data File, and settlement information processed in any currency.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Base

Program: All Business Transactions (MCC, DMC)

Table 188: Table 3300001

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330000100001	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		DMC	00
		DE 48, SE 61, SF 5 = 1 (Final Authorization) and DE 61, SF 7 = 4 (Preauthorization Request).									
2	0200	330000100002	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	DMC	00
		DE 48, SE 61, SF 5 = 1 (Final Authorization) and DE 61, SF 7 = 4 (Preauthorization Request).									
3	0200	330000100003	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
		DE 48, SE 61, SF 5 = 1 (Final Authorization) and DE 61, SF 7 = 4 (Preauthorization Request).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	330000100004	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
		DE 48, SE 61, SF 5 = 0 (Normal Authorization/Undefined Finality) and DE 61, SF 7 = 4 (Preauthorization Request).									
5	0200	330000100005	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
		DE 48, SE 61, SF 5 = 2 (Preauthorization) and DE 61, SF 7 = 4 (Preauthorization Request).									
6	0200	330000100006	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	41
		Business transaction format and content and DE 61, SF 7 = 4 (Preauthorization Request)									
7	0200	330000100007	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 20 (Checking Account). 0420: DE 60 = 453 0041 (Financial transaction cancellation; card returned).									
8	0200	330000100008	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MCC DMC	00
		DE 3, SF 2 = 20 (Checking Account)									
9	0200	330000100009	1	1	MSR ATM PURCHASE ONLINE PIN	00	90	1	V	MCC DMC	00
		ATM purchase transaction indicated by DE 3, SF 1 = 00 and DE 18 = 6012.									
10	0200	330000100011	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	51
		Business transaction format and content and DE 61, SF 7 = 4 (Preauthorization Request)									

Single Message Authorization: Issuer Credit and Debit
Table 3300001: All Business Transactions (MCC, DMC)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
11	0200	330000100012	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	54
		Business transaction format and content and DE 61, SF 7 = 4 (Preauthorization Request)									
12	0200	330000100016	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	V
		0210: DE 48, SF 87 = Y (Invalid CVC 1) and DE 61, SF 7 = 4 (Preauthorization Request)									
13	0200	330000100017	1	1	MANUAL ENTRY PURCHASE SIGNATURE	00	01	0		DMC	00
		0200: DE 48, SE 92 = CVC 2 value and DE 61, SF 7 = 4 (Preauthorization Request). 0210: DE 48, SE 87 = M (CVC 2 match).									
14	0200	330000100018	1	1	MANUAL ENTRY MOTO PURCHASE NO CVM	00	01	0		DMC	V
		0200: DE 48, SE 92 = CVC 2 value and DE 61, SF 7 = 4 (Preauthorization Request). 0210: DE 48, SE 87 = N (CVC 2 non-match).									
15	0200	330000100019	1	1	MANUAL ENTRY MOTO PURCHASE NO CVM	00	01	0		DMC	V
		0200: DE 48, SE 92 = CVC 2 value and DE 61, SF 7 = 4 (Preauthorization Request). 0210: DE 48, SE 87 = P (CVC 2 not processed).									
16	0200	330000100021	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
	0420		1	1	DE 39 = 00						00
		DE 61, SF 7 = 4 (Preauthorization Request) and Full reversal									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
17	0200	330000100030	1	1	MSR CAT LEVEL 2 PURCHASE NO CVM	00	90	2		DMC	00
		DE 18 = 5542 (Fuel dispenser, automated) and DE 61, SF 7 = 4 (Preauthorization Request)									
18	0200	330000100034	1	1	MSR PURCHASE WITH CASH BACK SIGNATURE	09	90	0		DMC	00
		Purchase with Cash Back DE 3 (Processing Code) = 09 with the cash back amount in DE 54 (Additional Amounts) is equal to the amount in DE 4 (Amount, Transaction) and DE 61, SF 7 = 4 (Preauthorization Request).									
19	0200	330000100035	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC	00
	0420		1	1	DE 39 = 00						00
		Card Not Present (CNP) transaction - electronic commerce purchase and UCAF no support and DE 61, SF 7 = 4 (Preauthorization Request). 0420: Full reversal, DE 39 = 00 (Approval) and DE 60 = 450 0021 (Suspect Fraud).									
20	0200	330000100039	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC	00
		Online initiated transaction identified as submitted using a wallet and DE 61, SF 7 = 4 (Preauthorization Request). DE 48, SE 26, SF 1 = any valid Wallet Identifier value.									
21	0200	330000100041	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
		Original financial request indicated by presence of DE 48, SE 63 positions 14-15 value 01 to be followed by an incremental financial request. DE 61, SF 7 = 4 (Preauthorization Request).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
22	0200	330000100042	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
	0420		1	1	DE 39 = 00						00
		0200: Incremental financial request indicated by presence of DE 48, SE 63 positions 14-15 containing spaces and DE 61, SF 7 = 4 (Preauthorization Request). 0420: Same day partial reversal of previously approved original and incremental financial transaction request; DE 60 = 4510010 (Partial dispense; card returned) and DE 48, SE 63 positions 14-15 = 02.									
23	0200	330000100045	1	1	MSR CAT LEVEL 9 PURCHASE SIGNATURE	00	90	9		DMC	00
		mPOS device Phone/Tablet +Dongle with PIN Pad and DE 61, SF 7 = 4 (Preauthorization Request). DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
24	0200	330000100050	1	1	MSR PURCHASE WITH CASH BACK ONLINE PIN	09	90	0	V	DMC	V
		DE 28 (Transaction Fee Amount) is present and DE 61, SF 7 = 4 (Preauthorization Request). DE 54 (Additional Amounts) = Cash back amount. DE 4 = the sum of the amounts for the purchase, plus the cash back amount in DE 54, plus the Fee amount in DE 28.									
25	0200	330000100055	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
		Original financial request indicated by presence of DE 48, SE 63 positions 14-15 value 01 to be followed by an incremental financial request. DE 61, SF 7 = 4 (Preauthorization Request).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
26	0200	330000100056	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
	0420		1	1	DE 39 = 00						00
		0200: Incremental financial request indicated by presence of DE 48, SE 63 positions 14-15 containing spaces and DE 61, SF 7 = 4 (Preauthorization Request). 0420: Full reversal of previously approved original and incremental financial transaction request processed after settlement cutoff, DE 60 = 4560015 (Debit Mastercard preauthorization reversal received after settlement cutoff) and DE 48, SE 63 positions 14-15 = 02.									
27	0200	330000100061	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		DMC	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant and DE 61, SF 7 = 4 (Preauthorization Request). DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); and SF 5 = 1 (Card not present).									
28	0200	330000100062	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC	00
		Mail order or phone order transaction where cardholder has saved a credential-on-file with merchant and DE 61, SF 7 = 4 (Preauthorization Request). DE 61, SF 3 = 3 (No terminal used); SF 4 = 2 (Mail/facsimile order) or 3 (Phone/ARU order); and SF 5 = 1 (Card not present).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
29	0200	330000100063	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant and DE 61, SF 7 = 4 (Preauthorization Request). DE 61, SF 3 = 3 (No terminal used); SF 4 = 4 (Standing order / recurring transactions); and SF 5 = 1 (Card not present).									
30	0200	330000100064	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC	00
		Unknown reason how cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present, unspecified); SF 5 = 1 (Card not present); and DE 61, SF 7 = 4 (Preauthorization Request).									
31	0200	330000100065	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC	00
		Brick and mortar where cardholder has saved a credential-on-file with merchant. DE 61, SF 4 = 0 (Cardholder present); SF 5 = 1 (Card not present); and DE 61, SF 7 = 4 (Preauthorization Request).									
32	0220	330000100068	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		DMC	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase advice approved by merchant or acquirer. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); SF 5 = 1 (Card not present); and DE 61, SF 7 = 4 (Preauthorization Request). DE 39 = 00 (Approved) and DE 60 = 290 (APS approved).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
33	0200	330000100069	1	1	CREDENTIAL ON FILE CAT LEVEL 6 PURCHASE NO CVM	00	10	6		DMC	00
	0420		1	1	DE 39 = 00						00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 2 (Off premises) or 4 (On premises); SF 4 = 5 (Electronic order); SF 5 = 1 (Card not present); and DE 61, SF 7 = 4 (Preauthorization Request). Reversal: DE 39 = 00 (Approved) and DE 60 = 400 (Network advice: APS error; unable to deliver response).									
34	0220	330000100070	1	N/A	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		DMC	00
		Force post advice containing DE 48, SE 54 (Ancillary Service Charges) with one up to six occurrences of SF 1 (Ancillary Fee Code) and SF 2 (Ancillary Fee Amount).									
35	0200	330000100071	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	DMC	00
		mPOS device Phone/Tablet +Dongle without PIN Pad and DE 61, SF 7 = 4 (Preauthorization Request). DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
36	0200	330000100072	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	DMC	00
		mPOS device Phone/Tablet with or without Dongle without PIN Pad and DE 61, SF 7 = 4 (Preauthorization Request). DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device).									
37	0200	330000100081	1	1	MSR CASH DISBURSEMENT SIGNATURE	17	90	0		DMC	51
		Business transaction format and content and DE 61, SF 7 = 4 (Preauthorization Request).									
38	0200	330000100081	1	1	MANUAL ENTRY CASH DISBURSEMENT SIGNATURE	17	01	0		DMC	51
		Business transaction format and content and DE 61, SF 7 = 4 (Preauthorization Request).									
39	0200	330000100083	1	1	MSR REFUND SIGNATURE	20	90	0		DMC	00
	0420		1	1	DE 39 = 00						00
		Refund transaction and DE 61, SF 7 = 4 (Preauthorization Request) followed by full reversal. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
40	0200	330000100084	1	1	MANUAL ENTRY REFUND SIGNATURE	20	01	0		DMC	00
		Refund transaction and DE 61, SF 7 = 4 (Preauthorization Request). NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									

Table 3300002: All Business Transactions (MSI, CIR)

The test cases in table 3300002 address how an issuer processes single messages financial transaction requests and responses for various types of business transactions.

Validations for all business transactions (MSI, CIR)

These test cases may be user for the following validations:

- for testing of Member Level Settlement where an issuer's Single Message application can settle transactions at the ICA level instead of at the processor level.
- to perform regression testing with an issuer's Single Message application.
- to perform multiple currency settlement with an issuer's Single Message application to receive transaction messages, reports, 250-byte Batch Data File, and settlement information processed in any currency.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Base

Program: All Business Transactions (MSI, CIR)

Table 189: Table 3300002

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	3300002000001	1	1	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	MSI	00
	0220		1	1	DE 39 = 00						00
		DE 3, SF 2 = 10 (Savings Account). This is an AFD transaction (DE 18 = 5542) and the 0220 contains DE 60 = 290 for the AFD completion.									
2	0200	3300002000002	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	51
		DE 3, SF 2 = 10 (Savings Account). DE 39 = 51 (Insufficient funds).									
3	0200	3300002000003	1	1	MSR PURCHASE ONLINE PIN	00	90	0	IV	MSI	55
		DE 3, SF 2 = 00 (No account specified [NAS]/Default Account). DE 39 = 55 (Invalid PIN).									
4	0200	3300002000004	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default Account).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0200	330000200005	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default Account). 0420: DE 60 = 490 0010 (Adjustment).									
6	0200	330000200008	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MSI CIR	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default Account). 0420: DE 60 = 450 0018 (Zero dispense: card returned; POI failure).									
7	0200	330000200009	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	41
		DE 3, SF 2 = 10 (Savings Account). DE 39 = 41 (Lost card).									
8	0200	330000200010	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	43
		DE 3, SF 2 = 10 (Savings Account). DE 39 = 43 (Stolen card).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	330000200011	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	14
		DE 3, SF 2 = 10 (Savings Account). DE 39 = 14 (Invalid card number).									
10	0200	330000200012	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		DE 3, SF 2 = 20 (Checking Account).									
11	0200	330000200013	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	0	V	MSI CIR	00
		DE 3, SF 2 = 20 (Checking Account).									
12	0200	330000200015	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		DE 3, SF 2 = 10 (Savings Account).									
13	0220	330000200016	1	1	MSR PURCHASE ONLINE PIN	00	90	0		MSI	00
		DE 3, SF 2 = 10 (Savings Account). DE 60, SF 1 = 290 (APS approved transaction; preauthorized by issuer).									
14	0200	330000200017	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present); and SF 5 = 1 (Card not present).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
15	0200	330000200018	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Mail order or phone order transaction (MOTO) where cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 2 (Mail/facsimile order) or 3 (Phone/ARU order); and SF 5 = 1 (Card not present).									
16	0200	330000200019	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 4 (Standing order / recurring transactions); and SF 5 = 1 (Card not present).									
17	0200	330000200020	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Unknown reason how cardholder has saved a credential-on-file with merchant. DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present, unspecified); and SF 5 = 1 (Card not present).									
18	0200	330000200021	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		Brick and mortar where cardholder has saved a credential-on-file with merchant. DE 61, SF 4 = 0 (Cardholder present); and SF 5 = 1 (Card not present).									
19	0200	330000200024	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	54
		DE 3, SF 2 = 10 (Savings Account). DE 39 = 54 (Expired card).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
20	0200	330000200025	1	1	MSR PURCHASE ONLINE PIN	00	90	0	IV	MSI	55
		DE 3 SF 2 = 20 (Checking Account). DE 39 = 55 (Invalid PIN).									
21	0220	330000200028	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase advice approved by merchant or acquirer. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present); and SF 5 = 1 (Card not present). DE 39 = 00 (Approved) and DE 60 = 290 (APS approved).									
22	0200	330000200029	1	1	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		MSI	00
	0420		1	1	DE 39 = 00						00
		E-Commerce transaction where cardholder has saved a credential-on-file with merchant. Purchase request followed by reversal message. DE 48, SE 42 (SLI values) = 210 (UCAF data collection is not supported by the merchant or an Identity Check merchant has chosen not to undertake Identity Check on this transaction). DE 61, SF 3 = 3 (No terminal used); SF 4 = 1 (Cardholder not present); and SF 5 = 1 (Card not present). Reversal: DE 39 = 00 (Approved) and DE 60 = 400 (Network advice: APS error; unable to deliver response).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
23	0200	330000200030	1	1	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		MSI	00
		DE 3, SF 2 = 20 (Checking Account).									
24	0200	330000200031	1	1	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		MSI	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 20 (Checking Account). 0420: DE 60 = 451 0010 (Partial dispense: card returned).									
25	0200	330000200032	1	1	MSR CAT LEVEL 1 PURCHASE WITH CASH BACK ONLINE PIN	09	90	1	V	MSI	00
		DE 3, SF 2 = 20 (Checking Account).									
26	0200	330000200033	1	1	MSR CAT LEVEL 1 POS BALANCE INQUIRY ONLINE PIN	30	90	1	V	MSI	00
		DE 3, SF 2 = 00 (No account specified [NAS]/Default Account).									
27	0200	330000200034	1	1	MSR POS BALANCE INQUIRY ONLINE PIN	30	90	0	V	MSI	00
		DE 3, SF 2 = 20 (Checking Account).									
28	0200	330000200035	1	1	MSR REFUND NO CVM	20	90	0		MSI	00
		DE 3, SF 2 = 20 (Checking Account). NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
29	0200	330000200051	1	1	MSR CASH BACK ONLY ONLINE PIN	09	90	0	V	MSI	00
		Purchase with Cash Back DE 3 (Processing Code) = 09 with the cash back amount in DE 54 (Additional Amounts) is equal to the amount in DE 4 (Amount, Transaction).									
30	0200	330000200052	1	1	ELECTRONIC COMMERCE PURCHASE ONLINE PIN	00	81	6	V	MSI	00
		Electronic commerce purchase via personal computer with PIN pad. DE 3, SF 2 = 20 (Checking Account). DE 48, SE 42 = 211 indicating merchant attempts AAV.									
31	0200	330000200053	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Electronic commerce purchase via personal computer. DE 3, SF 2 = 10 (Savings Account). DE 48, SE 42 = 212 indicating merchant supports UCAF and data was collected. DE 48, SE 43 contains the encoded Mastercard Identity Check issuer or cardholder generated authentication data collected by the merchant. DE 48, SE 66 (Authentication Data), SF 1 (Program Protocol) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
32	0200	330000200054	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
	0420		1	1	DE 39 = 00						00
		Electronic commerce purchase via personal computer. DE 3, SF 2 = 20 (Checking Account) and DE 48, SE 42 = 210 indicating merchant not Identity Check-enabled. Followed by 0420 full reversal with DE 39 = 00 (Approval) and DE 60 = 450 0021 (Suspect Fraud).									
33	0200	330000200056	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
	0420		1	1	DE 39 = 00						00
		Restaurant transaction with 10% gratuity. 0200: DE 54 contains amount type 44 (Amount Gratuity). 0420: Partial reversal; DE 60 = 4510010.									
34	0200	330000200059	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Online initiated transaction identified as submitted using a wallet. DE 48, SE 26, SF 1 = any valid Wallet Identifier value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
35	0200	330000200060	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
36	0200	330000200062	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MSI CIR	00
		DE 3, SF 2 = 30 (Credit Card Account).									
37	0200	330000200063	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MSI CIR	00
		DE 3, SF 2 = 10 (Savings Account).									
38	0200	330000200064	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MSI CIR	00
		DE 3, SF 2 = 20 (Checking Account).									
39	0200	330000200065	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account).									
40	0200	330000200066	1	1	MSR CAT LEVEL 1 ATM TRANSFER ONLINE PIN	40	90	1	V	MSI CIR	00
		DE 3, SF 2 = 10 (Savings Account); DE 3, SF 3 = 20 (Checking Account)									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
41	0200	330000200067	1	1	MSR CAT LEVEL 1 ATM TRANSFER ONLINE PIN	40	90	1	V	MSI CIR	00
		DE 3, SF 2 = 20 (Checking Account); DE 3, SF 3 = 10 (Savings Account).									
42	0200	330000200071	1	1	MSR PURCHASE WITH CASH BACK ONLINE PIN	09	90	0	V	MSI	V
		DE 28 (Transaction Fee Amount) is present. DE 54 (Additional Amounts) = Cash back amount. DE 4 = the sum of the amounts for the purchase, plus the cash back amount in DE 54, plus the Fee amount in DE 28.									
43	0220	330000200072	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		MSI	00
		Force post advice containing DE 48, SE 54 (Ancillary Service Charges) with one up to six. occurrences of SF 1 (Ancillary Fee Code) and SF 2 (Ancillary Fee Amount).									
44	0200	330000200076	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI	00
		mPOS device Phone/Tablet +Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
45	0200	330000200077	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI	00
		mPOS device Phone/Tablet with or without Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
46	0200	330000200078	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		DE 61, SF 7 = 1 (Deferred authorization).									

Table 3300003: Unapproved Response Codes

The test cases in table 3300003 show how an issuer processes single message financial transaction requests and responses for unapproved response codes.

NOTE: Issuers must respond with the designated response codes and may optionally respond with other unapproved values of issuer choice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Base

Program: Unapproved Response Codes

Table 190: Table 3300003

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330000300101	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	V
		Call Issuer (01), Capture (04,41,43), Decline (05,12,14,51,54,57,94), and other declines of issuer choice.									

Single Message Authorization: Issuer Credit and Debit
Table 3300003: Unapproved Response Codes

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	330000300102	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	30
		Format Error DE 39 = 30 and, if applicable, DE 44 (Additional Response Data) data of issuer choice. If format error in DE 48, DE 108, or DE 112, then DE 44 should contain six positions consisting of data element and subelement in error. If format error not in DE 48, DE 108, or DE 112 then DE 44 should contain three positions consisting of data element in error. NOTE: Simulator edits may be turned off to allow bad data to be passed to issuer.									
3	0200	330000300103	1	0	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	00
		Capture (04,41,43), Decline (05,12,14,51,54,55,57,61,94), and other declines of issuer choice.									
4	0200	330000300104	1	0	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	30
		Format Error DE 39 = 30 and, if applicable, DE 44 (Additional Response Data) data of issuer choice. If format error in DE 48, DE 108, or DE 112, then DE 44 should contain six positions consisting of data element and subelement in error. If format error not in DE 48, DE 108, or DE 112 then DE 44 should contain three positions consisting of data element in error. NOTE: Simulator edits may be turned off to allow bad data to be passed to issuer.									

Table 3300004: Technical Conditions

The test cases in table 3300004 address how an issuer processes single message financial transactions requests and responses when presented with some of the less common but valid general conditions surrounding the Single message system.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Base

Program: Technical Conditions

Table 191: Table 3300004

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
11	0200	330000400015	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	94
		Execute this same transaction twice to achieve duplicate message wherein issuer expected response code on duplicate message is 94.									
12	0200	330000400016	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	00
		DE 48 contains new unannounced subelement of issuer choice.									
13	0200	330000400021	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Acquirer of Brazil merchant provides merchant fraud score value +500 in DE 112, SE 028.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
14	0200	330000400022	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Acquirer of Brazil merchant provides merchant fraud score value -500 in DE 112, SE 028.									
15	0200	330000400023	1	0	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		Acquirers of Brazil merchant point-of-sale activity containing DE 112, SE 29 with 11-digit personal tax ID.									
16	0200	330000400024	1	0	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		Acquirers of Brazil merchant point-of-sale activity containing DE 112, SE 29 with 14-digit commercial tax ID.									
17	0200	330000400025	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	00
		Card present POS transactions acquired in India contain DE 48, SE 65 (Terminal Compliant Indicator) indicating Terminal Line Encryption (TLE) and Unique Key Per Terminal/Derived Unique Key Per Terminal (UKPT/DUKPT) indicating certification status of issuer choice.									
18	0200	330000400027	1	0	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
	0420		1	0	DE 39 = 00						00
		0200 message sent to issuer and timed out by Single Message Message due to not receiving 0210. 0420: DE 39 = 00, DE 60 = 4020090 (Network Advice: IPS timeout error not acceptable from acquirer), DE 90 (Original Data Elements), and DE 95 (Replacement Amounts) all zeros.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
19	0220	330000400028	1	0	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		0220: DE 39 = 00 (Approved), DE 60 = 202 (Network Stand-In: Maestro Stand-In approved transaction), and DE 90 (Original Data Elements).									

Table 3300009: CVC 1 and CVC 2

The test cases in table 3300009 address how an issuer processes single message authorization financial transaction requests and responses for Card Validation Code (CVC) 1 and CVC 2.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Base

Program: CVC 1 and CVC 2

Table 192: Table 3300009

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330000900101	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	V
		0210: DE 48, SE 87 = Y (Invalid CVC 1) - Issuer decision to decline or approve if invalid CVC 1.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	330000900102	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		0210: DE 48, SE 87 = M (Valid CVC 2) or = N (Invalid CVC 2) - Issuer decision to decline or approve if invalid CVC 2.									
3	0200	330000900103	1	0	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	V
		0210: DE 48, SE 87 = Y (Invalid CVC 1) - Issuer decision to decline or approve if invalid CVC 1.									

Table 3300010: System-generated Advices

The test cases in table 330001 address how an issuer processes single message authorization requests and responses for approved and declined system-generated Stand-In and X-Code authorization advices for the reasons indicated in DE 60, process them for relevant impact to available to buy limits and other internal postings for affected accounts.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Advices

Operation Type: MSR

Testing Type: Base

Program: System-generated Advices

NOTE: Test transaction data must be updated to create the desired DE 60 values.

Table 193: Table 3300010

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0220	330001000105	1	N/A	ELECTRONIC COMMERCE ASI PURCHASE NO CVM	00	81	6		DMC MSI	00
		Account Status Inquiry routed to Stand-In and approved. 0220: DE 4 (Amount, Transaction) = 000000000000; DE 39 = 00 (Approved); DE 61, SF 7 = 8 (Account Status Inquiry); and DE 60, SF 1 valid values of customer choice and DE 60, SF 2 = 0000 (Accept).									
6	0220	330001000106	1	N/A	ELECTRONIC COMMERCE ASI PURCHASE NO CVM	00	81	6		DMC MSI	00
		Account Status Inquiry routed to Stand-In and declined. 0220: DE 4 (Amount, Transaction) = 000000000000; DE 39 = 05 (Do not honor); DE 61, SF 7 = 8 (Account Status Inquiry); and DE 60, SF 1 valid values of customer choice and DE 60, SF 2 valid values of customer choice.									

Table 3300055: Transaction Data Elements Program

The test cases in table 3300055 verify whether an issuer's Single Message online application processes transactions as described in Transaction Data Elements.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Base

Program: Transaction Data Elements Program

Table 194: Table 3300055

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0200	330005500003	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; DE 43, SF 1 (Acceptor Name) = valid value for website name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if applicable; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	330005500004	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce transactions with in-store purchase pickup. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; DE 43, SF 1 (Acceptor Name) = valid value for website name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice. DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value of business office and DE 61, SF 14 (Acceptor Postal Code) = valid value of business office if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if applicable; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value; DE 122, SE 001, SF 009 (Service Location City Name) = valid value of pickup location; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value of pickup location if applicable; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value of pickup location; and DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value of pickup location if country utilizes postal codes.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0200	330005500005	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce Payment Facilitator enabled purchase delivery transactions. DE 18 (Merchant Type) = valid value of Sponsored Merchant. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value of Payment Facilitator; and DE 43, SF 1 (Acceptor Name) contains 3,7,12 character abbreviated Payment Facilitator name followed by * in position 4, 8, or 13 and then Sponsored Merchant name; DE 43, SF 3 (Acceptor City Name) = valid value of Sponsored Merchant; and DE 43, SF 5 (Acceptor Country Code) = valid value of Sponsored Merchant. DE 48, SE 37, SF 1 (Payment Facilitator ID) = valid value and DE 48, SE 37, SF 3 (Sponsored Merchant ID) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice . DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value of Sponsored Merchant and DE 61, SF 14 (Acceptor Postal Code) = valid value of Sponsored Merchant if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of Sponsored Merchant; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present of Sponsored Merchant; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value of Sponsored Merchant.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0200	330005500006	1	0	MANUAL ENTRY MAIL ORDER PURCHASE NO CVM	00	01	0		DMC MSI	00
		Mail order transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value for catalog name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 = 2 (Cardholder not present [mail/facsimile order]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value that must be present for US and Canada transactions and should be present for all other transactions unless a URL is provided for contact.									
7	0200	330005500007	1	0	MANUAL ENTRY PHONE ORDER PURCHASE NO CVM	00	01	0		DMC MSI	00
		Phone order transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value for catalog name; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 = 3 (Cardholder not present [phone or Automated Response Unit {ARU}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value that must be present for US and Canada transactions and should be present for all other transactions unless a URL is provided for contact.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0200	330005500008	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC MSI	00
		Recurring payment transaction with purchase delivery. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 = 4 (Recurring transactions). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value that must be present for US and Canada transactions and should be present for all other transactions unless a URL is provided for contact.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0200	330005500009	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce Airlines transactions. DE 18 (Merchant Type) = valid value in 3000-3350 range. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing 9 character abbreviated Airline name followed by * in position 10 and thereafter the Airline Ticket Number; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice . DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value. NOTE: For airlines (MCC 3000–3350), the acceptor address fields (street address, city, state, postal code, and country) may reflect either the airline's headquarters information or the location of where the ticket was purchased but not a combination of the two.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
10	0200	330005500010	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce Automobile/Vehicle Rentals transactions. DE 18 (Merchant Type) = valid value in 3351-3500 range. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing first 9 characters of the description in QRB followed by * in position 10 and thereafter a unique identifier for each location; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice . DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 01 (Acceptor Street Address) = valid value of the point-of-sale; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
11	0200	330005500011	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce Hotels and Motels transactions. DE 18 (Merchant Type) = valid value in 3501-3999 range. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing first 9 characters of the description in QRB followed by * in position 10 and thereafter a unique identifier for each location; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice . DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of the point-of-sale; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
15	0200	330005500015	1	0	MANUAL ENTRY MO/TO PURCHASE NO CVM	00	01	0		DMC MSI	00
		Mail/Phone order transaction with purchase delivery may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 4 contains 2(Cardholder not present [mail/facsimile order]),3(Cardholder not present [phone or Automated Response Unit {ARU}])). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present;; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
16	0200	330005500016	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Electronic commerce transaction with purchase delivery may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No authentication) or other values of customer choice . DE 61, SF 4 = 5 (Cardholder not present [Electronic order {home PC, Internet, mobile phone, PDA}]). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present, DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Table 3300060: Mastercard Identity Check

The test cases in table 3300060 address how an issuer processes single message financial transactions requests and responses for Identity Check authentication data.

NOTE: Test transaction data must be updated to create DE 48, SE 43 valid values of issuer choice and DE 48, SE 66 may be removed at issuer option.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Base

Program: Mastercard Identity Check

Table 195: Table 3300060

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330006000101	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		UCAF data collection is not supported by the merchant. DE 48, SE 42 = 210 (UCAF data collection is not supported by the merchant).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	330006000111	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		SPA2 merchant attempts processing DE 48, SE 42 = 211 (Merchant attempts AAV); SE 43 with AAV control bytes 'kE', 'kF', 'kL', or 'kM' of issuer choice; and SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									
3	0200	330006000112	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		SPA2 issuer authenticated DE 48, SE 42 = 212; SE 43 with AAV control bytes 'kA', 'kB', 'kC', 'kD', 'kG', 'kH', 'kJ', 'kK', 'kQ', 'kR', 'kS', or 'kT' of issuer choice; and SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									
4	0200	330006000115	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		SPA2 merchant risk based decisioning DE 48, SE 42 = 216 and SE 43 with AAV control byte 'kN', 'kU', 'kV', 'kW'. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									
5	0200	330006000116	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		SPA2 partial shipment DE 48, SE 42 = 217 and SE 43 with AAV control byte 'kO' or 'kP' of issuer choice. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0200	330006000117	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC MSI	V
		SPA2 recurring payment DE 48, SE 42 = 217 and SE 43 with AAV control byte 'kO' or 'kP' of issuer choice. DE 48, SE 63 (Trace ID) to link to the original authorization. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID). DE 61, SF 4 = 4 (Recurring payment).									
7	0200	330006000214	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		SPA2 merchant has chosen to share authentication data within authorization. DE 48, SE 42 = 214 (Identity Check Insights transactions) and DE 48, SE 43 positions 1-2 contains kX, kY, kZ. DE 48, SE 56, SF 01 = DII (Digital Identity Insights); DE 48, SE 56, SF 02 = ORA or other valid values of issuer choice. DE 48, SE 66, SF 01 (Program Protocol) = valid value and SF 02 (Directory Server Transaction ID) = present.									

Table 3300065: Account Status Inquiry Service

The test cases in table 3300065 address how an issuer processes single message financial transaction requests for Account Status Inquiry transactions, including optional AVS request or CVC 2. They also verify if the issuer can provide authorization responses for DE 39 (Response Code), AVS, or CVC 2 response.

Issuer responses and validations for ASI transactions

- Issuer decides to approve with response code 85 or 00 or to decline with any valid response code.
- Test transaction data must be updated for DE 4, DE 18 and DE 48, SE 77 valid values of issuer choice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Base

Program: Account Status Inquiry Service

Table 196: Table 3300065

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330006500101	1	1	MANUAL ENTRY ASI PURCHASE NO CVM	00	01	0		DMC MSI	V
		Account Status Inquiry only. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes.									
2	0200	330006500102	1	1	ELECTRONIC COMMERCE ASI PURCHASE NO CVM	00	81	6		DMC MSI	V
		Account Status Inquiry with AVS request and CVC 2. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 48, SE 82 = 52 (AVS and Authorization Request) and SE 92 (CVC 2). 0210: DE 48, SE 83 (AVS Response) and SE 87 (CVC Result) valid values of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0200	330006500103	1	1	CREDENTIAL ON FILE ASI PURCHASE NO CVM	00	10	0		DMC MSI	V
		Account Status Inquiry only for card on file. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes.									
4	0200	330006500104	1	1	MANUAL ENTRY ASI PAYMENT TRANSACTION NO CVM	28	01	0		DMC MSI	V
		Account Status Inquiry for a Payment Transaction. Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes or a non-zero value of issuer choice. DE 18 (MCC) = 6533 (Payment Transaction — Merchant) or any other valid value of issuer choice for the payment transaction type. DE 48, SE 77 = C03 (rePower) or any other valid value of issuer choice									
5	0200	330006500105	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		Name Validation Data. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 108, SE 01, SFs 01,02,03 containing Receiver First, Middle, Last Name. DE 108, SE 07, SF 01 = 10 (Receiver Name Validation Request). 0210: DE 108, SE 08, SF 1 (Receiver Name Validation Response) contains A,B,C,U of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0200	330006500106	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		Name Validation Data. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 108, SE 02, SFs 01,02,03 containing Sender First, Middle, Last Name. DE 108, SE 07, SF 01 = 11 (Sender Name Validation Request). 0210: DE 108, SE 08, SF 2 (Sender Name Validation Response) contains A,B,C,U of issuer choice.									
7	0200	330006500107	1	1	ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM	28	81	6		DMC MSI	V
		Name Validation Data and issuer provides valid receiver name for Name Match Service. DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) greater than zero. DE 48, SE 77 (Transaction Type Identifier[TTI]) contains C02,C03,C04 and appropriate other data for TTI. DE 108, SE 01, SFs 01,02,03 containing Receiver First, Middle, Last Name. DE 108, SE 07, SF 01 = 10 (Receiver Name Validation Request). 0210: DE 108, SE 09 (Account Owner Information 1), SFs 1-5. 0210: May also contain DE 108, SE 10/11 if card has more than one user.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0200	330006500108	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		Name Validation Data and issuer provides valid sender name for Name Match Service DE 61, SF 7 = 8 (Account Status Inquiry Service) and DE 4 (Amount, Transaction) contains all zeroes. DE 108, SE 02, SFs 01,02,03 containing Sender First, Middle, Last Name. DE 108, SE 07, SF 01 = 11 (Sender Name Validation Request). 0210: DE 108, SE 09 (Account Owner Information 1), SFs 1-5. 0210: May also contain DE 108, SE 10/11 if card has more than one user.									
9	0200	330006500109	1	1	ICC ASI PURCHASE NO CVM	00	05	0	V	DMC MSI	V
		Account Status Inquiry with chip data and PIN. DE 4 (Amount, Transaction) contains all zeroes and DE 61, SF 7 = 8 (Account Status Inquiry Service.									

Table 3301701: DE 28 Transaction Fee

The test cases in table 3301701 address how an issuer processes single message financial transaction requests, reversals, and responses for DE 28 (Amount, Transaction Fee) when applicable (in an approved region or country).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: MSR

Testing Type: Base

Program: DE 28 Transaction Fee

Table 197: Table 3301701

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330170100001	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 10 (Savings account). 0420: DE 60 = 450 0018 (Zero dispense; card returned - POI failure).									
2	0200	330170100002	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MCC DMC MSI CIR	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 20 (Checking account). 0420: DE 60 = 450 0018 (Zero dispense; card returned - POI failure)									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	330170100004	1	1	MSR CAT LEVEL 2 PURCHASE SIGNATURE	00	90	2		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		AFD preauthorized request approved and followed by completion advice containing DE 28 merchant surcharge amount (where applicable). 0200: DE 4 = preauthorized request amount, typically \$1. 0200: DE 18 = 5542 (Fuel Dispenser, Automated) and DE 61, SF 7 = 4 (Preauthorized request). 0420: DE 95 = completion amount including DE 28 merchant surcharge. 0420: DE 28 = merchant surcharge amount. 0420: DE 60 = 4500018. Issuers can receive Daily Control Report (SWCHD363) and Monthly Control Report (SWCHM363) with the surcharge amount (DE 28) reported for POS transactions in a separate line from the ATM transactions.									

Issuer Products and Services Testing for Single Message MSR and CNP Authorization Operations

This section contains test cases for different product and services offered by the Mastercard Single Message System as optional services. These services are available only to customers that connect directly to the system.

Table 3300020: Transaction Link ID

The test cases in table 3300020 address how an issuer processes single messages financial transaction requests and responses for Transaction Link ID.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Authorization Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Transaction Link ID

Table 198: Table 3300020

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	3300020000001	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		Transaction containing Multi-Use Transaction Identification Data in 0200 and 0420. 0200: DE 105 (Multi-Use Transaction Identification Data), SE 001 (Transaction Link Identifier) = valid value. 0420: DE 105, SE 001 = valid value.									
2	0220	3300020000002	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	00
		Transaction containing Multi-Use Transaction Identification Data in 0220. DE 105 (Multi-Use Transaction Identification Data), SE 001 (Transaction Link Identifier) = valid value.									

Table 3300075: Acquirer Country Code

The test cases in table 3300075 verify whether the issuer's single Message authorization application can receive the Acquirer Country Code in financial transaction messages, process them, and return correctly formatted financial transaction responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Acquirer Country Code

Table 199: Table 3300075

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330007500001	1	1	MSR ATM WITHDRAWAL ONLINE PIN	00	90	*	V	MCS DMC MSI CIR	00
		DE 19 (Acquiring Institution Country Code) present.									
2	0200	330007500002	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
	0420		1	1	DE 39 = 00						00
		0200/0420: DE 19 (Acquiring Institution Country Code) presents in request and reversal.									
3	0200	330007500003	1	1	MSR PURCHASE SIGNATURE	00	90	0		DMC	00
	0220		1	1	DE 39 = 00						00
		0200/0220: DE 19 (Acquiring Institution Country Code) presents in preauthorization request and force post.									
4	0220	330007500004	1	1	MSR PURCHASE ONLINE PIN	00	90	0		MSI	00
		DE 19 (Acquiring Institution Country Code) presents in Stand-in approval advice.									

Table 3300101: Merchant Advice Code

The test cases in table 3300101 address how an issuer processes single message financial transaction requests and responses for Merchant Advice Code.

NOTE: The POS entry mode values for the following test cases are a representative sampling of the possible values.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Merchant Advice Code

Table 200: Table 3300101

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330010100101	1	0	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	V
		0210: DE 39 (Response Code) and DE 48, SE 84 (Merchant Advice Code) valid combination of values of issuer choice for approved and declined transactions.									
2	0200	330010100102	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		0210: DE 39 (Response Code) and DE 48, SE 84 (Merchant Advice Code) valid combination of values of issuer choice for approved and declined transactions.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	330010100103	1	0	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	V
		0210: DE 39 (Response Code) and DE 48, SE 84 (Merchant Advice Code) valid combination of values of issuer choice for approved and declined transactions.									

Table 3300130: Maestro Multiple Completions

The test cases in the table 3300130 address how an issuer processes single message financial transaction requests and responses for Maestro multiple completions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Maestro Multiple Completions

Table 201: Table 3300130

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330013000001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Purchase Maestro Card-Not-Present. DE 61, SF 12 (POS Authorization Life Cycle) = 07.									
2	0200	330013000002	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
	0220		1	1	DE 39 = 00						00
		Multiple completions within seven days. DE 61, SF 7 = 4 (Preauthorization request) and DE 61, SF 12 (POS Authorization Life Cycle) = 07. 0220: DE 60 = 2901403 (Previously approved authorization: partial amount, multi-Clearing/completions).									
3	0200	330013000003	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
	0220		1	1	DE 39 = 00						00
		Multiple completions within seven days. DE 61, SF 7 = 4 (Preauthorization request) and DE 61, SF 12 (POS Authorization Life Cycle) = 07. 0220: DE 60 = 2901404 (Previously approved authorization: final Clearing/completions).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	330013000004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
	0420		1	1	DE 39 = 00						00
		Cancellation within seven days. DE 61, SF 7 = 4 (Preauthorization request) and DE 61, SF 12 (POS Authorization Life Cycle) = 07. 0420: DE 60 = 452 (Multiple completion cancellation).									

Table 3300131: Maestro Preauthorization Incrementals

The test cases in the table 3300131 verify whether an issuer's Single Message online application can receive preauthorization incremental financial transactions and send the resulting correctly formatted financial transaction responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Maestro Preauthorization Incrementals

Single Message Authorization: Issuer Credit and Debit
Table 3300131: Maestro Preauthorization Incrementals

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330013100001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Preauthorization transaction. DE 4 (Amount, Transaction) = valid value preauthorization amount. DE 61, SF 7 = 4 (Preauthorized request). DE 61, SF 12 = 07 (Number of days).									
2	0200	330013100002	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Incremental preauthorization to increase the amount and duration of test case 1. DE 4 = valid value incremental amount. DE 15 (Settlement Date) = valid value from most recent preauthorization request response. DE 38 (Authorization Identification Response) from original preauthorization response. DE 61, SF 7 = 4 and DE 61, SF 12 = 07. DE 63 (Switch serial number) from most recent preauthorization request response. 0210: DE 54, SF 2 = 92 (Outstanding hold amount) and other DE 54 SFs									

Single Message Authorization: Issuer Credit and Debit
Table 3300131: Maestro Preauthorization Incrementals

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0200	330013100003	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Preauthorization transaction. DE 4 = valid value preauthorization amount. DE 61, SF 7 = 4 and DE 61, SF 12 = 07.									
4	0200	330013100004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Incremental preauthorization to increase the duration of test case 3 and cancellation. DE 4 = 000000000000 DE 15 (Settlement Date) = valid value from most recent preauthorization request response. DE 38 (Authorization Identification Response) from original preauthorization response. DE 61, SF 7 = 4 and DE 61, SF 12 = 07. DE 63 (Switch serial number) from most recent preauthorization request response. 0210: DE 54, SF 2 = 92 (Outstanding hold amount) and other DE 54 SFs. 0420: DE 4 = value value full cancellation amount. 0420: DE 15 = value value from most recent preauthorization request response. 0420: DE 38 = valid value from original preauthorization response. 0420: DE 60, SF 1 = 452 (Cancellation).									

Table 3300140: ISO Format 4 PIN Blocks

The test cases in the table 3300140 address how an issuer processes single message financial transaction requests and responses for PIN transactions using ISO Format 4 PIN Blocks.

Issuers must migrate to DE 110 layout and implement the ISO Format 4 PIN Block as the PIN block format for supporting AES keys. DE 110 contains PIN; DE 52 not present.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: ISO Format 4 PIN Blocks

Table 202: Table 3300140

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE110	Card ID	RC
1	0200	330014000001	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	00
		ATM withdrawal transaction containing DE 18 = 6011 and DE 48tcc = Z. DE 61, SF 7 = 0 (Normal request). DE 110 (Encryption Data) mandatory tags 80, 81, 87, 88 while for Europe tags 83, 86 also mandatory.									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE110	Card ID	RC
2	0200	330014000002	1	1	MSR CAT LEVEL 1 PURCHASE ONLINE PIN	00	90	1	V	DMC MSI	00
		DE 110 (Encryption Data) contains dataset 01 (PIN Encryption) mandatory tags 80, 81, 87, 88 while for Europe tags 83, 86 also mandatory.									

Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

The test cases in table 3300180 verify whether an issuer's Single Message online application can receive financial transaction requests for non-tokenized and tokenized cardholder-initiated transactions (CIT) and merchant-initiated transactions (MIT), process them, and send the resulting correctly formatted financial transaction responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

NOTE: Test cases 1-13 are non-tokenized for Strong Cardholder Authenticated (SCA) countries and test cases 14-26 are non-tokenized for non-SCA countries.

Table 203: Table 3300180

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330018000001	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file. DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as • an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8), or • a preauthorized request (DE 61, SF 7 = 4) such as for subsequent related or delayed charges, future no shows, or future resubmission transactions.									
2	0200	330018000002	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file for a standing order. DE 48, SE 22, SF 05 = C102 (Cardholder-initiated: Standing Order). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
3	0200	330018000003	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file for a subscription. DE 48, SE 22, SF 05 = C103 (Cardholder-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									
4	0200	330018000004	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file for a multi-authorization installment plan or for a single-authorization installment plan where subsequent installment transactions are submitted as clearing transactions only. DE 48, SE 22, SF 05 = C104 (Cardholder-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0200	330018000005	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent CIT uses credential-on-file (ad hoc). DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
6	0200	330018000006	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT uses credential-on-file. DE 48, SE 22, SF 05 = M101 (Merchant-initiated: Unscheduled Credential-on-File). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
7	0200	330018000007	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for a standing order uses credential-on-file. DE 48, SE 22, SF 05 = M102 (Merchant-initiated: Standing Order [Recurring Payment or Installment]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0200	330018000008	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for a subscription uses credential-on-file. DE 48, SE 22, SF 05 = M103 (Merchant-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
9	0200	330018000009	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for installment uses credential-on-file. DE 48, SE 22, SF 05 = M104 (Merchant-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
10	0200	330018000010	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for partial shipment uses credential-on-file. DE 48, SE 22, SF 05 = M205 (Merchant-initiated: Partial Shipment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as a preauthorized request (DE 61, SF 7 = 4).									
11	0200	330018000011	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for related/delayed charge uses credential-on-file. DE 48, SE 22, SF 05 = M206 (Merchant-initiated: Related/Delayed Charge). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as • an electronic commerce request (DE 22, SF 1 = 81), or • a preauthorized request (DE 61, SF 7 = 4).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
12	0200	330018000012	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for future no shows uses credential-on-file. DE 48, SE 22, SF 05 = M207 (Merchant-initiated: No Shows). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). DE 61, SF 7 (POS Transaction Status) = 1 (Deferred Authorization). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									
13	0200	330018000013	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for future resubmissions uses credential-on-file. DE 48, SE 22, SF 05 = M208 (Merchant-initiated: Resubmissions). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 63 (Trace ID) mandatory in countries where SCA applies. DE 48, SE 64, SF 1 = 07 (Debt recovery) and SF 2 applicable value of customer choice if transit MCC. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
14	0200	330018000014	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file. DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as • an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8), or • a preauthorized request (DE 61, SF 7 = 4) such as for subsequent related or delayed charges, future no shows, or future resubmission transactions.									
15	0200	330018000015	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file for a standing order. DE 48, SE 22, SF 05 = C102 (Cardholder-initiated: Standing Order). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
16	0200	330018000016	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file for a subscription. DE 48, SE 22, SF 05 = C103 (Cardholder-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									
17	0200	330018000017	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Non-tokenized initial CIT stores credential-on-file for a multi-authorization installment plan or for a single-authorization installment plan where subsequent installment transactions are submitted as clearing transactions only. DE 48, SE 22, SF 05 = C104 (Cardholder-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 5 (Electronic order). NOTE: This initial CIT may also be sent as an Account Status Inquiry (DE 4 all zeroes and DE 61, SF 7 = 8).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
18	0200	330018000018	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent CIT uses credential-on-file (ad hoc). DE 48, SE 22, SF 05 = C101 (Cardholder-initiated: Credential-on-File [Ad Hoc]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
19	0200	330018000019	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT uses credential-on-file. DE 48, SE 22, SF 05 = M101 (Merchant-initiated: Unscheduled Credential-on-File). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
20	0200	340018000020	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for a standing order uses credential-on-file. DE 48, SE 22, SF 05 = M102 (Merchant-initiated: Standing Order [Recurring Payment or Installment]). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
21	0200	330018000021	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for a subscription uses credential-on-file. DE 48, SE 22, SF 05 = M103 (Merchant-initiated: Subscription). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
22	0200	330018000022	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for installment uses credential-on-file. DE 48, SE 22, SF 05 = M104 (Merchant-initiated: Installment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions).									
23	0200	330018000023	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for partial shipment uses credential-on-file. DE 48, SE 22, SF 05 = M205 (Merchant-initiated: Partial Shipment). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as a preauthorized request (DE 61, SF 7 = 4).									

Single Message Authorization: Issuer Credit and Debit
Table 3300180: Cardholder-Initiated Transaction and Merchant-Initiated Transaction Indicators

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
24	0200	330018000024	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for related/delayed charge uses credential-on-file. DE 48, SE 22, SF 05 = M206 (Merchant-initiated:Related/Delayed Charge). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as • an electronic commerce request (DE 22, SF 1 = 81), or • a preauthorized request (DE 61, SF 7 = 4).									
25	0200	330018000025	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for future no shows uses credential-on-file. DE 48, SE 22, SF 05 = M207 (Merchant-initiated: No Shows). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). DE 61, SF 7 (POS Transaction Status) = 1 (Deferred Authorization). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
26	0200	330018000026	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC MSI	00
		Non-tokenized subsequent MIT for future resubmissions uses credential-on-file. DE 48, SE 22, SF 05 = M208 (Merchant-initiated: Resubmissions). DE 48, SE 42 (Security Level Indicator) = 210 (Not authenticated). DE 48, SE 64, SF 1 = 07 (Debt recovery) and SF 2 applicable value of customer choice if transit MCC. DE 61, SF 4 (POS Cardholder Presence) = 4 (Standing order/recurring transactions). NOTE: This subsequent MIT may also be sent as an electronic commerce request (DE 22, SF 1 = 81).									

Table 3300190: Gaming and Gambling Transactions

The test cases in table 3300190 address how an issuer processes single message financial transaction requests and responses for gaming and gambling value.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Gaming and Gambling Transactions

NOTE: Such transactions are restricted to where permitted by law. See table 3501920 in Issuer On-behalf Services manual for Gaming and Gambling Payment Transactions.

Table 204: Table 3300190

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	330019000013	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Purchase of gambling chips or other value usable for gambling. DE 18 (Merchant Type) = 7995 and DE 48tcc = U (Unique). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									
5	0200	330019000015	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Purchase of lottery tickets, reoccurring lottery subscription services, or both by a government authority located globally, excluding the U.S. region. DE 18 (Merchant Type) = 9406 and DE 48tcc = T (Phone, Mail, or Electronic Commerce Order). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0200	330019000017	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Purchase of lottery tickets from state lottery merchant located in U.S. region. DE 18 (Merchant Type) = 7800 and DE 48tcc = T (Electronic Commerce Order). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									
8	0200	330019000018	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Purchase of value used for gambling from Internet merchant located in U.S. region. DE 18 (Merchant Type) = 7801 and DE 48tcc = T (Electronic Commerce Order). DE 48, SE 42 (Electronic Commerce Indicators) = 212 (Fully authenticated AAV); SE 43 (UCAF); and SE 66, SF 1 (Program Protocol) = valid value and SF 2 (Directory Server Transaction ID) are all present when applicable. DE 48, SE 92 (CVC 2) is present when applicable.									

Table 3300225: Business-to-Business Transactions

The test cases in table 3300225 address how an issuer processes single message authorization requests and responses for financial transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Business-to-Business Transactions

Table 205: Table 3300225

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330022500001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Business-to-Business Transaction. DE 18 (Merchant Type) = 7399 (Business Services: not elsewhere classified). DE 48, SE 42 (Security Level Indicator) = 210 (no UCAF). DE 48, SE 77 = P11 (Business-to-Business Payment).									

Table 3300250: Payment Resiliency Service

The test cases in table 3300250 address how an issuer processes financial transaction requests and responses for Payment Resiliency Service.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Payment Resiliency Service

Table 206: Table 3300250

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330025000001	1	N/A	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	05
	0220		1	N/A	DE 39 = 00						00
		Advice transaction for On-Demand Decisioning that changes issuer 0100 request decline to an approval. 0220: DE 60, SF 1 = 300; SF 2 = 1000 (Accept: On-Demand Decisioning Rule); and SF 3 = valid value for advice detail text.									
2	0200	330025000002	1	N/A	MSR PURCHASE SIGNATURE	00	90	0		DMC MSI	00
	0220		1	N/A	DE 39 = 41						00
		Advice transaction for On-Demand Decisioning that changes issuer 0200 request decline to a different request decline reason. SF 1 = 300; SF 2 = 1001 (Reject: On-Demand Decisioning Rule); and SF 3 = valid value for advice detail text.									

Table 3300360: Issuer Token Notification

The test cases in table 3300360 address how an issuer participating in Mastercard Digital Enablement Service (MDES) and opted to receive administrative advices processes single message authorization request and responses for token notifications.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Administrative Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Issuer Token Notification

NOTE: The test transaction data must be updated with the DE 120 values that issuers want to receive in each test case.

Table 207: Table 3300360

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0620	330036000001	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					DMC MSI	00
		DE 60 = 1410250 (MDES Advice to Issuer Activation Code Notification). DE 120 contains Activation Code and related data of issuer choice.									
2	0620	330036000002	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					DMC MSI	00
		DE 60 = 1410251 (MDES Advice to Issuer Tokenization Complete Notification). DE 120 contains Token to PAN mapping details and related data of issuer choice including field ID 10 (Reason Code) position 236-241 = value of issuer choice.									
3	0620	330036000003	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					DMC MSI	00
		DE 60 = 1410252 (MDES Advice to Issuer Tokenization Event Notification). DE 120 contains, field 7 (Tokenization Event Indicator) = 1,2,3,4,5,6,7,8,9,a,b as well as related data all of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0620	330036000004	1	N/A	ISSUER TOKEN NOTIFICATION ADVICE					DMC MSI	00
		Tokenization Event Notification for payment channel disabled by cardholder of issuer in India. DE 60 = 1410252 (MDES Advice to Issuer - Tokenization Event Notification). DE 120 contains tokenization event containing Field ID 7 = 2 (Payment Channel Preference Updated); Field ID 17 indicating Cardholder Disabled Payment Channel of issuer choice; and related data of issuer choice.									

Table 3300371: Payment Account Reference (PAR) on Funding PAN

The test cases in table 3300371 address how an issuer processes single message financial transaction requests, advices, reversals, and responses to support PAR in DE 56.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Payment Account Reference (PAR) on Funding PAN

NOTE: PAR does not apply to ATM transactions.

Table 208: Table 3300371

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0200	330037100031	1	0	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		DMC MSI	00
		Funding PAN used by non-tokenized account on acquirer 0200 request. 0200: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller.									
8	0200	330037100032	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		DMC MSI	00
	0220		1	1	DE 39 = 00						00
		Funding PAN used by non-tokenized account on acquirer 0200 preauthorization request and acquirer-generated 0220 completion advice. 0200: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller. 0220: DE 39 = 00 (Approved) and DE 60 = 290 (APS approved transaction; pre-authorized by issuer). 0220: DE 56 (Payment Account Data) is provided by Mastercard from original 0200 request.									
9	0200	330037100033	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		Funding PAN used by non-tokenized account on acquirer 0200 request and acquirer-initiated 0420 reversal advice. 0200: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller. 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 454 (APS unable to deliver response). 0420: DE 56 (Payment Account Data) is provided by Mastercard from original 0200 request.									

Table 3300575: Staged Digital Wallet Operator (Brazil)

The test cases in the table 3300575 address how an issuer processes single message financial transaction requests and responses for Staged Digital Wallet Operator (Brazil).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Staged Digital Wallet Operator (Brazil)

Table 209: Table 3300575

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330057500001	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Transfer to the same person or organization in the same staged digital wallet account. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0200	330057500002	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Transfer to another person or organization in same staged digital wallet account. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account). DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 11, 18 and SE 03 (Transaction Reference Data), SF 01, SF 05 = 14 (Transfer to another person or organization in the same Staged Digital Wallet [Brazil]) all mandatory.									
3	0200	330057500003	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Transfer to another person or organization in a different staged digital wallet or scheme. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F07 (General Person-to-Person Transfer).									
4	0200	330057500004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Transfer to own staged digital wallet account for an unidentified Boleto. DE 18 (Merchant Type) = 6540 (Funding Transaction). DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account). DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 11, 18 and SE 03 (Transaction Reference Data), SF 01, SF 05 = 15 (Boleto Payment [Brazil]) all mandatory.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0200	330057500005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Transfer to own staged digital wallet account for an identified Boleto. DE 18 (Merchant Type) = valid value of end merchant. DE 48, SE 77 (Transaction Type Identifier) = F61 (Transfer to Own Staged Digital Wallet Account). DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 11, 18 and SE 03 (Transaction Reference Data), SF 01, SF 05 = 15 (Boleto Payment [Brazil]) all mandatory. DE 112, SE 012, positions 111-130 (End-Merchant Tax ID).									

Table 3300616: Mastercard Utility Payment Program

The test cases in table 3300616 address how an issuer processes single message financial transactions requests and responses for Mastercard Utility Payment Program (MUPP) e-Commerce transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Mastercard Utility Payment Program

Merchants participating in MUPP must process the first e-Commerce transaction on an account number via Mastercard Identity Check to obtain a dynamic AAV whereas subsequent transactions contain the static AAV.

Table 210: Table 3300616

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330061600004	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC	00
		DE 48, SE 32 contains Mastercard Assigned ID for Mastercard Utility Payment Program. DE 48, SE 42 = 213 (Merchant does support UCAF and provided UCAF data). DE 48, SE 43 contains static AAV for Mastercard Utility Payment Program as indicated by value 5MUPPPROGRAM9999999999999999. DE 18 (Merchant Type) may be any of the following values: MCC 4814, MCC 4816, MCC 4899 Telecommunication, Internet Access, Cable and Satellite television services; MCC 4900 Utilities; MCC 6300 Insurances; MCC 6050 Quasi Cash Member Financial Institution; and MCC 6051 Quasi Cash Merchant.									

Table 3300625: Transit Program (Post-Authorized Aggregated Model – US Region)

The test cases in table 3300625 address how an issuer processes single messages for financial transaction requests and responses for Debt Recovery transactions applicable to the U.S. region Transit Post-Authorized Aggregated Model.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Transit Program (Post-Authorized Aggregated Model – US Region)

Table 211: Table 3300625

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330062500005	1	0	MANUAL ENTRY PURCHASE NO CVM	00	01	0		DMC MSI	00
		Card not present manual entry debt recovery transit transaction for automatic debt recovery, mail order, or phone order. DE 2 (Primary Account Number [PAN]) = valid value for funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 61, SF 7 (POS Transaction Status) = 0 (Normal request - original presentment).									

Single Message Authorization: Issuer Credit and Debit
Table 3300629: Transit Program (Prefunded Model and all Debt Recovery)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	330062500008	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Card not present electronic commerce debt recovery transaction. DE 2 (Primary Account Number [PAN]) = valid value for funding PAN. DE 4 (Amount, Transaction) = valid value amount to be recovered. DE 18 (Merchant Type) = valid value applicable for transit transaction. DE 48, SE 42 (Electronic Commerce Indicators) = valid value. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) = valid value. DE 61, SF 7 (POS Transaction Status) = 0 (Normal request - original presentment).									

Table 3300629: Transit Program (Prefunded Model and all Debt Recovery)

The test cases in table 3300629 verify whether an issuer's Single Message online application can receive financial transaction requests for Prefunded Model and Transit Debt Recovery transactions, process them, and send correctly formatted financial transaction responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Transit Program (Prefunded Model and all Debt Recovery)

Table 212: Table 3300629

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330062900001	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Prefunded transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains fare for travel subscription or plan. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No UCAF). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 01 (Prefunded) and SF 2 (Transportation Mode Indicator) contains an applicable valid value.									
2	0200	330062900007	1	0	MANUAL ENTRY PURCHASE NO CVM	00	01	0		DMC MSI	00
		Card not present manual entry debt recovery transit transaction for automatic debt recovery, mail order, or phone order. DE 2 (Primary Account Number [PAN]) contains funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) contains an applicable valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	330062900008	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Card not present electronic commerce debt recovery transit transaction. DE 2 (Primary Account Number [PAN]) contains funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 42 (Electronic Commerce Indicators) is present. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 2 (Transportation Mode Indicator) contains an applicable valid value.									

Table 3300633: Electric Vehicle Charging

The test cases in table 3300633 address how an issuer processes single message requests and responses for Credential on File financial transaction messages for Electric Vehicle Charging transactions.

The consumer downloads a proprietary merchant app to their phone and stores a card on file with the merchant. The consumer will load value to the wallet and the stored value balance is decreased by each purchase amount. As needed, value is added via a top-up transaction. For more information, see *AN 3852—Revised Standards—Electric Vehicle Charging Transaction Processing Procedures*.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Electric Vehicle Charging

Table 213: Table 3300633

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330063300001	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	6		DMC	00
		Authorization for electric vehicle charging; cardholder specifies order quantity; and issuer approves request amount. DE 4 (Amount, Transaction) equals the amount for the service requested by the cardholder. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 00001 indicating final authorization. DE 61, SF 7 = 0 (Normal request).									

Table 3300645: Automated Fuel Dispenser

The test cases in table 3300645 address how an issuer processes Single Message online application preauthorization financial transaction requests, reversals advice, and responses for Automated Fuel Dispenser transactions.

NOTE: Please see AN 3886—Revised Standards—Automated Fuel Dispenser Transaction Processing Procedures for details and effective dates and also AN 2697—Revised Standards—Electronic Commerce Transactions at Automated Fuel Dispensers.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Automated Fuel Dispenser

Table 214: Table 3300645

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0200	330064500021	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC	00
	0420		1	1	DE 39 = 00						00
		AFD in-app preauthorization approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No UCAF). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0420: DE 4 contains preauthorization request amount from 0200 and DE 95 contains final AFD amount (pumped amount). 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 4510010 (Partial dispense: card returned).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0200	330064500022	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC	10
	0420		1	1	DE 39 = 10						00
		AFD in-app preauthorization partially approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No UCAF). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0210: DE 4 contains partial approval amount; pump should stop if that amount is reached. 0420: DE 4 contains partial approval amount from 0210 and DE 95 contains final AFD amount. 0420: DE 39 = 10 (Partial Approval) and DE 60, SF 1 = 4510010 (Partial dispense: card returned).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	330064500023	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC	00
	0420		1	1	DE 39 = 00						00
		AFD in-app preauthorization approved and full reversal sent within 60 minutes due to cancelled purchase or no fuel pumped. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 42 (Electronic Commerce Indicators) = 210 (No UCAF). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0420: DE 4 contains preauthorization request amount from 0200 and DE 95, if present, must contain all zeros to indicate a full reversal. 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 4530041 (Financial transaction cancellation: card returned).									

Table 3300801: Address Verification Service

The test cases in table 3300801 address how an issuer processes single message financial transaction requests and responses for Address Verification Service (AVS) data.

The test transaction data must be updated with the DE 120 address values that issuers want to receive in each test case or they may accept the default value of 1520 Main St Suite 3, St. Louis, MO 63146-4236.

NOTE: The support of Address Verification Service is mandated for issuers in specified regions or countries. If issuers intend to support the Address Verification Service, they must have successfully completed the connectivity test cases applicable to Single Message online and which involve Sign-on Requests containing the Service Indicator (DE 94).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Address Verification Service

Table 215: Table 3300801

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	330080100102	1	0	MANUAL ENTRY MAIL ORDER PURCHASE NO CVM	00	01	0		DMC MSI	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0210: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									
3	0200	330080100103	1	0	MANUAL ENTRY PHONE ORDER PURCHASE NO CVM	00	01	0		DMC MSI	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0210: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	330080100104	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. DE 48, SE 42 (Security Level Indicators) = 210 (Non Identity Check) or other valid value of issuer choice and if applicable SE 43 (UCAF) value of issuer choice. 0210: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									
5	0200	330080100105	1	0	CREDENTIAL ON FILE PURCHASE NO CVM	00	10	0		DMC MSI	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0210: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									

Table 3300815: Name Validation Request

The test cases in table 3300815 verify whether an issuer's Single Message online application can receive financial transaction requests with Name Validation Request data, process them, and return correctly formatted financial transaction responses.

NOTE: Not all applicable POS Entry Modes nor all user scenarios have test cases.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Name Validation Request.

Table 216: Table 3300815

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330081500001	1	1	ELECTRONIC COMMERCE PAYMENT NO CVM	28	81	6		DMC MSI	85
		Name Validation Service request only for receiver name. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 0 (Normal request). DE 61, SF 9 = 1 (Validation request). DE 108, SE 01, SFs 01-03 (Receiver name) = valid values. DE 108, SE 07, SF 01 = 10 (Receiver name request). 0210: DE 108, SE 08, SF 01 = A (Match).									

Single Message Authorization: Issuer Credit and Debit
Table 3300815: Name Validation Request

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0200	330081500002	1	1	ELECTRONIC COMMERCE PAYMENT NO CVM	28	81	6		DMC MSI	85
		Name Validation Service request only for sender name. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 0 (Normal request). DE 61, SF 9 = 1 (Validation request). DE 108, SE 02, SFs 01-03 (Sender name) = valid values. DE 108, SE 07, SF 01 = 11 (Sender name request). 0210: DE 108, SE 08, SF 02 = A (Match).									
3	0200	330081500003	1	1	ELECTRONIC COMMERCE PAYMENT NO CVM	28	81	6		DMC MSI	85
		Name Validation Service request for MoneySend Payment receiver name. DE 4 (Amount, Transaction) = all zeroes. DE 18 (Merchant Type) = 6537 (MoneySend Intercountry) or = 6536 (MoneySend Intracountry). DE 48, SE 77 = valid value C07, C52, C54-C57, C60, and C65 of customer choice. DE 61, SF 7 = 0 (Normal request). DE 61, SF 9 = 1 (Validation request). DE 108, SE 01, SFs 01-03 (Receiver name) = valid values. DE 108, SE 07, SF 01 = 10 (Receiver name request). DE 108 other data is mandatory for MoneySend Payment transaction. 0210: DE 108, SE 08, SF 01 = A (Match).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	330081500004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	85
		Name Validation Service request for receiver name and Account Status Inquiry. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 8 (Account Status Inquiry). DE 61, SF 9 = 1 (Validation request). DE 108, SE 01, SFs 01-03 (Receiver name) = valid values. DE 108, SE 07, SF 01 = 10 (Receiver name request). 0210: DE 108, SE 08, SF 01 = A (Match).									
5	0200	330081500005	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	85
		Name Validation Service request for sender name and Account Status Inquiry. DE 4 (Amount, Transaction) = all zeroes. DE 61, SF 7 = 8 (Account Status Inquiry). DE 61, SF 9 = 1 (Validation request). DE 108, SE 02, SFs 01-03 (Sender name) = valid values. DE 108, SE 07, SF 01 = 11 (Sender name request). 0210: DE 108, SE 08, SF 02 = A (Match).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0200	330081500006	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	85
		Name Validation Service request for Funding Transaction sender name and Account Status Inquiry. DE 4 (Amount, Transaction) = all zeroes. DE 18 (Merchant Type) = 6538 (Funding Transactions for MoneySend). DE 48, SE 77 = valid value C07, C52, C54, and C56-C57 of customer choice. DE 61, SF 7 = 8 (Account Status Inquiry). DE 61, SF 9 = 1 (Validation request). DE 108, SE 02, SFs 01-03 (Sender name) = valid values. DE 108, SE 07, SF 01 = 11 (Sender name request). DE 108 other data is mandatory for Funding transaction. 0210: DE 108, SE 08, SF 02 = A (Match).									

Table 3300900: Acceptor Tax Data (Brazil)

The test cases in table 3300900 verify whether an issuer's Single Message online application can receive financial transaction requests with Acceptor Tax Data, process them, and return correctly formatted financial transaction responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Acceptor Tax Data (Brazil)

Table 217: Table 3300900

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0200	330090000002	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		Issuers in Brazil that generate their own VCN and provide Mastercard with PAN associated to the VCN may also, when applicable, provide indicator of consumer single-use or multi-use VCN. DE 2 (PAN) = valid value for issuer-generated VCN. 0210: DE 48, SE 09, SF 01 (Additional Account Number Indicator) = A (Primary Account Number). 0210: DE 48, SE 09, SF 02 (Additional Account Number) = valid value. 0210: DE 48, SE 09, SF 03 (Additional Account Number Expiration Date) = valid value. 0210: optional DE 48, SE 84 contains 41, 43 of customer choice.									

Table 3300942: Uruguay Domestic Processing Program

The test cases in table 3300942 address how an issuer processes single message financial transaction requests and responses within Uruguay.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Uruguay Domestic Processing Program

Table 218: Table 3300942

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	330094200001	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction - Savings Account in URY. DE 3, SF 2 (Cardholder 'From Account' Type Code) = 10 - Savings Account. DE 124, position 1 = 1 - Account currency URY. DE 49 = 858 or 840.									
2	0200	330094200002	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction - Savings Account in USD. DE 3, SF 2 (Cardholder 'From Account' Type Code) = 10 - Savings Account. DE 124, position 1 = 2 - Account currency USD. DE 49 = 858 or 840.									
3	0200	330094200003	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction -Checking Account in URY. DE 3, SF 2 (Cardholder 'From Account' Type Code) = 20 - Checking Account. DE 124, position 1 = 3 - Account currency URY. DE 49 = 858 or 840.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	330094200004	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction - Checking Account in USD. DE 3, SF 2 (Cardholder 'From Account' Type Code) = 20 - Checking Account. DE 124, position 1 = 4 - Account currency USD. DE 49 = 858 or 840.									
5	0200	330094200005	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction - Unspecified Account. DE 3, SF 2 (Cardholder 'From Account' Type Code) = 00 - unspecified. DE 124, position 1 = 5 - Unspecified Account currency. DE 49 = 858 or 840.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0200	330094200006	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction with a VAT Law 17.934 refund applied. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 4 = net value of the transaction (the original amount minus the VAT refund). DE 124, position 1 = Account currency of customer choice. DE 124, position 2-13 = RUT. DE 124, position 14-25 = Original Transaction Amount. DE 124, position: 26-37 = Total Amount Applicable for Discount. DE 124, position: 38-39 = 01 (LAW 17.934). DE 124, position: 40-51 = Discount Amount (VAT refund).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
7	0200	330094200007	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction with a VAT Law 18.910 refund applied. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 4 = net value of the transaction (the original amount minus the VAT refund). DE 124, position 1 = Account currency of customer choice. DE 124, position 2-13 = RUT. DE 124, position 14-25 = Original Transaction Amount. DE 124, position: 26-37 = Total Amount Applicable for Discount. DE 124, position: 38-39 = 02 (LAW 18.910). DE 124, position: 40-51 = Discount Amount (VAT refund).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0200	330094200008	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction with a VAT Law 18.999 refund applied. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 4 = net value of the transaction (the original amount minus the VAT refund). DE 124, position 1 = Account currency of customer choice. DE 124, position 2-13 = RUT. DE 124, position 14-25 = Original Transaction Amount. DE 124, position: 26-37 = Total Amount Applicable for Discount. DE 124, position: 38-39 = 03 (LAW 18.999). DE 124, position: 40-51 = Discount Amount (VAT refund).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
9	0200	330094200009	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction with a VAT Law 19.210 refund applied. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 4 = net value of the transaction (the original amount minus the VAT refund). DE 124, position 1 = Account currency of customer choice. DE 124, position 2-13 = RUT. DE 124, position 14-25 = Original Transaction Amount. DE 124, position: 26-37 = Total Amount Applicable for Discount. DE 124, position: 38-39 = 04 (LAW 19.210). DE 124, position: 40-51 = Discount Amount (VAT refund).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
10	0200	330094200010	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction with a IMESI indicator (Law 19.083 ARGENTINA). DE 3, SF2 - Account Type of customer choice. DE4 = original amount of the transaction ((VAT refund not calculated by acquirer/merchant. DE49 = 858 or 840. DE 124 = Position 1 = Account currency of customer choice. Position 2-13 = RUT. Position 14-25 = Original Transaction Amount. Postion: 26-37 = Total Amount Applicable for Discount. Postion: 38-39 = 05 (Law 19.083 ARG). Postion: 40-48 = Invoice Number - format must be Serial Number + 7 numbers. Position: 49-51: Spaces.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
11	0200	330094200011	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase Transaction with a VAT Law refund applied (Law 19.083 BRAZIL). DE 3, SF2 - Account Type of customer choice. DE 4 = original amount of the transaction ((VAT refund not calculated by acquirer/merchant. DE 49 = 858 or 840. DE 124, position 1 = Account currency of customer choice. DE 124, position 2-13 = RUT. DE 124, position 14-25 = Original Transaction Amount. DE 124, position: 26-37 = Total Amount Applicable for Discount. DE 124, position: 38-39 = 06 (Law 19.083 BRA). DE 124, position: 40-48 = Invoice Number - format must be Serial Number + 7 numbers. DE 124, position: 49-51: Spaces.									
12	0200	330094200012	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Domestic Purchase transaction with gratuity. DE 18 present with TE merchant. DE 54 present with a gratuity amount (DE 54,SF2 = 44). DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 124, position 1 - Account currency of customer choice. DE 124, position 2 - 51 present, if any VAT law applies.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
13	0200	330094200013	1	1	MSR OR ICC PURCHASE WITH CASHBACK ONLINE PIN	09	**	0	V	MSI	00
		Domestic Purchase with cashback transaction. DE 54 present with a cashback amount (DE 54,SF2 = 40). DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 124, position 1 - Account currency of customer choice. DE 124, position 2 - 51 present, if any VAT law applies.									
14	0200	330094200014	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI	00
		Charity Merchant (0% interchange). DE 18= MCC 8398 - Charities. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 124, position 1 - Account currency of customer choice. DE 124, position 2 - 51 present, if any VAT law applies.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
15	0200	330094200015	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI_001 MSI_002	00
		Domestic 0200 purchase transaction followed by 0200 full refund. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 124, position 1 - Account currency of customer choice. DE 124, position 2 - 51 present, if any VAT law applies.									
16	0200	330094200115	1	1	MSR OR ICC REFUND ONLINE PIN	20	**	0		MSI_001 MSI_002	00
		Preceding domestic purchase transaction followed by this 0200 full refund.									
17	0200	330094200016	1	1	MSR OR ICC PURCHASE ONLINE PIN	00	**	0	V	MSI_001 MSI_002	00
		Domestic 0200 purchase transaction followed by 0420 full reversal - reason code of customer choice. DE 3, SF2 - Account Type of customer choice. DE 49 = 858 or 840. DE 124, position 1 - Account currency of customer choice. DE 124, position 2 - 51 present, if any VAT law applies.									

Table 3300943: Argentina Domestic Processing Program

The test cases in table 3300943 address how an issuer processes single message financial transaction requests and responses for Argentina domestic transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Argentina Domestic Processing Program

Table 219: Table 3300943

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
1	0200	330094300001	1	1	COF PURCHASE NO CVM	00	10	0		MSI	00
		Initial recurring payment transaction where cardholder saves a credential-on-file with merchant (1st time payment). DE 61.SF 1 = 0, 1 or 2. DE 61.SF 4 = 0, 1, 2, 3 or 5. DE 61.SF 5 = 0 or 1. DE 124, positions 1- 5 present with Billing period. DE 124, positions 6 -17 present with Reference number. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									

Single Message Authorization: Issuer Credit and Debit
Table 3300943: Argentina Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
2	0200	330094300002	1	1	COF PURCHASE NO CVM	00	10	0		MSI	00
		Recurring payment transaction where cardholder has saved a credential-on-file with merchant (for the subsequent transactions). DE 61.SF 1 = 1 - unattended terminal or 2 - no terminal used. DE 61.SF 4 = 4 – recurring. DE 61.SF 5 = 1 - card not present. DE 61.SF 10 = 0 - not a CAT transaction. DE 61.SF 11 = 6 - key entry only. DE 124, positions 1- 5 present with Billing period. DE 124, positions 6 -17 present with Reference number. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									
3	0200	330094300003	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		Normal domestic 0200 purchase transaction followed by 0200 full refund via ecommerce. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									

Single Message Authorization: Issuer Credit and Debit
Table 3300943: Argentina Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
4	0200	330094300103	1	1	ECOMMERCE REFUND NO CVM	20	81	0		MSI	00
		Preceding purchase followed by 0200 full refund.									
5	0200	330094300004	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		Normal domestic 0200 purchase transaction followed by 0200 full refund via ecommerce. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									
6	0200	330094300104	1	1	MSR REFUND ONLINE PIN	20	90	0	V	MSI	00
		Preceding purchase followed by 0200 full refund.									
7	0200	330094300005	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	00
		The transaction applicable only to single tax-payers merchants (Monotributista). DE110.SF 1 – Merchant ID = 419171. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
8	0200	330094300006	1	1	ECOMMERCE PURCHASE NO CVM	00	81	6		MSI	00
		Normal Purchase Transaction. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: Signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									
9	0200	330094300007	1	1	MSR PURCHASE WITH CASH BACK ONLINE PIN	09	90	0	V	MSI	00
		Domestic purchase with cashback transaction. DE 124.SF 3: Card Acceptor Tax ID (CUIT). DE 124.SF 4: Legal Corporate Name (Razon Social). DE 124.SF 5: Cardholder identification method (0: unknown; 1: Signature; 2: PIN; 3: unattended terminal; 4: mail/phone order). DE 124.SF 6: POS Invoice Number (blanks are allowed if info is not available).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
10	0200	330094300008	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	70
		ATM WITHDRAWAL - INITIATING PIL - RC70. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer declines with RC70 and informs PIL status = Initiated provides PIL letters to be displayed. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II". On the 0210 response: • DE 124, positions 1- 24: letters to be displayed on ATM screen. • DE 124, position thes 25-33: spaces. • DE 124, position 34-55 = "II".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
11	0200	330094300009	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	00
		ATM WITHDRAWAL - CARDHOLDER ENTERS VALID PIL - APPROVED. Second PIL cycle transaction where the acquirer requests a withdrawal with the PIL information selected by the cardholder on screen. Issuer validates PIL and approves. On the 0200 request: - DE 124, positions 1- 24: same letters received in the previous test case. - DE 124, positions 25-33: letters selected by the card holder. - DE 124, position 34-55 = "PI". On the 0210 response: - DE 124, positions 1- 24: spaces. - DE 124, positions 25-33: spaces. - DE 124, position 34-55 = "PV".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
12	0200	330094300010	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	00
		ATM WITHDRAWAL - INITIATING PIL - APPROVED, PIL NOT REQUIRED. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer approves informs PIL status = PIL not required. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II". On the 0210 response: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "NP".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
13	0200	330094300011	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	70
		ATM WITHDRAWAL - INITIATING PIL - RC70. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer declines with RC70 and informs PIL status = Initiated provides PIL letters to be displayed. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II". On the 0210 response: • DE 124, positions 1- 24: letters to be displayed on ATM screen. • DE 124, position thes 25-33: spaces. • DE 124, position 34-55 = "II".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
14	0200	330094300012	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	00
		ATM WITHDRAWAL - CARDHOLDER ENTERS INVALID PIL - BUT STILL APPROVED "AS AN EXCEPTION". Second PIL cycle transaction where the acquirer requests a withdrawal with the PIL information selected by the cardholder on screen. Issuer informs PIL is invalid, but still approves as an exception. On the 0200 request: - DE 124, positions 1- 24: same letters received in the previous test case. - DE 124, positions 25-33: letters selected by the card holder. - DE 124, position 34-55 = "PI". On the 0210 response: - DE 124, positions 1- 24: spaces. - DE 124, positions 25-33: spaces. - DE 124, position 34-55 = "EL".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
15	0200	330094300013	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	70
		ATM WITHDRAWAL - INITIATING PIL - RC70. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer declines with RC70 and informs PIL status = Initiated provides PIL letters to be displayed. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II" . On the 0210 response: • DE 124, positions 1- 24: letters to be displayed on ATM screen. • DE 124, position thes 25-33: spaces. • DE 124, position 34-55 = "II" .									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
16	0200	330094300014	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	76
		ATM WITHDRAWAL - CARDHOLDER ENTERS PIL - DECLINED DUE TO MAX INVALID PIL RETRIES REACHED. Second PIL cycle transaction where the acquirer requests a withdrawal with the PIL information selected by the cardholder on screen. Issuer declines with RC76 due to maximum invalid pin tries reached. On the 0200 request: - DE 124, positions 1- 24: same letters received in the previous test case. - DE 124, positions 25-33: letters selected by the card holder. - DE 124, position 34-55 ="PI". On the 0210 response: - DE 124, positions 1- 24 spaces. - DE 124, positions 25-33 spaces. - DE 124, position 34-55 e= "II".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
17	0200	330094300015	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	70
		ATM WITHDRAWAL - INITIATING PIL - RC70. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer declines with RC70 and informs PIL status = Initiated provides PIL letters to be displayed. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II". On the 0210 response: • DE 124, positions 1- 24: letters to be displayed on ATM screen. • DE 124, position thes 25-33: spaces. • DE 124, position 34-55 = "II".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
18	0200	330094300016	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	77
		ATM WITHDRAWAL - CARDHOLDER ENTERS PIL - DECLINED DUE TO INVALID PIL - REQUEST CARDHOLDER TO RETRY. Second PIL cycle transaction where the acquirer requests a withdrawal with the PIL information selected by the cardholder on screen. Issuer declines due to invalid PIL, ATM screen should request the cardholder to retry. On the 0200 request: - DE 124, positions 1- 24: same letters received in the previous test case. - DE 124, positions 25-33: letters selected by the card holder. - DE 124, position 34-55 = "PI". On the 0210 response: - DE 124, positions 1- 24: . - DE 124, positions 25-33: spaces. - DE 124, position 34-55 = "II".									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
19	0200	330094300017	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	89
		ATM WITHDRAWAL - INITIATING PIL - RC89. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer declines with RC80 and informs PIL status = PIL Initial Generation needed - ATM should display: please refer to an Issuer owned ATM to generate your PIL - ATM should return the card. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II". On the 0210 response: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II".									

Single Message Authorization: Issuer Credit and Debit
Table 3301099: Contactless Magnetic Stripe (All Business Transactions)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE 61_10	DE52	Card ID	RC
20	0200	330094300018	1	1	MSR ATM WITHDRAWAL WITH ONLINE PIN	01	90	1	V	MSI	51
		ATM WITHDRAWAL - INITIATING PIL - DECLINED, PIL NOT REQUIRED. Initial PIL cycle transaction where the acquirer requests a withdrawal without PIL, issuer declines and informs PIL status = PIL not required. On the 0200 request: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "II". On the 0210 response: • DE 124, positions 1- 24: spaces. • DE 124, positions 25-33: spaces. • DE 124, position 34-55 = "NP".									

Table 3301099: Contactless Magnetic Stripe (All Business Transactions)

The test cases in table 3301099 address how an issuer processes single message financial transaction requests and responses for Mastercard contactless magnetic stripe.

Financial Transaction Response Contactless M/Chip-specific General Acceptance Criteria. The test cases in this section will test whether an issuer's Single Message application can properly process MasterCard® Contactless M/Chip messages. Unless otherwise specified in the comments field of each test case, the following conditions must be fulfilled with all Contactless M/Chip Financial Transaction Response/0210 Messages:

- DE 23 (Card Sequence Number) must not be present.
- DE 55 (ICC System Related Data) must not be present as a best practice.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Contactless Magnetic Stripe (All Business Transactions)

Table 220: Table 3301099

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330109900001	1	1	MSR CONTACTLESS PURCHASE ONLINE PIN	00	91	0	V	DMC	00
		DE 61, SF 11 (POS Card Data Terminal Input Capability Indicator) = 4 (Contactless Magnetic Stripe [Proximity Chip]).									

Table 3301145: Tokenization Request and Notification Messages

The test cases in table 3301145 verify whether an issuer's Single Message online application can receive Tokenization Request and Notification transactions for issuers that participate in the Mastercard Digital Enablement Service and have opted into receiving such transactions in financial transaction request messages; process them, and send correctly formatted financial transaction responses containing appropriate response data.

These messages are available to issuers to enable the real-time decisioning of whether a card can be tokenized and for the subsequent notification of information related to tokenization.

NOTE:

- The test transaction data must be updated with the DE 48, SE 33 and DE 124 values that issuers want to receive in each test case.
- DE 43, SF 5; DE 49; and DE 61, SF 13 may contain values applicable for the Local Use Only Account Ranges rather than USA/840.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Tokenization Request and Notification Messages

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200		1	N/A	MANUAL TOKENIZATION ELIGIBILITY PURCHASE NO CVM	00	01	0		DMC MSI	00
		Tokenization Eligibility Request. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 124 positions 1-2 = TE (Tokenization Eligibility Request), position 17 (PAN Source) contains 1,2,3,4,5,6 of issuer choice, position 159 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0210: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Continue) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, or • DE 39 = 05 (Decline) and DE 124 must not be present, or • DE 39 = 85 (Continue, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if issuer does not use default activation method, or • DE 39 = 85 (Continue, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if issuer uses default activation method.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200		1	N/A	MANUAL TOKENIZATION AUTHORIZATION PURCHASE NO CVM	00	01	0		DMC MSI	V

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		Tokenization Authorization Request. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 82 = 52 (AVS and Authorization) and when applicable DE 48, SE 92 (CVC 2) value of issuer choice. DE 120 (Record Data) containing AVS postal code and address data in format specified by issuer. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) contains 1,2,3,4,5,6 of issuer choice, position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0210: DE 48, SE 83 contains AVS response of issuer choice and when applicable SE 87 contains CVC 2 response of issuer choice. 0210: DE 56 (Payment Account Data) contains PAR provided by issuer when issuer or its designated service provider is BIN Controller. 0210: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, or • DE 39 = 05 (Decline) and DE 124 must not be present, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if issuer does not use default activation method, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if issuer uses default activation method.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		NOTE: Per the MDES Issuer Implementation Guide, issuers are recommended to implement a velocity check to mitigate the risk of a brute force attack on a cards CVC 2. Requests received with an invalid CVC 2 prior to exceeding the velocity limit should be responded to by the issuer with DE 39 = 05 (Do not honor) and DE 48, SE 87 = N (Invalid CVC 2 non-match). Requests received with an invalid CVC 2 after the velocity limit is exceeded should be responded to with DE 39 = 05 and DE 48, SE 87 = P (CVC not processed). Issuers may execute this test case as many times as necessary to exceed their invalid CVC 2 velocity limit.									
3	0200		1	N/A	MANUAL ACTIVATION CARD NOTIFICATION PURCHASE NO CVM	00	01	0		DMC MSI	00
		Activation Code Notification. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), and SF 6 (Token Requestor ID) values of issuer choice. DE 124 positions 1-2 = AC (Activation Code Notification) and other data of issuer choice. 0210: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200		1	N/A	MANUAL TOKENIZATION COMPLETE NOTIFICATION PURCHASE NO CVM	00	01	0		DMC MSI	00
		Tokenization Complete Notification. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), SF 5 (Token Assurance Method), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 56 (Payment Account Data) only for MDES tokens. DE 124 positions 1-2 = TC (Tokenization Complete Notification) and other data of issuer choice. 0210: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0200		1	N/A	MANUAL TOKENIZATION EVENT NOTIFICATION PURCHASE NO CVM	00	01	0		DMC MSI	00
		Tokenization Event Notification. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 06, SF 01 (Binding ID) = valid value. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), SF 5 (Token Assurance Method), SF 6 (Token Requestor ID), and SF 8 (Storage Technology). DE 104, SE 004, SFs 001 and 002 may be present with values of issuer choice. DE 124 positions 1-2 = TV (Tokenization Event Notification), position 17 (Tokenization Event Indicator) = 1,2,3,4,5,6,7,8,9,a,b exception token events, and replacement token as well as related data all of issuer choice. 0210: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0200		1	N/A	MANUAL TOKENIZATION EVENT NOTIFICATION PURCHASE NO CVM	00	01	0		DMC MSI	00
		Tokenization Event Notification for payment channel disabled by cardholder of issuer in India. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), and SF 6 (Token Requestor ID). DE 124 positions 1-2 (Message Type) = TV (Tokenization Event Notification); position 17 (Tokenization Event Indicator) = 2 (Payment Channel Preference Updated); positions 69-71 (Cardholder Disabled Payment Channel) value of issuer choice and all other positions values of issuer choice. 0110: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0200		1	N/A	MANUAL TOKENIZATION AMR PURCHASE NO	00	01	0		DMC MSI	V
		Tokenization Authentication Methods Request (AMR) for token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 48, SE 06 (Advanced Digital Transaction Data 1) , SFs 01-03; DE 48, SE 07 (Advanced Digital Transaction Data 2), SFs 01-02; and DE 48, SE 08 (Advanced Digital Transaction Data 3), SF 01. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 3 (Expiration Date), SF 5 Token Assurance Method) as applicable; SF 6 (Token Requestor ID) as applicable; and SF 8 (Storage Technology) as applicable. DE 104, SE 004 (Digital Service Provider), SFs 001-002 as applicable and DE 104, SE 005 (Digital Authentication Data), SFs 001-002 as applicable. DE 124, positions 1-2 = AM (Authentication Methods Request); position 65 (Token Type) contains C,F,S of issuer choice; positions 66-71 (Reason Codes) contains 01,02,03,04,05,06; and other data of issuer choice. 0210: Issuer response option below indicates how Mastercard shall proceed with the tokenization process. DE 39 = 00 (Approve and Cardholder Authentication not required), or DE 39 = 85 (Approve but require Cardholder Authentication) and DE 124 present. DE 39 all other values for request not approved.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0200		1	N/A	MANUAL ACN FOR AMR PURCHASE NO CVM	00	01	0		DMC MSI	00
		Activation Code Notification for AMR for a new token. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator); SF 2 (Account Number); and SF 6 (Token Requestor ID) values of issuer choice. DE 124 positions 1-2 = AC (Activation Code Notification) and other data of issuer choice. 0210: DE 39 = 00 (Approve) indicates successful receipt of the notification and DE 124 must not be present.									

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
10	0200		1	N/A	MANUAL TOKENIZATION AUTHORIZATION PURCHASE NO CVM	00	01	01		DMC MSI	V

Single Message Authorization: Issuer Credit and Debit
Table 3301145: Tokenization Request and Notification Messages

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		Tokenization Authorization Request (TAR) for a new token for an issuer-generated consumer VCN. DE 2 (Primary Account Number) contains issuer-generated consumer VCN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request / Notification). DE 43 (Acceptor Name / Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 82 = 52 (AVS and Authorization) and when applicable DE 48, SE 92 (CVC 2) value of issuer choice. DE 120 (Record Data) containing AVS postal code and address data in format specified by issuer. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) contains 1,2,3,4,5,6 of issuer choice, position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0210: DE 48, SE 09, SF 01 = A (Primary Account Number); DE 48, SE 09, SF 02 = valid value of PAN associated to the VCN being tokenized; and DE 48, SE 09, SF 03 = valid value of expiry date. 0210: DE 48, SE 83 contains AVS response of issuer choice; DE 48, SE 84 contains 41,43 indicating Single-Use VCN or Multi-Use VCN; and when applicable DE 48, SE 87 contains CVC 2 response of issuer choice. 0210: DE 56 (Payment Account Data) contains PAR provided by issuer when issuer or its designated service provider is BIN Controller. NOTE: 0210: Issuer response option below indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, or • DE 39 = 05 (Decline) and DE 124 must not be present, or • DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Method(s) if issuer does not use default activation method, or									

Single Message Authorization: Issuer Credit and Debit

Table 3301351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
		DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if issuer uses default activation method.									

Table 3301351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service

The test cases in table 3301351 address how an issuer processes single messages financial transaction requests and responses for ICCR percentage or CBFM markup applied to cardholder billing amounts.

Issuers can also see markup results in the 250-byte Batch Data File when the optional Additional Data Addendum Record (ADDR) is received.

Validations for ICCR service or CBFM service

- Issuers must initiate setup of the ICCR percentage parameter or the CBFM markup parameter for each participating account range.
- If the issuer is utilizing the CBFM markup percentage parameter, please use the calculator provided in Mastercard Currency Converter | Currency Exchange Rate Calculator to verify if the amount mentioned in DE 6 includes the correct CBFM markup after conversion.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service

Table 221: Table 3301351

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0200	330135100007	1	0	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		DMC MSI	00
		DE 6 and DE 8 contain ICCR or CBFM markup amounts.									

Table 3301550: Domestic Processing (Colombia)

The test cases in table 3301550 address how an issuer processes single message financial transaction requests and responses for various types of Colombia domestic transactions containing applicable data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Domestic Processing (Colombia)

Table 222: Table 3301550

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330155000001	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
		Restaurant transaction with 10% gratuity. DE 4 (Amount, Transaction) contains gratuity amount and tax (IAC). DE 54 contains amount type 44 (Amount Gratuity). DE 124 contains Colombia domestic transaction information, tax and base amount.									
2	0200	330155000002	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
	0420		1	1	DE 39 = 00						00
		Purchase transaction followed by customer cancellation full amount reversal transaction. DE 4 (Amount, Transaction) contains value-added tax (IVA). DE 124 contains Colombia domestic transaction information including SF 2 (Tax/IVA). 0420: DE 124 contains Colombia domestic transaction information including SF 10 (Original Transaction Data).									
3	0200	330155000003	1	1	MSR CAT LEVEL 1 BALANCE INQUIRY ONLINE PIN	30	90	1	V	MSI_001 MSI_002	00
		POS Balance Inquiry transaction. DE 124 contains Colombia domestic transaction information.									

Single Message Authorization: Issuer Credit and Debit
Table 3301550: Domestic Processing (Colombia)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	330155000004	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
		Utilities transaction. DE 4 (Amount, Transaction) contains value-added tax (IVA). DE 124 contains Colombia domestic transaction information including SF 2 (Tax/IVA), SF 6 = 150000 (Public utilities).									
5	0200	330155000005	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
		Billing payment transaction. DE 4 (Amount, Transaction) contains value-added tax (IVA). DE 124 contains Colombia domestic transaction information including SF 2 (Tax/IVA), SF 6 = 350000 (Billing payment), SF 7 with bill payment information, SF 11 = 1 (Check payment).									
6	0200	330155000006	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
		Cellular phone top up transaction. DE 4 (Amount, Transaction) contains value-added tax (IVA). DE 124 contains Colombia domestic transaction information including SF 2 (Tax/IVA), SF 6 = 380000 (Cellular phone top up), SF 7 with top up data information.									
7	0200	330155000007	1	1	MSR PURCHASE WITH CASH BACK ONLINE PIN	09	90	0	V	MSI_001 MSI_002	00
		Purchase with cash back transaction. DE 54 (Additional Amounts) and DE 124 present.									

Single Message Authorization: Issuer Credit and Debit
Table 3301550: Domestic Processing (Colombia)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0200	330155000008	1	1	MSR REFUND NO CVM	20	90	0	V	MSI_001 MSI_002	00
		Refund transaction. DE 124 contains Colombia domestic transaction information.									
9	0200	330155000009	1	1	MSR CAT LEVEL 9 PURCHASE ONLINE PIN	00	90	9	V	MSI_001 MSI_002	00
		Attended mobile POS terminal, on or off premises. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (mPOS Software-based PIN Entry Capability) DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]). DE 61, SF 10 = 9 (mPOS Acceptance Device) and DE 61, SF 1 = 0 (Attended Terminal); DE 124 present).									
10	0200	330155000010	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
		Large Retail Purchase Transaction. DE 18 MCC = 5311 and DE 110, SF 1 (Merchant ID) = 230263. DE 124 contains Colombia domestic transaction information									
11	0200	330155000013	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI_001 MSI_002	00
		Purchase Transaction. DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 = Payment Facilitator ID, SF 2 = Independent Sales Organization ID and SF 3 = Sponsored Merchant ID. DE 124 contains Colombia domestic transaction information.									

Single Message Authorization: Issuer Credit and Debit
Table 3301550: Domestic Processing (Colombia)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0200	330155000014	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MSI_001 MSI_002	00
		ATM Withdrawal transaction. DE 3, SF 2 according to account selection.									
13	0200	330155000015	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MSI_001 MSI_002	00
	0420		1	1	DE 39 = 00						00
		ATM Withdrawal transaction. DE 3, SF 2 according to account selection. 0420: DE 60 = 450 0018 (Zero dispense; card returned; POI failure).									
14	0200	330155000016	1	1	MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	MSI_001 MSI_002	00
		ATM Balance Inquiry transaction. DE 3, SF 2 according to account selection.									
15	0200	330155000017	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL FEE INQUIRY ONLINE PIN	01	90	1	V	MSI_001 MSI_002	00
		ATM Withdrawal Fee Inquiry transaction. 0200 Fee inquiry: DE 61, SF 7 (POS Transaction Status Indicator) = 8 (Account Status Inquiry) and DE 112, SE 035 = 01 (Issuer Fee inquiry). 0210 Fee Response: DE 112, SE 36 = fee amount									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
16	0200	330155000018	1	1	MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MSI_001 MSI_002	00
		ATM Withdrawal transaction. DE 3, SF 2 according to account selection; DE 28 present.									

Table 3301801: PIN Management (ATM PIN Change)

The test cases in table 3301801 address how an issuer processes single messages for magnetic stripe ATM PIN Change transactions identified in financial transaction requests, reversals, and responses. Issuers may use response code 00 or 85 for approved PIN Management magnetic stripe transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: PIN Management (ATM PIN Change)

Table 223: Table 3301801

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330180100001	1	1	MSR CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	02	1	V	MCC DMC MSI CIR	00
	0420		1	1	DE 39 = 00						00
		DE 125 (New PIN Data) present.									
2	0200	330180100002	1	1	MSR CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	90	1	V	MCC DMC MSI CIR	00
	0420		1	1	DE 39 = 00						00
		DE 125 (New PIN Data) present.									
3	0200	330180100004	1	1	MSR CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	90	1	V	MCC DMC MSI CIR	71
		DE 125 (New PIN Data) present.									
4	0200	330180100005	1	1	MSR CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	90	1	V	MCC DMC MSI CIR	89
		DE 125 (New PIN Data) present.									
5	0200	330180100006	1	1	MSR CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	90	1	V	MCC DMC MSI CIR	70
		DE 125 (New PIN Data) present.									

Table 3301850: Maestro switching of Visa CP PIN-less transactions (U.S. Region)

The test cases in table 3301850 address how an issuer processes single message financial transaction requests and responses containing DE 48, subelement 81 (Maestro PIN-less Program Indicator) for Visa BIN cobranded with Maestro when available.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: MSR

Testing Type: Product and Services

Program: Maestro switching of Visa CP PIN-less transactions (U.S. Region)

Table 224: Table 3301850

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330185000001	1	1	MSR PURCHASE NO CVM	00	90	0		MSI	00
		DE 48, SE 81 = Y (The transaction does qualify as a PIN-less Maestro transaction).									
2	0200	330185000002	1	1	MSR PURCHASE NO CVM	00	90	0		MSI	V
		DE 48, SE 81 = N (The transaction does not qualify as a PIN-less Maestro transaction) because DE 4 transaction amount exceeds \$50.									
3	0200	330185000003	1	1	MSR PURCHASE NO CVM	00	90	0		MSI	V
		DE 48, SE 81 not present because merchant not located in U.S. region or U.S. territories.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	330185000004	1	1	ELECTRONIC COMMERCE PURCHASE NO CVM	00	81	6		MSI	V
		DE 48, SE 81 = N (The transaction does not qualify as a PIN-less Maestro transaction) because this is a card-not-present electronic commerce transaction.									
5	0200	330185000005	1	1	MSR PURCHASE ONLINE PIN	00	90	0	V	MSI	V
		DE 48, SE 81 not present because DE 52 (PIN Data) is present.									
6	0200	330185000006	1	1	MSR CAT LEVEL 2 PURCHASE NO CVM	00	90	2		MSI	V
		DE 48, SE 81 = N (The transaction does not qualify as a PIN-less Maestro transaction) because DE 18 = 5542 which is an excluded MCC.									

Table 3303101: Fraud Notification Service

The test cases in table 3303101 address how an issuer processes single message requests and responses for a representment transaction with DE 48 (Additional Data) subelement 19 (Fraud Notification Service) subfield 3 (Fraud Notification Service Second Presentment Rights Indicator).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: MSR

Testing Type: Product and Services

Program: Fraud Notification Service

Table 225: Table 3303101

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330310100001	N/A	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	MCC DMC MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account). DE 4 = 40.00.									
2	0422	330310100001	N/A	1	CHARGEBACK					MCC DMC MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account). DE 4 = 40.00. DE 60 = 489 0017 (Chargeback Cardholder dispute [ATM only]).									
3	0420	330310100001	N/A	1	REPRESENTMENT					MCC DMC MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account). DE 48, SE 19, SF 3 = FNS (Fraud Notification Service Second Presentment Rights Indicator). DE 60 = 491 0013 (Representment). DE 95, SF 1 = 40.00.									

Table 3308402: Mexico Domestic Switching (ATM Transactions)

The test cases in table 3308402 address how an issuer processes single message financial transaction request/0200, acquirer reversal advice/0420, and responses for MxDS transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversal Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Mexico Domestic Switching (ATM Transactions)

The following data elements and values uniquely identify an MxDS transaction:

- DE 32 (Acquiring Institution Identification Code), ATM acquirers in Mexico
- DE 43 (Acceptor Name and Location), subfield 5 (Merchant's Country Code) = MEX
- DE 49 (Currency Code, Transaction) = 484
- DE 61 (Point of Service [POS] Data), subfield 13 (POS Country Code) = 484

Table 226: Table 3308402

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330840200001	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
		0200: DE 3 = 172000, DE 4 = 730.00, DE 28 = 30.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution).									

Single Message Authorization: Issuer Credit and Debit
Table 3308402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	330840200002	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	55
		0200: DE 3 = 302000, DE 4 = 15.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0210: DE 54 account balance information not present because transaction was rejected because of invalid PIN.									
3	0200	330840200003	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
	0420		1	1	DE 39 = 00						00
		0200: DE 3 = 172000, DE 4 = 230.00, DE 28 = 30.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0420: Full reversal for DE 60 = 4530041 (Financial transaction cancellation: card returned).									
4	0200	330840200004	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	00
	0420		1	1	DE 39 = 00						00
		0200: DE 3 = 302000, DE 4 = 15.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0210: DE 54 containing account balance information. 0420: Full reversal for DE 60 = 4530041 (Financial transaction cancellation: card returned).									
5	0200	330840200005	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
		0200: DE 3 = 172000, DE 4 = 1,715.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution).									

Single Message Authorization: Issuer Credit and Debit
Table 3308402: Mexico Domestic Switching (ATM Transactions)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0200	330840200006	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	00
		0200: DE 3 = 302000. DE 4 = 7.50, DE 28 = 7.50, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0210: DE 54 containing account balance information.									
7	0200	330840200007	1	1	MSR ATM WITHDRAWAL ONLINE PIN	17	90	1	V	FROM MBR DMC_#2	00
	0420		1	1	DE 39 = 00						00
		0200: DE 3 = 172000, DE 4 = 1,215.00, DE 28 = 15.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0420: Full reversal for DE 60 = 4530041 (Financial transaction cancellation: card returned).									
8	0200	330840200008	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR DMC_#2	00
	0420		1	1	DE 39 = 00						00
		0200: DE 3= 302000, DE 4 = 7.50, DE 28 = 7.50, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0210: DE 54 containing account balance information. 0420: Full reversal for DE 60 = 4530041 (Financial transaction cancellation: card returned).									

Table 3308403: Mexico Domestic Switching (ATM Transactions)

The test cases in table 3308403 address how an issuer processes single messages financial transaction requests and responses for MxDS transactions request/0200 and acquirer reversal advice/0420 messages.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversal Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Mexico Domestic Switching (ATM Transactions)

The following data elements and values uniquely identify an MxDS transaction:

- DE 32, ATM acquirers in Mexico
- DE 43, Subfield 5 (Merchant's Country Code) = MEX
- DE 49 (Currency Code, Transaction) = 484
- DE 61, Subfield 13 (POS Country Code) = 484

Table 227: Table 3308403

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	330840300001	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#5	00
		ATM credit card cash advance with ATM access fee and issuer approved response containing credit line usage fee. 0200: DE 3 = 013000, DE 4 = 910.00, DE 28 = 10.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution). 0210: DE 112; SE 004 contains currency code and CLUF amount in MXN; SE 005 contains issuing bank name and SE 006 containing issuer FIID.									
2	0200	330840300002	1	1	MSR ATM WITHDRAWAL ONLINE PIN	01	90	1	V	FROM MBR MCC_#5	00
	0420		1	1	DE 39 = 00						00
		ATM credit card cash advance with ATM access fee, issuer approved response containing credit line usage fee, cardholder cancels transaction because of CLUF amount, and ATM reversal is sent. 0200: DE 3 = 013000, DE 4 = 1320.00, DE 28 = 20.00, DE 18 = 6011 (Automated Cash Disbursements - Customer Financial Institution).									
3	0200	330840300003	1	1	MSR ATM BALANCE INQUIRY ONLINE PIN	30	90	1	V	FROM MBR MCC_#5	00
		ATM credit card balance inquiry with ATM access fee, issuer approved response. Credit line usage fee is not applicable to balance inquiry. 0200: DE 3= 303000, DE 4 = 30,00, DE 28 = 30,00, DE 18 = 6011 (Automated Cash Disbursements—Customer Financial Institution). 0210: response code 00, DE 54 containing the account balance information.									

Table 3309001: Argentina Regulatory Mandate

The test cases in table 3309001 address how an issuer processes single message requests and responses for Argentina domestic Debit Mastercard transactions with subfields 1-4 in DE 124 in financial transaction advice completion message.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Advices

Operation Type: MSR

Testing Type: Product and Services

Program: Argentina Regulatory Mandate

Table 228: Table 330900

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0220	330900100001	1	1	MSR PURCHASE SIGNATURE OR NO CVM	00	90	0		DMC	00
		Argentina domestic Debit Mastercard transaction. DE 124 existing subfields 1 (Billing Period) and 2 (Recurrent Payment Reference Number) containing applicable data or space filled positions 1-5 and/or 6-17. DE 124 subfields 3 (Acceptor Tax ID) and 4 (Legal Corporate Name) containing applicable data or space filled positions 18-37 and/or 38-67. NOTE: Debit Mastercard issuers in Argentina should not expect DE 124 on every domestic transaction.									

Issuer Base Testing for Single Message ICC Authorization Operations

The following test cases will test whether an issuer's Single Message Authorization application can receive correctly formatted financial transaction requests, advices, and reversal advices, and process the resulting responses when presented with the required basic functionalities.

Table 3350001: All Business Transaction (MCC, DMC)

The test cases in the table 3350001 address how an issuer processes single message authorization financial transaction requests and responses for various business transactions.

Financial Transaction Response Contact M/Chip-specific General Acceptance Criteria unless otherwise specified in the comments field of each test case, the following conditions must be fulfilled with all Contact M/Chip Financial Transaction Response/0210 Messages:

- When present in Financial Transaction Request Message, DE 52 (PIN Data) must be validated successfully by the Issuer.
- DE 23 (Card Sequence Number) must not be present.
- When DE 55 (ICC System Related Data) is present, the Authorization Response Cryptogram (ARPC) present in Tag 91 must be successfully validated by the simulator.
- When DE 55 is present, only mandatory and optional tags must be included in DE 55.
- When DE 55 (ICC System Related Data) is present, the Authorization Response Code (ARC) present in Tag 91 just after the ARPC must be a valid value according to the Card Application used. The ARC exists in various lengths, formats and contents.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Advices

Operation Type: ICC

Testing Type: Base

Program: All Business Transaction (MCC, DMC)

Table 229: Table 3350001

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335000100001	1	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC	00
		Request from full grade acquirer.									
2	0200	335000100003	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Request from full grade acquirer.									
3	0200	335000100004	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		DMC	00
		Request from full grade acquirer.									
4	0200	335000100005	1	1	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	DMC	00
		Request from full grade acquirer.									
5	0200	335000100006	1	0	ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	00	05	1		DMC	00
		Request from full grade acquirer.									
6	0200	335000100007	1	1	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		DMC	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
7	0200	335000100008	1	0	ICC CAT LEVEL 4 PURCHASE NO CVM	00	05	4		DMC	00
		Request from full grade acquirer.									
8	0200	335000100017	1	0	ICC CAT LEVEL 9 PURCHASE SIGNATURE	00	05	9		DMC	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
9	0200	335000100009	1	1	ICC CASH DISBURSEMENT SIGNATURE	17	05	0		DMC	00
		Request from full grade acquirer.									
10	0200	335000100010	1	0	ICC CASH DISBURSEMENT OFFLINE PIN	17	05	0		DMC	00
		Request from full grade acquirer.									
11	0200	335000100026	1	0	ICC CASH DISBURSEMENT ONLINE PIN	17	05	0	V	DMC	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
12	0200	335000100027	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC	00
		Request from full grade acquirer.									
14	0200	335000100032	1	0	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	DMC	00
		Request from full grade acquirer.									
15	0200	335000100033	1	0	ICC PURCHASE WITH CASH BACK OFFLINE PIN	09	05	0		DMC	00
		Request from full grade acquirer.									
16	0220	335000100040	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Full grade transaction advising approval									
17	0200	335000100041	1	0	ICC CAT LEVEL 9 PURCHASE ONLINE PIN	00	05	9	V	DMC	00
		mPOS device Phone/Tablet +Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
18	0200	335000100042	1	0	ICC CAT LEVEL 9 PURCHASE ONLINE PIN	00	05	9	V	DMC	00
		mPOS device Phone/Tablet. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
19	0200	335000100043	1	1	ICC REFUND SIGNATURE	20	05	0		DMC	00
		Request from full grade acquirer. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
20	0200	335000100020	1	1	ICC REFUND SIGNATURE	20	05	0		DMC	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 3350002: All Business Transactions (MSI, CIR)

The test cases in the table 3350002 address how an issuer processes single message financial transaction requests and responses for various chip business transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Advices

Operation Type: ICC

Testing Type: Base

Program: All Business Transactions (MSI, CIR)

Table 230: Table 3350002

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335000200001	1	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MSI CIR	00
		Request from full grade acquirer.									
2	0200	335000200007	1	1	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	MSI	00
		Request from full grade acquirer.									
3	0200	335000200008	1	0	ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	00	05	1		MSI	00
		Request from full grade acquirer.									
4	0200	335000200021	1	1	ICC PURCHASE WITH CASH BACK ONLINE PIN	09	05	0	V	MSI	00
		Request from full grade acquirer.									
5	0200	335000200022	1	0	ICC PURCHASE WITH CASH BACK OFFLINE PIN	09	05	0		MSI	00
		Request from full grade acquirer.									
8	0200	335000200005	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MSI	00
		Request from full grade acquirer.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	335000200006	1	1	ICC PURCHASE OFFLINE PIN	00	05	0		MSI	00
		Request from full grade acquirer.									
10	0200	335000200028	1	0	ICC PURCHASE NO CVM	00	05	0		MSI	00
		This case will test whether Maestro issuers will approve Europe region full grade M/Chip acquired tollway transactions with no CVM. DE 18 = 4784 (Bridge and Road Fees, Tolls). DE 55 TAG 95 (TVR) byte 3 bit 8 = 1 (Cardholder verification was not successful). DE 55 TAG 95 (TVR) byte 3 bit 5 = 1 (PIN entry required and PIN pad not present or not working).									
11	0200	335000200029	1	0	ICC PURCHASE NO CVM	00	05	0		MSI	00
		This case will test whether Maestro issuers will approve Europe region full grade M/Chip acquired parking transactions with no CVM. DE 18 = 7523 (Automobile Parking Lots and Garages). DE 55 TAG 95 (TVR) byte 3 bit 8 = 1 (Cardholder verification was not successful). DE 55 TAG 95 (TVR) byte 3 bit 5 = 1 (PIN entry required and PIN pad not present or not working).									
12	0200	335000200010	1	0	ICC CAT LEVEL 9 PURCHASE OFFLINE PIN	00	05	9		MSI	00
		mPOS device Phone/Tablet +Dongle with PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 1 (Terminal has PIN entry capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
13	0220	335000200040	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		MSI	00
		From full grade acquirer advising approval of offline chip transaction									
14	0200	335000200045	1	1	ICC CAT LEVEL 9 PURCHASE ONLINE PIN	00	05	9	V	MSI	00
		mPOS device Phone/Tablet +Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 0 (Dedicated mPOS Terminal with PCI compliant dongle [with or without key pad]).									
15	0200	335000200046	1	0	ICC CAT LEVEL 9 PURCHASE ONLINE PIN	00	05	9	V	MSI	00
		mPOS device Phone/Tablet with or without Dongle without PIN Pad. DE 22, SF 2 (POS Terminal PIN Entry Mode) = 3 (Software Based PIN Entry Capability). DE 48, SE 21 (Acceptance Data), SF 1 (mPOS Acceptance Device Type) = 1 (Off the Shelf Mobile Device).									
16	0200	335000200047	1	1	ICC REFUND NO CVM	20	05	0		MSI	00
		Request from full grade acquirer. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
17	0200	335000200048	1	0	ICC REFUND ONLINE PIN	20	05	0	V	MSI	00
		Request from full grade acquirer. NOTE: Issuers are strongly recommended to implement Mastercard best practices for processing of refund/return transactions (refer to AN 4849 Security Alert for Fraudulent Refund Transaction).									
18	0200	335000200018	1	1	ICC REFUND SIGNATURE	20	05	0		MSI	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 3350003: Unapproved Response Codes

The test cases in the table 3350003 address how an issuer processes single message financial transaction requests and unapproved response codes.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Advices

Operation Type: ICC

Testing Type: Base

Program: Unapproved Response Codes

NOTE: Issuers must respond with the designated response codes and may optionally respond with other unapproved values of issuer choice.

Table 231: Table 3350003

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335000300101	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	V
		Call Issuer (01), Capture (04,41,43), Decline (05,12,14,51,54,57,94), and other declines of issuer choice.									
2	0200	335000300102	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	30
		Format Error DE 39 = 30 and, if applicable, DE 44 (Additional Response Data) data of issuer choice. If format error in DE 48, DE 108, or DE 112, then DE 44 should contain six positions consisting of data element and subelement in error. If format error not in DE 48, DE 108, or DE 112 then DE 44 should contain three positions consisting of data element in error. NOTE: Simulator edits may be turned off to allow bad data to be passed to issuer.									
3	0200	335000300103	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		Capture (04,41,43), Decline (05,12,14,51,54,55,57,61,94), and other declines of issuer choice.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	335000300104	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	30
		Format Error DE 39 = 30 and, if applicable, DE 44 (Additional Response Data) data of issuer choice. If format error in DE 48, DE 108, or DE 112, then DE 44 should contain six positions consisting of data element and subelement in error. If format error not in DE 48, DE 108, or DE 112 then DE 44 should contain three positions consisting of data element in error. NOTE: Simulator edits may be turned off to allow bad data to be passed to issuer.									

Table 3350004: Technical Conditions

The test cases in the table 3350004 address how an issuer processes single message financial transaction request and responses under the less common, but valid, general conditions surrounding the Single Message System.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Base

Program: Technical Conditions

Table 232: Table 3350004

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335000400004	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC MSI	00
		Request from full grade acquirer with all DE 55 mandatory and optional data elements.									
2	0200	335000400007	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC MSI	00
		Request from full grade acquirer. Issuer response should include one or more Issuer scripts. The script template contains one or more Issuer script commands. Required only if issuer supports EMV post-issuance commands. No parsing error of the script template by the simulator.									
3	0200	335000400008	1	0	ICC FALLBACK TO MAGNETIC STRIPE PURCHASE SIGNATURE	00	80	0		DMC MSI	V
		Fallback to magnetic stripe on hybrid cards (DE 22,SF 1 = 80 (Chip card at chip-capable terminal was unable to process transaction using data on the chip). Issuers may approve or decline Fallback to Magnetic Stripe requests at their discretion, and may return any valid Response Code in DE 39 of the response. The purpose of this test is to confirm that the Issuer's system can process a Fallback request without failure or error.									
4	0200	335000400012	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		Request from full grade acquirer with all DE 55 mandatory and optional elements.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0200	335000400015	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		Request from full grade acquirer. Issuer response should include one or more Issuer scripts. The script template contains two or more Issuer script commands. Required only if issuer supports EMV post-issuance commands. No parsing error of the script template by the simulator.									
6	0200	335000400016	1	0	ICC FALLBACK TO MANUAL ENTRY PURCHASE SIGNATURE	00	79	0		DMC MSI	V
		Fallback to manual entry on hybrid cards (DE 22, SF 1 = 79 (Chip card at chip-capable terminal was unable to process transaction using data on the chip). Issuers may approve or decline Fallback requests at their discretion, and may return any valid Response Code in DE 39 of the response. The purpose of this test is to confirm that the Issuer's system can process a Fallback request without failure or error.									
7	0200	335000400017	1	0	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		DMC MSI	00
		Request from full grade acquirer where POS and network currency code (DE55, Tag 9F1A) Terminal Country Code do not match.									
8	0200	335000400018	1	0	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		DMC MSI	00
		Request from full grade acquirer where gratuity addition causes network message amount and ICC data amount to be different.									

Single Message Authorization: Issuer Credit and Debit
Table 3350010: System-generated Financial Transaction Advices

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	335000400019	1	0	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		DMC MSI	00
		Request from full grade acquirer containing only the mandatory data elements that constitute a valid message. Issuer should respond appropriately. DE 61, SF 11 = 8 (EMV specification [compatible chip reader], magnetic stripe reader and key entry).									
10	0200	335000400020	1	0	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		DMC MSI	00
		Request from full grade acquirer containing only the mandatory data elements that constitute a valid message. Issuer should respond appropriately. DE 61, SF 11 = 9 (EMV specification [compatible chip reader]).									
11	0200	335000400023	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Request from full grade acquirer supporting contactless M/Chip containing the mandatory data elements that constitute a valid message. Issuer should respond appropriately. DE 61, SF 11 = 3 (Contactless M/Chip [Proximity Chip]).									

Table 3350010: System-generated Financial Transaction Advices

The test cases in the table 3350010 verify whether an issuer's Single Message application can receive approved and declined system-generated Stand-In and X-Code Authorization Advices for the reasons indicated in DE 60, process them for relevant impacts on available to buy limits and other internal postings for affected accounts, and return correctly formatted Authorization Responses.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Advices

Operation Type: ICC

Testing Type: Base

Program: System-generated Financial Transaction Advices

NOTE: Test transaction data must be updated to create the desired DE 60 values.

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0220	335001000001	1	N/A	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		0220: DE 39 = 00 (Approved) and DE 60, SF 1 valid values of customer choice and SF 2 = 0000 (Accept).									
2	0220	335001000002	1	N/A	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		0220: DE 39 = 05 (Do not honor) and DE 60, SF 1 and SF 2 valid values of customer choice.									
3	0220	335001000003	1	N/A	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1		MCC DMC MSI CIR	00
		0220: DE 39 = 00 (Approved) and DE 60, SF 1 valid values of customer choice and SF 2 = 0000 (Accept).									
4	0220	335001000004	1	N/A	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1		MCC DMC	00
		0220: DE 39 = 05 (Do not honor) and DE 60, SF 1 and SF 2 valid values of customer choice.									

Table 3350041: Dynamic Currency Conversion

The test cases in the table 3350041 address how an issuer processes single message financial transaction requests, reversals, and responses for POI data in DE 54 for DCC transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Base

Program: Dynamic Currency Conversion(DCC)

Table 233: Table 3350041

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335004100001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DCC on an ATM Withdrawal. DE 4 (Amount, Transaction) contains the amount in the dynamic conversion currency. DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 58 (POI Amount); SF 3 (Currency Code) different than DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the pre-conversion currency.									

Single Message Authorization: Issuer Credit and Debit
Table 3350041: Dynamic Currency Conversion

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
2	0200	335004100002	1	1	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		DMC MSI	00
		DCC on a POS Purchase with Cash Back. DE 4 (Amount, Transaction) contains the amount in the dynamic conversion currency. First occurrence of DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 58 (POI Amount); SF 3 (Currency Code) different than DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the pre-conversion currency. Second occurrence of DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 40 (Amount Cash Back), SF 3 (Currency Code) same as DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the pre-conversion currency.									
3	0200	335004100003	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		DCC on a POS Purchase followed by a partial reversal. DE 4 (Amount, Transaction) contains the amount in the dynamic conversion currency. DE 54 contains SF 1 (Account Type) same value as DE 3, SF 2 (From Account); SF 2 (Amount Type) = 58 (POI Amount); SF 3 (Currency Code) different than DE 49; SF 4 (Debit or Credit Indicator) = D; and SF 5 (Amount) in the converted currency. 0420: DE 39 = 00 (Approved), DE 4 contains amount from 0200, DE 60 = 4510010 (Partial dispense: card returned), and DE 95, SF 1 contain the adjusted transaction amount in appropriate currency.									

Table 3350050: Additional Merchant Data

The test cases in the table 3350050 address how an issuer processes single message financial transaction requests and responses containing merchant data like merchant name, Sponsored Merchant information, or additional merchant data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Base

Program: Additional Merchant Data

- Test cases 1-3 and 5-7 verify if the financial transaction requests contain:
 - DE 43 (Acceptor Name/Location) with subfield 1 (Merchant Name [or Payment Facilitator and Sponsored Merchant Information, if applicable]), and
 - DE 48, SE 37 (Additional Merchant Data), SFs 1-3 Payment Facilitator ID with Sponsored Merchant ID and/or Independent Sales Organization ID.
- Test cases 4 and 8 test verify for Merchant Country of Origin in DE 48, SE 37, SF 4.
- Test case 9 will test whether an issuer's Single Message online application can receive and process Merchant Payment Gateway in DE 48, SE 37, SF 5 in authorization messages.

NOTE: Test transaction data must be updated to create 7 and 9 character abbreviated Payment Facilitator name followed by *.

Table 234: Table 3350050

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	3350050000001	1	0	MSR PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 (Payment Facilitator ID) and SF 3 (Sponsored Merchant ID).									
2	0200	3350050000002	1	0	MSR PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		DE 43 with Merchant Name. DE 48, SE 37, SF 2 (Independent Sales Organization ID).									
3	0200	3350050000003	1	1	MSR PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 = Payment Facilitator ID, SF 2 = Independent Sales Organization ID and SF 3 = Sponsored Merchant ID.									
4	0200	3350050000004	1	0	MSR PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		DE 48, SE 37, only SF 4 (Merchant Country of Origin) is optional. NOTE: SF 4 may also be present with any valid combinations of subfields 1-3.									

Single Message Authorization: Issuer Credit and Debit
Table 3350050: Additional Merchant Data

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
5	0200	335005000005	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 (Payment Facilitator ID) and SF 3 (Sponsored Merchant ID).									
6	0200	335005000006	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DE 43 with Merchant Name. DE 48, SE 37, SF 2 = Independent Sales Organization ID.									
7	0200	335005000007	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DE 43, SF 1 with 3 character abbreviated Payment Facilitator name followed by * in position 4 and then Sponsored Merchant name. DE 48, SE 37, SF 1 = Payment Facilitator ID, SF 2 = Independent Sales Organization ID and SF 3 = Sponsored Merchant ID.									
8	0200	335005000008	1	0	ICC ATM WITHDRAWAL ONLINE PIN	01	05	0	V	MCC DMC MSI CIR	00
		DE 48, SE 37, only SF 4 (Merchant Country of Origin) is optional. NOTE: SF 4 may also be present with any valid combinations of subfields 1-3.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
9	0200	335005000009	1	0	ICC DSRP ELECTRONIC COMMERCE PURCHASE NO CVM	00	09	6		DMC MSI	00
		DE 48, SE 37, SF 5 (Merchant Payment Gateway ID) = valid value. NOTE: SF 5 may also be present with any valid combinations of subfields 1-4.									

Table 3350055: Transaction Data Elements Program

The test cases in the table 3350055 address how an issuer processes single message financial transaction requests and responses as described in the release Transaction Data Elements.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Base

Program: Transaction Data Elements Program

Table 235: Table 3350055

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	335005500001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		ATM business transaction. DE 18 (Merchant Type) = 6011 and DE 48tcc = Z (ATM). DE 41 (Acceptor Terminal ID) = valid value of ATM terminal; DE 42 (Acceptor ID) = valid value of ATM acceptor; and DE 43, SF 1 (Acceptor Name) = valid value of ATM owner; DE 43, SF 3 (Acceptor City Name) = valid value of ATM terminal location; and DE 43, SF 5 (Acceptor Country Code) = valid value of ATM terminal location. DE 61, SF 13 (POS Country Code) = valid value of ATM terminal location and DE 61, SF 14 (Acceptor Postal Code) = valid value of ATM terminal location if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of ATM terminal location; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if applicable; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0200	335005500002	1	0	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	01	07	1	V	MCC DMC MSI CIR	00
		ATM business transaction. DE 18 (Merchant Type) = 6011 and DE 48tcc = Z (ATM). DE 41 (Acceptor Terminal ID) = valid value of ATM terminal; DE 42 (Acceptor ID) = valid value of ATM acceptor; and DE 43, SF 1 (Acceptor Name) = valid value of ATM owner; DE 43, SF 3 (Acceptor City Name) = valid value of ATM terminal location; and DE 43, SF 5 (Acceptor Country Code) = valid value of ATM terminal location. DE 61, SF 13 (POS Country Code) = valid value of ATM terminal location and DE 61, SF 14 (Acceptor Postal Code) = valid value of ATM terminal location if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of ATM terminal location; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if applicable; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value.									
3	0200	335005500003	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Chain/franchise merchant transaction with assigned Mastercard ID if applicable. DE 41 (Acceptor Terminal ID) = valid value; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing merchant recognizable name followed by store number or other unique location identifier; DE 48, SF 3 (Acceptor City Name) = valid value of the transaction's physical location; and DE 48, SF 5 (POS Country Code) = valid value. DE 48, SE 32 (Mastercard Assigned ID) = valid value if present for one assigned to merchant. DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if country utilizes postal codes. DE 122, SE 001, SF 01 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	335005500004	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Payment Facilitator enabled purchase transactions. DE 18 (Merchant Type) = valid value of Sponsored Merchant. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value of Payment Facilitator; and DE 43, SF 1 (Acceptor Name) contains 3,7,12 character abbreviated Payment Facilitator name followed by * in position 4, 8, or 13 and then Sponsored Merchant name; DE 43, SF 3 (Acceptor City Name) = valid value of Sponsored Merchant; and DE 43, SF 5 (Acceptor Country Code) = valid value of Sponsored Merchant. DE 48, SE 37, SF 1 (Payment Facilitator ID) = valid value and DE 48, SE 37, SF 3 (Sponsored Merchant ID) = valid value. DE 61, SF 13 (POS Country Code) = valid value of Sponsored Merchant and DE 61, SF 14 (Acceptor Postal Code) = valid value if present of Sponsored Merchant if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value of Sponsored Merchant; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present of Sponsored Merchant; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value of Sponsored Merchant.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
5	0200	335005500005	1	0	ICC PAYMENT NO CVM	28	05	0		DMC MSI	00
		rePower load value transactions. Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate. DE 4 (Amount, Transaction) = nnnnnnn7754 where nnnnnnn indicates the additional values necessary to represent a reasonable transaction amount in transaction currency to obtain DE 54 in response. DE 18 (Merchant type [MCC] contains 6532 (Payment Transaction - Member Financial Institution), 6533 (Payment Transaction - Merchant). DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value containing Merchant name followed by "MC rePower"; DE 48, SF 3 (Acceptor City Name) = valid value; and DE 48, SF 5 (Acceptor Country Code) = valid value. DE 48tcc = P (Payment) and DE 48, SE 77 = C03 (rePower Load Value). DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; and DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value. 0110: DE 54 = valid value containing post-load account balance.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
6	0200	335005500006	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		M/chip transaction may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present, DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
7	0200	335005500007	1	1	ICC CONTACTLESS PURCHASE SIGNATURE	00	07	0		DMC MSI	00
		M/chip contactless transaction may contain all available additional acceptor data. DE 41 (Acceptor Terminal ID) = valid value that uniquely identifies each terminal, payment gateway or other device used to capture account data; DE 42 (Acceptor ID) = valid value; and DE 43, SF 1 (Acceptor Name) = valid value; DE 43, SF 3 (Acceptor City Name) = valid value; and DE 43, SF 5 (Acceptor Country Code) = valid value. DE 61, SF 13 (POS Country Code) = valid value and DE 61, SF 14 (Acceptor Postal Code) = valid value if present if country utilizes postal codes. DE 122, SE 001, SF 001 (Acceptor Street Address) = valid value; DE 122, SE 001, SF 002 (Acceptor Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 003 (Acceptor URL Address) = valid value if present; DE 122, SE 001, SF 004 (Acceptor Customer Service Phone Number) = valid value if present; DE 122, SE 001, SF 005 (Acceptor Phone Number) = valid value if present; DE 122, SE 001, SF 006 (Acceptor Additional Contact Information) = valid value if present; DE 122, SE 001, SF 007 (Acceptor Tax ID) = valid value if present; DE 122, SE 001, SF 008 (Partner ID Code) = valid value if present; DE 122, SE 001, SF 009 (Service Location City Name) = valid value if present; DE 122, SE 001, SF 010 (Service Location Country Sub-division Code) = valid value if present; DE 122, SE 001, SF 011 (Service Location Country Code) = valid value if present; DE 122, SE 001, SF 012 (Service Location Postal Code) = valid value if present DE 122, SE 001, SF 013 (Acceptor Geographic Coordinates) = valid value if present; and DE 122, SE 001, SF 014 (Service Location Geographic Coordinates) = valid value if present.									

Table 3350095: DE 110 (Additional Data-2)

The test cases in the table 3350095 address how an issuer processes single message financial transaction requests and responses containing data in various ISO data elements that were previously submitted in DE 110.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Base

Program: DE 110 (Additional Data-2)

Table 236: Table 3350095

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0220	335009500001	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Debit Mastercard issuer receives clearing transaction data as follows: - DE 126, SF 5 (Product ID) = valid value of customer choice. NOTE: This data was formerly processed within DE 110, SE 008. - DE 126, SF 6 (Business Service Arrangement) = valid value of customer choice. NOTE: This data was formerly processed within DE 110, SE 006. - DE 126, SF 7 (Settlement Service) = valid value of customer choice. NOTE: This data was formerly processed within DE 110, SE 007.									
2	0220	335009500002	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Debit Mastercard issuer receives clearing transaction data. DE 48, SE 32 (Mastercard Assigned ID) = valid value of customer choice. NOTE: This data was formerly processed within DE 110, SE 001.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
3	0220	335009500003	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Debit Mastercard issuer receives clearing transaction data. DE 48, SE 77 (Transaction Type Identifier) = valid value of customer choice as follows: • PAA = Prestigious Hotel (PH) transaction. • QXX = QPS transaction. • RXX = Service Industries transactions. • SXX = Supermarket transaction. • WXX = Warehouse Club transaction. • PAY = Payment Transaction. The XX is an alphanumeric ID unique to each participant that is assigned by Mastercard. NOTE: This data was formerly processed within DE 110, SE 002.									
4	0220	335009500004	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Debit Mastercard issuer receives clearing transaction data. DE 22 (Point of Service Entry Mode); DE 61 (Point-of-Service [POS] Data); and DE 48, SE 21, SF 2 (Additional Terminal Capability Indicator) = valid value combinations that map to positions 69-73 in the optional Financial/Non-financial Debit Mastercard Addendum Record (DBMC). NOTE: This data was formerly processed within DE 110, SE 005.									

Table 3350201: Partial Approval Processing

The test cases in the table 3350201 address how an issuer processes single message requests and responses for partial approval financial transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Base

Program: Partial Approval Processing

Table 237: Table 3350201

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335020100001	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	10
		0200: DE 48, SE 61, SF 1 = 1 (Merchant terminal can accept partial approvals). 0210: DE 6 = Partial approval amount.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
2	0200	335020100002	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	10
	0220		1	0	DE 39 = 10						00
		0200: DE 48, SE 61, SF 1 = 1 (Merchant terminal can accept partial approvals). 0210: DE 6 = Partial approval amount. 0220: DE 4 and 5 contain adjusted amounts for the partial approval; DE 39 = 10, and DE 60 = 2700000. NOTE: Issuer has opted in to receive 0220 advice when the settlement amount has changed on a partial approval.									
3	0200	335020100003	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	10
	0420		1	1	DE 39 = 00						00
		0200: DE 48, SE 61, SF 1 = 1 (Merchant terminal can accept partial approvals). 0210: DE 6 = Partial approval amount. 0420 Full reversal of the partial approval amount.									

Table 3351701: DE 28 Transaction Fee

The test cases in the table 3351701 address how an issuer processes single message financial transaction requests, reversals, and responses in DE 28 (Amount, Transaction Fee) when applicable (in an approved region or country).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Base

Program: DE 28 Transaction Fee

Table 238: Table 3351701

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335170100001	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
	0420		1	0	DE 39 = 00						00
		DE 3, SF 2 = 10 (Savings account). 0420: DE 60 = 450 0018 (Zero dispense; card returned - POI failure).									
2	0200	335170100002	1	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
	0420		1	1	DE 39 = 00						00
		DE 3, SF 2 = 20 (Checking account). 0420: DE 60 = 450 0018 (Zero dispense; card returned - POI failure).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
3	0200	335170100007	1	1	MSR CAT LEVEL 2 PURCHASE SIGNATURE	00	05	2		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		AFD preauthorized request approved and followed by completion advice containing DE 28 merchant surcharge amount (where applicable). 0200: DE 4 = preauthorized request amount, typically \$1. 0200: DE 18 = 5542 (Fuel Dispenser, Automated) and DE 61, SF 7 = 4 (Preauthorized request). 0420: DE 95 = completion amount including DE 28 merchant surcharge. 0420: DE 28 = merchant surcharge amount. 0420: DE 60 = 4500018. Issuers can receive Daily Control Report (SWCHD363) and Monthly Control Report (SWCHM363) with the surcharge amount (DE 28) reported for POS transactions in a separate line from the ATM transactions.									

Issuer Products and Services Testing for Single Message ICC Authorization Operations

This section contains test cases for different product and services offered by the Mastercard Single Message System as optional services. These services are available only to customers that connect directly to the system.

Table 3350020: Transaction Link ID

The test cases in the table 3350020 address how an issuer processes single message authorization financial transaction requests and responses for Transaction Link ID.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Authorization Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transaction Link ID

Table 239: Table 3350020

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	335002000001	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		Transaction containing Multi-Use Transaction Identification Data in 0200 and 0420. 0200: DE 105 (Multi-Use Transaction Identification Data), SE 001 (Transaction Link Identifier) = valid value. 0420: DE 105, SE 001 = valid value.									
2	0220	335002000002	1	1	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Transaction containing Multi-Use Transaction Identification Data in 0220. DE 105 (Multi-Use Transaction Identification Data), SE 001 (Transaction Link Identifier) = valid value.									

Table 3350101: Merchant Advice Code

The test cases in the table 3350101 address how an issuer processes single message financial transaction requests and responses for Merchant Advice Code.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Merchant Advice Code

NOTE: The POS entry mode values for the following test cases are a representative sampling of the possible values.

Table 240: Table 3350101

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335010100001	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	V
		0210: DE 39 (Response Code) and DE 48, SE 84 (Merchant Advice Code) valid combination of values of issuer choice for approved and declined transactions.									

Table 3350102: PIN Management (Selected Response Codes)

The test cases in the table 3350102 address how an issuer processes single message financial transaction requests and decline response codes commonly used in PIN Management.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: PIN Management (Selected Response Codes)

Table 241: Table 3350102

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335010200001	1	0	ICC CAT LEVEL 1 ATM PIN UNBLOCK ONLINE PIN	91	05	1	V	MCC DMC MSI CIR	70
		Contact card issuer.									
2	0200	335010200002	1	0	ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	05	1	V	MCC DMC MSI CIR	71
		PIN not changed.									
3	0200	335010200003	1	0	ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	05	1	V	MCC DMC MSI CIR	89
		Unacceptable PIN transaction declined - retry.									

Table 3350103: PIN Management (All Business Transactions)

The test cases in the table 3350103 address how an issuer processes single message financial transaction requests, reversals, and responses for PIN Management. Issuer systems must be able to undo the PIN change and PIN unblock after receipt of Reversal.

NOTE: The response codes tested do not represent the full range possible.

First, customers must process the PIN Management Requests on which the reversal advices are based. Second, customers must process reversal advices based on these financial transaction requests.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: PIN Management (All Business Transactions)

Table 242: Table 3350103

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335010300001	1	1	ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	92	05	1	V	MCC DMC MSI CIR	85
	0420		1	1	DE 39 = 00						00
		DE 55, tag 71 or 72 (Issuer script) must be present in response message and contain a valid PIN change command. Full reversal after timeout - DE 60 = 455 0090 (APS timeout; card returned).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	335010300002	1	1	ICC CAT LEVEL 1 ATM PIN UNBLOCK ONLINE PIN	91	05	1	V	MCC DMC MSI CIR	85
	0420		1	1	DE 39 = 00						00
		DE 55, tag 71 or 72 (Issuer script) must be present in response message and contain a valid PIN unblock command. Full reversal after issuer script implementation failed at acquirer.									

Table 3350140: ISO Format 4 PIN Blocks

The test cases in the table 3350140 address how an issuer processes single message financial transaction requests and responses for PIN transactions using ISO Format 4 PIN Blocks.

Issuers must migrate to DE 110 layout and implement the ISO Format 4 PIN Block as the PIN block format for supporting AES keys. DE 110 contains PIN; DE 52 not present.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: ISO Format 4 PIN Blocks

Table 243: Table 3350140

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE110	Card ID	RC
1	0200	335014000001	1	1	ICC ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		ATM withdrawal transaction containing DE 18 = 6011 and DE 48tcc = Z. DE 61, SF 7 = 0 (Normal request). DE 110 (Encryption Data) mandatory tags 80, 81, 87, 88 while for Europe tags 83, 86 also mandatory.									
4	0200	335014000004	1	1	ICC CAT LEVEL 1 PURCHASE ONLINE PIN	00	05	1	V	DMC MSI	00
		DE 110 (Encryption Data) mandatory tags 80, 81, 87, 88 while for Europe tags 83, 86 also mandatory.									

Table 3350190: Gaming and Gambling Payments Program

The test cases in the table 3350190 address how an issuer processes single message financial transaction requests and responses for gaming and gambling value.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Gaming and Gambling Payments Program

NOTE: Such transactions are restricted to where permitted by law. See table 3551920 in Issuer On-behalf Services manual for Gaming and Gambling Payment Transactions.

Table 244: Table 3350190

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335019000001	1	0	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		Purchase of gambling chips or other value usable for gambling. DE 18 (Merchant Type) = 7995 and DE 48tcc = U (Unique).									
2	0200	335019000002	1	0	ICC CAT LEVEL 4 PURCHASE NO CVM	00	05	4		DMC	00
		Purchase of gambling chips or other value usable for gambling. DE 18 (Merchant Type) = 7995 and DE 48tcc = U (Unique).									
3	0200	335019000003	1	0	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		Purchase of lottery tickets, reoccurring lottery subscription services, or both by a government authority located globally, excluding the U.S. region. DE 18 (Merchant Type) = 9406 and DE 48tcc = R (Retail).									
4	0200	335019000004	1	0	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		Purchase of lottery tickets from state lottery merchant located in U.S. region. DE 18 (Merchant Type) = 7800 and DE 48tcc = R (Retail).									
5	0200	335019000005	1	0	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		Wagering on horse or dog racing or pari-mutuel activities from licensed merchants located in U.S. region. DE 18 (Merchant Type) = 7802 and DE 48tcc = U (Unique).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
6	0200	335019000006	1	0	ICC PURCHASE NO CVM	00	05	0		DMC MSI	00
		Purchase for participation in U.S. region merchant offering skill games or a skill games merchant located outside the U.S. region that accepts payment from U.S. region cardholders. DE 18 (Merchant Type) = 7994 and DE 48tcc = R.									

Table 3350341: Mastercard *rePower*

The test cases in the table 3350341 address how an issuer processes single message financial transaction requests and responses for Mastercard *rePower* load value payment transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Mastercard *rePower*

NOTE:

These processing scenarios and response codes do not represent the full range possible.

Issuer must obtain approval from Mastercard to participate in the Mastercard *rePower* Load Network. There are regional variations and not all regions participate.

Table 245: Table 3350341

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335034100001	1	0	ICC PAYMENT TRANSACTION NO CVM	28	05	0		DMC MSI	00
		<i>rePower</i> load value payment transaction approved by issuer. DE 18, (Merchant Type [MCC]) = 6532 (Payment Transaction - Member Financial Institution) or 6533 (Payment Transaction - Merchant). DE 48, SE 77 = C03 (<i>rePower</i> Load Value). 0210: DE 54 contains post-load account balance.									
2	0200	335034100002	1	0	ICC PAYMENT TRANSACTION NO CVM	28	05	0		DMC MSI	00
	0420		1	0	DE 39 = 00						00
		<i>rePower</i> load value payment transaction request cancelled after receiving approved request response and reversal submitted by merchant. DE 18, (Merchant Type [MCC]) = 6532 (Payment Transaction - Member Financial Institution) or 6533 (Payment Transaction - Merchant). DE 48, SE 77 = C03 (<i>rePower</i> Load Value). 0210: DE 54 contains post-load account balance. 0420: DE 60 = 4530041 (Financial transaction cancellation: card returned).									

Table 3350371: Payment Account Reference (PAR) on Funding PAN

The test cases in the table 3350371 address how an issuer processes single message specified financial transaction requests, reversal, and advices for PAR in DE 56.

NOTE: PAR does not apply to ATM transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Payment Account Reference (PAR) on Funding PAN

Table 246: Table 3350371

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
8	0200	33503710008	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		DMC MSI	00
	0220		1	1	DE 39 = 00						00
		This test case is for non-tokenized account with Mastercard as BIN Controller. Funding PAN used by non-MDES issuer's cardholder on acquirer 0200 preauthorization request and acquirer-generated 0220 completion advice. 0200: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller. 0220: DE 39 = 00 (Approved) and DE 60 = 290 (APS approved transaction; pre-authorized by issuer). 0220: DE 56 (Payment Account Data) is provided by Mastercard from original 0200 request.									

Single Message Authorization: Issuer Credit and Debit
Table 3350445: Maestro Switching of Visa CP PIN-less Transactions (U.S. Region)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	33503710009	1	1	ICC PURCHASE SIGNATURE OR NO CVM	00	05	0		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		This test case is non-tokenized account with Mastercard as BIN Controller. Funding PAN used by non-MDES issuer's cardholder on acquirer 0200 request and acquirer-initiated 0420 reversal advice. 0200: DE 56 (Payment Account Data) is provided by Mastercard as BIN Controller. 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 454 (APS unable to deliver response). 0420: DE 56 (Payment Account Data) is provided by Mastercard from original 0200 request.									

Table 3350445: Maestro Switching of Visa CP PIN-less Transactions (U.S. Region)

The test cases in the table 3350445 address how an issuer processes single message financial transaction requests and responses for Maestro-branded Visa card present (CP) PIN-less transactions.

NOTE: U.S. territories are excluded.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Maestro Switching of Visa CP PIN-less Transactions (U.S. Region)

Table 247: Table 3350445

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	335044500001	1	0	ICC PURCHASE NO CVM	00	05	0		MSI/VIS	00
		Card-present PIN-less Maestro back of Visa card domestic U.S. region transaction at attended terminal. DE 2 (PAN) starts with 4 and DE 4 (Amount, Transaction) <= 000000010000 (USD). DE 18 (Merchant type) = valid value (does not contain an excluded MCC). DE 48, SE 81 = Y (The transaction does qualify as a PIN-less Maestro transaction).									
2	0200	335044500002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI/VIS	00
		Card-present PIN-less Maestro back of Visa card domestic U.S. region transaction at attended terminal. DE 2 (PAN) starts with 4 and DE 4 (Amount, Transaction) <= 000000010000 (USD). DE 18 (Merchant type) = valid value (does not contain an excluded MCC). DE 48, SE 81 = Y (The transaction does qualify as a PIN-less Maestro transaction).									

Table 3350501: Contactless M/Chip (All Business Transactions)

The test cases in the table 3350501 address how an issuer processes single message financial transaction requests, reversals, and responses for various business transactions.

The following conditions must be fulfilled with all contactless M/Chip financial transaction response/0210 Messages:

- DE 23 (Card Sequence Number) must not be present.
- DE 55 (ICC System Related Data) must not be present.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Contactless M/Chip (All Business Transactions)

Table 248: Table 3350501

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335050100001	1	1	ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	00	07	0		DMC MSI	00
		Request from full grade contactless M/Chip acquirer.									
2	0200	335050100002	1	1	ICC CONTACTLESS CAT LEVEL 1 PURCHASE ONLINE PIN	00	07	1	V	DMC MSI	00
		Request from full grade contactless M/Chip acquirer.									
3	0200	335050100003	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC	00
		Request from full grade contactless M/Chip acquirer.									

Single Message Authorization: Issuer Credit and Debit
Table 3350501: Contactless M/Chip (All Business Transactions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	335050100004	1	1	ICC CONTACTLESS CASH DISBURSEMENT SIGNATURE OR NO CVM	17	07	0		DMC	00
		Request from full grade contactless M/Chip acquirer.									
5	0200	335050100005	1	1	ICC CONTACTLESS CASH DISBURSEMENT ONLINE PIN	17	07	0	V	DMC	00
		Request from full grade contactless M/Chip acquirer.									
6	0200	335050100008	1	1	ICC CONTACTLESS CAT LEVEL 4 PURCHASE NO CVM	00	07	4		DMC MSI	00
		Request from full grade contactless M/Chip acquirer.									
7	0200	335050100009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Request from full grade contactless M/Chip Acquirer. This case will test whether an issuer Single Message online application is able to receive DE 4 (Amount, Transaction) that is a different value than DE 55, tag 9F02 (Amount Authorized) of Financial Transaction Request, process the message, and return correctly formatted Financial Transaction Response.									
8	0200	335050100010	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Request from full grade contactless M/Chip Acquirer. This case will test whether an issuer Single Message online application is able to receive DE 13 (Date, Local Transaction) that is a different value than DE 55, tag 9A (Transaction Date) of Financial Transaction Request, process the message, and return correctly formatted Financial Transaction Response.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	335050100012	1	1	ICC CONTACTLESS CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	07	1	V	MCC DMC MSI CIR	00
		Request from full grade contactless M/Chip Acquirer. DE 61, SF 11 (POS Card Data Terminal Input Capability Indicator) = 3 (Contactless M/Chip [Proximity Chip]).									
10	0200	335050100013	1	1	ICC CONTACTLESS CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	30	07	1	V	MCC DMC MSI CIR	00
		Request from full grade contactless M/Chip Acquirer. DE 61, SF 11 (POS Card Data Terminal Input Capability Indicator) = 3 (Contactless M/Chip [Proximity Chip]).									
11	0200	335050100014	1	1	ICC CONTACTLESS REFUND SIGNATURE	20	07	0		DMC MSI	00
		DE 55 not present for this refund transaction. Issuers must not decline refund transactions for the omission of chip data.									

Table 3350503: Contactless M/Chip (Technical Conditions)

The test cases in the table 3350503 address how an issuer processes single message financial transaction requests and responses for various technical conditions.

Issuers that do not include Online PIN in their CVM list must still execute ATM contactless M/Chip test cases.

The following conditions must be fulfilled with all chip financial transaction request response/0210 messages:

- DE 52 (PIN Data) must be validated successfully by the issuer.
- DE 23 (Card Sequence Number) must not be present.
- DE 55 (ICC System Related Data) must not be present.

Table Description

Business Profile: Issuer Credit and Debit. Issuers that do not include ATMs in their Application Usage Control data must still execute ATM contactless M/Chip test cases

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Issuers that do not include ATMs in their Application Usage Control: Product and Services

Program: Contactless M/Chip (Technical Conditions)

Table 249: Table 3350503

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335050300001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	V
		Request from full grade contactless M/Chip acquirer. This case will test whether an issuer Single Message online application is able to receive an application transaction counter (ATC) update in Financial Transaction Request and process the resulting Financial Transaction Response that contain DE 39 = 85 or 00 for approval or 05 for decline. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 6 (ATC Update).									

Single Message Authorization: Issuer Credit and Debit
Table 3350503: Contactless M/Chip (Technical Conditions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	335050300002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Large ATC Gap test. This test should be run 2 times in immediate succession. DE 18 (Merchant Category Code) = 4111 (Transportation - Suburban and Local Commuter Passenger, including Ferries). DE 48 (TCC - Transaction Category Code) = X. On the second test, the ATC will be incremented by 50. Issuer should approve transaction.									
3	0200	335050300003	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		ATC Out of sequence test. This test should be run only by UK Issuers. This test should be run 2 times in immediate succession. DE 18 (Merchant Category Code) = 4111 (Transportation - Suburban and Local Commuter Passenger, including Ferries). DE 48 (TCC - Transaction Category Code) = X. UK acquired transaction - DE 43, SE 5 (Merchant Country Code) = 826 (United Kingdom). On the second test, the ATC will be decremented by 9. Issuer should approve transaction.									
4	0200	335050300011	1	0	ICC CONTACTLESS ATM BALANCE INQUIRY ONLINE PIN	30	07	0	V	MCC DMC MSI CIR	00
		This is the first of two ATM service requests initiated by a single contactless tap wherein the cryptographic data will be the same for both requests when Transaction Type (DE 55 tag 9C) is equal to '93' (contactless).									

Single Message Authorization: Issuer Credit and Debit
Table 3350503: Contactless M/Chip (Technical Conditions)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0200	335050300012	1	0	ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	01	07	0	V	MCC DMC MSI CIR	00
		This is the second of two ATM service requests initiated by a single contactless tap wherein the cryptographic data will be the same for both requests when Transaction Type (DE 55 tag 9C) is equal to '93' (contactless).									
6	0200	335050300006	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		This case should only be executed by issuers using M/Chip 4 with Mastercard Proprietary session key derivation. This case will test receiving M/Chip contactless acquirer financial transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									
7	0200	335050300007	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		This case should only be executed by issuers using M/Chip 4 with EMV Common session key derivation. This case will test receiving M/Chip contactless acquirer financial transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									
8	0200	335050300008	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		This case should only be executed by issuers using M/Chip Advance with Mastercard Proprietary session key derivation. This case will test receiving M/Chip contactless acquirer financial transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
9	0200	335050300009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		This case should only be executed by issuers using M/Chip Advance with EMV Common session key derivation. This case will test receiving M/Chip contactless acquirer financial transaction request containing a Transaction Certificate (TC) instead of an Application Request Cryptogram (ARQC) as well as containing the mandatory data elements that constitute a valid message.									

Table 3350504: Contactless M/Chip (Over CVM Ceiling Limit)

Normally, Mastercard M/Chip contactless transactions must be within the contactless ceiling limit and will be run with no Cardholder Verification method (no CVM). However, in approved markets (where online PIN verification is widely used), merchants will be able to process contactless transactions above the CVM Ceiling Limit using online PIN verification when both card and terminal have been enabled for online PIN entry.

Issuers should first complete the contactless M/Chip (under limit) test cases defined in the previous two (2) tables, and then run the test cases in the table below.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Contactless M/Chip (Over CVM Ceiling Limit)

Table 250: Table 3350504

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	335050400002	1	1	ICC CONTACTLESS CAT LEVEL 1 PURCHASE ONLINE PIN	00	07	1	V	MSI	00
		Request from full grade contactless M/Chip acquirer - amount above Maestro contactless ceiling limit.									

Table 3350601: Purchase with Cash Back

The test cases in the table 3350601 address how an issuer processes single message financial transaction requests and responses for purchase with cash back.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Purchase with Cash Back

Table 251: Table 3350601

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335060100001	1	1	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		DMC MSI	87
	0220		1	1	DE 39 = 87						00
		Purchase amount approval only of a purchase with cash back transaction followed by advice containing adjusted amounts. 0200: DE 48, SE 61, SF 1 = 1 (Merchant terminal can accept partial approvals) and SF 2 = 1 (Purchase Amount Only Terminal Support Indicator); DE 54 present indicating cash back transaction. 0210: DE 6 contains partial approval amount and DE 54 is required. 0220: DE 4 and 5 contain adjusted amounts for the partial approval; DE 39 = 87 (Purchase Amount Only, No Cash Back Allowed), and DE 60 = 2700000. NOTE: Issuer has opted to receive 0220 advice when the settlement amount has changed on a partial approval.									
2	0200	335060100002	1	1	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		DMC MSI	87
	0420		1	1	DE 39 = 87						00
		Purchase amount approval only of a purchase with cash back transaction followed by reversal from acquirer. 0200: DE 48, SE 61, SF 1 = 1 (Merchant terminal can accept partial approvals) and SF 2 = 1 (Purchase Amount Only Terminal Support Indicator); DE 54 present indicating cash back transaction. 0210: DE 6 contains partial approval amount and DE 54 is required. 0420: Full reversal of purchase amount only approval; DE 39 = 00 (Approved) and DE 60 = 450 0018 (Zero dispense: card returned; POI failure).									

Single Message Authorization: Issuer Credit and Debit
Table 3350625: Transit Program (Post-Authorized Aggregated Model – US Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
3	0200	335060100003	1	0	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		DMC MSI	00
		Approval obtained for transaction amount requested including DE 28 containing fee on cash back amount. 0210: DE 54 is required.									
4	0200	335060100004	1	0	ICC CASH BACK ONLY SIGNATURE	09	05	0		DMC MSI	00
		Intracountry POS cash back only transaction wherein DE 4 transaction amount equals DE 54 cash back amount. 0210: DE 54 is required. This transaction is currently setup for India intracountry. The currency and country information will need to be changed for any other intracountry transaction.									

Table 3350625: Transit Program (Post-Authorized Aggregated Model – US Region)

The test cases in the table 3350625 address how an issuer processes single message financial transaction requests for Account Status Inquiry, Debt Recovery, ATC Update, and Aggregated transactions applicable to the U.S. region Transit Post-Authorized Aggregated Model.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transit Program (Post-Authorized Aggregated Model – US Region)

Table 252: Table 3350625

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335062500005	1	0	ICC CONTACTLESS ASI PURCHASE NO CVM	00	07	0		DMC MSI	00
		Card present contactless M/Chip real-time Account Status Inquiry transaction. DE 4 (Amount, Transaction) = 000000000000. DE 18 (Merchant Type) = valid value applicable for transit transaction. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 05 (Other), and SF 2 (Transportation Mode Indicator) = valid value. DE 55 = not present for this ASI transit transaction. DE 61, SF 7 (POS Transaction Status) = 8 (Account Status Inquiry). NOTE: If the Issuer approves or does not decline the ASI request, then the Merchant may proceed with tap aggregation.									
2	0200	335062500001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Post-Authorized Aggregated U.S. region transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) = valid value of aggregation cycle not to exceed applicable contactless transaction CVM limit. DE 18 (Merchant Type) = valid value applicable for transit transaction. DE 48, SE 61, SF 5 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 05 (Other), and SF 2 (Transportation Mode Indicator) = valid value. DE 55 = valid value for data populated from the last tap. DE 61, SF 7 (POS Transaction Status) = 1 (Deferred authorization).									

Single Message Authorization: Issuer Credit and Debit
Table 3350625: Transit Program (Post-Authorized Aggregated Model – US Region)

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	335062500007	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Card present debt recovery transit transaction. DE 2 (Primary Account Number [PAN]) contains device PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 61, SF 05 (Final Authorization Indicator) = 1 (Final Authorization). DE 48, SE 64, SF 01 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains an applicable valid value. DE 61, SF 7 (POS Transaction Status) = 0 (Normal request - original presentment).									
4	0200	335062500009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		ATC Update Request with the most recent ATC (Application Transaction Counter) value and other applicable data. DE 4 (Amount, Transaction) contains all zeros. DE 55 contains ICC data from the most recent tap. DE 61, SF 7 (POS Transaction Status) = 6 (ATC Update). NOTE: Transit merchants must initiate an ATC update with most recent ATC value at least once every 20 times a card is used in the transit system from the last authorization or ATC update request.									

Table 3350629: Transit Program (All Models, Debt Recovery and ATC Update)

The test cases in the table 3350629 address how an issuer processes single message financial transaction requests and responses for Prefunded, Real-Time Authorized, or Post-Authorized Aggregated models and their applicable associated Debt Recovery and ATC Update transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transit Program (All Models, Debt Recovery and ATC Update)

Table 253: Table 3350629

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335062900001	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Prefunded transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains fare for travel subscription or plan. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 01 (Prefunded) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains fare for travel subscription or plan. DE 55 contains ICC data from the tap for fare for travel subscription or plan. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Single Message Authorization: Issuer Credit and Debit
Table 3350629: Transit Program (All Models, Debt Recovery and ATC Update)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	335062900002	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Real-Time Authorized transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains single/known ride fare. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 02 (Real-Time Authorized) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains single/known ride fare. DE 55 contains ICC data from the tap for single/known ride fare. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									
3	0200	335062900003	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC	00
		Post-Authorized Aggregated transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains nominal amount such as 0.10. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 03 (Post-Authorized Aggregated) and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the tap. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Single Message Authorization: Issuer Credit and Debit
Table 3350629: Transit Program (All Models, Debt Recovery and ATC Update)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	335062900006	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		MSI	00
		Post-Authorized Aggregated transit transaction with applicable transit specific data in the authorization request. DE 4 (Amount, Transaction) contains nominal amount such as 0.10. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 1 (Transit Transaction Type Indicator) = 06 (Maestro Contactless Transit Aggregated). and SF 2 (Transportation Mode Indicator) contains an applicable valid value. DE 55, tag 9F02 (Amount, Authorized) contains all zeros. DE 55 contains ICC data from the tap. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Single Message Authorization: Issuer Credit and Debit
Table 3350629: Transit Program (All Models, Debt Recovery and ATC Update)

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0200	335062900007	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		Card present debt recovery transit transaction via M/Chip contactless tap using funding PAN on an attended or unattended terminal. DE 2 (Primary Account Number[PAN]) contains funding PAN. DE 4 (Amount, Transaction) contains amount to be recovered. DE 18 (Merchant Type) contains applicable Merchant Category Code. DE 48, SE 64, SF 01 (Transit Transaction Type Indicator) = 07 (Debt Recovery) and SF 02 (Transportation Mode Indicator) contains an applicable valid value. DE 48, SE 61, SF 05 (Final Authorization Indicator) = 1 (Final Authorization). DE 55, tag 9F02 (Amount, Authorized) contains amount to be recovered. DE 55 contains ICC data from the tap for amount to be recovered. DE 55, tag 9F26 contains Transaction Certificate (TC) or Authorization Request Cryptogram (ARQC) per Cryptogram Information Data (tag 9F27).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0200	335062900009	1	0	ICC CONTACTLESS PURCHASE NO CVM	00	07	0		DMC MSI	00
		ATC Update request with the most recent ATC (Application Transaction Counter) value and other applicable data. Financial Transaction request meets the contactless M/Chip-specific general acceptance criteria. DE 4 (Amount, Transaction) contains all zeros. DE 55 contains ICC data from the most recent tap. DE 61, SF 7 (POS Transaction Status) = 6 (ATC Update). NOTE: Transit merchants must initiate an ATC update with most recent ATC value at least once every 20 times a card is used in the transit system from the last authorization or ATC update request.									

Table 3350633: Electric Vehicle Charging

The test cases in the table 3350633 address how an issuer processes single message M/Chip Contactless financial transaction requests, reversal advice, and responses for Electric Vehicle Charging transactions.

NOTE: See AN 3852—Revised Standards—Electric Vehicle Charging Transaction Processing Procedures for details.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversal Advices

Operation Type: ICC

Testing Type: Product and Services

Program: Electric Vehicle Charging

Table 254: Table 3350633

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335063300001	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC MSI	10
	0420		1	1	DE 39 = 10						00
		Preauthorization before electric vehicle charging; merchant terminal optionally supports partial approvals; issuer provides partial approval response; and completed transaction amount less than partial approval amount. DE 4 (Amount, Transaction) equals the terminal maximum dispense amount or a specific amount requested by the cardholder that does not exceed the applicable contactless CVM limit. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 10000 indicating merchant terminal supports receipt of partial approvals. DE 61, SF 7 = 4 (Preauthorized request). 0210: DE 4 contains partial approval amount and DE 39 = 10 (Partial approval). 0420: DE 39 = 10 (Partially approved); DE 48, SE 63 (Trace ID); DE 60 = 4510010; and DE 95, SF 1 (Actual Amount, Transaction).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	335063300002	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC MSI	00
	0420		1	1	DE 39 = 00						00
		Preauthorization before electric vehicle charging; merchant terminal does not support partial approvals; issuer approves request; and completed transaction amount less than approved request amount. DE 4 (Amount, Transaction) equals the terminal maximum dispense amount or a specific amount requested by the cardholder that does not exceed the applicable contactless CVM limit. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 00000 indicating merchant terminal does not support receipt of partial approvals. DE 61, SF 7 = 4 (Preauthorized request). 0420: DE 39 = 00 (Approval); DE 48, SE 63 (Trace ID); DE 60 = 4510010; and DE 95, SF 1 (Actual Amount, Transaction).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	335063300003	1	0	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC MSI	00
		Preauthorization before electric vehicle charging; merchant terminal does not support partial approvals; issuer approves request; and completed transaction amount greater than approved request amount. DE 4 (Amount, Transaction) equals the terminal maximum dispense amount or a specific amount requested by the cardholder that does not exceed the applicable contactless CVM limit. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail), SE 61 (POS Data Extended Condition Codes) = 00000 indicating merchant terminal does not support receipt of partial approvals. DE 61, SF 7 = 4 (Preauthorized request). NOTE: Acquirer must send an additional (incremental) authorization request for the unauthorized amount to obtain chargeback protection.									
4	0200	335063300004	1	0	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC MSI	00
		Incremental authorization for electric vehicle charging request whose completed transaction amount was greater than approved request amount. DE 4 (Amount, Transaction) for the incremental amount. DE 18 = 5552 (Electric Vehicle Charging). DE 48tcc = R (Retail); SE 61 (POS Data Extended Condition Codes) = 00001 indicating final authorization; and DE 48, SE 63 (Trace ID). DE 61, SF 7 = 0 (Normal request).									

Table 3350645: Automated Fuel Dispenser

The test cases in the table 3350645 address how an issuer processes single message peauthorization financial transaction requests, reversals, and responses for Automated Fuel Dispenser transactions.

Refer the following announcements for more details and effective dates:

- AN 3886—Revised Standards—Automated Fuel Dispenser Transaction Processing Procedures for details and effective dates.
- AN 2697—Revised Standards—Electronic Commerce Transactions at Automated Fuel Dispensers.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Automated Fuel Dispenser

Table 255: Table 3350645

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335064500001	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		DMC	00
	0420		1	0	DE 39 = 00						00
		AFD dip preauthorization approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0420: DE 4 contains preauthorization request amount from 0200 and DE 95 contains final AFD amount (pumped amount). 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 4510010 (Partial dispense: card returned).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
2	0200	335064500002	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		DMC	10
	0420		1	0	DE 39 = 10						00
		AFD dip preauthorization partially approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0210: DE 4 contains partial approval amount; pump should stop if that amount is reached. 0420: DE 4 contains partial approval amount from 0210 and DE 95 contains final AFD amount. 0420: DE 39 = 10 (Partial Approval) and DE 60, SF 1 = 4510010 (Partial dispense: card returned).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
3	0200	335064500003	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		DMC	00
	0420		1	0	DE 39 = 00						00
		AFD dip preauthorization approved and full reversal sent within 60 minutes due to cancelled purchase or no fuel pumped. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0420: DE 4 contains preauthorization request amount from 0200 and DE 95, if present, must contain all zeros to indicate a full reversal. 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 4530041 (Financial transaction cancellation: card returned).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0200	335064500011	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC	00
	0420		1	1	DE 39 = 00						00
		AFD tap preauthorization approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0420: DE 4 contains preauthorization request amount from 0200 and DE 95 contains final AFD amount (pumped amount). 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 4510010 (Partial dispense: card returned).									

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
5	0200	335064500012	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC	10
	0420		1	1	DE 39 = 10						00
		AFD tap preauthorization partially approved and completion advice sent within 60 minutes. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0210: DE 4 contains partial approval amount; pump should stop if that amount is reached. 0420: DE 4 contains partial approval amount from 0210 and DE 95 contains final AFD amount. 0420: DE 39 = 10 (Partial Approval) and DE 60, SF 1 = 4510010 (Partial dispense: card returned).									

Single Message Authorization: Issuer Credit and Debit
Table 3350646: Maestro Automated Fuel Dispenser (AFD) Transactions

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
6	0200	335064500013	1	1	ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	00	07	2		DMC	00
	0420		1	1	DE 39 = 00						00
		AFD tap preauthorization approved and full reversal sent within 60 minutes due to cancelled purchase or no fuel pumped. DE 4 (Amount, Transaction) contains either an estimated amount representing the terminal maximum dispense or shut-off amount; a specific amount requested by the cardholder; or USD 1 in the U.S. Region only. DE 18 = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator) if applicable. DE 61, SF 7 = 4 (Preauthorized Request). 0420: DE 4 contains preauthorization request amount from 0200 and DE 95, if present, must contain all zeros to indicate a full reversal. 0420: DE 39 = 00 (Approved) and DE 60, SF 1 = 4530041 (Financial transaction cancellation: card returned).									

Table 3350646: Maestro Automated Fuel Dispenser (AFD) Transactions

The test cases in the table 3350646 address how an issuer processes single message financial transaction requests and responses for AFD transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Maestro Automated Fuel Dispenser (AFD) Transactions

Table 256: Table 3350646

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	335064600001	1	1	ICC PURCHASE CAT LEVEL 2 NO CVM	00	05	2		MSI	00
	0220		1	1	DE 39 = 00						00
		Maestro AFD swipe preauthorization and zero completion amount within 20 minutes. DE 18 (Merchant Type) = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 4 (Amount, Transaction) = valid value same from 0200 request. 0220: DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 60, SF 1 = 290 (APS approved transaction; preauthorized by issuer). 0220: DE 95, SF 1 = 000000000000.									

Single Message Authorization: Issuer Credit and Debit
Table 3350646: Maestro Automated Fuel Dispenser (AFD) Transactions

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
2	0200	335064600002	1	1	ICC PURCHASE CAT LEVEL 2 NO CVM	00	05	2		MSI	00
	0220		1	1	DE 39 = 00						00
		Maestro AFD swipe preauthorization and completion amount equal to the original request within 20 minutes. DE 18 (Merchant Type) = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 4 (Amount, Transaction) = valid value same from 0200 request. 0220: DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 60, SF 1 = 290 (APS approved transaction; preauthorized by issuer). 0220: DE 95, SF 1 = DE 4.									
3	0200	335064600003	1	1	ICC PURCHASE CAT LEVEL 2 NO CVM	00	05	2		MSI	00
	0220		1	1	DE 39 = 00						00
		Maestro AFD swipe preauthorization and completion amount less than original request within 20 minutes. DE 18 (Merchant Type) = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 4 (Amount, Transaction) = valid value same from 0200 request. 0220: DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 60, SF 1 = 2510010 (APS approved transaction; card returned; partial dispense). 0220: DE 95, SF 1 = DE 4.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	335064600004	1	1	ICC PURCHASE CAT LEVEL 2 NO CVM	00	05	2		MSI	00
	0220		1	1	DE 39 = 00						00
		Maestro AFD swipe preauthorization and completion amount greater than original request within 20 minutes. DE 18 (Merchant Type) = 5542 (Fuel Dispenser; Automated). DE 48, SE 61, SF 1 = 1 (Partial Approval Terminal Support Indicator). DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 4 (Amount, Transaction) = valid value same from 0200 request. 0220: DE 61, SF 7 = 4 (Preauthorized Request). 0220: DE 60, SF 1 = 2901404 (Previously approved authorization: final Clearing/completions). 0220: DE 95, SF 1 = DE 4.									

Table 3350715: Transit Top-Up Payment Transactions (India)

The test cases in the table 3350715 address how an issuer processes single message financial transaction requests and responses containing issuer script and balance information for India domestic transit top-up payment transactions.

NOTE: Issuer must obtain approval from Mastercard to participate in the Mastercard rePower Load Network. There are regional variations and not all regions participate.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Transit Top-Up Payment Transactions (India)

Table 257: Table 3350715

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335071500001	1	0	ICC PAYMENT TRANSACTION ONLINE PIN	28	05	0	V	DMC	00
		DE 4 (Amount, Transaction) = 000000100000 top-up amount. DE 18 (Merchant Type [MCC]) = 6532 (Payment Transaction - Member Financial Institution) or 6533 (Payment Transaction - Merchant). DE 48tcc = P (Payment Transaction). DE 48, SE 77 (Transaction Type Identifier) = C03 (Mastercard rePower). DE 55, tag 9F02 (Amount, Authorized) = top-up amount. DE 55, tag 9F10 (Issuer Application Data) includes Accumulator 1 as balance. DE 55 contains other ICC data. 0210: DE 54 contains post-load transaction account balance. 0210: DE 55 contains Issuer Authentication Data (tag 91) and Issuer Script Template 1 (tag 71) for offline balance update.									

Table 3350751: ATM Deposit Sharing

The test cases in the table 3350751 address how an issuer processes single message financial transaction requests, reversal advices, and responses for ATM Deposit.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: ATM Deposit Sharing

Table 258: Table 3350751

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335075100001	1	0	ICC ATM DEPOSIT ONLINE PIN	21	05	1	V	MSI CIR	00
		DE 3, SF 3 = 10 (Savings Account). DE 4 = USD 64.00.									
2	0200	335075100002	1	0	ICC ATM DEPOSIT ONLINE PIN	21	05	1	V	MSI CIR	00
		DE 3, SF 3 = 20 (Checking Account). DE 4 = USD 85.00.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
3	0200	335075100003	1	0	ICC ATM DEPOSIT ONLINE PIN	21	05	1	V	MSI CIR	00
	0420		1	0	DE 39 = 00						00
		DE 3, SF 3 = 20 (Checking Account) or valid value of issuer choice. DE 4 = 75.61 or value of issuer choice. 0420: DE 60, SF 1 = 450 (Zero dispense) and SF 2 = 0018 (Card returned - POI failure) or valid value of issuer choice.									
4	0200	335075100004	1	0	ICC ATM DEPOSIT ONLINE PIN	21	05	1	V	MSI CIR	00
	0420		1	0	DE 39 = 00						00
		DE 3, SF 3 = 10 (Savings Account). DE 4 = USD 50.00. 0420: DE 60 = 490 (Adjustment) and SF 2 = 0024 (Empty deposit envelope) or valid value of issuer choice.									

Table 3350801: Address Verification Service

The test cases in the table 3350801 verify whether an issuer's Single Message online application can receive financial transaction requests with Address Verification Service (AVS) data; process them, and return correctly formatted Financial Transaction Responses that contain AVS response data.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Address Verification Service

The test transaction data must be updated with the DE 120 address values that issuers want to receive in each test case or they may accept the default value of 1520 Main St. Suite 3, St. Louis, MO 63146-4236.

NOTE: The support of Address Verification Service is mandated for issuers in specified regions or countries. If issuers intend to support the Address Verification Service, they must have successfully completed the connectivity test cases applicable to Single Message online and which involve Sign-on Requests containing the Service Indicator (DE 94).

Table 259: Table 3350801

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335080100001	1	0	ICC CAT LEVEL 2 PURCHASE NO CVM	00	05	2		DMC MSI	V
		DE 48, SE 82 = 52 (AVS with Authorization) and DE 120 contains AVS data in the issuer designated AVS format. 0210: DE 48, SE 83 (AVS Response) and DE 39 (Response Code) valid values of issuer choice to accept or decline request.									

Table 3350945: Paraguay Domestic Processing Program

The test cases in table 3350945 address how an issuer processes single message financial transaction requests and responses for Paraguay domestic normal purchase transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: Paraguay Domestic Processing Program

Table 260: Table 3300945

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
1	0200	335094500001	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 9399 (Government Services—not elsewhere classified). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
2	0200	335094500002	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5541 (Service Stations with or without Ancillary Services). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
3	0200	335094500003	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5411 (Grocery Stores, Supermarkets). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									

Single Message Authorization: Issuer Credit and Debit
Table 3350945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
4	0200	335094500004	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5399 (Grocery Stores, Supermarkets). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
5	0200	335094500005	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5814 (Fast Food Restaurants). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
6	0200	335094500006	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 9311 (Tax Payments). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
7	0200	335094500007	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5310 (Discount Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									

Single Message Authorization: Issuer Credit and Debit
Table 3350945: Paraguay Domestic Processing Program

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
8	0200	335094500008	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 4511 (Air Carriers, Airlines—Not Elsewhere Classified). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
9	0200	335094500009	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5722 (Household Appliance Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
10	0200	335094500010	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5122 (Drugs, Drug Proprietors, and Druggists Sundries). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = valid value.									
11	0200	335094500011	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 5411 (Grocery Stores, Supermarkets). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421069.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card ID	RC
12	0200	335094500012	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 4814 (Telecommunication Services including but not limited to prepaid phoneservices and recurring phone services). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421070.									
13	0200	335094500013	1	1	ICC PURCHASE ONLINE PIN	00	05	0	*	MSI	00
		DE 18 = 4814 (Telecommunication Services including but not limited to prepaid phoneservices and recurring phone services). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421071.									
14	0200	335094500014	1	1	ICC PURCHASE ONLINE PIN	00	05	0	V	MSI	00
		DE 18 = 5311 (Department Stores). DE 43, SF 5 (Country Code) = PRY; DE 49 (Currency Code, Transaction) = 600; and DE 61, SF 13 (POS Country Code) = 600. If applicable, DE 48, SE 32 (Mastercard Assigned ID) = 421072.									

Table 3351145: MDES Tokenization Request via Chip Card

The test cases in the table 3351145 address how an issuer processes single message financial transaction requests and responses for MDES Tokenization Request through Chip Card transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: MDES Tokenization Request via Chip Card

Table 261: Table 3351145

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
1	0200	335114500001	1	N/A	ICC OR ICC CONTACTLESS TOKENIZATION REQUEST NO CVM	00	05 or 07	0		DMC MSI	V

Single Message Authorization: Issuer Credit and Debit
Table 3351145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		Tokenization Authorization Request via Chip Card and Issuer performs chip cryptogram validation. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 23 (Card Sequence Number); DE 35 (Track 2 Data); and DE 55 (ICC Data) are present. DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 82 = 52 (AVS and Authorization) and DE 48, SE 92 (CVC2) are optional. DE 120 (Record Data) for Address Verification Service (AVS) is present only if an AVS request. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) = 6 (Account added via chip data), position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0210: DE 48, SE 83 (AVS response) and DE 48, SE 87 (CVC 2 response) only present if AVS and CVC2 in request. 0210: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller. 0210: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, • or DE 39 = 05 (Decline) and DE 124 must not be present, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Methods if the issuer does not use the default activation method, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses default activation method,									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		• or DE 39 = 63 (Security Validation) or DE 39 = 88 (Cryptographic Failure) if the issuer declines provisioning due to chip data validation.									

Single Message Authorization: Issuer Credit and Debit
Table 3351145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
2	0200	335114500002	1	N/A	ICC OR ICC CONTACTLESS TOKENIZATION REQUEST NO CVM	00	05 or 07	0		DMC MSI	V

Single Message Authorization: Issuer Credit and Debit
Table 3351145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		Tokenization Authorization Request via Chip Card and Issuer uses Mastercard OBS 02 or OBS 03 for chip cryptogram validation. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 71, SF 1 (OBS Service) = 02 or 03 and SF 2 (OBS Result) value of issuer choice as detailed below: • DE 48, SE 71 = 02Ab or 03Ab (Valid Application Cryptogram [AC]; ATC outside allowed range), or • DE 48, SE 71 = 02Fb or 03Fb (Format error), or • DE 48, SE 71 = 02Kb or 03Kb (No matching key file for this PAN, PAN expiry date and KDI combination), or • DE 48, SE 71 = 02Ub or 03Ub (Unable to process), or • DE 48, SE 71 = 02Vb or 03Vb (Valid), or • DE 48, SE 71 = 02Xb or 03Xb (Security platform time out), or • DE 48, SE 71 = 02Zb or 03Zb (Security platform processing error). DE 48, SE 82 = 52 (AVS and Authorization) and DE 48, SE 92 (CVC2) are optional. DE 120 (Record Data) for Address Verification Service (AVS) is present only if an AVS request. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) = 6 (Account added via chip data), position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0210: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, • or DE 39 = 05 (Decline) and DE 124 must not be present,									

Single Message Authorization: Issuer Credit and Debit
Table 3351145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		• or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Methods if the issuer does not use the default activation method, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses default activation method. 0210: DE 48, SE 83 (AVS response) and DE 48, SE 87 (CVC 2 response) only present if AVS and CVC2 in request. 0210: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller.									

Single Message Authorization: Issuer Credit and Debit
Table 3351145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
3	0200	335114500003	1	N/A	ICC OR ICC CONTACTLESS TOKENIZATION REQUEST ONLINE PIN	00	05 or 07	0	V	DMC MSI	V

Single Message Authorization: Issuer Credit and Debit
Table 3351145: MDES Tokenization Request via Chip Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		Tokenization Authorization Request via Chip Card and Issuer performs chip cryptogram validation. DE 2 (Primary Account Number) contains cardholder PAN and if available DE 14 (Date, Expiration). DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 9 (Tokenization Request/Notification). DE 22, SF 2 = 3 (mPOS Software-based PIN Entry Capability). DE 33 (Forwarding Institution ID Code) = 201115. DE 43 (Acceptor Name/Location), SF 1 will contain the Consumer Facing Entity Name (CFEN) associated with the Token Requestor ID unless issuer opts out. DE 48, SE 23, SF 1 (Device Type) and SE 26, SF 1 (Wallet Identifier) may be present with values of issuer choice. DE 48, SE 33, SF 1 (Account Number Indicator), SF 2 (Account Number), SF 6 (Token Requestor ID), and SF 8 (Storage Technology) values of issuer choice. DE 48, SE 80 = TV (The Dual Message Authorization System translated the PIN for issuer verification). DE 48, SE 82 = 52 (AVS and Authorization) and DE 48, SE 92 (CVC2) are optional. DE 52 PIN Block Format 0 or DE 110 Dataset 01 for PIN Block Format 4 of customer choice. DE 120 (Record Data) for Address Verification Service (AVS) is present only if an AVS request. DE 124 positions 1-2 = TA (Tokenization Authorization Request), position 17 (PAN Source) = 6 (Account added via chip data), position 195 (Token Type) contains C,F,S of issuer choice, and other data of issuer choice. 0210: Issuer below response options indicates how Mastercard shall proceed with the tokenization process. • DE 39 = 00 (Approve) and DE 124 containing Issuer Product Configuration ID and PAN Sequence Number, • or DE 39 = 05 (Decline) and DE 124 must not be present, • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID, PAN Card Sequence Number, and Activation Code Distribution Methods if the issuer does not use the default activation method. • or DE 39 = 85 (Approve, but require additional authentication) and DE 124 containing Issuer Product Configuration ID and PAN Card Sequence Number if the issuer uses default activation method.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52 or DE110	Card ID	RC
		or DE 39 = 55 (Incorrect PIN) or DE 39 = 75 (Allowable number of PIN tries exceeded) or DE 39 = 86 (PIN Validation not possible) if the issuer declines provisioning due to PIN validation errors. 0210: DE 48, SE 83 (AVS response) and DE 48, SE 87 (CVC 2 response) only present if AVS and CVC2 in request. 0210: DE 56 (Payment Account Data) contains PAR provided by the issuer when the issuer or its designated service provider is BIN Controller.									

Table 3351201: Funding Transactions at the ATM

The test cases in the table 3351201 address how an issuer in participating regions or countries processes requests, reversals, and responses for the value of 6539 (POI Funding excluding MoneySend) in DE 18 (Merchant Type) for Funding transactions at the ATM.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Funding Transactions at the ATM

Table 262: Table 3351201

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
2	0200	335120100002	1	0	ICC CAT LEVEL 1 ATM PURCHASE ONLINE PIN	00	05	1	V	MSI CIR	00
	0420		1	0	DE 39 = 00						00
		DE 3, SF 2 = 10 (Savings Account); DE 124 present. Full reversal following request.									

Table 3351351: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service

The test cases in the table 3351351 address how an issuer processes single message financial transaction requests and responses containing ICCR percentage or CBFM markup applied to cardholder billing amounts.

Issuers can also see markup results in the 250-byte Batch Data File when the optional Additional Data Addendum Record (ADDR) is received.

Validations for ICCR service and CBFM service

- Issuers must initiate setup of the ICCR percentage parameter or the CBFM markup parameter for each participating account range.
- If the issuer is utilizing the CBFM markup percentage parameter, please use the calculator provided in Mastercard Currency Converter | Currency Exchange Rate Calculator to verify if the amount mentioned in DE 6 includes the correct CBFM markup after conversion.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Issuer Currency Conversion Rate (ICCR) Service or Cross-Border Fee Manager (CBFM) Service

Table 263: Table 3351351

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335135100003	1	0	ICC CASH DISBURSEMENT SIGNATURE	17	05	0		DMC	00
		DE 6 and DE 8 contain ICCR or CBFM markup amounts.									
2	0200	335135100005	1	0	ICC PURCHASE WITH CASH BACK SIGNATURE	09	05	0		DMC MSI	87
		DE 6 and DE 8 contain ICCR or CBFM markup amounts. 0210: DE 39 = 87 (Purchase approval only), DE 38 present, and DE 51 same value from 0200.									
3	0200	335135100001	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	MSI	00
	0420		1	0	DE 39 = 00						00
		DE 6 and DE 8 contain ICCR or CBFM markup amounts. 0420 partial reversal: DE 39 = 00 (Approved); DE 6, DE 8 and DE 95, SF 3 contain completion markup amounts.									

Single Message Authorization: Issuer Credit and Debit
Table 3351702: Cardholder Authentication Service with Biometric Card

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
4	0200	335135100002	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC MSI CIR	00
	0420		1	0	DE 39 = 00						00
		DE 6 and DE 8 contain ICCR or CBFM markup amounts. 0420 full reversal: DE 39 = 00 (Approved); DE 6, DE 8 and DE 95 contain all zeros.									
5	0200	335135100004	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC MSI	10
		DE 6 and DE 8 contain ICCR or CBFM markup amounts. 0210: DE 39 = 10 (Partial approval), DE 38 present, and DE 51 same value from 0200.									
6	0200	335135100007	1	0	ICC PURCHASE ONLINE PIN	00	05	0	V	DMC MSI	00
	0220		1	0	DE 39 = 00						00
		Preauthorization followed by completion advice. DE 6 and DE 8 contain ICCR or CBFM markup amounts. 0220: DE 39 = 00 (Approved) and DE 60 = 290 (Completion).									
7	0200	335135100006	1	0	ICC REFUND NO CVM	20	05	0		DMC MSI	00
		DE 6 and DE 8 contain ICCR or CBFM markup amounts.									

Table 3351702: Cardholder Authentication Service with Biometric Card

The test cases in the table 3351702 address how an issuer participating in the Cardholder Authentication Service with Biometric Card processes single message requests, advices, and responses for Account Status Inquiry (ASI) and Purchase or Purchase with Cashback including, DE 48, subelement 17 indicating successful biometric authentication, if applicable.

These test cases for contact chip may also be executed as contactless M/Chip by changing appropriate transaction data. These test cases for Purchase may also be executed as Purchase with Cash Back by changing appropriate transaction data.

Validations for cardholder authentication service with biometric card

- The test transaction data must be updated with the DE 48, SE 17 values that issuers want to receive in test cases 1-3 and with the DE 55, tag 9F10 valid values in test case 5.
- Service type 1 applies to designated cards within an account range that are participating in the Cardholder Authentication Service with Biometric Card.
- Service type 2 applies to all cards within an account range.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Advices

Operation Type: ICC

Testing Type: Product and Services

Program: Cardholder Authentication Service with Biometric Card

Table 264: Table 3351702

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
1	0200	335170200101	1	0	ICC ASI PURCHASE OFFLINE PIN	00	05	0		DMC MSI	V
		Account Status Inquiry request transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful).									
2	0220	335170200102	1	0	ICC ASI PURCHASE OFFLINE PIN	00	05	0		DMC MSI	00
		Account Status Inquiry advice transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful). DE 39 = 00 (Approved) and DE 60 = 192 (M/Chip Offline Advice to Issuer).									
3	0200	335170200103	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		DMC MSI	00
		Purchase request transaction successful Cardholder Authentication Service. DE 4 (Amount, Transaction) contains non-zero amount and DE 61, SF 7 = 0 (Normal Request). DE 48, SE 17 (Authentication Indicator) contains valid Authentication Service Type value (1 or 2) of issuer choice. DE 55, tag 9F10 contains byte2bit2 = 1 (biometric) and byte1bit1 = 1 (successful).									

Single Message Authorization: Issuer Credit and Debit
Table 3351702: Cardholder Authentication Service with Biometric Card

Case ID	MTI	Retrieval Ref No	SIM	MTF	Business Transaction	DE 3_1	DE 22_1	DE 61_10	DE 52	Card ID	RC
4	0220	335170200104	1	0	ICC ASI PURCHASE OFFLINE PIN	00	05	0		DMC MSI	00
		Account Status Inquiry request transaction rejected by Mastercard due to unsuccessful Cardholder Authentication Service and advice sent to issuer for either Type 1 or 2 of issuer choice. DE 4 (Amount, Transaction) contains all zeros and DE 61, SF 7 = 8 (Account Status Inquiry). DE 48, SE 17 (Authentication Indicator) not present. DE 55, tag 9F10 contains byte2bit2 value other than 1 (biometric), or byte1bit1 value other than 1 (successful). DE 39 = 05 (Do not honor) and DE 60 = 1600078 (Authentication Advice to Issuer: M/Chip Biometric Data not present).									
5	0200	335170200105	1	0	ICC PURCHASE OFFLINE PIN	00	05	0		DMC MSI	V
		Purchase request transaction unsuccessful Cardholder Authentication Service for either Type 1 or 2 of issuer choice. DE 4 (Amount, Transaction) contains non-zero amount and DE 61, SF 7 = 0 (Normal Request). DE 48, SE 17 (Authentication Indicator) not present. DE 55, tag 9F10 values that indicate unsuccessful authentication available for issuer choice per below: • Option 1 - byte2bit2 = 0 (Not Biometric) and byte1bit1 = 0 (Not Successful), • Option 2 - byte2bit2 = 0 (Not Biometric) and byte1bit1 = 1 (Successful), and • Option 3 - byte2bit2 = 1 (Biometric) and byte1bit1 = 0 (Not Successful). 0210: DE 39 (Response Code) valid value of issuer choice.									

Table 3351821: PIN Translation Option

The test cases in the table 3351821 address how an issuer processes single message financial transaction requests, advice and responses for those who have opted into one of the two options available if PIN translation service is unavailable. They also process advice message containing PIN translation results.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Advices

Operation Type: ICC

Testing Type: Product and Services

Program: PIN Translation Option

Table 265: Table 3351821

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335182100001	1	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		Option 1: Mastercard sends PIN translation results in all requests - successful PIN translation. 0200: DE 48, SE 80 = TV (Mastercard translated the PIN block for issuer verification); DE 52 is present.									
2	0200	335182100002	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1		MCC DMC MSI CIR	V
		Option 1 Mastercard sends PIN translation results in all requests - unsuccessful PIN translation. 0200: DE 48, SE 80 = TI (Mastercard was unable to translate the PIN block); DE 52 was removed.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
3	0220	335182100003	1	0	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1		MCC DMC MSI CIR	00
		Option 2 Mastercard declines request and sends declined advice to issuer assuming issuer has also chosen to receive decline advices. DE 39 = 05 (Do not honor) and DE 60, SF 1 = 294 (PIN Translation Unavailable).									

Table 3352201: Real-time Substantiation (U.S. Region)

The test cases in the table 3352201 address how an issuer processes single message financial transactions for real-time substantiation requests including, the Mastercard Assigned ID (DE 48 subelement 32), if applicable.

Healthcare Flexible Spending Account and Real-time substantiation is performed by merchant against a qualifying Inventory Information Approval System (IIAS) to determine if purchases on Healthcare Flexible Spending Account (FSA) and Healthcare Reimbursement Arrangement (HRA) cards are healthcare eligible Financial Transaction Requests.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Real-time Substantiation (U.S. Region)

Table 266: Table 3352201

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335220100001	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		DE 48, SE 61, SF 3 = 1 (Merchant terminal verified against IIAS). DE 48, SE 32 (Mastercard Assigned ID) is present and valid. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 11 (Prescription Eligibility Amount).									
2	0200	335220100002	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		DE 48, SE 61, SF 3 = 1 (Merchant terminal verified against IIAS). DE 48, SE 32 (Mastercard Assigned ID) is present and valid. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount).									
3	0200	335220100003	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
	0420		1	0	DE 39 = 00						00
		DE 48, SE 61, SF 3 = 1 (Merchant terminal verified against IIAS). DE 48, SE 32 (Mastercard Assigned ID) is present and valid. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 11 (Prescription Eligibility Amount). Acquirer full reversal of issuer partial approval.									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
4	0200	335220100004	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		DE 48, SE 61, SF 3 = 4 (Transaction was submitted as IIAS but from a non-IIAS-certified merchant). DE 48, SE 32 (Mastercard Assigned ID) is present but could not be verified. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount).									
5	0200	335220100005	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		DE 48, SE 61, SF 3 = 0 (Merchant terminal did not verify purchased items against IIAS). DE 48, SE 32 (Mastercard Assigned ID) is present but could not be verified. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount).									
6	0200	335220100006	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		DE 48, SE 61, SF 3 = 2 (Merchant exempt from Inventory IIAS based on IRS 90 percent rule). DE 48, SE 32 (Mastercard Assigned ID) is present but could not be verified. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 11 (Prescription Eligibility Amount).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
7	0200	335220100007	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Merchant verifies against IIAS and provides vision RX eligibility amount. DE 48, SE 32 (Mastercard Assigned ID) is present. DE 48, SE 61, SF 3 = 1 (Merchant terminal verified against IIAS). DE 54, SF 2 (Amount Type) = 12 (Vision Rx Eligibility Amount) only. DE 4 (Amount, Transaction) and DE 54 SF 5 (Amount) for SF 2 (Amount Type) 12 (Vision RX Eligibility Amount) contain the same amount value.									
8	0200	335220100008	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Merchant verifies against IIAS and provides healthcare eligibility amount and vision RX eligibility amount. DE 48, SE 32 (Mastercard Assigned ID) is present. DE 48, SE 61, SF 3 = 1 (Merchant terminal verified against IIAS). DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount).									

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
9	0200	335220100009	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC	00
		Merchant verifies against IIAS and provides healthcare eligibility amount, prescription eligibility amount, and vision RX eligibility amount. DE 48, SE 32 (Mastercard Assigned ID) is present. DE 48, SE 61, SF 3 = 1 (Merchant terminal verified against IIAS. DE 54, SF 2 (Amount Type) = 10 (Healthcare Eligibility Amount), 11 (Prescription Eligibility Amount), and 12 (Vision Rx Eligibility Amount). DE 4 (Amount, Transaction) equals the combined sum of DE 54 SF 5 (Amount) for SF 2 (Amount Type) 10 (Healthcare Eligibility Amount) and 12 (Vision Rx Eligibility Amount). The amount type 11 is included in amount type 10.									

Table 3353101: Fraud Notification Service

The test cases in the table 3353101 address how an issuer processes single message financial transaction requests and responses for a representment transaction with DE 48 (Additional Data) subelement 19 (Fraud Notification Service) subfield 3 (Fraud Notification Service Second Presentment Rights Indicator).

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests, Advices, and Reversals

Operation Type: ICC

Testing Type: Product and Services

Program: Fraud Notification Service

Table 267: Table 3353101

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335310100001	N/A	1	ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	01	05	1	V	MCC DMC MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account). DE 4 = 40.00.									
2	0422	335310100001	N/A	1	CHARGEBACK					MCC DMC MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account). DE 4 = 40.00. DE 60 = 489 0017 (Chargeback Cardholder dispute [ATM only]).									
3	0420	335310100001	N/A	1	REPRESENTMENT					MCC DMC MSI CIR	00
		DE 3, SF 2 = 00 (No account specified (NAS)/Default Account). DE 48, SE 19, SF 3 = FNS (Fraud Notification Service Second Presentment Rights Indicator). DE 60 = 491 0013 (Representment). DE 95, SF 1 = 40.00.									

Table 3359500: High-Risk Purchase Identifier

The test cases in the table 3359500 address how an issuer processes single message financial transaction requests and responses for identified cryptocurrency and high-risk securities transactions.

Table Description

Business Profile: Issuer Credit and Debit

Processing Platform: Single Message Financial Transaction Requests

Operation Type: ICC

Testing Type: Product and Services

Program: High-Risk Purchase Identifier

Table 268: Table 3359500

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
1	0200	335950000001	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Purchase of cryptocurrency outside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6051 (Quasi Cash— Merchant). DE 48, SE 77 (Transaction Type Identifier) = P70 (Cryptocurrency).									

Single Message Authorization: Issuer Credit and Debit
Table 3359500: High-Risk Purchase Identifier

Case ID	MTI	Test Case Ref No	SIM	MTF	Business Transaction	DE3_1	DE22_1	DE61_10	DE52	Card Id	RC
2	0200	335950000002	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Purchase of high-risk securities outside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6211 (Securities—Brokers/Dealers). DE 48, SE 77 (Transaction Type Identifier) = P71 (High-risk Securities).									
3	0200	335950000003	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Purchase of cryptocurrency inside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6051 (Quasi Cash --Merchant). DE 48, SE 77 (Transaction Type Identifier) contains F52,F61. DE 108, SE 03, SF 05 (Transaction Purpose) = 11 (Cryptocurrency).									
4	0200	335950000004	1	0	ICC PURCHASE SIGNATURE	00	05	0		DMC MSI	00
		Purchase of high-risk securities inside U.S. region and select countries within the Single European Payments Area (SEPA) of the Europe region. DE 18 (Merchant Type) = 6211 (Securities—Brokers/Dealers). DE 48, SE 77 (Transaction Type Identifier) contains F52,F61. DE 108, SE 01 (Receiver/Recipient Data), SFs 01, 03, 07 (Conditional), 11, 18 and SE 03 (Transaction Reference Data), SF 01 and SF 05 (Transaction Purpose) = 16 (High Risk Securities) are mandatory.									

Notices

Following are policies pertaining to proprietary rights, trademarks, translations, and details about the availability of additional information online.

Proprietary Rights

The information contained in this document is proprietary and confidential to Mastercard International Incorporated, one or more of its affiliated entities (collectively "Mastercard"), or both.

This material may not be duplicated, published, or disclosed, in whole or in part, without the prior written permission of Mastercard.

Trademarks

Trademark notices and symbols used in this document reflect the registration status of Mastercard trademarks in the United States. Consult with the Global Customer Service team or the Mastercard Law Department for the registration status of particular product, program, or service names outside the United States.

All third-party product and service names are trademarks or registered trademarks of their respective owners.

EMV® is a registered trademark of EMVCo LLC in the United States and other countries. For more information, see <http://www.emvco.com>.

Disclaimer

Mastercard makes no representations or warranties of any kind, express or implied, with respect to the contents of this document. Without limitation, Mastercard specifically disclaims all representations and warranties with respect to this document and any intellectual property rights subsisting therein or any part thereof, including but not limited to any and all implied warranties of title, non-infringement, or suitability for any purpose (whether or not Mastercard has been advised, has reason to know, or is otherwise in fact aware of any information) or achievement of any particular result.

Translation

A translation of any Mastercard manual, bulletin, release, or other Mastercard document into a language other than English is intended solely as a convenience to Mastercard customers. Mastercard provides any translated document to its customers "AS IS" and makes no representations or warranties of any kind with respect to the translated document, including, but not limited to, its accuracy or reliability. In no event shall Mastercard be liable for any damages resulting from reliance on any translated document. The English version of any Mastercard document will take precedence over any translated version in any legal proceeding.

Information Available Online

Mastercard provides details about the standards used for this document, including times expressed, language use, and contact information, on the Technical Resource Center (TRC). Go to the Rules collection of the References section for centralized information.