

β -Phenylethylamines and the isoquinoline alkaloids

Kenneth W. Bentley

Marrview, Tillybirloch, Midmar, Aberdeenshire, UK AB51 7PS

Received (in Cambridge, UK) 20th December 2001

First published as an Advance Article on the web 6th March 2002

Covering: July 2000 to June 2001. Previous review: *Nat. Prod. Rep.*, 2001, **18**, 148

This review covers β -phenylethylamines and isoquinoline alkaloids that are derived from them, including further products of oxidation, condensation with formaldehyde and rearrangement, some of which do not contain an isoquinoline system, together with naphthylisoquinoline alkaloids, which have a different biogenetic origin. The occurrence of the alkaloids, with the structures of new bases, together with their reactions, syntheses and biological activities are reported. The literature from July 2000 to June 2001 is reviewed, with 495 references cited.

- 1 β -Phenylethylamines
- 2 Isoquinolines
- 3 Naphthylisoquinolines
- 4 Benzylisoquinolines
- 5 Bisbenzylisoquinolines
- 6 Benzopyrrocolines
- 7 Pavines and isopavines
- 8 Berberines and tetrahydroberberines
- 9 Protopines
- 10 Phthalide-isoquinolines
- 11 Spirobenzylisoquinolines
- 12 Rhoeadines
- 13 Benzophenanthridines
- 14 Emetine and related alkaloids
- 15 Aporphinoid alkaloids
- 15.1 Proaporphines
- 15.2 Aporphines
- 15.3 Oxoaporphines
- 15.4 Dioxaporphines
- 15.5 Aristolochic acids
- 15.6 Aristolactams
- 15.7 Azafluoranthenes and related tropolones
- 16 Alkaloids of the morphine group
- 17 Phenethylisoquinolines
- 18 Colchicine and related alkaloids
- 19 *Erythrina* alkaloids
- 19.1 Erythrinanes
- 19.2 Homoerythrinanes
- 19.3 Cephalotaxine and related alkaloids
- 20 Other isoquinolines
- 21 References

1 β -Phenylethylamines

β -Phenylethylamines and amides have been isolated from the following plant species, the eleven marked with asterisks being new alkaloids:

- Allium tuberosum*¹
N-cis-feruloyldopamine (tuberosine A)* **1**, *N*-trans-feruloyldopamine (tuberosine B)* **2** and *N*-trans-coumaroyltyramine* **3**
- Annona glabra*²
N-trans-coumaroyltyramine and *N*-trans-feruloyltyramine
- Aristolochia mollissima*³
N-cis-coumaroyltyramine* **4** and *N*-trans-coumaroyltyramine
- Balanites aegyptica*⁴
N-cis-feruloyltyramine and *N*-trans-feruloyltyramine

- Mollinedia marliae*⁵
N-trans-feruloyltyramine
- Paliurus ramossissimus*⁶
 paliurine A* **5a**, paliurine B* **5b**, paliurine C* **6**, paliurine D* **7a**, paliurine E* **7b** and paliurine F* **8**
- Turbinicarpus alonsoi*⁷
 hordenine, *N,O,O*-trimethyldopamine and *N*-methyltyramine
- Zanthoxylum integrifolium*⁸
 alfileramine and integramine* **10**

Of the new alkaloids integramine **10** can be regarded as the product of Hofmann degradation of alfileramine and the paliurines (above) have obvious structural similarities to integerrimine **9** and waltherines A, B and C, reported in the previous review though, unlike these four compounds, they are not derived from tyrosine.

The chromium tricarbonyl complex of 1,2,3-trimethoxybenzene reacts with the anion of acetonitrile to give, after removal of the chromium tricarbonyl, the nitrile **11a**, which can be reduced to mescaline **11b**.⁹














The tartrate esters of ephedrine and pseudoephedrine have been found to be useful derivatives for the resolution of synthetic racemic mixtures of these alkaloids.¹⁰ Ephedrine has been acylated at the amino group rather than at the hydroxy group by *N*-acetylaminobenzenesulfonyl chloride¹¹ and by 4-nitrobenzoyl chloride.¹² Reduction of the dibenzylaminopropiophenone **12** with borane has afforded 80% excess of the erythro alcohol, hydrogenolytic cleavage of which yielded¹⁸ fluoronorephedrine **13**.¹³ Methods of estimating ephedrine and of norephedrine in plasma have been reported.¹⁴

The pharmacological properties and physiological effects of ephedrine^{15–18} and of pseudoephedrine^{19–21} have been studied.

2 Isoquinolines





Simple isoquinoline alkaloids have been isolated from the following plant species:

- Alangium lamareckii*²²
 salsoline
- Annona purpurea*²³
 thalifoline
- Iseia luxurians*²⁴
 iseluxine **14**
- Turbinicarpus alonsoi*⁷
 pellotine




Iseluxine, which is a new alkaloid, is the first of this group to be found with unsubstituted hydroxy groups at positions 6 and 7 and is a simple product of cyclisation of dopamine.

2-Bromohomoveratric aldehyde **15** has been condensed with the amino-alcohol **16** to give the cyclic carbinolamine ether **17**, reduction of which afforded the amino alcohol **18**. This has been further condensed with a variety of aldehydes to give the cyclic carbinolamine ethers **19a–19e**, which have been cyclised by butyllithium, followed by a Lewis acid, to give the (1*R*)-tetrahydroquinolines **20** in three-fold excess over their (1*S*) isomers. The (1*R*) compounds derived from **19b–19e** have been further converted into (*R*)-carnegine **21b**, (*R*)-*O*-methyl-armepavine **21c**, (*R*)-laudanosine **21d** and (*R*)-homolaudanosine **21e** and the non-chiral *O*-methylcorpalline **21a** has been prepared in the same way.²⁵



The imine **22**, prepared from 2-allylveratraldehyde and 4-methoxy-1-naphthyltyramine, on treatment with methyl lithium in the presence of the chiral ligand **23** forms, through a three-component complex, the (*R*) chiral amine **24**. Hydroboration of this affords the alcohol **25**, which can be cyclised to the tetrahydroisoquinoline **26a**. This can be cleaved by ammonium cerium^{III} nitrate and acetic anhydride to **26b**, hydrolysis of which yields (*R*)-salsolidine **26c**.²⁶ A synthesis of (*S*)-salsolidine **27** in 86% enantiomeric excess has been achieved by an enantioselective protonation of the related lithium salt in the presence of the chiral amine **28**.²⁷ A simple tetrahydrooxazaphenylene lactone containing the ABC ring system of the alkaloid stephalexanthine **29** and the related excentricine has been synthesised.²⁸



Syntheses of the isomeric 4-aryltetrahydroisoquinoline alkaloids cherylline **30a** and latifine **30b** have been achieved by closure of the isoquinoline ring between an aryl halide and an amide enolate.²⁹

3 Naphthylisoquinolines


Naphthylisoquinoline alkaloids have been isolated from the following plant species, the ten marked with asterisks being new alkaloids:

*Ancistrocladus ealaensis*³⁰

ancistroealaine A* **31** and ancistroealaine B* **32**

*Ancistrocladus likoko*³¹

ancistrolikokine A* **33**, ancistrolikokine B* **34**, ancistrolikokine C* **35** and korupensamine A




*Ancistrocladus tectorius*³²

ancistrotectoriline A* **36**, ancistrotectoriline B* **37**, 6-*O*-methyl-4'-*O*-demethylancistrocladine* **38** and 6-*O*-methyl-4'-*O*-demethylhamatine* **39**


*Triphyophyllum peltatum*³³

dioncophylline D, 8-*O*-methyldioncophylline D, dioncophyllinol D and 8-*O*-methyldioncophyllinol D* **40a**




Following the assignment of the structure **40a** to 8-*O*-methyldioncophyllinol D, it was shown that dioncophylline D and 8-*O*-methyldioncophylline D have similar 7,6'-coupled structures **41a** and **41b** respectively rather than the 7,8'-coupled structures previously assigned to these alkaloids. Similarly dioncophyllinol D has been reformulated as **40b**.³³


Jozipeltine A **44**, a dimer of dioncopenline A **42a** not so far encountered in plants, has been prepared. Oxidation of *N,O*-dibenzylidioncopenline A **42b** with silver oxide gave the quinone **43**, which was reduced to the diphenol and debenzylated to




36




37




42a R = H

42b R = CH₂Ph


38



39




43




40a R = Me

40b R = H




41a R = H

41b R = Me



44



45


jozipeltine A **44**. This compound shows greatly enhanced anti-malarial activity compared with dioncophylline A, its IC₅₀ against *Plasmodium falciparum* being 42 ng ml⁻¹.³⁴ A new, non-symmetric 6',8-dimer, jozimine B **46** has been prepared in good yield by the nonphenolic oxidative dimerisation of ancistrocladine **45** by lead tetraacetate and boron trifluoride; the imine **47** is also produced as a minor product in this reaction. This dimer also has greatly enhanced antimalarial activity compared with its parent monomer.³⁵ Lead tetraacetate and phenyl-iodine^{III} bis(trifluoroacetate) have been used to achieve a convenient one-step dimerisation of dioncophylline B **48** to the unnatural dimer jozimine D **49**, of korupensamine A to michellamine A and of korupensamine B to michellamine C.³⁶

The chromium carbonyl complex **50a** has been combined with the naphthylboronic acid **51** to give, after removal of the chromium carbonyl, the phenylnaphthalene **52**, the cyclic ketal of which was opened to give **53a**, which was converted through **53b** into **54a**, **54b** and **54c**. Bischler–Napieralsky cyclisation of **54c** afforded the dihydroisoquinoline **55**, which was reduced to *O,O*-dimethylkorupensamine A, **56a** and its C-1 epimer.³⁷ A similar sequence of reactions starting from **50b** gave, after removal of the isopropyl groups, korupensamine A **56b** and its C-1 epimer.³⁸ The amine **57** has been converted into a mixture of the tetrahydroisoquinolines **58** and **59** and **58** has been further converted through **60a**, **60b** and **60c** into the 7-bromo compound **61**. Coupling of this with the tributylstannylnaphthalene **62** by the Stille process afforded *N*-benzyl-*O,O*-bis(methoxymethyl)dioncophylline B **63**, which was hydrolysed and debenzylated to dioncophylline B **48**.³⁹

4 Benzyloisoquinolines

1-Benzyloisoquinoline alkaloids have been isolated from the following plant species, that marked with an asterisk being a new alkaloid:


*Annona purpurea*²³
reticuline
*Hernandia nymphaefolia*⁴⁰
reticuline
*Isopyrum thalictroides*⁴¹
reticuline
*Miliusa velutina*⁴²
reticuline



*Monodora junodii*⁴³
norgorchacoin* **64**
*Papaver trinitifolium*⁴⁴
crykonisine


The structures of polysignine **67a** and methoxypolysignine **67b** have been confirmed by their preparations from *O*-methyl-armepavine **65a** and laudanosine **65b** by the treatment of these alkaloids with methyl chloroformate, followed by reduction of the resulting carbamates **66a** and **66b** catalytically and with lithium aluminium hydride.⁴⁵

Nitration of *N*-formylnorlaudanosine **68** with nitric and acetic acids has afforded the dinitro compound **69**, together with the simpler compounds **74** and **75**. Direct nitration at C-5 and C-2' with hydrolysis of the C-6 methoxy group to give **69** is unexceptional, but compounds **74** and **75** must be formed by scission of the isoquinoline system, presumably through the intermediate **70**, which could then suffer ring opening to the iminium salt **72**, hydrolysis of which would give **74** and **75**. The



possibility that the dinitro compound could be **71**, formed by recyclisation of the iminium salt **72** *ortho* rather than *para* to the methoxy group, was eliminated by studies of NMR spectra.⁴⁶

Reaction of the lithium salt of 3,4-dimethoxybenzyl 1-methoxy-2-naphthyl sulfoxide with 6,7-dimethoxy-3,4-dihydroquinoline *N*-oxide has given the hydroxamine **76**, from which (±)-laudanose **65b** was prepared by reduction.⁴⁷ (*R*)-(+)-Laudanosine **21d** has been synthesised from **19d** (see section 2).²⁵ 1,2-Dehydrolaudanosine hydrochloride reacts with the bromoketone **78** to give the pyrroloisoquinoline **79a**, which may be converted into the aldehyde **79b**, by the Vilsmeier reaction. Hydrolysis of the methanesulfonyl ester **79b** yields the hemiacetal **80**, mild oxidation of which affords *O,O*-trimethyl-lamellarin G **81**. Oxidation of **80** with manganese dioxide gives only a poor yield of **81**, the main product being the quinone **82**.⁴⁸



The pharmacological properties and physiological effects of papaverine⁴⁹⁻⁵⁴ and of atracurium⁵⁵⁻⁵⁷ have been studied.

5 Bisbenzylisoquinolines

Bisbenzylisoquinolone alkaloids have been isolated from the following plant species, the nine marked with asterisks being new alkaloids:

*Guatteria boliviana*⁵⁸


(-)-antioquine* **83**, guatteboline***84**, pangkorimine, philogaline***85**, puertogaline A* **86a**, puertogaline B* **86b** and sepeirine

*Hernandia nymphaefolia*⁴⁰

thalicarpine and vateamine 2'β-*N*-oxide

*Isolona ghesquireina*⁵⁹

chondrofoline, (-)-curine and isochondodendrine



*Isopyrum thalictroides*⁴¹

isopyruthaldine* **87**, isopythaldine***88** and isothalmidine* **89**











*Sciadotenia toxifera*⁶⁰

cavanine* **90**

*Thalictrum orientale*⁶¹

fangchinoline

(-)-Antioquine is a new alkaloid, although the (+)-isomer has been encountered previously. The structures of the new





alkaloids of the group have been determined on the basis of their NMR spectra and optical properties alone. The structures assigned to the alkaloids of *Isopyrum thalictroides* bear no obvious relationship to those of other alkaloids recently isolated from the same species. Isothalmidine **89** is the first bisbenzylisoquinoline to be reported with a head-to-tail biphenyl linkage. Isopyruthaldine **87** and isopythaldine **88** are likewise unusual in that they purportedly are tail-to-tail dimers linked through a methylene group rather than directly or through oxygen as in all other cases. Presumably their biogenesis must involve condensation of two different benzylisoquinolines with formaldehyde or equivalent. Their nearest structural analogues are the head-to-tail dimers cycloathjehine and cycloathjehinine, in which the units are linked through $-O-CH_2-$. Further study of the structures of these alkaloids would be welcome.

A review of the bisbenzylisoquinoline alkaloids has been published.⁶² The pharmacological properties and physiological effects of (–)-antioquine,⁵⁸ of cepharanthine,^{64,65} of chondrofoline,⁵⁹ of curine,⁵⁹ of isochondrodendrine,⁵⁹ of guatteboline,⁵⁸ of *N*-methylberbamine,⁶³ of philogaline,⁵⁸ of puertogalines A and B,⁵⁸ of tetrandrine,^{66–80} of tiliacorine,⁸¹ and of tubocurarine^{82–85} have been studied.

6 Benzopyrrocolines


The 2'-bromobenzyl-3,4-dihydroisoquinolines **91a** and **91b** have been cyclised, by heating with potassium carbonate, to the

indolo[2,1-*a*]dihydroisoquinolinium salts **92a** and **92b**, which have been reduced catalytically and *N*-methylated to the benzopyrrocoline alkaloids (±)-cryptaustoline **93a** and (±)-cryptowoline **93b**.⁸⁶



7 Pavines and isopavines

Bromination of papaverine **94a** to 2'-bromopapaverine **94b**, followed by reduction with tributyltin hydride, gave 2'-bromo-1,2-dihydropapaverine **95a**, which with ethyl chloroformate gave the carbamate **95b**. This was cyclised by tetraphenylpalladium in the presence of sodium formate to *N*-ethoxycarbonylpavine **96a**, which was reduced by lithium aluminium hydride to (±)-argemonine **96b**.⁸⁷ In a related process the same alkaloid was synthesised from the methiodide of **94b** by a radical cyclisation, followed by reduction and *N*-methylation.⁸⁸





8 Berberines and tetrahydroberberines

Alkaloids of the berberine group have been isolated from the following plant species, the two marked by asterisks being new alkaloids:

*Annona glabra*²
 dehydrocorydalmine and kikemanine
*Asteropyrum cavaleriei*⁸⁹
 berberine, berberubine and palmatine

*Isopyrum thalictroides*⁴¹
 columbamine and palmatine
*Lindera glauca*⁹⁰
 canadine (tetrahydroberberine)
*Papaver triniifolium*⁴⁴
 cheilanthifoline, isocorypalmine, sinactine and *N*-methylsinactine
*Polyalthia longifolia*⁹¹
 8-oxopolyalthiaine* **97**
Rollinia leptopetala^{92,93}
 discretamine and tetrahydrojatrorrhizine
*Thalictrum acutifolium*⁹⁴
 acutiaporberine* **98**
*Thalictrum orientale*⁶¹
 berberine
*Zanthoxylum taediosum*⁹⁵
 isocorypalmine, kikemanine, scoulerine, tetrahydropalmatine and *cis*-*N*-methyltetrahydropalmatine




Acutiaporberine **98** is the first reported example of a dimer of an aporphine alkaloid and a tetrahydroberberine alkaloid similar to the bisbenzylisoquinolines, aporphine-benzylisoquinoline dimers and aporphine dimers.


The influence of various media on the fluorescence of berberine chloride and implications for assays of the alkaloid⁹⁶ and the absorption and reduction of berberine at the mercury electrode⁹⁷ have been studied.

trans-Canadine *N*-oxide **99**, when subjected to the Polonovski–Potier reaction has been shown to give a mixture of 7,8-dehydrocanadine **100** and the isomeric 13,14-dehydro compound **101**, but in the presence of potassium cyanide 8β-cyano-canadine **102a** is formed. Both 8β-cyano-canadine and 7,8-dehydrocanadine on treatment with methyl iodide yield 8β-methylcanadine **102b**. Under similar conditions, in the absence or presence of potassium cyanide, *cis*-canadine *N*-oxide **103** gives only 7,8-dehydrocanadine **100**, though on neutralisation of the reaction product small amounts of 5α-hydroxycanadine **104a** and 5β-hydroxycanadine **104b** are also formed. Similar results have been obtained with the *N*-oxides of thalictrovine and xylopinine.⁹⁸


The treatment of the 2'-bromobenzyltetrahydroisoquinoline **105a** with *n*-butyllithium affords the tetrahydroberberine **107a**. 8-Oxotetrahydropalmatine **106**, though not isolated from the reaction products, is assumed to be an intermediate in this reaction since it independently reacts very rapidly with *n*-butyllithium to give **107a** in high yield. Under similar conditions **105a** reacts with *tert*-butyllithium to give only **108** and with *sec*-butyllithium to give the analogue of **108**, together with




99



100




101




102a R = CN

102b R = Me




103



104a R¹ = OH, R² = H


104b R¹ = H, R² = OH

109. With methyllithium **105a** yields **107b**, which is reduced by sodium borohydride to **110a**. In a similar manner (±)-coralydine **110b** has been prepared from **105b**.⁹⁹




105a R¹ = OMe, R² = H

105b R¹ = H, R² = OMe




106



107a R = nPr


107b R = H




108

The 3-methoxytetrahydroisoquinoline **111** reacts with *O*-methyleugenol **112** and boron trifluoride to give **113**, which may be oxidised by osmium tetroxide to the diol **114** and then further by periodic acid to the aldehyde **115a**. Reduction of this to the alcohol **115b**, followed by hydrolysis and debenzoylation affords the amino-alcohol **116**, which is cyclised to (±)-schefferine **117** by the Mitsunobu reaction.¹⁰⁰ 2-(2'-Bromophenylethyl)isocarbostyrils **118** have been cyclised to 8-oxoberberines **119** in good yield by tributyltin hydride.⁸⁸

The pharmacological properties and physiological effects of berberine,^{101–109} of canadine,^{110,111} of stepholidine,^{110,112} of




109




110a R¹ = OMe, R² = H


110b R¹ = H, R² = OMe




111




112



113



114



115a R = CHO

115b R = CH₂OH

tetrahydropalmatine^{113–115} and of benzyltetrahydropalmatine¹¹⁶ have been studied.

9 Protopines

Alkaloids of the protopine group have been isolated from the following plant species:

*Glaucium corniculatum*¹¹⁷

allocryptopine and protopine

*Glaucium flavum*¹¹⁷

allocryptopine and protopine

*Zanthoxylum integrifolium*⁸

allocryptopine and pseudoprotopine









10 Phthalide-isoquinolines

α -Narcotine has been isolated from *Papaver triniifolium*.⁴⁴ *N*-Substituted derivatives of nornarcotine, such as **120**, have been prepared as potential adjuvants for vaccines¹¹⁸ and simpler analogues, such as **121**, have been shown to act as modulators of the GABA_A receptor.¹¹⁹

The physiological effects of bicuculline have been studied.^{120–126}


11 Spirobenzylisoquinolines

The new alkaloid 8-*O*-acetylcorysolidine **122** has been isolated, together with corysolidine and isoochotensine, from *Corydalis ochotensis*.¹²⁷



12 Rhoeadines

Rhoeadine, rhoeagenine, oreodine and oreogenine have been isolated from *Papaver triniifolium*, together with the new alkaloids *O*-ethylrhoeagenine **123a** and *O*-ethyloreogenine **123b**, which may be artefacts.⁴⁴



13 Benzophenanthridines

Benzophenanthridine alkaloids have been isolated from the following plants species, that marked with an asterisk being a new alkaloid:

*Corydalis incisa*¹²⁸

corynoline, acetylcorynoline, 6-oxocorynoline, corynoloxine, 12-hydroxycorynoloxine*










*Glaucium flavum*¹¹⁷

chelerythrine and sanguinarine

The conformation of chelidonine in deuterochloroform has been studied by NMR spectroscopy.¹²⁹ *O*-(4-[¹⁸F]-Fluorobenzoyl)chelidonine has been prepared for possible use as an antitumour agent.¹³⁰

Reaction of the iododimethoxybenzoic acid **125a** with the naphthylamine **126** gives the amide **127a**, the methoxymethyl derivative of which **127b** is cyclised in good yield by palladium¹¹


acetate and triphenylphosphine to the benzophenanthridine **128a**, together with a small amount of the alternative benzazepine **129**.^{131,132} The lactam **128a** may be hydrolysed to **128b**, which is convertible through **131** into norchelerythrine **130a** by previously described methods. The trifluoromethylsulfonyloxy group has been shown to be as good a leaving group as iodine in this process.¹³¹ Noritidine **131b** may be prepared in a similar manner from **125b**.^{131,132} A similar cyclisation of **127c** yields **128c**, which has been converted into chelerythrine **132**.¹³³ In approaches to alternative syntheses of benzophenanthridine alkaloids the isoquinoline **133** has been cyclised by acids to the simple unsubstituted analogue of **128c**.¹³⁴



The physiological effects of chelerythrine¹³⁵ and of sanguinarine^{136,137} have been studied.

14 Emetine and related alkaloids

Alangiside, alangine **134**, cephaeline, 2'-*N*-(1-deoxy-D-fructopyranosyl)-cephaeline, 10-*O*-demethylcephaeline, isocephaeline, neocephaeline, protoemetine, protoemetinol, psychotrine, tubulosine, 1',2'-dehydrotubulosine, deoxytubulosine and isotubulosine have been isolated from *Alangium lamarckii*.²² Alangine is reported as an alkaloid for the first time. In the last review the structure **134** was incorrectly assigned to neocephaeline.




134

15 Aporphinoid alkaloids

15.1 Proaporphines

The proaporphine alkaloid stepharine has been isolated from *Annona glabra*² and from *Annona purpurea*²³ and the new alkaloid promucosine **135** has been isolated from *Annona purpurea*.²³



135

15.2 Aporphines

Aporphine alkaloids have been isolated from the following plant species, the nine marked with asterisks being new alkaloids:

*Annona glabra*²

anonaine, *N*-formylanonaine, annobrainine***136a**, nordomesticine and nornuciferine

*Annona purpurea*²³³

apoglaziovine, isocorydine, lirindine, norglaucine, norpurpureine, northalbalcaline, romucosine F* **137**, romucosine G* **138** and thalicsimidine

*Asteropyrum cavaleriei*⁸⁹

magnoflorine

*Fissistigma glaucescens*¹³⁸

xylophine and *N*-acetylxylophine

*Glaucium corniculatum*¹¹⁷

corydine, isocorydine, glaucine and thalimidine

*Glaucium flavum*¹¹⁷

corydine, isoboldine, isocorydine and glaucine

*Hernandia nymphaefolia*⁴⁰

N-(*N*-methylcarbamoyl)-*O*-methylbulbocapnine* **139**, hernandaline and laurotetanine

*Isopyrum thalictroides*⁴¹

isocorydine

*Lettowianthus stellatus*¹³⁹

lettowianthine* **136a** and 11-methoxylettowianthine* **136b**

*Lindera glauca*⁹⁰

boldine, norboldine, nantenine and 3-chloro-*N*-formylnor-nantenine* **140**

Miliusa velutina^{42,140}

isocorydine, isocorydine-*N*-oxide* **141** and norcorydine

*Rollinia leptopetala*⁹²

anonaine and roemerine

*Stephania dinklagei*¹⁴¹


corydine

*Thalictrum acutifolium*⁹⁴


acutiaporberine* **98**

*Thalictrum orientale*⁶¹


fuzitine




136a R = H
136b R = OMe




137




138



139



140




141


Annobrainine and lettowianthine, isolated from different species, have been assigned the same structure **136a**. The separation and identification of the components of a mixture of nine aporphine alkaloids by a coupled system of high pressure liquid chromatography and NMR spectroscopy has been demonstrated.¹⁴²

Glaucine **142** has been demethylated by hydrobromic acid at room temperature to a mixture of liriioferine **143a**, thaliporphine **144a**, *N*-methyllaurotetanine **144b** and bracteoline **143b**, though better yields were obtained at elevated temperatures.¹⁴³ Bischler-Napieralsky ring closure of the amide **145** has given the dihydroisoquinolinium salt **146**, which was reduced to **147a**, and on treatment with methyl chloroformate this yielded **147b**, which was cyclised by tributyltin hydride to give (±)-cathaformine **148**.¹⁴⁴ The efficacy of various oxidising agents in the dimerisation of dehydrowilsonirine **149** to bipowine **150** and the further oxidation of this to the extended quinone bipowinone **151** have been studied.¹⁴⁵


The pharmacological properties and physiological effects of boldine,^{146–149} of dicentrine,¹⁵⁰ of nantenine and of apomorphine^{151–169} have been studied. Two glucuronides of apomorphine have been prepared¹⁷⁰ and several (*R*)-aporphines related to apomorphine have been prepared by ring expansion




142




143a R = H
143b R = Me




150




144a R¹ = H, R² = Me
144b R¹ = Me, R² = H




145




151




146




147a R = H
147b R = CO₂Me



148



149



152

*Hernandia nymphaefolia*⁴⁰

oxohernangine

*Lindera glauca*⁹⁰

lysicamine


*Milusa velutina*⁴²

liriodenine


*Stephania dinklagei*¹⁴¹

dicentrinone, liriodenine, *N*-methyliriodendronine **154a** and

N,2-*O*-dimethyliriodendronine **154b**



153



154a R = H
154b R = Me

of the ketone **152** in the quest for activity at serotonin 5-HT_{1A} and 5-HT₇ and dopamine D_{2A} receptors.¹⁷¹

15.3 Oxoaporphines

Oxoaporphine alkaloids have been isolated from the following plant species, the three marked with asterisks being new alkaloids:

*Annona glabra*²

liriodenine and lysicamine

*Annona purpurea*²³

liriodenine, lysicamine, oxoglauanine and oxopurpureine

*Fissistigma glaucescens*¹³⁸

atherospermidine, fissiceine* **153**, liriodenine, kuafumine, oxocrebaine and oxoglauanine

*Glaucium flavum*¹¹⁷

corunnine

*Guatteria boliviana*⁵⁸

lanuginosine

15.4 Dioxoaporphines

Dioxoaporphine alkaloids have been isolated from the following plant species:

*Aristolochia mollissima*³

cepharadione A and 4,5-dioxodehydroasimilobine

*Fissistigma balansae*¹⁷²

noraristolodine and norcepharadione B

*Fissistigma glaucescens*¹⁸

noraristolodione and norcepharadione B

*Fissistigma oldhamii*¹⁷¹

noraristolodione and norcepharadione B

15.5 Aristolochic acids

Aristolochic acids and their esters have been isolated from the following plant species, that marked with an asterisk being a new acid:

*Aristolochia curcurbitifolia*¹⁷³


7-hydroxyaristolochic acid* **155** and aristolochic acid III methyl ester

*Aristolochia kaempferi*¹⁷⁴

aristolochic acid Ia methyl ester

*Aristolochia mollissima*³

aristolochic acids I, II and IVa, aristoloterpenates I and III and aristophyllide A



15.6 Aristolactams

Aristolactams have been isolated from the following plant species, the three marked with asterisks being new alkaloids:

*Aristolochia curcurbitifolia*¹⁷³

cepharanone C* **156**

*Aristolochia kaempferi*¹⁷⁴

aristoliukine C

*Aristolochia mollissima*³

aristolactam *N*- β -D-glucoside, aristolactams AII and AIIIa, aristolactam C *N*- β -D-glucoside* **157** and aristoliukines A and B

*Fissistigma balansae*¹⁷²


aristolactams AII, AIIIa, BII, BIII, and FII, enterocarpam I, goniotalactam, piperolactams A and C and stigmalactam* **158**

*Fissistigma glaucescens*¹³⁸


aristolactams AII, BII and BIII, goniotalactam and piperolactam A

*Fissistigma oldhamii*¹⁷¹


aristolactams AII, AIIIa, BII, BIII and FII, enterocarpam I, goniotalactam, piperolactams A and C and stigmalactam **158**



156



157




158


15.7 Azafluoranthenes and related tropolones

Syntheses of the tropolone alkaloids imerubrine, isoimerubrine and grandirubrine have been achieved starting from 5,6,7-trimethoxyisoquinoline, following a successful synthesis of col-


chicine by similar methods (section 18). The isoquinoline **159a** was converted through **159b**, into the Reissert compound **160a**, which was reduced and hydrolysed to **160b** and this was converted by stages into the furan **161**. A [4+3]cycloaddition of 3,3-dimethoxy-2-trimethylsilyloxypropene to **161** yielded a mixture of the adducts **162a** and **163** and of these **162a** suffered a ready elimination to the tropolone ether imerubrine **164**, though a similar reaction could not be achieved with **163**. Reaction of the furan **161** with 1,1,3-trichloropropanone, followed by reduction, gave the bridged cycloheptenone **165**, from which the oxygen was eliminated to give the cycloheptatrienone **166**. Oxidation of **165** with phenyliodine^{III} diacetate in methanolic potassium hydroxide afforded the dimethyl ketal of **162b**, which was hydrolysed to **162b** and elimination of the oxygen bridge from this yielded grandirubrine **167a**. Methylation of grandirubrine afforded a mixture of imerubrine **164** and isoimerubrine **167b**. *O*-Methylation of the dimethyl ketal of **162b**, followed by hydrolysis, afforded a route to **162a** without the formation of **163**.¹⁷⁵




159a R = I
159b R = C \equiv CH




160a R = CN
160b R = CHO



161



162a R = Me
162b R = H




163

16 Alkaloids of the morphine group


Pallidine, norpallidine and *O*-methylflavanantine have been isolated from *Annona purpurea*²³ and *O*-methylflavanantine has also been isolated from *Croton menthodorus*.¹⁷⁶ Hyserpine, a new alkaloid that may be regarded as a degradation product of hasubanone, isolated from *Hyserpa neocaledonica*, is described in section 20.

Methods of estimating morphine,¹⁷⁷⁻¹⁷⁹ esters of morphine,¹⁸⁰ buprenorphine,^{181,182} norbuprenorphine,¹⁸² naltrexone¹⁸³ and naltrexol¹⁸³ have been described.


Photochemical *N*-demethylation of 14-acetoxycodeinone **168a** in the presence of oxygen and tetraphenylporphyrin has been achieved with *O,N*-acyl migration to give *N*-acetyl-14-hydroxycodeinone **168b**.¹⁸⁴ 1-Fluorocodeine **169a** and 1-fluorodihydrocodeine have been prepared by the thermolysis of the diazonium fluoroborates derived from 1-aminocodeine **169b** and 1-aminodihydrocodeine.¹⁸⁵ The 3-hydroxy group in morphine has been replaced by a series of amino groups. Morphine **170a** was converted into the 3,6-*tert*-butyldiphenylsilyl




164



165




166




167a R = H
167b R = Me

ether **170b**, which was hydrolysed to the 6-ether **170cc**. The trifluoromethanesulfonyl ester of this **171**, on heating with amines and sodium *tert*-butoxide suffered replacement of the ester group and desilylation of the products yielded the 3-amino-3-deoxymorphines **172a–172e**.¹⁸⁶ Oxidation of 3-*O*-methylnaloxone with ammonium cerium^{III} nitrate has given 10 α -hydroxy-3-*O*-methylnaloxone **173** which on further oxidation yielded 10-oxo-3-*O*-methylnaloxone **174a**, which was demethylated to 10-oxonaloxone **174b**.¹⁸⁷ The preparation and use of these compounds and their 14-deoxy analogues has been covered by a patent.¹⁸⁸ The 14-aminodihydrocodeinone derivative **175a** has been converted through **175b** into **175c**, the phenyltetrazolyl ether of which was cleaved to give **176**. This was hydrolysed and converted into the amide **177**.¹⁸⁹




168a R¹ = Me, R² = Ac
168b R¹ = Ac, R² = H




169a R = F
169b R = NH₂


Photochemical oxidation of thebaine affords the enedione-aldehyde **180** together with a smaller amount of the benzofuran **181**. These compounds are believed to arise by the addition of singlet oxygen to the diene system of the alkaloid to give **178**, which collapses through the related iminium salt to the enamine **179**, followed by hydrolysis to **180**. This enedione is stable to heat and is converted into the benzofuran **181** by a non-oxidative photochemical cleavage rather than by a retro Diels–Alder reaction. The enedione **180** is reduced by sodium borohydride in methanol to both diastereoisomers of the triol **182**, catalytically to the alcohol **183** and finally to the isomers of the triol **184a**, and by sodium borohydride and boron trifluoride to the alcohols **184b** and **184c**. The acetal **185** has been isomerised to the ketal **186**, also available directly from **180**, which is reduced by sodium borohydride to the diastereoisomeric alcohols **187**. Sodium borohydride and boron trifluoride reduce the *cis*-diol **182** to a mixture of the *cis*-diol **184c** and the alcohol **188**. Although the 6,14-peroxide **178** has not been isolated from the oxidation of thebaine its quaternary *N*-methyl trifluoromethanesulfonate, which is stable at room temperature over an extended period, has been obtained by the photo-




170a R¹ = R² = H
170b R¹ = R² = tBuPh₂Si
170c R¹ = H, R² = tBuPh₂Si




171




172a R¹ = R² = H
172b R¹ = H, R² = Me
172c R¹ = R² = Me
172d R¹ = H, R² = Ph
172e R¹ = H, R² = CH₂Ph




173




174a R = Me
174b R = H



175a R¹ = Me, R² = H
175b R¹ = Me, R² = CHO
175c R¹ = H, R² = CHO



176
















177

oxidation of *N*-methylthebaine trifluoromethanesulfonate. This peroxide is converted by warm trifluoroacetic acid into the quaternary salt **189b** of 14-hydroxycodeinone and the hydroperoxide **189a** has been spectroscopically identified as an intermediate in this hydrolysis.¹⁹⁰







The 7 α -ketone **190** and its 7 β -epimer have been equilibrated to a 2 : 1 mixture of the two by perchloric acid. The related *tert*-butyl ketones are similarly equilibrated to an equimolecular mixture. This equilibration occurs during the Schmidt reaction of the ketone **190** with perchloric acid and sodium azide, which gives a 2 : 1 mixture of the amide **191** and its 7 β -isomer.¹⁹¹

Details of the preparation of the following have been published: morphine 6-glucuronide,¹⁹² dihydromorphinone,¹⁹³ dihydrocodeinone,¹⁹³ 14-hydroxycodeinone,¹⁹⁰ 14-hydroxydihydrocodeinone,¹⁹⁴ hydrazones of general structure **192**, derived from *N*-aminonorcodeine,¹⁹⁵ naltrexone *O,O*-di-stearate¹⁹⁶ the amide **193**, derived from β -naltrexamine,¹⁹⁷ pyrroles of general structures **194a** and **194b**,¹⁹⁸ the indoles **195**¹⁹⁹



194b R = OH

184a R¹ = CH₂OH, R² = CHO
184b R¹ = CH₂OH, R² = Me
184c R¹ = R² = Me
















189b R = H

and **196**,²⁰⁰ thiophenes, pyridines and quinolines of general structures **197**,²⁰¹ **198**, **199**,²⁰² and **200**,²⁰³ the normorphine derivative **201**,²⁰⁴ dehydrobuprenorphine **202**,²⁰⁵ alkyl ethers of alcohols of general structure **203**,²⁰⁶ the phenols **204**²⁰⁷ and **205**,²⁰⁸ the amides **206**, **207**,²⁰⁹ and **208**²¹⁰ and the quaternary indolinodeoxycodine salt **209**.²¹¹

Alternative approaches to intermediates in previously reported syntheses of morphine and its derivatives have been

discussed,^{212–214} and syntheses of the alkaloid have been reviewed.^{215,216}

The analgesic properties,^{217–277} the pharmacokinetics and the metabolism^{278–281} of morphine have been studied, as have the effects of the alkaloid on behaviour,^{234,282–295} on immune responses,^{296–301} on the brain,³⁰² on the cardiovascular system,^{303,304} on the gastrointestinal tract,^{305–309} on neurones,^{310–316} on blood cells,^{317–320} on the regulation of temperature,^{321,322} on respiration,³²³ on locomotor activity,^{324,325} on the intake of food,³²⁶ on the thalamus,³²⁷ on the pituitary gland,³⁰¹ on the spinal cord,³²⁸ and spinal injuries,³²⁹ on lung receptors,³³⁰ on the foetus,³³¹ on the newborn,³³² on the utilisation of glucose,³³³ on the intake of saccharin,³³⁴ on pruritus,^{335,336} on peritonitis,³³⁷ on feline immunodeficiency virus,³³⁸ on intracellular pH,³³⁹ on macrophage apoptosis,³⁴⁰ on calcium channels,³⁴¹ on adreno-receptors,³⁴² on nicotinic receptors,³⁴³ on messenger RNA,^{344–346} on nitrite production,^{347–349} on gene expression,^{350,351} on susceptibility to *Salmonella typhimurum*,³⁵² on levels of dopamine,³⁵³



of opioid peptides,³⁵⁴ of calcitonin,³⁵⁵ of corticosterone,³⁵⁶ of interleukins,^{356,357} of oxytocin^{358,359} and of substance P³⁵⁵ and on the effects of apomorphine,³⁶⁰ of amikacin,³⁶¹ of caffeine,³⁶² of cocaine,³⁶³ of *N*-methyl-3,4-methylenedioxymphetamine,³⁶³ and of naloxone.³⁶⁴

The morphine-antagonist actions of naloxone have been studied,^{365–369} as have the effects of this compound on behaviour,³⁶⁶ on the development of tolerance to morphine,³⁷⁰ on neurones,^{371–375} on brain injuries,³⁷⁶ on cerebral blood flow,³⁷⁷

on reflexes,^{378,379} on the spinal cord,³⁸⁰ on the cardiovascular system,³⁸¹ on lactate and pyruvate metabolism,³⁸² on antioxidant enzyme activity,³⁸² on levels of adrenocorticotropin,³⁸³ and of dopamine,³⁸⁴ and on the effects of amikacin,³⁶¹ of buprenorphine,³⁸⁵ of diazepam,³⁸⁶ of methotrexate³⁸⁶ and of pentobarbital.³⁸⁶

The pharmacological properties and physiological effects of the following have also been studied: *O,O*-diacetylmorphine (heroin),^{387–404} morphine 3-glucuronide,^{278,405} morphine 6-glucuronide,^{278,326,406,407} dihydromorphinone,^{408,409} 14-hydroxy-dihydromorphinone,⁴¹⁰ codeine,^{411–418} dihydrocodeinone,⁴¹⁷ naltrexone,^{410,419–431} methylnaltrexone,⁴³² naloxone benzylhydrazide,⁴³³ nalbuphine,^{434–436} nalmefene,^{437–441} naltrindole,⁴⁴² 5'-guanidinonaltrindole,⁴⁴³ 7'-(2,3-diformylphenylcarboxamido)-naltrindole [7'-(phthalaldehydecaboxamido)naltrindole],⁴⁴⁴ β-funaltrexamine,⁴⁴⁵ norbinaltorphimine,⁴⁴⁶ etorphine,^{447,448} dihydroetorphine,^{449,450} buprenorphine,^{434,451–459} *O*-methylflavin-antine,¹⁷⁶ and (+)-morphine.⁴⁶⁰

A review of the use of opiates in medicine has also been published.⁴⁶¹


17 Phenethylisoquinolines

(*R*)-Homolaudanosine **21e** has been synthesised from **19e** as described in section 2.²⁵

18 Colchicine and related alkaloids

Atropisomeric colchicinoids have been prepared for the first time. Isocolchicine **210a** and its relatives **210b** and **210c**, on treatment with ammonia and with amines, gives the atropisomeric amines **211** and **212**, which in some cases are stable and in others are rapidly equilibrated. The isomers have been distinguished by their dichroic properties. Colchicine **213a**, under similar conditions, affords the regioisomeric amines **214** and **215**.⁴⁶²


9-Tolylsulfonyloxycolchicoside **210c** reacts rapidly with the anion of dimethyl malonate in dimethyl sulfoxide to give the lactone **216**, whereas the isomeric 10-tolylsulfonyloxy compound **213b** reacts very slowly under identical conditions to give the isomeric lactone **217**. Neither of these reactions occurs in hydroxylic solvents.⁴⁶³




210a R = Me

210b R = Et

210c R = SO₂-C₆H₄-Me




211



218a R = I


218b R = C≡CH




219a R = OH

219b R = N₃

219c R = NHAc




212




213a R = Me


213b R = SO₂-C₆H₄-Me




214




215



216




217




220a R = Ac


220b R = Boc



221



222



223a R¹ = R⁶ = H
R² = R³ = Me
R⁴ = OH, R⁵ = OMe

223b R¹ = R² = R³ = Me
R⁴ = R⁶ = H
R⁵ = CO₂Me

A synthesis of colchicine **213a** has been achieved from the alcohol **218a**. This was converted into the acetylene **218b** which was converted into the oxazole **219a** and this was further converted through **219b** and **219c** into the furan **220a**, also available by an alternative, though similar, route. The furan **220a** was converted into the related **220b**, which underwent a [4+3]cycloaddition reaction with the α -methoxytrimethylsilyloxyallyl cation (generated *in situ* from the trimethylsilyl enol ether of pyruvic aldehyde) to give **221**. This was smoothly cleaved to *N*-benzyloxycarbonyl-*N*-deacetylcolchicine, which was hydrolysed and acetylated to give colchicine **213a**. The furan **220a** also underwent [4+3]addition of 3,3-dimethoxy-2-trimethylsilyloxypropene, but the undesired regioisomer **222** was the sole product of the reaction.⁴⁶⁴

A patent for the preparation of ring-contracted colchinoids similar to colchibiphenylene **223a** and salimine **223b** of general structure **223** has been published.⁴⁶⁵

The physiological effects and other properties of colchicine have been studied.^{466–477}

19 *Erythrina* alkaloids











19.1 Erythrinanes

The isomeric 15 and 16 β -D-glucosides of erysopine have been isolated for the first time, together with erysodine β -D-





glucoside, erysotramidine, erysotrine, erysovine, erythraline and 8-oxoerythraline, from *Erythrina latissima*.⁴⁷⁸

A modified synthesis of (\pm)-erysotrine **228**, with a three-fold increase in overall yield, has been reported. Diels–Alder addition of the dioxopyrrolone **224** to 1-methoxy-3-trimethylsilyloxybutadiene, followed by reduction of the adduct with lithium borohydride and hydrolysis, afforded the erythrinane **225**, which was converted into **226**. Reduction of this with sodium borohydride gave the 3 α -alcohol **227a** and its 3 β -isomer in a 9 : 1 ratio. *O*-Methylation of **227a** gave (\pm)-erysotramidine **227b**, which was reduced by lithium aluminium hydride to (\pm)-erysotrine **228**. Peracid oxidation of **227a** yielded the 4,5 α -epoxide **229a**, the methyl ether of which **229b** was converted by samarium^{II} iodide into the allylic alcohol **230**, which was reduced by lithium aluminium hydride and aluminium chloride to (\pm)-erythtidine **231** (80%) and (\pm)-erysotrine **228** (16%). The epoxide **229b** could not be prepared from erysotramidine **227b**. The dienone **226** was oxidised by alkaline hydrogen peroxide to the 4,5 α and 4,5 β epoxides, which were reduced to **229a** and its 3 β -epimer and to the 4,5 β -epoxide isomers of these alcohols.⁴⁷⁹

In a new approach to the erythrinane ring system the methylthioacetamide **232** has been oxidised by manganese dioxide in



the presence of copper^{II} acetate to give a mixture of **233** and **234**, whereas in the presence of copper^{II} trifluoromethanesulfonate the product was the saturated erythrinane **235**.⁴⁸⁰



The effects of β -erythroidine and of dihydro- β -erythroidine on behaviour have been studied.⁴⁸¹

19.2 Homoerythrinanes








3-Epischellhammericine and 3-epitaxodine have been isolated from *Cephalotaxus harringtonia*.⁴⁸²

19.3 Cephalotaxine and related alkaloids

Cephalotaxine, 11-hydroxycephalotaxine, demethylcephalotaxinone, drupacine, harringtonine, deoxyharringtonine, homo-

deoxyharringtonine, isoharringtonine and the new alkaloids cephalozomine A **236a**, cephalozomine B **236b**, cephalozomine C **237a**, cephalozomine D **237b**, cephalozomine E **238a** and cephalozomine F **238b** have been isolated from *Cephalotaxus harringtonia*. The structures of the new alkaloids were deduced from their spectra.⁴⁸² The mono- and di-acetyl esters of 11-hydroxycephalotaxine have been prepared.⁴⁸³ An improved preparation of the α -keto-acid **239**, an intermediate in the synthesis of homoharringtonine, has been reported.⁴⁸⁴



The physiological and antitumour effects of homoharringtonine have been studied.^{485,486}





20 Other isoquinolines

Hyserpine **240**, which is not an isoquinoline but which can be regarded as a degraded hasubanonine, has been isolated from *Hyserpa neocaledonica*.⁴⁸⁷

Buzonamine, a defensive secretion of the millipede *Buzonium crassipes*, has been assigned the octahydroisoquinoline structure **241**.⁴⁸⁸




Antidesmone, from *Antidesmona membranaceum* and *A. venosum*, originally assigned the tetrahydroisoquinoline structure **242**, has been shown to be the pyridone **243**.⁴⁸⁹




Syntheses of aaptamine **244a**, *N*-methylaaptamine **244b**, iso-aaptamine **245a** and its regioisomer **245b** have been reported.⁴⁹⁰

Jorumycin **246**, which is a relative of the saframycins, has been isolated from the marine organism *Jorunna funebris*.⁴⁹¹ It is




244a R = H
244b R = Me




245a R¹ = Me, R² = H
245b R¹ = H, R² = Me

a cytotoxic agent slightly less potent than the related ecteinascidin E743 **247**. Syntheses of analogues of the saframycins^{492,493} and ecteinascidins⁴⁹⁴ and a synthesis of ecteinascidin E743 **247** from cyanosafracin B⁴⁹⁵ have been reported.



246



247

21 References

- S. Sang, S. Mao and A. Lano, *Zhongcaoyao*, 2000, **31**, 244.
- F. R. Chang, C. Y. Chung, T. J. Hsieh, C. P. Cho and Y. C. Wu, *J. Chin. Chem. Soc. (Taipei)*, 2000, **47**, 913.
- T. S. Wu, Y. Y. Chan and Y. L. Leu, *J. Nat. Prod.*, 2001, **64**, 71.
- S. D. Sarkar, B. Bartholomew and R. J. Nash, *Fitoterapia*, 2000, **71**, 328.
- B. M. G. Claros, A. S. R. da Silva, M. L. A. A. Vasconcellos, A. P. P. de Brito and G. G. Leitao, *Phytochemistry*, 2000, **55**, 859.
- H. Y. Lin, C. H. Chen, K. C. S. C. Liu and S. Lee, *J. Nat. Prod.*, 2000, **63**, 1388.
- R. Starha, A. Chybidziurova and Z. Lancy, *Acta Univ. Palacki. Olomuc., Fac. Rerum Nat. Chem.*, 1999, **38**, 71 (*Chem. Abstr.*, 2000, **133**, 347094).
- S. Liu, I. L. Tsai, T. Ishikawa, T. Hayarama and I. S. Chen, *J. Chin. Chem. Soc. (Taipei)*, 2000, **47**, 571.
- F. Rose-Munch, R. Chavignon, J.-P. Tranchier, V. Gagliardini and E. Rose, *Inorg. Chim. Acta*, 2000, **300**, 693.
- Z. Cen and S. Cai, *Huagong Xuebao (Chin. Ed.)*, 2000, **51**, 418.
- G. T. Baramysova, B. Zh. Dzhibbaev and K. D. Praliev, *Izv. Minist. Nauki Vyssh. Obraz. Resp. Kaz. Nats. Akad. Nauk Resp. Kaz. Ser. Khim.*, 1999, 28 (*Chem. Abstr.*, 2000, **133**, 4832).
- G. T. Baramysova, B. Zh. Dzhibbaev, K. D. Praliev and B. V. Rozhnov, *Izv. Minist. Nauki Vyssh. Obraz. Resp. Kaz. Nats. Akad. Nauk. Resp. Kaz. Ser. Khim.*, 1999, 81 (*Chem. Abstr.*, 2000, **133**, 4833).
- J. Ermert, K. Hamancher and H. H. Coenen, *J. Labelled Compd. Radiopharm.*, 2000, **43**, 1345.
- G. Amyard, B. Labarthe, D. Warot, I. Berlin and B. Diquet, *J. Chromatogr. B. Biomed. Sci. Appl.*, 2000, **744**, 25.
- M. Mori, H. Yamamoto, S. Hattori, H. Miyakawa and T. Noguchi, *Anaesthesia*, 2000, **55**, 523.
- J. T. Cheng, I. M. Liu, S. T. Yen, S. W. Juang, T. P. Liu and P. Chan, *Auton. Neurosci.*, 2001, **88**, 1.
- S. B. Karch, *Toxicol. Clin. Pharmacol. Herb. Prod.*, 2000, 11.
- H. Shibata, E. Minami, R. Hirata, N. Mizutani, T. Nabe and S. Kohno, *Inflammation Res.*, 2000, **49**, 553.
- N. D. Gill, A. Shield, A. J. Blazeovich, S. Zhou and R. P. Weatherby, *Br. J. Clin. Pharmacol.*, 2000, **50**, 205.
- D. McD. Taylor, K. S. O'Toole, T. Auble, C. M. Ryan and D. R. Sherman, *Pharmacotherapy*, 2000, **20**, 1045.
- L. C. Strindeli, R. L. Nation, A. M. Evans, J. L. Cabot and K. M. Corbett, *Clin. Exp. Pharmacol. Physiol.*, 2001, **28**, 43.
- A. Itoh, Y. Ikuta, T. Tanahashi and N. Nagakura, *J. Nat. Prod.*, 2000, **63**, 723.
- F. R. Chang, C. Y. Chen, P. H. Wu, R. Y. Kuo, Y. C. Chang and Y. C. Wu, *J. Nat. Prod.*, 2000, **63**, 746.
- T. Schwimming, K. Jenett-Smith, K. Siems, L. Witte, M. P. Gupta and E. Eich, *Z. Naturforsch. C: J. Biosci.*, 2000, **55**, 1023.
- R. Pedrosa, C. Andrés and J. M. Iglesias, *J. Org. Chem.*, 2001, **66**, 243.
- D. Taniyama, M. Hasegawa and K. Tomioka, *Tetrahedron Lett.*, 2000, **41**, 5533.
- A. J. Burton, J. P. Graham and N. S. Simpkins, *Synlett*, 2000, 1640.
- T. S. Kaufman, *Heterocycles*, 2001, **55**, 323.
- T. Honda, H. Namiki and F. Satoh, *Org. Lett.*, 2001, **3**, 631.
- G. Bringmann, A. Hamm, G. Günther, M. Michel, R. Brun and V. Mudugo, *J. Nat. Prod.*, 2000, **63**, 1465.
- G. Bringmann, G. Günther, W. Saeb, J. Mies, A. Wickramasinghe, V. Mudugo and R. Brun, *J. Nat. Prod.*, 2000, **63**, 1333.
- C. P. Tang, Y. P. Yang, Y. Zhong, Q. Zhong, H. M. Wu and Y. Ye, *J. Nat. Prod.*, 2000, **63**, 1384.
- G. Bringmann, C. Günther, W. Saeb, J. Mies, R. Brun and L. A. Assi, *Phytochemistry*, 2000, **54**, 337.
- G. Bringmann, W. Saeb, J. Wohlfarth, K. Messer and R. Brun, *Tetrahedron*, 2000, **56**, 5871.
- G. Bringmann, W. Saeb, J. Kraus, R. Brun and G. Francois, *Tetrahedron*, 2000, **56**, 3523.
- G. Bringmann, W. Saeb, J. Mies, K. Messer, M. Wohlfarth and R. Brun, *Synthesis*, 2000, 1843.
- K. Kamikawa, T. Watanabe, A. Daimon and M. Uemura, *Tetrahedron*, 2000, **56**, 2325.
- T. Watanabe, M. Shakadou and M. Uemura, *Synlett*, 2000, 1141.
- G. Bringmann, C. Günther and E.-M. Peters, *Tetrahedron*, 2001, **57**, 1253.
- J. J. Chen, Y. Y. Chang, C. M. Teng and I. S. Chen, *Planta Med.*, 2000, **55**, 133.
- R. S. Istakova and S. A. Philipov, *Phytochemistry*, 2000, **54**, 959.
- S. Jumana, C. M. Hasan and M. A. Rashid, *Biochem. Syst. Ecol.*, 2000, **28**, 483.
- Y. Nishiyami, M. Moriyasu, M. Ichimaru, K. Iwasa, A. Kato, S. G. Mathenge, P. B. C. Mutiso and F. D. Juma, *Nat. Med. (Tokyo)*, 2000, **54**, 338.
- A. Sari and G. Sariyar, *Pharmazie*, 2000, **55**, 471.
- S. Nimgirawath, *Aust. J. Chem.*, 2000, **58**, 523.
- T. Honda, M. Nishimura, J. Itabishi and K. Kazuo, *Heterocycles*, 2000, **53**, 1121.
- A. R. Hajipour and M. Hantehzadeh, *Phosphorus, Sulfur, Silicon Relat. Elem.*, 2000, **161**, 181.
- S. Ruchiwarat and T. Mutarapat, *Tetrahedron Lett.*, 2001, **42**, 1205.
- K. Shimizu, T. Ichikawa, N. Urakawa and S. Nakajyo, *Jpn. J. Pharmacol.*, 2000, **83**, 143.
- T. Shimizu, Y. Ohta, H. Ozawa, H. Matsushima and K. Takeda, *Anticancer Res.*, 2000, **20**, 761.
- J. S. Shin, J. J. Lee, Y. Kim, C. K. Lee, Y. P. Yun and M. K. Lee, *Biol. Pharm. Bull.*, 2001, **24**, 103.
- R. de, A. Ribeiro and G. R. De Lores Arnaiz, *Phytomedicine*, 2000, **7**, 313.
- A. Anthony, D. Chemla, G. Lerebours and A. Nitenberg, *J. Cardiovasc. Pharmacol.*, 2000, **36**, 570.
- R. Chandra, R. Aneja, C. Rewal, R. Conduri, S. K. Dass and S. Agarwal, *Indian J. Clin. Biochem.*, 2000, **15**, 155.
- A. J. Soppitt, P. S. A. Glass, H. El-Moalem, B. Ginsberg, K. Weatherwax and I. J. Gan, *J. Clin. Anesth.*, 1999, **11**, 657 (*Chem. Abstr.*, 2000, **133**, 38051).
- C. V. Lowenick, K. Krampfl, H. Schneck, E. Kochs and J. Bufler, *Eur. J. Pharmacol.*, 2001, **413**, 31.
- A. Ortega, C. Sarobe, M. J. Iribarren and J. Giraldez, *Pharm. World Sci.*, 2000, **22**, 82.
- V. Mahiou, F. Roblot, A. Fournet and R. Hocquemiller, *Phytochemistry*, 2000, **54**, 709.
- L. Mambu, M. T. Martin, D. Razafimahefa, D. Daminitrasimbola, P. Rasonaivo and F. Frappier, *Planta Med.*, 2000, **66**, 537.
- M. Menachery, E. W. Stern, R. J. Steinbeiser, A. J. Freyer and L. B. Killmer, *Tetrahedron Lett.*, 2000, **41**, 2843.

- 61 F. Z. Erdemgil, M. V. Telezhenetskaya, K. H. C. Baser and N. Kirimer, *Chem. Nat. Compd.*, 2000, **36**, 223.
- 62 P. L. Schiff, *Alkaloids Chem. Biol. Perspect.*, 1999, **14**, 1 (*Chem. Abstr.*, 2000, **133**, 89663).
- 63 J. Li, S. Zhang, G. Yang, Q. Xiao, Y. Wang and K. Zhang, *Zhongguo Yaolixue Tongbao*, 1999, **15**, 542 (*Chem. Abstr.*, 2000, **133**, 53466).
- 64 M. Miyagawa, T. Shirotori, E. Ohta, Y. Ishige, F. Mizumo, M. Akasu and M. Ono, *Iyakuin Kenkyu*, 2000, **31**, 1.
- 65 N. Sogawa, C. Sogawa and H. Furuta, *Igaku to Seibutsugaku*, 2000, **140**, 69.
- 66 Z. Wang, K. Li and X. Xiao, *Zongguo Yaolixue Tongbao*, 2000, **16**, 199.
- 67 L. Shi and Z. Liu, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 106.
- 68 J. Chen, Z. Wu, S. Chen, X. Gong, J. Zhong and G. Zhang, *Jpn. J. Physiol.*, 1999, **48**, 499 (*Chem. Abstr.*, 2000, **133**, 37966).
- 69 Z. F. Wang, C. S. Xue, Q. X. Zhou, Z. B. Wan and Q. S. Luo, *Zhongguo Yaolixue Yu Dulixue Zazhi*, 2000, **14**, 58.
- 70 H. L. Wang, S. A. Kilfeather, G. R. Martin and C. P. Page, *Pulm. Pharmacol. Ther.*, 2000, **13**, 53.
- 71 D. Zeng, M. Zhao, W. Liu and X. Lu, *Zhonghua Chuangshan Zazhi*, 2000, **16**, 367.
- 72 Y. H. Zhang and L. H. Fang, *Planta Med.*, 2001, **67**, 77.
- 73 H. Meng, D. Zhang, M. Song and L. Zhang, *Zhongguo Yike Daxue Xuebao*, 2000, **29**, 247.
- 74 C. Y. Kwan, Y. M. Leung, T. K. Kwan and E. E. Daniel, *Life Sci.*, 2001, **68**, 841.
- 75 W. B. Liu, G. Q. Liu, H. Xiao, X. Mao, Y. Shi and J. P. Wu, *Acta Pharmacol. Sin.*, 2000, **21**, 1115.
- 76 T. M. Wong, S. Wu, X. C. Yu and H. Y. Li, *Acta Pharmacol. Sin.*, 2000, **21**, 1083.
- 77 P. H. Park, J. X. Nan, E. J. Park, H. C. Kang, J. Y. Kim, K. Go and D. H. Sohn, *Pharmacol. Toxicol. (Copenhagen)*, 2000, **87**, 261.
- 78 Z. H. Liu, N. Li, J. L. Li and L. M. Shi, *Zhongguo Yaolixue Yu Dulixue Zazhi*, 2000, **14**, 258.
- 79 L. Y. Chen, X. Chen, X. L. Tian and X. H. Yu, *Br. J. Pharmacol.*, 2000, **131**, 530.
- 80 N. Zhong and J. Qian, *Zhongguo Yaolixue Tongbao*, 2000, **16**, 282.
- 81 A. Khasnobis, T. Seal, J. Vedrasimoni, M. Gupta and B. Mukherjee, *Nat. Prod. Sci.*, 2000, **6**, 44.
- 82 G. P. Joshi, A. Hailey, S. Cross, G. Thompson-Bell and C. C. Whitten, *J. Clin. Anesth.*, 1999, **11**, 641 (*Chem. Abstr.*, 2000, **133**, 38050).
- 83 C. Ibebunjo and J. A. J. Martin, *Anesth. Analg. (Baltimore)*, 2000, **91**, 1243.
- 84 L. M. Tagliari and W. Alves-do-Prado, *Acta Sci.*, 1998, **20**, 231 (*Chem. Abstr.*, 2001, **134**, 188092).
- 85 M. Mikat-Stevens, R. Sukharni, P. Radha, L. Ana, E. Fluder, B. Kleinman and R. A. Stevens, *Anesth. Analg. (Baltimore)*, 2000, **91**, 312.
- 86 K. Orito, R. Harada, S. Uchito and M. Tokuda, *Org. Lett.*, 2000, **2**, 1799.
- 87 S. Ruchiwarat and A. Namsa-aid, *Tetrahedron Lett.*, 2001, **42**, 1359.
- 88 K. Orito, Y. Satoh, H. Nishizawa, R. Harada and M. Tokuda, *Org. Lett.*, 2000, **2**, 2535.
- 89 H. Xu, *Zhongguo Zhongyao Zazhi*, 2000, **25**, 486.
- 90 Y. C. Chang, F. R. Chang and Y. C. Wu, *J. Chin. Chem. Soc. (Taipei)*, 2000, **47**, 373.
- 91 C. Y. Chen, F. R. Chang, Y. C. Shih, T. J. Hsieh, Y. C. Chia, H. Y. Tseng, H. C. Chen, S. J. Chen, M. C. Hsu and Y. C. Wu, *J. Nat. Prod.*, 2000, **63**, 1475.
- 92 I. M. F. Sette, E. V. L. da-Cunha, J. M. Barbosa-Filho, M. de Fatima Agra and M. S. da-Silva, *Biochem. Syst. Ecol.*, 2000, **28**, 393.
- 93 I. M. F. Sette, E. V. L. da-Cunha, J. M. Barbosa-Filho and M. S. da-Silva, *Pharm. Biol. (Lisse, Neth.)*, 2000, **38**, 318.
- 94 C. W. Lin, J. U. Su, L. M. Zeng, W. L. Peng and A. N. Xu, *Goadeng Xuexiao Huaxue Xuebao*, 2000, **21**, 1820.
- 95 A. Laguna and M. Fajardo, *Rev. CENIC, Cienc. Quim.*, 1999, **30**, 92 (*Chem. Abstr.*, 2000, **133**, 220212).
- 96 M. O. Iwunze, *Monatsh. Chem.*, 2000, **131**, 429.
- 97 S. Komorsky-Lovric, *Electroanalysis*, 2000, **12**, 599.
- 98 R. Suau, F. Nájera and R. Rico, *Tetrahedron*, 2000, **56**, 9713.
- 99 K. Orito, M. Miyazawa, R. Kanbayashi, T. Tatsuzawa, M. Tokuda and H. Sugimoto, *J. Org. Chem.*, 2000, **65**, 7495.
- 100 D. A. Bianchi and T. S. Kaufman, *Can. J. Chem.*, 2000, **78**, 1165.
- 101 H. Zhou and S. Mineshita, *J. Pharmacol. Exp. Ther.*, 2000, **294**, 822.
- 102 D. L. Dong, J. P. Sun, D. L. Luo, Q. W. Chen, F. Wang, S. Z. He and F. F. Yang, *Zhongguo Yaolixue Yu Dulixue Zazhi*, 2000, **14**, 128.
- 103 P. Hu and C. Zhang, *Tianan Yiyao*, 2000, **28**, 164.
- 104 B. X. Li, B. F. Yang, J. Zhou, C. Q. Xu and Y. R. Li, *Acta Pharmacol. Sin.*, 2001, **22**, 125.
- 105 P. Krishnan and K. F. Bastow, *Anti-Cancer Drug Des.*, 2000, **15**, 255.
- 106 J. Y. Cao, H. S. Luo, B. P. Yu, Z. X. Sheng and J. P. Yu, *Shengli Xuebao*, 2000, **52**, 343.
- 107 Y. Hao, Q. Y. Qiu, J. J. Wang and J. Wu, *Zhongguo Bingli Shengli Zazhi*, 2000, **16**, 585.
- 108 L. Orfila, M. Rodriguez, T. Colman, M. Hasegawa, E. Merentes and F. Arvelo, *J. Ethnopharmacol.*, 2000, **71**, 449.
- 109 E. K. Marinova, D. B. Nikolova, D. N. Popova, G. B. Gallacher and N. D. Ivanovska, *Immunopharmacology*, 2000, **48**, 9.
- 110 X. L. Jin, Y. Shao, M. J. Wang, L. J. Chen and G. Z. Jin, *Acta Pharmacol. Sin.*, 2000, **21**, 477.
- 111 W. Zhang, J. Zhi, W. Gou, R. Zhao and G. Jin, *Zhongguo Zhongyao Zazhi*, 2000, **25**, 497.
- 112 Z. T. Zhu, Y. Fu, G. Y. Hu and G. Z. Jin, *Life Sci.*, 2000, **67**, 11.
- 113 Y. Ren and K. Zang, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 108.
- 114 S. H. Xing, Y. Gao and C. F. Bian, *Asia Pac. J. Pharmacol.*, 1998, **13**, 155 (*Chem. Abstr.*, 2000, **133**, 479).
- 115 M. T. Hsieh, *Res. Commun. Pharmacol. Toxicol.*, 1999, **4**(III), 1.
- 116 Y. Li, L. Cheng, W. Yao and G. Xia, *Yaowu Xuebao*, 2000, **35**, 85.
- 117 L. G. Kintsurashvili and V. Yu. Vachnadze, *Chem. Nat. Compd.*, 2000, **35**, 225.
- 118 J. A. Knapp and Y. Key, *PCT Int. Appl. WO 00 64446* (*Chem. Abstr.*, 2000, **133**, 335375).
- 119 R. Razet, U. Thomet, R. Furtmuller, F. Jursky, E. Sigel, W. Sieghart and R. H. Dodd, *Bioorg. Med. Chem. Lett.*, 2000, **10**, 2579.
- 120 K. K. Sharma, P. K. Mediratta and S. P. Dubey, *Indian J. Pharmacol.*, 2000, **32**, 327.
- 121 S. Pilip, E. W. Urbanska, M. Swiader, D. Woldarczyk, Z. Kleinrok, S. J. Czuczwar and W. A. Turski, *Pol. J. Pharmacol.*, 2000, **52**, 267.
- 122 K. Rejdak, R. Rejdak, Z. Kleinrok and M. Sieklucka-Dziuba, *J. Neural Transm.*, 2000, **107**, 947.
- 123 B. Gozłinska and H. Czyżewska-Szafran, *Res. Commun. Mol. Pathol. Pharmacol.*, 1999, **106**, 13 (*Chem. Abstr.*, 2001, **134**, 141561).
- 124 C. Bruckner, K. Stenkamp, H. Meierkord and U. Heinemann, *Neurosci. Res. Commun.*, 2000, **26**, 41.
- 125 Y. Q. Jin, S. M. Duan, J. Wang and Y. M. Zeng, *Zhongguo Yaolixue Yu Dulixue Zazhi*, 2000, **14**, 287.
- 126 B. Birnir, M. Eghbali, A. B. Everitt and P. W. Gage, *Br. J. Pharmacol.*, 2000, **131**, 695.
- 127 D. K. Kim and T. Y. Shin, *Arch. Pharmacol. Res.*, 2000, **23**, 459.
- 128 D. K. Kim, J. S. Eun, T. Y. Shin, D. O. Eom and J. P. Lim, *Arch. Pharmacol. Res.*, 2000, **23**, 589.
- 129 P. Krajewski and J. Sitkowski, *Magn. Reson. Chem.*, 2000, **38**, 757.
- 130 A. R. Jalilian, P. Seyfi, H. Afarideh and A. Shafiee, *Appl. Radiat. Isot.*, 2001, **54**, 407.
- 131 T. Akiyama, N. Toshihiko, Y. Nakano, K. Shibaie, H. Akamatsu and T. Harayama, *Tennen Yuki Kakobutsu Koen Yoshishu 42nd.*, 2000, 709 (*Chem. Abstr.*, 2001, **134**, 340579).
- 132 T. Harayama, H. Akamatsu, K. Okamura, T. Miyagoe, T. Akiyama, H. Abe and Y. Takeuchi, *J. Chem. Soc., Perkin Trans. 1*, 2001, 523.
- 133 T. Harayama, T. Akiyama, H. Akamatsu, K. Kawano, H. Abe and Y. Takeuchi, *Synthesis*, 2001, 444.
- 134 W. J. Cho, I. J. Kim and S. J. Park, *Bull. Korean Chem. Soc.*, 2000, **21**, 1035.
- 135 B. Tian, L. C. Brumback and P. L. Kaufman, *Exp. Eye Res.*, 2000, **71**, 551.
- 136 G. Scheiner-Bobis, *Naunyn-Schmiedeberg's Arch. Pharmacol.*, 2001, **363**, 203.
- 137 C. M. Hu, H. W. Cheng, Y. W. Cheng and J. J. Kang, *Jpn. J. Pharmacol.*, 2001, **85**, 47.
- 138 W. L. Lo, F. R. Chang and Y. C. Wu, *J. Chin. Chem. Soc. (Taipei)*, 2000, **47**, 1251.
- 139 M. H. H. Nkunya, S. A. Jonker, J. J. Makangara, R. Waibel and H. Aschenbach, *Phytochemistry*, 2000, **53**, 1067.
- 140 C. M. Hasan, S. Jumana and M. A. Rashid, *Nat. Prod. Lett.*, 2000, **14**, 393.
- 141 M. Del Rayo Camacho, G. C. Kirby, D. C. Warhurst, S. L. Croft and J. D. Phillipson, *Planta Med.*, 2000, **66**, 478.
- 142 L. H. Tseng, U. Braumann, M. Godejohann, S. S. Lee and K. Albert, *J. Chin. Chem. Soc. (Taipei)*, 2000, **47**, 1231.
- 143 N. S. K. Rao and S. S. Lee, *J. Chin. Chem. Soc. (Taipei)*, 2000, **47**, 1227.
- 144 S. Nimgirawath and P. Podoy, *Aust. J. Chem.*, 2000, **53**, 527.
- 145 S. Ruchiwarat and P. Predapitakkun, *Heterocycles*, 2001, **55**, 371.
- 146 R. Kubinova, M. Machala, K. Minksova, J. Neca and V. Suchy, *Pharmazie*, 2001, **56**, 242.
- 147 I. Jimenez and H. Speisky, *Phytother. Res.*, 2000, **14**, 254.

- 148 Y. Y. Jang, J. H. Song, Y. K. Shin, E. S. Han and C. S. Lee, *Pharmacol. Res.*, 2000, **42**, 361.
- 149 I. Jimenez, A. Garrido, R. Bannach, M. Gotteland and H. Speisky, *Phytother. Res.*, 2000, **14**, 339.
- 150 H. Li, R. Zhang, H. Ye and W. Wang, *Zhongguo Zhongyao Zazhi*, 2000, **25**, 426.
- 151 J. J. Battisti, N. J. Uretsky and L. J. Wallace, *Pharmacol. Biochem. Behav.*, 2000, **66**, 671.
- 152 D. Farzin and M. Attarzadeh, *Eur. J. Pharmacol.*, 2000, **404**, 169.
- 153 A. Kask and J. Harro, *Neuropharmacology*, 2000, **39**, 1292.
- 154 F. Kamah, *Curr. Opin. Cent. Peripher. Nerv. Syst. Invest. Drugs*, 2000, **2**, 303.
- 155 M. Ohta, I. Mizuta, K. Ohta, M. Nishimura, E. Mizuta, K. Hayashi and S. Kuno, *Biochem. Biophys. Res. Commun.*, 2000, **272**, 18.
- 156 J. M. Stern and M. Protomastro, *Pharmacol. Biochem. Behav.*, 2000, **66**, 353.
- 157 J. J. Battisti, N. J. Uretsky and L. J. Wallace, *Pharmacol. Biochem. Behav.*, 2000, **66**, 435.
- 158 K. Pruus, R. Rudissaar, T. Skrebukhova-Malmros, L. Allikmets and V. Matto, *Methods Find. Exp. Clin. Pharmacol.*, 2000, **22**, 47.
- 159 V. Matto, A. Vaarmann, R. Rudissaar, K. Pruus, T. Skrebukhova-Malmros and L. Allikmets, *Neurosci. Lett.*, 2000, **289**, 131.
- 160 K. Kashihara, Y. Manabe, Y. Shiro, H. Warita and K. Abe, *Neurosci. Res. (Shannon, Ireland)*, 2000, **38**, 273.
- 161 V. Matto, A. Vaarmann and L. Allikmets, *Pharmacol. Toxicol. (Copenhagen)*, 2001, **88**, 147.
- 162 Z. A. Martinez, J. Oostwegel, M. A. Geyer, G. D. Ellison and M. R. Swerdlow, *Neuropsychopharmacology*, 2000, **23**, 517.
- 163 V. Matto, A. Vaarmann, K. Pruus, R. Rudissaar, T. Skrebukhova-Malmros and L. Allikmets, *Pharm. Pharmacol. Lett.*, 2000, **10**, 59.
- 164 T. Skrebukhova-Malmros, K. Pruus, R. Rudissaar, L. Allikmets and V. Matto, *Pharmacol. Biochem. Behav.*, 2000, **67**, 339.
- 165 J. J. Battisti, C. B. Shreffler, N. J. Uretsky and L. J. Wallace, *Pharmacol. Biochem. Behav.*, 2000, **67**, 241.
- 166 R. Dos Santos El-Bacha, J.-L. Daval, V. Koziel P. Netter and A. Minn, *Biochem. Pharmacol.*, 2001, **61**, 73.
- 167 M. Sherifzadeh, H. R. Sadeghipour, A. R. Dehpour, S. Mahdavi and F. Mohammadpour, *Asia Pac. J. Pharmacol.*, 1999, **14**, 1 (*Chem. Abstr.*, 2001, **134**, 95360).
- 168 S. I. Iwata, M. Nomoto, S. Kaseda, S. Tanoue, M. Shimosaka and T. Fukuda, *Mol. Brain Res.*, 2000, **82**, 133.
- 169 J. E. Bolhuis, W. G. P. Schouten, I. C. De Jong, J. W. Schrama, A. R. Cools and V. M. Wiegant, *Psychopharmacology (Berlin)*, 2000, **152**, 24.
- 170 R. Dos Santos El-Bacha, S. Leclec, P. Netter, J. Magdalou and A. Minn, *Life Sci.*, 2000, **67**, 1735.
- 171 T. Linnanen, M. Brisanter, N. Mohell and A. M. Johansson, *Bioorg. Med. Chem. Lett.*, 2001, **11**, 367.
- 172 Y. Chia, F. R. Chang, C. M. Teng and Y. C. Wu, *J. Nat. Prod.*, 2000, **63**, 1160.
- 173 T. S. Wu, Y. Y. Chan and Y. L. Leu, *Chem. Pharm. Bull.*, 2000, **48**, 1006.
- 174 T. S. Wu, Y. L. Leu and Y. Y. Chan, *Biol. Pharm. Bull.*, 2000, **23**, 1216.
- 175 J. C. Lee and J. K. Cha, *J. Am. Chem. Soc.*, 2001, **123**, 3243.
- 176 A. Capasso, S. Piacente, N. De Tommasi and P. Cosimo, *Phytother. Res.*, 2000, **14**, 156.
- 177 H. J. Leis, G. Fauler, G. Rasputing and W. Windischhofer, *J. Chromatogr. B, Biomed. Sci. Appl.*, 2000, **744**, 113.
- 178 A. Goumon, F. Casares, W. Zhu and G. B. Stefano, *Mol. Brain Res.*, 2001, **86**, 184.
- 179 S. Lu, W. Chang, Y. Li and Y. Ci, *Fenxi Huaxue*, 2000, **28**, 1321.
- 180 K. Otter, C. Mignat, D. Heber and A. Ziegler, *Biomed. Chromatogr.*, 2000, **14**, 27.
- 181 M. A. Garcia-Fernandez, M. T. Fernandez-Abedul and A. Costa-Garcia, *Electroanalysis*, 2000, **12**, 483.
- 182 V. Crimle, P. Kintz, S. Lohner and B. Ludes, *J. Anal. Toxicol.*, 2000, **24**, 448.
- 183 K. Sarrka, K. Ariniemi and P. Lillsunde, *Z Zagadnien Nauk Sadowych*, 2000, **43**, 250.
- 184 J. A. Ripper, E. R. T. Tiepink and P. J. Scammells, *Bioorg. Med. Chem. Lett.*, 2001, **11**, 443.
- 185 S. Makleit and V. Dubina, *ACH-Models Chem.*, 2000, **17**, 447.
- 186 M. P. Wentland, W. Duan, D. J. Cohen and J. M. Bidlack, *J. Med. Chem.*, 2000, **43**, 3558.
- 187 G. A. Cain and S. Drummond, *Synth. Commun.*, 2000, **30**, 4513.
- 188 G. A. Cain and S. Drummond, *PCT Int. Appl.*, WO 00 56735 (*Chem. Abstr.*, 2000, **133**, 28164).
- 189 I. Derrick, C. L. Neilan, J. Andes, S. M. Husbands, J. H. Woods, J. R. Traynor and J. W. Lewis, *J. Med. Chem.*, 2000, **43**, 48.
- 190 D. Lopez, E. Quinoa and R. Riguera, *J. Org. Chem.*, 2000, **65**, 4671.
- 191 A. Coop, S. M. Al-Mousawi, S. M. Husbands and J. W. Lewis, *Tetrahedron Lett.*, 2000, **41**, 7571.
- 192 F. Scheinmann, A. V. Stachulski, J. Ferguson and J. L. Law, *PCT Int. Appl.* WO 00 78,764 (*Chem. Abstr.*, 2001, **134**, 56828).
- 193 W. H. Harclerode, R. Gault and M. D. Sandison, *PCT Int. Appl.* WO 01 34,608 (*Chem. Abstr.*, 2001, **134**, 367079).
- 194 F. T. Chiu and Y. S. Lo, *US Pat.*, US 6,177,567 (*Chem. Abstr.*, 2001, **134**, 116109).
- 195 S. Garadnay and S. Makleit, *ACH-Models Chem.*, 2000, **137**, 258.
- 196 L. H. Feng, L. Jing, C. Y. Wu, M. Y. Hu and M. Yang, *Zhongguo Yiyao Gongye Zazhi*, 2000, **31**, 437.
- 197 B. Le Bourdonnec, R. El Kouhen, M. M. Lunzer, P. Y. Law, H. H. Loh and P. S. Portoghesi, *J. Med. Chem.*, 2000, **43**, 2489.
- 198 S. E. Clarke, G. Dondio, L. F. Ravaglia and S. Ronzoni, *PCT Int. Appl.* WO 00 63,210 (*Chem. Abstr.*, 2000, **133**, 32035).
- 199 A. R. Jales, S. M. Husbands and J. W. Lewis, *Bioorg. Med. Chem. Lett.*, 2000, **10**, 2259.
- 200 A. Coop, A. E. Jacobson, M. D. Aceto, L. S. Harris, J. R. Traynor, J. H. Woods and K. C. Rice, *Bioorg. Med. Chem. Lett.*, 2000, **10**, 2449.
- 201 S. Ananthan, *PCT Int. Appl.* WO 01 12,197 (*Chem. Abstr.*, 2001, **134**, 178714).
- 202 S. Ananthan, *PCT Int. Appl.* WO 01 12,196 (*Chem. Abstr.*, 2001, **134**, 178713).
- 203 T. Tanaka, H. Nagase, T. Endoh, K. Kawamura, M. Fujimura and T. Komagata, *PCT Int. Appl.* WO 01 05,794 (*Chem. Abstr.*, 2001, **134**, 116111).
- 204 G. F. Sigler and R. Rouhani, *PCT Int. Appl.* WO 00 78,763 (*Chem. Abstr.*, 2001, **134**, 56827).
- 205 J. Schutz, R. Krassnig, H. Schmidhammer, K. Wurst, L. Lattanzi and L. Negri, *Heterocycles*, 2001, **54**, 989.
- 206 A. Coop, C. L. Norton, I. Berzetei-Gurske, J. Burnside, L. Toll, S. M. Husbands and J. W. Lewis, *J. Med. Chem.*, 2000, **43**, 1852.
- 207 A. Coop, I. Berzetei-Gurske, J. Burnside, L. Toll, J. R. Traynor, S. M. Husbands and J. W. Lewis, *Helv. Chim. Acta*, 2000, **83**, 687.
- 208 D. C. Broom, L. Guo, A. Coop, S. M. Husbands, J. W. Lewis, J. H. Woods and J. R. Traynor, *J. Pharmacol. Exp. Ther.*, 2000, **294**, 1195.
- 209 I. Derrick, S. M. Husbands, J. Broadbear, J. R. Traynor, J. H. Woods and J. W. Lewis, *Helv. Chim. Acta*, 2000, **83**, 3122.
- 210 H. Nagase, T. Miyamoto, K. Kawamura, T. Endoh and H. Sekiyama, *PCT Int. Appl.* WO 01 14,382 (*Chem. Abstr.*, 2001, **134**, 193606).
- 211 W. Fleischhacker and B. Richter, *Monatsh. Chem.*, 2000, **131**, 997.
- 212 J. D. White and P. Hrniciar, *J. Org. Chem.*, 2000, **65**, 2646.
- 213 D. A. Frey, C. Duan, I. Ghivriga and T. Hudlicki, *Collect. Czech. Chem. Commun.*, 2000, **65**, 561.
- 214 J. Mulzer, J. W. Bats, S. Porth, T. Opatz and D. Trauner, *Proc. ECSOC-1, First Int. Electron. Conf. Synth. Org. Chem.; Proc. ECSOC-2, Second Int. Electron. Conf. Synth. Org. Chem.*, 1997, 1998, 1999, 498 (*Chem. Abstr.*, 2001, **134**, 207990).
- 215 B. H. Noval, T. Hudlicki, J. W. Reed, J. Mulzer and D. Trauner, *Curr. Org. Chem.*, 2000, **4**, 343.
- 216 T. Hudlicki, *J. Heterocycl. Chem.*, 2000, **37**, 535.
- 217 T. Warncke, A. Stubhaug and E. Jorum, *Pain*, 2000, **86**, 293.
- 218 W. Stoiber, A. M. Sanger and F. Lembeck, *Arzneim.-Forsch.*, 2000, **50**, 683.
- 219 K. Eckhardt, S. Ammon, U. Hofmann, A. Reibe, N. Gugelar and G. Mikus, *Anesth. Analg. (Baltimore)*, 2000, **91**, 185.
- 220 D. Fletcher, M. Gentili, J.-X. Mazoit and K. Samii, *Fundam. Clin. Pharmacol.*, 2000, **14**, 327.
- 221 Y. Pang, X. C. Li, H. D. Li, Y. Q. Xu, Y. Xiong and F. Y. Gong, *Di-San Junyi Daxue Xuebao*, 2000, **22**, 720.
- 222 M. R. Zarrindast, S. Shaverdhan and M. Sahebgharani, *Pharmacol. Toxicol. (Copenhagen)*, 2000, **87**, 131.
- 223 R. J. Marcus, B. A. Victoria, R. C. Rushman and J. P. Thompson, *Br. J. Anaesth.*, 2000, **84**, 739.
- 224 J. Frackenpohl, *Chem. Unserer Zeit*, 2000, **4**, 99.
- 225 I. V. Belozertseva, O. A. Dravolina, O. N. Neznanova, W. Danysz and A. Y. Bepalov, *Eur. J. Pharmacol.*, 2000, **396**, 77.
- 226 J. J. Rady, B. B. Holmes, P. S. Portoghesi and J. M. Fujimoto, *Proc. Soc. Exp. Biol. Med.*, 2000, **224**, 93.
- 227 M. A. Coudore-Civiale, C. Courteix, M. Boucher, M. Meen, J. Filiap A. Eschaliere and D. Ardid, *Neurosci. Lett.*, 2000, **286**, 37.
- 228 M. Mas, A. Sabater, M. J. Olaso, J. F. Horga and C. C. Foura, *Brain Res.*, 2000, **866**, 109.
- 229 S. Kishioka, M. C. Ko and J. H. Woods, *Eur. J. Pharmacol.*, 2000, **397**, 85.

- 230 I. A. Hendry, K. L. Kelleher, S. E. Bartlett, K. J. Leck, A. J. Reynolds, K. Heydon, A. Mellick, D. Megirian and K. I. Matthaei, *Brain Res.*, 2000, **870**, 10.
- 231 V. S. Grover, A. Sharma and M. Singh, *Eur. J. Pharmacol.*, 2000, **399**, 161.
- 232 M. Inoue and H. Ueda, *J. Pharmacol. Exp. Ther.*, 2000, **29**, 662.
- 233 R. B. Karanek and B. Homoleski, *Pharmacol. Biochem. Behav.*, 2000, **66**, 653.
- 234 V. Granados-Soto, I. Kalcheva, X. Y. Hua, A. Newton and T. L. Yaksh, *Pain*, 2000, **85**, 395.
- 235 S. E. Harte, A. I. Lagman and G. S. Borszcy, *Brain Res.*, 2000, **874**, 78.
- 236 C. J. La Buda and P. N. Fuchs, *Neurosci. Lett.*, 2000, **290**, 137.
- 237 J. Zong and G. M. Pollack, *Pharm. Res.*, 2000, **17**, 653.
- 238 C. S. Wong, M. M. Hsu, R. Chou, Y. Y. Chou and C. S. Tung, *Br. J. Anaesth.*, 2000, **85**, 747.
- 239 D. H. Beck, M. Schenk, U. Doepfmer and W. J. Kox, *Br. J. Anaesth.*, 2000, **85**, 658.
- 240 A. Miriam, D. Ramirez, G. P. H. Delgadillo, R. V. Martinez, M. I. D. Reval and F. J. Lopez-Munoz, *Drug Dev. Res.*, 2000, **51**, 260.
- 241 B. Kest and E. Hopkins, *Brain Res.*, 2000, **892**, 208.
- 242 A. M. Lynn, M. K. Nespeca, S. L. Bratton and D. D. Shen, *Pain*, 2000, **88**, 89.
- 243 M. A. Coudore-Civiale, C. Couteix, J. Fialip, M. Boucher and A. Eschaliere, *Pain*, 2000, **88**, 15.
- 244 X. Huang, J. S. Tang, B. Yuan and H. Jia, *Neurosci. Lett.*, 2001, **299**, 189.
- 245 W. Pakulska and E. Czarnecka, *Pharmazie*, 2001, **56**, 89.
- 246 S. V. Litvinova, V. V. Aristova, V. V. Shulgovskii, N. N. Terebilina and L. F. Panchenko, *Bull. Exp. Biol. Med.*, 2000, **129**, 474.
- 247 M. K. Erjavec, B. A. Coda, Q. Nguyen, G. Donaldson, L. Risler and D. D. Shen, *J. Clin. Pharmacol.*, 2000, **40**, 1286.
- 248 C. Liu, S. Cai, Y. Peng, M. Zhang and M. Huang, *Huaxi Yike Daxue Xuebao*, 2000, **31**, 350.
- 249 I. Okulicz-Kozaryn, E. Kaminska, J. Luczak, K. Szczawinska, A. Kotlinska-Lemieszek, E. Baczyk and P. Mikolajczak, *J. Basic Clin. Physiol. Pharmacol.*, 2000, **11**, 109.
- 250 M. Abdollahi and S. Nifkarand L. Habibi, *Pharmacol. Res.*, 2000, **43**, 255.
- 251 T. M. Hemmerling, W. M. Budde, W. Koppert and J. B. Joans, *Anesth. Analg. (Baltimore)*, 2000, **91**, 585.
- 252 L. M. Bohn, R. R. Gainetdinov, F. T. Lin, R. J. Lefkowitz and M. G. Caron, *Nature*, 2000, **408**, 720.
- 253 T. Nishiyama and K. Hanaoka, *Anesth. Analg. (Baltimore)*, 2000, **91**, 652.
- 254 F. Khalfi, *Eur. J. Anaesthesiol.*, 2000, **17**, 459.
- 255 M. Silvasti, N. Svartling, M. Pitkanen and P. H. Rosenberg, *Eur. J. Anaesthesiol.*, 2000, **17**, 448.
- 256 T. Niemann, L. G. Madsen, S. Larsen and N. Thorsgaard, *Int. J. Pancreatol.*, 2000, **27**, 235.
- 257 B. Guignard, A. E. Bossard, C. Coste, D. I. Sessler, C. Lebrault, P. Alfonsi, D. Fletcher and M. Chauvin, *Anesthesiology*, 2000, **93**, 409.
- 258 K. J. Powell, W. Ma, M. Sutak, H. Doods, R. Quirion and K. Jhamandas, *Br. J. Pharmacol.*, 2000, **131**, 875.
- 259 R. B. Su, J. Li, K. Gao, G. Pei and B. Y. Qin, *Acta Pharmacol. Sin.*, 200, **21**, 1011.
- 260 A. A. Larson, K. J. Kovacs and A. K. Spartz, *Eur. J. Pharmacol.*, 2000, **407**, 267.
- 261 P. J. Cole, D. A. Craske and R. G. Wheatley, *Br. J. Anaesth.*, 2000, **85**, 233.
- 262 J. Lilleso, N. A. Hammer, J. L. Pedersen and H. Kehlet, *Br. J. Anaesth.*, 2000, **85**, 228.
- 263 A. Rizzi, R. Bigoni, G. Marzola, R. Guerrini, S. Salvadori, D. Regoli and G. Calo, *NeuroReport*, 2000, **11**, 2369.
- 264 D. Pitschas, J. Jageand and C. Henrich-Erbler, *Acute Pain*, 2000, **3**, 70.
- 265 P. Klepsstad, S. Kaasa, M. Skauge and P. C. Borchgrevink, *Acta Anaesthesiol. Scand.*, 2000, **44**, 656.
- 266 S. S. Rueben and J. P. Reuben, *Anesth. Analg. (Baltimore)*, 2000, **91**, 379.
- 267 X. Xu, C. Guo, W. Jia, Z. Shao and X. Wang, *Zhongguo Zhongliu Linchang*, 2000, **27**, 279.
- 268 T. Nishiyama, R. J. Y. Ho, D. D. Shen and T. L. Yaksh, *Anesth. Analg. (Baltimore)*, 2000, **91**, 423.
- 269 E. Zarate, P. Latham, P. F. White, R. Bossard, L. Morse, L. K. Douning C. Shi and L. Chi, *Anesth. Analg. (Baltimore)*, 2000, **91**, 283.
- 270 C. D. Cook, A. C. Barrett, C. Syvanthong and M. J. Picker, *Psychopharmacology (Berlin)*, 2000, **152**, 93.
- 271 B. Kest, C. Palmese and E. Hopkins, *Brain Res.*, 2000, **879**, 17.
- 272 H. Berkenstadt, H. Mayan, E. Segal, M. Rotenberg, S. Almog, A. Perel and D. Ezra, *J. Clin. Anesth.*, 1999, **11**, 630 (*Chem. Abstr.*, 2000, **133**, 37670).
- 273 D. Huttova, M. Gajdos, K. Gazdikova, M. Zemanek, S. Somorovsky and R. Dzurik, *Farm. Obz.*, 2001, **70**, 68.
- 274 J. Drewe, H. A. Ball, C. Beglinger, B. Peng, A. Kemmlert, H. Schachinger and W. E. Haefeli, *Br. J. Clin. Pharmacol.*, 2000, **50**, 237.
- 275 M. Dershwitz, J. L. Walsh, R. J. Morishige, P. M. Connors, R. M. Rubsamen, S. L. Shafer and C. E. Rosow, *Anesthesiology*, 2000, **93**, 619.
- 276 M. R. Bouw, M. Gardmark and M. Hammarlund-Udenaes, *Pharm. Res.*, 2000, **17**, 1220.
- 277 F. Moolenaar, W. J. Meijler, H. W. Frijlink, J. Visser and J. H. Proost, *Eur. J. Clin. Pharmacol.*, 2000, **56**, 219.
- 278 K. Eckhardt, I. Nevo, R. Levy, G. Mikus, M. Eichelbaum and Z. Vogel, *FEBS Lett.*, 2000, **470**, 309.
- 279 M. M. Doherty and K. S. Pang, *Pharm. Res.*, 2000, **17**, 291.
- 280 C. King, B. Finley and R. Franklin, *Drug Metab. Dispos.*, 2000, **28**, 661.
- 281 E. Nagano, H. Yamada and K. Oguri, *Life Sci.*, 2000, **67**, 2453.
- 282 W. A. Carlezon, T. A. Kosten and E. J. Nestler, *Psychopharmacology (Berlin)*, 2000, **151**, 261.
- 283 A. Badiani, M. M. Oates and T. E. Robinson, *Psychopharmacology (Berlin)*, 2000, **151**, 273.
- 284 C. L. Van den Berg, J. M. Van Ree and B. M. Spruijt, *Neuropharmacology*, 2000, **39**, 969.
- 285 M. Rodriguez-Arias, I. Brosela, M. A. Aguilar and J. Minarro, *Pharmacol. Biochem. Behav.*, 2000, **66**, 189.
- 286 T. M. Tzschentke and W. J. Schmidt, *Psychopharmacology (Berlin)*, 2000, **149**, 225.
- 287 T. Suzuki, H. Kato, T. Aoki, M. Tsuda, M. Narita and M. Misawa, *Life Sci.*, 2000, **67**, 383.
- 288 A. Poling, T. Byrne, L. Christian and M. G. Lesage, *Pharmacol. Biochem. Behav.*, 2000, **66**, 313.
- 289 B. E. Schroeder, M. R. Holahan, C. F. Landry and A. E. Kelley, *Synapse (N.Y.)*, 2000, **37**, 146.
- 290 M. R. Brandt, R. Galici and C. P. France, *Behav. Pharmacol.*, 2000, **11**, 15.
- 291 Y. H. Ren and J. W. Zeng, *Acta Pharmacol. Sin.*, 2000, **21**, 924.
- 292 C. Liu, S. Cai, Y. Peng, M. Zhang and M. Huang, *Huaxi Yike Daxue Xuebao*, 200, **31**, 350.
- 293 M. Kalinichev, K. E. Easterling and S. G. Holtzman, *Psychopharmacology (Berlin)*, 2000, **152**, 431.
- 294 M. Narita, T. Aoki and T. Suzuki, *Neuroscience (Oxford)*, 2000, **101**, 601.
- 295 M. Narita, T. Aoki and T. Suzuki, *Nippon Yakurigaku Zasshi*, 2001, **117**, 13.
- 296 P. Sacerdote, M. Bianchi, L. Gaspani, B. Manfredi, A. Maucione, G. Terno, M. Ammatuna and A. E. Panerai, *Anesth. Analg. (Baltimore)*, 2000, **90**, 1411.
- 297 I. Vathy, H. J. He, M. Iodice, O. C. Hnatzuk and A. Rimanoczy, *Brain Res. Bull.*, 2000, **51**, 267.
- 298 S. Singh and P. P. Singh, *Life Sci.*, 2000, **67**, 1035.
- 299 Y. C. Tsai, S. J. Won and M. T. Lin, *Pain*, 2000, **88**, 155.
- 300 I. D. Welters, A. Menzebach, Y. Gaumon, T. W. Langefeld, H. Teschemacher, G. Hempleman and G. B. Stefano, *J. Neuroimmunol.*, 2000, **111**, 139.
- 301 Q. Li, Y. P. Li, Z. Q. Yan and X. C. Qiu, *Zhongguo Bingli Shengli Zazhi*, 2000, **16**, 354.
- 302 L. Velisek, P. K. Stanto, S. L. Moshe and I. Vathy, *Brain Res.*, 2000, **869**, 186.
- 303 L. H. Mildh, L. M. Tuomisto, M. Scheinin and O. A. Kirvela, *Anesth. Analg. (Baltimore)*, 2000, **91**, 51.
- 304 P. Burduk, P. Guzik, M. Piechocka, M. Bronisz, A. Rozek, M. Jazdon and M. R. Jordan, *Cardiovasc. Drugs Ther.*, 2000, **14**, 259.
- 305 C. S. Patil and S. K. Kulkarni, *Indian J. Pharmacol.*, 2000, **32**, 321.
- 306 Y. Ise, S. Katayama, M. Hirano, T. Aoki, M. Narita and T. Suzuki, *Neurosci. Lett.*, 2001, **299**, 29.
- 307 T. Hirayama, F. Ishii, K. Yago and H. Ogata, *Yakugaku Zasshi*, 2001, **121**, 179.
- 308 A. Veeranjeyulu, N. Sridhar, R. J. Babu, C. N. V. H. B. Gupta, R. Malavika and S. K. S. Shobana, *Pharm. Pharmacol. Commun.*, 2000, **6**, 513.
- 309 R. S. Karan, R. Kumar and P. Pandhi, *Indian J. Physiol. Pharmacol.*, 2000, **43**, 345.
- 310 A. I. Vislobokov, *Eksp. Klin. Farmakol.*, 2000, **63**, 7.
- 311 M. H. Saiepour, S. Semnanian and Y. Fathollahi, *Eur. J. Pharmacol.*, 2001, **411**, 85.
- 312 X. Chen, H. G. Marrero, R. Murphy, Y. J. Lin and J. Freedman, *Proc. Natl. Acad. Sci. U. S. A.*, 2000, **97**, 14692.

- 313 J. L. Cao, Y. M. Zeng, L. C. Zhang and S. M. Duan, *Shengli Xuebao*, 2000, **52**, 235.
- 314 S. Haq, S. Shaharyar and A. Siddiqui, *J. Chem. Soc. Pak.*, 1999, **21**, 295 (*Chem. Abstr.*, 2001, **134**, 141678).
- 315 S. L. Jinks and E. Carstens, *J. Neurophysiol.*, 2000, **84**, 616.
- 316 K. S. Eriksson, D. R. Stevens and H. L. Haas, *Neuropharmacology*, 2000, **39**, 2492.
- 317 X. Nie, Z. Y. Wen, Z. Y. Yan, L. Huang, D. Sun and B. Cheng, *Clin. Hemorheol. Microcirc.*, 2000, **22**, 189.
- 318 X. Ni, K. R. Gritman, T. K. Eisenstein, M. W. Adler, K. E. Arfors and R. F. Tuma, *Microvasc. Res.*, 2000, **60**, 121.
- 319 S. Suzuki, T. Miyagi, T. K. Chuang, L. F. Chuang, R. H. Doi and R. Y. Chuang, *Biochem. Biophys. Res. Commun.*, 2000, **279**, 621.
- 320 I. D. Welters, A. Menzebach, Y. Gouman, P. Cardet, T. Menges and T. K. Hughes, *Anesthesiology*, 2000, **92**, 1677.
- 321 A. Ulugol, T. Dost, D. Domeci, M. Akpolat, C. H. Karadag and I. Domeci, *J. Neural Transm.*, 2000, **107**, 515.
- 322 B. Kest, M. Adler and E. Hopkins, *Neurosci. Lett.*, 2000, **291**, 126.
- 323 M. W. Quinn and A. Vokes, *Early Human Dev.*, 2000, **59**, 27.
- 324 T. A. Costen and J. C. Bombace, *Brain Res.*, 2000, **878**, 20.
- 325 M. Tsuji, H. Takeda, T. Matsumiya, H. Nagase, M. Narita and T. Suzuki, *Life Sci.*, 2001, **68**, 1717.
- 326 R. M. Silva, G. C. Rossi, J. P. Mathis, K. M. Staudifer, G. W. Pasternak and R. J. Bodnor, *Brain Res.*, 2000, **876**, 62.
- 327 C. Abarca, E. Silva, M. J. Sepulveda and P. Oliva, *Eur. J. Pharmacol.*, 2000, **403**, 67.
- 328 Y. S. Zeng, J. L. Wu, S. J. Chen and H. J. Zhang, *Jieyou Xuebao*, 2000, **31**, 302.
- 329 D. A. Bereiter and D. F. Bereiter, *Pain*, 2000, **85**, 65.
- 330 S. E. Zebraski, S. M. Kochenash and R. B. Raffa, *Life Sci.*, 2000, **66**, 2221.
- 331 E. A. Kopecky, M. L. Ryan, J. F. R. Barrett, P. G. R. Seaward, G. Ryan, G. Koren and K. Aamankwah, *Am. J. Obstet. Gynecol.*, 2000, **183**, 424.
- 332 E. Saarenmaa, P. J. Neuvonen, P. Rosenberg and V. Fellman, *Clin. Pharmacol. Ther.*, 2000, **68**, 160.
- 333 M. A. Kraus and C. Kornetsky, *Brain Res.*, 2000, **865**, 194.
- 334 F. Gomez, N. A. Leo and P. S. Grigson, *Brain Res.*, 2000, **863**, 52.
- 335 H. M. Yeh, L. K. Chen, C. J. Lin, W. H. Chan, Y. P. Chen, C. S. Lin, W. Z. Sun, M. J. Wang and S. K. Tsai, *Anesth. Analg. (Baltimore)*, 2000, **91**, 172.
- 336 S. Charuluxananan, S. Somboonviboon, O. Koyokong and K. Nimcharoendee, *Req. Anesth. Pain Med.*, 2000, **25**, 535.
- 337 E. Kolaczowska, E. Menaszek, R. Seljelid and B. Plytycz, *Pol. J. Pharmacol.*, 2000, **52**, 323.
- 338 M. C. Barr, J. N. Billaud, D. R. Selway, S. Huitron-Resendiz, K. G. Osborn, S. J. Henriksen and T. R. Phillips, *J. Infect. Dis.*, 2000, **182**, 725.
- 339 K. Kanaya, P. A. Murray, D. S. Damron, M. Nakayama, M. Yamakage and A. Namiki, *Prog. Anesth. Mech.*, 2000, **6**, 408.
- 340 P. C. Singhal, A. A. Kapasi, N. Franki and K. Reddy, *Immunology*, 2000, **100**, 57.
- 341 J. C. Yang, J. Shan, F. Ng and P. Pang, *Brain Res.*, 2000, **870**, 199.
- 342 S. Karunanithi and N. A. Lavidis, *Br. J. Pharmacol.*, 2001, **132**, 403.
- 343 M. I. Lioudyno, M. Verbitsky, J. C. Holt, A. B. Elgoyhen and P. S. Guth, *Hear. Res.*, 2000, **149**, 167.
- 344 S. Oh, *Korean J. Physiol. Pharmacol.*, 2000, **4**, 291.
- 345 W. Zhou, X. Xie, H. Liu and G. Wang, *Zhongguo Yaolixue Xuebao*, 2000, **16**, 99.
- 346 V. Zachariou, J. Thome, K. Parikh and M. R. Picciotto, *Neuropsychopharmacology*, 2000, **2**, 127.
- 347 A. A. Kapasi, N. Gibbons, J. Mattana and P. C. Singhal, *Inflammation (N.Y.)*, 2000, **24**, 463.
- 348 C. S. Wong, M. M. Hsu, Y. Y. Chou, P. L. Tao and C. S. Tung, *Br. J. Anaesth.*, 2000, **85**, 587.
- 349 F. He, Y. An, H. Yin, C. Wei and J. Li, *Henan Yike Daxue Xuebao*, 2000, **35**, 422.
- 350 T. Miyagi, L. F. Chuang, R. H. Doi, M. P. Carlos and J. V. Torres, *J. Biol. Chem.*, 2000, **275**, 31305.
- 351 S. Kaewsuk P. Hutamekalin, A. J. Ketterman, N. Khotchabakdi, P. Govitrapong and S. O. Casalotti, *Eur. J. Pharmacol.*, 2001, **411**, 11.
- 352 A. S. MacFarlane, X. Peng, J. J. Miessler, T. J. Rogers, E. B. Geller, M. W. Adler and T. K. Eisenstein, *J. Infect. Dis.*, 2000, **181**, 1350.
- 353 J. A. V. Mikkola, A. Honkanen, T. P. Piepponen, K. Kiianmaa and L. Ahtee, *Pharmacol. Biochem. Behav.*, 2000, **67**, 783.
- 354 E. J. Van Bockstaele, J. Peoples, A. S. Menko, K. McHugh and G. Drolet, *J. Neurosci.*, 2000, **20**, 8659.
- 355 W. Ma and W. H. Zeng and R. Quirion, *Neuroscience (Oxford)*, 2000, **99**, 529.
- 356 B. Zubelewicz, M. Muc-Wiergon and M. S. Harbuz, *Endokrynol. Pol.*, 2000, **51**, 57.
- 357 X. Peng, D. M. Mosser, M. W. Adler, T. J. Rogers, J. J. Meissler and T. K. Eisenstein, *J. Leukocyte Biol.*, 2000, **68**, 723.
- 358 J. H. Li, Z. D. You, Z. Y. Chen, C. Y. Song and C. L. Lu, *Neurosci. Lett.*, 2001, **300**, 58.
- 359 Z. D. You, J. H. Li, C. Y. Song, C. H. Wang and C. L. Lu, *NeuroReport*, 2000, **11**, 3113.
- 360 C. G. Jang, Y. Park, S. Tanaka, T. Ma, H. H. Loh and I. K. Ho, *Mol. Brain Res.*, 2000, **78**, 204.
- 361 S. Atamer-Simsek, H. Olmez-Salvarli, O. Guc and L. Eroglu, *Pharmacol. Res.*, 2000, **41**, 55.
- 362 M. Khalili, S. Semnania and Y. Fathollahi, *Eur. J. Pharmacol.*, 2001, **412**, 239.
- 363 M. Erdtmann-Vourliotis, P. Mayer, U. Reichert and V. Holtt, *Mol. Brain Res.*, 2000, **77**, 55.
- 364 E. A. Blokhina, I. A. Sukhotina and A. Y. Bespalov, *Eur. J. Pharmacol.*, 2000, **406**, 227.
- 365 L. Langerman, R. A. Steingart, A. Margolis and J. Yani, *J. Pharmacol. Toxicol. Methods*, 2000, **42**, 115.
- 366 C. M. Felip, M. Rodriguez-Arias, E. F. Espejo, J. Minarro and L. Stinus, *Behav. Neurosci.*, 2000, **114**, 424.
- 367 P. Cegar and C. M. Kuhn, *Psychopharmacology (Berlin)*, 2000, **150**, 253.
- 368 M. Samini, R. Fakhrian, M. Mohagheghi and A. R. Dehpour, *Hum. Psychopharmacol.*, 2000, **15**, 95.
- 369 A. R. Dehpour, M. Samini, H. Rastegar, A. J. Ardeshtiri, F. Roushanzamir, M. Jorjani and A. Ahmadiani, *Hum. Psychopharmacol.*, 2000, **15**, 213.
- 370 S. V. Litvinova, V. V. Shulgovsky, M. A. Grunden, L. F. Pancehko, N. N. Terebilina, V. V. Aristova and A. L. Kalyuzhny, *Patol. Fiziol. Eksp. Ter.*, 2000, 6.
- 371 X. Lu, G. Bing and T. Hagg, *Neuroscience (Oxford)*, 2000, **97**, 285.
- 372 A. I. Svenson, A. Berntsson, M. Eirfelt and B. Soderpalm, *J. Neural Transm.*, 2000, **107**, 261.
- 373 B. Liu, L. Du, L. Y. Kong, P. M. Hudson, B. C. Wilson, R. C. Chang, H. H. Abel and J. S. Hong, *Neuroscience (Oxford)*, 2000, **97**, 749.
- 374 B. Liu, L. Du and J. S. Hong, *J. Pharmacol. Exp. Ther.*, 2000, **293**, 607.
- 375 B. Liu, J. W. Jiang, B. C. Wilson, L. Du, S. N. Yang, J. Y. Wong, G. C. Wu, X. D. Cao and J. S. Hong, *J. Pharmacol. Exp. Ther.*, 2000, **295**, 125.
- 376 W. Kong, B. Xu, W. Feng, S. Huang, S. Qi, W. Ren and X. Li, *Zhongguo Shenjing Jingshen Jibing Zazhi*, 2000, **26**, 87.
- 377 R. Zamani, S. Semnania, Y. Fathollahi and S. Hajizadeh, *Eur. J. Pharmacol.*, 2000, **408**, 299.
- 378 M. Zubrzycka and A. Janecka, *Regul. Pept.*, 2001, **97**, 7.
- 379 M. Zubrzycka and A. Janecka, *J. Physiol. Pharmacol.*, 2000, **51**, 471.
- 380 L. C. Newman, D. R. Wallace and C. W. Stevens, *Brain Res.*, 2000, **884**, 184.
- 381 S. L. Cruz and G. Rodriguez-Manzo, *Eur. J. Pharmacol.*, 2000, **397**, 121.
- 382 C. J. Cheng, F. C. Cheng, S. L. Liao, W. Y. Chen, N. N. Lin and J. S. Kuo, *Neurosci. Lett.*, 2000, **287**, 113.
- 383 D. Mangold, M. E. McCaul, M. Ali and G. S. Wand, *Biol. Psychiatry*, 2000, **48**, 310.
- 384 S. Tokuyama, I. K. Ho and T. Yamamoto, *Brain Res. Bull.*, 2000, **52**, 363.
- 385 L. Amass, J. B. Kamien and S. K. Mikulich, *Drug Alc. Depend.*, 2000, **58**, 143.
- 386 C. Belzung, S. Barreau and A. Agno, *Eur. J. Pharmacol.*, 2000, **394**, 289.
- 387 H. Xu, S. J. Li, J. Bodurka, X. Zhao, X. Zheng and S. A. Stein, *NeuroReport*, 2000, **11**, 1085.
- 388 P. Grigson, R. C. Twining and R. M. Carelli, *Pharmacol. Biochem. Behav.*, 2000, **66**, 603.
- 389 J. Yanai, R. A. Steingart, N. Snapir, G. Ggvaryahu, I. Rosenboim and A. Katz, *Ann. N. Y. Acad. Sci.*, 2000, **914**, 402.
- 390 H. L. Alderson, J. A. Parkinson, T. W. Robbins and B. J. Everitt, *Psychopharmacology (Berlin)*, 2001, **153**, 455.
- 391 J. Zhou, P. Si, Z. Ruan, S. Ma, X. Yan, L. Sun, F. Peng, H. Yuan, D. Cai, D. Ding and S. Xu, *Chin. Med. J.*, 2001, **114**, 297.
- 392 D. M. Hutcheson, J. A. Parkinson, T. W. Robbins and B. J. Everitt, *Psychopharmacology (Berlin)*, 2001, **153**, 464.
- 393 H. L. Alderson, T. W. Robbins and B. J. Everitt, *Psychopharmacology (Berlin)*, 2001, **153**, 120.
- 394 H. L. Alderson, T. W. Robbins and B. J. Everitt, *Psychopharmacology (Berlin)*, 2001, **153**, 111.
- 395 J. Zhang, Y. Zhang and H. Shao, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 194.
- 396 A. Yang, J. Wang, D. Liu and J. Wei, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 192.

- 397 J. Zhang, Z. Yang, G. Liu, G. Chen, S. Li, W. Ci, J. Qiao, Y. Lin, S. Pei and C. Li, *Zhongguo Mianyixue Zazhi*, 2000, **16**, 361.
- 398 Z. X. Xi and E. A. Stein, *J. Pharmacol. Exp. Ther.*, 2000, **294**, 613.
- 399 Y. Shaham, S. Erb and J. Syewart, *Brain Res. Rev.*, 2000, **33**, 13.
- 400 T. R. A. Macedo, J. Relvas, C. A. F. Ribeiro, F. Pacheco, M. T. Morgadinho, C. M. Pinto, P. C. Gomes, M. Ventura, V. Henriques, S. V. Nunes, G. R. Ruis, C. Ramalheira, I. Boto and L. L. Vale, *Ann. N. Y. Acad. Sci.*, 2000, **914**, 303.
- 401 L. F. Panchenko, S. V. Pirozhkov, A. V. Nadezhdin, V. Y. Baronetz and N. N. Usmanova, *Vopr. Med. Khim.*, 1999, **45**, 501 (*Chem. Abstr.*, 2001, **134**, 95428).
- 402 E. C. Tan, B. K. L. Yeo, B. K. W. Ho, A. H. N. Tan and C. H. Tan, *Mol. Psychiatry*, 1999, **4**, 215 (*Chem. Abstr.*, 2001, **134**, 80734).
- 403 S. J. Kish, K. S. Kalasinsky, Y. Furukawa, M. Guttman, L. Ang, L. Li, V. Adams, G. Reiber, R. A. Anthony, W. Anderson, J. Smialek and L. DiStefano, *Mol. Psychiatry*, 1999, **4**, 26 (*Chem. Abstr.*, 2001, **134**, 25280).
- 404 P. Franke, M. M. Nothen, T. Wang, M. Knapp, D. Lichtermann, H. Neidt, T. Sander, P. Propping and W. Maier, *Mol. Psychiatry*, 2000, **5**, 101.
- 405 R. Xie, M. R. Bouw and M. Hammarlund-Udenaes, *Br. J. Pharmacol.*, 2000, **131**, 1784.
- 406 M. Grung, S. Skurtveit, A. Ripel and J. Morland, *Pharmacol. Biochem. Behav.*, 2000, **66**, 205.
- 407 P. B. Osborne, B. Chieng and M. J. Christie, *Br. J. Pharmacol.*, 2000, **131**, 1422.
- 408 R. S. Sinatra, S. Lewin and C. A. Ocampo, *Semin. Anesth. Perioper. Med. Pain*, 2000, **19**, 108 (*Chem. Abstr.*, 2000, **133**, 275740).
- 409 J. L. Hill and J. P. Zacny, *Psychopharmacology (Berlin)*, 2000, **152**, 31.
- 410 T. G. Metzger, M. G. Paterlini, D. M. Ferguson and P. S. Portoghesi, *J. Med. Chem.*, 2001, **44**, 857.
- 411 L. Pan, L. Xie, L. Chen, Y. Ning and S. Lu, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 19.
- 412 L. Pan, L. Xie, L. Chen, Y. Ning and S. Lu, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 70.
- 413 S. Ammon, O. Von Richter, U. Hofmann, K. P. Thon, M. Eichelbaum and G. Mikus, *Drug Metab. Dispos.*, 2000, **28**, 1149.
- 414 M. Farre, P. N. Rosett, J. A. Pascual, M. Mas, J. Sanagustín, E. Menoyo and A. Baena, *Dolor*, 1999, **14**, 279 (*Chem. Abstr.*, 2000, **133**, 53105).
- 415 V. Dahl, F. Fjellanger and J. C. Raeder, *Eur. J. Pain (London)*, 2000, **4**, 211.
- 416 D. G. Williams, D. J. Hatch and R. F. Howard, *Br. J. Anaesth.*, 2001, **86**, 413.
- 417 M. Palangio, M. J. Damask, E. Morris, R. T. Doyle, J. G. Jiang, C. J. Landau and A. De Padova, *Clin. Ther.*, 2000, **22**, 879.
- 418 T. B. Vree, R. T. M. Van Dongen and P. M. Koopman-Kimenai, *Int. J. Clin. Pract.*, 2000, **54**, 395.
- 419 S. Wachtel and H. de Wit, *Drug Alc. Depend.*, 2000, **59**, 251.
- 420 G. Pozzi, G. Conte and S. De Risio, *Drug Alc. Depend.*, 2000, **59**, 287.
- 421 L. D. Middaugh and A. L. E. Bandy, *Psychopharmacology (Berlin)*, 2000, **151**, 321.
- 422 T. Baptista, A. Lacruz, A. Acosta, C. Colasante, M. de Quijada, S. de Mendoza, J. M. Mendoza and L. Hernandez, *Appetite (London)*, 2000, **34**, 77.
- 423 H. Krazler, V. Modesto-Lowe and J. Van Kirk, *Neuropsychopharmacology*, 2000, **22**, 493.
- 424 A. C. King and P. J. Meyer, *Pharmacol. Biochem. Behav.*, 2000, **66**, 563.
- 425 H. Zhu and G. A. Barr, *Psychopharmacology (Berlin)*, 2000, **150**, 253.
- 426 S. M. Crain and K. F. Shen, *Brain Res.*, 2001, **888**, 75.
- 427 B. Lu, G. Xu and R. Zhang, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **35**, 524.
- 428 A. V. Azzara, R. J. Bodnar, A. R. Delamater and A. Sclafani, *Pharmacol. Biochem. Behav.*, 2000, **67**, 545.
- 429 H. Kadokawa and Y. Yamada, *Theriogenology*, 2000, **54**, 75.
- 430 L. E. F. Almeida, E. F. R. Pereira, M. Alkondon, W. P. Fawcett, W. R. Randall and E. X. Albuquerque, *Neuropharmacology*, 2000, **39**, 2740.
- 431 H. Inoue, *Eur. J. Pharmacol.*, 2000, **406**, 375.
- 432 C. S. Chun and J. F. Foss, *Drug Dev. Res.*, 2000, **50**, 133.
- 433 J. P. Mathis, C. D. Mandyam, G. F. Altemeni, G. W. Pasternak and K. M. Standifer, *Neurosci. Lett.*, 2001, **299**, 173.
- 434 A. V. Kuzmin, M. A. F. M. Gerrits, E. E. Zvartau and J. M. van Ree, *Eur. Neuropsychopharmacol.*, 2000, **19**, 447.
- 435 R. Fournier, E. Van Gessel, M. Macksay and Z. Gamulin, *Acta Anaesthesiol. Scand.*, 2000, **44**, 940.
- 436 X. Culebras, G. Gaggero, J. Zatloukal, C. Kern and R.-E. Marti, *Anesth. Analg. (Baltimore)*, 2000, **91**, 601.
- 437 A. Ren and J. Su, *Zhongguo Yaowu Yilaixing Zazhi*, 2000, **9**, 14.
- 438 D. A. Rosen, J. L. Morris, K. R. Rosen, E. Nelson, R. J. Steelman, R. A. Gustafson, J. A. Wilhelm, C. T. Chang, J. W. Thakara and R. F. Frye, *Pharmacotherapy*, 2000, **20**, 745.
- 439 H. E. Jones, R. E. Johnson, P. S. Fudala, J. D. Henningfield and S. J. Heishman, *Drug Alc. Depend.*, 2000, **60**, 29.
- 440 W. M. Clarke, E. C. Raps, D. C. Tong and R. E. Kelly, *Stroke*, 2000, **31**, 1234.
- 441 N. K. Mello, J. H. Mendelson and M. Kelly, *Pharmacol. Biochem. Behav.*, 2000, **66**, 275.
- 442 T. J. Martin, S. A. Kim, D. G. Cannon, G. M. Sizemore, D. Bian, F. Porreca and J. E. Smith, *J. Pharmacol. Exp. Ther.*, 2000, **294**, 975.
- 443 R. M. Jones and P. S. Portoghesi, *Eur. J. Pharmacol.*, 2000, **396**, 49.
- 444 B. Le Bourdonnec, R. El Kouhen, G. Poda, P. Y. Law, H. H. Loh, D. M. Ferguson and P. S. Portoghesi, *J. Med. Chem.*, 2001, **44**, 1017.
- 445 M. Garrido, J. Gubbens-Stibbe, E. Tukker, E. Cox, J. Von Frijtag, D. Kunzel, A. Ijzerman, M. Danhof and P. H. Van der Graaf, *Pharm. Res.*, 2000, **17**, 653.
- 446 D. L. Larson, R. M. Jones, S. A. Hjorth, T. W. Schwarz and P. S. Portoghesi, *J. Med. Chem.*, 2000, **43**, 1573.
- 447 G. F. Stegman, *J. S. Afr. Vet. Assoc.*, 1999, **70**, 164 (*Chem. Abstr.*, 2000, **133**, 129770).
- 448 M. Melone, N. C. Brecha, C. Sternini, C. Evans and F. Conti, *Neuroscience (Oxford)*, 2000, **100**, 439.
- 449 S. Ohmori, T. Hayashi, M. Kawase, S. Saito and Y. Morimoto, *J. Pharmacol. Exp. Ther.*, 2001, **296**, 528.
- 450 L. S. Zhang, Z. N. Yan, D. J. Li, H. Y. Tian, H. W. Ma, Q. Liu, Y. S. Yang and H. H. Feng, *Zhongguo Shouyi Xuebao*, 2000, **20**, 393.
- 451 M. Carrieri, D. Vlahov, P. Dellamonica, H. Gallais, G. Lepeu, B. Spire and Y. Obadia, *Drug Alc. Depend.*, 2000, **60**, 51.
- 452 U. Schneider, W. Paetzgold, T. J. Huber, J. Seifert, B. Wise and H. M. Emrich, *Addict. Biol.*, 2000, **5**, 65.
- 453 R. Gomez-Flores and R. J. Weber, *Immunopharmacology*, 2000, **48**, 145.
- 454 C. J. Harvey-Clark, K. Gilespeie and K. W. Riggs, *Lab. Anim.*, 2000, **34**, 86.
- 455 D. Volker, M. Bate, R. Gentle and M. Garg, *Lab. Anim.*, 2000, **34**, 423.
- 456 M. Bartoletti, C. Gubellini and M. Gaiardi, *Pharmacol. Res.*, 2000, **42**, 269.
- 457 J. K. Zubieta, M. K. Greenwald, U. Lombardi, J. H. Woods, M. R. Kilbourn, D. M. Jewett, R. A. Koeppe, C. R. Schuster and C. E. Johanson, *Neuropsychopharmacology*, 2000, **2**, 326.
- 458 A. B. Criado, I. A. G. De Segura, F. J. Tendillo and F. Marsico, *Lab. Anim.*, 2000, **4**, 252.
- 459 P. Bloms-Funke, C. Gillen, A. J. Schuetler and S. Wendt, *Peptides (N. Y.)*, 2000, **21**, 1141.
- 460 M. Stringer, M. K. Makin, J. Miles and J. S. Morley, *Neurosci. Lett.*, 2000, **295**, 21.
- 461 R. J. Miller and P. B. Tran, *Trends Pharmacol. Sci.*, 2000, **21**, 299.
- 462 M. Cavazza, M. Zandomenighi and F. Pietra, *Tetrahedron Lett.*, 2000, **41**, 9129.
- 463 M. Cavazza, G. Guella and F. Pietra, *Tetrahedron*, 2000, **56**, 1917.
- 464 J. C. Lee and J. K. Cha, *Tetrahedron*, 2000, **56**, 10175.
- 465 P. D. Davis, J. C. Arnould and F. T. Boyle, *PCT Int. Appl. WO 00 40529 (Chem. Abstr.)*, 2000, **133**, 89673).
- 466 K. Modschiedler, M. Weller, P. Worl and P. Von Den Driesch, *Arch. Dermatol. Res.*, 2000, **292**, 32.
- 467 A. Rambaldi and C. Gludd, *Liver (Copenhagen)*, 2000, **20**, 262.
- 468 H. He and F. Liu, *Tianran Chanwu Yanju Yu*, 2000, **12**, 87.
- 469 L. J. Lee, J. S. Chen, T. L. Ko and S. M. Wang, *J. Cell. Biochem.*, 2001, **81**, 162.
- 470 T. E. Druley, W. D. Stein, A. Ruth and I. B. Robinson, *Biochemistry*, 2001, **40**, 4323.
- 471 D. Das, P. W. Pemberton, P. C. Burrows, C. Gordon, A. Smith, R. F. T. McMahon and T. W. Warnes, *Biochim. Biophys. Acta*, 2000, **1502**, 351.
- 472 A. R. Chaudhuri, P. Seetharamalu, P. M. Schwartz, F. H. Hausheer and R. F. Luduea, *J. Mol. Biol.*, 2000, **303**, 679.
- 473 M. Grimaire, A. Etienne, M. Fathi, P. A. Piletta and J. H. Saurat, *Dermatology (Basel)*, 2000, **200**, 346.
- 474 S. Mons, F. Veretout, M. F. Carlier, I. Erk, J. Lepault, E. Trudel, C. Salesse, P. Ducray, C. Mioskowski and L. Lebeau, *Biochem. Biophys. Acta*, 2000, **1468**, 381.
- 475 L. Dufourny, D. Leroy and M. Warembourg, *Brain Res. Bull.*, 2000, **52**, 435.
- 476 M. Blaghen, N. Lahlou, F. Z. Dzairi, A. Moutaouakkil and M. Talbi, *Nat. Toxins*, 1999, **7**, 179 (*Chem. Abstr.*, 2001, **134**, 36740).
- 477 K. F. Shao, Z. Z. Wu, B. C. Wang, M. Long and S. X. Cai, *Colloids Surf.*, 2000, **19B**, 55.

- 478 C. W. Wanjala and R. T. Majinda, *J. Nat. Prod.*, 2000, **63**, 871.
- 479 S. Hosoi, M. Nagao, Y. Tusuda, K. Isobe, T. Sano and T. Ohta, *J. Chem. Soc. Perkin Trans. I*, 2000, 1505.
- 480 A. Toyao, S. Chikaoka, Y. Takeda, O. Tamura, O. Muraoka, G. Tanabe and H. Ishibashi, *Tetrahedron Lett.*, 2001, **42**, 1729.
- 481 R. Garcia-Mateos, M. E. Garin Aguilar, M. Soto Hernandez and M. Martinez-Vasquez, *Pharm. Pharmacol. Lett.*, 2000, **10**, 34.
- 482 H. Morita, M. Arisaka, N. Yoshida and J. Kobayashi, *Tetrahedron*, 2000, **56**, 2929.
- 483 C. P. Zou, K. M. Wu and L. Huang, *Chin. Chem. Lett.*, 2000, **11**, 489.
- 484 Q. Zhang and R. Wen, *Huaxue Shiji*, 2000, **22**, 325.
- 485 Z. An, S. Wei, S. Xu and G. Zhao, *Huaxi Yike Daxue Xuebao*, 2000, **31**, 95.
- 486 M. Yang, C. Yang, J. M. S. Bian and Y. Xue, *Zhongguo Zhongliu Linchang*, 2000, **27**, 174.
- 487 A. Montagnac, J.-F. Gallard, M. Litaudon, T. Sevenet and M. Pais, *Niger. J. Nat. Prod. Med.*, 1999, **3**, 83 (*Chem. Abstr.*, 2001, **134**, 27525).
- 488 W. F. Wood, F. J. Hanke, I. Kubo, J. A. Carroll and P. Crews, *Biochem. Syst. Ecol.*, 2000, **28**, 305.
- 489 G. Bringmann, J. Schlauer, H. Rischer, W. Wohlfarth, J. Mühlbacher, A. Buske, A. Porzel, J. Schmidt and G. Adam, *Tetrahedron*, 2000, **56**, 3691.
- 490 A. J. Walz and R. J. Sundberg, *J. Org. Chem.*, 2000, **65**, 8001.
- 491 A. Fontana, P. Cavaliere, S. Wahidulla, C. G. Naik and G. Cimino, *Tetrahedron*, 2000, **56**, 7305.
- 492 A. G. Myers and D. W. Kung, *Org. Lett.*, 2000, **2**, 3019.
- 493 B. Zhou, J. Guo and S. J. Danishevsky, *Tetrahedron Lett.*, 2000, **41**, 2043.
- 494 C. Cuevas, M. Perez, A. Francesch, C. Fernandez, J. L. Chicharro, P. Gallego, F. De la Calle and I. Manzanares, *PCT Int. Appl. WO 00 69862* (*Chem. Abstr.*, 2000, **133**, 17616).
- 495 J. L. Chicharro, C. Cuevas, M. Perez, M. J. Martin, M. Flores, A. Francesch, P. Gallego, M. Zarzuelo, F. De la Calle, J. Garcia, C. Polanco, I. Rodriguez and I. Manzanares, *Org. Lett.*, 2000, **2**, 2545.