

Sender from name: MYQCOMMUNITY
Sender information: Connect@m.cytokinetics.com
To: John Doe <john.doe@example.com>
Subject: Moving forward with oHCM treatment
Preheader: Congrats on taking the next step!



[Prescribing Information](#) | [Medication Guide](#)



Look ahead to what's next



Actor portrayal.

A new chapter in your care

When your healthcare provider prescribed MYQORZO™ for your obstructive hypertrophic cardiomyopathy (oHCM), you took an important step in your care.

As you continue your journey with MYQORZO, learning more about how it works and what to expect can help you feel more confident in your treatment. You can find further information anytime at myqorzo.com.

If you haven't already, this is a great time to explore the MYQORZO & You Patient Support Program, with affordability and savings offers for eligible patients who are government or commercially insured, underinsured, or uninsured.

[Explore MYQORZO & You](#)

MYQORZO is the latest FDA-approved treatment for adults with symptomatic oHCM to improve functional capacity and symptoms. It is not known if MYQORZO is safe and effective in children.

Where are you on your journey with MYQORZO?

[Just getting started](#)

[Reached personalized dose](#)

[Staying on track](#)

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about MYQORZO?

MYQORZO can cause serious side effects, including:

- **Heart failure**, a condition where the heart cannot pump with enough force, is a serious condition that can lead to death. You must have echocardiograms (echos) before and during treatment with MYQORZO and monitor for signs and symptoms of heart failure. People who develop a serious illness such as a serious infection or who develop a new or worsening irregular heartbeat have a greater risk of heart failure during treatment with MYQORZO

Tell your healthcare provider or get medical help right away if you develop new or worsening shortness of breath, chest pain, fatigue, leg swelling, a racing sensation in your heart (palpitations), or rapid weight gain.

- **The risk of heart failure is also increased when MYQORZO is taken with certain other medicines.** Tell your healthcare provider about any prescribed and over-the-counter medicines you take, before and during your treatment with MYQORZO
- **Because of the risk of heart failure, MYQORZO is only available through a restricted distribution program called the MYQORZO Risk Evaluation and Mitigation Strategy (REMS) Program**
 - Your healthcare provider must be enrolled in the MYQORZO REMS Program for you to be prescribed MYQORZO
 - Before you start treatment with MYQORZO, you must enroll in the MYQORZO REMS Program. Talk to your healthcare provider about how to enroll in the program. You will be given information about the program when you enroll
 - Before you take MYQORZO, your healthcare provider and pharmacist will make sure you understand how to take MYQORZO safely, which will include returning for echos when advised by your healthcare provider. MYQORZO can only be dispensed by a certified pharmacy that participates in the MYQORZO REMS Program
 - If you have any questions about the MYQORZO REMS Program, ask your healthcare provider, go to www.MYQORZOREMS.com, or call 1-844-285-7367

Who should not take MYQORZO?

Do not take MYQORZO if you take a medicine called rifampin.

What are the possible side effects of MYQORZO?

MYQORZO can cause serious side effects, including heart failure.

What should I tell my healthcare provider before taking MYQORZO?

Before taking MYQORZO, tell your healthcare provider about all of your medical conditions, including if you:

- Are pregnant or plan to become pregnant. It is not known if MYQORZO can cause harm to your unborn baby. Tell your healthcare provider if you become pregnant during treatment or within 3 weeks after the last dose of MYQORZO. There is a pregnancy study for MYQORZO. Your healthcare provider should report your pregnancy exposure to Cytokinetics, Inc
- Are breastfeeding or plan to breastfeed. It is not known if MYQORZO passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during treatment with MYQORZO

Before and during MYQORZO treatment, tell your healthcare provider about all the prescription and over-the-counter medicines, vitamins, and herbal supplements you take. Taking MYQORZO with certain medicines may lead to increased levels of MYQORZO in your blood and increase the risk of heart failure. **Do not stop or change the dose of a medicine or start a new medicine without telling your healthcare provider.**

Especially tell your healthcare provider if you take fluconazole (if used for more than 3 days), voriconazole, or fluvoxamine.

What are the most common side effects of MYQORZO?

The most common side effect of MYQORZO is high blood pressure (hypertension).

These are not all the possible side effects of MYQORZO. Talk to your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088. You may also report side effects to Cytokinetics at 1-833-633-2986.

INDICATION AND USAGE

MYQORZO is a prescription medicine used to treat adults with symptomatic obstructive hypertrophic cardiomyopathy (oHCM) to improve functional capacity and symptoms.

It is not known if MYQORZO is safe and effective in children.

Please see full [Prescribing Information](#), including Boxed WARNING, and [Medication Guide](#).



Get answers to your questions

[See resources](#)



Take these steps before starting MYQORZO

[Get started](#)



Are you eligible for savings?

[Learn more](#)

If you would like more information about Cytokinetics®, please visit cytokinetics.com.

This promotional email is brought to you by Cytokinetics.



350 Oyster Point Blvd, South San Francisco, CA 94080

CYTOKINETICS® and the CYTOKINETICS C-shaped logo are registered trademarks of Cytokinetics in the U.S. and certain other countries. MYQORZO™, the MYQORZO logo, MYQCOMMUNITY™, and the MYQCOMMUNITY logo are trademarks of Cytokinetics in the U.S.

© 2026 CYTOKINETICS. All Rights Reserved. US-MYQ-00361 05/2026

[Privacy Policy](#) | [Unsubscribe](#)





MYQCOMMUNITY™ logo



Look ahead to what's next

A new chapter in your care

When your healthcare provider prescribed MYQORZO™ for your obstructive hypertrophic cardiomyopathy (oHCM), you took an important step in your care.

As you continue your journey with MYQORZO, learning more about how it works and what to expect can help you feel more confident in your treatment. You can find further information anytime at myqorzo.com.

If you haven't already, this is a great time to explore the MYQORZO & You Patient Support Program, with affordability and savings offers for eligible patients who are government or commercially insured, underinsured, or uninsured.

[Explore MYQORZO & You](#)

MYQORZO is the latest FDA-approved treatment for adults with symptomatic oHCM to improve functional capacity and symptoms. It is not known if MYQORZO is safe and effective in children.

Where are you on your journey with MYQORZO?

[Just getting started](#)

[Reached personalized dose](#)

[Staying on track](#)

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about MYQORZO?

MYQORZO can cause serious side effects, including:

- **Heart failure**, a condition where the heart cannot pump with enough force, is a serious condition that can lead to death. You must have echocardiograms (echos) before and during treatment with MYQORZO and monitor for signs and symptoms of heart failure. People who develop a serious illness such as a serious infection or who develop a new or worsening irregular heartbeat have a greater risk of heart failure during treatment with MYQORZO
- **Tell your healthcare provider or get medical help right away** if you develop new or worsening shortness of breath, chest pain, fatigue, leg swelling, a racing sensation in your heart (palpitations), or rapid weight gain.
- **The risk of heart failure is also increased when MYQORZO is taken with certain other medicines.** Tell your healthcare provider about any prescribed and over-the-counter medicines you take, before and during your treatment with MYQORZO
- **Because of the risk of heart failure, MYQORZO is only available through a restricted distribution program called the MYQORZO Risk Evaluation and Mitigation Strategy (REMS) Program**
 - Your healthcare provider must be enrolled in the MYQORZO REMS Program for you to be prescribed MYQORZO
 - Before you start treatment with MYQORZO, you must enroll in the MYQORZO REMS Program. Talk to your healthcare provider about how to enroll in the program. You will be given information about the program when you enroll
 - Before you take MYQORZO, your healthcare provider and pharmacist will make sure you understand how to take MYQORZO safely, which will include returning for echos when advised by your healthcare provider. MYQORZO can only be dispensed by a certified pharmacy that participates in the MYQORZO REMS Program
 - If you have any questions about the MYQORZO REMS Program, ask your healthcare provider, go to www.MYQORZOREMS.com, or call 1-844-285-7367

Who should not take MYQORZO?

Do not take MYQORZO if you take a medicine called rifampin.

What are the possible side effects of MYQORZO?

MYQORZO can cause serious side effects, including heart failure.

What should I tell my healthcare provider before taking MYQORZO?

Before taking MYQORZO, tell your healthcare provider about all of your medical conditions, including if you:

- Are pregnant or plan to become pregnant. It is not known if MYQORZO can cause harm to your unborn baby. Tell your healthcare provider if you become pregnant during treatment or within 3 weeks after the last dose of MYQORZO. There is a pregnancy study for MYQORZO. Your healthcare provider should report your pregnancy exposure to Cytokinetics, Inc
- Are breastfeeding or plan to breastfeed. It is not known if MYQORZO passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during treatment with MYQORZO

Before and during MYQORZO treatment, tell your healthcare provider about all the prescription and over-the-counter medicines, vitamins, and herbal supplements you take. Taking MYQORZO with certain medicines may lead to increased levels of MYQORZO in your blood and increase the risk of heart failure. **Do not stop or change the dose of a medicine or start a new medicine without telling your healthcare provider.**

Especially tell your healthcare provider if you take fluconazole (if used for more than 3 days), voriconazole, or fluvoxamine.

What are the most common side effects of MYQORZO?

The most common side effect of MYQORZO is high blood pressure (hypertension).

These are not all the possible side effects of MYQORZO. Talk to your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088. You may also report side effects to Cytokinetics at 1-833-633-2986.

INDICATION AND USAGE

MYQORZO is a prescription medicine used to treat adults with symptomatic obstructive hypertrophic cardiomyopathy (oHCM) to improve functional capacity and symptoms.

It is not known if MYQORZO is safe and effective in children.

Please see full [Prescribing Information](#), including Boxed WARNING, and [Medication Guide](#).



Computer icon

Get answers to your questions

[See resources](#)



Checklist icon

Take these steps before starting MYQORZO

[Get started](#)



Hand with savings icon

Are you eligible for savings?

[Learn more](#)

If you would like more information about Cytokinetics®, please visit cytokinetix.com.

This promotional email is brought to you by Cytokinetics.



MYQORZO(TM) logo



Cytokinetics® logo

350 Oyster Point Blvd, South San Francisco, CA 94080

CYTOKINETICS® and the CYTOKINETICS C-shaped logo are registered trademarks of Cytokinetics in the U.S. and certain other countries. MYQORZO™, the MYQORZO logo, MYQCOMMUNITY™, and the MYQCOMMUNITY logo are trademarks of Cytokinetics in the U.S.

© 2026 CYTOKINETICS. All Rights Reserved. US-MYQ-00361 05/2026

[Privacy Policy](#) | [Unsubscribe](#)



MYQCOMMUNITY™

Look ahead to what's next



Actor portrayal.

A new chapter in your care

When your healthcare provider prescribed MYQORZO™ for your obstructive hypertrophic cardiomyopathy (oHCM), you took an important step in your care.

As you continue your journey with MYQORZO, learning more about how it works and what to expect can help you feel more confident in your treatment. You can find further information anytime at myqorzo.com.

If you haven't already, this is a great time to explore the MYQORZO & You Patient Support Program, with affordability and savings offers for eligible patients who are government or commercially insured, underinsured, or uninsured.

[Explore MYQORZO & You](#)

MYQORZO is the latest FDA-approved treatment

for adults with symptomatic oHCM to improve functional capacity and symptoms. It is not known if MYQORZO is safe and effective in children.

Where are you on your journey with MYQORZO?

[Just getting started](#)

[Reached personalized dose](#)

[Staying on track](#)

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about MYQORZO?

MYQORZO can cause serious side effects, including:

- **Heart failure**, a condition where the heart cannot pump with enough force, is a serious condition that can lead to death. You must have echocardiograms (echos) before and during treatment with MYQORZO and monitor for signs and symptoms of heart failure. People who develop a serious illness such as a serious infection or who develop a new or worsening irregular heartbeat have a greater risk of heart failure during treatment with MYQORZO

Tell your healthcare provider or get medical help right away if you develop new or worsening shortness of breath, chest pain, fatigue, leg swelling, a racing sensation in your heart (palpitations), or rapid weight gain.

- **The risk of heart failure is also increased when MYQORZO is taken with certain other medicines.** Tell your healthcare provider about any prescribed and over-the-counter medicines you take, before and during your treatment with MYQORZO
- **Because of the risk of heart failure, MYQORZO is only available through a restricted distribution program called the MYQORZO Risk Evaluation and Mitigation Strategy (REMS) Program**

- Your healthcare provider must be enrolled in the MYQORZO REMS Program for you to be prescribed MYQORZO
- Before you start treatment with MYQORZO, you must enroll in the MYQORZO REMS Program. Talk to your healthcare provider about how to enroll in the program. You will be given information about the program when you enroll
- Before you take MYQORZO, your healthcare provider and pharmacist will make sure you understand how to take MYQORZO safely, which will include returning for echos when advised by your healthcare provider. MYQORZO can only be dispensed by a certified pharmacy that participates in the MYQORZO REMS Program

- If you have any questions about the MYQORZO REMS Program, ask your healthcare provider, go to www.MYQORZOREMS.com, or call 1-844-285-7367

Who should not take MYQORZO?

Do not take MYQORZO if you take a medicine called rifampin.

What are the possible side effects of MYQORZO?

MYQORZO can cause serious side effects, including heart failure.

What should I tell my healthcare provider before taking MYQORZO?

Before taking MYQORZO, tell your healthcare provider about all of your medical conditions, including if you:

- Are pregnant or plan to become pregnant. It is not known if MYQORZO can cause harm to your unborn baby. Tell your healthcare provider if you become pregnant during treatment or within 3 weeks after the last dose of MYQORZO. There is a pregnancy study for MYQORZO. Your healthcare provider should report your pregnancy exposure to Cytokinetics, Inc
- Are breastfeeding or plan to breastfeed. It is not known if MYQORZO passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during treatment with MYQORZO

Before and during MYQORZO treatment, tell your healthcare provider about all the prescription and over-the-counter medicines, vitamins, and herbal supplements you take. Taking MYQORZO with certain medicines may lead to increased levels of MYQORZO in your blood and increase the risk of heart failure. **Do not stop or change the dose of a medicine or start a new medicine without telling your healthcare provider.**

Especially tell your healthcare provider if you take fluconazole (if used for more than 3 days), voriconazole, or fluvoxamine.

What are the most common side effects of MYQORZO?

The most common side effect of MYQORZO is high blood pressure (hypertension).

These are not all the possible side effects of MYQORZO. Talk to your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088. You may also report side effects to Cytokinetics at 1-833-633-2986.

INDICATION AND USAGE

MYQORZO is a prescription medicine used to treat adults with symptomatic obstructive hypertrophic cardiomyopathy (oHCM) to improve functional capacity and symptoms.


It is not known if MYQORZO is safe and effective in children.

Please see full [Prescribing Information](#), including [Boxed WARNING](#), and [Medication Guide](#).



Get answers to your questions

[See resources](#)



Take these steps before starting MYQORZO

[Get started](#)




Are you eligible for savings?

[Learn more](#)

If you would like more information about Cytokinetics®, please visit cytokinetics.com.

This promotional email is brought to you by Cytokinetics.



350 Oyster Point Blvd, South San Francisco, CA 94080

CYTOKINETICS® and the CYTOKINETICS C-shaped logo are registered trademarks of Cytokinetics in the U.S. and certain other countries. MYQORZO™, the MYQORZO logo, MYQCOMMUNITY™, and the MYQCOMMUNITY logo are trademarks of Cytokinetics in the U.S.

© 2026 CYTOKINETICS. All Rights Reserved.

US-MYQ-00361 05/2026

[Privacy Policy](#)

[Unsubscribe](#)





Look ahead to what's next

 "Look ahead to what's next" text and portrait of woman

A new chapter in your care

When your healthcare provider prescribed MYQORZO™ for your obstructive hypertrophic cardiomyopathy (oHCM), you took an important step in your care.

As you continue your journey with MYQORZO, learning more about how it works and what to expect can help you feel more confident in your treatment. You can find further information anytime at myqorzo.com.

If you haven't already, this is a great time to explore the MYQORZO & You Patient Support Program, with affordability and savings offers for eligible patients who are government or commercially insured, underinsured, or uninsured.

[Explore MYQORZO & You](#)

MYQORZO is the latest FDA-approved treatment for adults with symptomatic oHCM to improve functional capacity and symptoms. It is not known if MYQORZO is safe and effective in children.

Where are you on your journey with MYQORZO?

[Just getting started](#)

[Reached personalized dose](#)

[Staying on track](#)

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about MYQORZO?

MYQORZO can cause serious side effects, including:

- **Heart failure**, a condition where the heart cannot pump with enough force, is a serious condition that can lead to death. You must have echocardiograms (echos) before and during treatment with MYQORZO and monitor for signs and symptoms of heart failure. People who develop a serious illness such as a serious infection or who develop a new or worsening irregular heartbeat have a greater risk of heart failure during treatment with MYQORZO

Tell your healthcare provider or get medical help right away if you develop new or worsening shortness of breath, chest pain, fatigue, leg swelling, a racing sensation in your heart (palpitations), or rapid weight gain.

- **The risk of heart failure is also increased when MYQORZO is taken with certain other medicines.** Tell your healthcare provider about any prescribed and over-the-counter medicines you take, before and during your treatment with MYQORZO

- **Because of the risk of heart failure, MYQORZO is only available through a restricted distribution program called the MYQORZO Risk Evaluation and Mitigation Strategy (REMS) Program**

- Your healthcare provider must be enrolled in the MYQORZO REMS Program for you to be prescribed MYQORZO
- Before you start treatment with MYQORZO, you must enroll in the MYQORZO REMS Program. Talk to your healthcare provider about how to enroll in the program. You will be given information about the program when you enroll
- Before you take MYQORZO, your healthcare provider and pharmacist will make sure you understand how to take MYQORZO safely, which will include returning for echos when advised by your healthcare provider. MYQORZO can only be dispensed by a certified pharmacy that participates in the MYQORZO REMS Program
- If you have any questions about the MYQORZO REMS Program, ask your healthcare provider, go to www.MYQORZOREMS.com, or call 1-844-285-7367

Who should not take MYQORZO?

Do not take MYQORZO if you take a medicine called rifampin.

What are the possible side effects of MYQORZO?

MYQORZO can cause serious side effects, including heart failure.

What should I tell my healthcare provider before taking MYQORZO?

Before taking MYQORZO, tell your healthcare provider about all of your medical conditions, including if you:

- Are pregnant or plan to become pregnant. It is not known if MYQORZO can cause harm to your unborn baby. Tell your healthcare provider if you become pregnant during treatment or within 3 weeks after the last dose of MYQORZO. There is a pregnancy study for MYQORZO. Your healthcare provider should report your pregnancy exposure to Cytokinetics, Inc
- Are breastfeeding or plan to breastfeed. It is not known if MYQORZO passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby during treatment with MYQORZO

Before and during MYQORZO treatment, tell your healthcare provider about all the prescription and over-the-counter medicines, vitamins, and herbal supplements you take. Taking MYQORZO with certain medicines may lead to increased levels of MYQORZO in your blood and increase the risk of heart failure. **Do not stop or change the dose of a medicine or start a new medicine without telling your healthcare provider.**

Especially tell your healthcare provider if you take fluconazole (if used for more than 3 days), voriconazole, or fluvoxamine.

What are the most common side effects of MYQORZO?

The most common side effect of MYQORZO is high blood pressure (hypertension).

These are not all the possible side effects of MYQORZO. Talk to your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088. You may also report side effects to Cytokinetics at 1-833-633-2986.

INDICATION AND USAGE

MYQORZO is a prescription medicine used to treat adults with symptomatic obstructive hypertrophic cardiomyopathy (oHCM) to improve functional capacity and symptoms.


It is not known if MYQORZO is safe and effective in children.

Please see full [Prescribing Information](#), including [Boxed WARNING](#), and [Medication Guide](#).




Get answers to your questions

[See resources](#)



Take these steps before starting MYQORZO

[Get started](#)




Are you eligible for savings?

[Learn more](#)

If you would like more information about Cytokinetics®, please visit cytokinetixs.com.

This promotional email is brought to you by Cytokinetics.



MYQORZO(TM) logo



Cytokinetics® logo

CYTOKINETICS® and the CYTOKINETICS C-shaped logo are registered trademarks of Cytokinetics in the U.S. and certain other countries. MYQORZO™, the MYQORZO logo, MYQCOMMUNITY™, and the MYQCOMMUNITY logo are trademarks of Cytokinetics in the U.S.

© 2026 CYTOKINETICS. All Rights Reserved.
US-MYQ-00361 05/2026

[Privacy Policy](#) | [Unsubscribe](#)

