



SAVE LIVES, SUPPORT UKRAINE UA




sweetalert2

A BEAUTIFUL, RESPONSIVE, CUSTOMIZABLE, ACCESSIBLE (WAI-ARIA)
REPLACEMENT FOR JAVASCRIPT'S POPUP BOXES

ZERO DEPENDENCIES

Show success message

```
Swal.fire({  
  title: "Good job!",  
  text: "You clicked the button!",  
  icon: "success"  
});
```



[Get 20% discount on Hostiger Web Hosting!](#)

EXAMPLES

A basic message



Try me!

```
Swal.fire("SweetAlert2 is working!");
```

A title with a text under

Try me!

```
Swal.fire({  
  title: "The Internet?",  
  text: "That thing is still around?",  
  icon: "question"  
});
```

A modal with a title, an error
icon, a text, and a footer

Try me!

```
Swal.fire({  
  icon: "error",  
  title: "Oops...",  
  text: "Something went wrong!",  
  footer: '<a href="#">Why do I have this issue?</a>'  
});
```

A modal window with a long
content inside:

Try me!



```
Swal.fire({
  imageUrl: "https://placeholder.pics/svg/300x1500",
  imageHeight: 1500,
  imageAlt: "A tall image"
});
```

A draggable modal window:

Try me!

```
Swal.fire({
  title: "Drag me!",
  icon: "success",
  draggable: true
});
```

Custom HTML description and buttons with ARIA labels

Try me!

```
Swal.fire({
  title: "<strong>HTML <u>example</u></strong>",
  icon: "info",
  html: `
    You can use <b>bold text</b>,
    <a href="#" autofocus>links</a>,
    and other HTML tags
  `,
  showCloseButton: true,
  showCancelButton: true,
  focusConfirm: false,
  confirmButtonText: `
    <i class="fa fa-thumbs-up"></i> Great!
  `,
  confirmButtonAriaLabel: "Thumbs up, great!",
  cancelButtonText: `
    <i class="fa fa-thumbs-down"></i>
  `,
})
```



```
cancelButtonAriaLabel: "Thumbs down"
});
```

A dialog with three buttons

Try me!

```
Swal.fire({
  title: "Do you want to save the changes?",
  showDenyButton: true,
  showCancelButton: true,
  confirmButtonText: "Save",
  denyButtonText: `Don't save`
}).then((result) => {
  /* Read more about isConfirmed, isDenied below */
  if (result.isConfirmed) {
    Swal.fire("Saved!", "", "success");
  } else if (result.isDenied) {
    Swal.fire("Changes are not saved", "", "info");
  }
});
```

A custom positioned dialog

Try me!

```
Swal.fire({
  position: "top-end",
  icon: "success",
  title: "Your work has been saved",
  showConfirmButton: false,
  timer: 1500
});
```

Custom animation with
[Animate.css](#)

[Try me!](#)

```
Swal.fire({
  title: "Custom animation with Animate.css",
  showClass: {
    popup: `
      animate__animated
      animate__fadeInUp
      animate__faster
    `,
  },
  hideClass: {
    popup: `
      animate__animated
      animate__fadeOutDown
      animate__faster
    `,
  }
});
```

A confirm dialog, with a
function attached to the
"Confirm"-button

[Try me!](#)

```
Swal.fire({
  title: "Are you sure?",
  text: "You won't be able to revert this!",
  icon: "warning",
  showCancelButton: true,
  confirmButtonColor: "#3085d6",
  cancelButtonColor: "#d33",
  confirmButtonText: "Yes, delete it!"
}).then((result) => {
  if (result.isConfirmed) {
    Swal.fire({
      title: "Deleted!",
      text: "Your file has been deleted.",
      icon: "success"
    });
  }
});
```



... and by passing a parameter,
you can execute something
else for "Cancel"

Try me!

```
const swalWithBootstrapButtons = Swal.mixin({
  customClass: {
    confirmButton: "btn btn-success",
    cancelButton: "btn btn-danger"
  },
  buttonsStyling: false
});
swalWithBootstrapButtons.fire({
  title: "Are you sure?",
  text: "You won't be able to revert this!",
  icon: "warning",
  showCancelButton: true,
  confirmButtonText: "Yes, delete it!",
  cancelButtonText: "No, cancel!",
  reverseButtons: true
}).then((result) => {
  if (result.isConfirmed) {
    swalWithBootstrapButtons.fire({
      title: "Deleted!",
      text: "Your file has been deleted.",
      icon: "success"
    });
  } else if (
    /* Read more about handling dismissals below */
    result.dismiss === Swal.DismissReason.cancel
  ) {
    swalWithBootstrapButtons.fire({
      title: "Cancelled",
      text: "Your imaginary file is safe :)",
      icon: "error"
    });
  }
});
```

A message with a custom
image



Try me!

```
Swal.fire({
  title: "Sweet!",
  text: "Modal with a custom image.",
  imageUrl: "https://unsplash.it/400/200",
  imageWidth: 400,
  imageHeight: 200,
  imageAlt: "Custom image"
});
```

A message with custom width,
padding, background and
animated Nyan Cat

Try me!

```
Swal.fire({
  title: "Custom width, padding, color, background.",
  width: 600,
  padding: "3em",
  color: "#716add",
  background: "#fff url(/images/trees.png)",
  backdrop: `
    rgba(0,0,123,0.4)
    url("/images/nyan-cat.gif")
    left top
    no-repeat
  `,
});
```

A message with auto close
timer

Try me!



```
let timerInterval;
Swal.fire({
  title: "Auto close alert!",
  html: "I will close in <b></b> milliseconds.",
  timer: 2000,
  timerProgressBar: true,
  didOpen: () => {
    Swal.showLoading();
    const timer = Swal.getPopup().querySelector("b");
    timerInterval = setInterval(() => {
      timer.textContent = `${Swal.getTimerLeft()}`;
    }, 100);
  },
  willClose: () => {
    clearInterval(timerInterval);
  }
}).then((result) => {
  /* Read more about handling dismissals below */
  if (result.dismiss === Swal.DismissReason.timer) {
    console.log("I was closed by the timer");
  }
});
```

Right-to-left support for
Arabic, Persian, Hebrew, and
other RTL languages

Try me!

```
Swal.fire({
  title: "هل تريد الاستمرار؟",
  icon: "question",
  iconHtml: "؟",
  confirmButtonText: "نعم",
  cancelButtonText: "لا",
  showCancelButton: true,
  showCloseButton: true
});
```

AJAX request example

[Try me!](#)

```
Swal.fire({
  title: "Submit your Github username",
  input: "text",
  inputAttributes: {
    autocapitalize: "off"
  },
  showCancelButton: true,
  confirmButtonText: "Look up",
  showLoaderOnConfirm: true,
  preConfirm: async (login) => {
    try {
      const githubUrl = `
        https://api.github.com/users/${login}
      `;
      const response = await fetch(githubUrl);
      if (!response.ok) {
        return Swal.showValidationMessage(`
          ${JSON.stringify(await response.json())}
        `);
      }
      return response.json();
    } catch (error) {
      Swal.showValidationMessage(`
        Request failed: ${error}
      `);
    }
  },
  allowOutsideClick: () => !Swal.isLoading()
}).then((result) => {
  if (result.isConfirmed) {
    Swal.fire({
      title: `${result.value.login}'s avatar`,
      imageUrl: result.value.avatar_url
    });
  }
});
```

DOWNLOAD & INSTALL



```
npm install/sweetalert2
```


Or grab from [jsDelivr CDN](#) 

```
<script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
```

USAGE

INTEGRATIONS WITH MAJOR JS FRAMEWORKS

React



Vue



Angular



Mixin example

[Try me!](#)

```
const Toast = Swal.mixin({
  toast: true,
  position: "top-end",
  showConfirmButton: false,
  timer: 3000,
  timerProgressBar: true,
  didOpen: (toast) => {
    toast.onmouseenter = Swal.stopTimer;
    toast.onmouseleave = Swal.resumeTimer;
  }
});
Toast.fire({
  icon: "success",
  title: "Signed in successfully"
});
```

HANDLING BUTTONS (CONFIRM, DENY, CANCEL)

When the user clicks a button, the Promise returned by `Swal.fire()` will be resolved with the `SweetAlertResult` object:

`isConfirmed`

The "Confirm" button was clicked, the `value` will contain the result

`isDenied`

The "Deny" button was clicked, the `value` will be `false`.

Alternatively, if there's an input in a popup, you can use

`returnInputValueOnDeny: true` to return the input's value.

`isDismissed`



e "Cancel" button was clicked, the **dismiss** will be **Swal.DismissReason.cancel**

value

The value from the popup, possible values:

- **true** for simple confirmed dialogs
- **false** for denied popups
- any value for popups with inputs

dismiss

The dismissal reason, see the [Handling Dismissals](#) section for details

HANDLING DISMISSALS

When an alert is dismissed by the user, the Promise returned by **Swal.fire()** will be resolved with an object **{ isDismissed: true, dismiss: reason }** documenting the reason it was dismissed:

Swal.DismissReason.backdrop

The user clicked the backdrop.

Swal.DismissReason.cancel

The user clicked the cancel button.

Swal.DismissReason.close

The user clicked the close button.

Swal.DismissReason.esc



The user clicked the `Esc` key.

`Swal.DismissReason.timer`

The timer ran out, and the alert closed automatically.

If a popup is dismissed by `Swal.close()` or another popup, the Promise will be resolved with an object `{ isDismissed: true }` (`dismiss` will be `undefined`).

ICONS

`success`

Try me!

`error`

Try me!

`warning`

Try me!

`info`

Try me!

`question`

Try me!



INPUT TYPES

text

Try me!

email

Try me!

url

Try me!

password

Try me!

textarea

Try me!

select

Try me!

radio

Try me!

checkbox

Try me!

date

Try me!

file

Try me!

range

Try me!



SPONSORS

For all questions related to sponsorship please contact me via email
sweetalert2@gmail.com



Add your logo and link
for \$29 per month



Startup Fame



InkSonic



bluehive

Your Occupational
Healthcare Hub



Build your SaaS or
App in days



Buy Youtube Views

coinbit.fi

Kryptovaluutat



DLX Plugins



Tiago de Oliveira
Stutz

ISTARTIPS

iStarTips




Roboflow



ZezeLife



Real Spy Apps



Phone Tracking Apps

NSFW SPONSORS

For all questions related to sponsorship please contact me via email

sweetalert2@gmail.com



Add your logo and link
for \$29 per month



XNDOLL



PIDOLL



Cheap sex dolls



TabooTwin
AI Girlfriend



HuntLocals



سایت شرط بندی



SoSexDoll



AeroEscorts



Hismith



Doll Authority



DreamLoveDoll



SexDollPartner



Sexsi Toys



CheapestSexDolls



XspaceCup - Top
Male Masturbator
Brand



NakeDoll



hentai sex toys



VSDoll



sexdoll torso



anime sexdoll



cheap sexdoll



huge dildo



sexdoll



Cute Sex Doll



best pocket pussy



male masturbator



female torso sex
doll



penis pump



BestRealDoll



SexDollTech



SexDollsOff



RealSexDoll



YourDoll



Annie's Dollhouse



STC



DoctorClimax



BSDoll