



ORIGINAL NAME

LINE –7057BBR1T002

AREA: Barreirinhas

CLIENT: Exploration Services/TGS Nopec

NEW NAME

LINE: 0258-5057

AREA: 0258-2D_SPEC_BM_BAR

CLIENT: TGS-Nopec.

ACQUISITION REPORT Sequence-002

Survey:

Client Exploration Services/TGS Nopec
 Area Para-Maranhao
 Vessel GECO_TAU
 JobNumber 7443A
 Survey Type 2D

Sequence:

Linename 7057BBR1T002
 Preplot 7057BBR
 Direction 186.0°
 SOL Date 13:59:57utc 09-Nov-2000
 EOL Date 16:27:20utc 09-Nov-2000

Attributes:

Wind Force 14.0 [knots] Dir E
 Swell Height 1.5 [meters] \$(swell_dir)
 Propellor rpm 161 [avg]
 Propellor pitch 56 [avg]

	SOL	EOL	
Waterdepth	53.0	20.5	[meters]
Bottomspeed	5.74	5.69	[knots]
Featherangle	sb +12.5	0.0	[deg]
Cable noise	8.96	4.01	[μBar rms]
Lowcut filter	3	3	[hz]
Filter slope	18	18	[dB]
Streamer depth	9	9	

Production

	Shotpoint	File	Time [utc]
SOL Noise Record(s)		3512 - 3511	
SOL Dummy Record(s)	3510 - 3501	3510 - 3501	13:57:53 - 13:59:45
FSP Start of Line	3500	3500	13:59:57
MSP			
LSP End of Line	2812	2812	16:27:20
EOL Dummy Record(s)	2811 - 2802	2811 - 2802	16:27:32 - 16:29:28
EOL Noise Record(s)		2695 - 2694	

Line-segments:

SPs	Files	Times [utc]	Type	# CMPs	Status	Remarks
3500 - 2812	3500 - 2812	13:59:57-16:27:20	Prime	1	Valid	

Remarks:

Navigation
 Recording QC

Tape-list

Shot(s)	Files	Stream 2 DeckReel	Remark
3512 - 2694	3512 - 2694	1 3	
Shot(s)	Files	Stream 4 DeckReel	Remark
3512 - 2694	3512 - 2694	3 1003	
Shot(s)	Files	Stream 1001 DeckReel	Remark
1401 - 2694	1401 - 2694	1001 1	

Seismic Data Annotations**NTBP**

Shot(s)	File(s)	Trace(s)	Type	Remark
ALL	ALL-	197, 285, 294, 300	Killed traces	unsummed trace# 393,569,587,600 6.0dB down

Warning

Shot(s)	File(s)	Trace(s)	Type	Remark
3303	3303	ALL	Gun timing error	Gun 3-1 error (ms) : 1.60
3108	3108	ALL	Gun timing error	Gun 4-1 error (ms) : 1.60
2940	2940	ALL	Gun timing error	Gun 1-2 error (ms) : -1.70

Comment

Shot(s)	File(s)	Trace(s)	Type	Remark
3500-2811	3500-2811	ALL	Gun disabled	Gun 1-1. Source volume at shot 3500 : 7918 cu.in.
3500-2811	3500-2811	ALL	Gun disabled	Gun 6-1. Source volume at shot 3500 : 7918 cu.in.

List of used abbreviations:

SOL/EOL	Start/End of line.
FSP/LSP	First/Last shotpoint of the line.
FCSP/LCSP	First/Last chargeable shotpoint
MSP	Midnight (last) shotpoint of the day
FGSP/LGSP	First/Last Good Shotpoint
FOSP/LOSP	First/Last Overlap Shotpoint
FSP/LSP R/O	First/Last Shotpoint Runout

Deg	Degrees: e[0,360]
rev	Revolutions
utc	Universal Time Coordinated
SPs	Shotpoints
CMPs	Common midpoints
NTBP	Not to be processed
SI	Seismic interference

TRILOGY INFORMATION MANAGER - ACQUISITION REPORT - GENERATED 17:41:02utc 09-Nov-2000