Book Title

Subtitle or Short Description

Author Name

2026

Publisher or Institution

Copyright © 2026 Author Name. All rights reserved.

Replace this text with your own copyright and license statement (for example, a Creative Commons license).

Typeset with LaTeX using the Landscape Book Template v1.0.0.

Your dedication goes here.

About This Template

This template gives you a clean starting point for a book, a set of course notes or a long report in landscape format. It is deliberately small: a handful of well-known packages, no external fonts and a single lightweight figure, so it compiles in a few seconds and behaves the same on Overleaf and on a local TEX installation.

The book you are reading doubles as its own documentation. Chapters 1 to 4 explain each feature and then show it in action, so you can compare the LATEX source with the typeset result. Appendix A lists every setting you are likely to change, and appendix B gives a short checklist for replacing the sample content with your own.

When you are ready to start writing, delete this preface, keep the parts of the structure you like and make the book yours.

Contents

About This Template iv

1 Getting Started 1
- 1.1 What You Get . . . 1
- 1.2 Project Structure . . . 1
- 1.3 Compiling the Book . . . 1
  - 1.3.1 On Overleaf . . . 1
  - 1.3.2 On Your Computer . . . 1
- 1.4 Adding a Chapter . . . 2

2 Writing Content 3
- 2.1 Headings . . . 3
  - 2.1.1 A Subsection . . . 3
- 2.2 Text and Emphasis . . . 3
- 2.3 Lists . . . 3
- 2.4 Callout Boxes . . . 3
- 2.5 Definitions, Examples and Exercises . . . 4
- 2.6 Columns and Margin Notes . . . 4

3 Figures, Tables and Code 5
- 3.1 Figures . . . 5
- 3.2 Tables . . . 5
- 3.3 Source Code . . . 5
- 3.4 Mathematics . . . 6

4 Citations and Cross-References 7
- 4.1 Cross-References . . . 7
- 4.2 Citations . . . 7
- 4.3 The Bibliography . . . 7
- 4.4 Hyperlinks . . . 8

A Customization Reference 9
- A.1 Changing the Page Format . . . 9
- A.2 Changing the Language . . . 9

B Checklist Before You Publish 11

References 12

1 Getting Started

This template produces a landscape A4 book with a professional look and a small footprint. This chapter explains how the project is organised, how to compile it and how to add your own chapters.

1.1 What You Get

- A landscape A4 page set in two columns, or in one column with a wide margin for notes (see section 2.6).
- Front matter, numbered chapters, appendices and a bibliography.
- Callout boxes, theorem-like environments and code listings.
- Clickable cross-references and a linked table of contents.
- Only widely available packages, so the project compiles quickly and works on any TEX distribution.

1.2 Project Structure

The project is split into small files, each with a single purpose (listing 1.1). Keeping the content of each chapter in its own file makes the book easier to navigate, review and version-control.

> **Note.** Only `main.tex` and `style/booktemplate.sty` contain configuration. Everything else is content that you are expected to edit or replace.

```
.
|-- main.tex            metadata and structure
|-- references.bib      bibliography database
|-- style/
|   `-- booktemplate.sty  layout, fonts, packages
|-- frontmatter/        preface and opening pages
|-- chapters/           one file per chapter
|-- appendices/         one file per appendix
`-- figures/            images (PDF, PNG, JPG)
```

Listing 1.1: Layout of the project.

1.3 Compiling the Book

1.3.1 On Overleaf

1. Download the template as a `.zip` archive.
2. In Overleaf choose *New Project* and then *Upload Project*, and select the archive.
3. Open the *Menu*, set the compiler to *pdfLaTeX* and the main document to `main.tex`.
4. Click *Recompile*. Overleaf runs BibTeX automatically.

1.3.2 On Your Computer

Install a TEX distribution such as TEX Live or MiKTeX and run:

```
latexmk main.tex
```

The file `.latexmkrc` tells latexmk to use pdfLaTeX and to run BibTeX when needed.

1.4 Adding a Chapter

Adding a chapter takes two steps. First, create a new file in the `chapters/` folder:

```
% chapters/05-my-chapter.tex
\chapter{My Chapter}\label{chap:my-chapter}

Your text goes here.
```

Second, add one line to `main.tex`, in the position where the chapter should appear:

```
\include{chapters/05-my-chapter}
```

> **Tip.** While writing, uncomment the `\includeonly` line in `main.tex` to compile only the chapter you are working on. Page numbers, cross-references and the contents are preserved from the previous full compilation.

2 Writing Content

This chapter shows the building blocks you will use most often: headings, text, lists, callout boxes and theorem-like environments.

2.1 Headings

The document is organised with the following commands, from largest to smallest: `\chapter`, `\section`, `\subsection` and `\subsubsection`. Chapters, sections and subsections are numbered and listed in the table of contents; deeper levels are not, unless you change the depth (see appendix A).

2.1.1 A Subsection

Subsections group related paragraphs inside a section.

A Subsubsection

This level is not numbered by default. Use `\paragraph` for a run-in heading at an even lower level.

2.2 Text and Emphasis

Use `\emph` for emphasis and `\textbf` for strong emphasis. Quotation marks should be typed with `\enquote`, which follows the conventions of the document language: “a quotation with ‘a nested one’”. Insert a non-breaking space with a tilde, as in Figure 1, so that a label and its number are never split across lines. Footnotes appear at the bottom of the column.[1]

[1] Like this one.

2.3 Lists

Bulleted, numbered and description lists share the same compact style:

- A bulleted item.
- Another bulleted item.

1. A numbered item.
2. Another numbered item.

Term A short explanation of the term.

Another term A second explanation.

2.4 Callout Boxes

Callout boxes draw attention to information that deserves to stand out. Three kinds are available.

Note. Use a *note* for supplementary information the reader may find useful.

Tip. Use a *tip* for a recommendation or a shortcut.

Warning. Use a *warning* for a pitfall that could cause errors or lost work.

Each box is an environment named after its kind:

```
\begin{note}
```

```
Your text here.
\end{note}
```

2.5 Definitions, Examples and Exercises

Four theorem-like environments are provided. They share one counter that restarts in every chapter, so definition 2.1 is followed by example 2.2 and theorem 2.3.

Definition 2.1 (Template)**.** A *template* is a reusable document skeleton that fixes the layout and leaves the content to the author.

Example 2.2. This book is an example of a template: the design is fixed, and only the text, figures and references change from one book to the next.

Theorem 2.3. *For all real numbers a and b, $(a+b)^2 = a^2 + 2ab + b^2$.*

Proof. Expand the product $(a+b)(a+b)$ and collect the terms. □

Exercise 2.4. Add a new chapter to this book (section 1.4) and reference theorem 2.3 from it.

2.6 Columns and Margin Notes

The book is typeset in two columns by default, which keeps lines short and readable on a landscape page. To switch to a single column, delete the `twocolumn` option in `main.tex`. The page then has one text block and a wide outer margin, where you can place short notes with `\marginline`. In two-column mode the margins are narrow, so margin notes are not recommended.

> **Note.** Wide material such as a large table or figure should use the starred environments, `table*` and `figure*`, which span both columns

(see chapter 3).

3 Figures, Tables and Code

This chapter covers floating material (figures and tables), source code and mathematics.

3.1 Figures

Put image files in the `figures/` folder. Vector PDF files are recommended because they stay sharp at any size and are small; PNG and JPG also work. Thanks to `\graphicspath`, only the file name is needed:

```
\begin{figure}[tb]
  \centering
  \includegraphics[width=\linewidth]{sample-plot}
  \caption{A short, descriptive caption.}
  \label{fig:sample}
\end{figure}
```

Figure 3.1 fits the width of one column. A figure that needs more room can span the full page width with the starred environment, as in figure 3.2. In two-column mode such floats are placed at the top of a page.

3.2 Tables

Tables use the booktabs rules, which look better than full grids: horizontal lines only, and no vertical lines. The `X` column type of tabularx lets a column absorb the remaining width and wrap its text.

Table 3.1 lists the environments introduced in chapter 2.




Figure 3.1: A sample plot, included from `figures/sample-plot.pdf`. Its LaTeX source is kept in `figures/src/`.

3.3 Source Code

Code is typeset with the listings package. Choose the language for each listing, and add a caption and a label to make it citable (listing 3.1):

```
def average(values):
    """Return the arithmetic mean of a list of numbers."""
    if not values:
        raise ValueError("values must not be empty")
    return sum(values) / len(values)

print(average([2, 4, 6]))  # prints 4.0
```

Listing 3.1: A short Python function.

For short fragments inside a sentence use `\code`, as in `average(data)`, or




Figure 3.2: The same plot in a `figure*` environment, which spans both columns.

Table 3.1: Environments provided by the template.

Environment	Purpose
`note`	Supplementary information
`tip`	Recommendations and shortcuts
`warning`	Pitfalls and common mistakes
`definition`	Formal definitions, numbered per chapter
`example`	Worked examples, numbered per chapter
`exercise`	Exercises for the reader

`\texttt` for plain monospaced text. To include a whole source file, use `\lstinputlisting`.

> **Warning.** The `\code` command cannot be used inside the argument of another command, such as `\section` or `\footnote`. Use `\texttt` there.

3.4 Mathematics

Inline mathematics is written between dollar signs, for example $a^2 + b^2 = c^2$. Numbered equations use the `equation` environment and can be referenced by their label, as in equation (3.1):

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \tag{3.1}$$

Several aligned equations use `align`:

$$f(x) = x^2 + 1, \tag{3.2}$$

$$f'(x) = 2x. \tag{3.3}$$

4 Citations and Cross-References

This chapter explains how to refer to other parts of the book and to external sources.

4.1 Cross-References

Give every chapter, section, figure, table, equation and listing a `\label`, then refer to it with `\cref`. The cleveref package writes the kind of object for you, so you never type "Figure" or "Table" by hand and the text stays correct when things are renumbered:

```
As \cref{fig:sample} shows, ...
See \cref{sec:crossrefs} and \cref{tab:environments}.
\Cref{eq:quadratic} is the quadratic formula.
```

For example: as figure 3.1 shows, a plot can be referenced from anywhere; see section 4.1 and table 3.1. Equation (3.1) is the quadratic formula. Use `\Cref` with a capital C at the beginning of a sentence. Several references can be combined, as in sections 3.1 to 3.3.

Label names are free text, but a prefix keeps them organised:

Prefix	Object	Prefix	Object
`chap:`	chapter	`tab:`	table
`sec:`	section	`eq:`	equation
`fig:`	figure	`lst:`	listing

> **Note.** Place `\label` *after* `\caption` inside floats, or right after the sectioning command. Otherwise it may point to the wrong number.

4.2 Citations

Bibliographic data lives in `references.bib`, one entry per source. The key of each entry identifies it in the text. Two commands are used most:

- `\citep{key}` for a parenthetical citation, as in "… is well documented [2]".
- `\citet{key}` for a citation that is part of the sentence, as in "Knuth [1] describes the typesetting engine".

Several keys can be cited together with commas: [2, 3]. Web resources are handled in the same way; a good place to start is the Overleaf [4] tutorial.

A minimal entry looks like this:

```
@book{knuth1984texbook,
  author    = {Knuth, Donald E.},
  title     = {The {\TeX}book},
  publisher = {Addison-Wesley},
  year      = {1984}
}
```

4.3 The Bibliography

The bibliography is printed at the end of the book by a single line in `main.tex`:

```
\bibliography{references}
```

Citations are numeric by default. To use the author–year style, load the style package with an option in `main.tex`:

```
\usepackage[authoryear]{style/booktemplate}
```

Tip. If a citation appears as `[?]`, the bibliography has not been processed yet. On Overleaf, recompile; on your computer, run `latexmk main.tex`, which runs BibTeX as needed.

4.4 Hyperlinks

Every cross-reference, citation and table-of-contents entry is a clickable link. External addresses are written with `\url` or, with a custom text, `\href`: https://ctan.org or the CTAN archive. Link colours follow the accent colour defined in `style/booktemplate.sty`.

A Customization Reference

Table A.1 lists the settings you are most likely to change and where to find them. Options marked *main* are in `main.tex`; options marked *style* are in `style/booktemplate.sty`.

A.1 Changing the Page Format

The template is designed for A4 landscape. To use US Letter, replace `paper=a4` by `paper=letter` in `main.tex`. Portrait orientation is not supported by the default margins: remove `paper=landscape` and adjust the values of geometry in the style file.

A.2 Changing the Language

The language is set in Section 2 of the style file. Replace `english` by another babel language, for example `spanish`, and translate the captions of the callout boxes and the word “References”.

Table A.1: Common customizations.

Setting	File	Command or option	Notes
Title, author, date	main	`\title`, `\author`, `\date`	
Header title	main	`\runningtitle`	Use a short title.
Columns	main	`twocolumn`	Remove for one column.
Font size	main	`fontsize=11pt`	10pt, 11pt or 12pt.
Chapter opening	main	`open=any`	Use `right` to start on right pages.
Numbering depth	main	`secnumdepth`	Also `tocdepth`.
Citation style	main	`authoryear`	Option of booktemplate.
Colours	style	`accent`	Section 4 of the file.
Fonts	style	`\RequirePackage`	Section 2 of the file.
Margins	style	geometry	Section 3 of the file.
Code appearance	style	`\lstdefinestyle`	Section 9 of the file.

B Checklist Before You Publish

Use this list to turn the template into your own book.

- ☐ Replace the title, subtitle, author, date and publisher in `main.tex`.
- ☐ Write your own copyright and license statement on the back of the title page and in the `LICENSE` file.
- ☐ Delete or rewrite the preface in `frontmatter/`.
- ☐ Remove the sample chapters and appendices from `chapters/` and `appendices/`, and from the `\include` lines in `main.tex`.
- ☐ Delete the sample figure and replace the entries of `references.bib`.
- ☐ Choose your colours, fonts and margins in the style file.
- ☐ Compile from scratch and check that the log contains no warnings about undefined references or citations.
- ☐ Read the PDF once from cover to cover, and check the table of contents, the hyperlinks and the page breaks.

References

[1] Donald E. Knuth. *The TEXbook*. Addison-Wesley, Reading, MA, 1984.

[2] Leslie Lamport. *LATEX: A Document Preparation System*. Addison-Wesley, Reading, MA, 2nd edition, 1994.

[3] Frank Mittelbach and Michel Goossens. *The LATEX Companion*. Addison-Wesley, Boston, MA, 2nd edition, 2004.

[4] Overleaf. Learn LaTeX in 30 minutes. https://www.overleaf.com/learn/latex/Learn_LaTeX_in_30_minutes, n.d.