

PRESS COUPLINGS 4:2

4:2



HYDROSCAND PRESS COUPLINGS

PRODUCT GROUP 420

Hydroscand press couplings are a CrossOver coupling that fits both stranded and spiral wound hose. The couplings are adapted for a wide range of media such as hydraulic oil, solvents, gases, high pressure cleaners etc.

All press fittings are normally manufactured in one piece with the exception of compact elbows which are soldered.

There are three types of nuts on Dros cand's press fittings, they are recognized by their different SU in the article number.

the article number is missing
the coupling is delivered with a pressed nut

The article number has su 1
The coupling is delivered with a pinned nut.

The article number has su
The coupling is supplied with a solid nut held in place with a plastic washer.

Note that the working pressure is reduced for eltae, ammae and Isoar 0.

lubricating pressure is recommended:

Hose size		WP
inch	etc.	MPa
5/8"	1.0	40.0
4	19.0	,0
1	,0	,0
1 14	,0	1.0
1 1	,0	1,
	0.0	1,

Working pressure in MPa
1 a 10 ar 14 psi

Temperature range
-40 to 10 iton - to
00

For tough applications with ELTAE, AMMAE and ISOAR 0, press fittings from the 4 series are recommended.

Proper assembly provides a secure connection. See assembly instructions on page 14.

CONTENT

PRESS COLLETS		PAGE
400-0	Isa 1S Isa	10
400-11	1l 1S, S	10
400-1	read S	10
400-1	Isa 1S	10
400-	Isa S	10
400-	Isa 1SSS Isa 4S4S	10
400-19	Isa 4S	10
400-0		10
400-	Isa ...teon smooth Isa	11
400-14	thermoplastic	11
400-0	Isa ...teon Isa	11
400-40	4	11

G-THREADED COUPLINGS		PAGE
401	-threaded straight int. 0 cone, pressed nut -threaded	11
4011 401	straight int. 0 cone, pinned nut -threaded straight	1
	int. 0 cone, solid nut -threaded straight int. 0 cone	1
411	with O-ring -threaded straight int. 0 cone with O-	1
4111	ring -threaded straight int. lan seal 49 -threaded	1
4091	straight ext. onic seal 40 -threaded	1
	straight ext. 0 cone 40 -threaded 90 bend int. 0 cone 401	1
	-threaded 90 bend int. 0 cone 40- -threaded 90 bend	1
	int. 0 cone	1
		14
411	-threaded 90 bend int. 0 cone with O-ring 40 -threaded 90 forged int.	14
	0 cone 401 -threaded 90 forged int. 0 cone 404 -threaded 4	14
	bend int. 0 cone 4041 -threaded 4 bend int. 0 cone -threaded	14
	4 bend int. 0 cone -threaded 4 bend int. 0 cone -threaded	14
	short 4 bend int. 0 cone -threaded 4 bend int. 0 cone with	14
404-	O-ring 4141 -threaded 4 bend int. 0	14
404	cone with O-ring 401 -threaded 4 compact	1
414	int. 0 cone	1
		1

JIC THREADED COUPLINGS		PAGE
41	I-threaded, straight internal 4 cone, pressed nut 411 I-	1
	threaded, straight internal 4 cone, pinned nut 414 I-threaded, straight	1
	external 4 cone I-threaded, 90 bend, internal 4 cone	1
41	411 I-threaded, 90 bend, internal 4 cone	1
411	I-threaded, 90 compact internal 4 cone 41 I-threaded, 4	1
	bend, internal 4 cone 411 I-threaded, 4 bend, internal 4 cone I-	1
	threaded, 4 bend short, internal 4 cone	1
		1
41		1



METRIC THREADED COUPLINGS	PAGE
40	-threaded straight internal, 4 cone, O
41 4	-threaded 90 bend, internal 4 cone, O
	-threaded 4 bend, Internal 4 cone, O
40 4	-threaded straight, external 4
	cone, S -threaded straight internal 4
44	cone, SO -threaded 90 bend, Internal 4
4	cone, SO -threaded 4 bend, Internal 4 cone,
4	SO -threaded straight external, 4
	cone SS -threaded straight internal,
4 44	universal cone -threaded 90 bend
4	internal, universal cone -threaded 4 bend
49	internal, universal cone -threaded straight internal. land seal

PIPE JOINTS	PAGE
4	ear stud
4	straight ear stud 90
4	ear stud 4

FLANGE COUPLINGS	PAGE
44	ak S 1 1 ode
444	90 S 1 1 ode
444	90 S 1 åns ode 1 , short soldered
44	4 S åns ode 1
4	ak S 1 ounce of ode
44 90 S	1 ounce of ode
4	4 S 1 ounce of ode
4	Supercat ass straight
44 Supercat 90	
4	Supercat 4

ORFS COUPLINGS	PAGE
490 OS straight internal, pressed nut	1
490 OS straight internal, solid nut	1
491 OS 90 bend internal, pressed nut	1
491 OS 90 bend internal, solid nut	1
491 OS short 90 bend ISO 111-1, pressed nut	1
49 OS 4 bend internal, pressed nut	1
49 OS 4 bend internal, solid nut	1
49 Olympic straight out	1

FRENCH TYPE	PAGE
41	French tp thread straight utv 4 cone, inch
44	pipe French tp thread I

WEO COUPLINGS	PAGE
14 10	lug-in coupling ak 1-hose lug-in
14 1	coupling 4 1-hose lug-in coupling
14 14	90 1-hose removal ring removal
14 4	stop
14 49	

JAPANESE STANDARD	PAGE
44	In omatsu O kona
	I'm waiting for O wife
4 41	obelco -threaded external

WASHING COUPLINGS	PAGE
4	SO special eyewash inlet
44	coupling eyewash eyewash
44-11	coupling S with bearings

BANJO	PAGE
40	anjo body for S-bolt -threaded
40-01	bolt for S-banjo 41-01 -threaded
	bolt double for S banjo 4 anjo body for metric bolt 4-01 -threaded
	bolt for metric banjo

OTHER CONNECTIONS	PAGE
41	SO nified-threaded, straight external ear O-ring
440	-threaded straight external O sealing cone
441	S-threaded straight internal O sealing cone
4	Sticko
4	Hose joint

ASSEMBLY INSTRUCTIONS FOR PRESS COUPLINGS

1. Connect the hose perpendicularly, remember that all connections have a size.

2. If you are using peelers, peel the hose to the steel wire.

The peel length is specified in the crimping dimensions table. Be careful not to damage the steel reinforcement when peeling. If you use peel-free hoses, you do not need to peel the hose.

Keep the hose length free from dirt and particles.

3. push the sleeve in until it bottoms out. Oil the post and push it in until it bottoms out, until the ring is tight against the hose. then push the sleeve out against the ring

4. Adjust the hose and coupling to the specified press size, see the press dimension table. Check the press dimension externally with a caliper.

5. Check that the pressing has produced correct internal collapse, see the pressing dimension table with Droscoand pressing dimension gauges 901--.



-the part should be able to be inserted into the coupling, as an assurance that you haven't pushed too hard.


The SO part should not be able to be inserted, this is to ensure that you have not pressed too little.

droscoand interpreters 901-- are equipped with a page for Eaten hose easy to pull and one side for spiral wound hose from the line.

NOTE!

It is important that you use hose and fittings that are intended for each other. Droscoand hoses and fittings have been tested for a perfect fit.




**4200-07****Sleeve EN1SC**

The hose is not peeled.

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400-0-04	1S	14
400-0-0	1S	1
400-0-0	1S	3/8"
400-0-0	1S	1
400-0-10	1S	5/8"
400-0-1	1S	4
400-0-1	1S	1

**4200-11****Socket R1AT/DIN EN1SN, 2SC**

The hose is not peeled.

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400-11-0	1S, S	1
400-11-04	1S, S	14
400-11-0	1S, S	1
400-11-0	1S, S	3/8"
400-11-0	1S, S	1
400-11-10	1S, S	5/8"
400-11-1	1S, S	4
400-11-1	1S, S	1
400-11-0	1S	1 14
400-11-4	1S	1 1
400-11-	1S	

**4200-12****Sleeve EN2SN**


The hose is not peeled.

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400-1-0	S	1
400-1-04	S	14
400-1-0	S	1
400-1-0	S	3/8"
400-1-0	S	1
400-1-10	S	5/8"
400-1-1	S	4
400-1-1	S	1
400-1-0	S	1 14
400-1-4	S	1 1
400-1-	S	

**4200-21****Sleeve 1SN**The hose is peeled
PRODUCT GROUP 300

Item no.	Used with	Hose ID
400-1-0	1S	1 14
400-1-4	1S	1 1
400-1-	1S	

**4200-22****Sleeve 2SN**The hose is peeled
PRODUCT GROUP 300


Item no.	Used with	Hose ID
400--0	S	1 14
400--4	S	1 1
400--	S	

**4200-23****Sleeve 1SN/2SN/2SC**

The hose is peeled

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400--0	1SSS	1
400--04 1SSS		14
400--0	1SSS	1
400--0	1SSS	3/8"
400--0	1SSS	1
400--10 1SSS		5/8"
400--1	1SSS	4
400--1	1SSS	1

**4200-19****Sleeve EN4SP/4SH**

The hose is peeled

PRODUCT GROUP 300

Item no.	Used with	Hose ID
400-19-04	4Seltae	14
400-19-0	4Seltaelsoar 0	3/8"
400-19-0	4Seltae Isoar 0	1
400-19-10	4Seltae	5/8"
400-19-1	4S4Seltae.Isoar 0	4
400-19-1	4S 4S eltae Isoar0	1
400-19-0	4S	1 14


**4200-20****Sleeve EN4SH**

The hose is peeled

PRODUCT GROUP 300

Item no.	Used with	Hose ID
400-0-0	4Seltae Isoar 0	1 14
400-0-4	4Seltae	1 1
400-0-	4S	


CHAPTER 4:2 PRESS COUPLINGS

**4200-26**

Sleeve PTFE/ smooth
The hose is not peeled.

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400--0	 smooth	1
400--04	 smooth	14
400--0	 smooth	1
400--0	 smooth	3/8"
400--0	 smooth	1
400--10	 smooth	5/8"
400--1	 smooth	4
400--1	 smooth	1

**4200-14**

Socket R7/R8
The hose is not peeled.

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400-14-0	thermoplast	1
400-14-04	thermoplast	14
400-14-0	thermoplastic	1
400-14-0	thermoplastic	3/8"
400-14-0	thermoplastic	1
400-14-10	thermoplastic	5/8"
400-14-1	thermoplastic	4
400-14-1	thermoplastic	1
400-14-1	thermoplastic	1

**4200-30**

Health PTFE/Teflon
The hose is not peeled.

PRODUCT GROUP 300


Item no.	Used with	Hose ID
400-0-04	 pleated	14
400-0-0	 pleated	3/8"
400-0-0	 pleated	1
400-0-10	 pleated	5/8"
400-0-1	 pleated	4
400-0-1	 pleated	1
400-0-0	 pleated	1 14
400-0-4	 pleated	1 1
400-0-	 pleated	

**4200-40**

Sleeve EN 854 R3
The hose is not peeled.

PRODUCT GROUP 300

Item no.	Used with	Hose ID
400-40-04	4	14
400-40-0	4	1
400-40-0	4	3/8"
400-40-0	4	1
400-40-10	4	5/8"
400-40-1	4	4
400-40-1	4	1
400-40-0	4	1 14
400-40-4	4 4	1 1


**4201**

G-threaded
Straight inner.

60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID	Spanner size
401-0-0	1	.	1	
401-0-04	1	.	14	
401-04-0	14	.	1	
401-04-04	14	.	14	
401-04-0	14	.	1	
401-04-0	14	.	3/8"	
401-0-04		.	14	
401-0-0		.	1	
401-0-0		.	3/8"	
401-0-0		.	1	
401-0-04	1	.	14	
401-0-0	1	.	3/8"	
401-0-0	1	.	3/8"	etc.
401-0-0	1	.	1	
401-0-0	1	.	1	etc.
401-0-10	1	.	5/8"	
401-0-1	1	.	4	
401-10-0		.	1	
401-10-10		.	5/8"	
401-1-0	4	.	1	
401-1-10	4	.	5/8"	
401-1-1	4	.	4	
401-1-1	4	.	1	
401-1-1	1	.	4	
401-1-1	1	.	1	
401-0-0	1 14	.	1 14	
401-4-4	1 1	.	1 1	
401--		.		
401-4-4		.	3"	


**4201~1****G-threaded**

Straight inner.

60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Hose ID	Type	Wrench Size	Hose ID Wrench Size
401-0-0-1	1	-	-	1	
401-0-04-1	1	-	-	14	
401-04-0-1	14	-	-	1	
401-04-04-1	14	-	-	14	
401-04-0-1	14	-	-	1	
401-04-0-1	14	-	-	3/8"	
401-0-04-1	-	-	-	14	
401-0-0-1	-	-	-	1	
401-0-0-1	-	-	-	3/8"	
401-0-0-1	-	-	-	1	
401-0-0-1	1	-	-	3/8"	
401-0-0-1	1	-	-	3/8"	etc.
401-0-0-1	1	-	-	1	
401-0-0-1	1	-	-	1	etc.
401-0-10-1	1	-	-	5/8"	
401-0-1-1	1	-	-	4	
401-10-0-1	-	-	-	1	
401-10-10-1	-	-	-	5/8"	
401-1-0-1	4	-	-	1	
401-1-10-1	4	-	-	5/8"	
401-1-1-1	4	-	-	4	
401-1-1-1	1	-	-	4	
401-1-1-1	1	-	-	1	


**4201~2****G-threaded**

Straight inner.

60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID Wrench Size
401-04-04-	14	-	14
401-0-0-	-	-	1
401-0-0-	-	-	3/8"
401-0-0-	1	-	1
401-0-0-	1	-	1 etc.


**4311****G-threaded**

Straight inner.

60° sealing cone with O-ring

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
411-04-04	14	OI	14
411-0-0	-	OI	3/8"
411-0-0	1	OI	1
411-10-10	-	OI	5/8"
411-1-1	4	OI	4
411-1-1	1	OI	1
411-0-0	1 14	OI	1 14
411-4-4	1 1	OI	1 1
411--	-	OI	-


**4311~1****G-threaded**

Straight inner.

60° sealing cone with O-ring

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
411-1-1-1	4	OI	4
411-1-1-1	1	OI	4
411-0-1-1	1 14	OI	1
411-0-0-1	1 14	OI	1 14
411-4-0-1	1 1	OI	1 14
411-4-4-1	1 1	OI	1 1
411--1	-	OI	-


**4209~1****G-threaded**

Straight inner.

Flat seal

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
409-04-04-1	14	-	14
409-0-04-1	-	-	14
409-0-0-1	-	-	3/8"
409-0-0-1	1	-	1
409-0-0-1	1	-	3/8"
409-0-0-1	1	-	1
409-1-0-1	4	-	1
409-1-1-1	4	-	4
409-1-1-1	1	-	4
409-1-1-1	1	-	1
409-0-0-1	1 14	-	1 14

**4239****R-threaded**


Straight outer.

Conical seal

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
49-0-0	1	-	1
49-0-04	1	-	14
49-04-0	14	-	1
49-04-04	14	-	14
49-04-0	14	-	3/8"
49-0-04	-	-	14
49-0-0	-	-	1
49-0-0	-	-	3/8"
49-0-0	-	-	1
49-0-0	1	-	3/8"
49-0-0	1	-	1
49-1-10	4	-	5/8"
49-1-1	4	-	4
49-1-1	1	-	1
49-0-0	1 14	-	1 14
49-4-4	1 1	-	1 1
49--	-	-	-

CHAPTER 4:2 PRESS COUPLINGS


**4202****G-threaded**

Straight outer.

60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
40-0-0	1		1
40-0-04	1		14
40-04-0	14		1
40-04-04	14		14
40-04-0	14		1
40-04-0	14		3/8"
40-0-04			14
40-0-0			1
40-0-0			3/8"
40-0-0			1
40-0-04	1		14
40-0-0	1		1
40-0-0	1		3/8"
40-0-0	1		1
40-0-10	1		5/8"
40-0-1	1		4
40-10-0			1
40-10-10			5/8"
40-1-0	4		1
40-1-10	4		5/8"
40-1-1	4		4
40-1-1	4		1
40-1-1	1		4
40-1-1	1		1
40-0-1	1 14		1
40-0-0	1 14		1 14
40-4-0	1 1		1 14
40-4-4	1 1		1 1
40--4			1 1
40--			
40-40-40	1		1
40-4-4			3"


**4203****G-threaded**

90° bend, internal.

60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID Wrench Size
40-0-0	1	90 I	1
40-0-04	1	90 I	14
40-04-0	14	90 I	1
40-04-04	14	90 I	14
40-04-0	14	90 I	3/8"
40-0-04		90 I	14
40-0-0		90 I	1
40-0-0		90 I	3/8"
40-0-0		90 I	1
40-0-0	1	90 I	3/8"
40-0-0-	1	90 I	3/8" etc.
40-0-0	1	90 I	1
40-0-0-	1	90 I	1 etc.
40-0-10-	1	90 I	5/8" etc.
40-0-1-	1	90 I	4 etc.
40-10-0		90 I	1
40-10-10		90 I	5/8"
40-1-0	4	90 I	1
40-1-10	4	90 I	5/8"
40-1-1	4	90 I	4
40-1-1	1	90 I	4
40-1-1	1	90 I	1
40-0-0	1 14	90 I	1 14
40-4-4	1 1	90 I	1 1
40--		90 I	


**4203~1****G-threaded**

90° bend, internal.

60° sealing cone

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID Wrench Size
40-0-0-1	1	90 I	1
40-0-04-1	1	90 I	14
40-04-0-1	14	90 I	1
40-04-04-1	14	90 I	14
40-04-0-1	14	90 I	3/8"
40-0-04-1		90 I	14
40-0-0-1		90 I	3/8"
40-0-0-1		90 I	1
40-0-0-1	1	90 I	3/8"
40-0-0-1	1	90 I	3/8" etc.
40-0-0-1	1	90 I	1
40-0-0-1	1	90 I	1 etc.
40-10-0-1		90 I	1
40-10-10-1		90 I	5/8"
40-1-0-1	4	90 I	1
40-1-10-1	4	90 I	5/8"
40-1-1-1	4	90 I	4
40-1-1-1	1	90 I	4
40-1-1-1	1	90 I	1

**4203~2**

G-threaded
90° bend, internal.
60° sealing cone

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID Wrench Size
40-04-04-	14	90 I	14
40-0-0-		90 I	1
40-0-0-		90 I	3/8"
40-0-0-	1	90 I	1
40-0-0-	1	90 I	1 etc.

**4313~1**

G-threaded
90° bend, internal.
60° sealing cone with O-ring

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
41-1-1-1	4	O 90 I	4
41-1-1-1	1	O 90 I	4
41-0-0-1	1 14	O 90 I	1 14
41-4-4-1	1 1	O 90 I	1 1
41---1		O 90 I	

**4207**

G-threaded
90° forged internal
60° sealing cone

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
40-04-04	14	Forged 90 I	14
40-0-0		Forged 90 I	3/8"
40-0-0		Forged 90 I	1
40-0-0	1	Forged 90 I	1
40-1-1	4	Forged 90 I	4

**4207~1**

G-threaded
90° forged internal
60° sealing cone

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID Wrench Size
40-04-04-1	14	Forged 90 I	14
40-0-04-1		Forged 90 I	14
40-0-0-1		Forged 90 I	3/8"
40-0-0-1	1	Forged 90 I	3/8"
40-0-0-1	1	Forged 90 I	1
40-0-0-1	1	Forged 90 I	1 etc.
40-1-1-1	4	Forged 90 I	4
40-1-1-1	1	Forged 90 I	1

**4204**

G-threaded
45° bend inward.
60° sealing cone

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID Wrench Size
404-0-0	1	4 I	1
404-0-04	1	4 I	14
404-04-04	14	4 I	14
404-0-04		4 I	14
404-0-0		4 I	1
404-0-0		4 I	3/8"
404-0-0		4 I	1
404-0-0	1	4 I	3/8"
404-0-0-	1	4 I	3/8" etc.
404-0-0	1	4 I	1
404-0-0-	1	4 I	1 etc.
404-10-0		4 I	1
404-10-10		4 I	5/8"
404-1-0	4	4 I	1
404-1-10	4	4 I	5/8"
404-1-1	4	4 I	4
404-1-1	1	4 I	4
404-1-1	1	4 I	1
404-0-0	1 14	4 I	1 14
404-4-4	1 1	4 I	1 1
404--		4 I	

**4204~1**

G-threaded
45° bend, internal.
60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID Wrench Size
404-0-0-1	1	4 I	1
404-0-04-1	1	4 I	14
404-04-04-1	14	4 I	14
404-04-0-1	14	4 I	3/8"
404-0-04-1		4 I	14
404-0-0-1		4 I	3/8"
404-0-0-1		4 I	1
404-0-0-1	1	4 I	3/8"
404-0-0-1	1	4 I	3/8" etc.
404-0-0-1	1	4 I	1
404-10-0-1		4 I	1
404-10-10-1		4 I	5/8"
404-1-0-1	4	4 I	1
404-1-10-1	4	4 I	5/8"
404-1-1-1	4	4 I	4
404-1-1-1	1	4 I	4
404-1-1-1	1	4 I	1


**4204~2**

G-threaded
45° bend, internal.
60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID Wrench Size
404-04-04-	14	4 I	14
404-0-0-		4 I	1
404-0-0-		4 I	3/8"
404-0-0-	1	4 I	1
404-0-0-	1	4 I	1 etc.


CHAPTER 4:2 PRESS COUPLINGS



4204~7

G-threaded short 45° bend, internal.
60° sealing cone
PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
404-04-04-	14	city 4 I	14
404-0-0-		city 4 I	3/8"
404-0-0-	1	city 4 I	1
404-1-1-	4	city 4 I	4
404-1-1-	1	city 4 I	1



4314

G-threaded
45° bend, internal.
60° sealing cone with O-ring
PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
414-04-04	14	O 4 I	14
414-0-0		O 4 I	3/8"
414-0-0	1	O 4 I	1
414-1-1	4	O 4 I	4
414-1-1	1	O 4 I	1
414-0-0	1 14	O 4 I	1 14
414-4-4	1 1	O 4 I	1 1
414--		O 4 I	



4314~1

G-threaded
45° bend, internal.
60° sealing cone with O-ring
PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
414-0-0-1	1 14	O 4 I	1 14
414-4-4-1	1 1	O 4 I	1 1
414---1		O 4 I	



4206~1

G-threaded
45° compact internal
60° sealing cone
PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
40-04-04-1	14	4 I	14
40-0-0-1		4 I	3/8"
40-0-0-1	1	4 I	3/8"
40-0-0-1	1	4 I	1
40-10-10-1		4 I	5/8"
40-1-1-1	4	4 I	4
40-1-1-1	1	4 I	1




4213

JIC
nied-threaded
Straight internal 74° sealing cone
PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
41-0-0 10			1
41-0-04 10			14
41-0-0	1-0		1
41-0-04 10			14
41-09-04 911			14
41-09-0	911		1
41-09-0	911		3/8"
41-09-0	911		1
41-10-0	1		3/8"
41-1-0	41		1
41-1-0	41		3/8"
41-1-0	41		1
41-14-0	14		3/8"
41-14-0	14		1
41-14-10	14		5/8"
41-1-0	1,111		1
41-1-10	1,111		5/8"
41-1-1	1,111		4
41-1-1	1,111		1
41-19-1	1 11		4
41-1-1	1 11		4
41-1-1	1 11		1
41--1	1 1		1
41--0	1 1		1 14
41-0-0	1 1		1 14
41-0-4	1 1		1 1
41-40-	11		



**4213~1****JIC**

nied-threaded
Straight internal 74° sealing cone

PRODUCT GROUP 300

**4214****JIC**

nied-threaded
Straight male 74° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
41-0-0-1 10		.	1
41-0-04-1 10		.	14
41-0-04-1 10		.	14
41-0-0-1 10		.	1
41-0-0-1 10		.	3/8"
41-09-04-1 911		.	14
41-09-0-1 911		.	1
41-09-0-1 911		.	3/8"
41-09-0-1 911		.	1
41-1-0-1	41	.	3/8"
41-1-0-1	41	.	1
41-14-0-1	14	.	3/8"
41-14-0-1	14	.	1
41-14-10-1	14	.	5/8"
41-1-0-1	1,111	.	1
41-1-10-1	1,111	.	5/8"
41-1-1-1	1,111	.	4
41-1-1-1	1,111	.	1
41-19-1-1	1 11	.	4
41-1-1-1	1 11	.	4
41-1-1-1	1 11	.	1
41-1-1-1	1 1 1	.	1
41-0-0-1	1 1	.	1 14
41-0-0-1	1 1	.	1 14
41-0-4-1	1 1	.	1 1
41-40-1 11		.	

Item no.	Thread	Type	Hose ID
414-0-0	10	.	1
414-0-04 10		.	14
414-0-04 10		.	14
414-0-0 10		.	3/8"
414-09-04	911	.	14
414-09-0	911	.	1
414-09-0	9-11	.	3/8"
414-1-0	41	.	1
414-1-0	41	.	3/8"
414-1-0	41	.	1
414-14-0	14	.	3/8"
414-14-0	14	.	1
414-14-10	14	.	5/8"
414-14-1	14	.	4
414-1-0	1,111	.	1
414-1-10	1,111	.	5/8"
414-1-1	1,111	.	4
414-1-1	1,111	.	1
414-19-1	1 11	.	4
414-1-1	1 11	.	4
414-1-1	1 11	.	1
414-1-1	1 1 1	.	1
414-0	1 1	.	1 14
414-0-4	1 1	.	1 1
414-40-	11	.	

4:2

HoseExpress


Largest in Sweden in mobile hose service

One number - throughout Sweden

020-46 46 00

24/7, 7 days a week!

CHAPTER 4:2 PRESS COUPLINGS




A technical drawing of a 90-degree elbow fitting. The fitting has a threaded end on the left and a flared end on the right. The drawing shows the internal structure of the fitting, including the threads and the flared section.

4216~1
JIC
Nied-threaded
1° sealing cone
PRODUCT GROUP 300




4217
JIC
ed-threaded
sealing cone
CT GROUP 300

**4217~1****JIC**

nied-threaded
45° bend, internal 74° sealing cone


PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
41-0-04-1	1-0	I 4 I	14
41-0-04-1 1-0		I 4 I	14
41-09-04-1	91-1	I 4 I	14
41-09-0-1	91-1	I 4 I	3/8"
41-1-0-1	4-1	I 4 I	3/8"
41-1-0-1	4-1	I 4 I	1
41-14-0-1	-14	I 4 I	1
41-14-10-1	-14	I 4 I	5/8"
41-1-0-1	1 11-1	I 4 I	1
41-1-10-1	1 11-1	I 4 I	5/8"
41-1-1-1	1 11-1	I 4 I	4
41-19-1-1	1 1-1	I 4 I	4
41-1-1-1	1 1-1	I 4 I	4
41-1-1-1	1 1-1	I 4 I	1
41-0-1	1 -1	I 4 I	1 14
41-0-4-1	1 -1	I 4 I	1 1
41-40--1	1-1	I 4 I	

**4217~7****JIC card**

nied-threaded
45° bend compact internal.
74° sealing cone
PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
41-0-04-	1-0	I 4 I	14
41-09-04-	91-1	I 4 I	14
41-1-0-	4-1	I 4 I	3/8"
41-1-0-	4-1	I 4 I	1
41-14-0-	-14	I 4 I	1
41-1-1-	1 11-1	I 4 I	4
41-1-1-	1 1-1	I 4 I	1

**4215****SAE-O**

nied-threaded
Straight outer for O-ring

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
41-0-04	1-0	SO	14
41-09-04	91-1	SO	14
41-09-0	91-1	SO	3/8"
41-1-0	4-1	SO	3/8"
41-1-0	4-1	SO	1
41-14-0	-14	SO	1
41-14-10	-14	SO	5/8"
41-1-10	1 11-1	SO	5/8"
41-1-1	1 11-1	SO	4
41-1-1	1 1-1	SO	4
41-1-1	1 1-1	SO	1

**4240****NPTF threaded**

Straight outer.
60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
440-0-0	1-		1
440-0-04	1-		14
440-04-0	14-1		1
440-04-04	14-1		14
440-04-0	14-1		1
440-04-0	14-1		3/8"
440-0-04	-1		14
440-0-0	-1		1
440-0-0	-1		3/8"
440-0-0	-1		1
440-0-0	1-14		1
440-0-0	1-14		3/8"
440-0-0	1-14		1
440-0-10	1-14		5/8"
440-1-0	4-14		1
440-1-10	4-14		5/8"
440-1-1	4-14		4
440-1-1	4-14		1
440-1-1	1-11		4
440-1-1	1-11		1
440-0-1	1 14-11		1
440-0-0	1 14-11		1 14
440-4-4	1 1-11		1 1
440--	-11		


**4241****NPSM threaded**

Straight inner.
60° sealing cone

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
441-04-0	14-1 S	.	1
441-04-04	14-1 S	.	14
441-0-0	-1 S	.	3/8"
441-0-0	1-14 S	.	1

CHAPTER 4:2 PRESS COUPLINGS



4243


Straight SAE J518 flange

Code 61

Flange size 5/8" komatsu

PRODUCT GROUP 300

Item no.	Flange size	Type	Hose ID
44-0-0	1	S	1
44-0-10	1	S	5/8"
44-0-1	1	S	4
44-10-0	5/8"	S	1
44-10-10	5/8"	S	5/8"
44-1-0	4	S	1
44-1-10	4	S	5/8"
44-1-1	4	S	4
44-1-1	4	S	1
44-1-1	1	S	4
44-1-1	1	S	1
44-1-0	1	S	1 14
44-0-1	1 14	S	1
44-0-0	1 14	S	1 14
44-4-0	1 1	S	1 14
44-4-4	1 1	S	1 1
44-4-	1 1	S	
44--4		S	1 1
44--		S	
44-40-	1	S	
44-40-40	1	S	1
44-4-4	3"	S	3"




4244

90 SAE J518 flange

Code 61

PRODUCT GROUP 300

Item no.	Flange size	Type	Hose ID
444-0-0	1	S 90	1
444-0-10	1	S 90	5/8"
444-0-1	1	S 90	4
444-10-0	5/8"	S 90	1
444-10-10	5/8"	S 90	5/8"
444-1-0	4	S 90	1
444-1-10	4	S 90	5/8"
444-1-1	4	S 90	4
444-1-1	4	S 90	1
444-1-1	1	S 90	4
444-1-1	1	S 90	1
444-1-0	1	S 90	1 14
444-0-1	1 14	S 90	1
444-0-0	1 14	S 90	1 14
444-0-4	1 14	S 90	1 1
444-4-0	1 1	S 90	1 14
444-4-4	1 1	S 90	1 1
444--4		S 90	1 1
444--		S 90	
444-40-	1	S 90	
444-40-40	1	S 90	1
444-4-4	3"	S 90	3"



4244~6


90 SAE J518 flange

Code 61

Short solder

PRODUCT GROUP 300

Item no.	Flange size	Type	Hose ID
444-1-0-	4	S 90	1
444-1-1-	4	S 90	4
444-1-1-	1	S 90	4
444-1-1-	1	S 90	1
444-1-0-	1	S 90	1 14
444-1-4-	1	S 90	1 1
444-0-1-	1 14	S 90	1
444-0-0-	1 14	S 90	1 14
444-0-4-	1 14	S 90	1 1
444-4-0-	1 1	S 90	1 14
444-4-4-	1 1	S 90	1 1
444--4-		S 90	1 1
444---		S 90	




4248

45 SAE J518 flange

Code 61

PRODUCT GROUP 300


Item no.	Flange size	Type	Hose ID
44-0-0	1	S 4	1
44-0-10	1	S 4	5/8"
44-0-1	1	S 4	4
44-10-10	5/8"	S 4	5/8"
44-1-0	4	S 4	1
44-1-10	4	S 4	5/8"
44-1-1	4	S 4	4
44-1-1	4	S 4	1
44-1-1	1	S 4	4
44-1-1	1	S 4	1
44-1-0	1	S 4	1 14
44-0-1	1 14	S 4	1
44-0-0	1 14	S 4	1 14
44-0-4	1 14	S 4	1 1
44-4-0	1 1	S 4	1 14
44-4-4	1 1	S 4	1 1
44--4		S 4	1 1
44--		S 4	
44-40-	1	S 4	

**4253****Straight SAE J518 flange**

Code 62

PRODUCT GROUP 300


Item no.	Flange size	Type	Hose ID
4-0-0	1	S	1
4-0-10	1	S	5/8"
4-0-1	1	S	4
4-1-0	4	S	1
4-1-10	4	S	5/8"
4-1-1	4	S	4
4-1-1	4	S	1
4-1-1	1	S	4
4-1-1	1	S	1
4-1-0	1	S	1 1/4
4-0-1	1 1/4	S	1
4-0-0	1 1/4	S	1 1/4
4-4-0	1 1	S	1 1/4
4-4-4	1 1	S	1 1
4--4		S	1 1
4--		S	

**4254****90 SAE J518 flange**

Code 62

PRODUCT GROUP 300


Item no.	Flange size	Type	Hose ID
44-0-0	1	S 90	1
44-0-10	1	S 90	5/8"
44-0-1	1	S 90	4
44-1-0	4	S 90	1
44-1-10	4	S 90	5/8"
44-1-1	4	S 90	4
44-1-1	4	S 90	1
44-1-1	1	S 90	4
44-1-1	1	S 90	1
44-1-0	1	S 90	1 1/4
44-0-1	1 1/4	S 90	1
44-0-0	1 1/4	S 90	1 1/4
44-4-0	1 1	S 90	1 1/4
44-4-4	1 1	S 90	1 1
44--4		S 90	1 1
44--		S 90	

**4258****45 SAE J518 flange**

Code 62

PRODUCT GROUP 300


Item no.	Flange size	Type	Hose ID
4-0-0	1	S 4	1
4-0-10	1	S 4	5/8"
4-0-1	1	S 4	4
4-1-0	4	S 4	1
4-1-10	4	S 4	5/8"
4-1-1	4	S 4	4
4-1-1	4	S 4	1
4-1-1	1	S 4	4
4-1-1	1	S 4	1
4-1-0	1	S 4	1 1/4
4-0-1	1 1/4	S 4	1
4-0-0	1 1/4	S 4	1 1/4
4-4-0	1 1	S 4	1 1/4
4-4-4	1 1	S 4	1 1
4--4		S 4	1 1
4--		S 4	

**4263****Spercat flange**

Straight

PRODUCT GROUP 300


Item no.	Flange size	Type	Hose ID
4-1-1	4	S	4
4-1-1	1	S	4
4-1-1	1	S	1
4-0-1	1 1/4	S	1
4-0-0	1 1/4	S	1 1/4
4-4-4	1 1	S	1 1

**4264****Spercat flange**

90°

PRODUCT GROUP 300

Item no.	Flange size	Type	Hose ID
44-1-1	4	S 90	4
44-1-1	1	S 90	4
44-1-1	1	S 90	1
44-0-1	1 1/4	S 90	1
44-0-0	1 1/4	S 90	1 1/4
44-4-4	1 1	S 90	1 1

**4268****Spercat flange**

45°

PRODUCT GROUP 300

Item no.	Flange size	Type	Hose ID
4-1-1	4	S 4	4
4-1-1	1	S 4	4
4-1-1	1	S 4	1
4-0-0	1 1/4	S 4	1 1/4
4-4-4	1 1	S 4	1 1

CHAPTER 4:2 PRESS COUPLINGS

TECHNICAL INFORMATION ACCORDING TO SAE J518 CODE 61

Flange	1	4	1	1 14	1 1		1	3"
WP MPa	4,	4,	4,	,	0,	0,	1,	1,
PSI	5000	5000	5000	4000	3000	3000	00	000
DIA	0,	,1	44,	0,	0,	1.4	4.1	101,

TECHNICAL INFORMATION ACCORDING TO SAE J518 CODE 62


Flange	1	4	1	1 14	1 1			
WP MPa	41.4	41.4	41.4	41.4	41.4	41.4		
PSI	000	000	000	000	000	000		
DIA	1,	41,	4,	,9	,	9.4		

TECHNICAL INFORMATION SUPERCAT

Flange	1	4	1	1 14	1 1			
WP MPa	41.4	41.4	41.4	41.4	41.4	41.4		
DIA	1,	41,	4,	,9	,	9.4		

TECHNICAL INFORMATION KOMATSU

Flange	5/8"							
WP MPa	4,							
DIA	4,							




4271~2

M-threaded
90° bend. Inv.
24° sealing cone with O-ring

PRODUCT GROUP 300

Item no.	Thread		Pipe	Type	Hose ID
41-0-0-	1	1.	etc.	O 90	1
41-0-04	1	1.	etc.	O 90	14
41-0-0-	14	1.	8mm	O 90	1
41-0-04-	14	1.	8mm	O 90	14
41-10-04-	1	1.	10mm	O 90	14
41-10-0-	1	1.	10mm	O 90	1
41-10-0	1	1.	10mm	O 90	3/8"
41-1-04-	1	1.	1mm	O 90	14
41-1-0-	1	1.	1mm	O 90	1
41-1-0-	1	1.	1mm	O 90	3/8"
41-1-0-		1.	1mm	O 90	3/8"
41-1-0-		1.	1mm	O 90	1
41-1-0-		1.	1mm	O 90	1
41-1-10-		1.	1mm	O 90	5/8"
41-1-1		1.	1mm	O 90	4
41--10-	0	.0	etc.	O 90	5/8"
41--1-	0	.0	etc.	O 90	4
41--1-		.0	etc.	O 90	1
41--0-	4	.0	35mm	O 90	1 14
41-4-4-		.0	4mm	O 90	1 1




4270~2

M-threaded
Straight inner.
24° sealing cone with O-ring

PRODUCT GROUP 300

Item no.	Thread		Pipe	Type	Hose ID
40-0-0-	1	1.	etc.	O	1
40-0-04	1	1.	etc.	O	14
40-0-0-	14	1.	8mm	O	1
40-0-04-	14	1.	8mm	O	14
40-10-04-	1	1.	10mm	O	14
40-10-0-	1	1.	10mm	O	1
40-10-0	1	1.	10mm	O	3/8"
40-1-04-	1	1.	1mm	O	14
40-1-0-	1	1.	1mm	O	1
40-1-0-	1	1.	1mm	O	3/8"
40-1-0	1	1.	1mm	O	1
40-1-0-		1.	1mm	O	3/8"
40-1-0-		1.	1mm	O	1
40-1-0-		1.	1mm	O	1
40-1-10-		1.	1mm	O	5/8"
40-1-1		1.	1mm	O	4
40--10-	0	.0	etc.	O	5/8"
40--1-	0	.0	etc.	O	4
40--1		.0	etc.	O	4
40--1-		.0	etc.	O	1
40--0-	4	.0	35mm	O	1 14
40-4-4-		.0	4mm	O	1 1




4272~2

M-threaded
45° bend inward.
24° sealing cone with O-ring

PRODUCT GROUP 300


Item no.	Thread		Pipe	Type	Hose ID
4-0-0-	1	1.	etc.	O 4	1
4-0-04	1	1.	etc.	O 4	14
4-0-0-	14	1.	8mm	O 4	1
4-0-04-	14	1.	8mm	O 4	14
4-10-04-	1	1.	10mm	O 4	14
4-10-0-	1	1.	10mm	O 4	1
4-10-0	1	1.	10mm	O 4	3/8"
4-1-04-	1	1.	1mm	O 4	14
4-1-0-	1	1.	1mm	O 4	1
4-1-0-	1	1.	1mm	O 4	3/8"
4-1-0-		1.	1mm	O 4	3/8"
4-1-0-		1.	1mm	O 4	1
4-1-0-		1.	1mm	O 4	1
4-1-10-		1.	1mm	O 4	5/8"
4-1-1		1.	1mm	O 4	4
4--10-	0	.0	etc.	O 4	5/8"
4--1-	0	.0	etc.	O 4	4
4--1-		.0	etc.	O 4	1
4--0-	4	.0	35mm	O 4	1 14
4-4-4-		.0	4mm	O 4	1 1



**4220**


M-threaded
Straight external SKL
24° sealing cone
PRODUCT GROUP 300

Item no.	Thread	Pipe	Type	Hose ID
40-1-0	1 1,	mm S		1
40-1-04	1 1,	mm S		14
40-14-0	14 1,	8mm S		1
40-14-04	14 1,	8mm S		14
40-1-04	1 1,	10mm S		14
40-1-0	1 1,	10mm S		1
40-1-0	1 1,	10mm S		3/8"
40-1-04	1 1,	1mm S		14
40-1-0	1 1,	1mm S		1
40-1-0	1 1,	1mm S		3/8"
40-0	1,	1mm S		3/8"
40-0	1,	1mm S		1
40-0	1,	1mm S		1
40-10	1,	1mm S		5/8"
40-1	1,	1mm S		4
40-0-10	0.0	mm S		5/8"
40-0-1	0.0	mm S		4
40-1	,0	mm S		1
40-4-0	4.0	35mm S		1 14
40-4	,0 4 mm S			1 1




4273~2
M-threaded
Straight inner.
24° sealing cone with O-ring
PRODUCT GROUP 300

Item no.	Thread	Pipe	Type	Hose ID
4-0-0-	14 1.	etc.	SO	1
4-0-04	14 1.	etc.	SO	14
4-0-0-	1 1.	8mm	SO	1
4-0-04-	1 1.	8mm	SO	14
4-10-04-	1 1.	10mm	SO	14
4-10-0-	1 1.	10mm	SO	1
4-10-0	1 1.	10mm	SO	3/8"
4-1-04-	0 1.	1mm	SO	14
4-1-0-	0 1.	1mm	SO	1
4-1-0-	0 1.	1mm	SO	3/8"
4-14-0-	1.	14 mm	SO	3/8"
4-14-0-	1.	14 mm	SO	1
4-1-0-	4 1.	1mm	SO	1
4-0-0-	0.0	0 mm	SO	1
4-0-10-	0.0	0 mm	SO	5/8"
4-0-1-	0.0	0 mm	SO	4
4--1-	.0	etc.	SO	4
4--1-	.0	etc.	SO	1
4-0-1-	4 .0	30mm	SO	1
4-0-0-	4 .0	30mm	SO	1 14
4--0-	.0	38 mm	SO	1 14
4--4-	.0	38 mm	SO	1 1

**4274~2**

M-threaded
90° bend, internal.
24° sealing cone with O-ring
PRODUCT GROUP 300


Item no.	Thread	Pipe	Type	Hose ID
44-0-0-	14 1,	etc.	SO 90	1
44-0-04	14 1,	etc.	SO 90	14
44-0-0-	1 1,	8mm	SO 90	1
44-0-04-	1 1,	8mm	SO 90	14
44-10-04-	1 1,	10mm	SO 90	14
44-10-0-	1 1,	10mm	SO 90	1
44-10-0	1 1,	10mm	SO 90	3/8"
44-1-04-	0 1,	1mm	SO 90	14
44-1-0-	0 1,	1mm	SO 90	1
44-1-0-	0 1,	1mm	SO 90	3/8"
44-14-0-	1,	14 mm	SO 90	3/8"
44-14-0-	1,	14 mm	SO 90	1
44-1-0-	4 1,	1mm	SO 90	1
44-0-10-	0.0	0 mm	SO 90	5/8"
44-0-1-	0.0	0 mm	SO 90	4
44--1-	,0	etc.	SO 90	4
44--1-	,0	etc.	SO 90	1
44-0-1-	4 .0	30mm	SO 90	1
44-0-0-	4 .0	30mm	SO 90	1 14
44--0-	.0	38 mm	SO 90	1 14
44--4-	.0	38 mm	SO 90	1 1



4275~2
M-threaded
45° bend, internal.
24° sealing cone with O-ring
PRODUCT GROUP 300

Item no.	Thread	Pipe	Type	Hose ID
4-0-0-	14 1.	etc.	SO 4	1
4-0-04	14 1.	etc.	SO 4	14
4-0-0-	1 1.	8mm	SO 4	1
4-0-04-	1 1.	8mm	SO 4	14
4-10-04-	1 1.	10mm	SO 4	14
4-10-0-	1 1.	10mm	SO 4	1
4-10-0	1 1.	10mm	SO 4	3/8"
4-1-04-	0 1.	1mm	SO 4	14
4-1-0-	0 1.	1mm	SO 4	1
4-1-0-	0 1.	1mm	SO 4	3/8"
4-14-0-	1.	14 mm	SO 4	3/8"
4-14-0-	1.	14 mm	SO 4	1
4-1-0-	4 1.	1mm	SO 4	1
4-0-10-	0.0	0 mm	SO 4	5/8"
4-0-1-	0.0	0 mm	SO 4	4
4--1-	.0	etc.	SO 4	4
4--1-	.0	etc.	SO 4	1
4-0-1-	4 .0	30mm	SO 4	1
4-0-0-	4 .0	30mm	SO 4	1 14
4--0-	.0	38 mm	SO 4	1 14
4--4-	.0	38 mm	SO 4	1 1


CHAPTER 4:2 PRESS COUPLINGS



4223

M-threaded
Straight external SKS
24° sealing cone
PRODUCT GROUP 300

Item no.	Thread	Pipe	Type	Hose ID
4-14-0	14 1,	etc.	SS	1
4-14-04	14 1,	etc.	SS	14
4-1-0	1 1,	8mm	SS	1
4-1-04	1 1,	8mm	SS	14
4-1-04	1 1,	10mm	SS	14
4-1-0	1 1,	10mm	SS	1
4-1-0	1 1,	10mm	SS	3/8"
4-0-04	0 1,	1mm	SS	14
4-0-0	0 1,	1mm	SS	1
4-0-0	0 1,	1mm	SS	3/8"
4-0-0	1,	14 mm	SS	1
4--0	1,	14 mm	SS	3/8"
4--0	1,	14 mm	SS	1
4-4-0	4 1,	1mm	SS	1
4-0-10	0 0	0 mm	SS	5/8"
4-0-1	0 0	0 mm	SS	4
4--1	,0	etc.	SS	4
4--1	,0	etc.	SS	1
4-4-1	4 ,0	30mm	SS	1
4-4-0	4 ,0	30mm	SS	1 14
4--0	,0	38 mm	SS	1 14
4--4	,0	38 mm	SS	1 1




4226

Pipe spigot straight ST
PRODUCT GROUP 300

Item no.	Stud Ø	Type	Hose ID
4-0-0	etc.	S	1
4-0-0	etc.	S	1
4-0-04	etc.	S	14
4-0-0	8mm	S	1
4-0-04	8mm	S	14
4-10-04	10mm	S	14
4-10-0	10mm	S	1
4-10-0	10mm	S	3/8"
4-1-04	1mm	S	14
4-1-0	1mm	S	1
4-1-0	1mm	S	3/8"
4-1-0	1mm	S	1
4-14-0	14 mm	S	3/8"
4-14-0	14 mm	S	1
4-1-0	1mm	S	3/8"
4-1-0	1mm	S	1
4-1-10	1mm	S	5/8"
4-1-0	1mm	S	3/8"
4-1-0	1mm	S	1
4-1-0	1mm	S	1
4-1-10	1mm	S	5/8"
4-1-1	1mm	S	4
4-0-10	0 mm	S	5/8"
4-0-1	0 mm	S	4
4--10	etc.	S	5/8"
4--1	etc.	S	4
4--1	etc.	S	4
4--1	etc.	S	1
4--1	etc.	S	1
4-0-1	30mm	S	1
4-0-0	30mm	S	1 14
4--0 35mm		S	1 14
4--0 38mm		S	1 14
4--4 38mm		S	1 1
4-4-4	4mm	S	1 1






4227
Pipe spigot ST 90B

PRODUCT GROUP 300

Item no.	Stud Ø	Type	Hose ID
4-0-0	etc.	S 90	1
4-0-04	etc.	S 90	14
4-0-0	8mm	S 90	1
4-0-04	8mm	S 90	14
4-10-04	10mm	S 90	14
4-10-0	10mm	S 90	1
4-10-0	10mm	S 90	3/8"
4-1-04	1mm	S 90	14
4-1-0	1mm	S 90	1
4-1-0	1mm	S 90	3/8"
4-1-0	1mm	S 90	1
4-14-0	14 mm	S 90	3/8"
4-14-0	14 mm	S 90	1
4-1-0	1mm	S 90	3/8"
4-1-0	1mm	S 90	1
4-1-0	1mm	S 90	1
4-1-0	1mm	S 90	1
4-1-10	1mm	S 90	5/8"
4-1-1	1mm	S 90	4
4-0-10	0 mm	S 90	5/8"
4-0-1	0 mm	S 90	4
4--10	etc.	S 90	5/8"
4--1	etc.	S 90	4
4--1	etc.	S 90	4
4--1	etc.	S 90	1
4--1	etc.	S 90	1
4-0-1	30mm	S 90	1
4-0-0	30mm	S 90	1 14
4--0 35mm		S 90	1 14
4--0 38mm		S 90	1 14
4--4 38mm		S 90	1 1
4-4-4	4mm	S 90	1 1




4228
Pipe spigot ST 45B

PRODUCT GROUP 300

Item no.	Stud Ø	Type	Hose ID
4-0-0	etc.	S 4	1
4-0-04	etc.	S 4	14
4-0-0	8mm	S 4	1
4-0-04	8mm	S 4	14
4-10-04	10mm	S 4	14
4-10-0	10mm	S 4	1
4-10-0	10mm	S 4	3/8"
4-1-04	1mm	S 4	14
4-1-0	1mm	S 4	1
4-1-0	1mm	S 4	3/8"
4-1-0	1mm	S 4	1
4-14-0	14 mm	S 4	3/8"
4-14-0	14 mm	S 4	1
4-1-0	1mm	S 4	3/8"
4-1-0	1mm	S 4	1
4-1-0	1mm	S 4	1
4-1-0	1mm	S 4	1
4-1-10	1mm	S 4	5/8"
4-1-1	1mm	S 4	4
4-0-10	0 mm	S 4	5/8"
4-0-1	0 mm	S 4	4
4--10	etc.	S 4	5/8"
4--1	etc.	S 4	4
4--1	etc.	S 4	4
4--1	etc.	S 4	1
4--1	etc.	S 4	1
4-0-1	30mm	S 4	1
4-0-0	30mm	S 4	1 14
4--0 35mm		S 4	1 14
4--0 38mm		S 4	1 14
4--4 38mm		S 4	1 1
4-4-4	4mm	S 4	1 1

CHAPTER 4:2 PRESS COUPLINGS


4280



Banjo body
For BSP bolt

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID	Height
40-0-0	1	anjo	1	10.0mm
40-0-04	1	anjo	14	10.0mm
40-04-0	14	anjo	1	14.0mm
40-04-04	14	anjo	14	14.0mm
40-04-0	14	anjo	1	14.0mm
40-04-0	14	anjo	3/8"	14.0mm
40-0-04		anjo	14	1, mm
40-0-0		anjo	1	1, mm
40-0-0		anjo	3/8"	1, mm
40-0-0		anjo	1	1, mm
40-0-04	1	anjo	14	.0mm
40-0-0	1	anjo	3/8"	.0mm
40-0-0	1	anjo	1	.0mm
40-10-0		anjo	1	, etc.
40-10-10		anjo	5/8"	, etc.
40-1-0	4	anjo	1	9, mm
40-1-10	4	anjo	5/8"	9, mm
40-1-1	4	anjo	4	, etc.
40-1-1	1	anjo	1	, etc.




4280-01

G-threaded bolt
for BSP banjo

PRODUCT GROUP 300

Item no.	Thread	Type	Length
40-01-0	1	anjobolt	1, mm
40-01-04	14	anjobolt	9, mm
40-01-0		anjobolt	4.0mm
40-01-0	1	anjobolt	.0mm
40-01-10		anjobolt	4, mm
40-01-1	4	anjobolt	4.0mm
40-01-1	1	anjobolt	9.0mm




4281-01

G-threaded bolt double
for BSP banjo

PRODUCT GROUP 300

Item no.	Thread	Type	Length
41-01-04	14	anjo, double	4mm
41-01-0		anjo, double	49mm
41-01-0	1	anjo, double	etc.


4282



Banjo body
for metric bolt

PRODUCT GROUP 300

Item no.	Bolt-Thread	Type	Hose ID	Height
4-10-0	10 1.0	anjo	1	10.0mm
4-10-04	10 1.0	anjo	14	10.0mm
4-1-0	1 1,	anjo	1	1.0mm
4-1-04	1 1,	anjo	14	1.0mm
4-1-0	1 1,	anjo	1	1.0mm
4-14-0	14 1,	anjo	1	14.0mm
4-14-04	14 1,	anjo	14	14.0mm
4-14-0	14 1,	anjo	1	14.0mm
4-14-0	14 1,	anjo	3/8"	14.0mm
4-1-04	1 1,	anjo	14	1, mm
4-1-0	1 1,	anjo	1	1, mm
4-1-0	1 1,	anjo	3/8"	1, mm
4-1-04	1 1,	anjo	14	0, mm
4-1-0	1 1,	anjo	1	0, mm
4-1-0	1 1,	anjo	3/8"	0, mm
4-1-0	1 1,	anjo	1	0, mm
4-0-0	0 1,	anjo	3/8"	.0mm
4-0-0	0 1,	anjo	1	.0mm
4--0	1,	anjo	3/8"	, etc.
4--0	1,	anjo	1	, etc.
4--10	1,	anjo	5/8"	, etc.
4--1	1,	anjo	4	9, mm
4-0-1	0 1,	anjo	4	0.0mm
4-0-1	0 1,	anjo	1	.0mm




4282-01

M-threaded bolt
For metric banjo

PRODUCT GROUP 300

Item no.	Thread	Type	Length
4-01-10	101.0	anjobolt	1, mm
4-01-1	11,	anjobolt	, etc.
4-01-14	141,	anjobolt	0, mm
4-01-1	11,	anjobolt	, etc.
4-01-1	11,	anjobolt	, etc.
4-01-0	01,	anjobolt	9, mm
4-01-	1,	anjobolt	41, mm
4-01-	1,	anjobolt	4, mm
4-01-0	01,	anjobolt	.0mm




*)Double hexagon

4290**ORFS**
Straight inner.


PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
490-04-04*	91-1	Olympics	14
490-04-0	91-1	Olympics	3/8"
490-0-04	111-1	Olympics	14
490-0-0*	111-1	Olympics	3/8"
490-0-0	111-1	Olympics	1
490-0-0	11-1	Olympics	1
490-0-0*	11-1	Olympics	1
490-10-0	1-14 S	Olympics	1
490-1-0	1 1-1	Olympics	1
490-10-10*	1-14 S	Olympics	5/8"
490-1-10	1 1-1	Olympics	5/8"
490-1-1*	1 1-1	Olympics	4
490-1-1	1 1-1	Olympics	4
490-1-1*	1 1-1	Olympics	1
490-0-1	1 111-1	Olympics	1
490-0-0	1 111-1	Olympics	1 14
490-4-4	-1	Olympics	1 1

**4290~2****ORFS**
Straight inner.


PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
490-04-04-	91-1	Olympics I	14
490-0-04-	111-1	Olympics I	14
490-0-0-	111-1	Olympics I	1
490-0-0-	111-1	Olympics I	3/8"
490-0-0-	11-1	Olympics I	3/8"
490-0-0-	11-1	Olympics I	1
490-10-0-	1-14 S	Olympics I	1
490-10-10-	1-14 S	Olympics I	5/8"
490-1-0-	1 1-1	Olympics I	1
490-1-10-	1 1-1	Olympics I	5/8"
490-1-1-	1 1-1	Olympics I	4
490-1-1-	1 1-1	Olympics I	4
490-1-1-	1 1-1	Olympics I	1
490-0-1-	1 111-1	Olympics I	1
490-0-0-	1 111-1	Olympics I	1 14
490-4-4-	-1	Olympics I	1 1

**4291****ORFS**
90° bend, internal.


PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
491-04-04	91 -1	Olympic Games 90 I	14
491-0-0	111-1	Olympic Games 90 I	3/8"
491-0-0	111-1	Olympic Games 90 I	1
491-0-0	11-1	Olympic Games 90 I	1
491-10-0	1- 14 S OS 90 I		1
491-10-10	1-14 S OS 90 I		5/8"
491-1-1	1 1-1	Olympic Games 90 I	4
491-1-1	1 1-1	Olympic Games 90 I	1
491-0-1	111-1	Olympic Games 90 I	1
491-0-0	1 111-1 OS 90 I		1 14
491-4-4	-1	Olympic Games 90 I	1 1

**4291~2****ORFS**
90° bend, internal.

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
491-04-04-	91-1	Olympic Games 90 I	14
491-0-04-	111-1	Olympic Games 90 I	14
491-0-0-	111-1	Olympic Games 90 I	1
491-0-0-	111-1	Olympic Games 90 I	3/8"
491-0-0-	11-1	Olympic Games 90 I	3/8"
491-0-0-	11-1	Olympic Games 90 I	1
491-10-0-	1-14 S	Olympic Games 90 I	1
491-10-10-	1-14 S	Olympic Games 90 I	5/8"
491-1-0-	1 1-1	Olympic Games 90 I	1
491-1-10-	1 1-1	Olympic Games 90 I	5/8"
491-1-1-	1 1-1	Olympic Games 90 I	4
491-1-1-	1 1-1	Olympic Games 90 I	4
491-1-1-	1 1-1	Olympic Games 90 I	1
491-0-0-	1 111-1	Olympic Games 90 I	1 14
491-4-4-	-1	Olympic Games 90 I	1 1

**4291~7****ORFS card**
90° bend, ISO 12151-1

PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
491-04-04-	91-1	Olympic Games 90 I	14
491-0-0-	111-1	Olympic Games 90 I	3/8"
491-0-04-	11-1	Olympic Games 90 I	14
491-0-0-	11-1	Olympic Games 90 I	1
491-10-10-	1-14 S OS 90 I		5/8"
491-10-1-	1-14 S OS 90 I		4
491-1-1-	1 1-1	Olympic Games 90 I	4
491-1-1-	1 1-1	Olympic Games 90 I	1


CHAPTER 4:2 PRESS COUPLINGS



4292
ORFS
45° bend, internal.

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
49-04-04	91-1	Olympics 4 I	14
49-0-04	111-1	Olympics 4 I	14
49-0-0	111-1	Olympics 4 I	3/8"
49-0-0	11-1	Olympics 4 I	1
49-10-10	1-14 S	Olympics 4 I	5/8"
49-1-1	1 1	Olympics 4 I	4
49-1-1	1 1-1	Olympics 4 I	4
49-1-1	1 1-1	Olympics 4 I	1
49-0-0	1 111-1	Olympics 4 I	1 14
49-4-4	-1	Olympics 4 I	1 1



4292~2
ORFS
45° bend, internal.

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
49-04-04-	91-1	Olympics 4 I	14
49-0-04-	111-1	Olympics 4 I	14
49-0-0-	111-1	Olympics 4 I	1
49-0-0-	111-1	Olympics 4 I	3/8"
49-0-0-	11-1	Olympics 4 I	3/8"
49-0-0-	11-1	Olympics 4 I	1
49-10-0-	1-14 S OS 4 I	Olympics 4 I	1
49-10-10-	1-14 S	Olympics 4 I	5/8"
49-1-0-	1 1-1	Olympics 4 I	1
49-1-10-	1 1-1	Olympics 4 I	5/8"
49-1-1-	1 1-1	Olympics 4 I	4
49-1-1-	1 1-1	Olympics 4 I	4
49-1-1-	1 1-1	Olympics 4 I	1
49-0-0-	1 111-1	Olympics 4 I	1 14
49-4-4-	-1	Olympics 4 I	1 1



4295
ORFS
Straight outer.

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
49-04-04	91-1	Olympics	14
49-0-04	111-1	Olympics	14
49-0-0	111-1	Olympics	1
49-0-0	111-1	Olympics	3/8"
49-0-0	11-1	Olympics	3/8"
49-0-0	11-1	Olympics	1
49-10-0	1-14 S Olympics	Olympics	3/8"
49-10-0	1-14 S Olympics	Olympics	1
49-10-10	1-14 S Olympics	Olympics	5/8"
49-1-0	1 1-1	Olympics	1
49-1-10	1 1-1	Olympics	5/8"
49-1-1	1 1-1	Olympics	4
49-1-1	1 1-1	Olympics	4
49-1-1	1 1-1	Olympics	1
49-0-1	1 111-1	Olympics	1
49-0-0	1 111-1	Olympics	1 14
49-4-4	-1	Olympics	1 1



4276
Sticko UF

PRODUCT GROUP 300

Item no.	Head	Type	Hose ID
4-04-04	14	Sticko	14
4-0-0	3/8"	Sticko	3/8"
4-0-0	1	Sticko	1
4-1-1	4	Sticko	4
4-1-1	1	Sticko	1
4-0-0	1 14	Sticko	1 14




4277
Hose joint

PRODUCT GROUP 300

Item no.	Head	Type	Hose ID
4-0-0	1	Hose joint	1
4-04-04	14	Hose joint	14
4-0-0	1	Hose joint	1
4-0-0	3/8"	Hose joint	3/8"
4-0-0	1	Hose joint	1
4-10-10	5/8"	Hose joint	5/8"
4-1-1	4	Hose joint	4
4-1-1	1	Hose joint	1
4-0-0	1 14	Hose joint	1 14
4-4-4	1 1	Hose joint	1 1
4--		Hose joint	




**4284****M JI**

Japanese standard
Komatsu 60° taper

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
44-14-04	14 1.	.	14
44-14-0	14 1.	.	3/8"
44-1-0	1 1.	.	1
44-1-0	1 1.	.	3/8"
44-1-0	1 1.	.	3/8"
44-0	1.	.	1
44-4-0	4 1.	.	1
44-4-10	4 1.	.	5/8"
44-0-1	0 1.	.	4
44-1-1	1.	.	1
44-0	1.	.	1 14
44-4-4	4 1.	.	1 1

**4287****G JI**

Japanese standard
"Toyota" 60° cone


PRODUCT GROUP 300

Item no.	Thread	Type	Hose ID
4-04-04	14	.	14
4-0-0	.	.	3/8"
4-0-0	1	.	1
4-1-1	4	.	4
4-1-1	1	.	1
4-0-0	1 14	.	1 14
4-4-4	1 1	.	1 1

**4231****Kobelco**

PRODUCT GROUP 300


Item no.	Thread	Pipe	Type	Hose ID
41-0-10	0 1.	etc.	obelco	5/8"
41-1	1.	etc.	obelco	4
41-1	1.	etc.	obelco	1
41-4-1	4 1.	35mm	obelco	1

**4233~2****M-threaded**

Straight inner.
Universal cone

PRODUCT GROUP 300


Item no.	Thread	Pipe	Type	Hose ID
4-0-0-	1 1.	etc.	.	1
4-0-04-	1 1.	etc.	.	14
4-0-04-	14 1.	8mm	.	14
4-10-04-	1 1.	10mm	.	14
4-10-0-	1 1.	10mm	.	1
4-10-0-	1 1.	10mm	.	3/8"
4-1-0-	1 1.	1mm	.	1
4-1-0-	1 1.	1mm	.	3/8"
4-1-0-	1.	1mm	.	3/8"
4-1-0-	1.	1mm	.	1
4-1-10-	1.	1mm	.	5/8"

**4234~2****M-threaded**

90° bend
Universal cone

PRODUCT GROUP 300


Item no.	Thread	Pipe	Type	Hose ID
44-0-04-	14 1.	8mm	90	14
44-10-04-	1 1.	10mm	90	14
44-10-0-	1 1.	10mm	90	1
44-1-0-	1 1.	1mm	90	3/8"
44-1-0-	1.	1mm	90	3/8"
44-1-0-	1.	1mm	90	1
44-1-10-	1.	1mm	90	5/8"

**4235~2****M-threaded**

45° bend inward.
Universal cone

PRODUCT GROUP 300

Item no.	Thread	Pipe	Type	Hose ID
4-0-04-	14 1.	8mm	4	14
4-10-04-	1 1.	10mm	4	14
4-10-0-	1 1.	10mm	4	1
4-1-0-	1 1.	1mm	4	3/8"
4-1-0-	1.	1mm	4	1


**4221****French type**

M-thread straight external.
24° cone, connection for inch pipe

PRODUCT GROUP 300

Item no.	Thread	Pipe	Type	Hose ID
41-0-0	0 1.	1. mm	.	3/8"
41-4-0	4 1.	1. mm	.	1
41-0-10	0 1.	1. mm	.	5/8"
41-0-1	0 1.	1. mm	.	4
41-1	1.	, etc.	.	4
41-4-1	4 1.	.0mm	.	1


CHAPTER 4:2 PRESS COUPLINGS

**4224~2**

French type
M-thread IR

PRODUCT GROUP 300


Item no.	Thread	Pipe	Type	Hose ID
44-0-0-	0 1.	1. mm I		3/8"
44-4-0-	4 1.	1. mm I		1
44-0-1-	0 1.	1. mm I		4
44-1-1-	1.	1. mm I		4
44-4-1-	4 1.	1.0 mm I		1

**4298**

M-threaded
Straight inner.
Flat seal

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
49-14-04	14 1.	-	14
49-1-0	1 1.	-	3/8"
49-1-0	1 1.	-	3/8"
49--0	1.	-	3/8"
49--0	1.	-	1

**4373**

DKSO special
High-pressure washing

PRODUCT GROUP 300


Item no.	Thread	Type	Hose ID
4-14-04	1.	SO I	14
4-14-0	1.	SO I	1
4-14-0	1.	SO I	3/8"

**4374**

Handle coupling
High-pressure washing

PRODUCT GROUP 300


Item no.	Type	Hose ID
44-00-04	intake nipple	14
44-00-0	intake nipple	1
S999-01-	rich 10	

**4374-11**

High-pressure washer connection
With bearing and washer

PRODUCT GROUP 300


Item no.	A	B	C	Hose ID
44-11-04S	11 mm	mm 1 mm		14
44-11-0S	11 mm	mm 1 mm		1

**3C14 710**

Plug-in coupling
Straight R1/R2 hose

PRODUCT GROUP 300


Item no.	Type	WEO	Hose ID
1410040	lug-in straight	10mm	1
14100404	lug-in straight	10mm	14
1410004	lug-in straight	1mm	14
141000	lug-in straight	1mm	1
141000	lug-in straight	1mm	3/8"
141000	lug-in straight	1mm	3/8"
141000	lug-in straight	1mm	1
141010	lug-in straight	etc.	1
1410110	lug-in straight	etc.	5/8"
141011	lug-in straight	etc.	4
141011	lug-in straight	30mm	1

**3C14 712**

Plug-in coupling 45°
R1/R2 hose

PRODUCT GROUP 300

Item no.	Type	WEO	Hose ID
1410404	lug-in 4	10mm	14
141004	lug-in 4	1mm	14
14100	log in 4	1mm	1
14100	log in 4	1mm	3/8"
14100	log in 4	1mm	3/8"
14100	log in 4	1mm	1
14110	log in 4	etc.	1
141110	log in 4	etc.	5/8"
14111	log in 4	etc.	4

**3C14 714**

Plug-in coupling 90°
R1/R2 hose

PRODUCT GROUP 300

Item no.	Type	WEO	Hose ID
14140404	lug-in 90	10mm	14
1414004	lug-in 90	1mm	14
141400	lug-in 90	1mm	1
141400	lug-in 90	1mm	3/8"
141400	lug-in 90	1mm	3/8"
141400	lug-in 90	1mm	1
141410	lug-in 90	etc.	1
1414110	lug-in 90	etc.	5/8"
141411	lug-in 90	etc.	4



3C14 748
Dismantling ring

PRODUCT GROUP 300

Item no.	Type		WEO	Qty/pack
1440400	14	removal ring	10mm	10
144000		removal ring	1mm	10
144000 1		removal ring	1mm	10
144100	4	removal ring	etc.	10
144100 1		removal ring	30mm	10



3C14 749
Assembly stop

PRODUCT GROUP 300

Item no.	Type		WEO	Qty/pack
14490400	14	installation stop	10mm	10
1449000		installation stop	1mm	10
1449001	1	installation stop	1mm	10
1449100	4	installation stop	etc.	10
1449100	1	installation stop	30mm	10


TrackingCode



4:2

A unique code is mounted for efficient and accurate hose and coupling identification!

TrackingCode makes hose replacement easier and minimizes downtime.



HoseExpress

One number - throughout Sweden

020-46 46 00