




Inspection (B markets*)
911 Carrera / S / T / GTS
as of 2025 model

Name	<input type="text"/>	Date	<input type="text"/>
Licence No.	<input type="text"/>	Mileage	<input type="text"/>
Vehicle Ident. No.	<input type="text"/>	Order No.:	<input type="text"/>

Inspection at 30000, 60000, 90000, 120000 km/20000, 40000, 60000, 80000 miles etc.
(For descriptions of the individual maintenance tasks, see: PCSS - Porsche Central Service System -> Information media -> Workshop Manual)

Note If the mileage for an inspection is not reached, an inspection must be carried out every 2 years at the latest.
The term 'checking' includes all necessary subsequent work, such as adjustments, readjustments, corrections and topping up, but does not include repairs, replacements or overhaul of parts or assemblies.

		911 Carrera / S / T	GTS	Every 30 tkm/ 20 tmls or 2 years	Every 45 tkm/ 30 tmls or 4 years	Every 60 tkm/ 40 tmls or 4 years	Every 90 tkm/ 60 tmls or 6 years	Every 120 tkm/ 80 tmls or 6 years	Every 180 tkm/ 120 tmls or 12 years	Time-dependent
	Electrics	Measures								
		Windscreen wiper/washer system, headlight cleaning system: check function		<input type="checkbox"/>						
		Horn: check function		<input type="checkbox"/>						
		Tyres: check tyre pressure (TPM)		<input type="checkbox"/>						
		Diagnostic system: read out fault memory; reset maintenance interval		<input type="checkbox"/>						
		Check actuator travel of brake shoes		<input type="checkbox"/>						
		Vehicles with Connect: Resetting Smart Service values for the replaced components		<input type="checkbox"/>						<input type="checkbox"/>
	Inside the vehicle	Particle filter: replace filter element		<input type="checkbox"/>						
		Seat belts: check function and condition		<input type="checkbox"/>		<input type="checkbox"/>				
		Door locks: check function		<input type="checkbox"/>		<input type="checkbox"/>				
		12V battery vent hose: Checking condition		<input type="checkbox"/>						
	Luggage compartment	Check front lid lock and safety hook of the front lid to ensure that they are secure and function properly		<input type="checkbox"/>						
		Replace air intake pre-filter		<input type="checkbox"/>						
		Windscreen wiper/washer system: check fluid level; check window cleaner and antifreeze, depending on the season, use Porsche approved windscreen cleaner only		<input type="checkbox"/>						

* For country allocation, see overview of A, B and C markets

☐ Carry out depending on mileage/age (Please tick)

☐ Relevant model line




☐ OK (one click) ☐ Not OK (double-click) ☐ Repaired (triple-click)

Copyright by

Dr. Ing. h. c. F. Porsche AG

Vertrieb After Sales Technik 04/25

Inspection (B markets*)
911 Carrera / S / T / GTS
as of 2025 model

		Measures		911 Carrera / S / T	GTS	Every 30 tkm/20 tmls or 2 years	Every 45 tkm/30 tmls or 4 years	Every 60 tkm/40 tmls or 4 years	Every 90 tkm/60 tmls or 6 years	Every 120 tkm/80 tmls or 6 years	Every 180 tkm/120 tmls or 12 years	Time-dependent
	Luggage compartment	Warning sticker: Check for presence and replace missing stickers (only warning stickers in visible area)			•	<input type="checkbox"/>						
		Visual inspection: Service Disconnect (high-voltage system maintenance connector) for soiling and damage			•	<input type="checkbox"/>						
	Outside the vehicle	Check wiper blades	•	•	<input type="checkbox"/>							
		All headlights: check adjustment	•	•	<input type="checkbox"/>							
		Radiator and air intakes (including charge-air intakes under rear lid): visual inspection for external contamination and blockage	•	•	<input type="checkbox"/>							
		Brake system: check brake pads and brake discs for wear	•	•	<input type="checkbox"/>		<input type="checkbox"/>					
		Brake system: check brake pads and brake discs for wear (without removing wheels)	•	•	<input type="checkbox"/>							
		Service and maintain convertible top	•	•	<input type="checkbox"/>							
		Service and maintain sunroof	•	•	<input type="checkbox"/>							
		Service and maintain Targa roof		•	<input type="checkbox"/>							
		Air cleaner: replace filter elements	•			<input type="checkbox"/>						
	Under the vehicle	Drain engine oil	•	•	<input type="checkbox"/>							
		Change oil filter		•	<input type="checkbox"/>							
		Underbody panels: visual inspection for completeness, secure installation and damage	•	•	<input type="checkbox"/>		<input type="checkbox"/>					
		Tyres: check condition	•	•	<input type="checkbox"/>							
		Visual inspection for leaks from underneath (oils and other fluids)	•	•	<input type="checkbox"/>		<input type="checkbox"/>					
		Brake lines: visual inspection for damage, routing and corrosion	•	•	<input type="checkbox"/>							
		Brake hoses: visual inspection for damage	•	•	<input type="checkbox"/>							
		Steering gear: visual inspection of the bellows for damage	•	•	<input type="checkbox"/>		<input type="checkbox"/>					
		Tie rod joints: check play and dust bellows	•	•	<input type="checkbox"/>		<input type="checkbox"/>					

* For country allocation, see overview of A, B and C markets


☐ Carry out depending on mileage/age (Please tick)

• Relevant model line

☒ OK (one click) ☐ Not OK (double-click) ☒ Repaired (triple-click)

Copyright by
Dr. Ing. h. c. F. Porsche AG
Vertrieb After Sales Technik 04/25

Inspection (B markets*)
911 Carrera / S / T / GTS
as of 2025 model

		911 Carrera / S / T	GTS	Every 30 tkm/20 tmls or 2 years	Every 45 tkm/30 tmls or 4 years	Every 60 tkm/40 tmls or 4 years	Every 90 tkm/60 tmls or 6 years	Every 120 tkm/80 tmls or 6 years	Every 180 tkm/120 tmls or 12 years	Time-dependent
	Under the vehicle	Drive shafts: visual inspection of the boots for leaks and damage	•	•	<input type="checkbox"/>					
		Check that the threaded connections of the drive shafts on the front axle are secure		•			<input type="checkbox"/>			
		Axle joints: visually inspect the dust boots for damage	•	•		<input type="checkbox"/>				
		Ancillary unit mounts and chassis: visual inspection of all rubber mounts for damage	•	•				<input type="checkbox"/>		
		Rear-axle steering: check bellows, dust boots and play on joints		•		<input type="checkbox"/>				
		Exhaust system: Visual inspection for leaks and damage, check brackets	•	•		<input type="checkbox"/>				
		Replace spark plugs	•	•	<input type="checkbox"/>					
		Controlled all-wheel drive: change oil		•			<input type="checkbox"/>			
		All-wheel final drive: change oil		•					<input type="checkbox"/>	
		Manual transmission: change oil	•						<input type="checkbox"/>	
		PDK transmission: change transmission oil	•	•					<input type="checkbox"/>	
		PDK transmission: change clutch fluid (ATF)	•	•			<input type="checkbox"/>			
		PDCC: Replacing filter insert in rear-axle valve block		•				<input type="checkbox"/>		
	Engine compartment	Change oil filter	•		<input type="checkbox"/>					
		Fill in engine oil	•	•	<input type="checkbox"/>					
		Coolant: check level and antifreeze	•	•	<input type="checkbox"/>					
		Check drive belt	•			<input type="checkbox"/>				
		Replace drive belt	•				<input type="checkbox"/>			
		Fuel lines and connections: visual inspection	•	•		<input type="checkbox"/>				
		Air cleaner: replace filter elements		•		<input type="checkbox"/>				
	Additional work every 2 years	Change brake fluid (use only original Porsche brake fluid)	•	•						<input type="checkbox"/>
		Prepare condition report for long-life guarantee	•	•						<input type="checkbox"/>

* For country allocation, see overview of A, B and C markets



☐ Carry out depending on mileage/age (Please tick)

• Relevant model line

☐ OK (one click) ☐ Not OK (double-click) ☒ Repaired (triple-click)

Copyright by
Dr. Ing. h. c. F. Porsche AG
Vertrieb After Sales Technik 04/25

Inspection (B markets*)
911 Carrera / S / T / GTS
as of 2025 model

Measures			911 Carrera / S / T	GTS	Every 30 tkm/20 tmls or 2 years	Every 45 tkm/30 tmls or 4 years	Every 60 tkm/40 tmls or 4 years	Every 90 tkm/60 tmls or 6 years	Every 120 tkm/80 tmls or 6 years	Every 180 tkm/120 tmls or 12 years	Time-dependent
	Additional work every 2 years	Tyre sealing compound: check use-by date and replace if necessary	•	•							<input type="checkbox"/>
	Test drive	Remote control, front seats, electric parking brake and foot brake (also actuation travel), engine, clutch, steering, transmission, ParkAssist, cruise control, PSM switch, PASM switch, Sport switch, mode-switch, lift-switch, sports exhaust system, door mirror fold-in function, heating, air conditioning and instruments: check function	•	•	<input type="checkbox"/>						
		Oils, fluids: visual inspection for leaks	•	•	<input type="checkbox"/>						

Signature (mechanic): _____

Stamp Porsche Centre

* For country allocation, see overview of A, B and C markets

☐ Carry out depending on mileage/age (Please tick)

• Relevant model line

☒ OK (one click) ☐ Not OK (double-click) ☒ Repaired (triple-click)

Copyright by
Dr. Ing. h. c. F. Porsche AG
Vertrieb After Sales Technik 04/25