

Achter de schermen bij



Raymond Nijssen




Terglubo / OpenGeoGroep

r.nijssen@terglubo.nl




QGIS Desktop




2002

C++ PostGIS viewer voor Linux

Gary Sherman



Juli 2002 QGIS ontwikkeling



Dag
26









Door Urban op de Franstalige Wikipedia - From French fr:Image:Orangerie.jpg, personal photo under GFDL license by fr:Utilisateur:Urban, CC-BY-SA 3.0, <https://commons.wikimedia.org/w/index.php?curid=50951>

Augustus 2017 QGIS ontwikkeling



QGIS 2.18.13



github

GitHub, Inc. (US) https://github.com/qgis/QGIS 110% ... Search

This repository Search Pull requests Issues Marketplace Explore

qgis / QGIS Watch 263 Unstar 1,673 Fork 1,143

Code Pull requests 101 Projects 0 Wiki Insights


QGIS is a free, open source, cross platform (lin/win/mac) geographical information system (GIS) <http://qgis.org>

43,922 commits 47 branches 95 releases 244 contributors GPL-2.0

Branch: master New pull request Create new file Upload files Find file Clone or download

Commit	Message	Time
	nyalldawson Merge pull request #5686 from nyalldawson/encoding ...	Latest commit b058df7 9 hours ago
	.ci/travis Disable WMS server test	2 days ago
	.docker Disable message hook and import override at runtime	a month ago
	.github Rename CONTRIBUTE.md to CONTRIBUTING.md	16 days ago
	.tx [i18n] integrate esperanto translation	11 months ago
	cmake Bump minimum spatialite version to 4.2	6 days ago
	cmake_templates Don't use thread_local on mingw or OpenBSD builds	16 days ago
	debian Get rid of PySpatiaLite	24 days ago
	doc switch display between identification section and provider in the met...	13 hours ago
	editors/QtCreator Add header to Qt templates	8 months ago

code



2007

Incubatie bij OSGeo.org

Incubating Projects

Desktop Applications

Opticks

Geospatial Libraries

MetaCRS

Web Mapping

istSOS

PyWPS

Team Engine

ZOO-Project

OSGeo Projects

Content Management Systems

GeoNode

Desktop Applications

GRASS GIS

gvSIG

Marble

QGIS

Geospatial Libraries

FDO

GDAL/OGR

GEOS

GeoTools

Orfeo ToolBox (OTB)

OSSIM

PostGIS

Metadata Catalogs

GeoNetwork

pycsw

Web Mapping

deegree

geomajas

GeoMOOSE

GeoServer

Mapbender

MapFish

MapGuide Open Source

MapServer

OpenLayers



2007 PSC



Tim Sutton



Anita Gräser



Paolo Cavalini



Gary Sherman



Andreas Neumann




Richard Duivenvoorde



Jürgen Fischer

2015

QGIS.ORG




Verein im Sinne des Schweizerischen
Zivilgesetzbuches (Art. 60-79 ZGB)

Bijdragen?




C++



The screenshot shows a code editor window with the file `qgsmaplayer.cpp` open. The code is a C++ implementation of the `loadNamedStyleFromDatabase` method. It uses SQLite3 to query a database for a named style and returns it as a QML string. The code includes error handling for empty databases and non-existent files. The code editor has a dark theme with syntax highlighting for C++ keywords and comments.

```
1096 1 return loadNamedStyle( styleURI(), resultFlag );
1097 }
1098
1099 bool QgsMapLayer::loadNamedStyleFromDatabase( const QString &db, const QString &uri, QString &qml )
1100 {
1101     QgsDebugMsgLevel( QString( "db = %1 uri = %2" ).arg( db, uri ), 4 );
1102
1103     bool resultFlag = false;
1104
1105     // read from database
1106     sqlite3 *myDatabase = nullptr;
1107     sqlite3_stmt *myPreparedStatement = nullptr;
1108     const char *myTail = nullptr;
1109     int myResult;
1110
1111     QgsDebugMsgLevel( QString( "Trying to load style for \"%1\" from \"%2\"" ).arg( uri, db ), 4 );
1112
1113     if ( db.isEmpty() || !QFile( db ).exists() )
1114         return false;
1115
1116     myResult = sqlite3_open_v2( db.toUtf8().data(), &myDatabase, SQLITE_OPEN_READONLY, nullptr );
1117     if ( myResult != SQLITE_OK )
1118     {
1119         return false;
1120     }
1121
1122     QString mySql = QStringLiteral( "select qml from tbl_styles where style=?" );
1123     myResult = sqlite3_prepare( myDatabase, mySql.toUtf8().data(), mySql.toUtf8().length(), &myPreparedStatement, &myTail );
1124     if ( myResult == SQLITE_OK )
1125     {
1126         QByteArray param = uri.toUtf8();
1127
1128         if ( sqlite3_bind_text( myPreparedStatement, 1, param.data(), param.length(), SQLITE_STATIC ) == SQLITE_OK &&
1129             sqlite3_step( myPreparedStatement ) == SQLITE_ROW )
1130         {
1131             qml = QString::fromUtf8( reinterpret_cast< const char * >( sqlite3_column_text( myPreparedStatement, 0 ) ) );
1132             resultFlag = true;
1133         }
1134
1135         sqlite3_finalize( myPreparedStatement );
1136     }
1137
1138     sqlite3_close( myDatabase );
1139 }
1140
1141 salite3 close( mvDatabase );
```

Python

A screenshot of a code editor interface showing two files side-by-side. The left file, titled 'qgsmaplayer.cpp', contains C++ code with line numbers 139 to 170. The right file, titled 'aniosm.py', contains Python code with line numbers 139 to 170. Both files show code related to QAction and QIcon. The code editor has a dark theme and multiple panes visible on the right side.

```
139     added to self.actions list.
140     :rtype: QAction
141     """
142
143     icon = QIcon(icon_path)
144     action = QAction(icon, text, parent)
145     action.triggered.connect(callback)
146     action.setEnabled(enabled_flag)
147
148     if status_tip is not None:
149         action.setStatusTip(status_tip)
150
151     if whats_this is not None:
152         action.setWhatsThis(whats_this)
153
154     if add_to_toolbar:
155         self.toolbar.addAction(action)
156
157     if add_to_menu:
158         self.iface.addPluginToWebMenu(
159             self.menu,
160             action)
161
162     self.actions.append(action)
163
164     return action
165
166
167 def initGui(self):
168     """Create the menu entries and toolbar icons inside the QGIS GUI."""
169
170     icon_path = ':/plugins/AnimateOsm/icon.png'
```

Documenteren

Handmatig in het kaartvenster selecteren

U kunt een van de volgende gereedschappen gebruiken om één of meerdere objecten met de muis te selecteren:

-  Objecten selecteren per gebied of met een enkele klik
-  Objecten met een polygoon selecteren
-  Objecten selecteren door er overheen te tekenen
-  Objecten met cirkel selecteren



Notitie

Met uitzondering van het gereedschap  Objecten met een polygoon selecteren, stellen deze gereedschappen voor handmatig selecteren u in staat object(en) in het kaartvenster te selecteren met één enkele klik.

Ingedrukt houden van **Shift** of **Ctrl** tijdens het gebruiken van het gereedschap  **Object(en) selecteren**, schakelt of het object is geselecteerd (d.i. ofwel voegt het aan de huidige selectie toe of verwijdert het daar uit).

Vertalen

Language	Finished %	Translators
German	99.9	Jürgen E. Fischer, Stephan Holl, Otto Dassau, Werner Macho
Swedish	97.8	Victor Axbom, Lars Luthman, Magnus Homann, Klas Karlsson, Isabelle J Wigren, Daniel Rosander, Anders Ekwall, Magnus Nilsson, Jonas Svensson, Christian Brinkenberg
Basque	97.6	Asier Sarasua Garmendia, Irantzu Alvarez
Galician	97.6	Xan Vileiro
Dutch	97.5	Richard Duivenvoorde, Raymond Nijssen, Carlo van Rijswijk, Diethard Jansen, Willem Hoffmans, Dick Groskamp
Romanian	97.5	Sorin Călinică, Tudor Bărăscu, Georgiana Ioanovici, Alex Bădescu, Lonut Losifescu-Enescu, Bogdan Pacurari
Portuguese (Brazil)	97.5	Sidney Schaberle Goveia, Arthur Nanni, Marcelo Soares Souza, Narcélio de Sá Pereira Filho, Leônidas Descovi Filho, Felipe Sodré Barros, Arnaud Morvan, Augustin Roche, DelazJ, Didier Vanden Berghe, Dofabien, etrimaille, Jean-Roc Moreale, Jérémie Garniaux, Loïc Buscoz, Lsam, Marc-André Saia, Marie Silvestre, Mathieu Bossaert, Mathieu Lattes, Mayeul Kauffmann, Médéric Ribreux, Mehdi Semchaoui, Michael Douchin, Nicolas Boistreault, Nicolas Richard, Pascal Obstetar, Robin Prest, Rod Bera, Stéphane Henrion, Stéphane Possamai, sylther, Sylvain Badey, Sylvain Maillard, Vincent Picavet, Xavier Tardieu, Yann Levellie-Menez, yoda89
French	97.5	Almir Karabegovic
Bosnian	96.8	Jacob Overgaard Madsen, Bo Victor Thomsen
Danish	95.9	Carlos Dávila, Javier César Aldariz, Gabriela Awad, Edwin Amado, Mayeul Kauffmann, Diana Galindo
Spanish	95.0	BABA Yoshihiko, Yoichi Kayama, Minoru Akagi, Takayuki Niimura, Takayuki Mizutani, Norihiro Yamate
Hungarian	89.7	Zoltan Siki
Vietnamese	88.7	Phùng Văn Doanh, Bùi Hữu Mạnh, Nguyễn Văn Thành, Nguyễn Hữu Phúc, Cao Minh Tu
Chinese simplified	87.2	Calvin Ngel, Lisashen
Portuguese (Portugal)	83.9	Giovanni Manghi, Joana Simões, Duarte Carreira, Alexandre Neto, Pedro Pereira, Pedro Palheiro, Nelson Silva, Ricardo Sena, Leandro Infantini, João Gaspar
Russian	83.9	Alexander Bruy, Artem Popov
Polish	80.3	Robert Szczepanek, Milena Nowotarska, Borys Jurgiel, Mateusz Łoskot, Tomasz Paul, Andrzej Świader, Radosław Pasłok, Michał Kulach, Ewelina Krawczak, Michał Smoczyk, Jakub Bobrowski
Norwegian Bokmal	79.5	James Stott, Maléne Peterson
Czech	79.3	Jan Helebrant, Martin Landa, Peter Antolík, Martin Dzurov, Stanislav Horáček
Chinese traditional	76.6	Calvin Ngel, Zhang Jun, Richard Xie
Finnish	76.6	Kari Mikkonen, Matti Mäntynen
Italian	76.5	Roberto Angeletti, Michele Beneventi, Marco Braida, Stefano Campus, Luca Casagrande, Paolo Cavallini, Giuliano Curti, Luca Delucchi, Alessandro Fanna, Michele Ferretti, Matteo Ghetta, Anne Gishia, Maurizio Napolitano, Flavio Rigolon
Estonian	72.0	Velko Vill
Catalan	70.2	Albert F, Pau Reguant Ridó, Xavier Roijals

The screenshot shows the QGIS website at <https://www.qgis.org/ko/site/index.html>. The page header includes the QGIS logo, version information (2.18.14 new LTR, 2.14.20 previous LTR), and language links (한국어). The main content features a large green banner with the text "Get ready for QGIS 3" and "Test the release candidate now!". Below the banner, there's a section for reporting issues with the development version. The bottom right corner has a "QGIS 후원하기" button.

Vertalen

transifex ≡ QGIS ▼  5

◀ qgis-application English (en) → Dutch (nl) ▼ Overview 🔍 ⚙️

All	Untranslated	Unreviewed
22217	0	22216
All	Untranslated	Unreviewed

× □

● Executing iteration 1 {0}/{1}...	Uitvoeren van iteratie 1 {0}/{1}...	<input type="checkbox"/>
● All files (*.*) 2	Alle bestanden (*.*)	<input type="checkbox"/>
● {0} files (*.{1}) 3	{0} bestanden (*.{1})	<input type="checkbox"/>
● {0} files (*.{1}) 4	{0} bestanden (*.{1})	<input type="checkbox"/>
● All files (*.*) 5	Alle bestanden (*.*)	<input type="checkbox"/>

TRANSLATED BY DIGRO , 9 MONTHS AGO.

Executing iteration {0}/{1}...

□ ⚡ ⟳ &

Uitvoeren van iteratie {0}/{1}...

Docs API Integrations Blog Status Contact Privacy Terms ^ English Transifex © 2017

Bugs melden

https://issues.qgis.org/projects/qgis/issues

Home My page Projects Help

Logged in as raymondnijsen My account Sign out

QGIS » QGIS Application

Search QGIS Application

Overview Activity Roadmap Issues New issue Repository Settings

Issues

Filters Status open Add filter

Options Apply Clear Save

#	Tracker	Status	Priority	Subject	Assignee	Updated
17516	Bug report	Open	Normal	Variables are not correctly resolved in atlas layer filter expression		11/22/2017 09:25 AM
17515	Bug report	Open	Normal	3D crash with large-ish polygon layer	Martin Dobias	11/22/2017 07:25 AM
17514	Bug report	Open	Normal	QGIS 3D view - Setting DEM for terrain elevation cause canvas to go blank	Martin Dobias	11/22/2017 06:48 AM
17513	Bug report	Open	Normal	ArcGIS AFS crasher on qgis master	Sandro Mani	11/22/2017 06:24 AM
17511	Bug report	Open	High	adding two instances of the same gpkg layer and editing on one of them crashes qgis		11/21/2017 06:11 PM
17510	Bug report	Feedback	High	qgis crashed on closing		11/22/2017 07:32 AM
17509	Bug report	Feedback	Normal	@geometry_point_count always equal to 1		11/21/2017 06:34 PM
17508	Bug report	Feedback	Normal	SaveAs Geopackage: >255 chars for txt field not allowed?		11/21/2017 04:43 PM
17507	Bug report	In Progress	High	Unable to edit filtered GeoPackage layer	Alessandro Pasotti	11/22/2017 09:23 AM
17506	Feature request	Open	Normal	An option to decrease/increase symbol at the end		11/21/2017 11:33 AM
17505	Bug report	Open	High	Relation reference widget doesn't update to NULL value when deleting a reference "Pixel Size" and "no data value" in raster	Paul Blottiere	11/22/2017 09:28 AM
						11/21/2017 11:21 AM

Issues View all issues Summary

Custom queries

- Bugs causing Crash
- Bugs closed
- Bugs with "Feedback" status (last updated > than 15 days ago)
- Explicit links to redmine
- High priority
- High priority grouped by affected version
- High priority grouped by category
- Issues created last week
- Latest fixes to 2.18 LTS
- Regressions (QGIS 2)
- Regressions (QGIS 3)
- Regressions grouped by affected version
- Subject contains dpi

Testen

Get ready for QGIS 3
Test the release candidate now!

Mailing list

The screenshot shows a mailing list interface with a list of messages on the left and detailed message view on the right.

Message List:

Subject	From	Date
[QGIS-Developer] Editing buffer and commitChanges order	Alessandro Pas...	20-11-17 13:02
[Qgis-user] Photos2Shape plugin in Qgis 2.8.9-Wien	Ben Jones	20-11-17 09:21
[QGIS-Developer] QGIS 3 Server on Windows Server platform (...)	Mats Elfström	20-11-17 19:48
[QGIS-Developer] Plugin [1236] ICSM NTv2 Transformer approval...	noreply@qgis....	21-11-17 08:05
[QGIS-Developer] Plugin [1364] UMEP approval notification.	noreply@qgis.o...	21-11-17 08:10
[QGIS-Developer] Plugin [1355] QRealTime approval notification.	noreply@qgis.o...	21-11-17 08:11
[QGIS-Developer] Plugin [1109] Datafordeler approval notificat...	noreply@qgis....	21-11-17 08:58
[QGIS-Developer] Plugin [1160] Go2NextFeature approval notifi...	noreply@qgis....	21-11-17 09:01
[QGIS-Developer] Plugin [1360] LocalizadorCatastral approval notif...	noreply@qgis.o...	21-11-17 09:38
[Qgis-user] Assistance for Mac User	Grant Boxer	21-11-17 09:26
Re: [Qgis-user] Assistance for Mac User	Patrick Dunford	21-11-17 09:28
Re: [Qgis-user] Assistance for Mac User	didier peeters	21-11-17 09:51
[QGIS-Developer] relation reference widget "on map identifica..."	Régis Haubourg	21-11-17 10:13
[QGIS-Developer] Recordings from QGIS Australia Meetup 2017	Niall Dawson	21-11-17 11:01

Message View (Selected Message):

From: Patrick Dunford <enzedrailmaps@gmail.com>

Subject: Re: [Qgis-user] Assistance for Mac User

To: qgis-user@lists.osgeo.org

21-11-17 09:28

It's not just a Mac issue - I have had the same problem on Windows and Linux. In my opinion this feature is not well documented (or possibly implemented).

On 21/11/17 21:26, Grant Boxer wrote:

I have an associate with a Mac and I am trying to find out how and where to put custom svg files on a Mac so the QGIS recognises them. I am a PC user so not familiar with Mac procedures.

Grant Boxer
Perth, Western Australia

€

Bedankt!

mds

Uw vers gebakken QGIS wordt gedownload. QGIS is gratis, en zal dat altijd blijven indien afkomstig van QGIS.org. Als u kunt, ondersteun de mensen en de verdere ontwikkeling van QGIS dan eens door [een kleine donatie te overwegen voor ons werk](#). Of u ons nu wel of niet steunt, we hopen dat u geniet van ons werk en moedigen u aan om het te delen met anderen zodat die er ook van kunnen genieten. Hartelijke groeten!

Voor
Het QGIS Teamruikers:

Doneer nu!



OSGeo

Sluit deze melding


€



€



Hackfests



Hackfests



Samengevat

**Programmeren
Documenteren
Vertalen
Testen / Bugs melden
Gebruikers helpen
Geld doneren**

Wat doe jij?

