## All Patients (Functional & Pathophysiological)

			Univariate		Multivariate	
	N	Poor CGI N	OR (CI) for Poor Outcome	р	OR (CI) for Poor Outcome	р
Gender	2581	1711				
Male	1064	733 (69%)	1		1	
Female	1517	978 (64%)	0.82 (0.69-0.97)	0.019	0.80 (0.67-0.96)	0.017
Age (Binned ≤35, 45, 55, ≥56)	2581	1711	1.26 (1.18-1.35)	<0.001	1.15 (1.06-1.24)	0.001
Diagnosis	2581	1711				
Largely or Completely	1865	1229 (66%)	1		1	
Not at all or Somewhat	716	482 (67%)	1.07 (0.89-1.28)	0.494	0.77 (0.53-1.10)	0.149
PHQ13 & Neurosymptom Count (0-5, 6-8, 9-13, 14-27)	2556	1696	1.29 (1.20-1.39)	<0.001	1.14 (1.03-1.26)	0.013
SF12 Physical Functioning (0 (Poor function), 25, 50, 75, 100 (Greater function))	2578	1708	0.73 (0.69-0.77)	<0.001	0.88 (0.82-0.96)	0.002
HADS Total (0-7, 8-14, 15-21, ≥22)	2567	1698	1.26 (1.16-1.37)	<0.001	1.06 (0.94-1.20)	0.341
Illness Worry (0, 1, 2, 3)	2574	1708	2.24 (1.88-2.66)	<0.001	1.02 (0.92-1.14)	0.675
Negative Expectation of Recovery	2576	1708				
No	1458	857 (59%)	1		1	
Yes	1118	851 (76%)	1.26 (1.07-1.49)	0.006	1.72 (1.39-2.13)	<0.001
Psychological Attribution	2575	1707				
Yes	1046	661 (63%)	1		1	
No	1529	1046 (68%)	1.13 (1.03-1.24)	0.007	1.28 (1.02-1.60)	0.032
Receipt of Benefits	2561	1697		_		
No	1967	1219 (62%)	1		1	
Yes	594	478 (80%)	2.53 (2.02-3.16)	<0.001	1.27 (0.94-1.74)	0.123
SIMD 2004 Quintile	2581	1711				
1 (Least Deprived) - 3	1723	1118 (65%)	1		1	
4-5 (Most Deprived)	858	593 (69%)	1.21 (1.02-1.44)	0.032	1.13 (0.91-1.41)	0.275
Diagnosis (Not at all or Somewhat)  Receipt of Benefits (Yes)	* 2561	1697	2.59 (1.78-3.79)	<0.001	1.48 (0.88-2.51)	0.142
Diagnosis (Not at all or Somewhat) Psychological Attribution (No)	* 2575	1707	1.44 (1.13-1.85)	0.004	1.66 (1.11-2.48)	0.013
Diagnosis (Not at all or Somewhat) SIMD 2004 Quintile (4-5 (Most Deprived))	* 2581	1711	1.15 (0.87-1.52)	0.330	0.87 (0.57-1.33)	0.515
Diagnosis (Not at all or Somewhat) Negative Expectation of Recovery (Yes)		1708	2.04 (1.51-2.76)	<0.001	1.23 (0.81-1.88)	0.330

<sup>\*</sup>Significant after Hochberg Correction