Component list

Source Data From:

Project: Variant:

<Parameter ProjectName not found>

MINI-BASE-A001-1-0-0.PrjPcb
MINI-BASE-A001-1-0-0.PrjPcb
None



Reliable results, efficiently delivered.

Report Date: 29.10.2020 09:53:32

Description	Manufacturer Part Number	Designator	Quantity	Description	Comment
Soft Orange 0603 160° 15 mA 1.8 V 7.5 mcd Surface Mount LED	TLMO1000-GS08	3V3.5V		2 Soft Orange 0603 160° 15 mA 1.8 V 7.5 mcd Surface Mount LED	Vishay TLMO1000-GS08
0603 10 nF 50 V ±10 % Tolerance X7R SMT Multilayer Ceramic Capacitor	CC0603KRX7R9BB103	5v 3; 5v		1 0603 10 nF 50 V ±10 % Tolerance X7R SMT Multilayer Ceramic Capacitor	10nF
CL10 Series 0.1 uF 16 V ±10% Tolerance X7R SMT Multilayer Ceramic	CCOOOSINOTICSBEED	C2, C3, C5, C11, C12, C13, C17		7 CL10 Series 0.1 uF 16 V ±10% Tolerance X7R SMT Multilayer Ceramic Capacitor	Can
Capacitor		62, 63, 63, 611, 612, 613, 611		CELOSERES O. Tur 10 V 210 // Foter ance XTR SMT Mutchayer Ceramic Capacitor	Сар
0603 X5R ceramic capacitor, 10V 1uF	C0603C105K8PACTU	C4, C14, C15	1	0603 X5R ceramic capacitor, 10V 1uF	Kemet C0603C105K8PAC7867
Multilayer Ceramic Capacitor, GRM Series, 20 pF, 5%, C0G / NP0, 50 V,	GRM1885C1H200JA01D	C6, C7, C8, C9	4	Multilayer Ceramic Capacitor, GRM Series, 20 pF, 5%, C0G / NP0, 50 V, 0603	Murata GRM1885C1H200JA01D
0603 [1608 Metric]				[1608 Metric]	
CAP CER 10UF 25V 20% X5R 0603		C10	:	CAP CER 10UF 25V 20% X5R 0603	10uF
0603 22 uF 4 V ±20 % Tolerance X5R SMT Multilayer Ceramic Capacitor	06034D226MAT2A	C16		1 0603 22 uF 4 V ±20 % Tolerance X5R SMT Multilayer Ceramic Capacitor	AVX 06034D226MAT2A
CAP CER 1000PF 50V 10% X7R 0603	GCM188R71H102KA37D	C20, C21	2	CAP CER 1000PF 50V 10% X7R 0603	Murata GCM188R71H102KA37D
Schottky Barrier Diode, 2-Pin SOD-123, Pb-Free, Tape and Reel	BAT54T1G	D1, D2, D3, D4	4	Schottky Barrier Diode, 2-Pin SOD-123, Pb-Free, Tape and Reel	BAT54T1G
PESD2CAN Series 2 Channel Bi-Directional CAN Bus ESD Protection Diode - SOT-23-3	PESD2CAN,215	D5		PESD2CAN Series 2 Channel Bi-Directional CAN Bus ESD Protection Diode - SOT-23-3	NXP Semiconductors PESD2CAN,215
F0603E Series Fast Acting 32 V 2 A 0603 Surface Mount Thin-Film Fuse		F1		1 F0603E Series Fast Acting 32 V 2 A 0603 Surface Mount Thin-Film Fuse	SYM-149cdd9eaac4cb5b-1
Female THT Straight Connector without Latch and without Polarization WR-	690367182672	J1, J2		2 Female THT Straight Connector without Latch and without Polarization WR-	
MM, 26 pins	030301102012	51, 52	· ·	MM, 26 pins	Walti Elektolik 030301102012
POWER LINE IND, 4.7UH, 500MA, 20%; Product Range: TDK - GLFR Series;		L1		POWER LINE IND, 4.7UH, 500MA, 20%; Product Range: TDK - GLFR Series;	4.7uH
Inductance: 4.7				Inductance: 4.7	
SMD Common Mode Line Filter WE-SL1, L = 100 µH	744212101	L2		1 SMD Common Mode Line Filter WE-SL1, L = 100 μH	744212101
LED WHITE 0603 SMD	VLMW1300-GS08	PC13		LED WHITE 0603 SMD	Vishay VLMW1300-GS08
Res Thick Film 0603 47K Ohm 1% 0.1W(1/10W) ±100ppm/C Molded SMD		R1, R2, R3	3	Res Thick Film 0603 47K Ohm 1% 0.1W(1/10W) ±100ppm/C Molded SMD	RES-2
Automotive Paper T/R PANASONIC ERA3AEB332V RESISTOR, 0603, 3K3, 0.1%, 0.1W	ERA-3AEB332V	R4, R5, R6, R7		Automotive Paper T/R PANASONIC ERA3AEB332V RESISTOR, 0603, 3K3, 0.1%, 0.1W	Panasonic ERA-3AEB332V
RESISTOR, 681R, 0603, FULL REEL	ERA-3AEB6810V	R4, R3, R6, R7		RESISTOR, 681R, 0603, FULL REEL	Panasonic ERA3AEB6810V
Res Thick Film 0603 1M Ohm 5% 1/5W ±100ppm/°C Molded SMD SMD T/R	CRGH0603J1M0	R9		Res Thick Film 0603 1M Ohm 5% 1/5W ±100ppm/°C Molded SMD SMD T/R	Res1
Thick Film Resistors - SMD 1/10w att 1.5Kohms 1%	RK73H1JTTD1501F	R10		Thick Film Resistors - SMD 1/10watt 1.5Kohms 1%	KOA Speer RK73H1JTTD1501F
RES SMD 20 OHM 1% 1/4W 0603	CRCW060320R0FKEAHP	R11, R12		2 RES SMD 20 OHM 1% 1/4W 0603	Vishay Dale CRCW060320R0FKEAHP
Res General Purpose Thick Film 0603 100k Ohm 1% 1/10W ±100ppm/°C	RC0603FR-07100KL	R13		Res General Purpose Thick Film 0603 100k Ohm 1% 1/10W ±100ppm/°C Molded	,
Molded Paper T/R	NCOOUSEN-OF LOUNE	N13		Paper T/R	100K
YAGEO RC0603JR-13100RL THICK FILM RESISTOR, 100 OHM, 100mW,	RC0603JR-13100RL	R14		YAGEO RC0603JR-13100RL THICK FILM RESISTOR, 100 OHM, 100mW, 5%	Yageo RC0603JR-13100RL
5%					
Thick Film Resistors 0603 200ohms 5% Tol	ERJ-3GEYJ201V	R15	:	1 Thick Film Resistors 0603 200ohms 5% Tol	Panasonic ERJ-3GEYJ201V
Res Thick Film 0603 100 Ohm 1% 1/10W ±100ppm/°C Molded SMD Paper T/R	RC0603FR-07100RL	R16	-	Res Thick Film 0603 100 Ohm 1% 1/10W ±100ppm/°C Molded SMD Paper T/R	Res1
Metal Film Resistors 10K OHM .1% 25PPM	ERA-3YEB103V	R17		Metal Film Resistors 10K OHM .1% 25PPM	Panasonic ERA-3YEB103V
Surface Mount Thick Film Resistor, Aec-Q200 Erj Series, 1 Kohm, 200 Mw,	LIA-31EB103V	R18		Surface Mount Thick Film Resistor, Aec-Q200 Erj Series, 1 Kohm, 200 Mw, - 1%,	
1%. 150 V		Kib	•	150V	NGI
Res Thick Film 1.6 x 0.8 mm 49.9K Ohm 1% 0.1W(1/10W) 100ppm/ C	RC0603FR-0749K9L	R19		Res Thick Film 1.6 x 0.8 mm 49.9K Ohm 1% 0.1W(1/10W) 100ppm/ C Molded	RC0603FR-0749K9L
Molded SMD Paper T/R				SMD Paper T/R	
Res Thick Film 0603 9.53K Ohm 1% 0.1W(1/10W) }100ppm/???? Molded	RC0603FR-079K53L	R20	:	Res Thick Film 0603 9.53K Ohm 1% 0.1W(1/10W) }100ppm/???? Molded SMD	9k53
SMD Paper T/R YAGEO (PHYCOMP) RC0603FR-071KL RESISTOR, THICK FILM, 1K,	RC0603FR-071KL	R21, R22, R23		Paper T/R 3 YAGEO (PHYCOMP) RC0603FR-071KL RESISTOR, THICK FILM, 1K, 0.1W, 1%	11.
0.1W, 1%	RC0003FR-071RL	R21, R22, R23	-	TAGEO (PHTCOMP) RC0003FR-0/IAL RESISTOR, THICK FILM, IA, 0.1W, 190	1K
Micro-SD Card Connector Push & Push [Würth Elektronik] 693071010811	693071010811	SD1		Micro-SD Card Connector Push & Push [Würth Elektronik] 693071010811	693071010811
Conv DC-DC Single Step Down 4.5V to 24V 6-Pin SOT-23 T/R		U1		1 Conv DC-DC Single Step Down 4.5V to 24V 6-Pin SOT-23 T/R	Monolithic Power Systems MP2359DT-LF-P
Pressure Sensor 7.25 PSI ~ 15.95 PSI (50 kPa ~ 110 kPa) Absolute 24 b 8-	MPL3115A2	U2		Pressure Sensor 7.25 PSI ~ 15.95 PSI (50 kPa ~ 110 kPa) Absolute 24 b 8-TLGA	Freescale Semiconductor MPL3115A2
TLGA					
Mainstream Performance line, ARM Cortex-M3 MCU with 128 Kbytes Flash,	STM32F103CBT6	U3		Mainstream Performance line, ARM Cortex-M3 MCU with 128 Kbytes Flash, 72	STMicroelectronics STM32F103CBT6
72 MHz CPU, motor control, USB and CAN 1A Low-Quiescent-Current Low-Dropout (LDO) Regulator 5-SOT-23 -40 to	DTI (/75722DDD)/D	U5		MHz CPU, motor control, USB and CAN 1 1A Low-Quiescent-Current Low-Dropout (LDO) Regulator 5-SOT-23-40 to 125	Texas Instruments TLV75733PDBVR
125	FILVISISSFUDUK	03	•	L 2A Low-Quiescent-Current Low-Dropout (LDO) Regulator 5-501-23-40 to 125	TEXAS HISTIUMENTS TEX (3/33PUDVR
Automotive Catalog 3.3 V CAN Transceiver, 17 mA, -40 to 125 degC, 8-pin	SN65HVD230QD	U7		Automotive Catalog 3.3 V CAN Transceiver, 17 mA, -40 to 125 degC, 8-pin SOIC	SN65HVD230QD
SOIC (D), Green (RoHS & no Sb/Br)	-			(D), Green (RoHS & no Sb/Br)	·
Relay SSR 15mA 1.4V DC-IN DC-OUT 4-Pin SO T/R	TLP175A(TPL,E	U8		Relay SSR 15mA 1.4V DC-IN DC-OUT 4-Pin SO T/R	TLP175A
USB 3.1 Type C Receptacle WR-COM, Horizontal, SMT / THT	632723100011	USB		USB 3.1 Type C Receptacle WR-COM, Horizontal, SMT / THT	Würth Elektronik 632723100011
Crystal 32.7680khz 6pf Smd	MC-306 32.768K-E3:ROHS	X1		1 Crystal 32.7680khz 6pf Smd	Epson MC-306 32.768K-E3:ROHS
Crystal 8MHz ?30ppm (Tol) ?50ppm (Stability) 20pF FUND 80Ohm 2-Pin HC-		Y1		Crystal 8MHz ?30ppm (Tol) ?50ppm (Stability) 20pF FUND 800hm 2-Pin HC-	SYM-5ea8948b47c2816f-1
49/SDLF SMD T/R				49/SDLF SMD T/R	<u>'</u>















