The Deepest Sound Helpmates

One position per material class:
the longest helpmate that still has a single solution

Draft — 234 of 875 material classes

All 3 to 6 man endings

Generated from the helpmate tablebase corpus.
Every diagram, depth and solution in this booklet is machine-derived; nothing is hand-written.

How to read this booklet

A *helpmate* is a chess problem in which both sides cooperate: Black moves first and helps White deliver mate. **h#n** means mate on White's nth move. **h#n.5** is the half-move case: White is to move, so the solution opens 1... and needs one extra half-move.

Under every diagram stands the stipulation and the material count, *white men* + *black men*, in the usual problemist's form. The line below the solution is the position's FEN, and it is a link: it opens the position in the Helpmate Analyzer at `helpman.komtera.lt`, already set to the right stipulation, ready to solve and to analyse for thematic content.

Why the deepest problem is not the longest one

In problem chess, uniqueness is the quality criterion. A second solution is a *dual*, and a composition with a dual is unsound. So the position worth showing in a material class is not its longest helpmate — it is the longest one that still has exactly one solution.

Those are never the same position. In all 234 classes collected here the deepest sound problem is shallower than the class maximum, on average 4.4 plies shallower and at worst 20. The reason is in the data: in 225 of 234 classes *every* position at maximum depth has a saturated solution count of 255 or more. The longest helpmates have hundreds of ways to reach mate, which is exactly what disqualifies them as compositions.

Where the numbers come from

Depths and position counts are exact. They are read from each table's `uniqueness` histogram, which maps depth to solution count to number of positions, so "the deepest depth holding a unique solution" and "how many such positions exist" are both lookups, not samples. Each FEN is verified by probing the table before it is used, and each solution is the solver's own output.

Contents

The corpus in numbers

This draft covers 234 material classes holding 140 449 027 488 indexed positions. The deepest sound problem in the whole corpus is **h#13** in KBvkrp (page 25).

Coverage

The target is every material class from three to six men in which a mate can exist at all. Both orders count separately — White mates, so KRPvkb and KBvkrp are different problems — which gives 1 000 classes on paper. Of those, 125 have White with nothing but a bare king and cannot hold a mate under any circumstances, leaving the 875 counted here.

men	in this draft	possible	coverage
3	3	5	60.0%
4	37	40	92.5%
5	181	185	97.8%
6	13	645	2.0%
total	234	875	26.7%

The six-man row is what makes this a draft: those tables are the expensive ones and only a handful have been generated so far. The three-, four- and five-man rows fall a little short of their own totals for a different reason. A class can have a complete table and still contribute nothing here — either no mate exists in it at all, or no depth in it holds a position with a single solution. Such a class has no sound problem to show, so it has no page.

How deep a sound problem gets

Distribution of the deepest sound depth across all 234 classes.



The gap to the class maximum

How much depth uniqueness costs: the class's longest helpmate minus its deepest sound one, in plies. It is never zero.



Mean 4.4 plies, median 3, worst 20 — KRBvkp, which runs to h#16 but whose deepest sound problem is only h#6 (page 92).

The ten deepest

material	sound	class max	gap	positions
KBvkrp	h#13	h#16.5	7	2
KBvkqp	h#12	h#17	10	3
KBvkbp	h#11.5	h#16	9	8
KBPvkp	h#10.5	h#16	11	1
KBvkqnn	h#10	h#13	6	5
KPvkpp	h#10	h#15.5	11	2
KBvknp	h#9.5	h#15.5	12	2
KBvkqbn	h#9.5	h#12.5	6	90
KBvkqn	h#9.5	h#13	7	46
KBvkqqn	h#9.5	h#12.5	6	341

Rarity

At its deepest sound depth a class may hold a single position and nothing else. 21 classes are like that, and 117 hold ten or fewer. Those are the positions with no margin at all: change one man and the problem is gone.

classes with exactly one position at their deepest sound depth			
KBPvkp h#10.5	KNvkqb h#9.5	KBBvkp h#9	KNvknp h#8.5
KNvkrn h#8.5	KPvkqn h#8.5	KBNvkq h#7.5	KPPvkb h#7.5
KPPvkn h#7.5	KPPvkq h#7.5	KPvkr h#7.5	KBBNvk h#7
KNNvkq h#7	KNNvkr h#7	KQBBvk h#7	KRBBvk h#7
KBBvk h#6.5	KRvkqb h#6.5	KQvkbn h#6	KRRvkr h#6
KRvk h#4.5			

Three men

3 of the 5 material classes with 3 men that can hold a mate, deepest sound problem first.

No. 1 KPvk

solve ↗



h#6.5 2 + 1

h#6.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 86 688 indexed have a unique solution at h#6.5.

Solution: 1...e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: set-play, pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, nocapture, nocheck, umnov, promotions:q

No. 2 KQvk

solve ↗



h#6 2 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 29 568 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#
Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocapture, nocheck

No. 3 KRvk

solve ↗



h#4.5 2 + 1

h#4.5, unique solution.

The class runs to h#7, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 29 568 indexed has a unique solution at h#4.5.

Solution: 1...Kc1 2.Kf7 Kd2 3.Kg6 Ke3 4.Kh5 Kf4 5.Kh4 Rh2#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture, nocheck

Four men

37 of the 40 material classes with 4 men that can hold a mate, deepest sound problem first.

No. 4 KPvkp

solve ↗

h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 4 161 024 indexed have a unique solution at h#8.5.



h#8.5 2 + 2

Solution: 1...Kc3 2.Kg2 Kb4 3.a5+ Kxa5 4.Kf3 Kb4 5.Ke4 a5 6.Kd5 a6 7.Kc6 a7 8.Kb7 Kc5 9.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, switchback, promotions:q

No. 5 KBvkn

solve ↗



h#8 2 + 2

h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

19 positions of the 1 892 352 indexed have a unique solution at h#8.

Solution: 1.Kc3 Be2 2.Kd2 Bf1 3.Ke1 Kc2 4.Nh3 Kd3 5.Kf2 Ke4 6.Kg1 Kf3 7.Kh1 Kg3 8.Ng1 Bg2#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 6 KBvkp

solve ↗



h#8 2 + 2

h#8, unique solution.

The class runs to h#16, so the deepest sound problem is 16 plies shallower. Every position at that depth has a saturated solution count (255 or more).

16 positions of the 5 548 032 indexed have a unique solution at h#8.

Solution: 1.c3 Bh4 2.c2 Kb2 3.c1=N Kc2 4.Kd4 Kd1 5.Kc3 Be7 6.Kb2 Ba3+ 7.Ka1 Kc2 8.Na2 Bb2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, nocapture, umnov, promotions:n

No. 7 KNvkb

solve ↗



h#8 2 + 2

h#8, unique solution.

The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 1 892 352 indexed have a unique solution at h#8.

Solution: 1.Kg5 Nd4 2.Kf4 Kb2 3.Ke3 Ka3 4.Kd2 Kb4 5.Kc1 Kc3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 8 KNvkp

solve ↗



h#8 2 + 2

h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 5 548 032 indexed have a unique solution at h#8.

Solution: 1.d5 Kb1 2.d4 Kc1 3.d3 Kd2 4.Kb2 Nb4 5.Ka1 Kc3 6.d2 Kb3 7.d1=R Ka3 8.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r

No. 9 KNvkr

solve ↗



h#8 2 + 2

h#8, unique solution.

The class runs to h#9.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#8.

Solution: 1.Kg2 Nf3 2.Kf1 Kb1 3.Ke2 Kb2 4.Kd3+ Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocapture

No. 10 KNvkn

solve ↗



h#7.5 2 + 2

h#7.5, unique solution.

The class runs to h#10, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 1 892 352 indexed have a unique solution at h#7.5.

Solution: 1...Nh4 2.Ke3 Kb2 3.Kf4 Kc3 4.Kg5 Kd4 5.Kh6 Ke5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 11 KPvkb

solve ↗



h#7.5   2 + 2

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 5 548 032 indexed have a unique solution at h#7.5.

Solution: 1...Kc1 2.Be4 d3 3.Kf7 dxe4 4.Ke6 e5 5.Kd5 e6 6.Kc4 e7 7.Kb3 e8=Q 8.Ka2 Qa4#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, nocheck, umnov, promotions:q

No. 12 KPvkn

solve ↗



h#7.5   2 + 2

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 5 548 032 indexed have a unique solution at h#7.5.

Solution: 1...c5 2.Kg2 c6 3.Kf3 c7 4.Ke4 c8=Q 5.Kd5 Qf5+ 6.Kc6 Kb8 7.Kb6 Kc8 8.Ka7 Qxa5#

Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, promotions:q

No. 13 KPvkq

solve ↗



h#7.5 2 + 2

h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

32 positions of the 5 548 032 indexed have a unique solution at h#7.5.

Solution: 1...Kc1 2.Qe3 dxe3 3.Kf7 e4 4.Ke6 e5 5.Kd5 e6 6.Kc4 e7 7.Kb3 e8=Q 8.Ka2 Qa4#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, nocheck, umnov, promotions:q

No. 14 KPvkr

solve ↗



h#7.5 2 + 2

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 5 548 032 indexed has a unique solution at h#7.5.

Solution: 1...Ka2 2.Ra3+ Kxa3 3.Kg6 h4 4.Kf5 h5 5.Ke4 h6 6.Kd3 h7 7.Kc2 h8=Q 8.Kb1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 15 KBPvk

solve ↗



h#7 3 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 5 548 032 indexed have a unique solution at h#7.

Solution: 1.Kg7 Bb3 2.Kf6 a4 3.Ke5 a5 4.Kd4 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 16 KNPvk

solve ↗



h#7 3 + 1

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

49 positions of the 5 548 032 indexed have a unique solution at h#7.

Solution: 1.Kg2 Nc2 2.Kf3 a4 3.Ke4 a5 4.Kd3 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 17 KPPvk

solve ↗



h#7 3 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 4 161 024 indexed have a unique solution at h#7.

Solution: 1.Kg6 Ka3 2.Kf5 g4+ 3.Ke4 g5 4.Kd3 g6 5.Kc2 g7 6.Kb1 g8=Q 7.Ka1 Qa2#
Themes: promotion, single-piece, single-piece:black, nocapture, promotions:q

No. 18 KQPvk

solve ↗



h#7 3 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower.

12 positions of the 5 548 032 indexed have a unique solution at h#7.

Solution: 1.Kxg8 e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#
Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, phoenix, nocheck, umnov, promotions:q

No. 19 KBBvk

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 1 892 352 indexed has a unique solution at h#6.5.

h#6.5 3 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#
Themes: switchback, single-piece, single-piece:black, nocapture

No. 20 KBvkb

solve ↗



h#6.5, unique solution.

The class runs to h#10, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 1 892 352 indexed have a unique solution at h#6.5.

h#6.5 2 + 2

Solution: 1...Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#
Themes: self-block, nocapture, nocheck

No. 21 KNNvk

solve ↗



h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#6.5.

h#6.5 3 + 1

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture

No. 22 KBNvk

solve ↗



h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 1 892 352 indexed have a unique solution at h#6.

h#6 3 + 1

Solution: 1.Kc2 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#
Themes: set-play, single-piece, single-piece:black, nocapture

No. 23 KQBvk

solve ↗



h#6 3 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 1 892 352 indexed have a unique solution at h#6.

Solution: 1.Kxh7 Kb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#
Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 24 KQNvk

solve ↗



h#6 3 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 1 892 352 indexed have a unique solution at h#6.

Solution: 1.Kxh7 Kb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#
Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 25 KQQvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 1 892 352 indexed have a unique solution at h#6.

h#6 3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 26 KQRvk

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 1 892 352 indexed have a unique solution at h#6.

h#6 3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 27 KQvkn

solve ↗



h#6 2 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 1 892 352 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kxb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#
Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 28 KQvkp

solve ↗



h#6 2 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 5 548 032 indexed have a unique solution at h#6.

Solution: 1.Kg1 Kxb7 2.Kh1 Kc6 3.Kg1 Kd5 4.Kh1 Ke4 5.Kg1 Kf3 6.Kh1 Qg2#
Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 29 KRBvk

solve ↗



h#6 3 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

20 positions of the 1 892 352 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kb2 2.Kh6 Kc3 3.Kh7 Kd4 4.Kh6 Ke5 5.Kh7 Kf6 6.Kh6 Rh8#

Themes: set-play, mirror, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 30 KRPvk

solve ↗



h#6 3 + 1

h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 5 548 032 indexed have a unique solution at h#6.

Solution: 1.Kh8 a4 2.Kh7 a5 3.Kh8 a6 4.Kh7 a7 5.Kh8 a8=Q+ 6.Kh7 Qg8#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:white, single-piece:black, pendulum, nocapture, promotions:q

No. 31 KRvkp

solve ↗



h#6 2 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

84 positions of the 5 548 032 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh5#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r

No. 32 KQvkq

solve ↗



h#5.5 2 + 2

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 1 892 352 indexed have a unique solution at h#5.5.

Solution: 1...Kb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#

Themes: pure, model, ideal, self-block, nocapture

No. 33 KRvkq

solve ↗



h#5.5 2 + 2

h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 1 892 352 indexed have a unique solution at h#5.5.

Solution: 1...Kb1 2.Qf5+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Kh5 Rh3#
Themes: pure, model, ideal, self-block, nocapture

No. 34 KRvkr

solve ↗



h#5.5 2 + 2

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#5.5.

Solution: 1...Kb1 2.Rh6 Kc2 3.Rg6 Kd3 4.Kg7 Ke4 5.Kh6 Kf5 6.Rg7 Rh4#
Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 35 KQvkb

solve ↗



h#5 2 + 2

h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower.

64 positions of the 1 892 352 indexed have a unique solution at h#5.

Solution: 1.Kh5 Qxa3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: single-piece, single-piece:black

No. 36 KQvkr

solve ↗



h#5 2 + 2

h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 1 892 352 indexed have a unique solution at h#5.

Solution: 1.Kh5 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: single-piece, single-piece:black

No. 37 KRNvk

solve ↗



h#5 3 + 1

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

19 positions of the 1 892 352 indexed have a unique solution at h#5.

Solution: 1.Kg5 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#
Themes: set-play, single-piece, single-piece:black, nocapture, umnov

No. 38 KRvkb

solve ↗



h#5 2 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

365 positions of the 1 892 352 indexed have a unique solution at h#5.

Solution: 1.Kh1 Rh2+ 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rh1#
Themes: single-piece, single-piece:black, nocapture, umnov

No. 39 KRvkn

solve ↗



h#5 2 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

247 positions of the 1 892 352 indexed have a unique solution at h#5.

Solution: 1.Kh1 Rh2+ 2.Kg1 Kb2 3.Kf1 Kc3 4.Ke1 Kd3 5.Kd1 Rh1#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, umnov

No. 40 KRRvk

solve ↗



h#4 3 + 1

h#4, unique solution.

The class runs to h#7, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

27 positions of the 1 892 352 indexed have a unique solution at h#4.

Solution: 1.Kxg1 Kb1 2.Kf1 Kc2 3.Ke1 Kd3 4.Kd1 Rb1#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

Five men

181 of the 185 material classes with 5 men that can hold a mate, deepest sound problem first.

No. 41 KBvkrp

solve ↗



h#13 2 + 3

h#13, unique solution.

The class runs to h#16.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#13.

Solution: 1.d5 Kb7 2.d4 Kc6 3.d3 Kd5 4.d2 Ke4 5.d1=N Kf3 6.Ne3 Kf2 7.Kd2 Kxg1 8.Ke1 Kh2 9.Kf2 Kh3 10.Kg1 Kg3 11.Kh1 Bh3 12.Nf1+ Kf2 13.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, closed-walk, self-block, umnov, promotions:n

No. 42 KBvkqp

solve ↗



h#12 2 + 3

h#12, unique solution.

The class runs to h#17, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#12.

Solution: 1.b2 Ka7 2.Kb3 Kb6 3.Kc4 Ba6+ 4.Kd5 Kb5 5.Ke4+ Kc4 6.Kf3 Kd3 7.Kg2 Kd2 8.Kh1 Be2 9.b1=N+ Ke1 10.Nd2 Kf2 11.Nf3 Bf1 12.Nh2 Bg2#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, umnov, promotions:n

No. 43 KBvkbp

solve ↗



h#11.5 2 + 3

h#11.5, unique solution.

The class runs to h#16, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 355 074 048 indexed have a unique solution at h#11.5.

Solution: 1...Ke3 2.f5 Kf2 3.f4 Kg1 4.f3 Kxh1 5.f2 Kg2 6.f1=N Kf2 7.Kd5 Ba2+ 8.Ke4 Ke1 9.Kf3 Be6 10.Kg2 Bh3+ 11.Kh1 Kf2 12.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, closed-walk, self-block, kniest, umnov, promotions:n

No. 44 KBPvkp

solve ↗



h#10.5 3 + 2

h#10.5, unique solution.

The class runs to h#16, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#10.5.

Solution: 1...Kc1 2.Kc4 Kd2 3.Kd5 Ke3 4.Ke6 Kf4 5.Kf7 Kg5 6.Kg8 Kxh5 7.Kh8 Kg6 8.Kg8 h5 9.Kh8 h6 10.Kg8 h7+ 11.Kh8 Bg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black

No. 45 KPvkpp

solve ↗



h#10 2 + 3

h#10, unique solution.

The class runs to h#15.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 199 729 152 indexed have a unique solution at h#10.

Solution: 1.b3 Kb1 2.b2 Kc2 3.b1=B+ Kc1 4.Bd3 exd3 5.Kf7 dxe4 6.Ke6 e5 7.Kd5 e6 8.Kc4 e7 9.Kb3 e8=Q 10.Ka2 Qa4#

Themes: pure, model, ideal, mirror, promotion, underpromotion, excelsior, excelsior:white, umnov, promotions:qb

No. 46 KBvknp

solve ↗



h#9.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#9.5.

h#9.5 2 + 3

Solution: 1...Kb3 2.Kb7 Kc4 3.Kc8 Kd5 4.Kd7 Ke5 5.Ke8 Kf6 6.Kf8 Bd6+ 7.Kg8 Bf8 8.Kh8 Kxf7 9.Nh6+ Kg6 10.Ng8 Bg7#

Themes: pure, model, ideal, self-block, umnov

No. 47 KBvkqn

solve ↗



h#9.5, unique solution.

The class runs to h#13, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 121 110 528 indexed have a unique solution at h#9.5.

h#9.5 2 + 3

Solution: 1...Ka2 2.Nc5 Bc4 3.Na6 Bb3+ 4.Kd3 Ka3 5.Kd4 Ka4 6.Kc5 Be6 7.Kb6 Bc8 8.Ka7 Kb5 9.Ka8 Kb6 10.Nb8 Bb7#

Themes: pure, model, self-block, nocapture

No. 48 KBvkrn

solve ↗



h#9.5 2 + 3

h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

24 positions of the 121 110 528 indexed have a unique solution at h#9.5.

Solution: 1...Kc1 2.Nf2 Kd2 3.Nh3 Ke3 4.Kc2 Bd3+ 5.Kd1 Bf5 6.Ke1 Kf3 7.Kf1 Kg3 8.Kg1 Bd3 9.Kh1 Bf1 10.Ng1 Bg2#

Themes: pure, model, switchback, self-block, nocapture

No. 49 KNvkpp

solve ↗



h#9.5 2 + 3

h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 266 305 536 indexed have a unique solution at h#9.5.

Solution: 1...Kc7 2.g5 Kd8 3.g4 Ke8 4.g3 Kf8 5.g2 Kxg7 6.g1=R+ Kh7 7.Kf7 Kh6 8.Kg8 Nd3 9.Kh8 Ne5 10.Rg8 Nf7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:r

No. 50 KNvkqb

solve ↗

h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#9.5.



h#9.5 2 + 3

Solution: 1...Ka1 2.Kg8 Nf5 3.Kf7 Ne3 4.Ke6 Nc2 5.Kd5 Kb2 6.Kc4 Ka3 7.Kc3 Ka4 8.Kb2 Nd4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, switchback, self-block, nocapture, nocheck

No. 51 KNvkqp

solve ↗

h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

194 positions of the 355 074 048 indexed have a unique solution at h#9.5.



h#9.5 2 + 3

Solution: 1...Na2+ 2.Kd2 Kb1 3.g5 Nc3 4.Qc1+ Ka2 5.g4 Kb3 6.g3 Kc4 7.g2 Kd4 8.g1=R Ne4+ 9.Kd1 Kd3 10.Re1 Nf2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, nocapture, promotions:r

No. 52 KPvkbp

solve ↗



h#9.5 2 + 3

h#9.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#9.5.

Solution: 1...g5 2.Kb4 Kb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Ba2 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#

Themes: pure, model, ideal, self-block, nocheck

No. 53 KBBvkn

solve ↗



h#9 3 + 2

h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#9.

Solution: 1.Kf3 Bc1 2.Ke4 Ke2 3.Kxd4 Kf3 4.Ke5 Kg4 5.Kf6 Kh5 6.Kg7 Bh6+ 7.Kh8 Kg6 8.Nf8+ Kf7 9.Nh7 Bg7#

Themes: pure, model, ideal, self-block

No. 54 KBBvkp

solve ↗



h#9 3 + 2

h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#9.

Solution: 1.Kc5 Bc8 2.Kxc6 Ke7 3.Kd5 Kf6 4.Ke4 Kg5 5.Kf3 Kh4 6.Kg2 Bh3+ 7.Kh1 Kg3 8.f1=N+ Kf2 9.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:n

No. 55 KBvkbn

solve ↗



h#9 2 + 3

h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

57 positions of the 121 110 528 indexed have a unique solution at h#9.

Solution: 1.Kd2 Bd3 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kc3 5.Nc8 Kd4 6.Kb6 Kxd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 56 KBvknn

solve ↗



h#9 2 + 3

h#9, unique solution.

The class runs to h#12.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

34 positions of the 121 110 528 indexed have a unique solution at h#9.

Solution: 1.Nh3 Kd2 2.Kb2 Ke3 3.Kc1 Be4 4.Kd1 Bxh1 5.Ke1 Kf3 6.Kf1 Bg2+ 7.Kg1 Bf1 8.Kh1 Kg3 9.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, kniest, umnov

No. 57 KBvkpp

solve ↗



h#9 2 + 3

h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

51 positions of the 266 305 536 indexed have a unique solution at h#9.

Solution: 1.Kh8 Ba3 2.e4 Kb2 3.e3 Kc3 4.e2 Kd4 5.e1=N Ke5 6.Nf3+ Kf6 7.Ng5 Bf8 8.Nh7+ Kf7 9.a4 Bg7#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, promotions:n

No. 58 KNPvkp

solve ↗



h#9 3 + 2

h#9, unique solution.

The class runs to h#14, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#9.

Solution: 1.Kg3 Nb6 2.Kf2 Nc4 3.Ke1 Nd2 4.exd2 e4 5.Kd1 e5 6.Kc1 e6 7.d1=R e7 8.Rd2 e8=Q 9.Rc2 Qe1#

Themes: promotion, underpromotion, excelsior, excelsior:white, switchback, self-block, nocheck, promotions:qr

No. 59 KPvknp

solve ↗



h#9 2 + 3

h#9, unique solution.

The class runs to h#14.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 266 305 536 indexed have a unique solution at h#9.

Solution: 1.Nf5 Kb1 2.Nd4 Kc1 3.Nb3+ axb3 4.Kf7 b4 5.Ke6 b5 6.Kd5 b6 7.Kc4 b7 8.Kb3 b8=Q+ 9.Ka2 Qb1#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 60 KNvkbb

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

69 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Solution: 1...Kb2 2.Kg4 Ka3 3.Kf3 Kxa4 4.Ke2 Kb4 5.Kd1 Kc3 6.Kc1 Nb4 7.Kb1 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

No. 61 KNvkbp

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 355 074 048 indexed have a unique solution at h#8.5.

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kc4 4.Ke5 Kb5 5.Kd4 Nb3+ 6.Kc3 Nxa5 7.Kb2 Kb4 8.Ka1 Ka3 9.Bb1 Nb3#

Themes: pure, model, ideal, switchback, self-block

No. 62 KNvknn

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 63 KNvknp

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#10, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#8.5.

Solution: 1...Kb2 2.Nc3 Ka3 3.Kf7 Kb4 4.Ke6 Ka5 5.Kd5 Kb6 6.Kc4 Ka6 7.Kb4 Nb6 8.Ka3 Ka5 9.Na2 Nc4#

Themes: set-play, pure, model, ideal, closed-walk, self-block, nocapture, nocheck

No. 64 KNvkqr

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 65 KNvkrn

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#8.5.

Solution: 1...Ka1 2.Kf7 Nxe2 3.Ke6 Kb2 4.Kd5 Kc1 5.Kc4 Kd2 6.Kb3 Nd4+ 7.Ka2 Kc3 8.Ka1 Kb3 9.Nb1 Nc2#

Themes: pure, model, ideal, self-block

No. 66 KNvkrp

solve ↗



h#8.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 355 074 048 indexed have a unique solution at h#8.5.

h#8.5 2 + 3

Solution: 1...Ng3 2.Rh2 Kb1 3.Rh8 Kc2 4.b4 Kd3 5.b3 Ke4 6.b2 Kf5 7.b1=R Kg6 8.Rb8 Nf5 9.Rf8 Ne7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, promotions:r

No. 67 KNvkrr

solve ↗



h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.5.

h#8.5 2 + 3

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 68 KPPvkp

solve ↗



h#8.5 3 + 2

h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 199 729 152 indexed have a unique solution at h#8.5.

Solution: 1...Kb3 2.Kg2 Kb4 3.a5+ Kxa5 4.Kf3 Kb4 5.Ke4 a5 6.Kd5 a6 7.Kc6 a7 8.Kb7 Kc5 9.Ka6 a8=Q#

Themes: pure, model, mirror, promotion, switchback, promotions:q

No. 69 KPvkqn

solve ↗



h#8.5 2 + 3

h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#8.5.

Solution: 1...Ka7 2.Nd5 c4 3.Kg2 cxd5 4.Kf3 d6 5.Ke4 d7 6.Kd5 d8=Q+ 7.Kc6 Qd5+ 8.Kc7 Ka6 9.Kb8 Qb7#

Themes: promotion, excelsior, excelsior:white, closed-walk, umnov, promotions:q

No. 70 KPvkqp

solve ↗



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#8.5.

h#8.5 2 + 3

Solution: 1...Kb2 2.Qg6 Ka3 3.Qg3+ hxg3 4.Kg6 gxh4 5.Kf5 h5 6.Ke4 h6 7.Kd3 h7 8.Kc2 h8=Q 9.Kb1 Qb2#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 71 KPvkrp

solve ↗



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

101 positions of the 266 305 536 indexed have a unique solution at h#8.5.

h#8.5 2 + 3

Solution: 1...Kb1 2.Re2 Kc1 3.Re3 fxe3 4.Kf5 e4+ 5.Ke6 e5 6.Kd5 e6 7.Kc4 e7 8.Kb3 e8=Q 9.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, umnov, promotions:q

No. 72 KBvkbb

solve ↗



h#8 2 + 3

h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Bf5 Kb2 2.Kh3 Kc3 3.Kg4 Kd4 4.Kh5 Ke5 5.Kh6 Kf6 6.Kh7 Kf7 7.Kh8 Kxf8 8.Bh7 Bf6#

Themes: self-block, nocheck

No. 73 KNvkbn

solve ↗



h#8 2 + 3

h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kg7 Kxb1 2.Kf6 Kc1 3.Ke5 Kd2 4.Kd4 Ke2 5.Kc3 Ke3 6.Kb2 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 74 KNvkqn

solve ↗



h#8 2 + 3

h#8, unique solution.

The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Qa4 Kb1 2.Kg6 Kc1 3.Kf5 Kd2 4.Ke4 Ke1 5.Kd3 Nb5 6.Kc2 Ke2 7.Kb1 Kd2 8.Qa1 Nc3#

Themes: pure, model, ideal, closed-walk, self-block, nocapture, nocheck

No. 75 KQBvkn

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kxc3 Be2 2.Kd2 Bf1 3.Ke1 Kc2 4.Nh3 Kd3 5.Kf2 Ke4 6.Kg1 Kf3 7.Kh1 Kg3 8.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 76 KQNvkb

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#11, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kxg5 Nd4 2.Kf4 Kb2 3.Ke3 Ka3 4.Kd2 Kb4 5.Kc1 Kc3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

No. 77 KQNvkn

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

16 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kxd2 Nh4 2.Ke3 Kb2 3.Kf4 Kc3 4.Kg5 Kd4 5.Kh6 Ke5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocheck

No. 78 KQNvkp

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#11, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#8.

Solution: 1.Kxb3 Kb1 2.d4 Kc1 3.d3 Kd2 4.Kb2 Nb4 5.Ka1 Kc3 6.d2 Kb3 7.d1=R Ka3 8.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

No. 79 KQNvkr

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kxg1 Nf3+ 2.Kf1 Kb1 3.Ke2 Kb2 4.Kd3+ Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block

No. 80 KQPvkb

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#9, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 355 074 048 indexed have a unique solution at h#8.

Solution: 1.Kxh2 Ka5 2.Bd5 c4 3.Kg3 cxd5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Kb5 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, phoenix, nocheck, umnov, promotions:q

No. 81 KQPvkn

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#9, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 355 074 048 indexed have a unique solution at h#8.

Solution: 1.Kxh2 c3 2.Nd4 cxd4 3.Kg3 d5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Ka7 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, phoenix, nocheck, umnov, promotions:q

No. 82 KQPvkp

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#15, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

42 positions of the 266 305 536 indexed have a unique solution at h#8.

Solution: 1.Kxg2 Kb4 2.a5+ Kxa5 3.Kf3 Kb4 4.Ke4 a5 5.Kd5 a6 6.Kc6 a7 7.Kb7 Kc5 8.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, switchback, phoenix, promotions:q

No. 83 KRBvkn

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kxd2 Bc5 2.Kd3 Bf8 3.Ke4 Kc3 4.Kf5 Kd4 5.Kg6 Ke5 6.Kh7 Kf6 7.Kh8 Kg6 8.Ng8 Bg7#

Themes: pure, model, ideal, self-block, nocheck

No. 84 KRNvkn

solve ↗



h#8 3 + 2

h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#8.

Solution: 1.Kxd2 Ne5 2.Ke3 Kc2 3.Kf4 Kd3 4.Kg5 Ke4 5.Kh6 Kf5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocheck

No. 85 KBNvkq

solve ↗



h#7.5 3 + 2

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.5.

Solution: 1...Ka1 2.Kg6 Nc6 3.Kf5 Nd4+ 4.Ke4 Nxb3 5.Kd3 Ka2 6.Kc2 Ka3 7.Kb1 Nd2+ 8.Ka1 Bc3#

Themes: mirror, single-piece, single-piece:black

No. 86 KNPvkb

solve ↗



h#7.5 3 + 2

h#7.5, unique solution.

The class runs to h#11, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kd6 2.Kg1 Nc5 3.Kf2 a4 4.Ke3 a5 5.Kd4 a6 6.Kc4 a7 7.Kb5 a8=Q 8.Kb6 Qa6#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 87 KNPvkn

solve ↗



h#7.5 3 + 2

h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...a4 2.Nf6 a5 3.Nd7 a6 4.Nb8 Kb6 5.Kg2 a7 6.Kf3 axb8=Q 7.Ke4 Qf4+ 8.Kd5 Nc7#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, promotions:q

No. 88 KNPvkq

solve ↗



h#7.5 3 + 2

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kxa2 2.Kg2 Nd4 3.Kf1 f4 4.Ke1 f5 5.Kd2 f6 6.Kc3 f7 7.Kb4 f8=Q+ 8.Ka4 Qa3#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 89 KNPvkr

solve ↗



h#7.5 3 + 2

h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kxa4 2.Kd4 Kb4 3.Kd5 a4 4.Kc6 a5 5.Kb7 a6+ 6.Kxa8 a7 7.Kb7 Kc5 8.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, promotions:q

No. 90 KNvkrb

solve ↗



h#7.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 121 110 528 indexed have a unique solution at h#7.5.

h#7.5 2 + 3

Solution: 1...Kxb1 2.Kf3 Nc4 3.Ke2 Kb2 4.Kd1 Kc3 5.Kc1 Ne3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

No. 91 KPPvkb

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

h#7.5 3 + 2

Solution: 1...Kb8 2.Bb4 axb4 3.Kg2 a4 4.Kf3 a5 5.Ke4 a6 6.Kd5 a7 7.Kc6 a8=Q+ 8.Kb6 Qb7#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 92 KPPvkn

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

h#7.5 3 + 2

Solution: 1...Kc8 2.Nb4 axb4 3.Kg2 a4 4.Kf3 a5 5.Ke4 a6 6.Kd5 a7 7.Kc6 a8=Q+ 8.Kb6 Qb7#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 93 KPPvkq

solve ↗



h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

h#7.5 3 + 2

Solution: 1...Kxa2 2.Kg6 Ka3 3.Kf5 g4+ 4.Ke4 g5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, promotions:q

No. 94 KPvkbb

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

448 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kb1 2.Kg6 Kc1 3.Kf5 e4+ 4.Ke6 e5 5.Kd5 e6 6.Kc4 e7 7.Kb3 e8=Q 8.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, umnov, promotions:q

No. 95 KPvkbn

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 222 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kb1 2.Bb4 a4 3.Kf6 a5 4.Ke5 a6 5.Kd4 a7 6.Kc3 a8=Q 7.Kb3 Qg2 8.Ka3 Qa2#

Themes: set-play, promotion, excelsior, excelsior:white, closed-walk, self-block, nocapture, nocheck, promotions:q

No. 96 KPvknn

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

476 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Ka2 2.Ke4 f4 3.Nf3 Ka3 4.Ng5 fxg5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, excelsior, excelsior:white, nocheck, umnov, promotions:q

No. 97 KPvkqb

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

342 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Ka2 2.Bg4 h4 3.Bd1 h5 4.Kg5 h6 5.Kf4 h7 6.Ke3 h8=Q 7.Kd2 Qxb8 8.Kc1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocheck, umnov, promotions:q

No. 98 KPvkqq

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

367 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Ka2 2.Qe3 g4+ 3.Kg6 g5 4.Kf5 g6 5.Ke4 g7 6.Kd3 g8=Q 7.Qa5+ Kb3 8.Qad2 Qc4#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocapture, umnov, promotions:q

No. 99 KPvkqr

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

40 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kxa2 2.Kg6 Ka3 3.Kf5 g4+ 4.Ke4 g5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 100 KPvkrb

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kxc1 2.Kg7 b3 3.Kf6 b4 4.Ke5 b5 5.Kd4 b6 6.Kc3 b7 7.Kb3 b8=Q+ 8.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, promotions:q

No. 101 KPvkrn

solve ↗



h#7.5 2 + 3

h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Solution: 1...Kxa2 2.Kg6 Ka3 3.Kf5 g4+ 4.Ke4 g5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 102 KBBBvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Be5 7.Kh8 Kg6#

Themes: set-play, mirror, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 103 KBBNvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kg6 Kc4 4.Kf7 Kd5 5.Ke8 Ke6 6.Kd8 Be7+ 7.Ke8 Ba4#

Themes: switchback, single-piece, single-piece:black

No. 104 KBBPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

556 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kg2 Bhg3 2.Kf3 h4 3.Ke4 h5 4.Kd5 h6 5.Kc6 h7 6.Kb7 h8=Q 7.Ka8 Qh1#
Themes: pure, model, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 105 KBBvkb

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#10.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

95 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kh3 Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#
Themes: self-block, nocapture, nocheck

No. 106 KBNPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg2 Nd4 2.Kf1 f4 3.Ke1 f5 4.Kd2 f6 5.Kc3 f7 6.Kb4 f8=Q+ 7.Ka4 Qa3#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 107 KBNvkb

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#11, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kh7 Kb2 2.Kg6 Nf4+ 3.Kf5 Nd3 4.Ke4 Bf3+ 5.Ke3 Bxh1 6.Ke2 Kc3 7.Kd1 Bf3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black

No. 108   KBNvkn

solve ↗



h#7   3 + 2

h#7, unique solution.

The class runs to h#12, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kg7 Ng5 2.Kf6 Kb1 3.Ke5 Kc1 4.Kd4 Nf3+ 5.Kc3 Ne1 6.Kb3 Nc2 7.Ka2 Bxc4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 109   KBNvkp

solve ↗



h#7   3 + 2

h#7, unique solution.

The class runs to h#16, so the deepest sound problem is 18 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.c3 Nf7 2.Kg6 Ka2 3.Kf5 Kb3 4.Ke4 Nd6+ 5.Kd3 Nb5 6.Kd2 Nxc3 7.Kc1 Be3#

Themes: pure, model, ideal, mirror

No. 110 KBNvkr

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kg7 Ba2 2.Kg6 Kb2 3.Kf5 Ka3 4.Ke4 Bd5+ 5.Kd3 Nc5+ 6.Kc2 Nb3 7.Kb1 Be4#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture

No. 111 KBPPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 266 305 536 indexed have a unique solution at h#7.

Solution: 1.Kxh7 Ka2 2.Kg6 b4 3.Kf5 b5 4.Ke4 b6 5.Kd3 b7 6.Kc2 b8=Q 7.Kc1 Qb1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocheck, promotions:q

No. 112 KBPvkb

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

65 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kh7 Bc3 2.Kg6 d4 3.Kf5 d5 4.Ke4 d6 5.Kd3 d7 6.Kc2 d8=Q 7.Kc1 Qd2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 113 KBPvkn

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#12, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

101 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Ne3 Kb2 2.Kf1 a4 3.Nd5 a5 4.Nb6 axb6 5.Ke2 b7 6.Kd3 b8=Q 7.Kc4 Qb3#

Themes: promotion, excelsior, excelsior:white, nocheck, promotions:q

No. 114 KBPvkq

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

75 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kb2+ Bb1 2.Kc3 e4 3.Kd4 e5 4.Ke3 e6 5.Kf4 e7 6.Kg5 e8=Q 7.Kh6 Qg6#

Themes: pure, model, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, umnov, promotions:q

No. 115 KBPvkr

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

69 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kb2+ Bb1 2.Kc3 e4 3.Kd4 e5 4.Ke3 e6 5.Kf4 e7 6.Kg5 e8=Q 7.Kh6 Qg6#

Themes: pure, model, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, umnov, promotions:q

No. 116 KNNPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg2 Nd4 2.Kf1 f4 3.Ke1 f5 4.Kd2 f6 5.Kc3 f7 6.Kb4 f8=Q+ 7.Ka4 Qa3#
Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 117 KNNvkp

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#11, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kh8 Nf4 2.h5 Kb2 3.h4 Kc3 4.h3 Kd4 5.h2 Ke5 6.h1=R Kf6 7.Rh7 Nfg6#
Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r

No. 118 KNNvkq

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Solution: 1.Kb7 Ke4 2.Kc6 Kf4 3.Kd5 Kg5 4.Ke6+ Kh6 5.Kf7 Ng4 6.Kg8 Nf6+ 7.Kh8 Ng6#

Themes: mirror, single-piece, single-piece:black, nocapture

No. 119 KNNvkr

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Solution: 1.Ra7+ Kb2 2.Kh7 Kc3 3.Kg6 Kd4 4.Kf7 Ke5 5.Ke8 Kf6 6.Ra8 Kg7 7.Rd8 Nhf6#

Themes: pure, model, ideal, self-block, nocapture

No. 120 KNPPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 266 305 536 indexed have a unique solution at h#7.

Solution: 1.Kxg2 Nd4 2.Kf1 f4 3.Ke1 f5 4.Kd2 f6 5.Kc3 f7 6.Kb4 f8=Q+ 7.Ka4 Qa3#
Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 121 KPPPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 199 729 152 indexed have a unique solution at h#7.

Solution: 1.Kxg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#
Themes: pure, model, mirror, promotion, single-piece, single-piece:black, nocheck, promotions:q

No. 122 KPvkrr

solve ↗



h#7 2 + 3

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.R4b3+ axb3 2.Kg6 b4 3.Kf5 b5 4.Ke4 b6 5.Kd3 b7 6.Kc2 b8=Q 7.Kb1 Qxb2#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:white, promotions:q

No. 123 KQBBvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Solution: 1.Kxh8 Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

No. 124 KQBPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

73 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg7 Bb2+ 2.Kf7 a4 3.Ke6 a5 4.Kd5 a6 5.Kc4 a7 6.Kb3 a8=B 7.Ka2 Bd5#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:b

No. 125 KQBvkb

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kxg3 Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#

Themes: self-block, nocheck

No. 126 KQBvkp

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#16, so the deepest sound problem is 18 plies shallower. Every position at that depth has a saturated solution count (255 or more).

55 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxc2 Ka2 2.c3 Ka3 3.Kb1 Kb3 4.c2 Bb4 5.Ka1 Ba3 6.c1=N+ Kc2 7.Na2 Bb2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:n

No. 127 KQNNvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Kxb8 Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 128 KQNPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

160 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxa2 Ne2 2.Kb3 g4 3.Kc4 g5 4.Kd3 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, phoenix, nocheck, promotions:q

No. 129 KQPPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

37 positions of the 266 305 536 indexed have a unique solution at h#7.

Solution: 1.Kxg8 b4 2.Kf7 b5 3.Ke6 b6 4.Kd5 b7 5.Kc4 b3+ 6.Kxb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, single-piece, single-piece:black, phoenix, promotions:q

No. 130 KQPvkq

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

521 positions of the 355 074 048 indexed have a unique solution at h#7.

h#7 3 + 2

Solution: 1.Kxb6 Kb1 2.Qe2 c4 3.Ka5 c5 4.Kb4 c6 5.Kc3 c7 6.Kd2 c8=Q 7.Kd1 Qc1#

Themes: promotion, excelsior, excelsior:white, self-block, phoenix, nocheck, umnov, promotions:q

No. 131 KQPvkr

solve ↗



h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

105 positions of the 355 074 048 indexed have a unique solution at h#7.

h#7 3 + 2

Solution: 1.Kxe7 d3 2.Rb4 d4 3.Kd6 d5 4.Kc5 d6 5.Rb3 d7 6.Kb4 d8=Q 7.Ka3 Qa5#

Themes: promotion, excelsior, excelsior:white, self-block, single-piece, single-piece:white, phoenix, nocheck, umnov, promotions:q

No. 132 KRBBvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Solution: 1.Kxh8 Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

No. 133 KRBPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg7 Bb2+ 2.Kf7 a4 3.Ke6 a5 4.Kd5 a6 5.Kc4 a7 6.Kb3 a8=B 7.Ka2 Bd5#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:b

No. 134 KRNPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

31 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxa2 Ne2 2.Kb3 g4 3.Kc4 g5 4.Kd3 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocheck, promotions:q

No. 135 KRNvkp

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#11.5, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxh7 Kc1 2.Kg7 Kd2 3.Kh8 Ke3 4.d2 Kf4 5.d1=B Kg5 6.Bb3 Kh6 7.Bg8 Ng6#

Themes: pure, model, ideal, promotion, underpromotion, closed-walk, self-block, nocheck, umnov, promotions:b

No. 136 KRNvkr

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 121 110 528 indexed have a unique solution at h#7.

Solution: 1.Rxf2 Kb1 2.Ke2 Kb2 3.Kd3+ Kc1 4.Kc3 Kd1 5.Kb2 Nd4 6.Ka1 Kc1 7.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block

No. 137 KRPPvk

solve ↗



h#7 4 + 1

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 266 305 536 indexed have a unique solution at h#7.

Solution: 1.Kxg6 Ka3 2.Kf5 g4+ 3.Ke4 g5 4.Kd3 g6 5.Kc2 g7 6.Kb1 g8=Q 7.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, promotions:q

No. 138 KRPvkb

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower.

7 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg8 b3 2.Kf7 b4 3.Ke6 b5 4.Kd5 b6 5.Kc4 b7 6.Kb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:white, single-piece:black, promotions:q

No. 139 KRPvkn

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg8 e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, nocheck, umnov, promotions:q

No. 140 KRPvkp

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#14, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

41 positions of the 266 305 536 indexed have a unique solution at h#7.

Solution: 1.Kxa2 Kb4 2.d5 c4 3.d4 c5 4.d3 c6 5.d2 c7 6.d1=R c8=Q 7.Ra1 Qc2#

Themes: promotion, underpromotion, excelsior, excelsior:white, closed-walk, self-block, kniest, nocheck, promotions:qr

No. 141 KRPvkq

solve ↗



h#7 3 + 2

h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 355 074 048 indexed have a unique solution at h#7.

Solution: 1.Kxg8 b3 2.Kf7 b4 3.Ke6 b5 4.Kd5 b6 5.Kc4 b7 6.Kb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:white, single-piece:black, promotions:q

No. 142 KRPvkr

solve ↗



h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#7.

h#7 3 + 2

Solution: 1.Kxb2+ Kb5 2.Kc3 e4 3.Kd4 e5 4.Kd5 e6 5.Kd6 e7 6.Kd7 Kb6 7.Kc8 e8=Q#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q

No. 143 KBBvkq

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.5.

h#6.5 3 + 2

Solution: 1...Kxb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

No. 144 KBNNvk

solve ↗



h#6.5 4 + 1

h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Solution: 1...Kb2 2.Kg8 Kc3 3.Kg7 Kd4 4.Kh6 Ke5 5.Kh5 Kf6 6.Kg4 Kg7 7.Kh5 Bd1#
Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocapture, nocheck

No. 145 KBvkqb

solve ↗



h#6.5 2 + 3

h#6.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

256 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Solution: 1...Bb8 2.Qg1+ Kb2 3.Kg2 Kc3 4.Kf2 Kd4 5.Qd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bg3#
Themes: set-play, self-block, nocapture

No. 146 KBvkrb

solve ↗



h#6.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

128 positions of the 121 110 528 indexed have a unique solution at h#6.5.

h#6.5 2 + 3

Solution: 1...Bg1 2.Re1+ Kb2 3.Kf3 Kc3 4.Ke2 Kd4 5.Rd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bf2#
Themes: pure, model, ideal, switchback, self-block, nocapture

No. 147 KNNvkb

solve ↗



h#6.5, unique solution.

The class runs to h#10, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

21 positions of the 121 110 528 indexed have a unique solution at h#6.5.

h#6.5 3 + 2

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#
Themes: pure, model, mirror, single-piece, single-piece:black, nocapture

No. 148 KNNvkn

solve ↗



h#6.5 3 + 2

h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nxf1+ 7.Kh3 Nf4#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 149 KPPvkr

solve ↗



h#6.5 3 + 2

h#6.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

784 positions of the 266 305 536 indexed have a unique solution at h#6.5.

Solution: 1...Kb2 2.Kf2 a4 3.Ke3 a5 4.Kd4 a6 5.Kc5 a7 6.Kb4 a8=Q 7.Rc5 Qa4#
Themes: promotion, excelsior, excelsior:white, closed-walk, self-block, nocapture, nocheck, promotions:q

No. 150 KRBvkq

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.5.

h#6.5 3 + 2

Solution: 1...Kxa2 2.Kh7 Kb3 3.Kh8 Kc4 4.Kh7 Kd5 5.Kh8 Ke6 6.Kh7 Kf7 7.Kh8 Rh6#
Themes: pure, mirror, switchback, single-piece, single-piece:black, pendulum, nocheck

No. 151 KRvkqb

solve ↗



h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.5.

h#6.5 2 + 3

Solution: 1...Ka1 2.Bb2+ Kb1 3.Be5+ Kc1 4.Kg5 Kd2 5.Kh4 Ke2 6.Bc3 Kf3 7.Kh3 Rh5#
Themes: pure, model, mirror, switchback, nocapture

No. 152 KRvkqp

solve ↗



h#6.5 2 + 3

h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#6.5.

Solution: 1...Kxa1 2.Kh7 Kb2 3.Kh8 Kc3 4.b2 Kd4 5.b1=R Ke5 6.Rb8 Kf6 7.Rg8 Rh5#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

No. 153 KRvkqq

solve ↗



h#6.5 2 + 3

h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Solution: 1...Ka1 2.Qb1+ Kxb1 3.Qe4+ Kc1 4.Qg6 Kd2 5.Kg7 Ke3 6.Kh6 Kf4 7.Kh5 Rh3#

Themes: pure, model, ideal, switchback, self-block, umnov

No. 154 KRvkqr

solve ↗



h#6.5 2 + 3

h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Solution: 1...Ka1 2.Qb1+ Kxb1 3.Rh6 Kc2 4.Rg6 Kd3 5.Kg7 Ke4 6.Kh6 Kf5 7.Rg7 Rh4#
Themes: pure, model, ideal, switchback, self-block, umnov

No. 155 KBBvkr

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

28 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kg8 Ka2 2.Ra4+ Kb3 3.Ra8 Kc4 4.Kf7 Kd5 5.Ke8 Ke6 6.Rd8 Bg6#
Themes: self-block, nocapture

No. 156 KNNNvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kg7 Ke4 2.Kh6 Kf5 3.Kh5 Ng3+ 4.Kh4 Kg6 5.Kg4 Nf2+ 6.Kh4 Nf5#
Themes: pure, mirror, switchback, single-piece, single-piece:black, nocapture

No. 157 KQBNvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

98 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxd1 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#
Themes: switchback, single-piece, single-piece:black

No. 158 KQQPvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kxh1 Kb7 2.Kg1 Kc6 3.Kh1 Kd5 4.Kg1 Ke4 5.Kh1 Kf3 6.Kg1 Qg2#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 159 KQQvkn

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxh8 Kxb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 160 KQQvkp

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kxh1 Kxb7 2.Kg1 Kc6 3.Kh1 Kd5 4.Kg1 Ke4 5.Kh1 Kf3 6.Kg1 Qg2#
Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 161 KQRBvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

29 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxh7 Kb2 2.Kh6 Kc3 3.Kh5 Kd4 4.Kxh4 Ke5 5.Kh5 Kf6 6.Kh6 Rh3#
Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

No. 162 KQRPvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kxh7 f4 2.Kh8 f5 3.Kh7 f6 4.Kh8 f7 5.Kh7 Rg7+ 6.Kh8 f8=Q#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, phoenix, promotions:q

No. 163 KQRvkn

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxh8 Kxb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

No. 164 KQRvkp

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

72 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kxh7 Kb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh6#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

No. 165 KQRvkq

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxg6 Ka2 2.Qd5+ Ka3 3.Qf7 Kb4 4.Kg7 Kc5 5.Kf8 Kd6 6.Ke8 Rc8#

Themes: pure, model, ideal, self-block

No. 166 KQRvkr

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxh6 Ka2 2.Rb7 Ka3 3.Rf7 Kb4 4.Kg7 Kc5 5.Kf8 Kd6 6.Ke8 Rc8#
Themes: pure, model, ideal, self-block, nocheck

No. 167 KQvkbn

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.

Solution: 1.Kg7 Kb1 2.Ne2 Kc2 3.Ng1 Kd3 4.Nh3 Ke4 5.Kh6 Kf5 6.Kh5 Qxh3#
Themes: mirror, nocheck

No. 168 KQvknn

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kxb2 2.Kh8 Kxc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

No. 169 KQvknp

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kb1 2.e3 Kc2 3.e2 Kd3 4.e1=B Ke4 5.Bc3 Kf5 6.Bh8 Qg6#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, nocheck, promotions:b

No. 170 KQvkpp

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 266 305 536 indexed have a unique solution at h#6.

Solution: 1.Kg8 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Rh1 Kxe6 6.Rh8 Qf7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:r

No. 171 KQvkqn

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kh7 Ka2 2.Qb7 Ka3 3.Qg7 Kb4 4.Kg8 Kc5 5.Kf8 Kd6 6.Qg8 Qe7#

Themes: pure, model, self-block, nocapture, nocheck

No. 172 KQvkqp

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kh2 Qf7 2.Kg3 Qb7 3.Kf4 Kb8 4.Ke5 Kc8 5.Kd6 Kd8 6.Qd5 Qe7#

Themes: self-block, nocapture, nocheck

No. 173 KRBNvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

36 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxc2 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: single-piece, single-piece:black

No. 174 KRBvkb

solve ↗



h#6, unique solution.

The class runs to h#10, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

28 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 3 + 2

Solution: 1.Kh6 Rg8 2.Kh5 Re8 3.Kg4 Kb2 4.Kf3 Kc3 5.Ke2 Bxh4+ 6.Kd1 Re1#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black

No. 175 KRBvkp

solve ↗



h#6, unique solution.

The class runs to h#16, so the deepest sound problem is 20 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 355 074 048 indexed have a unique solution at h#6.

h#6 3 + 2

Solution: 1.Kxd2 Ka2 2.Kc1 Kb3 3.Kb1 Bc5 4.Ka1 Ba3 5.c1=N+ Kc2 6.Na2 Bb2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, umnov, promotions:n

No. 176 KRNNvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

27 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxa1 Kd1 2.Kb2 Nb3 3.Kc3 Kc1 4.Kd3 Nc5+ 5.Ke2 Ng3+ 6.Ke1 Nd3#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 177 KRNvkb

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#10, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

33 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxe2 Kb2 2.Kd3 Kc1 3.Kc3 Kd1 4.Kb2 Kd2 5.Ka1 Kc1 6.Ba2 Nc2#
Themes: pure, model, ideal, closed-walk, self-block, nocheck

No. 178 KRRBvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

17 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kxh7 Kb2 2.Kh6 Kc3 3.Kh5 Kd4 4.Kxh4 Ke5 5.Kh5 Kf6 6.Kh6 Rh3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

No. 179 KRRPvk

solve ↗



h#6 4 + 1

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kxh7 f4 2.Kh8 f5 3.Kh7 f6 4.Kh8 f7 5.Kh7 Rg7+ 6.Kh8 f8=Q#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, pendulum, promotions:q

No. 180 KRRvkp

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

43 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kxh7 Kb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh6#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

No. 181 KRRvkr

solve ↗



h#6 3 + 2

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.

Solution: 1.Kxf8 Kc1 2.Rg7 Kd2 3.Kf7 Ke3 4.Kg6 Rxg7+ 5.Kh5 Kf4 6.Kh4 Rh7#

Themes: pure, model, ideal, mirror, switchback

No. 182 KRvkbb

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kf6 Ka2 2.Bg6 Kb3 3.Bf7+ Kb4 4.Ke7 Kc5 5.Kd8 Kd6 6.Bg8 Rxg8#
Themes: pure, model, mirror

No. 183 KRvkbn

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kg5 Rc2 2.Kf4 Rxc4+ 3.Ke3 Ka2 4.Kd2 Rd4+ 5.Kc1 Kb3 6.Kb1 Rxd1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 184 KRvkbp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

817 positions of the 355 074 048 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Kh7 Kb1 2.Bg8 Kc2 3.a2 Kd3 4.a1=R Ke4 5.Ra7 Kf5 6.Rg7 Rh5#
Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, promotions:r

No. 185 KRvknn

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

38 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Kg5 Rc6 2.Kf4 Rxc3 3.Ke3 Ka2 4.Kd2 Rxd3+ 5.Kc1 Kb3 6.Kb1 Rd1#
Themes: pure, model, ideal, mirror, single-piece, single-piece:black

No. 186 KRvknp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 731 positions of the 355 074 048 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Kh7 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kf6 6.Rg8 Rh5#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, promotions:r

No. 187 KRvkpp

solve ↗



h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 085 positions of the 266 305 536 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.c1=B Rxg5+ 2.Kh4 Rh5+ 3.Kg3 Kb1 4.Kf2 Kc2 5.Ke1 Kd3 6.Kd1 Rh1#

Themes: set-play, promotion, underpromotion, umnov, promotions:b

No. 188 KRvkqn

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

66 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Qd8 Kb2 2.Qg5 Kc3 3.Kh5 Kd4 4.Kh4 Ke4 5.Qg2+ Kf4 6.Kh3 Rh5#
Themes: pure, model, self-block, nocapture

No. 189 KRvkrb

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

55 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kh7 Kb1 2.Rd6 Kc2 3.Rg6 Kd3 4.Be6 Ke4 5.Bg8 Kf5 6.Rg7 Rh5#
Themes: pure, model, ideal, self-block, nocapture, nocheck

No. 190 KRvkrn

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 121 110 528 indexed have a unique solution at h#6.

Solution: 1.Kh6 Kb1 2.Rd7 Kc2 3.Rh7 Kd3 4.Ng4 Ke4 5.Nf6+ Kf5 6.Nh5 Rg6#
Themes: self-block, nocapture

No. 191 KRvkrp

solve ↗



h#6 2 + 3

h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 355 074 048 indexed have a unique solution at h#6.

Solution: 1.Kg5 Rb1 2.Kf4 Rb2 3.Ke3 Kxa2 4.Kd2 Kb3 5.Kc1 Ra2 6.Rd2 Ra1#
Themes: pure, model, ideal, self-block, nocheck

No. 192 KRvkrr

solve ↗



h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

100 positions of the 121 110 528 indexed have a unique solution at h#6.

h#6 2 + 3

Solution: 1.Kf5 Rg5+ 2.Ke4 Rxb5 3.Kd3 Ra5 4.Kc2 Ka2 5.Kd1+ Kb3 6.Kc1 Ra1#

Themes: pure, model, ideal, single-piece, single-piece:black, umnov

No. 193 KQBvkq

solve ↗



h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#5.5.

h#5.5 3 + 2

Solution: 1...Kxb2 2.Kxh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, kniest, pendulum, nocheck

No. 194 KQNvkq

solve ↗



h#5.5 3 + 2

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Solution: 1...Kxb2 2.Kxh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, kniest, pendulum, nocheck

No. 195 KQvkbb

solve ↗



h#5.5 2 + 3

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Solution: 1...Qb2 2.Kg5 Qxc3 3.Kf4 Qf6+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#

Themes: pure, model, mirror, single-piece, single-piece:black

No. 196 KQvkbp

solve ↗



h#5.5 2 + 3

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#5.5.

Solution: 1...Kxa2 2.Kh5 Kb1 3.Kh4 Qa2 4.Kg3 Kc2 5.Kf2 Kd3+ 6.Ke1 Qe2#
Themes: single-piece, single-piece:black

No. 197 KQvkqb

solve ↗



h#5.5 2 + 3

h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Solution: 1...Kxb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#
Themes: pure, model, ideal, self-block

No. 198 KQvkqq

solve ↗



h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

58 positions of the 121 110 528 indexed have a unique solution at h#5.5.

h#5.5 2 + 3

Solution: 1...Kxb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#

Themes: pure, model, ideal, self-block

No. 199 KQvkqr

solve ↗



h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

10 positions of the 121 110 528 indexed have a unique solution at h#5.5.

h#5.5 2 + 3

Solution: 1...Kxb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#

Themes: pure, model, ideal, self-block

No. 200 KQvkrn

solve ↗



h#5.5 2 + 3

h#5.5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Solution: 1...Kxb1 2.Ne2 Kc2 3.Ng1 Kd3 4.Nh3 Ke4 5.Kh6 Kf5 6.Kh5 Qxh3#
Themes: mirror, nocheck

No. 201 KRNvkq

solve ↗



h#5.5 3 + 2

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Solution: 1...Kxb1 2.Kg5 Ra6 3.Kf4 Nb5 4.Ke3 Re6+ 5.Kd2 Re2+ 6.Kd1 Nc3#
Themes: single-piece, single-piece:black

No. 202 KQBvkr

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxh4 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#
Themes: switchback, single-piece, single-piece:black

No. 203 KQQvkb

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower.

408 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxh5 Kb2 2.Kg4 Qg5+ 3.Kf3 Kc3 4.Kf2 Kd3 5.Ke1 Qg1#
Themes: switchback, single-piece, single-piece:black

No. 204 KQQvkq

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

441 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Qxe5+ Kb1 2.Kg3 Qb5 3.Kf2 Kc2 4.Ke1 Kd3 5.Kd1 Qb1#
Themes: mirror

No. 205 KQQvkr

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxh4 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#
Themes: single-piece, single-piece:black

No. 206 KQRNvk

solve ↗



h#5 4 + 1

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

26 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxg4 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: single-piece, single-piece:black, umnov

No. 207 KQRvkb

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 113 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxh1 Rh2+ 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rh1#

Themes: switchback, single-piece, single-piece:black

No. 208 KQvkrb

solve ↗



h#5 2 + 3

h#5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kh4 Qc6 2.Kg3 Kb2 3.Kf2 Kc3 4.Ke1 Kd3 5.Kd1 Qh1#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, nocheck

No. 209 KQvkrp

solve ↗



h#5 2 + 3

h#5, unique solution.

The class runs to h#6.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

631 positions of the 355 074 048 indexed have a unique solution at h#5.

Solution: 1.Kh4 Qc6 2.Kg3 Kb2 3.Kf2 Kc3 4.Ke1 Kd3 5.Kd1 Qh1#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, nocheck

No. 210 KRBvkr

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxg7 Kc2 2.Rh8 Kd3 3.Rh3+ Ke4 4.Kh6 Kf5 5.Kh5 Rxh3#

Themes: pure, model, ideal, mirror

No. 211 KRRNvk

solve ↗



h#5 4 + 1

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxg5 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: single-piece, single-piece:black, umnov

No. 212 KRRvkb

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower.

290 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Bxg7+ Rb2 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rb1#

Themes: pure, model, mirror

No. 213 KRRvkn

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

229 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Kxh1 Rh2+ 2.Kg1 Kb2 3.Kf1 Kc3 4.Ke1 Kd3 5.Kd1 Rh1#

Themes: pure, model, mirror, switchback, single-piece, single-piece:black

No. 214 KRRvkq

solve ↗



h#5 3 + 2

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

219 positions of the 121 110 528 indexed have a unique solution at h#5.

Solution: 1.Qxe1+ Kb2 2.Kg1 Rc2 3.Qf2 Kc3 4.Kf1 Kd3 5.Ke1 Rc1#

Themes: pure, model, ideal, self-block, kniest, umnov

No. 215 KQvkrr

solve ↗



h#4.5 2 + 3

h#4.5, unique solution.

The class runs to h#6, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

460 positions of the 121 110 528 indexed have a unique solution at h#4.5.

Solution: 1...Kxa2 2.Kg3 Qc4 3.Kf2 Kxb3 4.Ke1 Kc3 5.Kd1 Qf1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocheck

No. 216 KQQNvk

solve ↗



h#4 4 + 1

h#4, unique solution.

The class runs to h#5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 121 110 528 indexed have a unique solution at h#4.

Solution: 1.Kxh2 Qg8 2.Kh3 Nc7 3.Kh4 Ne6 4.Kh5 Qg5#

Themes: pure, model, single-piece, single-piece:black, nocheck

No. 217 KQQBvk

solve ↗



h#3 4 + 1

h#3, unique solution.

The class runs to h#4, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

293 positions of the 121 110 528 indexed have a unique solution at h#3.

Solution: 1.Kxd4 Qg6 2.Kc5 Kb2 3.Kb4 Qb6#

Themes: pure, model, ideal, single-piece, single-piece:black, nocheck

No. 218 KQQRvk

solve ↗



h#3 4 + 1

h#3, unique solution.

The class runs to h#4, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

775 positions of the 121 110 528 indexed have a unique solution at h#3.

Solution: 1.Kxe3 Ka2 2.Kd4 Qe4+ 3.Kc3 Rc2#

Themes: single-piece, single-piece:black

No. 219 KQRRvk

solve ↗



h#3 4 + 1

h#3, unique solution.

The class runs to h#5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 116 positions of the 121 110 528 indexed have a unique solution at h#3.

Solution: 1.Kxe3 Ka2 2.Kd4 Qe4+ 3.Kc3 Rc2#

Themes: single-piece, single-piece:black

No. 220 KRRRvk

solve ↗



h#3 4 + 1

h#3, unique solution.

The class runs to h#5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

217 positions of the 121 110 528 indexed have a unique solution at h#3.

Solution: 1.Kxe3 Kb2 2.Ke4 Kc3 3.Ke3 Rde2#

Themes: switchback, single-piece, single-piece:black, kniest, nocheck

No. 221 KQQQvk

solve ↗



h#2 4 + 1

h#2, unique solution.

The class runs to h#3, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 150 positions of the 121 110 528 indexed have a unique solution at h#2.

Solution: 1.Kxd1 Qh2 2.Ke1 Qc1#

Themes: mirror, single-piece, single-piece:black, nocheck

Six men

13 of the 645 material classes with 6 men that can hold a mate, deepest sound problem first.

No. 222 KBvkqnn

solve ↗



h#10 2 + 4

h#10, unique solution.

The class runs to h#13, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 7 751 073 792 indexed have a unique solution at h#10.

Solution: 1.Kg2 Be5 2.Kf3 Bc3 3.Ke4 Kc2 4.Kd5 Kd3 5.Kd6 Kd4 6.Kc7 Ke5 7.Qa4 Ke6 8.Qa8 Ba5+ 9.Kb8 Kd7 10.Na7 Bc7#

Themes: pure, model, ideal, self-block, nocapture

No. 223 KBvkqbn

solve ↗



h#9.5 2 + 4

h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

90 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Solution: 1...Bxa4 2.Kd2 Bb5 3.Kc3 Ba6 4.Kb4 Kb2 5.Ka5 Kc3 6.Nc8 Kd4 7.Kb6 Kxd5 8.Ka7 Kc6 9.Ka8 Kc7 10.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck

No. 224 KBvkqqn

solve ↗



h#9.5 2 + 4

h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

341 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Solution: 1...Kxa2 2.Kd2 Be4 3.Kc3 Bxb7 4.Kb4 Ba6 5.Ka5 Kb3 6.Nc8 Kc4 7.Kb6 Kd5 8.Ka7 Kc6 9.Ka8 Kc7 10.Na7 Bb7#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 225 KBvkqrn

solve ↗



h#9.5 2 + 4

h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

394 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Solution: 1...Kxa2 2.Kd2 Be4 3.Kc3 Bxb7 4.Kb4 Ba6 5.Ka5 Kb3 6.Nc8 Kc4 7.Kb6 Kd5 8.Ka7 Kc6 9.Ka8 Kc7 10.Na7 Bb7#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 226 KBBvkbn

solve ↗



h#9 3 + 3

h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

244 positions of the 7 751 073 792 indexed have a unique solution at h#9.

Solution: 1.Kd2 Bd3 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kc3 5.Nc8 Kd4 6.Kb6 Kxd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, self-block, nocheck

No. 227 KBBvknn

solve ↗



h#8.5 3 + 3

h#8.5, unique solution.

The class runs to h#13, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Solution: 1...Bg3 2.Ne3 Bb8 3.Ng4 Kc2 4.Nc7 Kd3 5.Kg3 Be5+ 6.Kh4 Ke4 7.Ne6 Kf5 8.Ng5 Kg6 9.Nh3 Bg3#

Themes: pure, model, ideal, self-block, nocapture

No. 228 KBvkqbb

solve ↗



h#8.5 2 + 4

h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Solution: 1...Kxb1 2.Bf5+ Kb2 3.Kh3 Kc3 4.Kg4 Kd4 5.Kh5 Ke5 6.Kh6 Kf6 7.Kh7 Kf7 8.Kh8 Kxf8 9.Bh7 Bf6#

Themes: self-block

No. 229 KBvkrbb

solve ↗



h#8.5 2 + 4

h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Solution: 1...Kxd1 2.Kb2 Be4 3.Kc3 Bxa8 4.Kd3 Kc1 5.Ke2 Kc2 6.Kf1 Kd3 7.Kg1 Ke4 8.Kh1 Kf3 9.Bg1 Kg3#

Themes: switchback, self-block, nocheck

No. 230 KNvknnn

solve ↗



h#8.5 2 + 4

h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Solution: 1...Kxb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

No. 231 KBBvkbb

solve ↗



h#8 3 + 3

h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

129 positions of the 7 751 073 792 indexed have a unique solution at h#8.

Solution: 1.Bf5 Kb2 2.Kh3 Kc3 3.Kg4 Kd4 4.Kxg5 Ke5 5.Kh6 Kf6 6.Kh7 Kf7 7.Kh8 Kxf8 8.Bh7 Bc3#

Themes: self-block, nocheck

No. 232 KBvkqqb

solve ↗



h#7.5 2 + 4

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.

Solution: 1...Ka1 2.Kd4 Bd5 3.Kc3 Bxg2 4.Qc1+ Ka2 5.Kd2 Kb3 6.Bc3 Kc4 7.Kd1 Kd3 8.Be1 Bf3#

Themes: self-block

No. 233 KBvkqrb

solve ↗

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower.

2 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.



h#7.5 2 + 4

Solution: 1...Bb1+ 2.Qc2 Ba2 3.Qb1+ Kxb1 4.Rd1+ Kc2 5.Rh1 Kd3 6.Kg6 Ke4 7.Kh5 Kf5 8.Rh4 Bf7#

Themes: switchback, self-block, umnov

No. 234 KNNvknn

solve ↗

h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

31 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.



h#6.5 3 + 3

Solution: 1...Kb2 2.Kg7 Ka3 3.Kf6 Kb4 4.Ke5 Kc5 5.Nb3+ Kc6 6.Kd4 Nc2+ 7.Kc4 Nb2#

Themes: pure, model, ideal, self-block, nocapture

Index of material classes

Sorted by how deep a sound problem gets. *class max* is the longest helpmate in that material at any solution count.

material	men	sound	class max	gap	page
KPvkp	4	**h#8.5**	h#14.5	12	6
KPvkqn	5	**h#8.5**	h#9.5	2	39
KPvkqp	5	**h#8.5**	h#14.5	12	39
KPvkrp	5	**h#8.5**	h#14.5	12	40
KBBvkbb	6	**h#8**	h#10	4	120
KBvkbb	5	**h#8**	h#10	4	40
KBvkn	4	**h#8**	h#12	8	6
KBvkp	4	**h#8**	h#16	16	7
KNvkb	4	**h#8**	h#10.5	5	7
KNvkbn	5	**h#8**	h#10	4	41
KNvkp	4	**h#8**	h#11.5	7	8
KNvkqn	5	**h#8**	h#10.5	5	41
KNvkr	4	**h#8**	h#9.5	3	8
KQBvkn	5	**h#8**	h#12	8	42
KQNvkb	5	**h#8**	h#11	6	42
KQNvkn	5	**h#8**	h#10	4	43
KQNvkp	5	**h#8**	h#11	6	43
KQNvkr	5	**h#8**	h#10	4	44
KQPvkb	5	**h#8**	h#9	2	44
KQPvkn	5	**h#8**	h#9	2	45
KQPvkp	5	**h#8**	h#15	14	45
KRBvkn	5	**h#8**	h#12	8	46
KRNvkn	5	**h#8**	h#10	4	46
KBNvkq	5	**h#7.5**	h#8.5	2	47
KBvkqqb	6	**h#7.5**	h#8.5	2	121
KBvkqrb	6	**h#7.5**	h#8.5	2	121
KNPvkb	5	**h#7.5**	h#11	7	47
KNPvkn	5	**h#7.5**	h#9	3	48
KNPvkq	5	**h#7.5**	h#8.5	2	48
KNPvkr	5	**h#7.5**	h#9	3	49
KNvkn	4	**h#7.5**	h#10	5	9
KNvkrb	5	**h#7.5**	h#10.5	6	49
KPPvkb	5	**h#7.5**	h#8.5	2	50
KPPvkn	5	**h#7.5**	h#8.5	2	50
KPPvkq	5	**h#7.5**	h#8.5	2	51
KPvkb	4	**h#7.5**	h#8.5	2	9
KPvkbb	5	**h#7.5**	h#9.5	4	51
KPvkbn	5	**h#7.5**	h#9.5	4	52
KPvkn	4	**h#7.5**	h#8.5	2	10
KPvknn	5	**h#7.5**	h#9.5	4	52
KPvkq	4	**h#7.5**	h#9	3	10
KPvkqb	5	**h#7.5**	h#11.5	8	53
KPvkqq	5	**h#7.5**	h#9.5	4	53
KPvkqr	5	**h#7.5**	h#8.5	2	54
KPvkr	4	**h#7.5**	h#8.5	2	11
KPvkrb	5	**h#7.5**	h#8.5	2	54
KPvkrn	5	**h#7.5**	h#9.5	4	55
KBBBvk	5	**h#7**	h#8	2	55
KBBNvk	5	**h#7**	h#8	2	56
KBBPvk	5	**h#7**	h#9	4	56

material	men	sound	class max	gap	page
KBBvkb	5	**h#7**	h#10.5	7	57
KBNPvk	5	**h#7**	h#8	2	57
KBNvkb	5	**h#7**	h#11	8	58
KBNvkn	5	**h#7**	h#12	10	58
KBNvkp	5	**h#7**	h#16	18	59
KBNvkr	5	**h#7**	h#9	4	59
KBPPvk	5	**h#7**	h#8	2	60
KBPvk	4	**h#7**	h#8	2	11
KBPvkb	5	**h#7**	h#10	6	60
KBPvkn	5	**h#7**	h#12	10	61
KBPvkq	5	**h#7**	h#8.5	3	61
KBPvkr	5	**h#7**	h#8.5	3	62
KNNPvk	5	**h#7**	h#8	2	62
KNNvkp	5	**h#7**	h#11	8	63
KNNvkq	5	**h#7**	h#8.5	3	63
KNNvkr	5	**h#7**	h#10	6	64
KNPPvk	5	**h#7**	h#8.5	3	64
KNPvk	4	**h#7**	h#8.5	3	12
KPPPvk	5	**h#7**	h#8	2	65
KPPvk	4	**h#7**	h#8	2	12
KPvkrr	5	**h#7**	h#8.5	3	65
KQBBvk	5	**h#7**	h#8	2	66
KQBPvk	5	**h#7**	h#8	2	66
KQBvkb	5	**h#7**	h#10	6	67
KQBvkp	5	**h#7**	h#16	18	67
KQNNvk	5	**h#7**	h#8	2	68
KQNPvk	5	**h#7**	h#9	4	68
KQPPvk	5	**h#7**	h#8	2	69
KQPvk	4	**h#7**	h#8	2	13
KQPvkq	5	**h#7**	h#9	4	69
KQPvkr	5	**h#7**	h#9	4	70
KRBBvk	5	**h#7**	h#8	2	70
KRBPvk	5	**h#7**	h#8	2	71
KRNPvk	5	**h#7**	h#8	2	71
KRNvkp	5	**h#7**	h#11.5	9	72
KRNvkr	5	**h#7**	h#10	6	72
KRPPvk	5	**h#7**	h#8	2	73
KRPvkb	5	**h#7**	h#8	2	73
KRPvkn	5	**h#7**	h#8.5	3	74
KRPvkp	5	**h#7**	h#14	14	74
KRPvkq	5	**h#7**	h#9	4	75
KRPvkr	5	**h#7**	h#8.5	3	75
KBBvk	4	**h#6.5**	h#8	3	13
KBBvkq	5	**h#6.5**	h#7.5	2	76
KBNNvk	5	**h#6.5**	h#8	3	76
KBvkb	4	**h#6.5**	h#10	7	14
KBvkqb	5	**h#6.5**	h#9.5	6	77
KBvkrb	5	**h#6.5**	h#9.5	6	77
KNNvk	4	**h#6.5**	h#8	3	14
KNNvkb	5	**h#6.5**	h#10	7	78

material	men	sound	class max	gap	page
KRvknp	5	**h#6**	h#7	2	97
KRvkp	4	**h#6**	h#7	2	19
KRvkpp	5	**h#6**	h#7	2	98
KRvkqn	5	**h#6**	h#7.5	3	98
KRvkrb	5	**h#6**	h#7	2	99
KRvkrn	5	**h#6**	h#7.5	3	99
KRvkrp	5	**h#6**	h#7.5	3	100
KRvkrr	5	**h#6**	h#7.5	3	100
KQBvkq	5	**h#5.5**	h#7	3	101
KQNvkq	5	**h#5.5**	h#7	3	101
KQvkbb	5	**h#5.5**	h#7	3	102
KQvkbp	5	**h#5.5**	h#7	3	102
KQvkq	4	**h#5.5**	h#7	3	20
KQvkqb	5	**h#5.5**	h#7.5	4	103
KQvkqq	5	**h#5.5**	h#7.5	4	103
KQvkqr	5	**h#5.5**	h#6.5	2	104
KQvkrn	5	**h#5.5**	h#6.5	2	104
KRNvkq	5	**h#5.5**	h#7	3	105
KRvkq	4	**h#5.5**	h#7.5	4	20
KRvkr	4	**h#5.5**	h#7	3	21
KQBvkr	5	**h#5**	h#6	2	105
KQQvkb	5	**h#5**	h#6	2	106
KQQvkq	5	**h#5**	h#7	4	106
KQQvkr	5	**h#5**	h#6	2	107
KQRNvk	5	**h#5**	h#7	4	107
KQRvkb	5	**h#5**	h#7	4	108
KQvkb	4	**h#5**	h#6	2	21
KQvkr	4	**h#5**	h#6	2	22
KQvkrb	5	**h#5**	h#6.5	3	108
KQvkrp	5	**h#5**	h#6.5	3	109
KRBvkr	5	**h#5**	h#7	4	109
KRNvk	4	**h#5**	h#7	4	22
KRRNvk	5	**h#5**	h#7	4	110
KRRvkb	5	**h#5**	h#7	4	110
KRRvkn	5	**h#5**	h#7	4	111
KRRvkq	5	**h#5**	h#7	4	111
KRvkb	4	**h#5**	h#7	4	23
KRvkn	4	**h#5**	h#7	4	23
KQvkrr	5	**h#4.5**	h#6	3	112
KRvk	3	**h#4.5**	h#7	5	5
KQQNvk	5	**h#4**	h#5	2	112
KRRvk	4	**h#4**	h#7	6	24
KQQBvk	5	**h#3**	h#4	2	113
KQQRvk	5	**h#3**	h#4	2	113
KQRRvk	5	**h#3**	h#5	4	114
KRRRvk	5	**h#3**	h#5	4	114
KQQQvk	5	**h#2**	h#3	2	115