

The Deepest Sound Helpmates

One position per material class:
the longest helpmate that still has a single solution

Draft — 234 of 875 material classes

All 3 to 6 man endings

Generated from the helpmate tablebase corpus.
Every diagram, depth and solution in this booklet is machine-derived; nothing is
hand-written.

How to read this booklet

A *helpmate* is a chess problem in which both sides cooperate: Black moves first and helps White deliver mate. **h#n** means mate on White's *n*th move. **h#n.5** is the half-move case: White is to move, so the solution opens 1... and needs one extra half-move.

Under every diagram stands the stipulation and the material count, *white men + black men*, in the usual problemist's form. The line below the solution is the position's FEN, and it is a link: it opens the position in the Helpmate Analyzer at helpman.komtera.lt, already set to the right stipulation, ready to solve and to analyse for thematic content.

Why the deepest problem is not the longest one

In problem chess, uniqueness is the quality criterion. A second solution is a *dual*, and a composition with a dual is unsound. So the position worth showing in a material class is not its longest helpmate — it is the longest one that still has exactly one solution.

Those are never the same position. In all 234 classes collected here the deepest sound problem is shallower than the class maximum, on average 4.4 plies shallower and at worst 20. The reason is in the data: in 225 of 234 classes *every* position at maximum depth has a saturated solution count of 255 or more. The longest helpmates have hundreds of ways to reach mate, which is exactly what disqualifies them as compositions.

Where the numbers come from

Depths and position counts are exact. They are read from each table's **uniqueness** histogram, which maps depth to solution count to number of positions, so “the deepest depth holding a unique solution” and “how many such positions exist” are both lookups, not samples. Each FEN is verified by probing the table before it is used, and each solution is the solver's own output.

Contents

How to read this booklet	ii
1 The corpus in numbers	1
2 Three men	4
3 Four men	7
4 Five men	30
5 Six men	125
A Index of material classes	132

The corpus in numbers

This draft covers 234 material classes holding 140 449 027 488 indexed positions. The deepest sound problem in the whole corpus is **h#13** in KBvkrp (page 30).

Coverage


The target is every material class from three to six men in which a mate can exist at all. Both orders count separately — White mates, so KR Pvkb and KBvkrp are different problems — which gives 1 000 classes on paper. Of those, 125 have White with nothing but a bare king and cannot hold a mate under any circumstances, leaving the 875 counted here.

men	in this draft	possible	coverage
3	3	5	60.0%
4	37	40	92.5%
5	181	185	97.8%
6	13	645	2.0%
total	234	875	26.7%

The six-man row is what makes this a draft: those tables are the expensive ones and only a handful have been generated so far. The three-, four- and five-man rows fall a little short of their own totals for a different reason. A class can have a complete table and still contribute nothing here — either no mate exists in it at all, or no depth in it holds a position with a single solution. Such a class has no sound problem to show, so it has no page.


How deep a sound problem gets

Distribution of the deepest sound depth across all 234 classes.



The gap to the class maximum

How much depth uniqueness costs: the class's longest helpmate minus its deepest sound one, in plies. It is never zero.



Mean 4.4 plies, median 3, worst 20 — KRBvkp, which runs to h#16 but whose deepest sound problem is only h#6 (page 100).

The ten deepest

material	sound	class max	gap	positions
KBvkrp	h#13	h#16.5	7	2
KBvkqp	h#12	h#17	10	3
KBvkbp	h#11.5	h#16	9	8
KBPvvp	h#10.5	h#16	11	1
KBvkqnn	h#10	h#13	6	5
KPvkpp	h#10	h#15.5	11	2
KBvknv	h#9.5	h#15.5	12	2
KBvkqbn	h#9.5	h#12.5	6	90
KBvkqn	h#9.5	h#13	7	46
KBvkqqn	h#9.5	h#12.5	6	341

Rarity

At its deepest sound depth a class may hold a single position and nothing else. 21 classes are like that, and 117 hold ten or fewer. Those are the positions with no margin at all: change one man and the problem is gone.


classes with exactly one position at their deepest sound depth			
KBPvvp h#10.5	KNvkqb h#9.5	KBBvvp h#9	KNvknv h#8.5
KNvkrr h#8.5	KPvkqn h#8.5	KBNvkq h#7.5	KPPvkb h#7.5
KPPvkn h#7.5	KPPvkq h#7.5	KPvkr h#7.5	KBBNvk h#7
KNNvkq h#7	KNNvkr h#7	KQBBvk h#7	KRBBvk h#7
KBBvk h#6.5	KRvkqb h#6.5	KQvkbn h#6	KRRvkr h#6
KRvk h#4.5			

Three men

3 of the 5 material classes with 3 men that can hold a mate, deepest sound problem first.

No. 1 KPvk

solve ↗



h#6.5

2 + 1

h#6.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 86 688 indexed have a unique solution at h#6.5.


Published: Niemann, John – Schachmatt, No. 427, 13/07/1947; Catalogue h# (CHM) avec 6 pieces, No. 61, 1995; Wenigsteiner im Hilfsmatt, No. 77, 1977; Problemista, No. 1569, 07-10/1981, as h#6 (P0530828); Ban, Jenő – Magyar Sakkelet, 1961; Ideal-Mate Encyclopedia Vol.1, No. 12, 1999, as h#7 0.1... (P1100755)

Solution: 1...e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: set-play, pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, nocapture, nocheck, umnov, promotions:q

No. 1b KPvk

solve ↗



h#6.5 2 + 1

Solution: 1...d4 2.Kg3 d5 3.Kf4 d6 4.Ke5 d7 5.Kd6 Ka5 6.Kc7 Ka6 7.Kb8 d8=Q#


Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, nocapture, nocheck, umnov, promotions:q

h#6.5, unique solution.

Same material and stipulation as No. 1, which is published; this position is not in the published database, under any mirroring.

No. 2 KQvk

solve ↗



h#6 2 + 1

Solution: 1.Kh7 Kb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocapture, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 3 positions of the 29 568 indexed have a unique solution at h#6.

Published: Csaszar, Imre – Magyar Sakkvilag, 1945; Ideal-Mate Review, 1990; Catalogue h# (CHM) avec 6 pieces, No. 165, 1995, as h#6 (P0551296)

Note: the side to move is in check in the diagram.

No. 2b KQvk

solve ↗



h#6


2 + 1

Solution: 1.Kh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: set-play, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

No. 3 KRvk

solve ↗



h#4.5

2 + 1

Solution: 1...Kc1 2.Kf7 Kd2 3.Kg6 Ke3 4.Kh5 Kf4 5.Kh4 Rh2#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture, nocheck

h#6, unique solution.

Same material and stipulation as No. 2, which is published; this position is not in the published database, under any mirroring.

h#4.5, unique solution.

The class runs to h#7, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 29 568 indexed has a unique solution at h#4.5.


Published: Ban, Jenö – Diagramme und Figuren, No. 1295, 27/11/1965; Catalogue h# (CHM) avec 6 pieces, No. 122, 1995; Ideal-Mate Encyclopedia Vol.1, No. 1848, 1999, as h#5 0.1... (P0531991)

Four men

37 of the 40 material classes with 4 men that can hold a mate, deepest sound problem first.

No. 4 KPvkp

[solve ↗](#)



h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more). 2 positions of the 4 161 024 indexed have a unique solution at h#8.5.

h#8.5


2 + 2

Solution: 1...Kc3 2.Kg2 Kb4 3.a5+ Kxa5 4.Kf3 Kb4 5.Ke4 a5 6.Kd5 a6 7.Kc6 a7 8.Kb7 Kc5 9.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, switchback, promotions:q

No. 5 KBvkn

solve ↗



h#8

2 + 2

Solution: 1.Kc3 Bg2 2.Kd2 Bf1 3.Ke1 Kc2 4.Nh3 Kd3 5.Kf2 Ke4 6.Kg1 Kf3 7.Kh1 Kg3 8.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, nocapture, nocheck


h#8, unique solution.

The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

19 positions of the 1 892 352 indexed have a unique solution at h#8.

No. 6 KBvkp

solve ↗



h#8

2 + 2

Solution: 1.c3 Bh4 2.c2 Kb2 3.c1=N Kc2 4.Kd4 Kd1 5.Kc3 Be7 6.Kb2 Ba3+ 7.Ka1 Kc2 8.Na2 Bb2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, nocapture, unnov, promotions:n


h#8, unique solution.

The class runs to h#16, so the deepest sound problem is 16 plies shallower. Every position at that depth has a saturated solution count (255 or more).

16 positions of the 5 548 032 indexed have a unique solution at h#8.

No. 7 KNvkb

solve ↗



h#8

2 + 2

Solution: 1.Kg5 Nd4 2.Kf4 Kb2 3.Ke3 Ka3 4.Kd2 Kb4 5.Kc1 Kc3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocapture, nocheck


h#8, unique solution.

The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 1 892 352 indexed have a unique solution at h#8.

No. 8 KNvkp

solve ↗



h#8

2 + 2

Solution: 1.d5 Kb1 2.d4 Kc1 3.d3 Kd2 4.Kb2 Nb4 5.Ka1 Kc3 6.d2 Kb3 7.d1=R Ka3 8.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r


h#8, unique solution.

The class runs to h#11.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 5 548 032 indexed have a unique solution at h#8.

No. 9 KNvkr

solve ↗



h#8

2 + 2

Solution: 1.Kg2 Nf3 2.Kf1 Kb1 3.Ke2 Kb2 4.Kd3+ Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocapture

h#8, unique solution.


The class runs to h#9.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#8.

Published: Elkies, Noam D. – Variantim, No. 546, 11/1995, as h#8 (P0543062); Mertes, Helmut – feenschach, 01/1977; Ideal-Mate Encyclopedia Vol.1, No. 400, 1999, as h#8 (P0543063)

No. 9b KNvkr

solve ↗



h#8

2 + 2

Solution: 1.Kg6 Nb4 2.Kf5 Nc2 3.Ke4 Kb2 4.Kd3 Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#


Themes: pure, model, ideal, switchback, self-block, nocapture, nocheck

h#8, unique solution.

Same material and stipulation as No. 9, which is published; this position is not in the published database, under any mirroring.

No. 10 K N v k n

solve ↗



h#7.5

2 + 2

Solution: 1...Nh4 2.Ke3 Kb2 3.Kf4 Kc3 4.Kg5 Kd4 5.Kh6 Ke5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocapture, nocheck

h#7.5, unique solution.


The class runs to h#10, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 1 892 352 indexed have a unique solution at h#7.5.

Published: Kotesovec, Vaclav – Sachova skladba, No. 1065, 06/1987, as h#8 0.1... (P0542897); ?, ? – ?, 03/1975, as h#8 0.1... (P0542908)

No. 10b K N v k n

solve ↗



h#7.5

2 + 2

Solution: 1...Ne5 2.Ke3 Kc2 3.Kf4 Kd3 4.Kg5 Ke4 5.Kh6 Kf5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#


Themes: pure, model, ideal, self-block, nocapture, nocheck

h#7.5, unique solution.

Same material and stipulation as No. 10, which is published; this position is not in the published database, under any mirroring.

No. 11 KPvkb

solve ↗



h#7.5

2 + 2

Solution: 1...Ka5 2.Bd5 c4 3.Kg3 cxd5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Kb5 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: set-play, pure, model, ideal, mirror, promotion, nocheck, umnov, promotions:q


h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

13 positions of the 5 548 032 indexed have a unique solution at h#7.5.

No. 12 KPvkn

solve ↗



h#7.5

2 + 2

Solution: 1...c5 2.Kg2 c6 3.Kf3 c7 4.Ke4 c8=Q 5.Kd5 Qf5+ 6.Kc6 Kb8 7.Kb6 Kc8 8.Ka7 Qxa5#

Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, promotions:q


h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 5 548 032 indexed have a unique solution at h#7.5.

No. 13 KPvkq

solve ↗



h#7.5

2 + 2

Solution: 1...d4 2.Kg2 d5 3.Kf3 d6 4.Ke4 d7 5.Kd5 d8=Q+ 6.Kc6 Qd5+ 7.Kc7 Ka6 8.Kb8 Qb7#


Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, umnov, promotions:q

h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more). 32 positions of the 5 548 032 indexed have a unique solution at h#7.5.

No. 14 KPvkr

solve ↗



h#7.5

2 + 2

Solution: 1...Ka2 2.Ra3+ Kxa3 3.Kg6 h4 4.Kf5 h5 5.Ke4 h6 6.Kd3 h7 7.Kc2 h8=Q 8.Kb1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

h#7.5, unique solution.


The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 5 548 032 indexed has a unique solution at h#7.5.

Published: Maslar, Zdravko – ?, as h#8 0.1... (P0542623)

No. 15 KBPvk

solve ↗



h#7

3 + 1

Solution: 1.Kg7 Bb3 2.Kf6 a4 3.Ke5 a5 4.Kd4 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 5 548 032 indexed have a unique solution at h#7.

Published: Elkies, Noam D. – The Problemist, No. H2794, 07/2004, as h#7 (P1187767)

No. 15b KBPvk

solve ↗



h#7

3 + 1

Solution: 1.Kg7 Bb3 2.Kf6 a4 3.Ke5 a5 4.Kd4 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa2#


Themes: promotion, single-piece, single-piece:black, nocapture, nocheck, promotions:q

h#7, unique solution.

Same material and stipulation as No. 15, which is published; this position is not in the published database, under any mirroring.

No. 16 KNPvk

solve ↗



h#7

3 + 1

Solution: 1.Kg2 Nc2 2.Kf3 a4 3.Ke4 a5 4.Kd3 a6 5.Kc3 a7 6.Kb2 a8=Q 7.Kb1 Qa1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q


h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more). 49 positions of the 5 548 032 indexed have a unique solution at h#7.

Published: Elkies, Noam D. – The Problemist, No. H2793, 07/2004, as h#7 (P1187769)

No. 16b KNPvk

solve ↗



h#7

3 + 1

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#


Themes: mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

h#7, unique solution.

Same material and stipulation as No. 16, which is published; this position is not in the published database, under any mirroring.

No. 17 KPPvk

solve ↗



h#7

3 + 1

Solution: 1.Kg6 Ka3 2.Kf5 g4+ 3.Ke4 g5 4.Kd3 g6 5.Kc2 g7 6.Kb1 g8=Q 7.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, nocapture, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 4 161 024 indexed have a unique solution at h#7.

Published: Salazar Lopez, Francisco – British Chess Magazine, 03/1973; Catalogue h# (CHM) avec 6 pieces, No. 213, 1995; The Problemist, 05/2005; Problemkiste, No. G), 01/2010, as h#7 (P0545149)

No. 18 KQPvk

solve ↗



h#7

3 + 1

Solution: 1.Kxg8 e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, phoenix, nocheck, umnov, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower.

12 positions of the 5 548 032 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 19 KBBvk

[solve ↗](#)



h#6.5

3 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black, nocapture

h#6.5, unique solution.


The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 1 892 352 indexed has a unique solution at h#6.5.

Published: Maslar, Zdravko – feenschach, 01-03/1978; Catalogue h# (CHM) avec 6 pieces, No. 899, 1995; Problemkiste, No. A1, 03/2012, as h#7 0.1... (P0545758)

No. 20 KBvkb

[solve ↗](#)



h#6.5

2 + 2

Solution: 1...Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#

Themes: self-block, nocapture, nocheck


h#6.5, unique solution.

The class runs to h#10, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 1 892 352 indexed have a unique solution at h#6.5.

No. 21 KNNvk

solve ↗



h#6.5

3 + 1

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture

h#6.5, unique solution.


The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#6.5.

Published: Bebesi, Gyula – Diagramme und Figuren, No. 1910, 12/12/1966; Catalogue h# (CHM) avec 6 pieces, No. 624, 1995; Ideal-Mate Encyclopedia Vol.1, No. 930, 1999, as h#7 0.1... (P0545484)

No. 21b KNNvk

solve ↗



h#6.5

3 + 1

Solution: 1...Ke2 2.Kg7 Kf3 3.Kf6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#


Themes: pure, model, ideal, mirror, single-piece, single-piece:black, nocapture

h#6.5, unique solution.

Same material and stipulation as No. 21, which is published; this position is not in the published database, under any mirroring.

No. 22 KBNvk

solve ↗



h#6

3 + 1

Solution: 1.Kc2 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: set-play, single-piece, single-piece:black, nocapture


h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 1 892 352 indexed have a unique solution at h#6.

No. 23 KQBvk

solve ↗



h#6

3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 1 892 352 indexed have a unique solution at h#6.

Note: the solution begins with a capture.

No. 24 KQNvk

solve ↗



h#6

3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 1 892 352 indexed have a unique solution at h#6.

Note: the solution begins with a capture.

No. 25 KQQvk

solve ↗



h#6

3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 1 892 352 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 26 KQRvk

solve ↗



h#6

3 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 1 892 352 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 27 KQvkn

solve ↗



h#6

2 + 2

Solution: 1.Kh7 Kxb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: set-play, pure, model, ideal, switchback, single-piece, single-piece:black, pendulum, nocheck


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 1 892 352 indexed have a unique solution at h#6.

No. 28 KQvbk

solve ↗



h#6

2 + 2

Solution: 1.Kg1 Kxb7 2.Kh1 Kc6 3.Kg1 Kd5 4.Kh1 Ke4 5.Kg1 Kf3 6.Kh1 Qg2#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 5 548 032 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 29 KRBvk

solve ↗



h#6

3 + 1

Solution: 1.Kh7 Kb2 2.Kh6 Kc3 3.Kh7 Kd4 4.Kh6 Ke5 5.Kh7 Kf6 6.Kh6 Rh8#

Themes: set-play, mirror, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower.

20 positions of the 1 892 352 indexed have a unique solution at h#6.

No. 30 KRPvk

solve ↗



h#6

3 + 1

Solution: 1.Kh8 a4 2.Kh7 a5 3.Kh8 a6 4.Kh7 a7 5.Kh8 a8=Q+ 6.Kh7 Qg8#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:white, single-piece:black, pendulum, nocapture, promotions:q


h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 5 548 032 indexed have a unique solution at h#6.

No. 31 KRvkp

solve ↗



h#6

2 + 2

Solution: 1.Kh7 Kb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh5#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

84 positions of the 5 548 032 indexed have a unique solution at h#6.

No. 32 KQvkq

solve ↗



h#5.5

2 + 2

Solution: 1...Kb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#

Themes: pure, model, ideal, self-block, nocapture

h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 1 892 352 indexed have a unique solution at h#5.5.


Published: Sheglow, Wiktor S. – Suomen

Tehtäväniekat, No. (257), 05-06/1998, as h#6 0.1... (P0574108)

Note: the side to move is in check in the diagram.

No. 32b KQvkq

solve ↗



h#5.5

2 + 2

Solution: 1...Kxb2 2.Kh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, pendulum, nocheck


h#5.5, unique solution.

Same material and stipulation as No. 32, which is published; this position is not in the published database, under any mirroring.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 33 KRvkq

solve ↗



h#5.5

2 + 2

Solution: 1...Kb1 2.Qf5+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Kh5 Rh3#

Themes: pure, model, ideal, self-block, nocapture


h#5.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 1 892 352 indexed have a unique solution at h#5.5.

No. 34 KRvkr

solve ↗



h#5.5

2 + 2

Solution: 1...Kb1 2.Rh6 Kc2 3.Rg6 Kd3 4.Kg7 Ke4 5.Kh6 Kf5 6.Rg7 Rh4#

Themes: pure, model, ideal, self-block, nocapture, nocheck


h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 1 892 352 indexed have a unique solution at h#5.5.

No. 35 KQvkb

solve ↗



h#5 2 + 2

Solution: 1.Kh5 Qxa3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: single-piece, single-piece:black


h#5, unique solution.

The class runs to h#6, so the deepest sound problem is 2 plies shallower.

64 positions of the 1 892 352 indexed have a unique solution at h#5.

No. 36 KQvkr

solve ↗



h#5 2 + 2

Solution: 1.Kh5 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: single-piece, single-piece:black

h#5, unique solution.


The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 1 892 352 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram.

No. 37 KRNvk

solve ↗



h#5

3 + 1

Solution: 1.Kg5 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: set-play, single-piece, single-piece:black, nocapture, umnov

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

19 positions of the 1 892 352 indexed have a unique solution at h#5.

Published: Maslar, Zdravko – Stern, 15/01/1981; Catalogue h# (CHM) avec 6 pieces, No. 784, 1995, as h#5 (P0545644)

No. 37b KRNvk

solve ↗



h#5

3 + 1

Solution: 1.Kg4 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#


Themes: set-play, single-piece, single-piece:black, nocapture, umnov

h#5, unique solution.

Same material and stipulation as No. 37, which is published; this position is not in the published database, under any mirroring.

No. 38 KRvkb

solve ↗




h#5 2 + 2

Solution: 1.Bd3 Ra2 2.Kg3 Kb2 3.Kf2 Kc3+ 4.Ke1 Kxd3 5.Kd1 Ra1#

Themes: pure, model, ideal, mirror

No. 39 KRvkn

solve ↗



h#5 2 + 2

Solution: 1.Nb5 Ra2 2.Kg3 Kb2 3.Kf2 Kc2 4.Ke1 Kd3 5.Kd1 Ra1#

Themes: pure, model, mirror, nocapture, nocheck

h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

365 positions of the 1 892 352 indexed have a unique solution at h#5.


h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

247 positions of the 1 892 352 indexed have a unique solution at h#5.

No. 40 KRRvk

solve ↗



h#4

3 + 1

Solution: 1.Kxg1 Kb1 2.Kf1 Kc2 3.Ke1 Kd3 4.Kd1 Rb1#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

h#4, unique solution.

The class runs to h#7, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more). 27 positions of the 1 892 352 indexed have a unique solution at h#4.


Note: the side to move is in check in the diagram; the solution begins with a capture.

Five men

181 of the 185 material classes with 5 men that can hold a mate, deepest sound problem first.

No. 41 KBvkrp

solve ↗



h#13, unique solution.

The class runs to h#16.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more). 2 positions of the 355 074 048 indexed have a unique solution at h#13.

h#13


2 + 3

Solution: 1.d5 Kb7 2.d4 Kc6 3.d3 Kd5 4.d2 Ke4 5.d1=N Kf3 6.Ne3 Kf2 7.Kd2 Kxg1 8.Ke1 Kh2 9.Kf2 Kh3 10.Kg1 Kg3 11.Kh1 Bh3 12.Nf1+ Kf2 13.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, closed-walk, self-block, umnov, promotions:n

No. 42 KBvkqp

[solve ↗](#)



h#12

2 + 3

Solution: 1.b2 Ka7 2.Kb3 Kb6 3.Kc4 Ba6+ 4.Kd5 Kb5 5.Ke4+ Kc4 6.Kf3 Kd3 7.Kg2 Kd2 8.Kh1 Be2 9.b1=N+ Ke1 10.Nd2 Kf2 11.Nf3 Bf1 12.Nh2 Bg2#


Themes: pure, model, promotion, underpromotion, self-block, nocapture, umnov, promotions:n

h#12, unique solution.

The class runs to h#17, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more). 3 positions of the 355 074 048 indexed have a unique solution at h#12.

No. 43 KBvkbp

[solve ↗](#)



h#11.5

2 + 3

Solution: 1...Ke3 2.f5 Kf2 3.f4 Kg1 4.f3 Kxh1 5.f2 Kg2 6.f1=N Kf2 7.Kd5 Ba2+ 8.Ke4 Ke1 9.Kf3 Be6 10.Kg2 Bh3+ 11.Kh1 Kf2 12.Nh2 Bg2#


Themes: pure, model, ideal, promotion, underpromotion, switchback, closed-walk, self-block, kniest, umnov, promotions:n

h#11.5, unique solution.

The class runs to h#16, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more). 8 positions of the 355 074 048 indexed have a unique solution at h#11.5.

No. 44 KBPvbkp

solve ↗



h#10.5

3 + 2

Solution: 1...Kc1 2.Kc4 Kd2 3.Kd5 Ke3 4.Ke6 Kf4 5.Kf7 Kg5 6.Kg8 Kxh5 7.Kh8 Kg6 8.Kg8 h5 9.Kh8 h6 10.Kg8 h7+ 11.Kh8 Bg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black

h#10.5, unique solution.


The class runs to h#16, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#10.5.

Published: Szentai, Endre – Magyar Sakkelet, 1958; Suomen Tehtäväniekat, No. 320, 18/10/1999; Ideal-Mate Encyclopedia Vol.1, No. 1304, 1999, as h#11 0.1... (P0577820)

No. 45 KPvbkpp

solve ↗



h#10

2 + 3

Solution: 1.b3 Kb1 2.b2 Kc2 3.b1=B+ Kc1 4.Bd3 exd3 5.Kf7 dxe4 6.Ke6 e5 7.Kd5 e6 8.Kc4 e7 9.Kb3 e8=Q 10.Ka2 Qa4#

Themes: pure, model, ideal, mirror, promotion, underpromotion, excelsior, excelsior:white, umnov, promotions:qb

h#10, unique solution.


The class runs to h#15.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 199 729 152 indexed have a unique solution at h#10.

Published: Ban, Jenő – Stella Polaris, No. 1072, 06/1967; Ideal-Mate Encyclopedia Vol.1, No. 70, 1999, as h#10 (P0559294)

No. 46 KBvknp

[solve ↗](#)



h#9.5

2 + 3

Solution: 1...Kb3 2.Kb7 Kc4 3.Kc8 Kd5 4.Kd7 Ke5 5.Ke8 Kf6 6.Kf8 Bd6+ 7.Kg8 Bf8 8.Kh8 Kxf7 9.Nh6+ Kg6 10.Ng8 Bg7#

Themes: pure, model, ideal, self-block, umnov


h#9.5, unique solution.

The class runs to h#15.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#9.5.

No. 47 KBvkqn

[solve ↗](#)



h#9.5

2 + 3

Solution: 1...Kc1 2.Nf2 Kd2 3.Nh3 Ke3 4.Kc2 Bd3+ 5.Kd1 Bf5 6.Ke1 Kf3 7.Kf1 Kg3 8.Kg1 Bd3 9.Kh1 Bf1 10.Ng1 Bg2#

Themes: pure, model, switchback, self-block, nocapture


h#9.5, unique solution.

The class runs to h#13, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 121 110 528 indexed have a unique solution at h#9.5.

No. 48 KBvkrrn

solve ↗



h#9.5

2 + 3

Solution: 1...Kc1 2.Nf2 Kd2 3.Nh3 Ke3 4.Kc2 Bd3+ 5.Kd1 Bf5 6.Ke1 Kf3 7.Kf1 Kg3 8.Kg1 Bd3 9.Kh1 Bf1 10.Ng1 Bg2#

Themes: pure, model, switchback, self-block, nocapture


h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

24 positions of the 121 110 528 indexed have a unique solution at h#9.5.

No. 49 KNvkpp

solve ↗



h#9.5

2 + 3

Solution: 1...Kc7 2.g5 Kd8 3.g4 Ke8 4.g3 Kf8 5.g2 Kxg7 6.g1=R+ Kh7 7.Kf7 Kh6 8.Kg8 Nd3 9.Kh8 Ne5 10.Rg8 Nf7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, promotions:r


h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 266 305 536 indexed have a unique solution at h#9.5.

No. 50 KNvkqb

solve ↗



h#9.5

2 + 3

Solution: 1...Ka1 2.Kg8 Nf5 3.Kf7 Ne3 4.Ke6 Nc2 5.Kd5 Kb2 6.Kc4 Ka3 7.Kc3 Ka4 8.Kb2 Nd4 9.Ka1 Ka3 10.Bb1 Nb3#

Themes: pure, model, switchback, self-block, nocapture, nocheck

h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).


1 position of the 121 110 528 indexed has a unique solution at h#9.5.

Published: Sheglow, Viktor S. – Suomen Tehtäväniekat, No. (291), 05-06/1998, as h#10 0.1... (P0574142)

Note: the side to move is in check in the diagram.

No. 51 KNvkqb

solve ↗



h#9.5

2 + 3

Solution: 1...Nf3+ 2.Kf4 Nd2 3.Qd1+ Kb2 4.e5 Kc3 5.e4 Kd4 6.Kg3 Ke5 7.Kf2 Kf4 8.Ke1 Kg3 9.e3 Kg2 10.e2 Nf3#

Themes: pure, model, ideal, switchback, self-block, nocapture


h#9.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

194 positions of the 355 074 048 indexed have a unique solution at h#9.5.

No. 52 KPvkbp

solve ↗



h#9.5 2 + 3

Solution: 1...g5 2.Kb4 Kb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Ba2 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#

Themes: pure, model, ideal, self-block, nocheck

h#9.5, unique solution.


The class runs to h#14.5, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#9.5.

Published: Locker, Miklos S. – Magyar Sakkelet, 02/1966, as h#10 0.1... (P0564289)

No. 52b KPvkbp

solve ↗



h#9.5 2 + 3

Solution: 1...g5 2.Kb4 Kb2 3.Kc5 Kc3 4.Kd6 Kd4 5.Ke7 Ke5 6.Kf8 Kf6 7.Bb3 Kxg6 8.Kg8 Kh6 9.Kh8 g6 10.Bg8 g7#


Themes: pure, model, ideal, self-block, nocheck

h#9.5, unique solution.

Same material and stipulation as No. 52, which is published; this position is not in the published database, under any mirroring.

No. 53 KBBvkn

solve ↗



h#9

3 + 2

Solution: 1.Kf3 Bc1 2.Ke4 Ke2 3.Kxd4 Kf3 4.Ke5 Kg4 5.Kf6 Kh5 6.Kg7 Bh6+ 7.Kh8 Kg6 8.Nf8+ Kf7 9.Nh7 Bg7#

Themes: pure, model, ideal, self-block


h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#9.

No. 54 KBBvkp

solve ↗



h#9

3 + 2

Solution: 1.Kc5 Bc8 2.Kxc6 Ke7 3.Kd5 Kf6 4.Ke4 Kg5 5.Kf3 Kh4 6.Kg2 Bh3+ 7.Kh1 Kg3 8.f1=N+ Kf2 9.Nh2 Bg2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:n


h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#9.

No. 55 KBvkbn

solve ↗



h#9

2 + 3

Solution: 1.Kd2 Bd3 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kc3 5.Nc8 Kd4 6.Kb6 Kxd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, model, ideal, self-block, nocheck


h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

57 positions of the 121 110 528 indexed have a unique solution at h#9.

No. 56 KBvknn

solve ↗



h#9

2 + 3

Solution: 1.Nh3 Kd2 2.Kb2 Ke3 3.Kc1 Be4 4.Kd1 Bxh1 5.Ke1 Kf3 6.Kf1 Bg2+ 7.Kg1 Bf1 8.Kh1 Kg3 9.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, kniest, umnov


h#9, unique solution.

The class runs to h#12.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

34 positions of the 121 110 528 indexed have a unique solution at h#9.

No. 57 KBvkpp

solve ↗



h#9

2 + 3

Solution: 1.Kh8 Ba3 2.e4 Kb2 3.e3 Kc3 4.e2 Kd4 5.e1=N Ke5 6.Nf3+ Kf6 7.Ng5 Bf8 8.Nh7+ Kf7 9.a4 Bg7#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, promotions:n


h#9, unique solution.

The class runs to h#16, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

51 positions of the 266 305 536 indexed have a unique solution at h#9.

No. 58 KNPvkp

solve ↗



h#9

3 + 2

Solution: 1.Kg3 Nb6 2.Kf2 Nc4 3.Ke1 Nd2 4.exd2 e4 5.Kd1 e5 6.Kc1 e6 7.d1=R e7 8.Rd2 e8=Q 9.Rc2 Qe1#

Themes: promotion, underpromotion, excelsior, excelsior:white, switchback, self-block, nocheck, promotions:qr


h#9, unique solution.

The class runs to h#14, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#9.

No. 59 KPvknp

solve ↗



h#9


2 + 3

Solution: 1.Nf5 Kb1 2.Nd4 Kc1 3.Nb3+ axb3 4.Kf7 b4 5.Ke6 b5 6.Kd5 b6 7.Kc4 b7 8.Kb3 b8=Q+ 9.Ka2 Qb1#

Themes: promotion, excelsior, excelsior:white, promotions:q

No. 60 KNvkbbs

solve ↗



h#8.5

2 + 3

Solution: 1...Kb2 2.Kg4 Ka3 3.Kf3 Kxa4 4.Ke2 Kb4 5.Kd1 Kc3 6.Kc1 Nb4 7.Kb1 Kd2 8.Ka1 Kc1 9.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

h#9, unique solution.

The class runs to h#14.5, so the deepest sound problem is 11 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 266 305 536 indexed have a unique solution at h#9.


h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

69 positions of the 121 110 528 indexed have a unique solution at h#8.5.

No. 61 KNvkbp

solve ↗



h#8.5 2 + 3

Solution: 1...Ke2 2.Kb7 Kf3 3.Kc6 Kf4 4.Kd5 Kg5 5.Ke4 Ng3+ 6.Kf3 Nxh5 7.Kg2 Kg4 8.Kh1 Kh3 9.Bg1 Ng3#

Themes: pure, model, ideal, switchback, self-block


h#8.5, unique solution.

The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 355 074 048 indexed have a unique solution at h#8.5.

No. 62 KNvknn

solve ↗



h#8.5 2 + 3

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck


h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#8.5.

No. 63 KNvknP

solve ↗



h#8.5

2 + 3

Solution: 1...Kb2 2.Nc3 Ka3 3.Kf7 Kb4 4.Ke6 Ka5 5.Kd5 Kb6 6.Kc4 Ka6 7.Kb4 Nb6 8.Ka3 Ka5 9.Na2 Nc4#

Themes: set-play, pure, model, ideal, closed-walk, self-block, nocapture, nocheck

h#8.5, unique solution.


The class runs to h#10, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#8.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (286), 05-06/1998, as h#9 0.1... (P0574137)

No. 64 KNvkqr

solve ↗



h#8.5

2 + 3

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

h#8.5, unique solution.


The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 65 KNvkrrn

solve ↗



h#8.5

2 + 3

Solution: 1...Ka1 2.Kf7 Nxe2 3.Ke6 Kb2 4.Kd5 Kc1 5.Kc4 Kd2 6.Kb3 Nd4+ 7.Ka2 Kc3 8.Ka1 Kb3 9.Nb1 Nc2#

Themes: pure, model, ideal, self-block

h#8.5, unique solution.


The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#8.5.

Note: the side to move is in check in the diagram.

No. 66 KNvkrrp

solve ↗



h#8.5

2 + 3

Solution: 1...Ng3 2.Rh2 Kb1 3.Rh8 Kc2 4.b4 Kd3 5.b3 Ke4 6.b2 Kf5 7.b1=R Kg6 8.Rb8 Nf5 9.Rf8 Ne7#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, promotions:r


h#8.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 355 074 048 indexed have a unique solution at h#8.5.

No. 67 K $\mathcal{N}$ vkr $\mathcal{r}$

solve ↗



h#8.5

2 + 3

Solution: 1...Kxb1 2.Kg6 Nb4 3.Kf5 Nc2 4.Ke4 Kb2 5.Kd3 Kc1 6.Kc3 Kd1 7.Kb2 Nd4 8.Ka1 Kc1 9.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block, nocheck

h#8.5, unique solution.


The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 68 KPPvk $\mathcal{p}$

solve ↗



h#8.5

3 + 2

Solution: 1...Kb3 2.Kg2 Kb4 3.a5+ Kxa5 4.Kf3 Kb4 5.Ke4 a5 6.Kd5 a6 7.Kc6 a7 8.Kb7 Kc5 9.Ka6 a8=Q#

Themes: pure, model, mirror, promotion, switchback, promotions;q


h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 199 729 152 indexed have a unique solution at h#8.5.

No. 69 KPvkqn

[solve ↗](#)



h#8.5

2 + 3

Solution: 1...Ka7 2.Nd5 c4 3.Kg2 cxd5 4.Kf3 d6 5.Ke4 d7 6.Kd5 d8=Q+ 7.Kc6 Qd5+ 8.Kc7 Ka6 9.Kb8 Qb7#

Themes: promotion, excelsior, excelsior:white, closed-walk, umnov, promotions:q


h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 355 074 048 indexed has a unique solution at h#8.5.

No. 70 KPvkqp

[solve ↗](#)



h#8.5

2 + 3

Solution: 1...Kc2 2.Qh3 Kc1 3.Qb3 axb3 4.Kf7 b4 5.Ke6 b5 6.Kd5 b6 7.Kc4 b7 8.Kb3 b8=Q+ 9.Ka2 Qb1#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q


h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 266 305 536 indexed have a unique solution at h#8.5.

No. 71 KPvkrp

solve ↗



h#8.5

2 + 3

Solution: 1...Kb1 2.Re2 Kc1 3.Re3 fxe3 4.Kf5 e4+ 5.Ke6 e5 6.Kd5 e6 7.Kc4 e7 8.Kb3 e8=Q 9.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, umnov, promotions:q


h#8.5, unique solution.

The class runs to h#14.5, so the deepest sound problem is 12 plies shallower. Every position at that depth has a saturated solution count (255 or more).

101 positions of the 266 305 536 indexed have a unique solution at h#8.5.

No. 72 KBvkkb

solve ↗



h#8

2 + 3

Solution: 1.Bf5 Kb2 2.Kh3 Kc3 3.Kg4 Kd4 4.Kh5 Ke5 5.Kh6 Kf6 6.Kh7 Kf7 7.Kh8 Kxf8 8.Bh7 Bf6#

Themes: self-block, nocheck


h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 121 110 528 indexed have a unique solution at h#8.

No. 73 K N v k b n

solve ↗



h#8

2 + 3

Solution: 1.Kg7 Kxb1 2.Kf6 Kc1 3.Ke5 Kd2 4.Kd4 Ke2 5.Kc3 Ke3 6.Kb2 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck


h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.

No. 74 K N v k q n

solve ↗



h#8

2 + 3

Solution: 1.Qa4 Kb1 2.Kg6 Kc1 3.Kf5 Kd2 4.Ke4 Ke1 5.Kd3 Nb5 6.Kc2 Ke2 7.Kb1 Kd2 8.Qa1 Nc3#

Themes: pure, model, ideal, closed-walk, self-block, nocapture, nocheck

h#8, unique solution.


The class runs to h#10.5, so the deepest sound problem is 5 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#8.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (289), 05-06/1998, as h#8 (P0574140)

No. 74b K N v k q n

solve ↗



h#8

2 + 3

Solution: 1.Qa4+ Kb1 2.Kg6 Kc1 3.Kf5 Kd2 4.Ke4 Ke1 5.Kd3 Nb5 6.Kc2 Ke2 7.Kb1 Kd2 8.Qa1 Nc3#


Themes: pure, model, ideal, closed-walk, self-block, nocapture

h#8, unique solution.

Same material and stipulation as No. 74, which is published; this position is not in the published database, under any mirroring.

No. 75 K Q B v k n

solve ↗



h#8

3 + 2

Solution: 1.Kxc3 Be2 2.Kd2 Bf1 3.Ke1 Kc2 4.Nh3 Kd3 5.Kf2 Ke4 6.Kg1 Kf3 7.Kh1 Kg3 8.Ng1 Bg2#

Themes: pure, model, ideal, switchback, self-block, nocheck

h#8, unique solution.


The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 76 KQNvkb

solve ↗



h#8

3 + 2

Solution: 1.Kxg5 Nd4 2.Kf4 Kb2 3.Ke3 Ka3 4.Kd2 Kb4 5.Kc1 Kc3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

h#8, unique solution.


The class runs to h#11, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 77 KQNvkn

solve ↗



h#8

3 + 2

Solution: 1.Kxd2 Nh4 2.Ke3 Kb2 3.Kf4 Kc3 4.Kg5 Kd4 5.Kh6 Ke5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocheck

h#8, unique solution.


The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

16 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 78 KQNvkp

solve ↗



h#8

3 + 2

Solution: 1.Kxb3 Kb1 2.d4 Kc1 3.d3 Kd2 4.Kb2 Nb4 5.Ka1 Kc3 6.d2 Kb3 7.d1=R Ka3 8.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, umnov, promotions:r

h#8, unique solution.


The class runs to h#11, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 355 074 048 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 79 KQNvkr

solve ↗



h#8

3 + 2

Solution: 1.Kxg1 Nf3+ 2.Kf1 Kb1 3.Ke2 Kb2 4.Kd3+ Kc1 5.Kc3 Kd1 6.Kb2 Nd4 7.Ka1 Kc1 8.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block

h#8, unique solution.


The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

11 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 80 KQPvkb

solve ↗



h#8

3 + 2

Solution: 1.Kxh2 Ka5 2.Bd5 c4 3.Kg3 cxd5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Kb5 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, phoenix, nocheck, umnov, promotions:q


h#8, unique solution.

The class runs to h#9, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 4 positions of the 355 074 048 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 81 KQPvkn

solve ↗



h#8

3 + 2

Solution: 1.Kxh2 c3 2.Nd4 cxd4 3.Kg3 d5 4.Kf4 d6 5.Ke5 d7 6.Kd6 Ka7 7.Kc7 Ka6 8.Kb8 d8=Q#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, phoenix, nocheck, umnov, promotions:q


h#8, unique solution.

The class runs to h#9, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 7 positions of the 355 074 048 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 82 KQPvkp

solve ↗



h#8

3 + 2

Solution: 1.Kxg2 Kb4 2.a5+ Kxa5 3.Kf3 Kb4 4.Ke4 a5 5.Kd5 a6 6.Kc6 a7 7.Kb7 Kc5 8.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, switchback, phoenix, promotions:q

h#8, unique solution.


The class runs to h#15, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

42 positions of the 266 305 536 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 83 KRBvkn

solve ↗



h#8

3 + 2

Solution: 1.Kxd2 Bc5 2.Kd3 Bf8 3.Ke4 Kc3 4.Kf5 Kd4 5.Kg6 Ke5 6.Kh7 Kf6 7.Kh8 Kg6 8.Ng8 Bg7#

Themes: pure, model, ideal, self-block, nocheck

h#8, unique solution.


The class runs to h#12, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 84 KRNvkn

solve ↗



h#8

3 + 2

Solution: 1.Kxd2 Ne5 2.Ke3 Kc2 3.Kf4 Kd3 4.Kg5 Ke4 5.Kh6 Kf5 6.Kh7 Kf6 7.Kh8 Kf7 8.Nh7 Ng6#

Themes: pure, model, ideal, self-block, nocheck


h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more). 2 positions of the 121 110 528 indexed have a unique solution at h#8.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 85 KBNvkq

solve ↗



h#7.5

3 + 2

Solution: 1...Ka1 2.Kg6 Nc6 3.Kf5 Nd4+ 4.Ke4 Nxb3 5.Kd3 Ka2 6.Kc2 Ka3 7.Kb1 Nd2+ 8.Ka1 Bc3#

Themes: mirror, single-piece, single-piece:black


h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 1 position of the 121 110 528 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram.

No. 86 KNPvkb

solve ↗



h#7.5


3 + 2

Solution: 1...Kd6 2.Kg1 Nc5 3.Kf2 a4 4.Ke3 a5 5.Kd4 a6 6.Kc4 a7 7.Kb5 a8=Q 8.Kb6 Qa6#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 87 KNPvkn

solve ↗



h#7.5

3 + 2

Solution: 1...a4 2.Nf6 a5 3.Nd7 a6 4.Nb8 Kb6 5.Kg2 a7 6.Kf3 axb8=Q 7.Ke4 Qf4+ 8.Kd5 Nc7#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, promotions:q

h#7.5, unique solution.

The class runs to h#11, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more). 4 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.


h#7.5, unique solution.

The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more). 2 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Published: Paliulionis, Viktoras – Sachmatija, No. H5293, 01-03/2024, as h#8 0.1.1... (P1421423)

No. 87b KNPvkn

solve ↗



h#7.5 3 + 2

Solution: 1...a4 2.Nf6 a5 3.Nd7 a6 4.Nb8 Kb6 5.Kg2 a7 6.Kf3 axb8=Q 7.Ke4 Qf4+ 8.Kd5 Nc7#


Themes: pure, model, ideal, mirror, promotion, promotions:q

h#7.5, unique solution.

Same material and stipulation as No. 87, which is published; this position is not in the published database, under any mirroring.

No. 88 KNPvkn

solve ↗



h#7.5 3 + 2

Solution: 1...Kd1 2.Qg7 Nf4 3.Kb2 h4 4.Kc3 h5 5.Kd4 h6 6.Ke3 hxc7 7.Kf2 g8=Q 8.Kf1 Qg2#

Themes: promotion, excelsior, excelsior:white, nocheck, promotions:q


h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 17 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.

No. 89 KNPvkr

solve ↗



h#7.5

3 + 2

Solution: 1...Kxa4 2.Kd4 Kb4 3.Kd5 a4 4.Kc6 a5 5.Kb7 a6+ 6.Kxa8 a7 7.Kb7 Kc5 8.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, promotions:q

h#7.5, unique solution.


The class runs to h#9, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 90 KNvkrb

solve ↗



h#7.5

2 + 3

Solution: 1...Kxb1 2.Kf3 Nc4 3.Ke2 Kb2 4.Kd1 Kc3 5.Kc1 Ne3 6.Kb1 Kd2 7.Ka1 Kc1 8.Ba2 Nc2#

Themes: pure, model, ideal, self-block, nocheck

h#7.5, unique solution.


The class runs to h#10.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 121 110 528 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 91 KPPvkb

[solve ↗](#)



h#7.5 3 + 2

Solution: 1...Kb8 2.Bb4 axb4 3.Kg2 a4 4.Kf3 a5 5.Ke4 a6 6.Kd5 a7 7.Kc6 a8=Q+ 8.Kb6 Qb7#

Themes: promotion, excelsior, excelsior:white, promotions:q


h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

No. 92 KPPvkn

[solve ↗](#)



h#7.5 3 + 2

Solution: 1...Kc8 2.Nb4 axb4 3.Kg2 a4 4.Kf3 a5 5.Ke4 a6 6.Kd5 a7 7.Kc6 a8=Q+ 8.Kb6 Qb7#

Themes: promotion, excelsior, excelsior:white, promotions:q

h#7.5, unique solution.


The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram.

No. 93 KPPvkq

solve ↗



h#7.5


3 + 2

Solution: 1...Kxa2 2.Kg6 Ka3 3.Kf5 g4+ 4.Ke4 g5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, promotions:q

No. 94 KPvkbb

solve ↗



h#7.5

2 + 3

Solution: 1...Ka2 2.Kg6 Kxa3 3.Kf5 b4 4.Ke4 b5 5.Kd3 b6 6.Kc2 b7 7.Kb1 b8=Q+ 8.Ka1 Qb2#

Themes: promotion, single-piece, single-piece:black, promotions:q

h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 266 305 536 indexed has a unique solution at h#7.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.


h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

448 positions of the 355 074 048 indexed have a unique solution at h#7.5.

No. 95 KPvkbn

[solve ↗](#)



h#7.5

2 + 3

Solution: 1...Kb1 2.Bb4 a4 3.Kf6 a5 4.Ke5 a6 5.Kd4 a7 6.Kc3 a8=Q 7.Kb3 Qg2 8.Ka3 Qa2#

Themes: set-play, promotion, excelsior, excelsior:white, closed-walk, self-block, nocapture, nocheck, promotions:q


h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 222 positions of the 355 074 048 indexed have a unique solution at h#7.5.

No. 96 KPvknn

[solve ↗](#)



h#7.5

2 + 3

Solution: 1...Ka2 2.Ke4 f4 3.Nf3 Ka3 4.Ng5 fxe5 5.Kd3 g6 6.Kc2 g7 7.Kb1 g8=Q 8.Ka1 Qa2#

Themes: promotion, excelsior, excelsior:white, nocheck, umnov, promotions:q


h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

476 positions of the 355 074 048 indexed have a unique solution at h#7.5.

No. 97 KPvkqb

solve ↗



h#7.5


2 + 3

Solution: 1...Ka2 2.Bg4 h4 3.Bd1 h5 4.Kg5 h6 5.Kf4 h7 6.Ke3 h8=Q 7.Kd2 Qxb8 8.Kc1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocheck, umnov, promotions:q

No. 98 KPvkqq

solve ↗



h#7.5

2 + 3

Solution: 1...Ka2 2.Qe3 g4+ 3.Kg6 g5 4.Kf5 g6 5.Ke4 g7 6.Kd3 g8=Q 7.Qa5+ Kb3 8.Qad2 Qc4#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocapture, umnov, promotions:q

h#7.5, unique solution.

The class runs to h#11.5, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

342 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

367 positions of the 355 074 048 indexed have a unique solution at h#7.5.

No. 99 KPvkqr

solve ↗



h#7.5 2 + 3

Solution: 1...Ka3 2.Qb3+ axb3 3.Kg6 b4 4.Kf5 b5 5.Ke4 b6 6.Kd3 b7 7.Kc2 b8=Q 8.Kb1 Qxb2#

Themes: promotion, excelsior, excelsior:white, promotions:q

h#7.5, unique solution.


The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

40 positions of the 355 074 048 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.

No. 100 KPvkrb

solve ↗



h#7.5 2 + 3

Solution: 1...Ka7 2.Re4 Kb6 3.Be7 a4 4.Kg3 a5 5.Kf4 a6 6.Ke5 a7 7.Kd6 a8=Q 8.Re5 Qc6#

Themes: set-play, promotion, excelsior, excelsior:white, self-block, nocapture, nocheck, promotions:q


h#7.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#7.5.

No. 101 KPvkrn

solve ↗



h#7.5


2 + 3

Solution: 1...Ka2 2.Ra3+ Kxa3 3.Kg6 h4 4.Kf5 h5 5.Ke4 h6 6.Kd3 h7 7.Kc2 h8=Q 8.Kb1 Qb2#

Themes: set-play, promotion, excelsior, excelsior:white, promotions:q

No. 102 KBBBvk

solve ↗



h#7

4 + 1

Solution: 1.Kh8 Kb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Be5 7.Kh8 Kg6#

Themes: set-play, mirror, switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck

h#7.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 355 074 048 indexed have a unique solution at h#7.5.


h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#7.

No. 103 KBBNvk

solve ↗



h#7

4 + 1

Solution: 1.Kxh8 Kb2 2.Kh7 Kc3 3.Kg6 Kc4 4.Kf7 Kd5 5.Ke8 Ke6 6.Kd8 Be7+ 7.Ke8 Ba4#

Themes: switchback, single-piece, single-piece:black

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Note: the solution begins with a capture.

No. 104 KBBPvk

solve ↗



h#7

4 + 1

Solution: 1.Kg2 Bhg3 2.Kf3 h4 3.Ke4 h5 4.Kd5 h6 5.Kc6 h7 6.Kb7 h8=Q 7.Ka8 Qh1#

Themes: pure, model, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q


h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

556 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 105 KBBvkb

solve ↗



h#7

3 + 2

Solution: 1.Kh3 Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#

Themes: self-block, nocapture, nocheck


h#7, unique solution.

The class runs to h#10.5, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

95 positions of the 121 110 528 indexed have a unique solution at h#7.

No. 106 KBNPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxg3 Nd5 2.Kf2 e4 3.Ke2 e5 4.Kd3 e6 5.Kc4 e7 6.Kb5 e8=Q+ 7.Ka6 Qa4#

Themes: pure, model, ideal, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, umnov, promotions:q


h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 9 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the solution begins with a capture.

No. 107 KBNvkb

solve ↗



h#7

3 + 2

Solution: 1.Kh7 Kb2 2.Kg6 Nf4+ 3.Kf5 Nd3 4.Ke4 Bf3+ 5.Ke3 Bxh1 6.Ke2 Kc3 7.Kd1 Bf3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black


h#7, unique solution.

The class runs to h#11, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 121 110 528 indexed have a unique solution at h#7.

No. 108 KBNvkn

solve ↗



h#7

3 + 2

Solution: 1.Kg7 Ng5 2.Kf6 Kb1 3.Ke5 Kc1 4.Kd4 Nf3+ 5.Kc3 Ne1 6.Kb3 Nc2 7.Ka2 Bxc4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black


h#7, unique solution.

The class runs to h#12, so the deepest sound problem is 10 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 121 110 528 indexed have a unique solution at h#7.

No. 109 KBNvkp

solve ↗



h#7

3 + 2

Solution: 1.c3 Nf7 2.Kg6 Ka2 3.Kf5 Kb3 4.Ke4 Nd6+ 5.Kd3 Nb5 6.Kd2 Nxc3 7.Kc1 Be3#

Themes: pure, model, ideal, mirror


h#7, unique solution.

The class runs to h#16, so the deepest sound problem is 18 plies shallower. Every position at that depth has a saturated solution count (255 or more).

50 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 110 KBNvkr

solve ↗



h#7

3 + 2

Solution: 1.Kg7 Ba2 2.Kg6 Kb2 3.Kf5 Ka3 4.Ke4 Bd5+ 5.Kd3 Nc5+ 6.Kc2 Nb3 7.Kb1 Be4#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture


h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#7.

No. 111 KBPPvk

solve ↗



h#7

4 + 1

Solution: 1.Kg3 Ba6 2.Kf4 c4 3.Ke5 c5 4.Kd5 c6 5.Kc5 c7 6.Kb6 c8=Q 7.Ka7 Qb7#

Themes: pure, model, promotion, single-piece, single-piece:black, nocapture, nocheck, unmov, promotions:q


h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

12 positions of the 266 305 536 indexed have a unique solution at h#7.

No. 112 KBPvkb

solve ↗



h#7

3 + 2

Solution: 1.Kh7 Bc3 2.Kg6 d4 3.Kf5 d5 4.Ke4 d6 5.Kd3 d7 6.Kc2 d8=Q 7.Kc1 Qd2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocapture, nocheck, promotions:q


h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

65 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 113 KBPvkn

solve ↗



h#7


3 + 2

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: pure, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 114 KBPvkq

solve ↗



h#7


3 + 2

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Qb6+ axb6 5.Kd5 b7 6.Kc6 Bb5+ 7.Kb6 b8=Q#

Themes: pure, model, ideal, promotion, excelsior, excelsior:white, kniest, promotions:q

No. 115 KBPvkr

solve ↗



h#7

3 + 2

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Rb5+ axb5 4.Ke4 b6 5.Kd5 b7 6.Kc6 Bb5+ 7.Kb6 b8=Q#

Themes: pure, model, ideal, promotion, excelsior, excelsior:white, promotions:q


h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

69 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 116 KNNPvk

solve ↗



h#7

4 + 1

Solution: 1.Kh1 Nf5 2.Kg2 e4 3.Kf3 e5 4.Kf4 e6 5.Kg5 e7 6.Kg6 e8=Q+ 7.Kh7 Nf6#

Themes: set-play, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocapture, promotions:q


h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 117 KNNvkp

solve ↗



h#7

3 + 2

Solution: 1.Kh8 Nf4 2.h5 Kb2 3.h4 Kc3 4.h3 Kd4 5.h2 Ke5 6.h1=R Kf6 7.Rh7 Nfg6#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, nocapture, nocheck, umnov, promotions:r


h#7, unique solution.

The class runs to h#11, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 118 KNNvkkq

solve ↗



h#7

3 + 2

Solution: 1.Kb7 Ke4 2.Kc6 Kf4 3.Kd5 Kg5 4.Ke6+ Kh6 5.Kf7 Ng4 6.Kg8 Nf6+ 7.Kh8 Ng6#

Themes: mirror, single-piece, single-piece:black, nocapture

h#7, unique solution.


The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (269), 05-06/1998, as h#7 (P0574120)

No. 119 KNNvkr

solve ↗



h#7

3 + 2

Solution: 1.Ra7+ Kb2 2.Kh7 Kc3 3.Kg6 Kd4 4.Kf7 Ke5 5.Ke8 Kf6 6.Ra8 Kg7 7.Rd8 Nhf6#

Themes: pure, model, ideal, self-block, nocapture


h#7, unique solution.

The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

No. 120 KNPPvk

solve ↗



h#7

4 + 1

Solution: 1.Kb1 Nd6 2.Kc2 e4 3.Kc3 e5 4.Kd4 e6 5.Kc5 e7 6.Kb6 e8=Q 7.Ka5 Qb5#

Themes: promotion, single-piece, single-piece:black, nocapture, nocheck, promotions:q


h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 266 305 536 indexed have a unique solution at h#7.

No. 121 KPPVvk

solve ↗



h#7


4 + 1

Solution: 1.Kg2 Kb4 2.Kf3 a4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: pure, model, mirror, promotion, single-piece, single-piece:black, nocapture, nocheck, promotions:q

No. 122 KPvkrr

solve ↗



h#7

2 + 3

Solution: 1.R4b3+ axb3 2.Kg6 b4 3.Kf5 b5 4.Ke4 b6 5.Kd3 b7 6.Kc2 b8=Q 7.Kb1 Qxb2#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:white, promotions:q

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 199 729 152 indexed have a unique solution at h#7.


h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#7.

No. 123 KQBBvk

solve ↗



h#7

4 + 1

Solution: 1.Kxh8 Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Note: the diagram has no legal last move, so it cannot arise in a game.

No. 124 KQB Pvk

solve ↗



h#7

4 + 1

Solution: 1.Kxg7 Bb2+ 2.Kf7 a4 3.Ke6 a5 4.Kd5 a6 5.Kc4 a7 6.Kb3 a8=B 7.Ka2 Bd5#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:b

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

73 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 125 KQBvkb

solve ↗



h#7

3 + 2

Solution: 1.Kxg3 Kb2 2.Kg4 Kc3 3.Kf5 Kd4 4.Kf6 Bc3 5.Kg7 Ke5 6.Kh8 Kf6 7.Bh7 Kf7#

Themes: self-block, nocheck

h#7, unique solution.


The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 126 KQBvkp

solve ↗



h#7

3 + 2

Solution: 1.Kxc2 Ka2 2.c3 Ka3 3.Kb1 Kb3 4.c2 Bb4 5.Ka1 Ba3 6.c1=N+ Kc2 7.Na2 Bb2#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:n

h#7, unique solution.


The class runs to h#16, so the deepest sound problem is 18 plies shallower. Every position at that depth has a saturated solution count (255 or more).

55 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 127 KQNNvk

solve ↗



h#7

4 + 1

Solution: 1.Kxb8 Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black


h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 3 positions of the 121 110 528 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 128 KQNPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxa2 Ne2 2.Kb3 g4 3.Kc4 g5 4.Kd3 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, phoenix, nocheck, promotions:q


h#7, unique solution.

The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more). 160 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 129 KQPPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxg8 b4 2.Kf7 b5 3.Ke6 b6 4.Kd5 b7 5.Kc4 b3+ 6.Kxb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, single-piece, single-piece:black, phoenix, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

37 positions of the 266 305 536 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 130 KQPvkq

solve ↗



h#7

3 + 2

Solution: 1.Kxb6 Kb1 2.Qe2 c4 3.Ka5 c5 4.Kb4 c6 5.Kc3 c7 6.Kd2 c8=Q 7.Kd1 Qc1#

Themes: promotion, excelsior, excelsior:white, self-block, phoenix, nocheck, umnov, promotions:q

h#7, unique solution.


The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

521 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 131 KQPvkr

[solve ↗](#)



h#7

3 + 2

Solution: 1.Kxe7 d3 2.Rb4 d4 3.Kd6 d5 4.Kc5 d6 5.Rb3 d7 6.Kb4 d8=Q 7.Ka3 Qa5#

Themes: promotion, excelsior, excelsior:white, self-block, single-piece, single-piece:white, phoenix, nocheck, umnov, promotions:q

h#7, unique solution.


The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

105 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 132 KRBBvk

[solve ↗](#)



h#7

4 + 1

Solution: 1.Kxh8 Kb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#7.

Note: the diagram has no legal last move, so it cannot arise in a game.

No. 133 KRBPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxg7 Bb2+ 2.Kf7 a4 3.Ke6 a5 4.Kd5 a6 5.Kc4 a7 6.Kb3 a8=B 7.Ka2 Bd5#

Themes: pure, model, ideal, promotion, underpromotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:b

h#7, unique solution.

The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


17 positions of the 355 074 048 indexed have a unique solution at h#7.

Published: Abdurahmanovic, Fadil; Becker, Richard – The Problemist, No. (R), 01/2006, as h#7 (P1188551)

Note: the solution begins with a capture.

No. 133b KRBPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxa7 Bf3 2.Kb6 g4 3.Kc5 g5 4.Kd4 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:black, nocheck, promotions:q


h#7, unique solution.

Same material and stipulation as No. 133, which is published; this position is not in the published database, under any mirroring.

Note: the solution begins with a capture.

No. 134 KRNPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxa2 Ne2 2.Kb3 g4 3.Kc4 g5 4.Kd3 g6 5.Ke3 g7 6.Kf2 g8=Q 7.Kf1 Qg1#

Themes: promotion, excelsior, excelsior:white, single-piece, single-piece:black, nocheck, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

31 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the solution begins with a capture.

No. 135 KRNVkp

solve ↗



h#7

3 + 2

Solution: 1.Kxd4 Nf1 2.d2+ Kb2 3.d1=R Ka3 4.Kc3 Ka4 5.Kb2 Ne3 6.Ka1 Ka3 7.Rb1 Nc2#

Themes: pure, model, ideal, promotion, underpromotion, switchback, self-block, umnov, promotions:r

h#7, unique solution.


The class runs to h#11.5, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the solution begins with a capture.

No. 136 KRNvkr

solve ↗



h#7

3 + 2

Solution: 1.Rxf2 Kb1 2.Ke2 Kb2 3.Kd3+ Kc1 4.Kc3 Kd1 5.Kb2 Nd4 6.Ka1 Kc1 7.Ra2 Nb3#

Themes: pure, model, ideal, switchback, self-block

h#7, unique solution.


The class runs to h#10, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

9 positions of the 121 110 528 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 137 KRPPvk

solve ↗



h#7

4 + 1

Solution: 1.Kxg6 Ka3 2.Kf5 g4+ 3.Ke4 g5 4.Kd3 g6 5.Kc2 g7 6.Kb1 g8=Q 7.Ka1 Qa2#

Themes: promotion, single-piece, single-piece:black, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 266 305 536 indexed have a unique solution at h#7.

Note: the solution begins with a capture.

No. 138 KRPvkb

solve ↗



h#7

3 + 2

Solution: 1.Kxg8 b3 2.Kf7 b4 3.Ke6 b5 4.Kd5 b6 5.Kc4 b7 6.Kb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:white, single-piece:black, promotions:q

h#7, unique solution.


The class runs to h#8, so the deepest sound problem is 2 plies shallower.

7 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 139 KRPvkn

solve ↗



h#7

3 + 2

Solution: 1.Kxg8 e3 2.Kf7 e4 3.Ke6 e5 4.Kd5 e6 5.Kc4 e7 6.Kb3 e8=Q 7.Ka2 Qa4#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:white, single-piece:black, nocheck, umnov, promotions:q

h#7, unique solution.


The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 140 KRPvkp

solve ↗



h#7

3 + 2

Solution: 1.Kxg2 Kxa5 2.Kf3 Kb4 3.Ke4 a5 4.Kd5 a6 5.Kc6 a7 6.Kb7 Kc5 7.Ka6 a8=Q#

Themes: pure, model, ideal, mirror, promotion, single-piece, single-piece:black, nocheck, promotions:q

h#7, unique solution.


The class runs to h#14, so the deepest sound problem is 14 plies shallower. Every position at that depth has a saturated solution count (255 or more).

41 positions of the 266 305 536 indexed have a unique solution at h#7.

Note: the solution begins with a capture.

No. 141 KRPvkq

solve ↗



h#7

3 + 2

Solution: 1.Kxg8 b3 2.Kf7 b4 3.Ke6 b5 4.Kd5 b6 5.Kc4 b7 6.Kb3 b8=Q+ 7.Ka2 Qb2#

Themes: promotion, excelsior, excelsior:white, closed-walk, single-piece, single-piece:white, single-piece:black, promotions:q

h#7, unique solution.


The class runs to h#9, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

7 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 142 KRPvkr

solve ↗



h#7

3 + 2

Solution: 1.Kxb2+ Kb5 2.Kc3 e4 3.Kd4 e5 4.Kd5 e6 5.Kd6 e7 6.Kd7 Kb6 7.Kc8 e8=Q#

Themes: pure, model, mirror, promotion, excelsior, excelsior:white, single-piece, single-piece:black, promotions:q


h#7, unique solution.

The class runs to h#8.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more). 2 positions of the 355 074 048 indexed have a unique solution at h#7.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 143 KBBvkq

solve ↗



h#6.5

3 + 2

Solution: 1...Kxb2 2.Kg8 Kc3 3.Kf7 Kd3 4.Kg6 Ke4 5.Kh5 Kf5 6.Kh4 Bg5+ 7.Kh5 Bd1#

Themes: switchback, single-piece, single-piece:black


h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 3 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 144 KBNNvk

solve ↗



h#6.5

4 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kg7 Kd4 4.Kh6 Ke5 5.Kh5 Kf6 6.Kg4 Kg7 7.Kh5 Bd1#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocapture, nocheck

h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).


8 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Published: Sheglow, Wiktor S. – Suomen

Tehtäväniekat, No. (259), 05-06/1998, as h#7 0.1... (P0574110)

No. 144b KBNNvk

solve ↗



h#6.5

4 + 1

Solution: 1...Kb2 2.Kg8 Kc3 3.Kg7 Kd4 4.Kh6 Ke5 5.Kh5 Kf6 6.Kg4 Kg7 7.Kh5 Bd1#


Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocapture, nocheck

h#6.5, unique solution.

Same material and stipulation as No. 144, which is published; this position is not in the published database, under any mirroring.

No. 145 KBvkqb

solve ↗



h#6.5

2 + 3

Solution: 1...Bb8 2.Qg1+ Kb2 3.Kg2 Kc3 4.Kf2 Kd4 5.Qd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bg3#

Themes: set-play, self-block, nocapture

h#6.5, unique solution.


The class runs to h#9.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

256 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (304), 05-06/1998, as h#7 0.1... (P0574155)

No. 145b KBvkqb

solve ↗



h#6.5

2 + 3

Solution: 1...Bb8 2.Qg1+ Kb2 3.Kg2 Kc3 4.Kf2 Kd4 5.Qd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bg3#


Themes: set-play, self-block, nocapture

h#6.5, unique solution.

Same material and stipulation as No. 145, which is published; this position is not in the published database, under any mirroring.

No. 146 KBvkrb

solve ↗



h#6.5

2 + 3

Solution: 1...Bg1 2.Re1+ Kb2 3.Kf3 Kc3 4.Ke2 Kd4 5.Rd1+ Ke4 6.Ke1 Ke3 7.Bf1 Bf2#

Themes: pure, model, ideal, switchback, self-block, nocapture


h#6.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

128 positions of the 121 110 528 indexed have a unique solution at h#6.5.

No. 147 KNNvkb

solve ↗



h#6.5

3 + 2

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nf1+ 7.Kh3 Nf4#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture


h#6.5, unique solution.

The class runs to h#10, so the deepest sound problem is 7 plies shallower. Every position at that depth has a saturated solution count (255 or more).

21 positions of the 121 110 528 indexed have a unique solution at h#6.5.

No. 148 KNNvkn

solve ↗



h#6.5

3 + 2

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Ng6+ 6.Kg3 Nxf1+ 7.Kh3 Nf4#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

h#6.5, unique solution.


The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.

No. 149 KPPvkr

solve ↗



h#6.5

3 + 2

Solution: 1...Kb2 2.Rf6 Kc3 3.Rf5 gxf5 4.Kg4 f6 5.Kf3 f7 6.Ke2 f8=Q 7.Kd1 Qf1#

Themes: pure, model, mirror, promotion, nocheck, umnov, promotions:q


h#6.5, unique solution.

The class runs to h#8.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

784 positions of the 266 305 536 indexed have a unique solution at h#6.5.

No. 150 KRBvkq

solve ↗



h#6.5


3 + 2

Solution: 1...Kxa2 2.Kh7 Kb3 3.Kh8 Kc4 4.Kh7 Kd5 5.Kh8 Ke6 6.Kh7 Kf7 7.Kh8 Rh6#

Themes: pure, mirror, switchback, single-piece, single-piece:black, pendulum, nocheck

No. 151 KRvkqb

solve ↗



h#6.5

2 + 3

Solution: 1...Ka1 2.Bb2+ Kb1 3.Be5+ Kc1 4.Kg5 Kd2 5.Kh4 Ke2 6.Bc3 Kf3 7.Kh3 Rh5#

Themes: pure, model, mirror, switchback, nocapture

h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

h#6.5, unique solution.

The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.5.


Published: Sheglow, Wiktor S. – Suomen

Tehtäväniekat, No. (312), 05-06/1998, as h#7 0.1... (P0574163)

Note: the side to move is in check in the diagram.

No. 152 KRvkqp

solve ↗



h#6.5

2 + 3

Solution: 1...Ka1 2.Qb2+ Kxb2 3.Kh8 Kc3 4.b2 Kd4 5.b1=R Ke5 6.Rh1 Kf6 7.Rh7 Rf8#

Themes: pure, model, ideal, promotion, underpromotion, self-block, umnov, promotions:r

h#6.5, unique solution.


The class runs to h#7.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 355 074 048 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.

No. 153 KRvkqp

solve ↗



h#6.5

2 + 3

Solution: 1...Ka1 2.Qb1+ Kxb1 3.Qe4+ Kc1 4.Qg6 Kd2 5.Kg7 Ke3 6.Kh6 Kf4 7.Kh5 Rh3#

Themes: pure, model, ideal, switchback, self-block, umnov

h#6.5, unique solution.


The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.

No. 154 KRvkqr

solve ↗



h#6.5

2 + 3

Solution: 1...Ka1 2.Qb1+ Kxb1 3.Rh6 Kc2 4.Rg6 Kd3 5.Kg7 Ke4 6.Kh6 Kf5 7.Rg7 Rh4#

Themes: pure, model, ideal, switchback, self-block, umnov

h#6.5, unique solution.


The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 121 110 528 indexed have a unique solution at h#6.5.

Note: the side to move is in check in the diagram.

No. 155 KBBvkr

solve ↗



h#6

3 + 2

Solution: 1.Rb8 Ka2 2.Ra8+ Kb3 3.Kg8 Kc4 4.Kf7 Kd5 5.Ke8 Ke6 6.Rd8 Bg6#

Themes: self-block, nocapture


h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

28 positions of the 121 110 528 indexed have a unique solution at h#6.

No. 156 KNNNvk

solve ↗



h#6

4 + 1

Solution: 1.Kg7 Ke4 2.Kh6 Kf5 3.Kh5 Ng3+ 4.Kh4 Kg6 5.Kg4 Nf2+ 6.Kh4 Nf5#

Themes: pure, mirror, switchback, single-piece, single-piece:black, nocapture


h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

No. 157 KQBNvk

solve ↗



h#6

4 + 1

Solution: 1.Kxd1 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: switchback, single-piece, single-piece:black

h#6, unique solution.


The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

98 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 158 KQQPvk

solve ↗



h#6

4 + 1

Solution: 1.Kxh1 Kb7 2.Kg1 Kc6 3.Kh1 Kd5 4.Kg1 Ke4 5.Kh1 Kf3 6.Kg1 Qg2#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 159 KQQvkn

solve ↗



h#6

3 + 2

Solution: 1.Kxh8 Kxb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 160 KQQvkp

[solve ↗](#)



h#6

3 + 2

Solution: 1.Kxh1 Kxb7 2.Kg1 Kc6 3.Kh1 Kd5 4.Kg1 Ke4 5.Kh1 Kf3 6.Kg1 Qg2#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 161 KQRBvk

[solve ↗](#)



h#6

4 + 1

Solution: 1.Kxh7 Kb2 2.Kh6 Kc3 3.Kh5 Kd4 4.Kxh4 Ke5 5.Kh5 Kf6 6.Kh6 Rh3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower.

29 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 162 KQRPvk

solve ↗



h#6

4 + 1

Solution: 1.Kxh7 f4 2.Kh8 f5 3.Kh7 f6 4.Kh8 f7 5.Kh7 Rg7+ 6.Kh8 f8=Q#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, phoenix, pendulum, promotions:q

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

14 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 163 KQRvkn

solve ↗



h#6

3 + 2

Solution: 1.Kxh8 Kxb2 2.Kh7 Kc3 3.Kh8 Kd4 4.Kh7 Ke5 5.Kh8 Kf6 6.Kh7 Qg7#

Themes: switchback, single-piece, single-piece:black, pendulum, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 164 KQRvkp

[solve ↗](#)



h#6

3 + 2

Solution: 1.Kxh8 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kf6 6.Rg8 Rh5#

Themes: pure, model, ideal, promotion, underpromotion, self-block, kniest, promotions:r

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

72 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 165 KQRvkg

[solve ↗](#)



h#6

3 + 2

Solution: 1.Kxg6 Ka2 2.Qd5+ Ka3 3.Qf7 Kb4 4.Kg7 Kc5 5.Kf8 Kd6 6.Ke8 Rc8#

Themes: pure, model, ideal, self-block

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 166 KQRvkr

solve ↗



h#6

3 + 2

Solution: 1.Kxh6 Ka2 2.Rb7 Ka3 3.Rf7 Kb4 4.Kg7 Kc5 5.Kf8 Kd6 6.Ke8 Rc8#

Themes: pure, model, ideal, self-block, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 167 KQvkbkn

solve ↗



h#6

2 + 3

Solution: 1.Kg7 Kb1 2.Ne2 Kc2 3.Ng1 Kd3 4.Nh3 Ke4 5.Kh6 Kf5 6.Kh5 Qxh3#

Themes: mirror, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 168 KQvknn

[solve ↗](#)



h#6

2 + 3

Solution: 1.Kh7 Kxb2 2.Kh8 Kxc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, nocheck


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 9 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 169 KQvknp

[solve ↗](#)



h#6

2 + 3

Solution: 1.Kh7 Kb1 2.e3 Kc2 3.e2 Kd3 4.e1=B Ke4 5.Bc3 Kf5 6.Bh8 Qg6#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, nocheck, promotions:b


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 18 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 170 KQvkpp

solve ↗



h#6

2 + 3

Solution: 1.a4 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kxf5 6.Rh8 Qg6#

Themes: pure, model, ideal, promotion, underpromotion, self-block, single-piece, single-piece:black, promotions:r


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 266 305 536 indexed have a unique solution at h#6.

No. 171 KQvkqn

solve ↗



h#6

2 + 3

Solution: 1.Kh7 Ka2 2.Qb7 Ka3 3.Qg7 Kb4 4.Kg8 Kc5 5.Kf8 Kd6 6.Qg8 Qe7#

Themes: pure, model, self-block, nocapture, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 172 KQvkqp

[solve ↗](#)



h#6

2 + 3

Solution: 1.Kh2 Qf7 2.Kg3 Qb7 3.Kf4 Kb8 4.Ke5 Kc8 5.Kd6 Kd8 6.Qd5 Qe7#

Themes: self-block, nocapture, nocheck


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more). 4 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 173 KRBNvk

[solve ↗](#)



h#6

4 + 1

Solution: 1.Kxc2 Ka2 2.Kc1 Kb3 3.Kb1 Kc4 4.Ka2 Ne6 5.Ka3 Bb4+ 6.Ka4 Nc5#

Themes: single-piece, single-piece:black


h#6, unique solution.

The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more). 36 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the solution begins with a capture.

No. 174 KRBvkb

solve ↗



h#6

3 + 2

Solution: 1.Kg6 Bg5 2.Kh5 Kb1 3.Kg4 Re8 4.Kf3 Be7 5.Ke2 Bb4+ 6.Kd1 Re1#

Themes: single-piece, single-piece:black, nocapture


h#6, unique solution.

The class runs to h#10, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

28 positions of the 121 110 528 indexed have a unique solution at h#6.

No. 175 KRBvkp

solve ↗



h#6

3 + 2

Solution: 1.Kh7 Kb2 2.Kh6 Kc3 3.Kh7 Kd4 4.Kh6 Ke5 5.Kh7 Kf6 6.Kh6 Rh8#

Themes: switchback, single-piece, single-piece:black, pendulum, nocapture, nocheck


h#6, unique solution.

The class runs to h#16, so the deepest sound problem is 20 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 355 074 048 indexed have a unique solution at h#6.

No. 176 KRNNvk

solve ↗



h#6

4 + 1

Solution: 1.Kxe7 Nf2 2.Kf6 Kd3 3.Kg5 Ke4 4.Kh4 Kf5 5.Kg3 Kg6 6.Kh4 Nf5#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

h#6, unique solution.


The class runs to h#8, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

27 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the solution begins with a capture.

No. 177 KRNVkb

solve ↗



h#6

3 + 2

Solution: 1.Kxe2 Kb2 2.Kd3 Kc1 3.Kc3 Kd1 4.Kb2 Kd2 5.Ka1 Kc1 6.Ba2 Nc2#

Themes: pure, model, ideal, closed-walk, self-block, nocheck

h#6, unique solution.


The class runs to h#10, so the deepest sound problem is 8 plies shallower. Every position at that depth has a saturated solution count (255 or more).

33 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 178 KRRBvk

solve ↗



h#6

4 + 1

Solution: 1.Kxh7 Kb2 2.Kh6 Kc3 3.Kh5 Kd4 4.Kxh4 Ke5 5.Kh5 Kf6 6.Kh6 Rh3#

Themes: pure, model, ideal, mirror, switchback, single-piece, single-piece:black, nocheck

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower.

17 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 179 KRRPvk

solve ↗



h#6

4 + 1

Solution: 1.Kxh7 f4 2.Kh8 f5 3.Kh7 f6 4.Kh8 f7 5.Kh7 Rg7+ 6.Kh8 f8=Q#

Themes: promotion, excelsior, excelsior:white, switchback, single-piece, single-piece:black, pendulum, promotions:q

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

5 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 180 KRRvkp

solve ↗



h#6

3 + 2

Solution: 1.Kxg2 Kb7 2.h3 Kc6 3.h2 Kd5 4.h1=R Ke4 5.Kh2 Kf3 6.Rg1 Rh4#

Themes: pure, model, ideal, promotion, underpromotion, self-block, nocheck, promotions:r

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

43 positions of the 355 074 048 indexed have a unique solution at h#6.

Note: the solution begins with a capture.

No. 181 KRRvkr

solve ↗



h#6

3 + 2

Solution: 1.Kxf8 Kc1 2.Rg7 Kd2 3.Kf7 Ke3 4.Kg6 Rxg7+ 5.Kh5 Kf4 6.Kh4 Rh7#

Themes: pure, model, ideal, mirror, switchback

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 position of the 121 110 528 indexed has a unique solution at h#6.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 182 KRvkbb

solve ↗



h#6

2 + 3

Solution: 1.Kf6 Ka2 2.Bg6 Kb3 3.Bf7+ Kb4 4.Ke7 Kc5 5.Kd8 Kd6 6.Bg8 Rxc8#

Themes: pure, model, mirror

h#6, unique solution.


The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 183 KRvkbn

solve ↗



h#6

2 + 3

Solution: 1.Kg5 Rc2 2.Kf4 Rxc4+ 3.Ke3 Ka2 4.Kd2 Rd4+ 5.Kc1 Kb3 6.Kb1 Rxd1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black

h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).


12 positions of the 121 110 528 indexed have a unique solution at h#6.

Published: Sheglow, Wiktor S. – Suomen Tehtäväniekat, No. (306), 05-06/1998, as h#6 (P0574158)

Note: the side to move is in check in the diagram.

No. 183b KRvkbnn

solve ↗



h#6

2 + 3

Solution: 1.Kg5 Rc3 2.Kf4 Rxc4+ 3.Ke3 Ka2 4.Kd2 Rd4+ 5.Kc1 Kb3 6.Kb1 Rxd1#

Themes: pure, model, ideal, mirror, single-piece, single-piece:black


h#6, unique solution.

Same material and stipulation as No. 183, which is published; this position is not in the published database, under any mirroring.

Note: the side to move is in check in the diagram.

No. 184 KRvkbp

solve ↗



h#6

2 + 3

Solution: 1.Kh5 Rxc5+ 2.Kh4 Rh5+ 3.Kg3 Kb1 4.Kf2 Kc2 5.Ke1 Kd3 6.Kd1 Rh1#

Themes: single-piece, single-piece:black, umnov


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

817 positions of the 355 074 048 indexed have a unique solution at h#6.

No. 185 KRvknn

solve ↗



h#6 2 + 3

Solution: 1.Nd3 Kb1 2.Nf4 Kc2 3.Nh5 Kd3 4.Ng4 Ke4 5.Ngf6+ Kf5 6.Nh7 Rg6#

Themes: self-block, nocapture


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

38 positions of the 121 110 528 indexed have a unique solution at h#6.

No. 186 KRvknp

solve ↗



h#6 2 + 3

Solution: 1.Kh7 Kb2 2.a3+ Kc3 3.a2 Kd4 4.a1=R Ke5 5.Ra8 Kf6 6.Rg8 Rh5#

Themes: pure, model, promotion, underpromotion, self-block, nocapture, promotions:r


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1731 positions of the 355 074 048 indexed have a unique solution at h#6.

No. 187 KRvkpp

solve ↗



h#6

2 + 3

Solution: 1.c1=B Rxcg5+ 2.Kh4 Rh5+ 3.Kg3 Kb1 4.Kf2 Kc2 5.Ke1 Kd3 6.Kd1 Rh1#

Themes: set-play, promotion, underpromotion, umnov, promotions:b


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 085 positions of the 266 305 536 indexed have a unique solution at h#6.

No. 188 KRvkqn

solve ↗



h#6

2 + 3

Solution: 1.Qd8 Kb2 2.Qg5 Kc3 3.Kh5 Kd4 4.Kh4 Ke4 5.Qg2+ Kf4 6.Kh3 Rh5#

Themes: pure, model, self-block, nocapture


h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

66 positions of the 121 110 528 indexed have a unique solution at h#6.

No. 189 KRvkrb

solve ↗



h#6 2 + 3

Solution: 1.Bb2+ Ka2 2.Bg7+ Kb3 3.Kg8 Kc4 4.Kf8 Kd5 5.Be5 Ke6 6.Ke8 Rg8#

Themes: pure, model, mirror, nocapture


h#6, unique solution.

The class runs to h#7, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

55 positions of the 121 110 528 indexed have a unique solution at h#6.

No. 190 KRvkrn

solve ↗



h#6 2 + 3

Solution: 1.Kh6 Kb1 2.Rd7 Kc2 3.Rh7 Kd3 4.Ng4 Ke4 5.Nf6+ Kf5 6.Nh5 Rg6#

Themes: self-block, nocapture

h#6, unique solution.


The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

22 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 191 KRvkrp

solve ↗



h#6

2 + 3

Solution: 1.Kh7 Kxb2 2.Kh8 Kc3 3.b2 Kd4 4.b1=R Ke5 5.Rb8 Kf6 6.Rg8 Rh5#

Themes: set-play, pure, model, ideal, promotion, underpromotion, self-block, phoenix, nocheck, umnov, promotions:r


h#6, unique solution.

The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

175 positions of the 355 074 048 indexed have a unique solution at h#6.

No. 192 KRvkr

solve ↗



h#6

2 + 3

Solution: 1.Kf5 Rg5+ 2.Ke4 Rxb5 3.Kd3 Ra5 4.Kc2 Ka2 5.Kd1+ Kb3 6.Kc1 Ra1#

Themes: pure, model, ideal, single-piece, single-piece:black, umnov

h#6, unique solution.


The class runs to h#7.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

100 positions of the 121 110 528 indexed have a unique solution at h#6.

Note: the side to move is in check in the diagram.

No. 193 KQBvkq

solve ↗



h#5.5

3 + 2

Solution: 1...Kxb2 2.Kxh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, kniest, pendulum, nocheck

h#5.5, unique solution.


The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 194 KQNVkq

solve ↗



h#5.5

3 + 2

Solution: 1...Kxb2 2.Kxh8 Kc3 3.Kh7 Kd4 4.Kh8 Ke5 5.Kh7 Kf6 6.Kh8 Qg7#

Themes: pure, model, ideal, switchback, single-piece, single-piece:black, kniest, pendulum, nocheck

h#5.5, unique solution.


The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

6 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 195 KQvkbb

[solve ↗](#)



h#5.5 2 + 3

Solution: 1...Qb2 2.Kg5 Qxc3 3.Kf4 Qf6+ 4.Ke3 Kb2 5.Ke2 Kc3 6.Kd1 Qf1#

Themes: pure, model, mirror, single-piece, single-piece:black


h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more). 4 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram.

No. 196 KQvkbp

[solve ↗](#)



h#5.5 2 + 3

Solution: 1...Kxa2 2.Kh5 Kb1 3.Kh4 Qa2 4.Kg3 Kc2 5.Kf2 Kd3+ 6.Ke1 Qe2#

Themes: single-piece, single-piece:black


h#5.5, unique solution.

The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more). 2 positions of the 355 074 048 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 197 KQvkbq

solve ↗



h#5.5

2 + 3

Solution: 1...Qa2 2.Kg5 Qxa3 3.Kf4 Qa2 4.Ke3 Kb2 5.Kd2 Kb3+ 6.Kc1 Qc2#

Themes: switchback, single-piece, single-piece:black

h#5.5, unique solution.


The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram.

No. 198 KQvkkq

solve ↗



h#5.5

2 + 3

Solution: 1...Qb1+ 2.Qdd3 Qe1 3.Qf7 Kb2 4.Qdg6 Kc3 5.Kg7 Kd4 6.Kf6 Qe5#

Themes: pure, model, ideal, self-block, nocapture

h#5.5, unique solution.


The class runs to h#7.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

58 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram.

No. 199 KQvkqr

[solve ↗](#)



h#5.5 2 + 3

Solution: 1...Kxb1 2.Qd3+ Kc1 3.Qg6 Kd2 4.Kg7 Ke3 5.Kh6 Kf4 6.Qh7 Qg5#

Themes: pure, model, ideal, self-block

h#5.5, unique solution.


The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

10 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 200 KQvkrrn

[solve ↗](#)



h#5.5 2 + 3

Solution: 1...Kxb1 2.Ne2 Kc2 3.Ng1 Kd3 4.Nh3 Ke4 5.Kh6 Kf5 6.Kh5 Qxh3#

Themes: mirror, nocheck

h#5.5, unique solution.


The class runs to h#6.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 201 KRNvkq

solve ↗



h#5.5

3 + 2

Solution: 1...Kxb1 2.Kg5 Ra6 3.Kf4 Nb5 4.Ke3 Re6+ 5.Kd2 Re2+ 6.Kd1 Nc3#

Themes: single-piece, single-piece:black

h#5.5, unique solution.


The class runs to h#7, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 121 110 528 indexed have a unique solution at h#5.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 202 KQBvkr

solve ↗



h#5

3 + 2

Solution: 1.Kxh4 Qxb3 2.Kg4 Qa2 3.Kf3 Kb2 4.Ke2 Kc3+ 5.Kd1 Qd2#

Themes: switchback, single-piece, single-piece:black

h#5, unique solution.


The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

15 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 203 KQQvkb

solve ↗



h#5

3 + 2

Solution: 1.Bxg7 Kc2 2.Kf8 Kd3 3.Kg8 Ke4 4.Kh7 Kf5 5.Kh6 Qh2#

Themes: pure, model, ideal, self-block, nocheck

h#5, unique solution.


The class runs to h#6, so the deepest sound problem is 2 plies shallower.

408 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.

No. 204 KQQvkq

solve ↗



h#5

3 + 2

Solution: 1.Qxe5+ Kb1 2.Kg3 Qb5 3.Kf2 Kc2 4.Ke1 Kd3 5.Kd1 Qb1#

Themes: mirror

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

441 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 205 KQQvkr

solve ↗



h#5

3 + 2

Solution: 1.Kxh5 Qxc6 2.Kg4 Qh6 3.Kf3 Kb2 4.Ke2 Kc3 5.Kd1 Qd2#

Themes: switchback, single-piece, single-piece:black, nocheck

h#5, unique solution.


The class runs to h#6, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

46 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 206 KQRNvk

solve ↗



h#5

4 + 1

Solution: 1.Kxg4 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: single-piece, single-piece:black, umnov

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

26 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 207 KQRvkb

solve ↗



h#5

3 + 2

Solution: 1.Bxg7+ Rb2 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rb1#

Themes: pure, model, mirror

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 113 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.

No. 208 KQvkrb

solve ↗



h#5

2 + 3

Solution: 1.Kh4 Qc6 2.Kg3 Kb2 3.Kf2 Kc3 4.Ke1 Kd3 5.Kd1 Qh1#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, nocheck

h#5, unique solution.


The class runs to h#6.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

23 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram.

No. 209 KQvkrp

solve ↗



h#5

2 + 3

Solution: 1.Kh4 Qc6 2.Kg3 Kb2 3.Kf2 Kc3 4.Ke1 Kd3 5.Kd1 Qh1#

Themes: pure, model, mirror, single-piece, single-piece:black, nocapture, nocheck

h#5, unique solution.


The class runs to h#6.5, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

631 positions of the 355 074 048 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram.

No. 210 KRBvkr

solve ↗



h#5

3 + 2

Solution: 1.Kxg7 Kc2 2.Rh8 Kd3 3.Rh3+ Ke4 4.Kh6 Kf5 5.Kh5 Rxh3#

Themes: pure, model, ideal, mirror

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 211 KRRNvk

solve ↗



h#5

4 + 1

Solution: 1.Kxg5 Rb3 2.Kf4 Rb2 3.Ke3 Nc2+ 4.Kd2 Ne3+ 5.Kc1 Rc2#

Themes: single-piece, single-piece:black, umnov


h#5, unique solution.

The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more). 4 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.

No. 212 KRRvkb

solve ↗



h#5

3 + 2

Solution: 1.Bxg7+ Rb2 2.Kg1 Kb1 3.Kf1 Kc2 4.Ke1 Kd3 5.Kd1 Rb1#

Themes: pure, model, mirror

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower.

290 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.

No. 213 KRRvkn

solve ↗



h#5

3 + 2

Solution: 1.Kxg7 Kc2 2.Nf3 Kd3 3.Nh2 Ke4 4.Kh6 Kf5 5.Kh5 Rxh2#

Themes: pure, model, ideal, mirror, nocheck

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

229 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.

No. 214 KRRvkq

solve ↗



h#5

3 + 2

Solution: 1.Qxf1+ Kb2 2.Kg1 Rc2 3.Qf2 Kc3 4.Kf1 Kd3 5.Ke1 Rc1#

Themes: pure, model, ideal, self-block, umnov

h#5, unique solution.


The class runs to h#7, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

219 positions of the 121 110 528 indexed have a unique solution at h#5.

Note: the solution begins with a capture.

No. 215 KQvkrr

[solve ↗](#)



h#4.5 2 + 3

Solution: 1...Qb1 2.Kf4 Qxb2 3.Ke3 Qa3+ 4.Kd2 Kb1 5.Kd1 Qc1#

Themes: single-piece, single-piece:black


h#4.5, unique solution.

The class runs to h#6, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

460 positions of the 121 110 528 indexed have a unique solution at h#4.5.

No. 216 KQQNvk

[solve ↗](#)



h#4 4 + 1

Solution: 1.Kxh2 Qg8 2.Kh3 Nc7 3.Kh4 Ne6 4.Kh5 Qg5#

Themes: pure, model, single-piece, single-piece:black, nocheck

h#4, unique solution.


The class runs to h#5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

18 positions of the 121 110 528 indexed have a unique solution at h#4.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 217 KQQBvk

solve ↗



h#3

4 + 1

Solution: 1.Kxe4 Kb1 2.Ke3 Bc5+ 3.Kd3 Qc2#

Themes: pure, model, ideal, closed-walk, single-piece, single-piece:black

h#3, unique solution.


The class runs to h#4, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

293 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 218 KQQRvk

solve ↗



h#3

4 + 1

Solution: 1.Kxd4 Kb2 2.Ke4 Qf4+ 3.Kd3 Rd2#

Themes: closed-walk, single-piece, single-piece:black

h#3, unique solution.


The class runs to h#4, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

775 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 219 KQRRvk

solve ↗



h#3

4 + 1

Solution: 1.Kxe4 Kb2 2.Kd4 Qf4+ 3.Kd3 Rd2#

Themes: closed-walk, single-piece, single-piece:black

h#3, unique solution.


The class runs to h#5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

1 116 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the solution begins with a capture.

No. 220 KRRRvk

solve ↗



h#3

4 + 1

Solution: 1.Kxd4 Rbb1 2.Kd3 Kb2 3.Kd2 Rbd1#

Themes: single-piece, single-piece:black, nocheck

h#3, unique solution.


The class runs to h#5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

217 positions of the 121 110 528 indexed have a unique solution at h#3.

Note: the solution begins with a capture.

No. 221 KQQQvk

solve ↗



h#2

4 + 1

Solution: 1.Kxc1 Qf2 2.Kd1 Qee1#

Themes: switchback, single-piece, single-piece:black, nocheck

h#2, unique solution.

The class runs to h#3, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

3 150 positions of the 121 110 528 indexed have a unique solution at h#2.


Note: the side to move is in check in the diagram; the solution begins with a capture.

Six men

13 of the 645 material classes with 6 men that can hold a mate, deepest sound problem first.

No. 222 KBvkqnn

solve ↗



h#10

2 + 4

h#10, unique solution.

The class runs to h#13, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).


5 positions of the 7 751 073 792 indexed have a unique solution at h#10.

Solution: 1.Kg2 Be5 2.Kf3 Bc3 3.Ke4 Kc2 4.Kd5 Kd3 5.Kd6 Kd4 6.Kc7 Ke5 7.Qa4 Ke6 8.Qa8 Ba5+ 9.Kb8 Kd7 10.Na7 Bc7#

Themes: pure, model, ideal, self-block, nocapture

No. 223 KBvkqbn

solve ↗



h#9.5

2 + 4

Solution: 1...Ka1 2.Kb4 Bb5 3.Qc5 Kb2 4.Bb3 Bc4 5.Ka4 Kc3 6.Qa3 Kd4 7.Ng6 Kd5 8.Nf4+ Kc6 9.Nd3 Kb6 10.Nb4 Bb5#

Themes: pure, model, ideal, switchback, self-block, nocapture

h#9.5, unique solution.


The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

90 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram.

No. 224 KBvkqqn

solve ↗



h#9.5

2 + 4

Solution: 1...Kxa2 2.Kd2 Be4 3.Kc3 Bxb7 4.Kb4 Ba6 5.Ka5 Kb3 6.Nc8 Kc4 7.Kb6 Kd5 8.Ka7 Kc6 9.Ka8 Kc7 10.Na7 Bb7#

Themes: pure, model, ideal, switchback, self-block, nocheck

h#9.5, unique solution.


The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

341 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 225 KBvkqrn

solve ↗



h#9.5

2 + 4

Solution: 1...Be3 2.Qd1+ Kb2 3.Nc7 Kc3 4.Nb5+ Kc4 5.Nd4 Kd5 6.Rd6+ Ke5 7.Ke2 Kf4 8.Ke1 Kg3 9.Ne2+ Kg2 10.Rd2 Bf2#

Themes: set-play, pure, model, ideal, self-block, nocapture


h#9.5, unique solution.

The class runs to h#12.5, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

394 positions of the 7 751 073 792 indexed have a unique solution at h#9.5.

No. 226 KBBvkbn

solve ↗



h#9

3 + 3

Solution: 1.Kd2 Bd3 2.Kc3 Ba6 3.Kb4 Kb2 4.Ka5 Kc3 5.Nc8 Kd4 6.Kb6 Kxd5 7.Ka7 Kc6 8.Ka8 Kc7 9.Na7 Bb7#

Themes: pure, self-block, nocheck


h#9, unique solution.

The class runs to h#12, so the deepest sound problem is 6 plies shallower. Every position at that depth has a saturated solution count (255 or more).

244 positions of the 7 751 073 792 indexed have a unique solution at h#9.

No. 227 KBBvknn

solve ↗



h#8.5

3 + 3

Solution: 1...Bg3 2.Ne3 Bb8 3.Ng4 Kc2 4.Nc7 Kd3 5.Kg3 Be5+ 6.Kh4 Ke4 7.Ne6 Kf5 8.Ng5 Kg6 9.Nh3 Bg3#

Themes: pure, model, ideal, self-block, nocapture


h#8.5, unique solution.

The class runs to h#13, so the deepest sound problem is 9 plies shallower. Every position at that depth has a saturated solution count (255 or more).

17 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

No. 228 KBvkqbb

solve ↗



h#8.5

2 + 4

Solution: 1...Kxb1 2.Bf5+ Kb2 3.Kh3 Kc3 4.Kg4 Kd4 5.Kh5 Ke5 6.Kh6 Kf6 7.Kh7 Kf7 8.Kh8 Kxf8 9.Bh7 Bf6#

Themes: self-block

h#8.5, unique solution.


The class runs to h#10.5, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

25 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 229 KBvkrbb

solve ↗



h#8.5 2 + 4

Solution: 1...Kxd1 2.Kb2 Be4 3.Kc3 Bxa8 4.Kd3 Kc1 5.Ke2 Kc2 6.Kf1 Kd3 7.Kg1 Ke4 8.Kh1 Kf3 9.Bg1 Kg3#

Themes: switchback, self-block, nocheck

h#8.5, unique solution.


The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

2 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

Note: the side to move is in check in the diagram; the solution begins with a capture.

No. 230 KNVknnn

solve ↗



h#8.5 2 + 4

Solution: 1...Kb2 2.Kg7 Kc3 3.Kf6 Kd2 4.Ke5 Kd1 5.Kd4 Nd2 6.Kc3 Kxe1 7.Kb2 Kd1 8.Ka1 Kc2 9.Na2 Nb3#

Themes: pure, model, switchback, self-block, nocheck


h#8.5, unique solution.

The class runs to h#9.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

4 positions of the 7 751 073 792 indexed have a unique solution at h#8.5.

No. 231 KBBvkbb

solve ↗



h#8

3 + 3

Solution: 1.Bf5 Kb2 2.Kh3 Kc3 3.Kg4 Kd4 4.Kxg5 Ke5 5.Kh6 Kf6 6.Kh7 Kf7 7.Kh8 Kxf8 8.Bh7 Bc3#

Themes: self-block, nocheck


h#8, unique solution.

The class runs to h#10, so the deepest sound problem is 4 plies shallower. Every position at that depth has a saturated solution count (255 or more).

129 positions of the 7 751 073 792 indexed have a unique solution at h#8.

No. 232 KBvkqqb

solve ↗



h#7.5

2 + 4

Solution: 1...Ka1 2.Kd4 Bd5 3.Kc3 Bxg2 4.Qc1+ Ka2 5.Kd2 Kb3 6.Bc3 Kc4 7.Kd1 Kd3 8.Be1 Bf3#

Themes: self-block

h#7.5, unique solution.


The class runs to h#8.5, so the deepest sound problem is 2 plies shallower. Every position at that depth has a saturated solution count (255 or more).

8 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.

No. 233 KBvkqrb

solve ↗



h#7.5

2 + 4

Solution: 1...Bb1+ 2.Qc2 Ba2 3.Qb1+ Kxb1 4.Rd1+ Kc2 5.Rh1 Kd3 6.Kg6 Ke4 7.Kh5 Kf5 8.Rh4 Bf7#

Themes: switchback, self-block, umnov

h#7.5, unique solution.


The class runs to h#8.5, so the deepest sound problem is 2 plies shallower.

2 positions of the 7 751 073 792 indexed have a unique solution at h#7.5.

Note: the side to move is in check in the diagram.

No. 234 KNNvknn

solve ↗



h#6.5

3 + 3

Solution: 1...Ke2 2.Kc7 Kf3 3.Kd6 Kg4 4.Ke5 Kh5 5.Kf4 Kh6 6.Kg4 Nf2+ 7.Kh4 Nf5#

Themes: single-piece, single-piece:black, nocapture

h#6.5, unique solution.

The class runs to h#8, so the deepest sound problem is 3 plies shallower. Every position at that depth has a saturated solution count (255 or more).

31 positions of the 7 751 073 792 indexed have a unique solution at h#6.5.

Index of material classes

Sorted by how deep a sound problem gets. *class max* is the longest helpmate in that material at any solution count.

material	men	sound	class max	gap	published by	page
KBvkrp	5	h#13	h#16.5	7		30
KBvkqp	5	h#12	h#17	10		30
KBvkbp	5	h#11.5	h#16	9		31
KBPvvp	5	h#10.5	h#16	11	Szentai (1958)	31
KBvkqnn	6	h#10	h#13	6		125
KPvkpp	5	h#10	h#15.5	11	Ban (1967)	32
KBvknp	5	h#9.5	h#15.5	12		32
KBvkqbn	6	h#9.5	h#12.5	6		125
KBvkqn	5	h#9.5	h#13	7		33
KBvkqqn	6	h#9.5	h#12.5	6		126
KBvkqrn	6	h#9.5	h#12.5	6		126
KBvkrrn	5	h#9.5	h#12.5	6		33
KNvkpp	5	h#9.5	h#11.5	4		34
KNvkqb	5	h#9.5	h#11.5	4	Sheglow (1998)	34
KNvkqp	5	h#9.5	h#11.5	4		35
KPvkbp	5	h#9.5	h#14.5	10	Locker (1966)	35
KBBvkbn	6	h#9	h#12	6		127
KBBvkn	5	h#9	h#12	6		36
KBBvvp	5	h#9	h#16	14		37
KBvkbn	5	h#9	h#12	6		37
KBvknn	5	h#9	h#12.5	7		38
KBvkpp	5	h#9	h#16	14		38
KNPvvp	5	h#9	h#14	10		39
KPvknp	5	h#9	h#14.5	11		39
KBBvknn	6	h#8.5	h#13	9		127
KBvkqbb	6	h#8.5	h#10.5	4		128
KBvkrbb	6	h#8.5	h#9.5	2		128
KNvkbb	5	h#8.5	h#10.5	4		40
KNvkbp	5	h#8.5	h#10.5	4		40
KNvknn	5	h#8.5	h#9.5	2		41
KNvknnn	6	h#8.5	h#9.5	2		129
KNvknp	5	h#8.5	h#10	3	Sheglow (1998)	41
KNvkqr	5	h#8.5	h#9.5	2		42
KNvkrrn	5	h#8.5	h#10.5	4		42
KNvkrp	5	h#8.5	h#11.5	6		43
KNvkrr	5	h#8.5	h#9.5	2		43
KPPvvp	5	h#8.5	h#14.5	12		44

material	men	sound	class max	gap	published by	page
KPvkp	4	h#8.5	h#14.5	12		7
KPvkqn	5	h#8.5	h#9.5	2		44
KPvkqp	5	h#8.5	h#14.5	12		45
KPvkrrp	5	h#8.5	h#14.5	12		45
KBBvkbb	6	h#8	h#10	4		129
KBvkbb	5	h#8	h#10	4		46
KBvkn	4	h#8	h#12	8		7
KBvkp	4	h#8	h#16	16		8
KNvkb	4	h#8	h#10.5	5		8
KNvkbn	5	h#8	h#10	4		46
KNvkp	4	h#8	h#11.5	7		9
KNvkqn	5	h#8	h#10.5	5	Sheglow (1998)	47
KNvkr	4	h#8	h#9.5	3	Elkies (1995)	9
KQBvkn	5	h#8	h#12	8		48
KQNvkb	5	h#8	h#11	6		48
KQNvkn	5	h#8	h#10	4		49
KQNvkp	5	h#8	h#11	6		49
KQNvkr	5	h#8	h#10	4		50
KQPvkb	5	h#8	h#9	2		50
KQPvkn	5	h#8	h#9	2		51
KQPvkp	5	h#8	h#15	14		51
KRBvkn	5	h#8	h#12	8		52
KRNvkn	5	h#8	h#10	4		52
KBNvkq	5	h#7.5	h#8.5	2		53
KBvkqqb	6	h#7.5	h#8.5	2		130
KBvkqrb	6	h#7.5	h#8.5	2		130
KNPvkb	5	h#7.5	h#11	7		53
KNPvkn	5	h#7.5	h#9	3	Paliulionis (2024)	54
KNPvkq	5	h#7.5	h#8.5	2		55
KNPvkr	5	h#7.5	h#9	3		55
KNvkn	4	h#7.5	h#10	5	Kotesovec (1987)	10
KNvkrrb	5	h#7.5	h#10.5	6		56
KPPvkb	5	h#7.5	h#8.5	2		56
KPPvkn	5	h#7.5	h#8.5	2		57
KPPvkq	5	h#7.5	h#8.5	2		57
KPvkb	4	h#7.5	h#8.5	2		11
KPvkbb	5	h#7.5	h#9.5	4		58
KPvkbn	5	h#7.5	h#9.5	4		58
KPvkn	4	h#7.5	h#8.5	2		12
KPvknn	5	h#7.5	h#9.5	4		59
KPvkq	4	h#7.5	h#9	3		12
KPvkqb	5	h#7.5	h#11.5	8		59
KPvkqq	5	h#7.5	h#9.5	4		60
KPvkqr	5	h#7.5	h#8.5	2		60
KPvkr	4	h#7.5	h#8.5	2	Maslar	13
KPvkrrb	5	h#7.5	h#8.5	2		61
KPvkrrn	5	h#7.5	h#9.5	4		61
KBBBvk	5	h#7	h#8	2		62
KBBNvk	5	h#7	h#8	2		62
KBBPvk	5	h#7	h#9	4		63

material	men	sound	class max	gap	published by	page
KBBvkb	5	h#7	h#10.5	7		63
KBNPvk	5	h#7	h#8	2		64
KBNvkb	5	h#7	h#11	8		64
KBNvkn	5	h#7	h#12	10		65
KBNvkp	5	h#7	h#16	18		65
KBNvkr	5	h#7	h#9	4		66
KBPPvk	5	h#7	h#8	2		66
KBPvk	4	h#7	h#8	2	Elkies (2004)	13
KBPvkb	5	h#7	h#10	6		67
KBPvkn	5	h#7	h#12	10		67
KBPvkq	5	h#7	h#8.5	3		68
KBPvkr	5	h#7	h#8.5	3		68
KNNPvk	5	h#7	h#8	2		69
KNNvkp	5	h#7	h#11	8		69
KNNvkq	5	h#7	h#8.5	3	Sheglow (1998)	70
KNNvkr	5	h#7	h#10	6		70
KNPPvk	5	h#7	h#8.5	3		71
KNPvk	4	h#7	h#8.5	3	Elkies (2004)	14
KPPPvk	5	h#7	h#8	2		71
KPPvk	4	h#7	h#8	2	Salazar Lopez (1973)	15
KPvkrr	5	h#7	h#8.5	3		72
KQBBvk	5	h#7	h#8	2		72
KQBPvk	5	h#7	h#8	2		73
KQBvkb	5	h#7	h#10	6		73
KQBvkp	5	h#7	h#16	18		74
KQNNvk	5	h#7	h#8	2		74
KQNPvk	5	h#7	h#9	4		75
KQPPvk	5	h#7	h#8	2		75
KQPvk	4	h#7	h#8	2		16
KQPvkq	5	h#7	h#9	4		76
KQPvkr	5	h#7	h#9	4		76
KRBBvk	5	h#7	h#8	2		77
KRBPvk	5	h#7	h#8	2	Abdurahmanovic & Becker (2006)	77
KRNPvk	5	h#7	h#8	2		78
KRNvkp	5	h#7	h#11.5	9		79
KRNvkr	5	h#7	h#10	6		79
KRPPvk	5	h#7	h#8	2		80
KRPvkb	5	h#7	h#8	2		80
KRPvkn	5	h#7	h#8.5	3		81
KRPvkp	5	h#7	h#14	14		81
KRPvkq	5	h#7	h#9	4		82
KRPvkr	5	h#7	h#8.5	3		82
KBBvk	4	h#6.5	h#8	3	Maslar (1978)	16
KBBvkq	5	h#6.5	h#7.5	2		83
KBNNvk	5	h#6.5	h#8	3	Sheglow (1998)	83
KBvkb	4	h#6.5	h#10	7		17
KBvkqb	5	h#6.5	h#9.5	6	Sheglow (1998)	84
KBvkrb	5	h#6.5	h#9.5	6		85
KNNvk	4	h#6.5	h#8	3	Bebesi (1910)	17
KNNvkb	5	h#6.5	h#10	7		86

material	men	sound	class max	gap	published by	page
KNNvkn	5	h#6.5	h#7.5	2		86
KNNvknn	6	h#6.5	h#8	3		131
KPPvkr	5	h#6.5	h#8.5	4		87
KPvk	3	h#6.5	h#8.5	4	Niemann (1947)	4
KRBvkq	5	h#6.5	h#7.5	2		87
KRvkqb	5	h#6.5	h#7.5	2	Sheglow (1998)	88
KRvkqp	5	h#6.5	h#7.5	2		88
KRvkqq	5	h#6.5	h#8	3		89
KRvkqr	5	h#6.5	h#8	3		89
KBBvkr	5	h#6	h#7.5	3		90
KBNvk	4	h#6	h#8	4		18
KNNNvk	5	h#6	h#8	4		90
KQBNvk	5	h#6	h#8	4		91
KQBvk	4	h#6	h#7	2		19
KQNvk	4	h#6	h#7	2		19
KQQPvk	5	h#6	h#7	2		91
KQQvk	4	h#6	h#7	2		20
KQQvkn	5	h#6	h#7	2		92
KQQvkp	5	h#6	h#7	2		92
KQRBvk	5	h#6	h#7	2		93
KQRPvk	5	h#6	h#7	2		93
KQRvk	4	h#6	h#7	2		20
KQRvkn	5	h#6	h#7	2		94
KQRvkp	5	h#6	h#7	2		94
KQRvkq	5	h#6	h#7	2		95
KQRvkr	5	h#6	h#7	2		95
KQvk	3	h#6	h#7	2	Csaszar (1945)	5
KQvkbn	5	h#6	h#7	2		96
KQvkn	4	h#6	h#7	2		21
KQvknn	5	h#6	h#7	2		96
KQvknp	5	h#6	h#7	2		97
KQvkp	4	h#6	h#7	2		21
KQvkpp	5	h#6	h#7	2		97
KQvkqn	5	h#6	h#7	2		98
KQvkqp	5	h#6	h#7	2		98
KRBNvk	5	h#6	h#8	4		99
KRBvk	4	h#6	h#7	2		22
KRBvkb	5	h#6	h#10	8		99
KRBvkp	5	h#6	h#16	20		100
KRNNvk	5	h#6	h#8	4		100
KRNvkb	5	h#6	h#10	8		101
KRPvk	4	h#6	h#8	4		22
KRRBvk	5	h#6	h#7	2		101
KRRPvk	5	h#6	h#7	2		102
KRRvkp	5	h#6	h#7	2		102
KRRvkr	5	h#6	h#7	2		103
KRvkbb	5	h#6	h#7	2		103
KRvkbn	5	h#6	h#7	2	Sheglow (1998)	104
KRvkbp	5	h#6	h#7	2		105
KRvknn	5	h#6	h#7	2		105

material	men	sound	class max	gap	published by	page
KRvkn _p	5	h#6	h#7	2		106
KRvk _p	4	h#6	h#7	2		23
KRvk _{pp}	5	h#6	h#7	2		106
KRvkq _n	5	h#6	h#7.5	3		107
KRvk _r _b	5	h#6	h#7	2		107
KRvk _r _n	5	h#6	h#7.5	3		108
KRvk _r _p	5	h#6	h#7.5	3		108
KRvk _r _r	5	h#6	h#7.5	3		109
KQBvk _q	5	h#5.5	h#7	3		109
KQNvk _q	5	h#5.5	h#7	3		110
KQvk _b _b	5	h#5.5	h#7	3		110
KQvk _b _p	5	h#5.5	h#7	3		111
KQvk _q	4	h#5.5	h#7	3	Sheglow (1998)	23
KQvkq _b	5	h#5.5	h#7.5	4		111
KQvkq _q	5	h#5.5	h#7.5	4		112
KQvkq _r	5	h#5.5	h#6.5	2		112
KQvk _r _n	5	h#5.5	h#6.5	2		113
KRNvk _q	5	h#5.5	h#7	3		113
KRvk _q	4	h#5.5	h#7.5	4		24
KRvk _r	4	h#5.5	h#7	3		25
KQBvk _r	5	h#5	h#6	2		114
KQQvk _b	5	h#5	h#6	2		114
KQQvk _q	5	h#5	h#7	4		115
KQQvk _r	5	h#5	h#6	2		115
KQRNvk	5	h#5	h#7	4		116
KQRvk _b	5	h#5	h#7	4		116
KQvk _b	4	h#5	h#6	2		25
KQvk _r	4	h#5	h#6	2		26
KQvk _r _b	5	h#5	h#6.5	3		117
KQvk _r _p	5	h#5	h#6.5	3		117
KRBvk _r	5	h#5	h#7	4		118
KRNvk	4	h#5	h#7	4	Maslar (1981)	26
KRRNvk	5	h#5	h#7	4		118
KRRvk _b	5	h#5	h#7	4		119
KRRvk _n	5	h#5	h#7	4		119
KRRvk _q	5	h#5	h#7	4		120
KRvk _b	4	h#5	h#7	4		27
KRvk _n	4	h#5	h#7	4		28
KQvk _r _r	5	h#4.5	h#6	3		120
KRvk	3	h#4.5	h#7	5	Ban (1965)	6
KQQNvk	5	h#4	h#5	2		121
KRRvk	4	h#4	h#7	6		28
KQQBvk	5	h#3	h#4	2		121
KQQRvk	5	h#3	h#4	2		122
KQRRvk	5	h#3	h#5	4		122
KRRRvk	5	h#3	h#5	4		123
KQQQvk	5	h#2	h#3	2		123