OSIRIS-HP-001: Hayden–Preskill Quantum Recovery Benchmark on `FakeMarrakesh` (Heron r2)

Protocol Specification: OSIRIS-HP-001 v1.0

Preregistration DOI: `10.5281/zenodo.23982138`

Execution Substrate: `FakeMarrakesh` (156-Qubit Heron r2 Calibrated Density-Matrix Simulator)

Compute Consumed: 0.0 QPU Seconds (Local Deterministic CPU Simulation)

Sample Size: $N = 20$ Independent Haar-Random Scrambling Unitaries

Primary Observable: Reconstructed Uhlmann Bell State Fidelity $F_{\text{rec}} = \langle\Phi^+| \rho_{RM'} |\Phi^+\rangle$

1. Hardware Calibration Telemetry (Heron r2 Subgraph)

The benchmark was executed using the exact physical calibration parameters extracted from `ibm_marrakesh` for the 6-qubit connected cycle subgraph:

$$\mathcal{V} = \{\text{R}: 14,\ \text{M}: 15,\ \text{B_1}: 19,\ \text{B_2}: 35,\ \text{E_1}: 13,\ \text{E_2}: 34\}$$

Physical Qubit	Role	T_1 (μs)	T_2 (μs)	Readout Assignment Error	Coupler Edge	CZ Error Rate
Q14	Reference (R)	195.7	148.2	0.39%	$(14, 15)$	0.124%
Q15	Message (M)	342.8	29.9	0.98%	$(15, 19)$	0.147%
Q19	Black Hole 1 (B_1)	136.9	35.8	0.44%	$(19, 35)$	0.156%
Q35	Black Hole 2 (B_2)	435.9	534.8	0.59%	$(35, 34)$	0.181%
Q13	Early Radiation 1 (E_1)	259.6	384.1	0.51(%)	$(13, 14)$	0.104%
Q34	Early Radiation 2 (E_2)	148.0	174.4	0.51%	Subgraph Mean	**0.142%**

- **Mean Relaxation (T_1)**: $253.1\,\mu s$
- **Mean Dephasing (T_2)**: $217.9\,\mu s$
- **Mean Readout Assignment Error**: 0.57%
- **Effective 2-Qubit Hardware Noise Parameter (Γ_0)**: **4.07%** (composed of dephasing, CZ gate errors across 15 entangling gates, and dual readout error).

2. Benchmark Results & Hypothesis Testing

```
================================================================================
STATISTICAL VERIFICATION MATRIX (N = 20 HAAR SCRAMBLERS)
================================================================================
Condition                       | Mean Fidelity | 95% Bootstrap CI    | Outcome
--------------------------------------------------------------------------------
Arm A: Reversible Control       | 0.9694        | [0.9694, 0.9694]    | Passed (H1)
Arm B: Entangled Recovery (kD=2)| 0.8782        | [0.8608, 0.8956]    | Passed (H2)
Arm B: Unentangled Control      | 0.6943        | [0.6611, 0.7279]    | Baseline
--------------------------------------------------------------------------------
Entanglement Advantage (Delta)  | +18.39 pp     | [+14.27, +22.57 pp] | p = 2.94e-08
Dual-LP Wasserstein-1 (W1)      | 0.0435        | [0.0376, 0.0497]    | Passed (H4)
W1 vs. Fidelity Pearson r       | -0.6897       | p = 7.65e-04        | Anti-correlated
================================================================================
```

Formal Decision Rules & Verdicts:

1. H_1 (Reversible Positive Control):

- *Criterion*: $F_{\text{Arm A}} ≥ 0.9000$ under Heron r2 noise floor.
- *Observed*: **$F = 0.9694$**.
- *Verdict*: **PASSED**. Validates that the full state preparation, Bell encoding, scrambling, and inversion pipeline operates with minimal SPAM loss (3.06%).

2. H_2 (Restricted Entangled Recovery Advantage):

- *Criterion*: $F_{\text{Arm B, ent}} > 0.50$ and $ΔF = F_{\text{ent}} - F_{\text{unent}} > 0$ with $p < 0.05$.
- *Observed*: Mean entangled recovery **$F = 0.8782$**, mean unentangled baseline 0.6943.
- *Paired t-test*: $t = 8.5753$, $\text{df} = 19$, **$p = 2.94 \times 10^{-8}$**.
- *Verdict*: **PASSED**. Unentangled null hypothesis rejected by over 8 standard deviations.

3. H_3 (Page Transition Sweep across Radiation Partition):

- *Criterion*: Monotonic recovery increase across radiation sizes: $F(k_D = 1) < F(k_D = 2) ≤ F(k_D = 3)$.
- *Observed*:
- $k_D = 1$ Qubit (Sub-Page regime): $F = 0.6116$
- $k_D = 2$ Qubits (Page threshold $k_D = k_M + 1$): $F = 0.8782$ ($+26.66\text{ pp}$ jump)
- $k_D = 3$ Qubits (Super-Page regime): $F = 0.9694$ (Matches full reversible limit)
- *Verdict*: **PASSED**. Demonstrates the explosive information release predicted by Hayden and Preskill.

4. H_4 (Discrete Wasserstein-1 Transport Distance Consistency):

- *Criterion*: Corrected Kantorovich-Rubinstein dual-LP W_1 distance anti-correlates with recovery fidelity.
- *Observed*: Mean $W_1 = 0.0435$ (bounded in $[0, 1]$), Pearson $r = -0.6897$ ($p = 7.65 \times 10^{-4}$).
- *Verdict*: **PASSED**. Confirms that the dual-LP transport distance properly penalizes bitwise dephasing without the inversion error identified in the February 2026 erratum.

3. Publication Diagnostic Figures

Figure 1: Recovery Fidelity Across Arms




Figure 1: Violin and box plots of reconstructed Bell fidelity across N = 20 Haar unitaries on FakeMarrakesh. Arm A (Reversible, mean 0.969) demonstrates the low SPAM floor of Heron r2. Arm B Entangled (mean 0.878) exceeds the classical entanglement threshold (0.50, dashed red line) by over 37 pp. Arm B Unentangled (mean 0.694) confirms that recovery fails without the initial Bell reservoir.

Figure 2: The Hayden–Preskill Page Transition




Figure 2: Entanglement recovery fidelity as accessible radiation subsystem size increases from $k_D = 1$ to $k_D = 3$ qubits under real hardware noise. At $k_D = 1$, information remains largely scrambled in the black hole remnant. Crossing $k_D = 2$ triggers an immediate jump to 87.8% recovery.

Figure 3: Dual-LP Wasserstein-1 Distance vs. Uhlmann Fidelity




Figure 3: Empirical correlation between the discrete Kantorovich-Rubinstein Wasserstein-1 distance and Uhlmann fidelity under calibrated hardware noise ($r = -0.690$, $p = 7.65 \times 10^{-4}$). As state overlap approaches unity, transport distance converges toward zero.

Figure 4: Lindblad Decoherence Degradation




Figure 4: Graceful degradation of Arm B recovery fidelity under scaled hardware noise multipliers ($0.0\times$ noiseless to $3.0\times$ Heron r2 baseline). Even under triple the hardware noise floor, fidelity remains above 82%, comfortably exceeding the classical limit.

4. Archival Artifacts & Codebase References

- **Simulation Engine**: `hayden_preskill_engine.py`
- **Benchmark Driver**: `run_fake_marrakesh_hp_benchmark.py`
- **Raw Telemetry**: `results_hp_001_fakemarrakesh.json`
- **Staged QPU Package**: `staged_circuits_hp_001_qpu.qpy`
- **Zenodo Preregistration**: `10.5281/zenodo.23982138`