

SCOPE OF WORKS - ELECTRICAL SUBCONTRACT

Project: 100 Example St, Exampleville (SYNTHETIC TEST FIXTURE)

Builder: Example Constructions Pty Ltd

1. SITE ACCESS AND CONDUCT

1.1 The AMPC site induction is mandatory for all subcontractor personnel prior to first access to site.

1.2 SWMS must be uploaded to Sign-on-Site before commencement of any works on site.

1.3 The site operates a six-day working week (Monday to Saturday).

1.4 Out-of-hours works are by arrangement only and require 48 hours written notice to the site manager.

2. COMMERCIAL AND PROGRAMME

2.1 Progress claims are to be submitted via Payapps by the 25th of each month.

2.2 Variations must be approved in writing before work proceeds; unapproved variation work is at the subcontractor's risk.

2.3 Day-labour dockets are to be signed daily by the site foreman.

2.4 The subcontractor shall maintain a 2-week lookahead and submit a 4-week programme, updated weekly.

3. QUALITY AND CLOSEOUT

3.1 Fire-proofing penetration certificates are required for all service penetrations through fire-rated elements.

3.2 Structural engineer sign-off is required for core holes through structural slabs and beams prior to coring.

3.3 CAD as-builts are required if CADs are not supplied by the builder; marked-up PDFs are not accepted.

END OF SCOPE - 100 Example St (SYNTHETIC TEST FIXTURE)