



BRAND & VIDEO ASSET GUIDE

Everything needed to edit on-brand video — colours, type, logo rules, the overlay library, CapCut workflow, shot formulas and copy.

CONTACT

formuladynamicsperformance.com
@formuladynamicsperformance
info@formuladynamicsperformance.com

Generated from the kit source of truth · 99-toolkit/build_pdf.py

CONTENTS

Page	Section	What it answers
3	Colour palette	Every hex, and what each colour is allowed to do
4	Typography	Bebas Neue, the accent face, and substitutes
5	Logo lockups	Four lockups, four variants, which to use when
6	Logo rules	Clear space, minimum size, do and don't
7	Canvases & safe zones	Frame sizes and where the platform UI sits
8	The overlay library	What exists, how it's named, how to use it
9	CapCut workflow	Build order and animation timings
10	Troubleshooting	Common mistakes and the pre-flight checklist
11	Export specs	Settings and colour notes for each platform
12	Services	Exact wording for everything you offer
13	Select partners	Names, casing, and the rules for partner marks
14	Shot formulas	Seven repeatable video formats
16	Hooks & voice	How the brand sounds, and what to write
17	Calls to action	The 16 CTAs, and which one to use when
18	Where the files live	The folder map and a find-it-fast table

THE ONE RULE THAT SAVES THE MOST TIME

Every full-frame overlay is rendered at the exact pixel size of its canvas. A file ending **_9x16** is exactly 1080 × 1920. Set your CapCut project to 9:16 and that overlay drops onto the timeline already in position at 100% scale — no resizing, no nudging. That is what keeps the logo in identical placement across every video you post.

COLOUR PALETTE

RED
#FE0F13
rgb(254, 15, 19)

WHITE
#FFFFFF
rgb(255, 255, 255)

BLACK
#000000
rgb(0, 0, 0)


GREEN
#1DB14B
rgb(29, 177, 75)

YELLOW
#FFDE00
rgb(255, 222, 0)

Colour	Role
Red	Primary accent. CTAs, key words, underlines, highlights.
White	Primary logo + headline colour on dark footage.
Black	Primary background. Logo colour on light footage.
Green	Racing stripe only. Never a background or body colour.
Yellow	Racing stripe only. Never a background or body colour.

IMPORTANT
Green and yellow are stripe colours, not brand colours. They appear only inside the accent stripe. Never set a headline in green or fill a background with yellow.

THE ACCENT STRIPE



Five segments, not four. Red, black, white, green, yellow, left to right. It carries both a black and a white segment, so whichever one matches the background reads as a gap: on a black poster the stripe looks like red / white / green / yellow. It is not - never delete the black segment to “fix” a stripe that looks short on dark ground. Ready-made bars live in **03-overlays/accent-bars/**.

TYPOGRAPHY

PRIMARY TYPEFACE · HEADLINES

BEBAS NEUE

Bold Condensed · bundled in 07-fonts/ · SIL Open Font License 1.1

ABCDEFGHIJKLMNOPQRSTUVWXYZ

0123456789

ACCENT TYPEFACE · PERFORMANCE

NEUROPOL X

Commercial licence — not bundled. You mostly don't need it: the word “PERFORMANCE” is already part of the vector logo artwork and scales to any size. Neuropol X is only required to set *new* words in that style. Where this kit needs the look, it uses italicised Bebas Neue.

SUBSTITUTES, IN ORDER OF PREFERENCE

Substitute	Where	Notes
Oswald	Google Fonts, free	Closest free match
Anton	Google Fonts, free	Heavier; good for big titles
Archivo Narrow	Google Fonts, free	More neutral
Arial Narrow Bold	System	Last resort

TYPE RULES

- Headlines in **caps**, Bebas Neue, 2–4% letter-spacing.
- Emphasis: **one word** in red #FE0F13 — never a whole line.
- Never stretch or condense type to fit. Change the size instead.
- Never outline headline type in red. White with a black outline or shadow.
- Two weights maximum on screen at once. Usually one is enough.

LOGO LOCKUPS

Four lockups, each supplied in four colour variants, as true vector SVG plus PNG at 1000 / 2000 / 4000 px wide.



PRIMARY HORIZONTAL

The default. Corner bugs, end cards, wide layouts.



COMPACT STACKED

Tight or vertical space, centred end cards, profile art.



ICON / MONOGRAM

Compact mark where the name is already known.



BARE MONOGRAM

Tiny watermarks, favicons, profile pictures, app icons.

PICK THE VARIANT BY BACKGROUND

Background	Variant	Why
Dark footage / black	--white	White wordmark, red PERFORMANCE
Light footage / white	--black	Black wordmark, red PERFORMANCE
Busy, mixed or moving	--mono-white / --mono-black	Single colour, no red — maximum legibility

LOGO RULES

CLEAR SPACE

Keep clear space equal to **the height of the FD icon** on all four sides. Nothing — text, frame edges, other graphics — inside that margin.



MINIMUM CLEAR SPACE = FD ICON HEIGHT

MINIMUM SIZE

Medium	Minimum width	In context
Print	25 mm	—
Digital / screen	120 px	11% of a 1080-wide frame. The supplied bugs sit at 30%.

SIZING THE LOGO YOURSELF

- Practical range for a corner bug is **22–32% of frame width**.
- Always scale with the aspect ratio locked. In CapCut drag a **corner** handle — an edge handle stretches the logo, which the brand guide prohibits.
- Better still, use the pre-positioned bugs in **03-overlays/corner-logo-bugs/** and don't scale at all.

DO


- Use approved logo files from **02-logos/**.
- Maintain clear space.
- Use approved brand colours.
- Ensure legibility at every size.

DON'T

- Stretch or distort the logo.
- Change colours or add effects.
- Recreate or redraw the logo.
- Place it on a busy background.

CANVASES & SAFE ZONES

Suffix	Pixels	Use for
9x16	1080 × 1920	TikTok, Reels, Shorts — your main format
4x5	1080 × 1350	Instagram feed video
1x1	1080 × 1080	Square feed posts
16x9	1920 × 1080	YouTube, website, landing hero



READING THE SAFE-ZONE GUIDE

- **Red bands** — platform UI sits here. No logos, no text, no faces.
- **White lines** — thirds grid, for composing shots.
- **Green cross** — exact frame centre.

Drop the guide matching your canvas onto the **top** track while editing, then **hide or delete that layer before exporting**. The 9:16 zones are sized for the TikTok/Reels/Shorts chrome: status bar on top, caption and CTA at the bottom, like/comment/share rail on the right.


Set the canvas ratio before you add overlays. If an overlay looks the wrong size, the project ratio doesn't match the filename — fix the ratio, don't scale the overlay.

THE OVERLAY LIBRARY


Transparent PNGs built to sit on top of footage. Full-frame assets are rendered at exact canvas size, so they need no scaling.



TITLE CARDS



LOGO BUGS



LOWER THIRDS



END CARDS

Folder	What it is	Naming
corner-logo-bugs/	Logo pre-positioned on a full frame. Clears the platform UI.	<code>bug_canvas_position_type-tone</code>
lower-thirds/	Service, partner and CTA name plates.	<code>lt_canvas_kind_name</code>
title-cards/	Two-line openers: white top line, red italic beneath.	<code>title_canvas_name_tone</code>
end-cards/	Full-frame closing card with contact details. Not transparent.	<code>endcard_canvas_tone</code>
service-badges/	Red-outlined chips for feature callouts.	<code>badge_service_tone</code>
accent-bars/	Racing stripe and solid red bars. Also the house transition.	<code>fd-accent-stripe_widthw-weight</code>

HOUSE TRANSITION

Drop **fd-accent-stripe_1080w-bold.png** on a cut and keyframe its X position across the frame over 6–10 frames. Cheapest on-brand transition you can make.

CAPCUT WORKFLOW

BUILD ORDER &MDASH; WORK TOP-DOWN, EACH STEP A NEW TRACK

#	Track	What goes on it
1	Footage	Rough cut. Get timing right before any graphics.
2	Title card	First 1–2 s.
3	Logo bug	Full duration.
4	Lower third	1–2 s in, hold 3–4 s.
5	Badges / stats	On the feature shots.
6	End card	Last 1.5–2.5 s.
7	Audio	Music, engine audio, VO.
8	Captions	Auto-captions, restyled.

Cut the picture first. Adding graphics before the edit is locked means redoing them. And **never resize a full-frame overlay** — it is already frame-size and positioned.

ANIMATION &MDASH; FAST AND MECHANICAL. MOTORSPORT, NOT WEDDING VIDEO.

Element	In	Out
Title card	Scale 105% → 100% over 8 frames + fade	Fade 4 frames
Logo bug	Fade in over 6 frames	Hold to end
Lower third	Slide from left over 8 frames	Slide out or fade
Badge	Pop: scale 90% → 100% over 5 frames	Fade
End card	Cut straight in, no fade	—

CAPTIONS

- Font **Bebas Neue**; white with a black outline or subtle shadow.
- Key word in red **#FE0F13** — the part number, horsepower figure, price, the payoff word. Never body text, never the outline.
- Keep captions above the bottom keep-out zone.

TROUBLESHOOTING

COMMON MISTAKES

Symptom	Cause	Fix
Logo in a different spot each video	Overlay manually scaled or moved	Re-add the bug and don't touch it
Logo looks stretched	Dragged an edge handle	Undo; drag a corner handle
Text cut off on TikTok	Sat inside the keep-out zone	Check the safe-zone guide
Overlay too small or letterboxed	Canvas ratio $\neq$ file canvas	Set ratio first, then re-add
Logo invisible on light footage	Used -white on white	Use the -black bug
Logo lost on busy paint	Full colour on a detailed panel	Use mono-white / mono-black

BEFORE YOU POST

- ☐ Safe-zone guide layer hidden or deleted
- ☐ Logo bug present, full duration, correct tone for the footage
- ☐ Nothing important inside the keep-out bands
- ☐ End card holds 1.5 s or more
- ☐ Audio peaks below 0 dB — no clipping on exhaust notes
- ☐ Caption spelling: model names, part numbers, partner names
- ☐ Exported at 1080p, 20 Mbps or higher
- ☐ Watched once on a phone before posting

IF AN OVERLAY LOOKS WRONG-SIZED

The project ratio doesn't match the filename. **Fix the ratio, don't scale the overlay.** Scaling is what breaks placement consistency between videos — the single thing that makes a feed look amateur.

EXPORT SPECS

Platform	Ratio	Resolution	FPS	Length
TikTok	9:16	1080 × 1920	30 / 60	15–60 s
Instagram Reels	9:16	1080 × 1920	30 / 60	15–90 s
YouTube Shorts	9:16	1080 × 1920	30 / 60	≤ 60 s
Instagram feed	4:5	1080 × 1350	30	15–60 s
YouTube	16:9	1920 × 1080	30 / 60	any

Shoot 60 fps even when delivering 30 — it gives you clean slow motion for reveals and rolling shots. Match the project frame rate to the footage and don't convert on export.

EXPORT SETTINGS

Setting	Value
Codec	H.264
Resolution	1080p
Frame rate	Match the project
Bitrate	Higher / 20 Mbps+ — CapCut's "Recommended" is too low for car paint
Format	MP4
Audio	AAC, 320 kbps

Low bitrate shows up as blocking in dark paint, smearing on carbon fibre and banding in sky gradients — exactly the shots you care about.

COLOUR

- Don't crush blacks — keep shadow detail; compression eats it.
- Don't over-sharpen. It amplifies compression artefacts.
- Keep red near **#FE0F13**. Oversaturated red clips and goes orange.

WHY BITRATE MATTERS MORE THAN RESOLUTION HERE

Car paint, carbon fibre and sky gradients are the hardest things you can hand a video codec. CapCut's "Recommended" bitrate is tuned for talking heads. Always export **Higher**.

SERVICES

Formula Dynamics offers **upgrades and service**. Both belong in the content mix — service is what turns a one-time customer into a long-term one, and it differentiates you from shops that only bolt on parts.

CURRENT VIDEO FOCUS

BODY KITS

EXHAUST

WHEELS

TUNING

Service	On screen	Descriptor
Tuning	TUNING	ECU / TCU calibration, custom maps, dyno-verified gains.
Exhaust	EXHAUST	Valvetronic, catback, downpipes, titanium systems.
Wheels	WHEELS	Forged, monoblock and multi-piece fitment.
Body Kits	BODY KITS	Aero, carbon fibre, widebody, full conversions.
Ppf	PPF	Paint protection film. Full front, track pack, full body.
Ceramic Coating	CERAMIC COATING	Multi-year paint, wheel and glass protection.
Window Tint	WINDOW TINT	Ceramic window tint. Heat and UV rejection.
Paint Correction	PAINT CORRECTION	Multi-stage machine polish and gloss restoration.
Detailing	DETAILING	Interior and exterior maintenance detailing.
Suspension	SUSPENSION	Coilovers, lowering springs, air, lift kits.
Service	SERVICE	Scheduled maintenance, fluids, brakes, diagnostics.

SELECT PARTNERS

Partner	Category	Lower third
NV Forged	Forged wheels	lt_9x16_partner_nv-forged.png
iPE Exhaust	Titanium / valvetronic exhaust	lt_9x16_partner_ipe.png
Ryft Springs	Lowering springs, exhaust, blow-off valves	lt_9x16_partner_ryft.png

CASING: PROSE VS. ON-SCREEN

Write in captions	Renders on screen as
NV Forged	NV FORGED
iPE Exhaust	IPE EXHAUST
Ryft Springs	RYFT SPRINGS

Two of these use deliberate lowercase styling — respect it **in writing**. The on-screen versions are uppercase because every graphic is set in Bebas Neue, which has no lowercase. That's a property of the typeface, not a misspelling.

PARTNER LOGOS ARE NOT IN THIS KIT

Partner logos are their intellectual property, so none are generated here. Request official vector or 2000 px+ transparent files from each partner's media kit and drop them into **03-overlays/partner-logos/**. Never screenshot a logo off a website.

BEFORE CO-LOCKING A PARTNER MARK WITH YOURS

- Read their brand guidelines — clear space, minimum size, approved colour variants.
- Some brands prohibit adjacent co-locking entirely. When in doubt, give the partner logo its own frame.
- Tag partner accounts in the post and in the video — that's what earns the reshare. Confirm each handle before publishing.
- Never imply an endorsement or partnership tier that isn't real.

SHOT FORMULAS

Every formula uses the same skeleton: **0–3 s hook** (best frame you own) · **3–8 s context** · **8–20 s payoff** · **20–27 s proof** · **27–30 s CTA**.

01 THE REVEAL

BODY KITS

Hook: The finished car, moving, low angle. Never open on a “before”.

- Low front 3/4, car rolling in — camera at bumper height
- Slow pan along the new aero
- Detail: splitter, diffuser, canards — macro, shallow depth
- Carbon weave close-up, rake light across the weave
- Wide static hero frame, hold 3 s
- Before shot **last**, as contrast

02 SOUND CHECK

EXHAUST

Hook: The sound, in the first half second. Cut to the loudest frame first.

- Tailpipe, engine off, tight
- Cold start with tips in frame — **record clean audio**
- Rev, exterior — mic away from the car; phone mics clip
- Rev, interior driver POV
- Valve open/close comparison
- Drive-by, static camera — the money shot

03 FITMENT

WHEELS

Hook: The wheel gap closing, or the first wheel going on.

- Old wheel static, brief
- Wheel off, hub bare
- New wheel lifted into frame — slow motion, 60 fps
- Bolting up, torque wrench — signals competence
- Car dropping off the lift, slow motion
- Rolling shot, then static 3/4 hero

04 DYNO / TUNE

TUNING

Hook: The number. Put the peak figure on screen in the first 2 s.

- Car strapped to the dyno
- Laptop with live graph, over-shoulder
- Wheels spinning under load, slow motion
- Operator watching — the human element
- Screen with the final figure — hold, this is the payoff
- Owner's reaction if you can get it

SHOT FORMULAS / 2

05 BEFORE & AFTER

ANY SERVICE

Hook: The after. Always lead with the after.

- After (2 s) → hard cut to before (2 s) → build montage (10 s) → after again, held longer (5 s)
- **Lock the camera to the same position for both states.** A tripod mark on the floor makes the cut land
- Same angle, same light, same lens

06 INSTALL DAY

TIMELAPSE

Hook: The last 2 s of the timelapse, played first.

- Lock a phone on a tripod for the whole job
- Shoot 1 frame/sec, or record long takes and speed to 10–20×
- Cut in real-time close-ups so it isn't only timelapse

07 SERVICE & MAINTENANCE

THE TRUST BUILDER

Hook: Less glamorous, converts well. Shows you're a real shop.

- Car on the lift in a clean bay — a tidy shop is the message
- Fluid change, close and clean
- Torque wrench, gloves on
- Diagnostic screen; finished car wiped down
- Post these between the loud upgrade videos

CONTENT MIX, PER 10 POSTS

Type	Count
Upgrade reveals (kits, wheels, exhaust)	4
Sound / dyno / performance payoff	2
Before & after	1
Service / maintenance / trust	2
Shop culture, team, partners	1

SHOOTING BASICS

- **Film 60 fps.** Slow motion later without stuttering.
- **Golden hour or full shade.** Midday sun blows out paint.
- **Move the camera or move the car.** Never both static.
- **Clean the car first.** Every time — dust reads as neglect at 4K.
- Kill reflections: you, your phone, the bay lights.
- Wipe the lens between setups. Record audio separately for exhaust.

HOOKS, CAPTIONS & VOICE

HOW WE SOUND

Do	Don't
"Titanium valvetronic. 12 lb lighter."	"INSANE SOUND!!!"
"Fitted, aligned, torqued to spec."	"Best work in the game"
"Before: 612. After: 703."	"Massive gains!!"
Name the part, the car, the spec	Vague hype with no substance

Specific beats loud. A part number, a weight saving, a torque figure — real numbers are what the owner of a six-figure car responds to. Anyone can shout. Short sentences, hard stops, matching the edit.

HOOK RULES

- **No throat-clearing.** Never "So today we..." or "What's up guys".
- **Lead with the best frame you own** — not the setup, the payoff.
- **Numbers stop scrolls.** Horsepower, weight saved, price, hours.
- **Ask something they'd answer.** "Wheels or aero first?" drives comments.
- **Never bury the sound.** On an exhaust video the note *is* the hook.

SAMPLE HOOKS

Service	Hooks
Body kits	Carbon, from every angle. · This is what [CAR] should have looked like from the factory. · Full aero. Nothing left stock.
Exhaust	Turn the sound on. · Cold start, headphones on. · Valves closed. Valves open. Hear it.
Wheels	Fitment is everything. · Wheel gap: gone. · Forged. Lighter than stock. Stronger too.
Tuning	[FIGURE] whp. Here's the pull. · Before: [FIGURE]. After: [FIGURE]. · Watch the graph.
Service	Not every day is a build day. · The unglamorous part that keeps it running.

CTA LINES & PICK ONE, NEVER STACK TWO

Book your build — link in bio. · DM us for a quote on your [CAR]. · Tell us what you'd fit next. · Now booking for [MONTH]. · Full spec in the comments.

On claims: only publish figures you actually measured. "Up to" and "gains vary by fuel and conditions" are honest and cost nothing. Getting caught inflating a dyno number destroys trust with exactly the customer you want.

CALLS TO ACTION

Sixteen on-screen calls to action, each in two styles. Ready-made graphics are in **03-overlays/cta-captions/**.

THE TWO STYLES

Style	Looks like	Use when
bar	Solid red pill, white type	Default. Dark, neutral or light footage.
panel	Black panel, key word in red, accent stripe under	The footage is red. Also busy or bright backgrounds.

A red bar over a red Ferrari disappears, and a lot of this shop's content is red cars. When in doubt, use **panel**.

Group	Captions
Booking Ready to book.	BOOK NOW SCHEDULE AN APPOINTMENT BOOK YOUR BUILD NOW BOOKING RESERVE YOUR SPOT
Fitment Still deciding.	SEE WHAT FITS YOUR CAR FIND YOUR FITMENT BUILT FOR YOUR CAR
Quote Wants a number.	GET A QUOTE DM US YOUR MODEL DM FOR PRICING
Engagement Drives comments, which drives reach.	WHAT WOULD YOU FIT NEXT? DROP YOUR MODEL BELOW
Soft Top of funnel.	LINK IN BIO FOLLOW FOR MORE BUILDS
Trust Pairs with service and maintenance content.	WE SERVICE WHAT WE BUILD

RULES THAT ACTUALLY MOVE THE NUMBER

- **One CTA per video. Never two.** Two asks is zero asks. If the end card is on screen, that *is* the CTA.
- **Put it on the payoff, not the last frame.** Most viewers leave before the end. Bring it up as the best shot lands and hold 2–3 s.
- **Match the ask to the content.** A reveal earns BOOK NOW. A shop-culture clip earns FOLLOW FOR MORE BUILDS.
- **Alternate reach and conversion.** Every third or fourth post, use an engagement CTA — comments widen the audience the next sales CTA lands on.
- **Make the destination match the words.** LINK IN BIO has to reach a page where booking is the first thing visible.

WHERE THE FILES LIVE


Folder	What's in it
01-brand-core/	The rules: brand spec, tokens, master guide, colour swatches
02-logos/	Every lockup — vector SVG plus PNG at three sizes
03-overlays/	Drop-on-timeline video graphics — the daily driver
04-templates/	Safe-zone guides and the campaign posters for reference
05-copy-library/	Hooks, captions, hashtags, CTAs, voice
06-video-system/	How to shoot, edit and export; CapCut workflow
07-fonts/	Bebas Neue plus notes on the accent face
99-toolkit/	The scripts that generated everything here

FIND IT FAST

I need to...	Go to
Put the logo on a video	03-overlays/corner-logo-bugs/
Name a service on screen	03-overlays/lower-thirds/
Open with a title	03-overlays/title-cards/
Close with contact info	03-overlays/end-cards/
Use the logo somewhere else	02-logos/
Check a colour or font	01-brand-core/BRAND-SPEC.md
Write a caption	05-copy-library/
Know how to shoot / edit / export	06-video-system/

KEEPING THE KIT CONSISTENT

Every asset is generated from code. Change a colour, service, partner or contact detail in **99-toolkit/fd_brand.py**, then run **python3 build_all.py** — all 300+ files regenerate together, this guide included. Nothing gets forgotten and nothing drifts out of spec.



PRECISION. PERFORMANCE. PASSION.

formuladynamicsperformance.com
[@formuladynamicsperformance](https://www.instagram.com/formuladynamicsperformance)
info@formuladynamicsperformance.com