Implementierungs dokumentation

Definition und Durchführung von Messwertverarbeitung für den Physikunterricht auf Basis eines Raspberry Pis

Version 1.0.0

David Gawron Stefan Geretschläger Leon Huck Jan Küblbeck Linus Ruhnke

10. August 2019

Inhaltsverzeichnis

1	Ziel der Implementierungsdokumentation	3
2	Ausarbeitungsstand der Abnahmekriterien2.1Entwurf von Messkonfigurationen2.2Handhabung von Bausteinprototypen2.3Gewährleisten von Persistenz2.4Bereitstellung vorgefertigter Teile2.5Handhabung von Messläufen2.6Benutzbarkeit der GUI2.7Abgrenzungskriterien	4 4 4 4
3	Umsetzung des Entwurfs 3.1 Model 3.2 GUI 3.3 Controller 3.4 Backend 3.5 Cache 3.6 File-Service	
4	Realer Implementierungsablauf	6
5 6	Anhang Glossar	6 8

1 Ziel der Implementierungsdokumentation

2 Ausarbeitungsstand der Abnahmekriterien

Im Folgenden werden die Muss-, Soll- und Wunschkriterien aus dem Pflichtenheft herangezogen, das in der ersten Phase des Projekts entstanden ist. Es findet eine Bestandsaufnahme statt, inwieweit die Kriterien erfüllt sind.

Falls das Softwareprodukt ein Musskriterium nicht wie im Pflichtenheft beschrieben aufweist, so führt dieses Dokument detailliert die Ursachen und Gründe hierfür auf. Falls das Softwareprodukt ein Sollkriterium nicht wie im Pflichtenheft beschrieben aufweist, so beschreibt dieses Dokument zwar nicht in jedem Detail, aber hinreichend informativ die Ursachen und Gründe hierfür. Nicht umgesetzte Wunschkriterien werden lediglich benannt, aber nicht hinterfragt.

2.1 Entwurf von Messkonfigurationen

2.2 Handhabung von Bausteinprototypen

2.3 Gewährleisten von Persistenz

MK 6 Die verwendeten Bausteine und ihre Anordnung, also die Messkonfiguration, kann in einer Datei gespeichert werden.

MK 7 Messkonfigurationen können aus Dateien geladen werden.

SK 6

SK 7

2.4 Bereitstellung vorgefertigter Teile

2.5 Handhabung von Messläufen

2.6 Benutzbarkeit der GUI

2.7 Abgrenzungskriterien

3 Umsetzung des Entwurfs

Während der Entwurfsphase wurden sowohl UML-Klassendiagramme als auch UML-Sequenzdiagramme erstellt. Zusammen mit der textuellen Beschreibungen der zu erstellenden Software-Elemente bildeten diese die Basis für die Produktion des Quellcodes während der Implementierungsphase.

In aller Regel lassen sich abstrakte Entwurfsinhalte während der Implementierung nicht in allen Details exakt umsetzen, was verschiedene Gründe haben kann. Bisweilen entpuppt sich auch eine andere Umsetzung als vorteilhafter. Die folgenden Abschnitte halten für jedes Softwaremodul die Abweichungen der Implementierung gegenüber den im Entwurf beschriebenen Strukturen fest. Des Weiteren enthalten sie die Gründe für diese Abweichungen.

- 3.1 Model
- 3.2 **GUI**
- 3.3 Controller
- 3.4 Backend
- 3.5 Cache
- 3.6 File-Service

4 Realer Implementierungsablauf

Dieser Abschnitt führt auf, inwieweit der tatsächliche zeitliche Implementierungsablauf vom geplanten Ablauf abgewichen ist, und beschreibt die Ursachen und Gründe für diese Abweichungen. Abhängigkeiten zwischen den Implementierungsschritten und kritische Pfade stehen hierbei besonders im Fokus.

Von Abweichungen betroffene Softwareelemente werden nicht im Einzelnen aufgeführt, sondern es werden lediglich in Bezug auf die Abweichungsgründe die Gruppen der betroffenen Softwareelemente benannt.

5 Anhang

	Woche	27				28							29							30							31							32			
Modul	Tag	07. Jul	0 lut.80	19. Jul	10. Jul	11. Jul	12. Jul	13. Jul	14. Jul	15. Jul	16. Jul	17. Ju	18. Jul	19. Jul	20. Jul	21. Jul	22. Jul	23. Jul	24. Jul	25. Jul	26. Jul	27. Jul	28. Jul	29. Jul	30. Jul	31. Jul	01. Aug	02. Aug	03. Aug	04. Aug	05. Aug	06. Aug	07. Aug	08. Aug	09. Aug	10. Aug	11. Aug
	Verantwortung Jan			+																																	
Model Interface Model Interface Model Information MeasurementRun View Controller Interface																																					
View Controller Interface Button Action																																					
ButtonAction BlockAction ConnectionAction Command Pattern																																					
CommandManager																																					
AddBlockToConfigCommand ModifyBlockInConfigCommand RemoveBlockFromConfigCommand EditBlockPropertiesCommand																																					
CloneBlockCommand ExportBlockPrototypeCommand																																					
SaveConfigCommand LoadConfigCommand ResetConfigCommand																																					
CreateChannelConnectionCommand ModifyChannelConnectionCommand DeleteChannelConnectionCommand																																		_	_		
StartRunCommand StopRunCommand ResumeRunCommand																																					
	Jan																																				
Service YamiService CruService PrigService GUI																																		_	_		
MainWindow	Linus																																				
Menues PrototypeField TransformationBlockField RepresentationBlockField																																		_	_		
FieldHandler																																		=			
Rock Drag And Dron Handler																																					
BuildingBlockView SensorBlockView TransformationBlockView																																					
RepresentationBlockView HelpDecoratorHandler AddWiseDrasAndDronHandler		Ħ		Ŧ	=	=	=								H	=		ᆗ																=	Ħ		E
RemoveWireOragAndDropHandler ChannelDecorator OutChannelDecorator				7	\equiv																													\exists	\exists		
InChannelDecorator Wire																																					
Building Block Properties Building Block Properties Building Block Properties Handler Sensor Block Properties																																					
SensorBlockProperties TransformationBlockProperties TransBlockProperties		Ħ	=	7	=										П							=											H	\exists	\exists		F
SemotrockProperties TransformationBlockProperties TransBlockProperties RepresentationBlockProperties ReprBlockPropertiesHandler				\exists																														=			
Button ButtonHandler																																					
Exception ExceptionWindowManager																																			=		
ExceptionWindow BuildingBlockExceptionWindow ConnectionExceptionWindow GeneralExceptionWindow				=																														=			=
Generale scoption Window HelpAndOption Options Window HelpWindow																																					
HelpWindow HelpWindowHandler OptionsWindowHandler				=																																	
FacadeControllerView PickUpPointControllerView																																					
FacedeControllerView PackUpPointControllerView ButtenAction ButtenAction BlobCAction I, connectionAction FacedeModeWiew ViewBirectoryInterface Model Core																																					
FacadeModelView ViewDirectoryInterface	David/Leon			_																																	
	Davidy Econ																																				
Core MeasurementRun MesurementRunState MesurementConfiguration BuildingBlock HelpMessage YamRepresentation BuildingBlockDirectory TamRepresentation BuildingBlockDirectory																																		_	_		_
HelpMessage YamiRepresentation Suits on Plant Princetons																																					
Function																																		=			
Representation Logic Representation																																					
TableRespresentation XYRepresentation				1																														_	_		
Sensor PhysicalSensor				=																														=			
VirtualSensor Channel Logic Channel																																					
ChannelState Connected UnConnected																																					
Value Ready InChannel OutChannel				_																														_	\dashv		_
Building Block Builder Director Builder				=																																	
SnakeYamtParser SensorBuilder																																					=
PhysicalSensorBuilder VirtualSensorBuilder TransformationBuilder																																					
RepresentationBuilder XYRepresentationBuilder TableRepresentationBuilder				+																																	
Transformationbulker (toppesset action bulker) (toppesset action bulker) (Tables presents on husber (Facility on the war of the controller view (Facility on the war of the controller view (Facility on the war of the controller view (Graph Tables action that the controller view (Graph Tables action			=	7	=										Ħ			\exists				=											H	7	7		
GraphicDataloInterface ExceptionInterface MeasurementDataInterface		Ħ		7	=																	=													\exists		
MRunReaction MRunInfo																																					
Backend Measurement Logic	Stefan																																				
Memories Memori				\exists																														\exists			
Milun Agent Sensorinfo Agent																																					
inckPointForAgentsBasedOnSsh InitDataForSsh IMStreamListener		H																																f			
Command Factory ComToPi SshToPi		Ħ	Ŧ	Ī	Ŧ	Ī									H	Ī		一		Ī		Ŧ	ī										Ħ	Ŧ	Ī		
CommandFactory SshCommandFactory																																					
SshCommand GetSensorids CommandCopyFromPi																																					_
sshCommandCopyFromPi CommandCopyToPi SshCommandCopyToPi				f																														_			
CommandMRunAtPi SshCommandMRunAtPi SystemProcessCommandLine		Ħ	\mp	1	\exists										Ħ			=			\exists												Ħ	\exists	7		
BufferedReader Writer MRunThread		Ħ	=	\exists	\equiv										П						\equiv													\exists	\exists		
Thread Runnable																																					
Cache Cache Logic	Stefan	Ħ		Ŧ	\exists										Ħ			司				\exists											H	Ŧ	Ŧ		
Timer Cache																																		\exists			
TimestampValuePair ConnectionTerminatedAction																																					_
I imeoutAction ErrorCodeAction DataSetCompleteAction				f																																	
EnhancedValuePacket ErrorCodesForInChannel		Ħ		7	\equiv									F	П							\equiv											Ħ				
CheckAndNotifvAction								_					_			_	_	-		_		_	_											\rightarrow	_		
Records Garbe Garb Garb Garb Garb Garb Garb Garb Garb				\dashv																														\rightarrow			

6 Glossar