

# Software Engineering Essentials



## User Interface Design

Bernd Bruegge, Stephan Krusche, Andreas Seitz, Jan Knobloch  
Chair for Applied Software Engineering — Faculty of Informatics





# Learning goals

- 1) Describe the concept of boundary objects
- 2) Design user interfaces in JavaFX
- 3) Explain best practices for user interface design

# Motivation





# Failures are helpful

Henry Petrovski's paradoxical approach to design:

- Better information comes from designs that fail rather than from those that succeed
- Reason: failures lead to investigations —> without failure, satisfaction sets in

Famous quote by Petrovski: „success in engineering is defined by its failures“


➔ Successful failure



Henry Petrovski




# From prototypes to user interfaces



# Boundary objects

- Represent the interactions between users and system.
- **Examples:** label, button, tables, lists, view hierarchies, layout constraints
- Rich variety of standard user interface controls in standard libraries and frameworks
- No need for implementation —> configuration
- Possibilities for configuration:
  - Manipulation of attributes, e.g. size, color, shadow
  - Manipulation of behavior by implementing actions (callbacks)





# JavaFX

- Interface standard library extension for Java with rich UI controls
- Integrated into Java 8
- Scene builder application (integrated into Eclipse) allows to create and generate FXML documents using a drag and drop interface
- Powerful way to control the design of an application using CSS-like syntax



# Best practices for user interface design

- Focus on maximizing usability and user experience: facilitate the task at hand
- Apply general guidelines, but also specialize in the given problem domain
- Analyze users and their activities
- Apply prototyping to iteratively improve the design
- Inspect usability and user experience with real end users
- Apply human interface guidelines



# Software Engineering Essentials



## User Interface Design

Bernd Bruegge, Stephan Krusche, Andreas Seitz, Jan Knobloch  
Chair for Applied Software Engineering — Faculty of Informatics

