Some docker commands used in this project

Author(s): Paulo Jerônimo

[HTML version](#)
Last updated: 2025-05-05 01:54:17 -0300
Last commit: 98860e2

1. Prerequisites

1. Inside this directory (`docker`), configure your `.env` file.

2. Setup the [Example Next.js Ecommerce Store for Snowplow](#) project:

```
$ ./ecommerce-nextjs-example-store/setup.sh
```

2. Some Docker commands

Inside this directory (`docker`) you can type any of the following commands you already know. Some examples are:

To start and stop all services:

```
$ docker compose up -d # to start all services
$ docker compose down -v --remove-orphans # to stop and remove all volumes
```

To start/stop and see logs for services individually:

```
# LocalStack:
$ docker compose up -d localstack # to start only localstack

# Redpanda:
$ docker compose up -d redpanda-console
$ docker compose down -v --remove-orphans redpanda-console redpanda

# Snowplow:
$ docker compose up -d stream-collector enrich snowbridge iglu-server
```

```
# Discounts Processor (backend implemented with Kafka Streams):
$ docker compose up -d discounts-processor
$ docker compose logs -f discounts-processor
$ docker compose down discounts-processor

# Ecommerce Next.js (frontend):
$ docker compose up -d ecommerce-nextjs
$ docker compose down ecommerce-nextjs
```