

Meeting Notes

OpenSSF Cyber Reasoning Systems Special Interest Group

Agenda

1. Harness generation CRS support
2. Other OSS-CRS updates
3. OSTIF
4. MIT LL
5. Open Discussion

Harness generation CRS support

Proposal to support **harness generation** CRSs that produce new fuzzing harnesses for an OSS-Fuzz target and create a project bundle for downstream bug-finding CRSs to consume.

- New libCRS APIs: `build_project` and `submit_harness`
- Artifacts are **directories**, not single files: dir for OSS-Fuzz project files, dir for repo source code
- Reference CRS: `crs-harness-gen-claude-code`
- Implementation on branch `feat/harness-gen`
- Discussion: [ossf/oss-crs#243](#)

Harness generation — end-to-end flow

```
# 1. Generate harnesses with a harness-gen CRS
oss-crs prepare      --compose-file example/crs-harness-gen-claude-code/compose-oauth.yaml
oss-crs build-target --compose-file example/crs-harness-gen-claude-code/compose-oauth.yaml \
  --fuzz-proj-path ../oss-fuzz/projects/tmux
oss-crs run          --compose-file example/crs-harness-gen-claude-code/compose-oauth.yaml \
  --fuzz-proj-path ../oss-fuzz/projects/tmux

# 2. Locate the generated harness bundle
HARNESS_DIR=$(oss-crs artifacts --compose-file ../compose-oauth.yaml \
  --fuzz-proj-path ... --latest | jq '.crs."crs-harness-gen-claude-code".harness')

# 3. Feed the bundle to a bug-finding CRS (libfuzzer here)
oss-crs run --compose-file example/crs-libfuzzer/compose.yaml \
  --fuzz-proj-path      $HARNESS_DIR/tmux/fuzz-proj \
  --target-source-path  $HARNESS_DIR/tmux/target-source \
  --target-harness      utf8-fuzzer # new harness created by the CRS
```

Other OSS-CRS updates

- `oss-crs archive` : packages submitted artifacts (POVs, seeds, patches) from a run into a `.tar.gz` .
`--all` also includes exchange dir, logs, and shared dirs. ([#218](#))
- `--latest` **flag** for `oss-crs artifacts` and `oss-crs archive` : selects the most recent run instead of prompting interactively ([#218](#))
- Post-run results printed outside the Rich UI panel so long artifact paths are not truncated ([#218](#))
- CRS name sanitization, alphanumeric plus dash and underscore ([#241](#))

New contributor

Welcome **Brian Mendonca** (@bmendonca3) — first contribution to `oss-crs` with [#241](#) (CRS entry name validation).

OSTIF

MIT LL

Q&A / Discussion

Refer to Cyber Reasoning Systems bi-weekly meeting notes.