Public Economics Assignment

Miia Janatuinen, Ossi Tahvonen

23/03/2020

PART A

- 1. Read the macro study by Fölster and Henrekson (2001)
- A) Summarize the main econometric approach and the findings in the study.

The authors use combined cross-section time series regressions with 5-year periods. They exploit within country variation to increase the efficiency. They use controls for periods and countries to get rid of short term endogeneity problems (caused by business cycles) and to allow for country specific production functions. They also report regressions using 2SLS (i.e. instrumental variables) to control for business cycles. The problem of selection on the OECD countries is controlled by running regressions with additional data set of more countries. The researchers correct for heteroscedasticity between countries and

????

The paper finds significant (HOW BIG, NOT FOR TAXES) negative effects between government expenditure and economic growth. These effects persist in 2SLS (WHAT WAS THE INSTRUMENT) regressions and additional country data. SAVINGS ROBUSTNESS

The robustness tests show that the effect of government expenditure is more robust than the effect of the taxes. Neither is robust by the strict definition of the extreme bounds analysis.

B) How does the empirical strategy in the paper differ from the micro studies discussed in the class? How credible it is in comparison to studies presented at the course?

The amount of possible endogeneity/omitted variable problems and level of possible extrapolation hugely differs from the micro level studies. In many micro-level studies, the identification strategy is based on some kind of randomized controllized trial -type of situation but this is obviously not possible on macro level. The results of the reported checks are encouraging, as they mostly show no problems, but it is possible that there still are persisting problems in making a causal intrepretation of the estimates (and this is not what the paper suggests, they even admit that "In general, it is hardly possible to solve all econometric problems.").

C) How would you comment on the impact of the size of the public sector on economic growth on the based on its results?

It seems that there is, if the econometric approach is considered viable, a negative impact between the size of the public sector and the economic growth. As noted before, this is questionable. The robustness tests show that the result can be extended to differing combinations of controlling variables. This lends credibility to the result. Of course, as the title of the paper suggests, the results are only from the data in rich countries, and the result can not be extrapolated to developing countries.

There is also need to note that the results of this research only concern the sample of relatively high-income countries. If one were to excapolate the results to some lower income level countries, it could result in a problematic interpretation. The question can therefore be answered only on behalf the countries that represent the sample. In addition, the paper does not concern the structure of the public expenditure. The result does not therefore mean that all public spending is bad for economomic growth and some expenditure might be beneficial (for instance government actions in coronavirus situation).

2. Read the evaluation of the British Working Families' Tax Credit by Blundell et al. (2005).

A) Summarize the main econometric approach and the findings in the study.

The paper uses a difference-in-difference methodology to study the labour market effects of the Working Family Tax Credit (WFTC) reform that took place in 1999 in the United Kingdom. Families with children are the treatment group and similar families without children are the control group. The effects of the reform are identified from other underlying effects by subtracting the change in employment of the control group from the change in employment of the treatment group. The authors use a probit model which gives estimates of the effect the reforms had on labour market outcomes. The outcome variable is the employment status and the treatment variable is an interaction term between a post-reform indicator variable and a indicator variable on the presence of children. (NOLLAHYPOTEESI?) The number of children, the age of the youngest child, partner's employment status, general economic conditions, seasonal controls, age and education level are controlled for in order to address the possible average differences between groups. In addition, the phase-in and adjustment periods are dropped from the sample.

In addition to the WFTC, there were other contemporaneous reforms that affected the parents and the results give the combined effects of these reforms. The estimated results show a significant positive effect of 3.6 ppt on single mothers' employment, corresponding an estimated 60 000 new workers. The effect was larger with more and younger children and underestimated due to other reforms. For all mothers in couples, there was a statistically insignificant treatment effect of +0.4ppt. There was however a significant effect of 2,6 ppt for those mothers whose partners were not employed. For single fathers, there was a positive and significant effect of 4.6ppt. For the fathers in couples, the treatment effect was statistically significant +0.5ppt and reforms increased employment rates of men whose partners were not working by +0.5ppt and reduced employment rates of men whose partners were working by +1.0ppt (vika omin sanoin + oliko significant?) The robustness checks indicate the existence of additional underlying trends for couples that are not controlled for. Also, time and heterogenous effects are tested and suggest.

B) Compare the approach to the US studies on the EITC discussed in the class.

Both studies study the extensive margin labour market responses due to a tax reform for families. In the US study, the control group are families without children and the treatment group are families with children. The only group that is studied in the US case are single mothers, while in the UK the study is extended to single fathers and parents in couples. Both studies also test different family sizes (katso tarkemmin miten blundellilla oli) and find heterogenous effects. Both studies use a difference-in-difference methodology with similar controls and treatment variables. In addition, Kleven studies multiple reforms.

C) How would you comment on the credibility of the research design? Are there significant threats to its identification strategy?

PART B

- 1. Read the article.
- 2. Open data and provide summary statistics similar to those in table 1. (2p.)

```
#packages
library(MASS)
#tibble etc
library(tidyverse)
library(dplyr)
#tables
library(xtable)
#plots
library(ggplot2)
library(stargazer)
#statadata
library(foreign)
#robust SE:s
library(lmtest)
```

```
library(sandwich)
#fixed effects
library(lfe)
#d.a.t.a.
data <- read.dta("MonthlyPanel.dta")</pre>
#new dummy that has 0 if no jewish institution in same or neighbouring block
data$jewin <- as.numeric(data$institu1|data$institu3)</pre>
#table
data2 <- as.tibble(data)</pre>
data2 <- data %>% dplyr::select(distanci, edpub, estserv, banco,totrob, jewin)
table <- cbind(apply(data2[data2$jewin==0,],2,mean),apply(data2[data2$jewin==0,],2,sd),
               apply(data2[data2$jewin==1,],2,mean),
               apply(data2[data2$jewin==1,],2,sd))[1:5,]
table <- cbind(table,table[,1]-table[,3])</pre>
colnames(table) <- c("Census tracts without Jewish institutions (A)",</pre>
                      "SD(A)", "Census tracts with Jewish institutions (B)", "SD(B)",
                      "Difference (C)=(A)-(B)")
table1 <- xtable(table, caption="DEMOGRAPHIC CHARACTERISTICS OF CONTROL AND TREATMENT AREAS")
```

	Census tracts without Jewish institutions (A)	SD(A)	Census tracts with Jewish institutions (B)	SD(B)
distanci	3.66	1.83	0.81	0.39
edpub	0.03	0.17	0.05	0.21
estserv	0.02	0.15	0.02	0.12
banco	0.08	0.27	0.08	0.26
totrob	0.08	0.23	0.08	0.23

Table 1: DEMOGRAPHIC CHARACTERISTICS OF CONTROL AND TREATMENT AREAS

VIKAT SD PUUTTUUUUUU!!!!!!!!!!

3. Replicate table 3. (3p.)

In the data set, institu3 variable is 1 also when there is a protected institution in the same block (i.e. when institut1 = 1). Creating new institu3 variable that equals 1 only when institu1 is 0:

```
data$institu3_neww <- data$institu3-data$institu1</pre>
table(data$institu1,data$institu3)
##
##
          0
                1
     0 7458 1771
          0 407
table(data$institu1,data$institu3_neww)
##
##
          0
                1
##
     0 7458 1771
     1 407
```

Creating new indicator variables for two-block distance from the nearest protected institution (twoblock) and for time after the terrorist attack (postt):

```
data$twoblock <- ifelse(data$distanci==2,1,0)

data$postt <- ifelse(data$mes>7 & data$mes<70,1,0)</pre>
```

Column A: The difference-in-difference estimator is

```
Car\ Theft_{it} = \alpha_0\ Same\ Block\ Police_{it} + M_t + F_i + \varepsilon_{it}
```

where $Car\ Theft_{it}$ are the number of car thefts in block i for month i, \$ Same ; Block ; Police_{it} \$ is the interaction term between institu1 and postt (=the treatment variable), M_t are the month fixed effects, F_t are block fixed effects and ε_{it} is the error term. Since block fixed effects are used, we use clustered standard errors.

Creating the treatment variables and dropping months 72 and 73:

```
data$SameBlock <- data$institu1*data$postt
data$OneBlock <- data$institu3_neww*data$postt
data$TwoBlock <- data$twoblock*data$postt
data <- data[data$mes < 70,]</pre>
```

Fixed effect regression (mes and observ as the fixed effects, clustering wrt. observ):

```
m3a <- felm(data=data, totrob ~ SameBlock | mes + observ | 0 | observ)
summary(m3a)
```

```
##
## Call:
      felm(formula = totrob ~ SameBlock | mes + observ | 0 | observ,
##
                                                                         data = data)
##
## Residuals:
##
       Min
                  1Q
                      Median
                                    3Q
                                            Max
## -0.67021 -0.09455 -0.03133 0.01656 2.14999
##
## Coefficients:
##
            Estimate Cluster s.e. t value Pr(>|t|)
## SameBlock -0.07753
                           0.02350
                                      -3.3 0.00101 **
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.23 on 6999 degrees of freedom
## Multiple R-squared(full model): 0.1983
                                          Adjusted R-squared: 0.09707
## Multiple R-squared(proj model): 0.001277 Adjusted R-squared: -0.1249
## F-statistic(full model, *iid*):1.959 on 884 and 6999 DF, p-value: < 2.2e-16
## F-statistic(proj model): 10.89 on 1 and 875 DF, p-value: 0.001007
```

Column B: The difference-in-difference estimator is like in A, but now also includes a treatment variable for one-block distance (One-Block Police = institu3 neww*postt):

```
Car\ The ft_{it} = \alpha_0\ Same\ Block\ Police_{it} + \alpha_1 One\ Block\ Police_{it} + M_t + F_i + \varepsilon_{it}
```

```
m3b <- felm(data=data, totrob ~ SameBlock + OneBlock | mes + observ | 0 | observ)
summary(m3b)

##
## Call:
## felm(formula = totrob ~ SameBlock + OneBlock | mes + observ | 0 | observ, data = data)</pre>
```

```
##
## Residuals:
##
                  1Q
                      Median
  -0.67135 -0.09356 -0.03063 0.01568
##
                                         2.14886
##
## Coefficients:
##
             Estimate Cluster s.e. t value Pr(>|t|)
## SameBlock -0.08007
                            0.02360 -3.393 0.000723 ***
## OneBlock -0.01326
                            0.01456 -0.911 0.362575
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.23 on 6998 degrees of freedom
## Multiple R-squared(full model): 0.1984
                                             Adjusted R-squared: 0.09707
## Multiple R-squared(proj model): 0.001414 Adjusted R-squared: -0.1249
## F-statistic(full model, *iid*):1.958 on 885 and 6998 DF, p-value: < 2.2e-16
## F-statistic(proj model): 5.927 on 2 and 875 DF, p-value: 0.002776
Column C: Like in B, but adding a treatment variable for Two-Block Police (=twoblock*postt):
Car\ Theft_{it} = \alpha_0\ Same\ Block\ Police_{it} + \alpha_1One\ Block\ Police_{it} + \alpha_2Two\ Block\ Police_{it} + M_t + F_i + \varepsilon_{it}
m3c <- felm(data=data, totrob ~ SameBlock + OneBlock + TwoBlock | mes + observ | 0 | observ)
summary(m3c)
##
## Call:
##
      felm(formula = totrob ~ SameBlock + OneBlock + TwoBlock | mes +
                                                                              observ | 0 | observ, data =
##
## Residuals:
        Min
                  1Q
                       Median
                                     30
                                              Max
##
   -0.67070 -0.09394 -0.03023
                               0.01560
                                         2.14854
##
## Coefficients:
##
              Estimate Cluster s.e. t value Pr(>|t|)
## SameBlock -0.080802
                            0.023928
                                     -3.377 0.000765 ***
## OneBlock -0.013988
                            0.015078 -0.928 0.353818
## TwoBlock -0.002185
                            0.012384 -0.176 0.860011
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## Residual standard error: 0.23 on 6997 degrees of freedom
## Multiple R-squared(full model): 0.1984
                                            Adjusted R-squared: 0.09694
## Multiple R-squared(proj model): 0.001419 Adjusted R-squared: -0.125
## F-statistic(full model, *iid*):1.955 on 886 and 6997 DF, p-value: < 2.2e-16
## F-statistic(proj model): 3.965 on 3 and 875 DF, p-value: 0.008015
Column D: The cross section regression uses data only from after the terrorist attack and doesn't include
```

block-fixed effects:

 $Car\ The ft_{it} = \beta_0 + \alpha_0\ Same\ Block\ Police_{it} + \alpha_1 One\ Block\ Police_{it} + \alpha_2 Two\ Block\ Police_{it} + M_t + \varepsilon_{it}$

Now $Same\ Block\ Police_{it}$, $One\ Block\ Police_{it}$ and $Two\ Block\ Police_{it}$ have not been interacted with the post variable, since data is only from when postt=1. We use robust standard errors.

```
data_post <- data[data$mes>7,]
data_post$SameBlock <- data_post$institu1</pre>
data_post$OneBlock <- data_post$institu3_neww</pre>
data_post$TwoBlock <- data_post$twoblock</pre>
model3d <- lm(data = data_post, formula = totrob ~ SameBlock + OneBlock + TwoBlock +
              as.factor(mes))
summary(model3d)
##
## Call:
## lm(formula = totrob ~ SameBlock + OneBlock + TwoBlock + as.factor(mes),
      data = data_post)
##
## Residuals:
##
      Min
               1Q
                  Median
                               3Q
## -0.11425 -0.10854 -0.10112 -0.04153 2.38575
##
## Coefficients:
##
                  Estimate Std. Error t value Pr(>|t|)
## (Intercept)
                  ## SameBlock
## OneBlock
                 -0.011581 0.010526 -1.100 0.271306
## TwoBlock
                 -0.003429 0.009343 -0.367 0.713624
## as.factor(mes)9 -0.013128 0.012254 -1.071 0.284072
## as.factor(mes)11 -0.010845 0.012254 -0.885 0.376191
## as.factor(mes)12 -0.005708 0.012254 -0.466 0.641379
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2564 on 4372 degrees of freedom
## Multiple R-squared: 0.003623,
                              Adjusted R-squared: 0.002028
## F-statistic: 2.271 on 7 and 4372 DF, p-value: 0.02626
Robust standard errors:
coeftest(model3d, vcov= vcovHC(model3d, "HC1"))
## t test of coefficients:
##
##
                  Estimate Std. Error t value Pr(>|t|)
                 ## (Intercept)
## SameBlock
                 ## OneBlock
                 -0.0115807 0.0109013 -1.0623
                                              0.2881
## TwoBlock
                 -0.0034292 0.0092500 -0.3707
                                              0.7109
## as.factor(mes)9 -0.0131279 0.0126751 -1.0357
                                              0.3004
## as.factor(mes)10 -0.0022831 0.0127582 -0.1790
                                              0.8580
## as.factor(mes)11 -0.0108447 0.0123883 -0.8754
                                              0.3814
## as.factor(mes)12 -0.0057078 0.0127109 -0.4490
                                              0.6534
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
```

Column E: The time-series regression only uses data from the Jewish blocks (up to two block distance):

```
Car\ Theft_{it} = \beta_0 + \alpha_0\ Same\ Block\ Police_{it} + \alpha_1One\ Block\ Police_{it} + \alpha_2Two\ Block\ Police_{it} + F_i + \varepsilon_{it}
```

```
Also the different lengths of the months are taken into account in the new totrob2 variable:
```

```
data$totrobc <- ifelse(data$mes==7, data$totrob*(30/17), data$totrob)
data$totrob2 <- ifelse(data$mes==5|data$mes==8|data$mes==10|data$mes==12,
                        data$totrob*(30/31), data$totrobc)
Regression using clustered standard errors:
data_close <- data[data$distanci<3,]</pre>
m3e <- felm(data = data_close, totrob2 ~ SameBlock+OneBlock+TwoBlock | observ | 0 | observ)
summary(m3e)
##
## Call:
##
      felm(formula = totrob2 ~ SameBlock + OneBlock + TwoBlock | observ |
                                                                                0 | observ, data = data
##
## Residuals:
##
       Min
                  1Q
                      Median
                                    3Q
                                            Max
## -0.74844 -0.08883 -0.02776 0.00002 1.77780
##
## Coefficients:
##
               Estimate Cluster s.e. t value Pr(>|t|)
## SameBlock -5.843e-02
                           2.342e-02 -2.495
                                                0.013 *
## OneBlock -4.538e-05
                           1.464e-02 -0.003
                                                0.998
## TwoBlock
            1.701e-02
                           1.074e-02
                                       1.585
                                                0.114
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2396 on 3389 degrees of freedom
## Multiple R-squared(full model): 0.1891
                                           Adjusted R-squared: 0.08719
## Multiple R-squared(proj model): 0.002186 Adjusted R-squared: -0.1232
## F-statistic(full model, *iid*):1.855 on 426 and 3389 DF, p-value: < 2.2e-16
## F-statistic(proj model): 2.912 on 3 and 423 DF, p-value: 0.03422
Collecting the results:
stargazer(m3a,m3b, m3c, model3d, m3e, column.separate=c(3,1,1),
          column.labels=c("Difference-in-difference", "Cross section", "Time series"),
          dep.var.labels.include = FALSE, dep.var.caption = "", model.names = FALSE,
          summary.stat = c("sd"), title = "THE EFFECT OF POLICE PRESENCE ON CAR THEFT",
          keep = c("SameBlock", "OneBlock", "TwoBlock"), label = "3",
          keep.stat = c("n", "rsq"))
##
## % Table created by stargazer v.5.2.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harv
## % Date and time: su, touko 03, 2020 - 18.47.52
## \begin{table}[!htbp] \centering
##
     \caption{THE EFFECT OF POLICE PRESENCE ON CAR THEFT}
     \label{3}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
```

& \multicolumn{3}{c}{Difference-in-difference} & Cross section & Time series \\

\\[-1.8ex]\hline
\hline \\[-1.8ex]

```
## \\[-1.8ex] & (1) & (2) & (3) & (4) & (5)\\
## \hline \\[-1.8ex]
## SameBlock & $-$0.078$^{***}$ & $-$0.080$^{***}$ & $-$0.081$^{***}$ & $-$0.073$^{***}$ & $-$0.058$^{
     & (0.023) & (0.024) & (0.024) & (0.020) & (0.023) \\
##
##
    & & & & & \\
  OneBlock & & $-$0.013 & $-$0.014 & $-$0.012 & $-$0.0005 \\
##
    & & (0.015) & (0.015) & (0.011) & (0.015) \\
##
    & & & & & \\
##
   TwoBlock & & & $-$0.002 & $-$0.003 & 0.017 \\
    & & & (0.012) & (0.009) & (0.011) \\
##
     & & & & & \\
## \hline \\[-1.8ex]
## Observations & 7,884 & 7,884 & 7,884 & 4,380 & 3,816 \\
## R$^{2}$ & 0.198 & 0.198 & 0.198 & 0.004 & 0.189 \\
## \hline
## \hline \\[-1.8ex]
## \textit{Note:} & \multicolumn{5}{r}{$^{*}$p$<$0.1; $^{**}$p$<$0.05; $^{***}$p$<$0.01} \\
## \end{tabular}
## \end{table}
```

(fixing the robust standard errors for column D by hand)

Table 2: THE EFFECT OF POLICE PRESENCE ON CAR THEFT

	Diffe	erence-in-differ	rence	Cross section	Time series	
	(1)	(2)	(3)	(4)	(5)	
SameBlock	-0.078^{***} (0.023)	-0.080^{***} (0.024)	-0.081^{***} (0.024)	-0.073^{***} (0.011)	-0.058^{**} (0.023)	
OneBlock		-0.013 (0.015)	-0.014 (0.015)	-0.012 (0.011)	-0.00005 (0.015)	
TwoBlock			-0.002 (0.012)	-0.003 (0.009)	0.017 (0.011)	
Observations \mathbb{R}^2	7,884 0.198	7,884 0.198	7,884 0.198	4,380 0.004	3,816 0.189	

Note:

*p<0.1; **p<0.05; ***p<0.01

- 4. Plot a figure of choice describing the DID-effects. (2p.)
- 5. Discuss the results. (3p.)
- a. What do the estimation results in table 3 tell?
- b. What are the potential concerns in the research set up?
- c. What do we learn from the paper? Discuss the internal and external validity of the study.