

Stripe Connect & Terminal

Manual test scenarios for Cloud admin, Pi PWA, and Android Tap to Pay

Run TC-ENV-001 first. Record Pass / Fail / Blocked, build version, Stripe mode (test/live), and Android device model.

1. Environment & prerequisites

TC-ENV-001 Test environment baseline

Prerequisites

- Cloud stack running (API + PostgreSQL + admin frontend).
- Stripe test mode: restricted key (rk_test_...) with Connect, Terminal, PaymentIntents.
 - Cloud .env: STRIPE_SECRET_KEY, STRIPE_WEBHOOK_SECRET, STRIPE_CONNECT_RETURN_URL, STRIPE_CONNECT_REFRESH_URL.
- Stripe Dashboard: webhook POST https://<api-host>/stripe/webhooks (account.updated, payment_intent.succeeded).
- Tap to Pay on Android enabled for platform and connected accounts.
- Tenant admin user; Organisation and Event in order-accepting status (e.g. live).
- Pi paired to cloud; bundle sync OK.
- Android APK installed; device API 33+, NFC, Google Play services; LAN to Pi.

Actions

- Verify cloud GET /health returns ok.
- Verify Pi GET /v1/setup/status shows configured.
- Verify Pi GET /v1/cloud/reachable returns reachable: true.

Expected outcome

- All checks pass; proceed with functional tests.

2. Cloud admin (Stripe Connect)

TC-C-001 Stripe not configured on cloud

Prerequisites

- Cloud backend with STRIPE_SECRET_KEY empty.
- Tenant admin logged in.

Actions

- Open Organisationen, edit organisation, section Kartenzahlung (Stripe).

Expected outcome

- Message that Stripe is not configured; connect actions unavailable or show error.

TC-C-002 View Connect status before onboarding

Prerequisites

- STRIPE_SECRET_KEY set; organisation without stripe_account_id.

Actions

- Open organisation detail; review Kartenzahlung (Stripe) chips.

Expected outcome

- Zahlungen, Auszahlungen, Angaben show ausstehend.
- Mit Stripe verbinden is visible.

TC-C-003 Stripe Connect Express onboarding

Prerequisites

- TC-C-002; Stripe test Connect; return URLs match admin host.

Actions

- Click Mit Stripe verbinden; complete Stripe test onboarding.
- Return via /settings/stripe/return.

Expected outcome

- Redirect to Stripe Account Link and back to admin.
- stripe_account_id stored; status updated.

TC-C-004 Manual status refresh

Prerequisites

- Organisation with stripe_account_id.

Actions

- Click Status aktualisieren on organisation detail.

Expected outcome

- Chips update; message Status aktualisiert.
- When ready: Zahlungen aktiv.

TC-C-005 Webhook account.updated

Prerequisites

- Connected org; STRIPE_WEBHOOK_SECRET matches Dashboard.
- Stripe CLI or Dashboard test events.

Actions

- Send account.updated (e.g. stripe trigger account.updated).
- Optional: compare with Status aktualisieren.

Expected outcome

- POST /stripe/webhooks returns 200.
- Organisation flags match Stripe account state.

TC-C-006 Enable Karte on event**Prerequisites**

- Organisation charges_enabled true.
- Event editable in cloud admin.

Actions

- Event settings: enable Karte (Stripe Terminal); save.

Expected outcome

- payment_types includes stripe_terminal.
- Visible on Pi after sync (TC-P-003).

TC-C-007 Terminal API blocks unready organisation**Prerequisites**

- Event with stripe_terminal; org not charge-ready or no Connect account.
- Pi paired.

Actions

- POST payment-intent via Pi /v1/terminal/payment-intents (or edge API).

Expected outcome

- HTTP 409: account missing or not ready for charges.

3. Pi backend & PWA

TC-P-001 Cloud reachable (online)

Prerequisites

- Pi paired; cloud up.

Actions

- GET /v1/cloud/reachable.

Expected outcome

- reachable: true.

TC-P-002 Cloud unreachable

Prerequisites

- Pi paired; cloud stopped or blocked.

Actions

- GET /v1/cloud/reachable.
- Open Zahlungsart in desktop browser PWA.

Expected outcome

- reachable: false.
- Karte disabled; hint Cloud-Verbindung erforderlich.

TC-P-003 Sync exposes stripe_terminal

Prerequisites

- TC-C-006 done.

Actions

- Pi sync pull; waiter opens payment on event.

Expected outcome

- Karte in payment picker (disabled on non-Android).

TC-P-004 Desktop browser - Karte disabled

Prerequisites

- stripe_terminal on event; PWA in desktop browser; cloud reachable.

Actions

- Login waiter; open Zahlungsart.

Expected outcome

- Karte visible, disabled.
- Hint: Nur in der Android-App verfügbar.

TC-P-005 Reject payment without PaymentIntent id

Prerequisites

- Event with stripe_terminal.

Actions

- POST pay with payments [{"type":"stripe_terminal","amount_cents":500}] only.

Expected outcome

- HTTP 400: stripe_payment_intent_id required.

4. Android app (Tap to Pay)

TC-A-001 Location permission denied

Prerequisites

- Android app; stripe_terminal event; cloud up.
- Location permission denied for app.

Actions

- Open Zahlungsart.

Expected outcome

- Karte disabled or payment fails with location message until granted.

TC-A-002 Karte enabled in picker

Prerequisites

- Android; location granted; cloud reachable; Connect ready; event synced.

Actions

- Open Zahlungsart on pay flow.

Expected outcome

- Karte enabled; no disabled hints.

TC-A-003 Tap to Pay - pay table order

Prerequisites

- TC-A-002; Stripe test card or simulated reader (debug).
- Open table with unpaid order.

Actions

- Select Karte; complete tap (overlay: Karte an das Gerät halten...).

Expected outcome

- Order paid; stripe_payment_intent_id on payment.
- Cloud reporting after sync shows Karte.

TC-A-004 Tap to Pay - split pay

Prerequisites

- Split pay view; partial amount; TC-A-002.

Actions

- Select lines; pay partial with Karte.

Expected outcome

- Partial payment succeeds with pi_id; remainder still open.

TC-A-005 Tap to Pay - cash register

Prerequisites

- Register mode; TC-A-002.

Actions

- Submit register order; pay with Karte.

Expected outcome

- Order paid in one flow; PI id present.

TC-A-006 Cloud loss during session**Prerequisites**

- App was online; then stop cloud or Pi WAN.

Actions

- Re-open Zahlungsart without app restart.

Expected outcome

- Karte disabled with cloud hint; cash still works.

TC-A-007 Cancel payment picker**Prerequisites**

- TC-A-002; picker open.

Actions

- Tap Abbrechen.

Expected outcome

- Order unpaid; no successful card charge.

TC-A-008 Abort Tap to Pay on device**Prerequisites**

- TC-A-002; Karte selected.

Actions

- Cancel reader flow or fail collection.

Expected outcome

- Error toast; order unpaid; can retry or use cash.

5. End-to-end & reporting

TC-ENV-001 Test environment baseline

Prerequisites

- Cloud stack running (API + PostgreSQL + admin frontend).
- Stripe test mode: restricted key (rk_test_...) with Connect, Terminal, PaymentIntents.
 - Cloud .env: STRIPE_SECRET_KEY, STRIPE_WEBHOOK_SECRET, STRIPE_CONNECT_RETURN_URL, STRIPE_CONNECT_REFRESH_URL.
- Stripe Dashboard: webhook POST https://<api-host>/stripe/webhooks (account.updated, payment_intent.succeeded).
- Tap to Pay on Android enabled for platform and connected accounts.
- Tenant admin user; Organisation and Event in order-accepting status (e.g. live).
- Pi paired to cloud; bundle sync OK.
- Android APK installed; device API 33+, NFC, Google Play services; LAN to Pi.

Actions

- Verify cloud GET /health returns ok.
- Verify Pi GET /v1/setup/status shows configured.
- Verify Pi GET /v1/cloud/reachable returns reachable: true.

Expected outcome

- All checks pass; proceed with functional tests.

TC-E-001 Full end-to-end happy path

Prerequisites

- TC-ENV-001, TC-C-003, TC-C-006, TC-P-003, TC-A-003.

Actions

- Connect org; enable Karte; sync Pi; pay on Android; sync outbox.
- Check cloud event sales / transactions.

Expected outcome

- Sale in cloud with Karte (Stripe Terminal).
- Stripe Dashboard: PaymentIntent succeeded on connected account.

TC-E-002 Multiple payment types same event

Prerequisites

- Event: cash + stripe_terminal (+ optional twint).

Actions

- Pay one order cash; another with Karte on Android.

Expected outcome

- Correct types in reporting for each order.

TC-E-003 Pay attempt without Connect ready

Prerequisites

- stripe_terminal on event; org not onboarded.

Actions

- Attempt Karte on Android if shown enabled.

Expected outcome

- API error 409/502; order not paid.

TC-E-004 Payment receipt after card pay

Prerequisites

- Receipt prompt enabled for event/org.
- TC-A-003 done.

Actions

- Accept receipt prompt; print Bluetooth or station.

Expected outcome

- Receipt prints; shows Karte label.

6. Regression (other payment types)

TC-R-001 Cash payment regression

Prerequisites

- Event: cash + stripe_terminal.

Actions

- Pay with Bargeld on Android or browser.

Expected outcome

- Success without stripe_payment_intent_id.
- No Terminal SDK call.

TC-R-002 TWINT regression

Prerequisites

- Event: twint + QR + stripe_terminal.

Actions

- Pay with TWINT.

Expected outcome

- TWINT QR flow works independently of Terminal.