

# A Title to the Report

## A Catchy Optional Subtitle that Grabs the Attention

by

### Fabio Zahner & Silvan Lendi

Silvan Lendi 23-168-057
Fabio Zahner 23-167-315

Instructor: Lehmann Marco Submisstion Date: 03.11.2024

Faculty: Departement Informatik, Ostschweizer Fachhochschule OST

Cover: https://www.pexels.com/photo/christmas-christmas-tree-gifts-tree-

42294/

Style: OST Report Style, with modifications by Nico Fehr



### **Preface**

A preface...

Fabio Zahner & Silvan Lendi OST, October 2024

## Summary

A summary...

### Contents

Pı	Preface	
Sı	Summary	ii
N	Nomenclature	iv
1	Introduction	1
2	2 About the Template	2
3	3 Conclusion	4
A	A Source Code Example	5
В	3 Task Division Example	6

### Nomenclature

If a nomenclature is required, a simple template can be found below for convenience. Feel free to use, adapt or completely remove.

#### **Abbreviations**

Abbreviation	Definition
ISA	International Standard Atmosphere

### **Symbols**

Symbol	Definition	Unit
V	Velocity	[m/s]
•••		
ρ	Density	[kg/m <sup>3</sup> ]

# 1

### Introduction

An introduction... [example-article]

### About the Template

This template aims to simplify and improve the (Xe)LaTeX report/thesis template by OST with the following three main design principles:

- Simplicity First: A class file that has been reduced by nearly 70% to simplify customization;
- Effortless: A careful selection of common packages to get started immediately;
- Complete: Ready-to-go when it comes to the document and file structure.

This template works with pdfLaTeX, XeLaTeX and LuaLaTeX. In order to adhere to the OST house style, either XeLaTeX or LuaLaTeX is required, as it supports TrueType and OpenType fonts. BibLaTeX is used for the bibliography with as backend biber. Please visit https://norukh.github.io/report/ for the full documentation.

#### **Documentation (Abridged)**

As a report/thesis is generally a substantial document, the chapters and appendices have been separated into different files and folders for convenience. The folders are based on the three parts in the document: the frontmatter, mainmatter and appendix. All files are inserted in the main file, report.tex, using the \input{filename} command. The document class, which can be found in ost-report.cls, is based on the book class.

The template will automatically generate a cover when the \makecover command is used. The title, subtitle and author will also be present on the title page. To give greater flexibility over the title page, the layout is specified in title-report.tex. A title page for theses is also available: title-thesis.tex. Change the corresponding \input{...} command in the main file to switch.

The bibliography has been set up in report.tex to allow for easy customization. It is included in the table of contents and renamed to 'References' using the heading=bibintoc and title=References options of the \printbibliography command respectively. If you would like to use a different .bib file, change the command \addbibresourcereport.bib accordingly.

→ Visit https://norukh.github.io/report/ for the full documentation.

#### License

The origin of this template is the report/thesis template by Daan Zwaneveld, which is licensed under CC BY-NC 4.0. This template has been adopted by Nico Fehr to the OST design and is licensed under CC BY-NC 4.0 as well. To view a copy of this license, visit https://creativecommons.org/licenses/by-nc/4.0/. No attribution is required in PDF outputs created using this template.



Figure 2.1: OST Campus Rapperswil

# 3 Conclusion

A conclusion...



### Source Code Example

Adding source code to your report/thesis is supported with the package listings. An example can be found below. Files can be added using \lstinputlisting[language=<language>]{<filename>}.

```
_{\mathrm{2}} ISA Calculator: import the function, specify the height and it will return a
3 list in the following format: [Temperature, Density, Pressure, Speed of Sound].
4 Note that there is no check to see if the maximum altitude is reached.
7 import math
8 g0 = 9.80665
9 R = 287.0
10 layer1 = [0, 288.15, 101325.0]
alt = [0,11000,20000,32000,47000,51000,71000,86000]
a = [-.0065, 0, .0010, .0028, 0, -.0028, -.0020]
def atmosphere(h):
      for i in range(0,len(alt)-1):
           if h >= alt[i]:
16
               layer0 = layer1[:]
17
               layer1[0] = \min(h, alt[i+1])
               if a[i] != 0:
19
                    layer1[1] = layer0[1] + a[i]*(layer1[0]-layer0[0])
layer1[2] = layer0[2] * (layer1[1]/layer0[1])**(-g0/(a[i]*R))
20
                else:
22
                   layer1[2] = layer0[2]*math.exp((-g0/(R*layer1[1]))*(layer1[0]-layer0[0]))
return [layer1[1],layer1[2]/(R*layer1[1]),layer1[2],math.sqrt(1.4*R*layer1[1])]
```

B

## Task Division Example

If a task division is required, a simple template can be found below for convenience. Feel free to use, adapt or completely remove.

Table B.1: Distribution of the workload

	Task	Student Name(s)	
	Summary		
Chapter 1	Introduction		
Chapter 2			
Chapter 3			
Chapter *			
Chapter *	Conclusion		
	Editors		
	CAD and Figures		
	Document Design and Layout		