

AdministraciónAlmacénSSIT-6370615

Documentation

Generated at:
7/10/2026, 3:00:02 p.m.



Admón Almacén SSIT 2.0

Data Summary	30 Tables
	553 Columns
	55 Slices
UX Summary	172 Views
	21 Format Rules
Behavior Summary	137 Actions
	0 Workflow Rules

Short Name	Admón Almacén SSIT 2.0
Version	1.000643
Default app folder	/appsheet/data/AdministraciónAlmacénSSIT-6370615
Runnable?	Yes
Deployable?	Yes
Personal use only?	No

Data

Tables

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Registro artículos

Table name	Registro artículos
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	Registro artículos_Schema
Are updates allowed?	ADDS_AND_UPDATES
Source Path	Existencias y registros Almacén SSIT
Worksheet Name/Qualifier	Registro artículos
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Taller

Table name	Taller
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Taller_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Taller Habilitado
Worksheet Name/Qualifier	Taller
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name CENTROS

Table name	CENTROS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	CENTROS_Schema
Are updates allowed?	READ_ONLY
Source Path	Administración Almacén SSIT
Worksheet Name/Qualifier	CENTROS
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name EQUIPOS

Table name	EQUIPOS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	EQUIPOS_Schema
Are updates allowed?	READ_ONLY
Source Path	Administración Almacén SSIT
Worksheet Name/Qualifier	EQUIPOS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name NS SURTIR

Table name	NS SURTIR
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	NS SURTIR_Schema
Are updates allowed?	ADDS_AND_UPDATES
Source Path	Admón Almacén SSIT 2.0

Worksheet Name/Qualifier	NS SURTIR
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name SURTIR

Table name	SURTIR
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	SURTIR_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	SURTIR
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name SALIDAS

Table name	SALIDAS
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	SALIDAS_Schema

Are updates allowed?	ALL_CHANGES
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	SALIDAS
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name VALE DE SALIDA

Table name	VALE DE SALIDA
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	VALE DE SALIDA_Schema
Are updates allowed?	ADDS_AND_UPDATES
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	VALE DE SALIDA
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name CONTACTOS

Table name	CONTACTOS
Visible?	ALWAYS
Shared?	Yes

Data locale	en-US
Schema	CONTACTOS_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	CONTACTOS
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Inicio

Table name	Inicio
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Inicio_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Inicio
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menu Soporte Tecnológico

Table name	Menu Soporte Tecnológico
------------	--------------------------

Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menu Soporte Tecnológico_Schema
Are updates allowed?	ADDS_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menu Soporte Tecnológico
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú Jefe de soporte

Table name	Menú Jefe de soporte
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú Jefe de soporte_Schema
Are updates allowed?	ADDS_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú Jefe de soporte
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú almacén

Table name	Menú almacén
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú almacén_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú almacén
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú oficina

Table name	Menú oficina
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú oficina_Schema
Are updates allowed?	ADDS_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú oficina
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú Gerente SSIT

Table name	Menú Gerente SSIT
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú Gerente SSIT_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú Gerente SSIT
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú Gerente Zona

Table name	Menú Gerente Zona
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú Gerente Zona_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú Gerente Zona
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Menú Soporte en taller

Table name	Menú Soporte en taller
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú Soporte en taller_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú Soporte en taller
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú jefe taller habilitado

Table name	Menú jefe taller habilitado
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú jefe taller habilitado_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú jefe taller habilitado
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú reportes

Table name	Menú reportes
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú reportes_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú reportes
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú Huesario

Table name	Menú Huesario
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú Huesario_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú Huesario
Data Source	google_tables

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Menú Salidas almacén

Table name	Menú Salidas almacén
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Menú Salidas almacén_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Admón Almacén SSIT 2.0
Worksheet Name/Qualifier	Menú Salidas almacén
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Traspasos

Table name	Traspasos
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Traspasos_Schema
Are updates allowed?	READ_ONLY
Source Path	Admón Almacén SSIT 2.0

Worksheet Name/Qualifier	Traspasos
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name SSIT

Table name	SSIT
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	SSIT_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Administración Almacén SSIT
Worksheet Name/Qualifier	SSIT
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name TALLERES

Table name	TALLERES
Visible?	ALWAYS
Shared?	Yes
Data locale	es-ES
Schema	TALLERES_Schema

Are updates allowed?	READ_ONLY
Source Path	Administración Almacén SSIT
Worksheet Name/Qualifier	TALLERES
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for PDFSalida - 1 Process Table

Table name	Process for PDFSalida - 1 Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for PDFSalida - 1 Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/86b246ad-6acb-424c-bfcd-40378f69df34/f986b50b-cc09-4dd9-acde-45ca669e7a61/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name New step Output

Table name	New step Output
Visible?	NEVER
Shared?	Yes
Schema	New step Output_Schema

Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/86b246ad-6acb-424c-bfcd-40378f69df34/f986b50b-cc09-4dd9-acde-45ca669e7a61/StepOutput_New step
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name VerPDF Output

Table name	VerPDF Output
Visible?	NEVER
Shared?	Yes
Schema	VerPDF Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/86b246ad-6acb-424c-bfcd-40378f69df34/f986b50b-cc09-4dd9-acde-45ca669e7a61/StepOutput_VerPDF
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for PDF-REGRESO Process Table

Table name	Process for PDF-REGRESO Process Table
Visible?	NEVER
Shared?	Yes

Schema	Process for PDF-REGRESO Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/86b246ad-6acb-424c-bfcd-40378f69df34/9712ba1e-aa92-49d6-9dd6-b26a02de498e/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name VER PDF DEV Output

Table name	VER PDF DEV Output
Visible?	NEVER
Shared?	Yes
Schema	VER PDF DEV Output_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/86b246ad-6acb-424c-bfcd-40378f69df34/9712ba1e-aa92-49d6-9dd6-b26a02de498e/StepOutput_VER PDF DEV
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{ "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "\These options control the content and behavior of the app\\"", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Correo

Column name	Correo
Visible?	ALWAYS
Type	Email
Type Qualifier	{ "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
Initial value	="oficina.mcsit@coppel.com"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Puesto

Column name	Puesto
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=lookup("oficina.mcsit@coppel.com","CONTACTOS","E-mail","Puesto")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=lookup("oficina.mcsit@coppel.com","CONTACTOS","E-mail","Nombre")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Región

Column name	Región
-------------	--------

Visible?	ALWAYS
Type	Enum {"EnumValues": ["English","French","Tamil"],"AllowOtherValues":false,"AutoComplete OtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"P lain Type Qualifier Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message _If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode" :"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null," Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=lookup("oficina.mcsit@coppel.com","CONTACTOS","E- mail","Región")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Schema Name Registro artículos_Schema

Schema Name	Registro artículos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: IDMENU

Column name	IDMENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: IDMOV

Column name	IDMOV
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: IDVALE

Column name	IDVALE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: NUM ARTICULO

Column name	NUM ARTICULO
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 6: DESCRIPCIÓN

Column name	DESCRIPCIÓN
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 7: MARCA

Column name	MARCA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: MODELO

Column name	MODELO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: NUMERO DE SERIE

Column name	NUMERO DE SERIE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 10: TIPO DE EQUIPO

Column name	TIPO DE EQUIPO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["NUEVO","RECUPERADO"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": { "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode"

```
:"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"
Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value
s":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Almacén

Column name	Almacén
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Región

Column name	Región
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Fecha de Surtido

Column name	Fecha de Surtido
Visible?	ALWAYS
Type	Date
Type Qualifier	{ "UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: TIPO MOV

Column name	TIPO MOV
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data No

Column 16: Folio de traspaso

Column name	Folio de traspaso
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Confirmación

Column name	Confirmación
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Taller_Schema

Schema Name	Taller_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=Uniqueid()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: ID NS Surtir

Column name	ID NS Surtir
-------------	--------------

Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "NS SURTIR", "ReferencedRootTableName": "NS SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": " { "MaxLength": null, "MinLength": null, "LongTextFormatting": "P lain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message _If_Invalid": null, "Show_If": "=OR(if(context("\\view\\")=\\Bit ácora x lng\\", false, true), if(context("\\view\\")=\\Bitácora taller\\", false, true), if(context("\\view\\")=\\CONFIRMAR ENTRADA A TALLER\\", false, true))\\", "Required_If": null, "Editable_If": null, "R eset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Require d_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}

Column 5: ID Vale

Column name	ID Vale
-------------	---------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: Fecha

Column name	Fecha
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: Región Envía

Column name	Región Envía
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes

Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: Taller

Column name	Taller
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: CENTRO DE RETIRO

Column name	CENTRO DE RETIRO
Visible?	ALWAYS
Type	Text

Type Qualifier	<code>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Folio de reparación

Column name	Folio de reparación
Visible?	ALWAYS
Type	Text
Type Qualifier	<code>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: Folio de atención del equipo

Column name	Folio de atención del equipo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data	No
----------------	----

Column 12: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 13: Artículo

Column name	Artículo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 14: Marca

Column name	Marca
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: Modelo

Column name	Modelo
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: No. Serie

Column name	No. Serie
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: FOLIO DE ENVÍO POR EM O SA

Column name	FOLIO DE ENVÍO POR EM O SA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 18: RESPONSABLE DE LA DEVOLUCIÓN

Column name	RESPONSABLE DE LA DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 19: INSIGHT EQ INGRESA A TALLER

Column name	INSIGHT EQ INGRESA A TALLER
Visible?	ALWAYS
Display name	=¿SE ACTUALIZÓ LA INFORMACIÓN EN iNSIGHT DEL EQUIPO QUE SE ENVÍA A TALLER?
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Type Qualifier	Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 20: FECHA DE REGISTRO EN TALLER

Column name	FECHA DE REGISTRO EN TALLER
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 21: Estatus entrada en taller

Column name	Estatus entrada en taller
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 22: MOTIVO DE REVISIÓN

Column name	MOTIVO DE REVISIÓN
Visible?	ALWAYS
Display name	=INGRESA EL MOTIVO DE LA SOLICITUD DE CORRECCIÓN
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 23: EVIDENCIA FOTOGRÁFICA

Column name	EVIDENCIA FOTOGRÁFICA
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No

NFC Scannable	No
Sensitive data	No

Column 24: NO. ARTICULO

Column name	NO. ARTICULO
Visible?	ALWAYS
Display name	=SELECCIONA EL ARTÍCULO RECIBIDO
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "EQUIPOS", "ReferencedRootTableName": "EQUIPOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDEquipo", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 25: QUIEN VA A REPARAR

Column name	QUIEN VA A REPARAR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"Numero de empleado\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": \"=filter(\\\"CONTACTOS\\\", [Región]=lookup(useremail(),\\\"CONTACTOS\\\",\\\"E-mail\\\",\\\"Región\\\"))\", \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 26: FECHA DE ASIGNACIÓN

Column name	FECHA DE ASIGNACIÓN
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: DEFINICIÓN DE EQUIPO

Column name	DEFINICIÓN DE EQUIPO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["REPARADO","HUESARIO","GARANTÍA"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength\":null,"MinLength\":null,"LongTextFormatting\":"Plain Text\","IsMulticolumnKey\":false,"Valid_If":null,"Error_Message

_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 28: FECHA DE REPARACIÓN

Column name	FECHA DE REPARACIÓN
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 29: COMENTARIOS DE REPARACIÓN

Column name	COMENTARIOS DE REPARACIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data No

Column 30: ACTUALIZACIÓN EN INSIGHT

Column name	ACTUALIZACIÓN EN INSIGHT
Visible?	ALWAYS
Display name	=¿SE ACTUALIZÓ LA INFORMACIÓN DEL EQUIPO EN INSIGHT?
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode": :"Auto","Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Value s\":null}
Type Qualifier	Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\": :\"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Value s\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 31: MOTIVO INSIGHT

Column name	MOTIVO INSIGHT
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[ACTUALIZACIÓN EN INSIGHT]=\ "NO\ ""","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 32: CONFIRMACIÓN DEFINICIÓN

Column name	CONFIRMACIÓN DEFINICIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 33: QUIEN CONFIRMA

Column name	QUIEN CONFIRMA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 34: COMENTARIOS CONFIRMACIÓN

Column name	COMENTARIOS CONFIRMACIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 35: CONFIRMACIÓN ENTRADA

Column name	CONFIRMACIÓN ENTRADA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 36: FECHA DE CONFIRMACIÓN EN ALMACÉN

Column name	FECHA DE CONFIRMACIÓN EN ALMACÉN
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 37: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 38: COMENTARIOS RECEPCIÓN

Column name	COMENTARIOS RECEPCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ALMACÉN AL QUE ENTRA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 39: ALMACÉN AL QUE ENTRA

Column name	ALMACÉN AL QUE ENTRA
-------------	----------------------

Visible?	ALWAYS
Type	Enum {"EnumValues": ["STOCK","PROYECTOS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\": \"=[DEFINICIÓN DE EQUIPO] <>\"HUESARIO\"\", \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 40: SOLUCIÓN GARANTÍA

Column name	SOLUCIÓN GARANTÍA
Visible?	ALWAYS
Type	Enum

	<pre>{ "EnumValues": ["NUEVO", "RECUPERADO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Type QualifierText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 41: NO. SERIE EQUIPO NUEVO

Column name	NO. SERIE EQUIPO NUEVO
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "[SOLUCIÓN</pre>

GARANTÍA]=\"NUEVO\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 42: ESTÁTUS GENERAL

Column name	ESTÁTUS GENERAL
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name CENTROS_Schema

Schema Name	CENTROS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: NUMERO DE CENTRO

Column name	NUMERO DE CENTRO
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Region

Column name	Region
-------------	--------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 5: Etiqueta

Column name	Etiqueta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Related NS SURTIRs

Column name	Related NS SURTIRs
Visible?	ALWAYS
Description	NS SURTIR entries that reference this entry in the DESTINO column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\\", "ReferencedTableName": "NS SURTIR", "ReferencedRootTableName": "NS SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": "\\", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(if(context(view))=Bitácora x lng,false,true),if(context(view))=Bitácora taller,false,true),if(context(view))=CONFIRMAR ENTRADA ATALLER,false,true))", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, \\", "ReferencedKeyColumn": "ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, \\", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("NS SURTIR", "DESTINO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: Related SURTIRs

Column name	Related SURTIRs
Visible?	ALWAYS
Description	SURTIR entries that reference this entry in the DESTINO column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "SURTIR", "ReferencedRootTableName": "SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDMOVIMIENTO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": " ,", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("SURTIR", "DESTINO")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: Related SALIDASs

Column name	Related SALIDASs
Visible?	ALWAYS
Description	SALIDAS entries that reference this entry in the DESTINO column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " {\ "ReferencedTableName\ ": \"SALIDAS\", \"ReferencedRootTableN ame\ ": \"SALIDAS\", \"ReferencedType\ ": \"Text\", \"ReferencedType Qualifier\ ": " {\ \"MaxLength\ \": null, \"MinLength\ \": null, \"LongTextForma tting\ \": \"Plain Text\ \", \"IsMulticolumnKey\ \": false, \"Valid_If\ \": null, \"Erro r_Message_If_Invalid\ \": null, \"Show_If\ \": null, \"Required_If\ \ ": null, \"Editable_If\ \": null, \"Reset_If\ \": null, \"Suggested_V alues\ \": null }\", \"ReferencedKeyColumn\ ": \"IDSalida\", \"IsAPartO f\ ": false, \"RelationshipName\ ": null, \"InputMode\ ": \"Auto\", \"Valid_ If\ ": null, \"Error_Message_If_Invalid\ ": null, \"Show_If\ ": null, \"Require d_If\ ": null, \"Editable_If\ ": null, \"Reset_If\ ": null, \"Suggested_Values\ \": null }\", \"ItemSeparator\ ": " \", \"Valid_If\ ": null, \"Error_Message_If_Invalid\ ": null, \"Show_If\ ": null, \"Requi red_If\ ": null, \"Editable_If\ ": null, \"Reset_If\ ": null, \"Suggested_Values\ ": null }</pre>

App formula	REF_ROWS("SALIDAS", "DESTINO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Related VALE DE SALIDAS

Column name	Related VALE DE SALIDAS
Visible?	ALWAYS
Description	VALE DE SALIDA entries that reference this entry in the DESTINO column
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"VALE DE SALIDA\", \"ReferencedRootTableName\": \"VALE DE SALIDA\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"ValidIf\": null, \"ErrorMessageIfInvalid\": null, \"ShowIf\": null, \"RequiredIf\": null, \"EditableIf\": null, \"ResetIf\": null, \"SuggestedValues\": null }\", \"ReferencedKeyColumn\": \"IDVale\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"ValidIf

```
\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"ItemSeparator\":\" ,  
\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null  
}
```

App formula	REF_ROWS("VALE DE SALIDA", "DESTINO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name EQUIPOS_Schema

Schema Name	EQUIPOS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: IDEquipo

Column name	IDEquipo
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Marca

Column name	Marca
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Modelo

Column name	Modelo
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Concatenado

Column name	Concatenado
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes

Scannable	No
Sensitive data	No

Column 7: Related Tallers

Column name	Related Tallers
Visible?	ALWAYS
Description	Taller entries that reference this entry in the NO. ARTICULO column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "Taller", "ReferencedRootTableName": "Taller", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "Text": null, "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, { "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("Taller", "NO. ARTICULO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: Related NS SURTIRs

Column name	Related NS SURTIRs
Visible?	ALWAYS
Description	NS SURTIR entries that reference this entry in the ARTÍCULO column
Type	List { "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"NS SURTIR\", \"ReferencedRootTableName\": \"NS SURTIR\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" : { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=OR(if(context(\\ \\\"view\\\"))=\\\"Bitácora x Ing\\\", false, true), if(context(\\\"view\\\")=\\\"Bitácora ora taller\\\", false, true), if(context(\\\"view\\\")=\\\"CONFIRMAR ENTRADA A TALLER\\\", false, true))\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"ID\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ItemSeparator\": \" , \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	

App formula	REF_ROWS("NS SURTIR", "ARTÍCULO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Related NS SURTIRs By NO. ARTICULO DEVUELTO

Column name	Related NS SURTIRs By NO. ARTICULO DEVUELTO
Visible?	ALWAYS
Description	NS SURTIR entries that reference this entry in the NO. ARTICULO DEVUELTO column
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementQualifier": " { \"ReferencedTableName\": \"NS SURTIR\", \"ReferencedRootTableName\": \"NS SURTIR\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=OR(if(context(\\ \\\"view\\\")=\\\"Bitácora x

App formula	REF_ROWS("NS SURTIR", "NO. ARTICULO DEVUELTO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-ES
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name	NS SURTIR_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=OR(if(context(\"view\")=\"Bitácora x Ing\",false,true),if(context(\"view\")=\"Bitácora taller\",false,true),if(context(\"view\")=\"CONFIRMAR ENTRADA A TALLER\",false,true))","Required_If":null,"Editable_If":null,"Reset_If": null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No

Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: IDSURTIR

Column name	IDSURTIR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "SURTIR", "ReferencedRootTableName": "SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "IDMOVIMIENTO", "IsAPartOf": true, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: REGIÓN

Column name	REGIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Display name	=if(context("view")="Devolución de Equipo sin Registro de Salida","CENTRO ORIGEN","DESTINO")
Type	Ref
Type Qualifier	{"ReferencedTableName":"CENTROS","ReferencedRootTableName":"CENTROS","ReferencedType":"Number","ReferencedTypeQualifier":"

```
{
  "MaxValue": null,
  "MinValue": null,
  "StepValue": null,
  "NumericDigits": null,
  "ShowThousandsSeparator": true,
  "NumberDisplayMode": "Auto",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null,
  "ReferencedKeyColumn": "NUMERO DE CENTRO",
  "IsAPartOf": false,
  "RelationshipName": null,
  "InputMode": "Auto",
  "Valid_If": null,
  "Error_Message_If_Invalid": null,
  "Show_If": null,
  "Required_If": null,
  "Editable_If": null,
  "Reset_If": null,
  "Suggested_Values": null
}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[IDSURTIR].[DESTINO]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": false, "NumberDisplayMode": "Label", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=[IDSURTIR].[FOLIO DE REPORTE]
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": false, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=1
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: ARTÍCULO

Column name	ARTÍCULO
Visible?	ALWAYS
Display name	=ARTÍCULO ENTREGADO
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "EQUIPOS", "ReferencedRootTableName": "EQUIPOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDEquipo", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: NÚMERO DE SERIE

Column name	NÚMERO DE SERIE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	Yes
NFC Scannable	No
Sensitive data	Yes

Column 12: TIPO

Column name	TIPO
Visible?	ALWAYS
Type	Enum {"EnumValues": ["NUEVO","RECUPERADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 13: ALMACÉN

Column name	ALMACÉN
Visible?	ALWAYS
Type	Enum

	<pre>{ "EnumValues": ["STOCK", "PROYECTOS"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 14: ASIGNAR CONF

Column name	ASIGNAR CONF
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: RESPONSABLE CONFIRMAR EN CENTRO

Column name	RESPONSABLE CONFIRMAR EN CENTRO
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"Numero de empleado\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": \"=filter(\\\"CONTACTOS\\\", [Región]=lookup(useremail(), \\\"CONTACTOS\\\", \\\"E-mail\\\", \\\"Región\\\"))\", \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"

	Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: CONFIRMAR INSIGHT TAG TIENDA

Column name	CONFIRMAR INSIGHT TAG TIENDA
Visible?	ALWAYS
Display name	= "Se actualizó la ubicación del artículo en sistema Insight del equipo entregado en centro"
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Motivo_Insight1

Column name	Motivo_Insight1
Visible?	ALWAYS
Display name	=¿Por qué no se realizó la actualización en Insight?
Type	Enum { "EnumValues": ["No es inventariable en insight", "Equipo no se encuentra dado de alta en Insight"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "[CONFIRMAR INSIGHT TAG TIENDA]=\\\"NO\\\"\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	Text\\\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 18: Quien cancela

Column name	Quien cancela
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 19: Motivo de cancelación de entrega de equipo en centro

Column name	Motivo de cancelación de entrega de equipo en centro
Visible?	ALWAYS
Display name	=if(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Almacén")); "Motivo de cancelación de entrega al ingeniero"; "Motivo de cancelación de cambio de equipo")
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data No

Column 20: ¿APLICA ENTRADA A TALLER?

Column name	¿APLICA ENTRADA A TALLER?
Visible?	ALWAYS
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Type Qualifier Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 21: ¿POR QUÉ?

Column name	¿POR QUÉ?
Visible?	ALWAYS
Type	Enum {"EnumValues":["ES APERTURA","ES NUEVA INSTALACIÓN","ES CONSUMIBLE","EXTRAVIADO / ROBADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{\nMaxLength\\":null,\nMinLength\\":null,\nLongTextFormatting\\":\nPlain
Type Qualifier	Text\\",\n\"IsMulticolumnKey\\":false,\n\"Valid_If\\":null,\n\"Error_Message_If_Invalid\\":null,\n\"Show_If\\":null,\n\"Required_If\\":null,\n\"Editable_If\\":null,\n\"Reset_If\\":null,\n\"Suggested_Values\\":null}","EnumInputMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[¿APLICA ENTRADA A TALLER?]="NO\\",\n\"Required_If\\":null,\n\"Editable_If\\":null,\n\"Reset_If\\":null,\n\"Suggested_Values\\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 22: NOMBRE DEL ARTÍCULO A DEVOLVER

Column name	NOMBRE DEL ARTÍCULO A DEVOLVER
-------------	--------------------------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO])) \n) \n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 23: MARCA DEVOLUCIÓN

Column name	MARCA DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO])) \n) \n)"

)\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 24: MODELO DEVOLUCIÓN

Column name	MODELO DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO]))\n)\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 25: NÚMERO DE SERIE DEVOLUCIÓN

Column name	NÚMERO DE SERIE DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=[¿APLICA ENTRADA A TALLER?]=\"SI\\",\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes

Scannable	Yes
NFC Scannable	No
Sensitive data	No

Column 26: PREDEFINICION

Column name	PREDEFINICION
Visible?	ALWAYS
Display name	= "PREDEFINICIÓN (no es la definición oficial)"
Type	Enum {"EnumValues":["HUESARIO","OBSOLETO","POR REPARAR"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[¿APLICA ENTRADA A TALLER?]="SI"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=if([Taller o centro]="Devolución a stock directo";"POR REPARAR";"")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes

Scannable	No
NFC Scannable	No
Sensitive data	No

Column 27: FALLA

Column name	FALLA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["CAMBIO DE CABLE", "PIEZAS PLÁSTICAS ROTAS", "PROBLEMAS DE CONFIGURACIÓN", "IMPRIME EN BLACO", "DISPLAY DAÑADO", "TARJETA DAÑADA", "BATERÍA", "NO ESCANEA CÓDIGOS", "PUERTO USB DAÑADO", "ATORA BILLETES", "NO DETECTA CHEQUES", "ROLLO DE PAPEL ATORADA", "ATORA HOJAS", "CENTRO DE CARGA DAÑADO", "CABEZAL DAÑADO", "SISTEMA OPERATIVO LENTO", "SENSORES DAÑADOS", "NO ENCIENDE", "FUSOR DAÑADO", "TERMINALES DAÑADAS", "DESGASTE DE RODILLOS", "NO CORTA EL PAPEL", "NO IMPRIME (IMPRIME BORROSO)", "OTRO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"= [¿APLICA ENTRADA A TALLER?]=\\\"SI\\\"\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\"
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=if([Taller o centro]="Devolución a stock directo";"OTRO";"")
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 28: PDF REGRESO

Column name	PDF REGRESO
Visible?	ALWAYS
Type	File
Type Qualifier	{ "FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "if(context(\\"view\\")=\\\"Bitácora x Ing\\",false,true)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 29: QR REGRESO

Column name	QR REGRESO
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation": "=CONCATENATE(\"https://chart.googleapis.com/chart?chs=150x150&cht=qr&chl=\", [ID])","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("http://api.qrserver.com/v1/create-qr-code/?size=150x150&data=", [ID])
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 30: Tipo de envió eq regresa

Column name	Tipo de envió eq regresa
Visible?	ALWAYS
Display name	"¿EL EQUIPO LO REGRESARÁ EL INGENIERO DE SOPORTE (ENVÍO FISICO) O SE ENVIARÁ POR DISTRIBUCIÓN?"
Type	Enum


```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 32: Folio de EM o folio de SA

Column name	Folio de EM o folio de SA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=[Tipo de envío eq regresa]=\"Distribución\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 33: Taller o centro

Column name	Taller o centro
Visible?	ALWAYS
Display name	= "¿EL EQUIPO SE ENVIARÁ A REPARACIÓN EN TALLER HABILITADO, SE REALIZARÁ EVALUACIÓN EN CENTRO O SE HABILITÓ Y VA A REGRESAR DIRECTO A STOCK?"
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType": "Text","BaseTypeQualifier": { "MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text", "IsMulticolumnKey":false,"ValidIf":null,"ErrorMessage_If_Invalid":null,"ShowIf":null,"RequiredIf":null,"EditableIf":null,"ResetIf":null,"SuggestedValues":null}, "EnumInputMode": "Auto", "ValidIf": "LIST(\"Taller habilitado\", \"Evaluación en centro\", \"Devolución a stock directo\")", "ErrorMessage_If_Invalid":null,"ShowIf": "AND(or([REGIÓN]=\"QRTO\",[REGIÓN]=\"CTLZ\",[REGIÓN]=\"CLCN\",[REGIÓN]=\"LMCH\",[REGIÓN]=\"MZTN\",[REGIÓN]=\"HLLO\",[REGIÓN]=\"LPAZ\",[REGIÓN]=\"MXLI\",[REGIÓN]=\"TJNA\",[REGIÓN]=\"STAFF\",[REGIÓN]=\"CLYA\",[REGIÓN]=\"TCMC\",[REGIÓN]=\"PCHC\",[REGIÓN]=\"AZCP\",[REGIÓN]=\"TLNP\",[REGIÓN]=\"PBLA II\",[REGIÓN]=\"TOLC\",[REGIÓN]=\"MORL\",[REGIÓN]=\"LCRS\",[REGIÓN]=\"VLLH\",[REGIÓN]=\"IXTP\",[REGIÓN]=\"VRCZ\",[REGIÓN]=\"PBLA I\",[REGIÓN]=\"CRDB\",[REGIÓN]=\"CTZC\",[REGIÓN]=\"SCRZ\",[REGIÓN]=\"TXTP\",</pre>

[REGIÓN]=\"TXCC\",[REGIÓN]=\"XLPA\",[REGIÓN]=\"TXGT\",
[REGIÓN]=\"ACPO\",[REGIÓN]=\"OAXC\",[REGIÓN]=\"PZRC\",
[REGIÓN]=\"MRDA\",[REGIÓN]=\"CNCN\"),¿APLICA ENTRADA A
TALLER?]=\"SI\"))\",\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,
\"Suggested_Values\":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 34: TALLER HABILITADO

Column name	TALLER HABILITADO
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":\"=SELECT(TALLERES[TALLER], [REGIÓN] = [_THISROW]. [REGIÓN])\",\"Error_Message_If_Invalid\":null,\"Show_If\":\"=[Taller o centro]=\"Taller habilitado\\\"\",\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 35: MOTIVO DE ENVIO A STOCK DIRECTO

Column name	MOTIVO DE ENVIO A STOCK DIRECTO
Visible?	ALWAYS
Type	Enum {"EnumValues":["Retiro de equipo por temporada","Retiro por solicitud de usuario","Retiro por proyecto de reducción de equipo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{ \"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain
Type Qualifier	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[Taller o centro]=\"Devolución a stock directo\"","Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: ESTATUS DEVOLUCIÓN

Column name	ESTATUS DEVOLUCIÓN
Visible?	ALWAYS
Display name	=if(context("view")="CONFIRMAR DEFINICIÓN ALM_Detail","ESTATUS ENTREGA EN CENTRO","ESTATUS DEVOLUCIÓN")
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 37: NOMBRE DE QUIEN RECIBE EQ DEVUELTO

Column name	NOMBRE DE QUIEN RECIBE EQ DEVUELTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 38: NO. ARTICULO DEVUELTO

Column name	NO. ARTICULO DEVUELTO
-------------	-----------------------

Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "EQUIPOS", "ReferencedRootTableName": "EQUIPOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"ValidIf\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "ReferencedKeyColumn": "IDEquipo", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 39: DICTAMEN ALMACEN

Column name	DICTAMEN ALMACEN
Visible?	ALWAYS
Display name	= "¿EL EQUIPO APLICA REPARACIÓN, ESTÁ DEFINIDO COMO OBSOLETO O ES EQUIPO DE TELECOM?"

","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":="[¿APLICA ENTRADA A TALLER?]="SI\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 41: CONFIRMAR INSIGHT REPARACIÓN

Column name	CONFIRMAR INSIGHT REPARACIÓN
Visible?	ALWAYS
Display name	=Se actualizó estatus del artículo que entra a taller del sistema Insight
Type	Enum
Type Qualifier	{ "EnumValues": ["SI","NO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"PlainText\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null,

Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 42: Motivo_Insight2

Column name	Motivo_Insight2
Visible?	ALWAYS
Display name	=¿Por qué no se realizó la actualización en Insight?
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[CONFIRMAR INSIGHT REPARACIÓN]="\No\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 43: FECHA DE GENERACIÓN DE FOLIO REP

Column name	FECHA DE GENERACIÓN DE FOLIO REP
Visible?	ALWAYS
Display name	=FECHA EN QUE SE GENERA EL FOLIO
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data No

Column 44: ¿QUIÉN VA A REPARAR?

Column name	¿QUIÉN VA A REPARAR?
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data

No

Column 45: DEFINICIÓN DE EQUIPO

Column name	DEFINICIÓN DE EQUIPO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["HUESARIO","REPARADO","GARANTÍA"], "AllowOtherValues":false," AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQuali fier": " { \"MaxLength\":null, \"MinLength\":null, \"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message _If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\": null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\" : \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \" Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Value s\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 46: COMENTARIOS REPARACIÓN

Column name	COMENTARIOS REPARACIÓN
Visible?	ALWAYS
Display name	=COMENTARIOS DE QUIEN REPARA
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 47: CONFIRMAR INSIGHT ENTRADA ALMACÉN

Column name	CONFIRMAR INSIGHT ENTRADA ALMACÉN
Visible?	ALWAYS
Display name	=SE ACTUALIZÓ STATUS DEL ARTÍCULO EN SISTEMA INSIGHT
Type	Enum

	{"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain
Type Qualifier	Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\" :\"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Value s\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 48: Motivo_Insight3

Column name	Motivo_Insight3
Visible?	ALWAYS
Display name	=¿Por qué no se realizó la actualización en Insight?
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_In valid\":null, \"Show_If\": \"=[CONFIRMAR INSIGHT ENTRADA

ALMACÉN]=\"No\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 49: CONFIRMACIÓN JEFE

Column name	CONFIRMACIÓN JEFE
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 50: NOMBRE DE QUIÉN CONFIRMA

Column name	NOMBRE DE QUIÉN CONFIRMA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 51: Motivo cancelación GTE

Column name	Motivo cancelación GTE
Visible?	ALWAYS
Display name	=Motivo por el cual se canceló la entrega del equipo
Type	Enum {"EnumValues":["Equipo en sitio reparado","Equipo en sitio funcionaba correctamente","Solicitado para recorrido, no usado","Stock para tiendas foráneas no utilizado","Error en captura de datos del equipo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":}
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 52: COMENTARIOS DE JEFE

Column name	COMENTARIOS DE JEFE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 53: CONFIRMACIÓN ALMACÉN

Column name	CONFIRMACIÓN ALMACÉN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 54: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 55: COMENTARIOS DE QUIEN RECIBE

Column name	COMENTARIOS DE QUIEN RECIBE
Visible?	ALWAYS
Display name	=COMENTARIOS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 56: ALMACÉN AL QUE ENTRA

Column name	ALMACÉN AL QUE ENTRA
Visible?	ALWAYS
Type	Enum {"EnumValues": ["STOCK","PROYECTOS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\": \"=[DEFINICIÓN DE EQUIPO] <>\"HUESARIO\"\", \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 57: ESTÁTUS GRAL ENTRADA

Column name	ESTÁTUS GRAL ENTRADA
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 58: SOLUCION GARANTÍA

Column name	SOLUCION GARANTÍA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["RECUPERADO","NUEVO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"

Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 59: NUM SERIE NUEVO

Column name	NUM SERIE NUEVO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[SOLUCION GARANTÍA]=\ "NUEVO\ ""","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 60: Fecha de confirmación de envío a huesario

Column name	Fecha de confirmación de envío a huesario
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No

Sensitive data No

Column 61: ENVIADO A HUESARIO

Column name	ENVIADO A HUESARIO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 62: Related Tallers

Column name	Related Tallers
Visible?	ALWAYS
Description	Taller entries that reference this entry in the ID NS Surtir column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"Taller","ReferencedRootTableName":

```
e\":"Taller\","ReferencedType\":"Text\","ReferencedTypeQualifi
er\":"
{\\\\"MaxLength\\":null,\\\\"MinLength\\":null,\\\\"LongTextForma
tting\\":\\\\"Plain
Text\\",\\\\"IsMulticolumnKey\\":false,\\\\"Valid_If\\":null,\\\\"Erro
r_Message_If_Invalid\\":null,\\\\"Show_If\\":null,\\\\"Required_If\\
\\":null,\\\\"Editable_If\\":null,\\\\"Reset_If\\":null,\\\\"Suggested_V
alues\\":null}\\","ReferencedKeyColumn\":"ID\","IsAPartOf":fals
e,"RelationshipName":null,"InputMode\":"Auto\","Valid_If":nul
l,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":
null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
","ItemSeparator":" ,
","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Requi
red_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null
}
```

App formula	REF_ROWS("Taller", "ID NS Surtir")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 63: Centro

Column name	Centro
Visible?	ALWAYS

Display name	=CENTRO DESTINO
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
App formula	=[IDSURTIR].[Destino]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: Quien entrega

Column name	Quien entrega
Visible?	ALWAYS
Display name	=QUIEN ENTREGA EL EQUIPO DE ALMACÉN
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
App formula	=[IDSURTIR].[NOMBRE DE QUIEN ENTREGA]
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: quien_solicitó

Column name	quien_solicitó
Visible?	ALWAYS
Display name	=RESPONSABLE DE VALE SOLICITADO
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=lookup([IDSURTIR],"VALE DE SALIDA","IDVale","QUIEN SOLICITA")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: MARCA DEVOLUCIÓN CORREGIDA

Column name	MARCA DEVOLUCIÓN CORREGIDA
Visible?	ALWAYS
Display name	=MARCA
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[NO. ARTICULO DEVUELTO].[Marca]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: MODELO DEVOLUCION CORREGIDA

Column name	MODELO DEVOLUCION CORREGIDA
Visible?	ALWAYS
Display name	=MODELO
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[NO. ARTICULO DEVUELTO].[Modelo]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: MARCA NUEVO GARANTÍA

Column name	MARCA NUEVO GARANTÍA
Visible?	ALWAYS
Display name	=MARCA
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=[NO. ARTICULO DEVUELTO].[Marca]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: MODELONUEVO GARANTÍA

Column name	MODELONUEVO GARANTÍA
Visible?	ALWAYS
Display name	=MODELO
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[NO. ARTICULO DEVUELTO].[Modelo]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: DESCRIPCIÓN ARTÍCULO ENTREGADO

Column name	DESCRIPCIÓN ARTÍCULO ENTREGADO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=lookup([ARTÍCULO],"EQUIPOS","IDEquipo","Nombre")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: SOLICITANTE EN COUPA

Column name	SOLICITANTE EN COUPA
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	=LOOKUP([IDSURTIR], "SURTIR", "ID COUPA", "QUIEN SOLICITA")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: ESTÁTUS

Column name	ESTÁTUS
Visible?	ALWAYS
Display name	=ESTATUS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=IFS([ESTÁTUS GRAL ENTRADA]="ENTRADA REGISTRADA", "FINALIZADO CON ENTRADA A ALMACÉN", [ESTATUS DEVOLUCIÓN]="SIN DEVOLUCIÓN", "FINALIZADO SIN DEVOLUCIÓN", [ESTÁTUS GRAL ENTRADA]="ENVÍO A HUESARIO", "FINALIZADO CON ENVÍO A HUESARIO", AND([¿APLICA ENTRADA A TALLER?]="NO", [ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR"), "PENDIENTE CONFIRMAR N/A DEVOLUCIÓN", AND([ESTATUS DEVOLUCIÓN]="CANCELADA", ISBLANK([CONFIRMACIÓN JEFE])), "CANCELADO PENDIENTE DE CONFIRMAR POR GERENTE", AND([ESTATUS DEVOLUCIÓN]="CANCELADA", ISBLANK([CONFIRMACIÓN ALMACÉN])), "CANCELADO PENDIENTE DE CONFIRMAR ENTRADA A ALMACÉN", AND([¿APLICA ENTRADA A TALLER?]="SI", [ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR", [Taller o centro] <>"Taller habilitado"), "PENDIENTE CONFIRMAR DEVOLUCIÓN", AND(ISNOTBLANK([FOLIO DE REPARACIÓN]), ISBLANK([¿QUIÉN VA A REPARAR?]), [ESTÁTUS GRAL ENTRADA]="EN TALLER"), "PENDIENTE DE ASIGNAR REPARACIÓN A INGENIERO", AND(ISBLANK([FOLIO DE REPARACIÓN]), [ESTATUS DEVOLUCIÓN]="CONFIRMADO"), "PENDIENTE DE GENERAR FOLIO DE REPARACIÓN", AND(ISNOTBLANK([¿QUIÉN VA A REPARAR?]), ISBLANK([DEFINICIÓN DE EQUIPO]), [ESTÁTUS GRAL ENTRADA]="POR REPARAR"), "PENDIENTE DE DEFINIR", AND([DEFINICIÓN DE EQUIPO]="GARANTÍA", ISBLANK([CONFIRMACIÓN JEFE])), "EQUIPO ENVIADO A GARANTÍA NO CONFIRMADO POR JEFE", AND([DEFINICIÓN DE EQUIPO]="GARANTÍA", ISNOTBLANK([CONFIRMACIÓN JEFE])), "EQUIPO ENVIADO A GARANTÍA SIN SOLUCIÓN", AND([DEFINICIÓN DE EQUIPO]="REPARADO", [CONFIRMACIÓN JEFE]="CONFIRMADO", ISBLANK([CONFIRMACIÓN ALMACÉN])),

"REPARADO PENDIENTE DE ENTRAR A ALMACÉN",
 AND([DEFINICIÓN DE EQUIPO]="HUESARIO", [CONFIRMACIÓN JEFE]="CONFIRMADO", ISBLANK([CONFIRMACIÓN ALMACÉN])),
 "HUESARIO PENDIENTE DE RECIBIR POR ALMACÉN",
 AND(ISNOTBLANK([DEFINICIÓN DE EQUIPO]),
 ISBLANK([CONFIRMACIÓN JEFE]), [ESTÁTUS GRAL ENTRADA]="DEFINIDO"), "PENDIENTE CONFIRMAR DEFINICIÓN",
 AND(ISNOTBLANK([DEFINICIÓN DE EQUIPO]), [CONFIRMACIÓN JEFE]="POR REPARAR"), "EQUIPO DEFINIDO QUE SE PIDIÓ REVISIÓN POR JEFE O ALMACENISTA", AND([Taller o centro]="Taller habilitado", OR([ESTÁTUS GRAL ENTRADA]="Taller habilitado", [ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR")), "ENVIADO A TALLER HABILITADO", [ESTATUS DEVOLUCIÓN]="EN REVISIÓN", "EN REVISIÓN POR INFORMACIÓN INCORRECTA EN EL REGISTRO DE DEVOLUCIÓN", AND([DICTAMEN ALMACEN]="OBSOLETO", ISBLANK([CONFIRMACIÓN JEFE])), "OBSOLETO PENDIENTE DE CONFIRMAR POR JEFE", ISBLANK([ESTÁTUS GRAL ENTRADA]), "PENDIENTE REGISTRAR DEVOLUCIÓN DE EQUIPO", TRUE, "")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: Generar folio de reparación en taller

Column name	Generar folio de reparación en taller
Visible?	ALWAYS
Display name	=Generar folio de reparación en taller
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "=\"https://servicedesk.coppel.com/incident/create/index/quick-request/68dd654d6f7da\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "[Taller o centro]=\"Taller habilitado\\\"","Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
App formula	=\"https://servicedesk.coppel.com/incident/create/index/quick-request/68dd654d6f7da\"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 74: MARCA

Column name	MARCA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
App formula	=[ARTÍCULO].[Marca]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: MODELO

Column name	MODELO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
App formula	=[ARTÍCULO].[Modelo]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name SURTIR_Schema

Schema Name	SURTIR_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: IDMOVIMIENTO

Column name	IDMOVIMIENTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
Initial value	=if(isnotblank([IDSALIDA]),[IDSALIDA],[ID COUPA])
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: IDSALIDA

Column name	IDSALIDA
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "FOLIOS POR SURTIR", "ReferencedRootTableName": "VALE DE SALIDA", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "IDVale", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=ISBLANK (\\n FILTER(\\n \\SURTIR\\n ,\\n AND(\\n [IDSALIDA] = [_THIS],\\n NOT ([_RowNumber] = [_THISROW].[_RowNumber]))\\n)\\n)", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ID COUPA

Column name	ID COUPA
Visible?	ALWAYS
Display name	=ID Orden de compra en coupa
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ISBLANK (\n FILTER(\n \nSURTIR\n" ,\n AND(\n [ID COUPA] = [_THIS],\n NOT ([_RowNumber] = [_THISROW].[_RowNumber])\n)\n)\n)\n)","Error_Message_If_Invalid":"=YA SE TIENE UN REGISTRO CON EL ID INGRESADO","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: REGIÓN CONSUMO

Column name	REGIÓN CONSUMO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: QUIEN SOLICITA

Column name	QUIEN SOLICITA
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "Suggested_Values": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "ValidIf": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "ShowIf": "=ISNOTBLANK([ID COUPA])", "RequiredIf": null, "EditableIf": null, "ResetIf": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: COMENTARIOS

Column name	COMENTARIOS
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: NOMBRE DE QUIEN ENTREGA

Column name	NOMBRE DE QUIEN ENTREGA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
Initial value	=lookup(useremail(),"CONTACTOS","E-mail","Nombre")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CENTROS", "ReferencedRootTableName": "CENTROS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyColumn": "NUMERO DE CENTRO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=isnot blank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": "=ISBLANK([IDSALIDA])", "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

Initial value	=IF(ISNOTBLANK([IDSALIDA]),lookup([IDSALIDA],"VALE DE SALIDA","IDVale","DESTINO"),"")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":"=ISBLANK([IDSALIDA])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=IF(ISNOTBLANK([IDSALIDA]),lookup([IDSALIDA],"VALE DE SALIDA","IDVale","FOLIO DE REPORTE"),"")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "\MaxValue\": null, "\MinValue\": null, "\StepValue\": null, "\NumericDigits\": null, "\ShowThousandsSeparator\": true, "\NumberDisplayMode\": "Auto", "\Valid_If\": null, "\Error_Message_If_Invalid\": null, "\Show_If\": null, "\Required_If\": null, "\Editable_If\": null, "\Reset_If\": null, "\Suggested_Values\": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes

Scannable	No
Sensitive data	No

Column 14: FIRMA DE QUIEN RECIBE

Column name	FIRMA DE QUIEN RECIBE
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=context(\"view\")=\"PDF Vale de

	Salida\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Related NS SURTIRs

Column name	Related NS SURTIRs
Visible?	ALWAYS
Display name	= "Registrar equipos a entregar"
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": {"ReferencedTableName": "NS SURTIR", "ReferencedRootTableName": "NS SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": : {"MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(if(context(\\ \\\\"view\\\\"))=\\\\"Bitácora x Ing\\\\"),false,true),if(context(\\\\"view\\\\"))=\\\\"Bitácora taller\\\\"),false,true),if(context(\\\\"view\\\\"))=\\\\"CO

	NFIRMAR ENTRADA A TALLER\\\\\\\\\\",false,true))\\\\\\",\\\\\\\"Required_If\\\\\\\":null,\\\\\\\"Editable_If\\\\\\\":null,\\\\\\\"Reset_If\\\\\\\":null,\\\\\\\"Suggested_Values\\\\\\\":null}\\\",\\\"ReferencedKeyColumn\\\\\\\":\\\"ID\\\\\\\",\\\"IsAPartOf\\\\\\\":false,\\\"RelationshipName\\\\\\\":null,\\\"InputMode\\\\\\\":\\\"Auto\\\\\\\",\\\"Valid_If\\\\\\\":null,\\\"Error_Message_If_Invalid\\\\\\\":null,\\\"Show_If\\\\\\\":null,\\\"Required_If\\\\\\\":null,\\\"Editable_If\\\\\\\":null,\\\"Reset_If\\\\\\\":null,\\\"Suggested_Values\\\\\\\":null}\\\",\\\"ItemSeparator\\\\\\\":\\\" ,\\\"Valid_If\\\\\\\":null,\\\"Error_Message_If_Invalid\\\\\\\":null,\\\"Show_If\\\\\\\":\\\"=ISNOTBLANK([IDMOVIMIENTO])\\\",\\\"Required_If\\\\\\\":null,\\\"Editable_If\\\\\\\":null,\\\"Reset_If\\\\\\\":null,\\\"Suggested_Values\\\\\\\":null}
App formula	REF_ROWS(\"NS SURTIR\", \"IDSURTIR\")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 17: Motivo de la solicitud

Column name	Motivo de la solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{\"EnumValues\":[\"APERTURA DE TIENDA\",\"REMODELACIÓN\",\"ATENCIÓN DE REPORTE\",\"ATENCIÓN DE REQUERIMIENTOS\",\"PROYECTOS ESPECIALES\",\"ASIGNACIÓN DE HERRAMIENTA\",\"PEDIDO DE STOCK\",\"EQUIPO PARA

	OBRA","PRESTAMO DE EQUIPO","MODULO DE CLIENTES NUEVOS","STOCK PARA CENTRO ESTRATÉGICO"],"AllowOtherValues":false,"AutoCompleteOtherVal ues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message _If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\": null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\" :\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\": \"=IS NOTBLANK([IDSALIDA])\",\"Required_If\":null,\"Editable_If\":null,\"Reset _If\":null,\"Suggested_Values\":null} =lookup([IDSALIDA],\"VALE DE SALIDA\",\"IDVale\",\"MOTIVO DE SOLICITUD\")
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tipo de material

Column name	Tipo de material
Visible?	ALWAYS
Type	Enum
Type Qualifier	{\"EnumValues\":[\"ALARMAS\",\"RED\",\"CONSUMIBLES NO INVENTARIABLES\",\"REPARACIONES DE TALLER\",\"EQUIPO DE

	COMPUTO
	HARDWARE"],"AllowOtherValues":false,"AutoCompleteOtherValue s":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message _If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\": null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\" : \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\": \"IS NOTBLANK([IDSALIDA])\", \"Required_If\":null, \"Editable_If\":null, \"Reset _If\":null, \"Suggested_Values\":null} =lookup([IDSALIDA],\"VALE DE SALIDA\",\"IDVale\",\"TIPO DE MATERIAL\")
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Quien autorizó

Column name	Quien autorizó
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_In

	valid":null,"Show_If": "=ISNOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=lookup([IDSALIDA],"VALE DE SALIDA","IDVale","AUTORIZO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Enum {"EnumValues":["SURTIDO","CANCELADO","PENDIENTE DE SURTIDO","APROBADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain
Type Qualifier	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=IS NOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=lookup([IDSALIDA],"VALE DE SALIDA","IDVale","ESTATUS")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: EQUIPOS SOLICITADOS

Column name	EQUIPOS SOLICITADOS
Visible?	ALWAYS
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"SALIDAS\", \"ReferencedRootTableName\": \"SALIDAS\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"IDSalida\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ItemSeparator\": \" , \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=ISNOTB

	<pre> LANK([IDSALIDA]),"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} =SELECT(SALIDAS[EQUIPO PEDIDO],and([IDVALE] = [_THISROW].[IDSALIDA],[ESTATUS]="PENDIENTE POR SURTIR"),true) </pre>
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Advertencia

Column name	Advertencia
Visible?	ALWAYS
Display name	"Advertencia: el total de equipos solicitados no concuerda con la cantidad de equipos registrados por surtir"
Type	Show
Type Qualifier	<pre> {"Category":"Text","Content":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=AND(ISNOTBLANK([IDSALIDA]),sum(SELECT(SALIDAS[CANTIDAD],and([IDVALE] = [_THISROW].[IDSALIDA],[ESTATUS]="PENDIENTE POR SURTIR\")))<>sum(select(NS SURTIR[cantidad],[IDSURTIR] = [_THISROW].[IDSALIDA])))" </pre>
App formula	"Advertencia: el total de equipos solicitados no concuerda con la cantidad de equipos registrados por surtir"

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 23: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TODAY()
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 24: RegionSolicita

Column name	RegionSolicita
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=lookup([IDSALIDA],"VALE DE SALIDA","IDVale","REGION")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: FECHA SOLICITUD

Column name	FECHA SOLICITUD
-------------	-----------------

Visible?	ALWAYS
Type	DateTime
Type Qualifier	{ "MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=lookup([IDSALIDA],"VALE DE SALIDA","IDVale","FECHA")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FECHA DE REGISTRO DE CONSUMO

Column name	FECHA DE REGISTRO DE CONSUMO
Visible?	ALWAYS
Type	Date
Type Qualifier	{ "UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
App formula	=lookup([_THISROW].[IDMOVIMIENTO],"NS SURTIR","IDSURTIR","FECHA DE SURTIDO")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name SALIDAS_Schema

Schema Name	SALIDAS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No

Sensitive data No

Column 3: IDSalida

Column name	IDSalida
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: IDVALE

Column name	IDVALE
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"VALE DE SALIDA","ReferencedRootTableName":"VALE DE

SALIDA","ReferencedType":"Text","ReferencedTypeQualifier":
{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain
Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"ReferencedKeyColumn\":\"IDVale\", \"IsAPartOf\":true, \"RelationshipName\":null, \"InputMode\":\"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: CANTIDAD

Column name	CANTIDAD
Visible?	ALWAYS
Type	Number
Type Qualifier	{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":false,\"NumberDisplayMode\":\"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=1
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: EQUIPO PEDIDO

Column name	EQUIPO PEDIDO
Visible?	ALWAYS
Display name	=¿QUE ARTICULO REQUIERES?
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 7: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Enum {"EnumValues":["CANCELADO","SURTIDO","PENDIENTE POR SURTIR"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=PENDIENTE POR SURTIR
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 8: COMENTARIOS

Column name	COMENTARIOS
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 9: MOTIVO DE CANCELACIÓN

Column name	MOTIVO DE CANCELACIÓN
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["No hay en existencia", "Motivo no especificado o erróneo", "No. centro incorrecto", "Folio duplicado", "Datos de vale incorrectos", "Equipo disponible solo para proyectos"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: REGION

Column name	REGION
-------------	--------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[IDVALE].[REGION]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[IDVALE].[FOLIO DE REPORTE]
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CENTROS", "ReferencedRootTableName": "CENTROS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "NUMERO DE CENTRO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	=[IDVALE].[DESTINO]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name VALE DE SALIDA_Schema

Schema Name	VALE DE SALIDA_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: IDVale

Column name	IDVale
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=year(today()) & right("0" & month(today()),2) & right("0" & day(today()),2) & left([REGION],4) & UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: FECHA

Column name	FECHA
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{ "MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CENTROS", "ReferencedRootTableName": "CENTROS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "NUMERO DE CENTRO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: MOTIVO DE SOLICITUD

Column name	MOTIVO DE SOLICITUD
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["APERTURA DE TIENDA", "REMODELACIÓN", "ATENCIÓN DE REPORTE", "ATENCIÓN DE REQUERIMIENTOS", "PROYECTOS ESPECIALES", "ASIGNACIÓN DE HERRAMIENTA", "PEDIDO DE STOCK", "EQUIPO PARA OBRA", "PRESTAMO DE EQUIPO", "MODULO DE CLIENTES NUEVOS", "STOCK PARA CENTRO ESTRATÉGICO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: TIPO DE MATERIAL

Column name	TIPO DE MATERIAL
Visible?	ALWAYS
Type	Enum { "EnumValues": ["ALARMAS", "RED", "CONSUMIBLES NO INVENTARIABLES", "REPARACIONES DE TALLER", "EQUIPO DE COMPUTO HARDWARE"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No

Sensitive data No

Column 9: QUIEN SOLICITA

Column name	QUIEN SOLICITA
Visible?	ALWAYS
Display name	=¿QUIÉN SOLICITA?
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=lookup(useremail(),"CONTACTOS","E-mail","Nombre")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: REGION

Column name	REGION
Visible?	ALWAYS
Display name	=REGIÓN
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=lookup(useremail(),"CONTACTOS","E-mail","Región")
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: TIPO DE ENVIO

Column name	TIPO DE ENVIO
Visible?	ALWAYS
Display name	=TIPO DE ENVÍO
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["FÍSICO", "ENVÍO PAQUETERÍA EXTERNA", "POR DISTRIBUCIÓN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, </pre>

Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: AUTORIZO

Column name	AUTORIZO
Visible?	ALWAYS
Display name	=¿QUIÉN AUTORIZÓ?
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ENTREGO

Column name	ENTREGO
Visible?	ALWAYS
Display name	=ENTREGÓ
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([AUTORIZO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	= "PENDIENTE DE SURTIDO"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: QUIEN CANCELÓ

Column name	QUIEN CANCELÓ
Visible?	ALWAYS
Display name	=¿QUIÉN CANCELÓ?
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: COMENTARIOS

Column name	COMENTARIOS
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén")))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: MOTIVO DE CANCELACIÓN

Column name	MOTIVO DE CANCELACIÓN
Visible?	ALWAYS
Type	Enum { "EnumValues": ["No hay en existencia", "Motivo no especificado o erróneo", "No. centro incorrecto", "Folio duplicado", "Datos de vale incorrectos", "Equipo disponible solo para proyectos"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: NOMBRE DE PROYECTO

Column name	NOMBRE DE PROYECTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[MOTIVO DE SOLICITUD]=\"PROYECTOS ESPECIALES\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Related SALIDASs

Column name	Related SALIDASs
Visible?	ALWAYS
Display name	=LISTADO DE EQUIPO SOLICITADO
Type	List

Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": {"ReferencedTableName": "\SALIDAS\","ReferencedRootTableN ame": "\SALIDAS\","ReferencedType": "\Text\","ReferencedType Qualifier": "\" {\\\\"MaxLength\\\\"": null,\\\\"MinLength\\\\"": null,\\\\"LongTextForma tting\\\\"": \\\\"Plain Text\\\\"","\\\\"IsMulticolumnKey\\\\"": false,\\\\"Valid_If\\\\"": null,\\\\"Erro r_Message_If_Invalid\\\\"": null,\\\\"Show_If\\\\"": null,\\\\"Required_If\\\\" ": null,\\\\"Editable_If\\\\"": null,\\\\"Reset_If\\\\"": null,\\\\"Suggested_V alues\\\\"": null}\\","ReferencedKeyColumn": "\IDSalida\","IsAPartOf f": false,"RelationshipName": null,"InputMode": "\Auto\","Valid_ If": null,"Error_Message_If_Invalid": null,"Show_If": null,"Require d_If": null,"Editable_If": null,"Reset_If": null,"Suggested_Values\ ": null},"ItemSeparator": " , ","Valid_If": null,"Error_Message_If_Invalid": null,"Show_If": "=ISNOTB LANK([FOLIO DE REPORTE])","Required_If": null,"Editable_If": null,"Reset_If": null,"Sugg ested_Values": null}</pre>
App formula	REF_ROWS("SALIDAS", "IDVALE")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 20: Advertencia folio duplicado

Column name	Advertencia folio duplicado
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "=\\\"ADVERTENCIA: El folio que se está solicitando ya tiene actualmente un vale de pedido. Verifique\\\"\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=count(select(VALE DE SALIDA[FOLIO DE REPORTE], [_THISROW].[FOLIO DE REPORTE]=[FOLIO DE REPORTE]))>1\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null} \"ADVERTENCIA: El folio que se está solicitando ya tiene actualmente un vale de pedido.\"
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 21: concatenado

Column name	concatenado
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In

	valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=concatenate([FOLIO DE REPORTE],"-",[QUIEN SOLICITA])
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Prueba cambio de estatus

Column name	Prueba cambio de estatus
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND(COUNT(SELECT(Salidas[ESTATUS], [FOLIO DE REPORTE] = [_THISROW].[IDVale])) > 0, COUNT(SELECT(Salidas[ESTATUS], and([FOLIO DE REPORTE] = [_THISROW].[IDVale], [ESTATUS] = "Cancelado"))) = COUNT(SELECT(Salidas[ESTATUS], [FOLIO DE REPORTE] = [_THISROW].[IDVale]))), "Cancelado", "Activo")
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Advertencia

Column name	Advertencia
Visible?	ALWAYS
Type	Show
Type Qualifier	<pre>{ "Category": "Text", "Content": "=\\\"ADVERTENCIA: El folio registrado se utilizó en otro vale, verifica que no se dupliquen los equipos entregados, buscando el folio en la bitácora\\\""; "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=count(select(VALE DE SALIDA[FOLIO DE REPORTE],[_THISROW].[FOLIO DE REPORTE]=[FOLIO DE REPORTE]))>1"; "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	=\"ADVERTENCIA: El folio registrado se utilizó en otro vale, verifica que no se dupliquen los equipos entregados, buscando el folio en la bitácora\"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Related SURTIRs

Column name	Related SURTIRs
Visible?	ALWAYS
Description	SURTIR entries that reference this entry in the IDSALIDA column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "SURTIR", "ReferencedRootTableName": "SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDMOVIMIENTO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("SURTIR", "IDSALIDA")
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name CONTACTOS_Schema

Schema Name	CONTACTOS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No

Scannable	No
Sensitive data	No

Column 3: Numero de empleado

Column name	Numero de empleado
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Centro

Column name	Centro
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Región

Column name	Región
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Puesto

Column name	Puesto
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues":["JEFE","SOPORTE TECNOLÓGICO","OFICINA","Almacén","EVENTUAL","GERENTE","ESPECIALISTA DE SOPORTE","ALMACEN","ENCARGADO DE SOPORTE","GERENTE DE SISTEMAS","Jefe taller habilitado","Soporte en taller","Gerente de zona"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier":"" } { "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "ValidIf":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: E-mail

Column name	E-mail
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	Yes

Column 9: Rol

Column name	Rol
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues":["Jefe","Soporte Tecnologico","Almacén","Gerente","Eventual","soporte Tecnologico","ENCARGADO DE SOPORTE","Gerente Titular","Oficina","Jefe taller habilitado","Soporte en taller","Gerente de zona"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","\ "MaxLength\ ":null,\ "MinLength\ ":null,\ "LongTextFormatting\ ":"P

	lain
	Text\","IsMulticolumnKey\:false,\"Valid_If\:null,\"Error_Message_If_Invalid\:null,\"Show_If\:null,\"Required_If\:null,\"Editable_If\:null,\"Reset_If\:null,\"Suggested_Values\:null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Estado

Column name	Estado
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Related Tallers

Column name	Related Tallers
Visible?	ALWAYS
Description	Taller entries that reference this entry in the QUIEN VA A REPARAR column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\\", "ReferencedTableName": "Taller\\", "ReferencedRootTableName": "Taller\\", "ReferencedType": "Text\\", "ReferencedTypeQualifier": "\\", "\\\"MaxLength\\\": null, \\\"MinLength\\\": null, \\\"LongTextFormatting\\\": \\\"PlainText\\\", \\\"IsMulticolumnKey\\\": false, \\\"Valid_If\\\": null, \\\"Error_Message_If_Invalid\\\": null, \\\"Show_If\\\": null, \\\"Required_If\\\": null, \\\"Editable_If\\\": null, \\\"Reset_If\\\": null, \\\"Suggested_Values\\\": null} \", \"ReferencedKeyColumn\": \"ID\\\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\\\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null} \", \"ItemSeparator\": \" \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null} }</pre>
App formula	REF_ROWS("Taller", "QUIEN VA A REPARAR")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 12: Related NS SURTIRs By RESPONSABLE CONFIRMAR EN CENTRO

Column name	Related NS SURTIRs By RESPONSABLE CONFIRMAR EN CENTRO
Visible?	ALWAYS
Description	NS SURTIR entries that reference this entry in the RESPONSABLE CONFIRMAR EN CENTRO column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"NS SURTIR\\","ReferencedRootTableName":"NS SURTIR\\","ReferencedType\\":"Text\\","ReferencedTypeQualifier\\": \\": {"\\\\"MaxLength\\\\"":null,\\\\"MinLength\\\\"":null,\\\\"LongTextForma tting\\\\"":\\\\"Plain Text\\\\"",\\\\"IsMulticolumnKey\\\\"":false,\\\\"Valid_If\\\\"":null,\\\\"Erro r_Message_If_Invalid\\\\"":null,\\\\"Show_If\\\\"":\\\\"=OR(if(context(\\ \\\\"view\\\\"))=\\\\"Bitácora x Ing\\\\"",false,true),if(context(\\\\"view\\\\"))=\\\\"Bitácora x

	ora
	taller\\\\\\\\\\\\",false,true),if(context(\\\\\\\\\\\\\\\\"view\\\\\\\\\\\\\\\\")=\\\\\\\\\\\\\\\\"CONFIRMAR ENTRADA A
	TALLER\\\\\\\\\\\\\\\\",false,true))\\\\\\\\",\\\\\\\\"Required_If\\\\\\\\":null,\\\\\\\\"Editable_If\\\\\\\\":null,\\\\\\\\"Reset_If\\\\\\\\":null,\\\\\\\\"Suggested_Values\\\\\\\\":null}\\",\\\"ReferencedKeyColumn\\\":\\\"ID\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\":\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ItemSeparator\\\":\\\" ,\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\"
App formula	REF_ROWS("NS SURTIR", "RESPONSABLE CONFIRMAR EN CENTRO")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 13: Related NS SURTIRs By ¿QUIÉN VA A REPARAR?

Column name	Related NS SURTIRs By ¿QUIÉN VA A REPARAR?
Visible?	ALWAYS

Description	NS SURTIR entries that reference this entry in the ¿QUIÉN VA A REPARAR? column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "NS SURTIR", "ReferencedRootTableName": "NS SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "OR(if(context(view))=Bitácora x Ing, false, true), if(context(view))=Bitácora taller, false, true), if(context(view))=CONFIRMAR ENTRADA ATALLER, false, true))", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	REF_ROWS("NS SURTIR", "¿QUIÉN VA A REPARAR?")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 14: Related NS SURTIRs By SOLICITANTE EN COUPA

Column name	Related NS SURTIRs By SOLICITANTE EN COUPA
Visible?	ALWAYS
Description	NS SURTIR entries that reference this entry in the SOLICITANTE EN COUPA column
Type	List { "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"NS SURTIR\", \"ReferencedRootTableName\": \"NS SURTIR\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=OR(if(context(\\ \\\"view\\\"))=\\\"Bitácora x Ing\\\", false, true), if(context(\\\"view\\\")=\\\"Bitácora Type Qualifier taller\\\", false, true), if(context(\\\"view\\\")=\\\"CONFIRMAR ENTRADA A TALLER\\\", false, true))\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null} \", \"ReferencedKeyColumn\": \"ID\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null} \", \"ItemSeparator\": \" , \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } App formula REF_ROWS(\"NS SURTIR\", \"SOLICITANTE EN COUPA\")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 15: Related SURTIRs

Column name	Related SURTIRs
Visible?	ALWAYS
Description	SURTIR entries that reference this entry in the QUIEN SOLICITA column
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"SURTIR\", \"ReferencedRootTableName\": \"SURTIR\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \"\"MaxLength\": null, \"\"MinLength\": null, \"\"LongTextFormatting\": \"Plain Text\", \"\"IsMulticolumnKey\": false, \"\"Valid_If\": null, \"\"Error_Message_If_Invalid\": null, \"\"Show_If\": null, \"\"Required_If\": null, \"\"Editable_If\": null, \"\"Reset_If\": null, \"\"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"IDMOVIMIENTO\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_


```
Values\":null}","ItemSeparator":",",
","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null
}
```

App formula	REF_ROWS("SURTIR", "QUIEN SOLICITA")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 16: concatenado

Column name	concatenado
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=concatenate([Numero de empleado], "- ", [Nombre])
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Related SURTIRs By NOMBRE DE QUIEN RECIBE

Column name	Related SURTIRs By NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Description	SURTIR entries that reference this entry in the NOMBRE DE QUIEN RECIBE column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"SURTIR\", \"ReferencedRootTableNa me\": \"SURTIR\", \"ReferencedType\": \"Text\", \"ReferencedTypeQu alifier\": \" { \\\"MaxLength\\\": null, \\\"MinLength\\\": null, \\\"LongTextForma tting\\\": \\\"Plain Text\\\", \\\"IsMulticolumnKey\\\": false, \\\"Valid_If\\\": null, \\\"Erro r_Message_If_Invalid\\\": null, \\\"Show_If\\\": null, \\\"Required_If\\ \\\": null, \\\"Editable_If\\\": null, \\\"Reset_If\\\": null, \\\"Suggested_V alues\\\": null }\", \"ReferencedKeyColumn\": \"IDMOVIMIENTO\", \"Is APartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \\\"Valid_If\\\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \" Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_ Values\": null }\", \"ItemSeparator\": \" \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Requi red_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>

App formula	REF_ROWS("SURTIR", "NOMBRE DE QUIEN RECIBE")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name Inicio_Schema

Schema Name	Inicio_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes

Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menu Soporte Tecnológico_Schema

Schema Name	Menu Soporte Tecnológico_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú Jefe de soporte_Schema

Schema Name	Menú Jefe de soporte_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú almacén_Schema

Schema Name	Menú almacén_Schema
-------------	---------------------

Visible?

ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()

System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ID_APP

Column name	ID_APP
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú oficina_Schema

Schema Name	Menú oficina_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No

Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Me ssage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú Gerente SSIT_Schema

Schema Name	Menú Gerente SSIT_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú Gerente Zona_Schema

Schema Name	Menú Gerente Zona_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS

Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
Initial value	=uniqueid()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes

Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú Soporte en taller_Schema

Schema Name	Menú Soporte en taller_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
-------------	--------

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú jefe taller habilitado_Schema

Schema Name	Menú jefe taller habilitado_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto",

Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}	
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú reportes_Schema

Schema Name	Menú reportes_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No

Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Me ssage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú Huesario_Schema

Schema Name	Menú Huesario_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENU

Column name	ID MENU
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=UNIQUEID()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Menú Salidas almacén_Schema

Schema Name	Menú Salidas almacén_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS

Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID MENÚ

Column name	ID MENÚ
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes

Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Traspasos_Schema

Schema Name	Traspasos_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_MENU

Column name	ID_MENU
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IMAGEN

Column name	IMAGEN
-------------	--------

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ID APP

Column name	ID APP
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name SSIT_Schema

Schema Name	SSIT_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: NUMERO DE CENTRO

Column name	NUMERO DE CENTRO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 3: REGIÓN

Column name	REGIÓN
-------------	--------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	MID(RC[1],23,30)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: NOMBRE

Column name	NOMBRE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: DIRECCIÓN

Column name	DIRECCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No

Sensitive data

Yes

Schema Name TALLERES_Schema

Schema Name	TALLERES_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: TALLER

Column name	TALLER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: REGIÓN

Column name	REGIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-ES

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for PDFSalida - 1 Process Table_Schema

Schema Name	Process for PDFSalida - 1 Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: IDMOVIMIENTO

Column name	IDMOVIMIENTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IDSALIDA

Column name	IDSALIDA
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "FOLIOS POR SURTIR", "ReferencedRootTableName": "VALE DE SALIDA", "ReferencedType": "Text", "ReferencedTypeQualifier": " { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }", "ReferencedKeyColumn": "IDVale", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=ISBLANK (\n FILTER(\n \"SURTIR\" ,\n AND(\n [IDSALIDA] = [_THIS],\n NOT ([_RowNumber] = [_THISROW].[_RowNumber])\n)\n)\n)", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: ID COUPA

Column name	ID COUPA
-------------	----------

Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ISBLANK (\n FILTER(\n \"SURTIR\" ,\n AND(\n [ID COUPA] = [_THIS],\n NOT ([_RowNumber] = [_THISROW].[_RowNumber])\n)\n)\n)\n)","Error_Message_If_Invalid":"=YA SE TIENE UN REGISTRO CON EL ID INGRESADO","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: REGIÓN CONSUMO

Column name	REGIÓN CONSUMO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: QUIEN SOLICITA

Column name	QUIEN SOLICITA
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": "=ISNOTBLANK([ID COUPA])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: COMENTARIOS

Column name	COMENTARIOS
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If": null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: NOMBRE DE QUIEN ENTREGA

Column name	NOMBRE DE QUIEN ENTREGA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"CENTROS","ReferencedRootTableName":"CENTROS","ReferencedType":"Number","ReferencedTypeQualifier": { "MaxValue\":"null,\n"MinValue\":"null,\n"StepValue\":"null,\n"NumericDigits\":"null,\n"ShowThousandsSeparator\":"true,\n"NumberDisplayMode\":"Auto\","Valid_If\":"null,\n"Error_Message_If_Invalid\":"null,\n"Show_If\":"null,\n"Required_If\":"null,\n"Editable_If\":"null,\n"Reset_If\":"null,

	<code>\\"Suggested_Values\\":null},"ReferencedKeyColumn":"NUMERO DE CENTRO","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnot blank([IDMOVIMIENTO])","Required_If":null,"Editable_If":"=ISBLANK([IDSALIDA])","Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	<code>{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":"=ISBLANK([IDSALIDA])","Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "\MaxValue\": null, "\MinValue\": null, "\StepValue\": null, "\NumericDigits\": null, "\ShowThousandsSeparator\": true, "\NumberDisplayMode\": "\Auto\ ", "\Valid_If\": null, "\Error_Message_If_Invalid\": null, "\Show_If\": null, "\Required_If\": null, "\Editable_If\": null, "\Reset_If\": null, "\Suggested_Values\": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\\"CONTACTOS\\", [Región]=lookup(useremail(),\\"CONTACTOS\\",\\"E-mail\\",\\"Región\\"))", "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FIRMA DE QUIEN RECIBE

Column name	FIRMA DE QUIEN RECIBE
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: PDF

Column name	PDF
Visible?	ALWAYS
Type	File

Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=context(\`view\`)=\`PDF Vale de Salida\`","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Related NS SURTIRs

Column name	Related NS SURTIRs
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType": "Ref", "ElementTypeQualifier": " {"ReferencedTableName": "NS SURTIR", "ReferencedRootTableName": "NS SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": " {"MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=OR(if(context(\\`\\`\\`\\`view\\`\\`\\`\\`) = \\`\\`\\`\\`Bitácora x Ing\\`\\`\\`\\`, false, true), if(context(\\`\\`\\`\\`view\\`\\`\\`\\`) = \\`\\`\\`\\`Bitácora taller\\`\\`\\`\\`, false, true), if(context(\\`\\`\\`\\`view\\`\\`\\`\\`) = \\`\\`\\`\\`CO


```
NFIRMAR ENTRADA A
TALLER\\\\\\\\,false,true))\\\\,\\\\"Required_If\\\\":null,\\\\"Editable
_If\\\\":null,\\\\"Reset_If\\\\":null,\\\\"Suggested_Values\\\\":null}\\",\\R
eferencedKeyColumn\\":\\"ID\\",\\"IsAPartOf\\":false,\\"RelationshipNa
me\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_
If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\":
null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ItemSeparator\\":\\" ,
\\",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":\\"=ISNOTB
LANK([IDMOVIMIENTO])\\",\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset
_If\\":null,\\"Suggested_Values\\":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Motivo de la solicitud

Column name	Motivo de la solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["APERTURA DE TIENDA","REMODELACIÓN","ATENCIÓN DE REPORTE","ATENCIÓN DE REQUERIMIENTOS","PROYECTOS ESPECIALES","ASIGNACIÓN DE HERRAMIENTA","PEDIDO DE STOCK","EQUIPO PARA OBRA","PRESTAMO DE EQUIPO","MODULO DE CLIENTES NUEVOS","STOCK PARA CENTRO ESTRATÉGICO"],"AllowOtherValues":false,"AutoCompleteOtherVal

```
ues":true,"BaseType":"Text","BaseTypeQualifier":  
{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P  
lain  
Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message  
_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":  
null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\"  
: \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\": \"IS  
NOTBLANK([IDSALIDA])\", \"Required_If\":null, \"Editable_If\":null, \"Reset  
_If\":null, \"Suggested_Values\":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tipo de material

Column name	Tipo de material
Visible?	ALWAYS
Type	Enum
Type Qualifier	{\"EnumValues\": [\"ALARMAS\", \"RED\", \"CONSUMIBLES NO INVENTARIABLES\", \"REPARACIONES DE TALLER\", \"EQUIPO DE COMPUTO HARDWARE\"], \"AllowOtherValues\":false, \"AutoCompleteOtherValue s\":true, \"BaseType\": \"Text\", \"BaseTypeQualifier\": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message

_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IS NOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Quien autorizó

Column name	Quien autorizó
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Enum {"EnumValues":["SURTIDO","CANCELADO","PENDIENTE DE SURTIDO","APROBADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"IS NOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"IS NOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 21: EQUIPOS SOLICITADOS

Column name	EQUIPOS SOLICITADOS
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName", "ReferencedTableName": "SALIDAS", "ReferencedRootTableName": "SALIDAS", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDSALIDA", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "ISNOTBLANK([IDSALIDA])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 22: Advertencia

Column name	Advertencia
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": null, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=AND(ISNOTBLANK([IDSALIDA]), sum(SELECT(SALIDAS[CANTIDAD], and([IDVALE] = [_THISROW].[IDSALIDA],[ESTATUS]=\"PENDIENTE POR SURTIR\"))) <> sum(select(NS SURTIR[cantidad],[IDSURTIR] = [_THISROW].[IDSALIDA]))", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: RegionSolicita

Column name	RegionSolicita
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: FECHA SOLICITUD

Column name	FECHA SOLICITUD
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FECHA DE REGISTRO DE CONSUMO

Column name	FECHA DE REGISTRO DE CONSUMO
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: New step

Column name	New step
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"New step Output","ReferencedRootTableName":null,"ReferencedType":"Text", "ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"Instance Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: VerPDF

Column name	VerPDF
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "VerPDF Output", "ReferencedRootTableName": null, "ReferencedType": "Text", "ReferencedTypeQualifier": " { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "Instance Id", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name New step Output_Schema

Schema Name	New step Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: IDMOVIMIENTO

Column name	IDMOVIMIENTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IDSALIDA

Column name	IDSALIDA
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "FOLIOS POR SURTIR", "ReferencedRootTableName": "VALE DE SALIDA", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "IDVale", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=ISBLANK (\\n FILTER(\\n \\SURTIR\\n ,\\n AND(\\n [IDSALIDA] = [_THIS],\\n NOT ([_RowNumber] = [_THISROW].[_RowNumber])\\n)\\n)\\n)", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 6: ID COUPA

Column name	ID COUPA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=ISBLANK (\n FILTER(\n \"SURTIR\" ,\n AND(\n [ID COUPA] = [_THIS],\n NOT ([_RowNumber] = [_THISROW].[_RowNumber])\n)\n)\n)","Error_Message_If_Invalid":"=YA SE TIENE UN REGISTRO CON EL ID INGRESADO","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: REGIÓN CONSUMO

Column name	REGIÓN CONSUMO
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: QUIEN SOLICITA

Column name	QUIEN SOLICITA
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"CONTACTOS","ReferencedRootTableName":"CONTACTOS","ReferencedType":"Number","ReferencedTypeQualifier": " { \"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Numero de empleado","IsAPartOf":false,"RelationshipName":null,"InputMode": "Auto","Valid_If":"=filter(\"CONTACTOS\", [Región]=lookup(useremail(),\"CONTACTOS\", \"E-mail\", \"Región\"))","Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([ID

COUPA)]","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: COMENTARIOS

Column name	COMENTARIOS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: NOMBRE DE QUIEN ENTREGA

Column name	NOMBRE DE QUIEN ENTREGA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref

Type Qualifier	<pre>{ "ReferencedTableName": "CENTROS", "ReferencedRootTableName": "CENTROS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "NUMERO DE CENTRO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": "=ISBLANK([IDSALIDA])", "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": false, "NumberDisplayMode": "Label", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": "=ISBLANK([IDSALIDA])", "Reset_If": null, "Suggested_Values": null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "\MaxValue\": null, "\MinValue\": null, "\StepValue\": null, "\NumericDigits\": null, "\ShowThousandsSeparator\": true, "\NumberDisplayMode\": "Auto", "\Valid_If\": null, "\Error_Message_If_Invalid\": null, "\Show_If\": null, "\Required_If\": null, "\Editable_If\": null, "\Reset_If\": null, "\Suggested_Values\": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FIRMA DE QUIEN RECIBE

Column name	FIRMA DE QUIEN RECIBE
Visible?	ALWAYS
Type	Signature
Type Qualifier	{"SaveExternal":true,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{ "FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=context(\\"view\\")=\\\"PDF Vale de Salida\\\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Related NS SURTIRs

Column name	Related NS SURTIRs
Visible?	ALWAYS
Type	List
Type Qualifier	{ "ElementType": "Ref", "ElementTypeQualifier": "{ \"ReferencedTableName\": \"NS SURTIR\\\", \"ReferencedRootTableName\": \"NS SURTIR\\\", \"ReferencedType\": \"Text\\\", \"ReferencedTypeQualifier\": \"\\\" \"\\\" \"MaxLength\\\": null, \"\\\" \"MinLength\\\": null, \"\\\" \"LongTextFormatting\\\": \"\\\" \"Plain

```
Text\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":\\\"=OR(if(context(\\\"\\\"\\\"view\\\"\\\"\\\"))=\\\"\\\"\\\"Bitácora x
Ing\\\"\\\"\\\"\\\",false,true),if(context(\\\"\\\"\\\"view\\\"\\\"\\\"))=\\\"\\\"\\\"Bitácora
ora
taller\\\"\\\"\\\"\\\",false,true),if(context(\\\"\\\"\\\"view\\\"\\\"\\\"))=\\\"\\\"\\\"CONFIRMAR ENTRADA A
TALLER\\\"\\\"\\\"\\\",false,true))\\\"\\\",\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ReferencedKeyColumn\\\":\\\"ID\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\":\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ItemSeparator\\\":\\\"\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":\\\"=ISNOTBLANK([IDMOVIMIENTO])\\\",\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Motivo de la solicitud

Column name	Motivo de la solicitud
Visible?	ALWAYS
Type	Enum

Type Qualifier	{ "EnumValues": ["ALARMAS", "RED", "CONSUMIBLES NO INVENTARIABLES", "REPARACIONES DE TALLER", "EQUIPO DE COMPUTO HARDWARE"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=IS NOTBLANK([IDSALIDA])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Quien autorizó

Column name	Quien autorizó
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISNOTBLANK([IDSALIDA])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Enum { "EnumValues": ["SURTIDO", "CANCELADO", "PENDIENTE DE SURTIDO", "APROBADO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=IS NOTBLANK([IDSALIDA])\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: EQUIPOS SOLICITADOS

Column name	EQUIPOS SOLICITADOS
Visible?	ALWAYS
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName\\": \"SALIDAS\\", "ReferencedRootTableName\\": \"SALIDAS\\", "ReferencedType\\": \"Text\\", "ReferencedTypeQualifier\\": \"\", \"\\\"MaxLength\\\"\": null, \"\\\"MinLength\\\"\": null, \"\\\"LongTextFormatting\\\"\": \"\\\"PlainText\\\"\", \"\\\"IsMulticolumnKey\\\"\": false, \"\\\"Valid_If\\\"\": null, \"\\\"Error_Message_If_Invalid\\\"\": null, \"\\\"Show_If\\\"\": null, \"\\\"Required_If\\\"\": null, \"\\\"Editable_If\\\"\": null, \"\\\"Reset_If\\\"\": null, \"\\\"Suggested_Values\\\"\": null } \\\", \"ReferencedKeyColumn\\\": \"IDSalida\\\", \"IsAPartOf\\\": false, \"RelationshipName\\\": null, \"InputMode\\\": \"Auto\\\", \"Valid_If\\\": null, \"Error_Message_If_Invalid\\\": null, \"Show_If\\\": null, \"Required_If\\\": null, \"Editable_If\\\": null, \"Reset_If\\\": null, \"Suggested_Values\\\": null } \\\", \"ItemSeparator\\\": \"\", \"Valid_If\\\": null, \"Error_Message_If_Invalid\\\": null, \"Show_If\\\": \"=ISNOTBLANK([IDSALIDA])\", \"Required_If\\\": null, \"Editable_If\\\": null, \"Reset_If\\\": null, \"Suggested_Values\\\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Advertencia

Column name	Advertencia
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": null, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=AND(ISNOTBLANK([IDSALIDA]), sum(SELECT(SALIDAS[CANTIDAD], and([IDVALE] = [_THISROW].[IDSALIDA],[ESTATUS]=\"PENDIENTE POR SURTIR\"))) <> sum(select(NS SURTIR[cantidad],[IDSURTIR] = [_THISROW].[IDSALIDA])))", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data No

Column 23: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: RegionSolicita

Column name	RegionSolicita
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: FECHA SOLICITUD

Column name	FECHA SOLICITUD
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{ "MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data

No

Column 26: FECHA DE REGISTRO DE CONSUMO

Column name	FECHA DE REGISTRO DE CONSUMO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name VerPDF Output_Schema

Schema Name	VerPDF Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: IDMOVIMIENTO

Column name	IDMOVIMIENTO
-------------	--------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: IDSALIDA

Column name	IDSALIDA
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"FOLIOS POR SURTIR","ReferencedRootTableName":"VALE DE SALIDA","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"IDVale","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=ISBLANK (\n FILTER(\n \"SURTIR\" ,\n AND(\n [IDSALIDA] = [_THIS],\n NOT ([_RowNumber] =

```
[_THISROW][_RowNumber])\n )\n\n)\n)","Error_Message_If_Invalid":null,"Show_If":null,"Required_If":nu  
ll,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Column 6: ID COUPA

Column name	ID COUPA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If": " =ISBLANK (\n FILTER(\n \"SURTIR\" , \n AND(\n [ID COUPA] = [_THIS], \n NOT ([_RowNumber] = [_THISROW].[_RowNumber]) \n) \n) \n) \n)","Error_Message_If_Invalid": " =YA SE TIENE UN REGISTRO CON EL ID INGRESADO","Show_If":null,"Required_If":null,"Editable_If":null,"Res et_If":null,"Suggested_Values":null}

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: REGIÓN CONSUMO

Column name	REGIÓN CONSUMO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: QUIEN SOLICITA

Column name	QUIEN SOLICITA
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": "=ISNOTBLANK([ID COUPA])", "Required_If": null, "Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: COMENTARIOS

Column name	COMENTARIOS
-------------	-------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If": null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: NOMBRE DE QUIEN ENTREGA

Column name	NOMBRE DE QUIEN ENTREGA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If": null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CENTROS", "ReferencedRootTableName": "CENTROS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }", "ReferencedKeyColumn": "NUMERO DE CENTRO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=isnot blank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": "=ISBLANK([IDSALIDA])", "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=isnotblank([IDMOVIMIENTO])","Required_If":null,"Editable_If":"=ISBLANK([ID SALIDA])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 13: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Ref

Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "\nMaxValue\\": null, \nMinValue\\": null, \nStepValue\\": null, \nNumericDigits\\": null, \nShowThousandsSeparator\\": true, \nNumberDisplayMode\\": \nAuto\\", \nValid_If\\": null, \nError_Message_If_Invalid\\": null, \nShow_If\\": null, \nRequired_If\\": null, \nEditable_If\\": null, \nReset_If\\": null, \nSuggested_Values\\": null }", "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\\nCONTACTOS\\", [Región]=lookup(useremail(), \\nCONTACTOS\\", \\nE-mail\\", \\nRegión\\")", "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: FIRMA DE QUIEN RECIBE

Column name	FIRMA DE QUIEN RECIBE
Visible?	ALWAYS
Type	Signature
Type Qualifier	<pre>{ "SaveExternal": true, "FolderLocation": null, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=isnotblank([IDMOVIMIENTO])", "Re</pre>

```
quired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: PDF

Column name	PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{ "FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=context(\"view\")=\n\"PDF Vale de Salida\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Related NS SURTIRs

Column name	Related NS SURTIRs
Visible?	ALWAYS
Type	List {"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"NS SURTIR","ReferencedRootTableName":"NS SURTIR","ReferencedType":"Text","ReferencedTypeQualifier": : {\\"MaxLength\\":null,\\"MinLength\\":null,\\"LongTextForma tting\\":\\"Plain Text\\",\\"IsMulticolumnKey\\":false,\\"Valid_If\\":null,\\"Erro r_Message_If_Invalid\\":null,\\"Show_If\\":\\"=OR(if(context(\\ \\\\\\\\\\view\\\\\\\\\\\\\\\\)=\\\\\\\\\\\\\\Bitácora x Ing\\\\\\\\\\\\\\\\",false,true),if(context(\\\\\\\\\\\\\\\\\\view\\\\\\\\\\\\\\\\\\\\)=\\\\\\\\\\\\\\\\\\Bitácora Type Qualifier ora taller\\\\\\\\\\\\\\\\\\\\",false,true),if(context(\\\\\\\\\\\\\\\\\\\\\\view\\\\\\\\\\\\\\\\\\\\\\\\)=\\\\\\\\\\\\\\\\\\\\\\CO NFIRMAR ENTRADA A TALLER\\\\\\\\\\\\\\\\\\\\",false,true))\\\\\\\\\\\\",\\"Required_If\\":null,\\"Editable _If\\":null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"R eferencedKeyColumn\\":\\"ID\\",\\"IsAPartOf\\":false,\\"RelationshipNa me\\":null,\\"InputMode\\":\\"Auto\\",\\"Valid_If\\":null,\\"Error_Message_ If_Invalid\\":null,\\"Show_If\\":null,\\"Required_If\\":null,\\"Editable_If\\": null,\\"Reset_If\\":null,\\"Suggested_Values\\":null}\\",\\"ItemSeparator\\": ",\\"Valid_If\\":null,\\"Error_Message_If_Invalid\\":null,\\"Show_If\\":\\"=ISNOTB LANK([IDMOVIMIENTO])\\",\\"Required_If\\":null,\\"Editable_If\\":null,\\"Reset _If\\":null,\\"Suggested_Values\\":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Motivo de la solicitud

Column name	Motivo de la solicitud
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["APERTURA DE TIENDA", "REMODELACIÓN", "ATENCIÓN DE REPORTE", "ATENCIÓN DE REQUERIMIENTOS", "PROYECTOS ESPECIALES", "ASIGNACIÓN DE HERRAMIENTA", "PEDIDO DE STOCK", "EQUIPO PARA OBRA", "PRESTAMO DE EQUIPO", "MODULO DE CLIENTES NUEVOS", "STOCK PARA CENTRO ESTRATÉGICO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }], \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=IS NOTBLANK([IDSALIDA])\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Tipo de material

Column name	Tipo de material
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ALARMAS", "RED", "CONSUMIBLES NO INVENTARIABLES", "REPARACIONES DE TALLER", "EQUIPO DE COMPUTO HARDWARE"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=IS NOTBLANK([IDSALIDA])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Quien autorizó

Column name	Quien autorizó
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ESTATUS

Column name	ESTATUS
Visible?	ALWAYS
Type	Enum

Type	Text
Type Qualifier	{ "EnumValues":["SURTIDO","CANCELADO","PENDIENTE DE SURTIDO","APROBADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":"","Plain":false,"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=IS NOTBLANK([IDSALIDA])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: EQUIPOS SOLICITADOS

Column name	EQUIPOS SOLICITADOS
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName":"SALIDAS","ReferencedRootTableN ame":"SALIDAS","ReferencedType":"Text","ReferencedType Qualifier": {"MaxLength":null,"MinLength":null,"LongTextForma tting":"Plain"}}

Text\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ReferencedKeyColumn\\\":\\\"IDSalida\\\",\\\"IsAPartOf\\\":false,\\\"RelationshipName\\\":null,\\\"InputMode\\\":\\\"Auto\\\",\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\",\\\"ItemSeparator\\\":\\\" ,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":\\\"=ISNOTBLANK([IDSALIDA])\\\",\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: Advertencia

Column name	Advertencia
Visible?	ALWAYS
Type	Show
Type Qualifier	{\"Category\":\"Text\",\"Content\":null,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":\"=AND(ISNOTBLANK([IDSALIDA]),sum(SELECT(SALIDAS[CANTIDAD],and([IDVALE] = [_THISROW].[IDSALIDA],[ESTATUS]=\\\"PENDIENTE POR SURTIR\\\")))<>sum(select(NS SURTIR[cantidad],[IDSURTIR] = [_THISROW].

	[IDSALIDA]]))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 23: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: RegionSolicita

Column name	RegionSolicita
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=ISNOTBLANK([IDSALIDA])","Required_If":null ,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: FECHA SOLICITUD

Column name	FECHA SOLICITUD
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"Ignor eSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Sho

w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: FECHA DE REGISTRO DE CONSUMO

Column name	FECHA DE REGISTRO DE CONSUMO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for PDF-REGRESO Process Table_Schema

Schema Name	Process for PDF-REGRESO Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(if(context(\"view\")=\"Bitácora x Ing\",false,true),if(context(\"view\")=\"Bitácora taller\",false,true),if(context(\"view\")=\"CONFIRMAR ENTRADA A TALLER\",false,true))","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: IDSURTIR

Column name	IDSURTIR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "SURTIR", "ReferencedRootTableName": "SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "IDMOVIMIENTO", "IsAPartOf": true, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: REGIÓN

Column name	REGIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"CENTROS","ReferencedRootTableName":"CENTROS","ReferencedType":"Number","ReferencedTypeQualifier": {"MaxValue\":"null","\MinValue\":"null","\StepValue\":"null","\NumericDigits\":"null","\ShowThousandsSeparator\":"true","\NumberDisplayMode\":"Auto","\Valid_If\":"null","\Error_Message_If_Invalid\":"null","\Show_If\":"null","\Required_If\":"null","\Editable_If\":"null","\Reset_If\":"null","\Suggested_Values\":"null"},"ReferencedKeyColumn":"NUMERO DE CENTRO","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Re


```
quired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 10: ARTÍCULO

Column name	ARTÍCULO
Visible?	ALWAYS
Type	Ref

Type Qualifier	<pre>{"ReferencedTableName":"EQUIPOS","ReferencedRootTableName":"EQUIPOS","ReferencedType":"Number","ReferencedTypeQualifier":":","MaxValue\":"null","MinValue\":"null","StepValue\":"null","NumericDigits\":"null","ShowThousandsSeparator\":true,"NumberDisplayMode\":"Auto","Valid_If\":"null","Error_Message_If_Invalid\":"null","Show_If\":"null","Required_If\":"null","Editable_If\":"null","Reset_If\":"null","Suggested_Values\":"null"},"ReferencedKeyColumn":"IDEquipo","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If\":"null","Error_Message_If_Invalid":null,"Show_If\":"null","Required_If\":"null","Editable_If\":"null","Reset_If\":"null","Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: NÚMERO DE SERIE

Column name	NÚMERO DE SERIE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: TIPO

Column name	TIPO
Visible?	ALWAYS
Type	Enum {"EnumValues": ["NUEVO","RECUPERADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ALMACÉN

Column name	ALMACÉN
Visible?	ALWAYS
Type	Enum {"EnumValues": ["STOCK","PROYECTOS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 14: ASIGNAR CONF

Column name	ASIGNAR CONF
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: RESPONSABLE CONFIRMAR EN CENTRO

Column name	RESPONSABLE CONFIRMAR EN CENTRO
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"CONTACTOS","ReferencedRootTableName":"CONTACTOS","ReferencedType":"Number","ReferencedTypeQualifier":"

```
{\"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"ReferencedKeyColumn\":\"Numero de empleado\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\", \"Valid_If\":\"=filter(\\\"CONTACTOS\\\", [Región]=lookup(useremail(),\\\"CONTACTOS\\\",\\\"E-mail\\\",\\\"Región\\\"))\", \"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONFIRMAR INSIGHT TAG TIENDA

Column name	CONFIRMAR INSIGHT TAG TIENDA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{\"EnumValues\": [\"SI\",\"NO\"],\"AllowOtherValues\":false,\"AutoCompleteOtherValues\":true,\"BaseType\":\"Text\",\"BaseTypeQualifier\": \" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message

_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Motivo_Insight1

Column name	Motivo_Insight1
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues":["No es inventariable en insight","Equipo no se encuentra dado de alta en Insight"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{ \"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[CONFIRMAR INSIGHT TAG

TIENDA]=\"NO\\\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Quien cancela

Column name	Quien cancela
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Motivo de cancelación de entrega de equipo en centro

Column name	Motivo de cancelación de entrega de equipo en centro
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ¿APLICA ENTRADA A TALLER?

Column name	¿APLICA ENTRADA A TALLER?
Visible?	ALWAYS

Type	Enum
Type Qualifier	<pre>{"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":tr ue,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message _If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\": null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\" :\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\" Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Value s\":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ¿POR QUÉ?

Column name	¿POR QUÉ?
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{"EnumValues":["ES APERTURA","ES NUEVA INSTALACIÓN","ES CONSUMIBLE","EXTRAVIADO / ROBADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":tr ue,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P</pre>

	lain
	Text\","IsMulticolumnKey\:false,\"Valid_If\:null,\"Error_Message_If_Invalid\:null,\"Show_If\:null,\"Required_If\:null,\"Editable_If\:null,\"Reset_If\:null,\"Suggested_Values\:null}","EnumInputMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":="[¿APLICA ENTRADA A TALLER?]=\"NO\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: NOMBRE DEL ARTÍCULO A DEVOLVER

Column name	NOMBRE DEL ARTÍCULO A DEVOLVER
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO])\n)\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: MARCA DEVOLUCIÓN

Column name	MARCA DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO])) \n) \n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: MODELO DEVOLUCIÓN

Column name	MODELO DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO])) \n)\" , \"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: NÚMERO DE SERIE DEVOLUCIÓN

Column name	NÚMERO DE SERIE DEVOLUCIÓN
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[¿APLICA ENTRADA A TALLER?]="SI\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PREDEFINICION

Column name	PREDEFINICION
Visible?	ALWAYS
Type	Enum { "EnumValues":["HUESARIO","OBSOLETO","POR REPARAR"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{ \"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode": "Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If ":"=[¿APLICA ENTRADA A TALLER?]="SI\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: FALLA

Column name	FALLA
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["CAMBIO DE CABLE", "PIEZAS PLÁSTICAS ROTAS", "PROBLEMAS DE CONFIGURACIÓN", "IMPRIME EN BLACO", "DISPLAY DAÑADO", "TARJETA DAÑADA", "BATERÍA", "NO ESCANEA CÓDIGOS", "PUERTO USB DAÑADO", "ATORA BILLETES", "NO DETECTA CHEQUES", "ROLLO DE PAPEL ATORADA", "ATORA HOJAS", "CENTRO DE CARGA DAÑADO", "CABEZAL DAÑADO", "SISTEMA OPERATIVO LENTO", "SENSORES DAÑADOS", "NO ENCIENDE", "FUSOR DAÑADO", "TERMINALES DAÑADAS", "DESGASTE DE RODILLOS", "NO CORTA EL PAPEL", "NO IMPRIME (IMPRIME BORROSO)", "OTRO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\"</pre>

: "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "
[¿APLICA ENTRADA A
TALLER?]= \"SI\\\"\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"
Suggested_Values\": null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: PDF REGRESO

Column name	PDF REGRESO
Visible?	ALWAYS
Type	File
Type Qualifier	{ "FolderLocation": null, "Valid_If": null, "Error_Message_If_Invalid": null , "Show_If": "=if(context(\"view\")= \"Bitácora x Ing\\\", false, true) \", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \" Suggested_Values\": null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: QR REGRESO

Column name	QR REGRESO
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation": "=CONCATENATE(\"https://chart.googleapis.com/chart?chs=150x150&cht=qr&chl=\", [ID])","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Tipo de envió eq regresa

Column name	Tipo de envió eq regresa
Visible?	ALWAYS

Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Físico", "Distribución"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "= [¿APLICA ENTRADA A TALLER?]=\SI\","Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: Envio eq regresa

Column name	Envio eq regresa
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Folio de EM o folio de SA

Column name	Folio de EM o folio de SA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=[Tipo de envío eq regresa]="Distribución\","Required_If":null,"Editable_If":null,"Reset _If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: Taller o centro

Column name	Taller o centro
Visible?	ALWAYS
Type	Enum <pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode": "Auto", "Valid_If": "LIST(\ "Taller habilitado", "Evaluación en centro", "Devolución a stock directo")", "Error_Message_If_Invalid":null, "Show_If": "AND(or([REGIÓN]="QRTO",[REGIÓN]="CTLZ",[REGIÓN]="CLCN",[REGIÓN]="LMCH",[REGIÓN]="MZTN",[REGIÓN]="HLLO",[REGIÓN]="LPAZ",[REGIÓN]="MXLI",[REGIÓN]="TJNA",[REGIÓN]="STAFF",[REGIÓN]="CLYA",[REGIÓN]="TCMC",[REGIÓN]="PCHC",[REGIÓN]="AZCP",[REGIÓN]="TLNP",[REGIÓN]="PBLA II",[REGIÓN]="TOLC",[REGIÓN]="MORL",[REGIÓN]="LCRS",[REGIÓN]="VLLH",[REGIÓN]="IXTP",[REGIÓN]="VRCZ",[REGIÓN]="PBLA I",[REGIÓN]="CRDB",[REGIÓN]="CTZC",[REGIÓN]="SCRZ",[REGIÓN]="TXTP",[REGIÓN]="TXCC",[REGIÓN]="XLPA",[REGIÓN]="TXGT",[REGIÓN]="ACPO",[REGIÓN]="OAXC",[REGIÓN]="PZRC",[REGIÓN]="MRDA",[REGIÓN]="CNCN"),¿APLICA ENTRADA A TALLER?="SI")", "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: TALLER HABILITADO

Column name	TALLER HABILITADO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If": "=SELECT (TALLERES[TALLER], [REGIÓN] = [_THISROW]. [REGIÓN])","Error_Message_If_Invalid":null,"Show_If": "[Taller o centro]=\Taller habilitado\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 35: MOTIVO DE ENVIO A STOCK DIRECTO

Column name	MOTIVO DE ENVIO A STOCK DIRECTO
Visible?	ALWAYS
Type	Enum { "EnumValues": ["Retiro de equipo por temporada", "Retiro por solicitud de usuario", "Retiro por proyecto de reducción de equipo"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Type Qualifier Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=[Taller o centro]=\", \"Devolución a stock directo\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: ESTATUS DEVOLUCIÓN

Column name	ESTATUS DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: NOMBRE DE QUIEN RECIBE EQ DEVUELTO

Column name	NOMBRE DE QUIEN RECIBE EQ DEVUELTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NO. ARTICULO DEVUELTO

Column name	NO. ARTICULO DEVUELTO
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "EQUIPOS", "ReferencedRootTableName": "EQUIPOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "" { "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "ReferencedKeyColumn": "IDEquipo", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: DICTAMEN ALMACEN

Column name	DICTAMEN ALMACEN
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["REPARACIÓN","TELECOMUNICACIONES","OBSOLETO"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: FOLIO DE REPARACIÓN

Column name	FOLIO DE REPARACIÓN
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[¿APLICA ENTRADA A TALLER?]="SI\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: CONFIRMAR INSIGHT REPARACIÓN

Column name	CONFIRMAR INSIGHT REPARACIÓN
Visible?	ALWAYS
Type	Enum

	{"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain
Type Qualifier	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}},{\"EnumInputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Value s\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Motivo_Insight2

Column name	Motivo_Insight2
Visible?	ALWAYS
Type	Text
	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_In valid\":null,\"Show_If\": \"=[CONFIRMAR INSIGHT
Type Qualifier	REPARACIÓN]= \"No\\\"\", \"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: FECHA DE GENERACIÓN DE FOLIO REP

Column name	FECHA DE GENERACIÓN DE FOLIO REP
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data No

Column 44: ¿QUIÉN VA A REPARAR?

Column name	¿QUIÉN VA A REPARAR?
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: DEFINICIÓN DE EQUIPO

Column name	DEFINICIÓN DE EQUIPO
Visible?	ALWAYS
Type	Enum {"EnumValues": ["HUESARIO","REPARADO","GARANTÍA"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength\":"null","MinLength\":"null","LongTextFormatting\":"Plain Text\","IsMulticolumnKey\":"false","Valid_If\":"null","Error_Message_If_Invalid\":"null","Show_If\":"null","Required_If\":"null","Editable_If\":"null","Reset_If\":"null","Suggested_Values\":"null"},"EnumInputMode":"Auto","Valid_If\":"null","Error_Message_If_Invalid\":"null","Show_If\":"null","Required_If\":"null","Editable_If\":"null","Reset_If\":"null","Suggested_Values\":"null"}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: COMENTARIOS REPARACIÓN

Column name	COMENTARIOS REPARACIÓN
Visible?	ALWAYS
Type	Text

Type Qualifier	<code>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: CONFIRMAR INSIGHT ENTRADA ALMACÉN

Column name	CONFIRMAR INSIGHT ENTRADA ALMACÉN
Visible?	ALWAYS
Type	Enum <code>{"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": { "\MaxLength":null, "\MinLength":null, "\LongTextFormatting":"Plain Text", "\IsMulticolumnKey":false, "\Valid_If":null, "\Error_Message_If_Invalid":null, "\Show_If":null, "\Required_If":null, "\Editable_If":null, "\Reset_If":null, "\Suggested_Values":null },"EnumInputMode": "Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</code>
Type Qualifier	<code>Text\","IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode": "Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}</code>

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Motivo_Insight3

Column name	Motivo_Insight3
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=[CONFIRMAR INSIGHT ENTRADA ALMACÉN]=\"No\\\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: CONFIRMACIÓN JEFE

Column name	CONFIRMACIÓN JEFE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: NOMBRE DE QUIÉN CONFIRMA

Column name	NOMBRE DE QUIÉN CONFIRMA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: Motivo cancelación GTE

Column name	Motivo cancelación GTE
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Equipo en sitio reparado", "Equipo en sitio funcionaba correctamente", "Solicitado para recorrido, no usado", "Stock para tiendas foráneas no utilizado", "Error en captura de datos del equipo"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: COMENTARIOS DE JEFE

Column name	COMENTARIOS DE JEFE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 53: CONFIRMACIÓN ALMACÉN

Column name	CONFIRMACIÓN ALMACÉN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: COMENTARIOS DE QUIEN RECIBE

Column name	COMENTARIOS DE QUIEN RECIBE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 56: ALMACÉN AL QUE ENTRA

Column name	ALMACÉN AL QUE ENTRA
Visible?	ALWAYS
Type	Enum {"EnumValues": ["STOCK","PROYECTOS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": [DEFINICIÓN DE EQUIPO] <>"HUESARIO","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: ESTÁTUS GRAL ENTRADA

Column name	ESTÁTUS GRAL ENTRADA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: SOLUCION GARANTÍA

Column name	SOLUCION GARANTÍA
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RECUPERADO","NUEVO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":


```
null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: NUM SERIE NUEVO

Column name	NUM SERIE NUEVO
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":\"=[SOLUCION GARANTÍA]=\\\"NUEVO\\\"\",\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 60: Fecha de confirmación de envío a huesario

Column name	Fecha de confirmación de envío a huesario
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 61: ENVIADO A HUESARIO

Column name	ENVIADO A HUESARIO
-------------	--------------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 62: Related Tallers

Column name	Related Tallers
Visible?	ALWAYS
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier": {"ReferencedTableName\":\"Taller\", \"ReferencedRootTableNam e\": \"Taller\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifi er\": {\\\\"MaxLength\\\\"":null,\\\\"MinLength\\\\"":null,\\\\"LongTextForma tting\\\\"":\\\\"Plain Text\\\\"",\\\\"IsMulticolumnKey\\\\"":false,\\\\"Valid_If\\\\"":null,\\\\"Erro r_Message_If_Invalid\\\\"":null,\\\\"Show_If\\\\"":null,\\\\"Required_If\\ \\\\:null,\\\\"Editable_If\\\\"":null,\\\\"Reset_If\\\\"":null,\\\\"Suggested_V alues\\\\"":null}\\\"}, \"ReferencedKeyColumn\": \"ID\", \"IsAPartOf\":fals e, \"RelationshipName\":null, \"InputMode\": \"Auto\", \"Valid_If\":nul

```
l,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":
null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
,\"ItemSeparator\":\" ,
\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Requi
red_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null
}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 63: Centro

Column name	Centro
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: Quien entrega

Column name	Quien entrega
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: quien_solicitó

Column name	quien_solicitó
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: MARCA DEVOLUCIÓN CORREGIDA

Column name	MARCA DEVOLUCIÓN CORREGIDA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: MODELO DEVOLUCION CORREGIDA

Column name	MODELO DEVOLUCION CORREGIDA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: MARCA NUEVO GARANTÍA

Column name	MARCA NUEVO GARANTÍA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: MODELONUEVO GARANTÍA

Column name	MODELONUEVO GARANTÍA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: DESCRIPCIÓN ARTÍCULO ENTREGADO

Column name	DESCRIPCIÓN ARTÍCULO ENTREGADO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: SOLICITANTE EN COUPA

Column name	SOLICITANTE EN COUPA
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"Numero de empleado\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: ESTÁTUS

Column name	ESTÁTUS
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 73: Generar folio de reparación en taller

Column name	Generar folio de reparación en taller
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":="\https://servicedesk.coppel.com/incident/create/index/quick-request/68dd654d6f7da\\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":="[Taller o centro]=\\\"Taller habilitado\\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 74: MARCA

Column name	MARCA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: MODELO

Column name	MODELO
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 76: VER PDF DEV

Column name	VER PDF DEV
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"VER PDF DEV Output","ReferencedRootTableName":null,"ReferencedType":"Text","ReferencedTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"Instance"}

	Id","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name VER PDF DEV Output_Schema

Schema Name	VER PDF DEV Output_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=OR(if(context(\"view\")= \"Bitácora x Ing\",false,true),if(context(\"view\")= \"Bitácora taller\",false,true),if(context(\"view\")= \"CONFIRMAR ENTRADA A TALLER\",false,true))", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: IDSURTIR

Column name	IDSURTIR
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName": "SURTIR", "ReferencedRootTableName": "SURTIR", "ReferencedType": "Text", "ReferencedTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain

	Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"ReferencedKeyColumn\":\"IDMOVIMIENTO\", \"IsAPartOf\":true, \"RelationshipName\":null, \"InputMode\":\"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: REGIÓN

Column name	REGIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null, \"MinLength\":null, \"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: FECHA DE SURTIDO

Column name	FECHA DE SURTIDO
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: DESTINO

Column name	DESTINO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CENTROS", "ReferencedRootTableName": "CENTROS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "NUMERO DE CENTRO", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: FOLIO DE REPORTE

Column name	FOLIO DE REPORTE
Visible?	ALWAYS
Type	Number

Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 10: ARTÍCULO

Column name	ARTÍCULO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "EQUIPOS", "ReferencedRootTableName": "EQUIPOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "ValidIf": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDEquipo", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 11: NÚMERO DE SERIE

Column name	NÚMERO DE SERIE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: TIPO

Column name	TIPO
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["NUEVO","RECUPERADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{ \"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"P

	lain
	Text\,\\"IsMulticolumnKey\\":false,\"Valid_If\\":null,\"Error_Message_If_Invalid\\":null,\"Show_If\\":null,\"Required_If\\":null,\"Editable_If\\":null,\"Reset_If\\":null,\"Suggested_Values\\":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: ALMACÉN

Column name	ALMACÉN
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["STOCK","PROYECTOS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\"MaxLength\\":null,\"MinLength\\":null,\"LongTextFormatting\\":\"Plain Text\,\\"IsMulticolumnKey\\":false,\"Valid_If\\":null,\"Error_Message_If_Invalid\\":null,\"Show_If\\":null,\"Required_If\\":null,\"Editable_If\\":null,\"Reset_If\\":null,\"Suggested_Values\\":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"

Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: ASIGNAR CONF

Column name	ASIGNAR CONF
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: RESPONSABLE CONFIRMAR EN CENTRO

Column name	RESPONSABLE CONFIRMAR EN CENTRO
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "CONTACTOS", "ReferencedRootTableName": "CONTACTOS", "ReferencedType": "Number", "ReferencedTypeQualifier": "", "\MaxValue\": null, "\MinValue\": null, "\StepValue\": null, "\NumericDigits\": null, "\ShowThousandsSeparator\": true, "\NumberDisplayMode\": "Auto", "\Valid_If\": null, "\Error_Message_If_Invalid\": null, "\Show_If\": null, "\Required_If\": null, "\Editable_If\": null, "\Reset_If\": null, "\Suggested_Values\": null, "ReferencedKeyColumn": "Numero de empleado", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": "=filter(\"CONTACTOS\", [Región]=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Región\"))", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONFIRMAR INSIGHT TAG TIENDA

Column name	CONFIRMAR INSIGHT TAG TIENDA
Visible?	ALWAYS
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Type Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Motivo_Insight1

Column name	Motivo_Insight1
Visible?	ALWAYS
Type	Enum {"EnumValues":["No es inventariable en insight","Equipo no se encuentra dado de alta en Insight"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
Type Qualifier	Text",\,"IsMulticolumnKey":false,\,"Valid_If":null,\,"Error_Message_If_Invalid":null,\,"Show_If":null,\,"Required_If":null,\,"Editable_If":null,\,"Reset_If":null,\,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":="[CONFIRMAR INSIGHT TAG TIENDA]=\,"NO","", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Quien cancela

Column name	Quien cancela
-------------	---------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Motivo de cancelación de entrega de equipo en centro

Column name	Motivo de cancelación de entrega de equipo en centro
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: ¿APLICA ENTRADA A TALLER?

Column name	¿APLICA ENTRADA A TALLER?
Visible?	ALWAYS
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}},{\"EnumInputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}}
Type Qualifier	Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: ¿POR QUÉ?

Column name	¿POR QUÉ?
Visible?	ALWAYS
Type	Enum {"EnumValues":["ES APERTURA","ES NUEVA INSTALACIÓN","ES CONSUMIBLE","EXTRAVIADO / ROBADO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": "{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Type Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":="[¿APLICA ENTRADA A TALLER?]="NO","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data No

Column 22: NOMBRE DEL ARTÍCULO A DEVOLVER

Column name	NOMBRE DEL ARTÍCULO A DEVOLVER
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO]))\n)\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: MARCA DEVOLUCIÓN

Column name	MARCA DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In

valid":null,"Show_If": "=AND(\n [¿APLICA ENTRADA A TALLER?] =
\"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR
DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO]))\n
)\"), \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: MODELO DEVOLUCIÓN

Column name	MODELO DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_In valid\":null, \"Show_If\": \"=AND(\n [¿APLICA ENTRADA A TALLER?] = \"SI\", \n OR(\n CONTEXT(\"view\") <> \"CONFIRMAR DEFINICIÓN_Detail\", \n ISBLANK([NO. ARTICULO DEVUELTO]))\n)\"), \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: NÚMERO DE SERIE DEVOLUCIÓN

Column name	NÚMERO DE SERIE DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If": "[¿APLICA ENTRADA A TALLER?]=\"SI\\", "Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PREDEFINICION

Column name	PREDEFINICION
Visible?	ALWAYS
Type	Enum {"EnumValues":["HUESARIO","OBSOLETO","POR REPARAR"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "[¿APLICA ENTRADA A TALLER?]="SI',"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: FALLA

Column name	FALLA
Visible?	ALWAYS

Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["CAMBIO DE CABLE", "PIEZAS PLÁSTICAS ROTAS", "PROBLEMAS DE CONFIGURACIÓN", "IMPRIME EN BLACO", "DISPLAY DAÑADO", "TARJETA DAÑADA", "BATERÍA", "NO ESCANEA CÓDIGOS", "PUERTO USB DAÑADO", "ATORA BILLETES", "NO DETECTA CHEQUES", "ROLLO DE PAPEL ATORADA", "ATORA HOJAS", "CENTRO DE CARGA DAÑADO", "CABEZAL DAÑADO", "SISTEMA OPERATIVO LENTO", "SENSORES DAÑADOS", "NO ENCIENDE", "FUSOR DAÑADO", "TERMINALES DAÑADAS", "DESGASTE DE RODILLOS", "NO CORTA EL PAPEL", "NO IMPRIME (IMPRIME BORROSO)", "OTRO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"= [¿APLICA ENTRADA A TALLER?]=\", \"SI\", \"\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: PDF REGRESO

Column name	PDF REGRESO
Visible?	ALWAYS
Type	File
Type Qualifier	{ "FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=if(context(\\"view\\")=\\\"Bitácora x Ing\\",false,true)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 29: QR REGRESO

Column name	QR REGRESO
Visible?	ALWAYS
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation": "=CONCATENATE(\\\"https://chart.googleapis.com/chart?chs=150x150&cht=qr&chl=\\", [ID])","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Tipo de envió eq regresa

Column name	Tipo de envió eq regresa
Visible?	ALWAYS
Type	Enum { "EnumValues": ["Físico", "Distribución", "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "= [¿APLICA ENTRADA A TALLER?]= \"SI\"\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: Envio eq regresa

Column name	Envio eq regresa
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: Folio de EM o folio de SA

Column name	Folio de EM o folio de SA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[Tipo de envío eq regresa]=\"Distribución\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: Taller o centro

Column name	Taller o centro
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\":null, \"MinLength\":null, \"LongTextFormatting\": \"P lain Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\": null, \"Reset_If\":null, \"Suggested_Values\":null} ", "EnumInputMode"

```
: "Auto", "Valid_If": "=LIST(\"Taller habilitado\", \"Evaluación en centro\", \"Devolución a stock directo\")", "Error_Message_If_Invalid": null, "Show_If": "=AND(or([REGIÓN]=\"QRTO\", [REGIÓN]=\"CTLZ\", [REGIÓN]=\"CLCN\", [REGIÓN]=\"LMCH\", [REGIÓN]=\"MZTN\", [REGIÓN]=\"HLLO\", [REGIÓN]=\"LPAZ\", [REGIÓN]=\"MXLI\", [REGIÓN]=\"TJNA\", [REGIÓN]=\"STAFF\", [REGIÓN]=\"CLYA\", [REGIÓN]=\"TCMC\", [REGIÓN]=\"PCHC\", [REGIÓN]=\"AZCP\", [REGIÓN]=\"TLNP\", [REGIÓN]=\"PBLA II\", [REGIÓN]=\"TOLC\", [REGIÓN]=\"MORL\", [REGIÓN]=\"LCRS\", [REGIÓN]=\"VLLH\", [REGIÓN]=\"IXTP\", [REGIÓN]=\"VRCZ\", [REGIÓN]=\"PBLA I\", [REGIÓN]=\"CRDB\", [REGIÓN]=\"CTZC\", [REGIÓN]=\"SCRZ\", [REGIÓN]=\"TXTP\", [REGIÓN]=\"TXCC\", [REGIÓN]=\"XLPA\", [REGIÓN]=\"TXGT\", [REGIÓN]=\"ACPO\", [REGIÓN]=\"OAXC\", [REGIÓN]=\"PZRC\", [REGIÓN]=\"MRDA\", [REGIÓN]=\"CNCN\"), ¿APLICA ENTRADA A TALLER?=\"SI\")", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: TALLER HABILITADO

Column name	TALLER HABILITADO
Visible?	ALWAYS
Type	Text

	<pre>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":"=SELECT(TALLERES[TALLER], [REGIÓN] = [_THISROW]. [REGIÓN])","Error_Message_If_Invalid":null,"Show_If":"=[Taller o centro]=\"Taller habilitado\\\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: MOTIVO DE ENVIO A STOCK DIRECTO

Column name	MOTIVO DE ENVIO A STOCK DIRECTO
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{"EnumValues":["Retiro de equipo por temporada","Retiro por solicitud de usuario","Retiro por proyecto de reducción de equipo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":null,"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null}</pre>

[Taller o centro]="Devolución a stock directo\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: ESTATUS DEVOLUCIÓN

Column name	ESTATUS DEVOLUCIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: NOMBRE DE QUIEN RECIBE EQ DEVUELTO

Column name	NOMBRE DE QUIEN RECIBE EQ DEVUELTO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: NO. ARTICULO DEVUELTO

Column name	NO. ARTICULO DEVUELTO
Visible?	ALWAYS

Type	Ref
Type Qualifier	{ "ReferencedTableName": "EQUIPOS", "ReferencedRootTableName": "EQUIPOS", "ReferencedType": "Number", "ReferencedTypeQualifier": " { \"MaxValue\": null, \"MinValue\": null, \"StepValue\": null, \"NumericDigits\": null, \"ShowThousandsSeparator\": true, \"NumberDisplayMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferencedKeyColumn\": \"IDEquipo\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: DICTAMEN ALMACEN

Column name	DICTAMEN ALMACEN
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["REPARACIÓN", "TELECOMUNICACIONES", "OBSOLETO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"P

	lain
	Text\","IsMulticolumnKey\:false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: FOLIO DE REPARACIÓN

Column name	FOLIO DE REPARACIÓN
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[¿APLICA ENTRADA A TALLER?]="SI\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 41: CONFIRMAR INSIGHT REPARACIÓN

Column name	CONFIRMAR INSIGHT REPARACIÓN
Visible?	ALWAYS
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Motivo_Insight2

Column name	Motivo_Insight2
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[CONFIRMAR INSIGHT REPARACIÓN]=\"No\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: FECHA DE GENERACIÓN DE FOLIO REP

Column name	FECHA DE GENERACIÓN DE FOLIO REP
Visible?	ALWAYS

Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 44: ¿QUIÉN VA A REPARAR?

Column name	¿QUIÉN VA A REPARAR?
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"CONTACTOS","ReferencedRootTableName":"CONTACTOS","ReferencedType":"Number","ReferencedTypeQualifier": {"MaxValue\":"null","MinValue\":"null","StepValue\":"null","NumericDigits\":"null","ShowThousandsSeparator\":"true","NumberDisplayMode\":"Auto","Valid_If":null,"Error_Message_If_Invalid\":"null","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values\":"null"},"ReferencedKeyColumn":"Numero de empleado","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":"=filter(\"CONTACTOS\", [Región]=lookup(useremail(),\"CONTACTOS\", \"E-mail\", \"Región\"))","Error_Message_If_Invalid":null,"Show_If":null,"

	Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: DEFINICIÓN DE EQUIPO

Column name	DEFINICIÓN DE EQUIPO
Visible?	ALWAYS
Type	Enum {"EnumValues": ["HUESARIO","REPARADO","GARANTÍA"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: COMENTARIOS REPARACIÓN

Column name	COMENTARIOS REPARACIÓN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: CONFIRMAR INSIGHT ENTRADA ALMACÉN

Column name	CONFIRMAR INSIGHT ENTRADA ALMACÉN
Visible?	ALWAYS
Type	Enum {"EnumValues": ["SI","NO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Type Qualifier Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Motivo_Insight3

Column name	Motivo_Insight3
Visible?	ALWAYS

Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[CONFIRMAR INSIGHT ENTRADA ALMACÉN]=\"No\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 49: CONFIRMACIÓN JEFE

Column name	CONFIRMACIÓN JEFE
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: NOMBRE DE QUIÉN CONFIRMA

Column name	NOMBRE DE QUIÉN CONFIRMA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: Motivo cancelación GTE

Column name	Motivo cancelación GTE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["Equipo en sitio reparado", "Equipo en sitio funcionaba correctamente", "Solicitado para recorrido, no usado", "Stock para tiendas foráneas no utilizado", "Error en captura de datos del equipo"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"PlainText\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: COMENTARIOS DE JEFE

Column name	COMENTARIOS DE JEFE
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: CONFIRMACIÓN ALMACÉN

Column name	CONFIRMACIÓN ALMACÉN
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: NOMBRE DE QUIEN RECIBE

Column name	NOMBRE DE QUIEN RECIBE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: COMENTARIOS DE QUIEN RECIBE

Column name	COMENTARIOS DE QUIEN RECIBE
-------------	-----------------------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 56: ALMACÉN AL QUE ENTRA

Column name	ALMACÉN AL QUE ENTRA
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre> {"EnumValues": ["STOCK","PROYECTOS"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": [DEFINICIÓN DE EQUIPO] </pre>

```
<>\ "HUESARIO\","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 57: ESTÁTUS GRAL ENTRADA

Column name	ESTÁTUS GRAL ENTRADA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: SOLUCION GARANTÍA

Column name	SOLUCION GARANTÍA
Visible?	ALWAYS
Type	Enum {"EnumValues": ["RECUPERADO","NUEVO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: NUM SERIE NUEVO

Column name	NUM SERIE NUEVO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=[SOLUCION GARANTÍA]=\"NUEVO\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 60: Fecha de confirmación de envío a huesario

Column name	Fecha de confirmación de envío a huesario
Visible?	ALWAYS
Type	Date
Type Qualifier	{ "UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 61: ENVIADO A HUESARIO

Column name	ENVIADO A HUESARIO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 62: Related Tallers

Column name	Related Tallers
Visible?	ALWAYS
Type	List { "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"Taller\", \"ReferencedRootTableName\": \"Taller\", \"ReferencedType\": \"Text\", \"ReferencedTypeQualifier\": \" { \\\"MaxLength\\\": null, \\\"MinLength\\\": null, \\\"LongTextFormatting\\\": \\\"Plain Text\\\", \\\"IsMulticolumnKey\\\": false, \\\"Valid_If\\\": null, \\\"Error_Message_If_Invalid\\\": null, \\\"Show_If\\\": null, \\\"Required_If\\\": null, \\\"Editable_If\\\": null, \\\"Reset_If\\\": null, \\\"Suggested_Values\\\": null }\", \"ReferencedKeyColumn\": \"ID\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ItemSeparator\": \" , \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }
Type Qualifier	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 63: Centro

Column name	Centro
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 64: Quien entrega

Column name	Quien entrega
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 65: quien_solicitó

Column name	quien_solicitó
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: MARCA DEVOLUCIÓN CORREGIDA

Column name	MARCA DEVOLUCIÓN CORREGIDA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: MODELO DEVOLUCION CORREGIDA

Column name	MODELO DEVOLUCION CORREGIDA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: MARCA NUEVO GARANTÍA

Column name	MARCA NUEVO GARANTÍA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: MODELONUEVO GARANTÍA

Column name	MODELONUEVO GARANTÍA
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: DESCRIPCIÓN ARTÍCULO ENTREGADO

Column name	DESCRIPCIÓN ARTÍCULO ENTREGADO
Visible?	ALWAYS
Type	Text

Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: SOLICITANTE EN COUPA

Column name	SOLICITANTE EN COUPA
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"CONTACTOS","ReferencedRootTableName":"CONTACTOS","ReferencedType":"Number","ReferencedTypeQualifier":null,"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"Numero de empleado","IsAPartOf":false,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: ESTÁTUS

Column name	ESTÁTUS
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 73: Generar folio de reparación en taller

Column name	Generar folio de reparación en taller
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Text", "Content": "=\\\"https://servicedesk.coppel.com/in cident/create/index/quick- request/68dd654d6f7da\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "[Taller o centro]=\\\"Taller habilitado\\\"","Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 74: MARCA

Column name	MARCA
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In

```
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 75: MODELO

Column name	MODELO
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Slices

Slice Name Vale de salida Ing Soporte

Slice Name	Vale de salida Ing Soporte
Slice Columns	_RowNumber
	Row ID
	IDVale
	FECHA
	FOLIO DE REPORTE
	DESTINO
	MOTIVO DE SOLICITUD
	TIPO DE MATERIAL
	QUIEN SOLICITA
	REGION
	TIPO DE ENVIO
	AUTORIZO
	ENTREGO
	ESTATUS
	QUIEN CANCELÓ
	COMENTARIOS
	MOTIVO DE CANCELACIÓN
	NOMBRE DE PROYECTO
	Related SALIDASs
	Advertencia folio duplicado concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
Row filter condition	=and([QUIEN SOLICITA]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre"),[ESTATUS]="PENDIENTE DE SURTIDO")
Update mode	ADDS_AND_UPDATES

Source Table	VALE DE SALIDA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Vale de Salida Jefe

Slice Name	Vale de Salida Jefe
Slice Columns	_RowNumber
	Row ID
	IDVale
	FECHA
	FOLIO DE REPORTE
	DESTINO
	MOTIVO DE SOLICITUD
	TIPO DE MATERIAL
	QUIEN SOLICITA
	REGION
	TIPO DE ENVIO
	AUTORIZO
	ENTREGO
	ESTATUS
	QUIEN CANCELÓ
	COMENTARIOS
	MOTIVO DE CANCELACIÓN
	NOMBRE DE PROYECTO
	Related SALIDASs
	Advertencia folio duplicado concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
	=and(isblank([AUTORIZO]),[ESTATUS]="PENDIENTE DE SURTIDO",LOOKUP([QUIEN SOLICITA],"CONTACTOS","Nombre","Región")=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"))
Row filter condition	
Update mode	ADDS_AND_UPDATES
Source Table	VALE DE SALIDA
Visible?	ALWAYS

Slice Actions

auto

Slice Name Vale de Salida Almacén

Slice Name	Vale de Salida Almacén
	_RowNumber
	Row ID
	IDVale
	FECHA
	FOLIO DE REPORTE
	DESTINO
	MOTIVO DE SOLICITUD
	TIPO DE MATERIAL
	QUIEN SOLICITA
	REGION
	TIPO DE ENVIO
Slice Columns	AUTORIZO
	ENTREGO
	ESTATUS
	QUIEN CANCELÓ
	COMENTARIOS
	MOTIVO DE CANCELACIÓN
	NOMBRE DE PROYECTO
	Related SALIDASs
	Advertencia folio duplicado concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
Row filter condition	=and(LOOKUP([QUIEN SOLICITA],"CONTACTOS","Nombre","Región")=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"),[ESTATUS]="PENDIENTE DE SURTIDO",isnotblank([AUTORIZO]))
Update mode	ADDS_AND_UPDATES
Source Table	VALE DE SALIDA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name FILTRO HISTORICO SOPORTE

Slice Name	FILTRO HISTORICO SOPORTE
	_RowNumber
	Row ID
	IDVale
	FECHA
	FOLIO DE REPORTE
	DESTINO
	MOTIVO DE SOLICITUD
	TIPO DE MATERIAL
	QUIEN SOLICITA
	REGION
	TIPO DE ENVIO
Slice Columns	AUTORIZO
	ENTREGO
	ESTATUS
	QUIEN CANCELÓ
	COMENTARIOS
	MOTIVO DE CANCELACIÓN
	NOMBRE DE PROYECTO
	Related SALIDASs
	Advertencia folio duplicado concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
Row filter condition	=[QUIEN SOLICITA]=lookup(useremail(),"CONTACTOS","E-mail","Nombre")
Update mode	ADDS_AND_UPDATES
Source Table	VALE DE SALIDA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name FOLIOS POR SURTIR

Slice Name	FOLIOS POR SURTIR
Slice Columns	_RowNumber
	Row ID
	IDVale
	FECHA

	FOLIO DE REPORTE
	DESTINO
	MOTIVO DE SOLICITUD
	TIPO DE MATERIAL
	QUIEN SOLICITA
	REGION
	TIPO DE ENVIO
	AUTORIZO
	ENTREGO
	ESTATUS
	QUIEN CANCELÓ
	COMENTARIOS
	MOTIVO DE CANCELACIÓN
	NOMBRE DE PROYECTO
	Related SALIDASs
	Advertencia folio duplicado concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
Row filter condition	=and(LOOKUP([QUIEN SOLICITA],"CONTACTOS","Nombre","Región")=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"),[ESTATUS]="PENDIENTE DE SURTIDO",isnotblank([AUTORIZO]))
Update mode	ADDS_AND_UPDATES
Source Table	VALE DE SALIDA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name REGISTRO DE EQ SURTIDO

Slice Name	REGISTRO DE EQ SURTIDO
Slice Columns	_RowNumber Row ID ID IDMOVIMIENTO IDSALIDA ID COUPA REGIÓN CONSUMO

	QUIEN SOLICITA
	COMENTARIOS
	NOMBRE DE QUIEN ENTREGA
	DESTINO
	FOLIO DE REPORTE
	NOMBRE DE QUIEN RECIBE
	FIRMA DE QUIEN RECIBE
	PDF
	Related NS SURTIRs
	Motivo de la solicitud
	Tipo de material
	Quien autorizó
	ESTATUS
	EQUIPOS SOLICITADOS
	Advertencia
	FECHA DE SURTIDO
	RegionSolicita
	FECHA SOLICITUD
	FECHA DE REGISTRO DE CONSUMO
Row filter condition	=and([IDSALIDA].[ESTATUS]="PENDIENTE DE SURTIDO",[IDSALIDA].[REGION]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"),isblank([DESTINO]))
Update mode	ALL_CHANGES
Source Table	SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name DEVOLUCIÓN DE EQUIPO

Slice Name	DEVOLUCIÓN DE EQUIPO
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad

	ARTÍCULO
	MARCA
	MODELO
	NÚMERO DE SERIE
	TIPO
	ALMACÉN
	¿APLICA ENTRADA A TALLER?
	¿POR QUÉ?
	NOMBRE DEL ARTÍCULO A DEVOLVER
	MARCA DEVOLUCIÓN
	MODELO DEVOLUCIÓN
	NÚMERO DE SERIE DEVOLUCIÓN
	Tipo de envió eq regresa
	Envio eq regresa
	Folio de EM o folio de SA
	Taller o centro
	FOLIO DE REPARACIÓN
	CONFIRMAR INSIGHT REPARACIÓN
	Motivo_Insight2
	DESCRIPCIÓN ARTÍCULO ENTREGADO
	quien_solicitó
	SOLICITANTE EN COUPA
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(OR([quien_solicitó]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre")),([RESPONSABLE CONFIRMAR EN CENTRO]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Numero de empleado")),LOOKUP([IDSURTIR],"SURTIR","ID COUPA","QUIEN SOLICITA")=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Numero de empleado")),OR(ISBLANK([ESTATUS DEVOLUCIÓN]),[ESTATUS DEVOLUCIÓN]="EN REVISIÓN"))
Update mode	ADDs_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONFIRMAR DEVOLUCIÓN ALM

Slice Name	CONFIRMAR DEVOLUCIÓN ALM
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NÚMERO DE SERIE DEVOLUCIÓN Tipo de envió eq regresa Envio eq regresa Folio de EM o folio de SA Taller o centro ESTATUS DEVOLUCIÓN NOMBRE DE QUIEN RECIBE EQ DEVUELTO NO. ARTICULO DEVUELTO DICTAMEN ALMACEN FOLIO DE REPARACIÓN CONFIRMAR INSIGHT REPARACIÓN Motivo_Insight2 FECHA DE GENERACIÓN DE FOLIO REP

¿QUIÉN VA A REPARAR?	
DEFINICIÓN DE EQUIPO	
COMENTARIOS REPARACIÓN	
CONFIRMAR INSIGHT ENTRADA ALMACÉN	
Motivo_Insight3	
CONFIRMACIÓN JEFE	
NOMBRE DE QUIÉN CONFIRMA	
Motivo cancelación GTE	
COMENTARIOS DE JEFE	
CONFIRMACIÓN ALMACÉN	
NOMBRE DE QUIEN RECIBE	
COMENTARIOS DE QUIEN RECIBE	
ALMACÉN AL QUE ENTRA	
ESTÁTUS GRAL ENTRADA	
SOLUCION GARANTÍA	
NUM SERIE NUEVO	
Fecha de confirmación de envío a huesario	
ENVIADO A HUESARIO	
Related Tallers	
Centro	
Quien entrega	
quien_solicitó	
MARCA DEVOLUCIÓN CORREGIDA	
MODELO DEVOLUCION CORREGIDA	
MARCA NUEVO GARANTÍA	
MODELONUEVO GARANTÍA	
DESCRIPCIÓN ARTÍCULO ENTREGADO	
SOLICITANTE EN COUPA	
ESTÁTUS	
Generar folio de reparación en taller	
MARCA	
MODELO	
PREDEFINICION	
FALLA	
PDF REGRESO	
QR REGRESO	
TALLER HABILITADO	
MOTIVO DE ENVIO A STOCK DIRECTO	
Row filter condition	=and((([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),[ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR",[Taller o

	centro]<>"Taller habilitado",[¿APLICA ENTRADA A TALLER?]="SI")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name ASIGNAR REPARACIÓN

Slice Name	ASIGNAR REPARACIÓN
	_RowNumber
	Row ID
	ID
	¿QUIÉN VA A REPARAR?
	IDSURTIR
	REGIÓN
	DESTINO
	FOLIO DE REPORTE
	Cantidad
Slice Columns	NO. ARTICULO DEVUELTO
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	FOLIO DE REPARACIÓN
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(OR([DICTAMEN ALMACEN]="REPARACIÓN",[DICTAMEN ALMACEN]="TELECOMUNICACIONES"),([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),ISNOTBLANK([FOLIO DE REPARACIÓN]),isblank([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL ENTRADA]<>"Taller habilitado")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS

Slice Actions

auto

Slice Name FOLIO DE REPARACIÓN

Slice Name	FOLIO DE REPARACIÓN
	_RowNumber
	Row ID
	ID
	FECHA DE SURTIDO
	FOLIO DE REPORTE
	Cantidad
	NO. ARTICULO DEVUELTO
	NÚMERO DE SERIE DEVOLUCIÓN
Slice Columns	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	FOLIO DE REPARACIÓN
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UserEMAIL(),"CONTACTOS","E-mail","Región")),or([DICTAMEN ALMACEN]="REPARACIÓN",[DICTAMEN ALMACEN]="TELECOMUNICACIONES"),[ESTATUS DEVOLUCIÓN]="CONFIRMADO",isblank([FOLIO DE REPARACIÓN]))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name MIS REPARACIONES

Slice Name	MIS REPARACIONES
Slice Columns	_RowNumber
	Row ID
	ID
	REGIÓN
	DESTINO

	FOLIO DE REPORTE
	Cantidad
	NO. ARTICULO DEVUELTO
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	FOLIO DE REPARACIÓN
	¿QUIÉN VA A REPARAR?
	DEFINICIÓN DE EQUIPO
	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and([¿QUIÉN VA A REPARAR?]=lookup(UserEmail(),"CONTACTOS","E-mail","Numero de empleado"),ISBLANK([CONFIRMACIÓN ALMACÉN]),[ESTÁTUS GRAL ENTRADA]<>"GARANTÍA",[DICTAMEN ALMACEN]="REPARACIÓN")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONFIRMAR DEFINICIÓN

Slice Name	CONFIRMAR DEFINICIÓN
Slice Columns	_RowNumber Row ID ID Cantidad NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NO. ARTICULO DEVUELTO MARCA DEVOLUCIÓN CORREGIDA

MODELO DEVOLUCION CORREGIDA
NÚMERO DE SERIE DEVOLUCIÓN
FOLIO DE REPARACIÓN
¿QUIÉN VA A REPARAR?
MOTIVO DE ENVIO A STOCK DIRECTO
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
PREDEFINICION
FALLA
PDF REGRESO
QR REGRESO
TALLER HABILITADO

=and((([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),ISNOTBLANK([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL ENTRADA]="DEFINIDO")

ADDS_AND_UPDATES
NS SURTIR
ALWAYS
auto

Row filter condition

Update mode

Source Table

Visible?

Slice Actions

Slice Name CONFIRMAR DEFINICIÓN ALM

Slice Name CONFIRMAR DEFINICIÓN ALM
Slice Columns
_RowNumber
Row ID
ID
FECHA DE SURTIDO
Cantidad
NO. ARTICULO DEVUELTO
MODELO DEVOLUCION CORREGIDA
MARCA DEVOLUCIÓN CORREGIDA
ARTÍCULO
NÚMERO DE SERIE

	Motivo cancelación GTE
	NÚMERO DE SERIE DEVOLUCIÓN
	FOLIO DE REPARACIÓN
	Taller o centro
	¿QUIÉN VA A REPARAR?
	DEFINICIÓN DE EQUIPO
	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	COMENTARIOS DE JEFE
	CONFIRMACIÓN ALMACÉN
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS DE QUIEN RECIBE
	ALMACÉN AL QUE ENTRA
	Generar folio de reparación en taller
	SOLUCION GARANTÍA
	NUM SERIE NUEVO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and((([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")), [CONFIRMACIÓN JEFE]="CONFIRMADO",isblank([CONFIRMACIÓN ALMACÉN]),[ESTÁTUS GRAL ENTRADA]<>"ENVÍO A HUESARIO", [DEFINICIÓN DE EQUIPO]<>"GARANTÍA")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES GARANTÍA

Slice Name	PENDIENTES GARANTÍA
Slice Columns	_RowNumber Row ID ID FECHA DE SURTIDO DESTINO

	FOLIO DE REPORTE
	Cantidad
	NO. ARTICULO DEVUELTO
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	DICTAMEN ALMACEN
	FOLIO DE REPARACIÓN
	CONFIRMAR INSIGHT REPARACIÓN
	Motivo_Insight2
	¿QUIÉN VA A REPARAR?
	DEFINICIÓN DE EQUIPO
	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	COMENTARIOS DE JEFE
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and([¿QUIÉN VA A REPARAR?]=lookup(UserEMAIL(),"CONTACTOS","E-mail","Numero de empleado"),[ESTÁTUS GRAL ENTRADA]="GARANTÍA")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES GARANTÍA JEFE

Slice Name	PENDIENTES GARANTÍA JEFE
Slice Columns	_RowNumber Row ID ID FECHA DE SURTIDO

	DESTINO
	FOLIO DE REPORTE
	Cantidad
	NO. ARTICULO DEVUELTO
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	FOLIO DE REPARACIÓN
	¿QUIÉN VA A REPARAR?
	DEFINICIÓN DE EQUIPO
	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	COMENTARIOS DE JEFE
	CONFIRMACIÓN ALMACÉN
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS DE QUIEN RECIBE
	ALMACÉN AL QUE ENTRA
	SOLUCION GARANTÍA
	NUM SERIE NUEVO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),ISNOTBLANK([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL ENTRADA]="GARANTÍA")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name FILTRO HISTORICO JEFE

Slice Name	FILTRO HISTORICO JEFE
------------	-----------------------

Slice Columns	_RowNumber
	Row ID
	IDVale
	FECHA
	FOLIO DE REPORTE
	DESTINO
	MOTIVO DE SOLICITUD
	TIPO DE MATERIAL
	QUIEN SOLICITA
	REGION
	TIPO DE ENVIO
	AUTORIZO
	ENTREGO
	ESTATUS
	QUIEN CANCELÓ
	COMENTARIOS
	MOTIVO DE CANCELACIÓN
	NOMBRE DE PROYECTO
	Related SALIDASs
	Advertencia folio duplicado concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
Row filter condition	=[REGION]=lookup(useremail(),"CONTACTOS","E-mail","Región")
Update mode	ADDS_AND_UPDATES
Source Table	VALE DE SALIDA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name EQUIPOS TELECOMUNICACIONES

Slice Name	EQUIPOS TELECOMUNICACIONES
Slice Columns	_RowNumber
	Row ID
	ID
	FECHA DE SURTIDO
	DESTINO
	FOLIO DE REPORTE

	Cantidad
	NO. ARTICULO DEVUELTO
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	FOLIO DE REPARACIÓN
	¿QUIÉN VA A REPARAR?
	DEFINICIÓN DE EQUIPO
	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	COMENTARIOS DE JEFE
	Generar folio de reparación en taller
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and([¿QUIÉN VA A REPARAR?]=lookup(UserEmail(),"CONTACTOS","E-mail","Numero de empleado"),[DICTAMEN ALMACEN]="TELECOMUNICACIONES")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES TELECOMUNICACIONES REG

Slice Name	PENDIENTES TELECOMUNICACIONES REG
Slice Columns	_RowNumber Row ID ID FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad

NO. ARTICULO DEVUELTO
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
NÚMERO DE SERIE DEVOLUCIÓN
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
COMENTARIOS DE JEFE
PREDEFINICION
FALLA
PDF REGRESO
QR REGRESO
TALLER HABILITADO
MOTIVO DE ENVIO A STOCK DIRECTO
=and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),ISBLANK([DEFINICIÓN DE EQUIPO]),[DICTAMEN ALMACEN]="TELECOMUNICACIONES")
ADDs_AND_UPDATES
NS SURTIR
ALWAYS
auto

Row filter condition

Update mode
Source Table
Visible?
Slice Actions

Slice Name FILTRO HISTORICO ALMACEN

Slice Name
Slice Columns
_RowNumber
Row ID
ID
IDMOVIMIENTO
IDSALIDA
ID COUPA
REGIÓN CONSUMO
QUIEN SOLICITA

	COMENTARIOS
	NOMBRE DE QUIEN ENTREGA
	DESTINO
	FOLIO DE REPORTE
	NOMBRE DE QUIEN RECIBE
	FIRMA DE QUIEN RECIBE
	PDF
	Related NS SURTIRs
	Motivo de la solicitud
	Tipo de material
	Quien autorizó
	ESTATUS
	EQUIPOS SOLICITADOS
	Advertencia
	FECHA DE SURTIDO
	RegionSolicita
	FECHA SOLICITUD
	FECHA DE REGISTRO DE CONSUMO
Row filter condition	=[RegionSolicita]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")
Update mode	ALL_CHANGES
Source Table	SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Bitácora

Slice Name	Bitácora
Slice Columns	_RowNumber ESTÁTUS Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO

NÚMERO DE SERIE
TIPO
ALMACÉN
ASIGNAR CONF
RESPONSABLE CONFIRMAR EN CENTRO
CONFIRMAR INSIGHT TAG TIENDA
Motivo_Insight1
Quien cancela
Motivo de cancelación de entrega de equipo en centro
¿APLICA ENTRADA A TALLER?
¿POR QUÉ?
NOMBRE DEL ARTÍCULO A DEVOLVER
MARCA DEVOLUCIÓN
MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Tipo de envió eq regresa
Envío eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE
ALMACÉN AL QUE ENTRA

	ESTÁTUS GRAL ENTRADA
	SOLUCION GARANTÍA
	NUM SERIE NUEVO
	Fecha de confirmación de envío a huesario
	ENVIADO A HUESARIO
	Centro
	Quien entrega
	quien_solicitó
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	MARCA NUEVO GARANTÍA
	MODELONUEVO GARANTÍA
	DESCRIPCIÓN ARTÍCULO ENTREGADO
	SOLICITANTE EN COUPA
	Generar folio de reparación en taller
	MARCA
	MODELO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=[REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE REGRESO DE EQUIPO

Slice Name	PENDIENTES DE REGRESO DE EQUIPO
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO

FOLIO DE REPORTE

Cantidad

ARTÍCULO

NÚMERO DE SERIE

TIPO

ALMACÉN

ASIGNAR CONF

RESPONSABLE CONFIRMAR EN CENTRO

CONFIRMAR INSIGHT TAG TIENDA

Motivo_Insight1

Quien cancela

Motivo de cancelación de entrega de equipo en centro

¿APLICA ENTRADA A TALLER?

¿POR QUÉ?

NOMBRE DEL ARTÍCULO A DEVOLVER

MARCA DEVOLUCIÓN

MODELO DEVOLUCIÓN

NÚMERO DE SERIE DEVOLUCIÓN

Tipo de envió eq regresa

Envio eq regresa

Folio de EM o folio de SA

Taller o centro

ESTATUS DEVOLUCIÓN

NOMBRE DE QUIEN RECIBE EQ DEVUELTO

NO. ARTICULO DEVUELTO

DICTAMEN ALMACEN

FOLIO DE REPARACIÓN

CONFIRMAR INSIGHT REPARACIÓN

Motivo_Insight2

FECHA DE GENERACIÓN DE FOLIO REP

¿QUIÉN VA A REPARAR?

DEFINICIÓN DE EQUIPO

COMENTARIOS REPARACIÓN

CONFIRMAR INSIGHT ENTRADA ALMACÉN

Motivo_Insight3

CONFIRMACIÓN JEFE

NOMBRE DE QUIÉN CONFIRMA

Motivo cancelación GTE

COMENTARIOS DE JEFE

CONFIRMACIÓN ALMACÉN

	NOMBRE DE QUIEN RECIBE
	COMENTARIOS DE QUIEN RECIBE
	ALMACÉN AL QUE ENTRA
	ESTÁTUS GRAL ENTRADA
	SOLUCION GARANTÍA
	NUM SERIE NUEVO
	Fecha de confirmación de envío a huesario
	ENVIADO A HUESARIO
	Related Tallers
	Centro
	Quien entrega
	quien_solicitó
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	MARCA NUEVO GARANTÍA
	MODELONUEVO GARANTÍA
	DESCRIPCIÓN ARTÍCULO ENTREGADO
	SOLICITANTE EN COUPA
	ESTÁTUS
	Generar folio de reparación en taller
	MARCA
	MODELO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),OR(ISBLANK([ESTATUS DEVOLUCIÓN]),[ESTATUS DEVOLUCIÓN]="EN REVISIÓN"))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name LISTADO DE EQUIPO A HUESARIO

Slice Name

LISTADO DE EQUIPO A HUESARIO

	_RowNumber Row ID ID FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad NO. ARTICULO DEVUELTO MARCA DEVOLUCIÓN CORREGIDA MODELO DEVOLUCION CORREGIDA NÚMERO DE SERIE DEVOLUCIÓN FOLIO DE REPARACIÓN ¿QUIÉN VA A REPARAR? DEFINICIÓN DE EQUIPO COMENTARIOS REPARACIÓN CONFIRMAR INSIGHT ENTRADA ALMACÉN Motivo_Insight3 CONFIRMACIÓN JEFE NOMBRE DE QUIÉN CONFIRMA COMENTARIOS DE JEFE CONFIRMACIÓN ALMACÉN NOMBRE DE QUIEN RECIBE COMENTARIOS DE QUIEN RECIBE Fecha de confirmación de envío a huesario ENVIADO A HUESARIO PREDEFINICION FALLA PDF REGRESO QR REGRESO TALLER HABILITADO MOTIVO DE ENVIO A STOCK DIRECTO =and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),OR([DICTAMEN ALMACEN]="OBSOLETO",[DICTAMEN ALMACEN]="HUESARIO DIRECTO",[DEFINICIÓN DE EQUIPO]="HUESARIO"),[CONFIRMACIÓN JEFE]="CONFIRMADO")
Slice Columns	
Row filter condition	
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PDF salida

Slice Name	PDF salida
	_RowNumber
	Row ID
	ID
	IDMOVIMIENTO
	IDSALIDA
	ID COUPA
	REGIÓN CONSUMO
	QUIEN SOLICITA
	COMENTARIOS
	NOMBRE DE QUIEN ENTREGA
	DESTINO
	FOLIO DE REPORTE
Slice Columns	NOMBRE DE QUIEN RECIBE
	FIRMA DE QUIEN RECIBE
	PDF
	Related NS SURTIRs
	Motivo de la solicitud
	Tipo de material
	Quien autorizó
	ESTATUS
	EQUIPOS SOLICITADOS
	Advertencia
	FECHA DE SURTIDO
	RegionSolicita
	FECHA SOLICITUD
	FECHA DE REGISTRO DE CONSUMO
Row filter condition	=or(LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")=[RegionSolicita],LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")=[REGIÓN CONSUMO])
Update mode	ALL_CHANGES
Source Table	SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name HUESARIO POR CONFIRMAR

Slice Name	HUESARIO POR CONFIRMAR
	_RowNumber
	Row ID
	ID
	FECHA DE SURTIDO
	DESTINO
	FOLIO DE REPORTE
	Cantidad
	NO. ARTICULO DEVUELTO
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	DICTAMEN ALMACEN
	FOLIO DE REPARACIÓN
	¿QUIÉN VA A REPARAR?
	DEFINICIÓN DE EQUIPO
Slice Columns	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	COMENTARIOS DE JEFE
	CONFIRMACIÓN ALMACÉN
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS DE QUIEN RECIBE
	Fecha de confirmación de envío a huesario
	ENVIADO A HUESARIO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UserEMAIL(),"CONTACTOS","E-mail","Región")),or([DICTAMEN ALMACEN]="OBSOLETO",[DICTAMEN ALMACEN]="HUESARIO DIRECTO"),isblank([CONFIRMACIÓN JEFE]))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS

Slice Actions

auto

Slice Name EQUIPO CANCELADO

Slice Name	EQUIPO CANCELADO
	_RowNumber
	Row ID
	ID
	FECHA DE SURTIDO
	DESTINO
	FOLIO DE REPORTE
	Cantidad
	ARTÍCULO
	MARCA
	MODELO
	NÚMERO DE SERIE
	TIPO
	ALMACÉN
	RESPONSABLE CONFIRMAR EN CENTRO
	CONFIRMAR INSIGHT TAG TIENDA
Slice Columns	Motivo_Insight1
	Quien cancela
	Motivo de cancelación de entrega de equipo en centro
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	Motivo cancelación GTE
	COMENTARIOS DE JEFE
	quien_solicitó
	SOLICITANTE EN COUPA
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")), [ESTATUS DEVOLUCIÓN]="CANCELADA",ISBLANK([CONFIRMACIÓN JEFE]))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR

Visible?

ALWAYS

Slice Actions

auto

Slice Name EQUIPO CANCELADO ALM

Slice Name	EQUIPO CANCELADO ALM
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NÚMERO DE SERIE DEVOLUCIÓN Tipo de envió eq regresa Envio eq regresa Folio de EM o folio de SA Taller o centro ESTATUS DEVOLUCIÓN NOMBRE DE QUIEN RECIBE EQ DEVUELTO NO. ARTICULO DEVUELTO DICTAMEN ALMACEN FOLIO DE REPARACIÓN

CONFIRMAR INSIGHT REPARACIÓN

Motivo_Insight2

FECHA DE GENERACIÓN DE FOLIO REP

¿QUIÉN VA A REPARAR?

DEFINICIÓN DE EQUIPO

COMENTARIOS REPARACIÓN

CONFIRMAR INSIGHT ENTRADA ALMACÉN

Motivo_Insight3

CONFIRMACIÓN JEFE

NOMBRE DE QUIÉN CONFIRMA

Motivo cancelación GTE

COMENTARIOS DE JEFE

CONFIRMACIÓN ALMACÉN

NOMBRE DE QUIEN RECIBE

COMENTARIOS DE QUIEN RECIBE

ALMACÉN AL QUE ENTRA

ESTÁTUS GRAL ENTRADA

SOLUCION GARANTÍA

NUM SERIE NUEVO

Fecha de confirmación de envío a huesario

ENVIADO A HUESARIO

Related Tallers

Centro

Quien entrega

quien_solicitó

MARCA DEVOLUCIÓN CORREGIDA

MODELO DEVOLUCION CORREGIDA

MARCA NUEVO GARANTÍA

MODELONUEVO GARANTÍA

DESCRIPCIÓN ARTÍCULO ENTREGADO

SOLICITANTE EN COUPA

ESTÁTUS

Generar folio de reparación en taller

MARCA

MODELO

PREDEFINICION

FALLA

PDF REGRESO

QR REGRESO

TALLER HABILITADO

	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")), [CONFIRMACIÓN JEFE]="CONFIRMADO",isblank([CONFIRMACIÓN ALMACÉN]),[ESTÁTUS GRAL ENTRADA]<>"ENVÍO A HUESARIO", [ESTATUS DEVOLUCIÓN]="CANCELADA")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Bitácora x Ing

Slice Name	Bitácora x Ing
Slice Columns	_RowNumber ESTÁTUS Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NÚMERO DE SERIE DEVOLUCIÓN

Tipo de envió eq regresa
Envio eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE
ALMACÉN AL QUE ENTRA
ESTÁTUS GRAL ENTRADA
SOLUCION GARANTÍA
NUM SERIE NUEVO
Fecha de confirmación de envío a huesario
ENVIADO A HUESARIO
Related Tallers
Centro
Quien entrega
quien_solicitó
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
MARCA NUEVO GARANTÍA
MODELONUEVO GARANTÍA
DESCRIPCIÓN ARTÍCULO ENTREGADO
SOLICITANTE EN COUPA

Generar folio de reparación en taller

MARCA

MODELO

PREDEFINICION

FALLA

PDF REGRESO

QR REGRESO

TALLER HABILITADO

MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition

=or([quien_solicitó]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre"),and(isblank([IDSURTIR]),[RESPONSABLE CONFIRMAR EN CENTRO]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Numero de empleado")),lookup(UsereMAIL(),"CONTACTOS","E-mail","Numero de empleado")=lookup([_THISROW].[IDSURTIR],"SURTIR","IDMOVIMIENTO","QUIEN SOLICITA"))

Update mode

ADDS_AND_UPDATES

Source Table

NS SURTIR

Visible?

ALWAYS

Slice Actions

****auto****

Slice Name CANCELAR EQUIPO SURTIDO

Slice Name

CANCELAR EQUIPO SURTIDO

Slice Columns

_RowNumber
Row ID
ID
FECHA DE SURTIDO
DESTINO
FOLIO DE REPORTE
Cantidad
ARTÍCULO
MARCA
MODELO
NÚMERO DE SERIE
TIPO
ALMACÉN
Quien cancela
Motivo de cancelación de entrega de equipo en centro
Quien entrega

	quien_solicitó
	SOLICITANTE EN COUPA
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=AND(isblank([ESTATUS DEVOLUCIÓN]),(NOW()-[FECHA DE SURTIDO])<="120:00:00", [REGIÓN]=lookup(UserEMAIL(),"CONTACTOS","E-mail","Región"))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Pendientes de surtido

Slice Name	Pendientes de surtido
Slice Columns	_RowNumber Row ID IDVale FECHA FOLIO DE REPORTE DESTINO MOTIVO DE SOLICITUD TIPO DE MATERIAL QUIEN SOLICITA REGION TIPO DE ENVIO AUTORIZO ENTREGO ESTATUS QUIEN CANCELÓ COMENTARIOS MOTIVO DE CANCELACIÓN NOMBRE DE PROYECTO Related SALIDASs Advertencia folio duplicado

	concatenado
	Prueba cambio de estatus
	Advertencia
	Related SURTIRs
Row filter condition	=and((([REGION]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")), [ESTATUS]="PENDIENTE DE SURTIDO")
Update mode	ADDS_AND_UPDATES
Source Table	VALE DE SALIDA
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE ENVÍO

Slice Name	PENDIENTES DE ENVÍO
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NÚMERO DE SERIE DEVOLUCIÓN

Tipo de envió eq regresa
Envio eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE
ALMACÉN AL QUE ENTRA
ESTÁTUS GRAL ENTRADA
SOLUCION GARANTÍA
NUM SERIE NUEVO
Fecha de confirmación de envío a huesario
ENVIADO A HUESARIO
Related Tallers
Centro
Quien entrega
quien_solicitó
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
MARCA NUEVO GARANTÍA
MODELONUEVO GARANTÍA
DESCRIPCIÓN ARTÍCULO ENTREGADO
SOLICITANTE EN COUPA

	ESTÁTUS
	Generar folio de reparación en taller
	MARCA
	MODELO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(OR(([quien_solicitó]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre")),([RESPONSABLE CONFIRMAR EN CENTRO]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Numero de empleado"))),[Tipo de envió eq regresa]="DISTRIBUCIÓN",ISBLANK([Envio eq regresa]))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE ENVÍO POR DISTRIBUCIÓN

Slice Name	PENDIENTES DE ENVÍO POR DISTRIBUCIÓN
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA

Motivo_Insight1

Quien cancela

Motivo de cancelación de entrega de equipo en centro

¿APLICA ENTRADA A TALLER?

¿POR QUÉ?

NOMBRE DEL ARTÍCULO A DEVOLVER

MARCA DEVOLUCIÓN

MODELO DEVOLUCIÓN

NÚMERO DE SERIE DEVOLUCIÓN

Tipo de envío eq regresa

Envío eq regresa

Folio de EM o folio de SA

Taller o centro

ESTATUS DEVOLUCIÓN

NOMBRE DE QUIEN RECIBE EQ DEVUELTO

NO. ARTICULO DEVUELTO

DICTAMEN ALMACEN

FOLIO DE REPARACIÓN

CONFIRMAR INSIGHT REPARACIÓN

Motivo_Insight2

FECHA DE GENERACIÓN DE FOLIO REP

¿QUIÉN VA A REPARAR?

DEFINICIÓN DE EQUIPO

COMENTARIOS REPARACIÓN

CONFIRMAR INSIGHT ENTRADA ALMACÉN

Motivo_Insight3

CONFIRMACIÓN JEFE

NOMBRE DE QUIÉN CONFIRMA

Motivo cancelación GTE

COMENTARIOS DE JEFE

CONFIRMACIÓN ALMACÉN

NOMBRE DE QUIEN RECIBE

COMENTARIOS DE QUIEN RECIBE

ALMACÉN AL QUE ENTRA

ESTÁTUS GRAL ENTRADA

SOLUCION GARANTÍA

NUM SERIE NUEVO

Fecha de confirmación de envío a huesario

ENVIADO A HUESARIO

Related Tallers

	Centro
	Quien entrega
	quien_solicitó
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	MARCA NUEVO GARANTÍA
	MODELONUEVO GARANTÍA
	DESCRIPCIÓN ARTÍCULO ENTREGADO
	SOLICITANTE EN COUPA
	ESTÁTUS
	Generar folio de reparación en taller
	MARCA
	MODELO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(OR(([quien_solicitó]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre")),([RESPONSABLE CONFIRMAR EN CENTRO]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Numero de empleado"))),[ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR", [Tipo de envió eq regresa]="Distribución",[Envío eq regresa] <>"CONFIRMADO")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name FOLIO DE TALLER HABILITADO

Slice Name	FOLIO DE TALLER HABILITADO
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO

DESTINO
FOLIO DE REPORTE
Cantidad
ARTÍCULO
NÚMERO DE SERIE
TIPO
ALMACÉN
ASIGNAR CONF
RESPONSABLE CONFIRMAR EN CENTRO
CONFIRMAR INSIGHT TAG TIENDA
Motivo_Insight1
Quien cancela
Motivo de cancelación de entrega de equipo en centro
¿APLICA ENTRADA A TALLER?
¿POR QUÉ?
NOMBRE DEL ARTÍCULO A DEVOLVER
MARCA DEVOLUCIÓN
MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Tipo de envió eq regresa
Envío eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE

	CONFIRMACIÓN ALMACÉN
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS DE QUIEN RECIBE
	ALMACÉN AL QUE ENTRA
	ESTÁTUS GRAL ENTRADA
	SOLUCION GARANTÍA
	NUM SERIE NUEVO
	Fecha de confirmación de envío a huesario
	ENVIADO A HUESARIO
	Related Tallers
	Centro
	Quien entrega
	quien_solicitó
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	MARCA NUEVO GARANTÍA
	MODELONUEVO GARANTÍA
	DESCRIPCIÓN ARTÍCULO ENTREGADO
	SOLICITANTE EN COUPA
	ESTÁTUS
	Generar folio de reparación en taller
	MARCA
	MODELO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")), [Taller o centro]="Taller habilitado",isblank([FOLIO DE REPARACIÓN]))
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONFIRMAR ENTRADA A TALLER HABILITADO

Slice Name

CONFIRMAR ENTRADA A TALLER HABILITADO

	_RowNumber Row ID ID Fecha Región Envía Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie Estatus entrada en taller DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN CONFIRMACIÓN DEFINICIÓN QUIEN CONFIRMA COMENTARIOS CONFIRMACIÓN FOLIO DE ENVÍO POR EM O SA MOTIVO DE REVISIÓN INSIGHT EQ INGRESA A TALLER ALMACÉN AL QUE ENTRA RESPONSABLE DE LA DEVOLUCIÓN EVIDENCIA FOTOGRÁFICA ESTÁTUS GENERAL SOLUCIÓN GARANTÍA NO. SERIE EQUIPO NUEVO CENTRO DE RETIRO FECHA DE REPARACIÓN FECHA DE CONFIRMACIÓN EN ALMACÉN FECHA DE REGISTRO EN TALLER FECHA DE ASIGNACIÓN
Slice Columns	
Row filter condition	=AND([Taller]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"), [Estatus entrada en taller]="EN TRANSITO")
Update mode	ADDS_AND_UPDATES
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name ASIGNAR REPARACIÓN EN TALLER

Slice Name	ASIGNAR REPARACIÓN EN TALLER
Slice Columns	_RowNumber Row ID ID QUIEN VA A REPARAR ID NS Surtir ID Vale Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie Estatus entrada en taller DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT MOTIVO INSIGHT CONFIRMACIÓN DEFINICIÓN QUIEN CONFIRMA COMENTARIOS CONFIRMACIÓN CONFIRMACIÓN ENTRADA NOMBRE DE QUIEN RECIBE COMENTARIOS RECEPCIÓN NO. ARTICULO FOLIO DE ENVÍO POR EM O SA MOTIVO DE REVISIÓN INSIGHT EQ INGRESA A TALLER ALMACÉN AL QUE ENTRA RESPONSABLE DE LA DEVOLUCIÓN EVIDENCIA FOTOGRÁFICA ESTÁTUS GENERAL SOLUCIÓN GARANTÍA NO. SERIE EQUIPO NUEVO

	CENTRO DE RETIRO
	FECHA DE REPARACIÓN
	FECHA DE CONFIRMACIÓN EN ALMACÉN
	FECHA DE REGISTRO EN TALLER
	FECHA DE ASIGNACIÓN
Row filter condition	=AND([Taller]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"), [Estatus entrada en taller]="CONFIRMADO",ISBLANK([DEFINICIÓN DE EQUIPO]),ISBLANK([CONFIRMACIÓN DEFINICIÓN]))
Update mode	ADDS_AND_UPDATES
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONFIRMAR DEFINICIÓN DE EQUIPO EN TALLER

Slice Name	CONFIRMAR DEFINICIÓN DE EQUIPO EN TALLER
Slice Columns	_RowNumber Row ID ID ID NS Surtir ID Vale Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie Estatus entrada en taller QUIEN VA A REPARAR DEFINICIÓN DE EQUIPO FECHA DE REPARACIÓN COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT MOTIVO INSIGHT CONFIRMACIÓN DEFINICIÓN

	QUIEN CONFIRMA
	COMENTARIOS CONFIRMACIÓN
	CONFIRMACIÓN ENTRADA
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS RECEPCIÓN
	NO. ARTICULO
	FOLIO DE ENVÍO POR EM O SA
	MOTIVO DE REVISIÓN
	INSIGHT EQ INGRESA A TALLER
	ALMACÉN AL QUE ENTRA
	RESPONSABLE DE LA DEVOLUCIÓN
	EVIDENCIA FOTOGRÁFICA
	ESTÁTUS GENERAL
	SOLUCIÓN GARANTÍA
	NO. SERIE EQUIPO NUEVO
	CENTRO DE RETIRO
	FECHA DE CONFIRMACIÓN EN ALMACÉN
	FECHA DE REGISTRO EN TALLER
	FECHA DE ASIGNACIÓN
Row filter condition	=AND([Taller]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"),ISBLANK([CONFIRMACIÓN DEFINICIÓN]),ISNOTBLANK([QUIEN VA A REPARAR]),OR([DEFINICIÓN DE EQUIPO]="REPARADO",[DEFINICIÓN DE EQUIPO]="HUESARIO",and([DEFINICIÓN DE EQUIPO]="GARANTÍA";ISNOTBLANK([SOLUCIÓN GARANTÍA]))))
Update mode	ADDS_AND_UPDATES
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Equipos a reparar en taller

Slice Name	Equipos a reparar en taller
Slice Columns	_RowNumber Row ID ID ID NS Surtir ID Vale Fecha

	Región Envía
	Taller
	Folio de reparación
	Folio de atención del equipo
	Cantidad
	Artículo
	Marca
	Modelo
	No. Serie
	Estatus entrada en taller
	QUIEN VA A REPARAR
	DEFINICIÓN DE EQUIPO
	COMENTARIOS DE REPARACIÓN
	ACTUALIZACIÓN EN INSIGHT
	MOTIVO INSIGHT
	CONFIRMACIÓN DEFINICIÓN
	QUIEN CONFIRMA
	COMENTARIOS CONFIRMACIÓN
	CONFIRMACIÓN ENTRADA
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS RECEPCIÓN
	NO. ARTICULO
	FOLIO DE ENVÍO POR EM O SA
	MOTIVO DE REVISIÓN
	INSIGHT EQ INGRESA A TALLER
	ALMACÉN AL QUE ENTRA
	RESPONSABLE DE LA DEVOLUCIÓN
	EVIDENCIA FOTOGRÁFICA
	ESTÁTUS GENERAL
	SOLUCIÓN GARANTÍA
	NO. SERIE EQUIPO NUEVO
	CENTRO DE RETIRO
	FECHA DE REPARACIÓN
	FECHA DE CONFIRMACIÓN EN ALMACÉN
	FECHA DE REGISTRO EN TALLER
	FECHA DE ASIGNACIÓN
	=and([QUIEN VA A
Row filter condition	REPARAR]=LOOKUP(USEREMAIL()),"CONTACTOS","E-mail","Numero de empleado"),isblank([DEFINICIÓN DE EQUIPO]))
Update mode	ADDS_AND_UPDATES

Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Bitácora de taller habilitado

Slice Name	Bitácora de taller habilitado
Slice Columns	_RowNumber Row ID ID ID NS Surtir ID Vale Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie Estatus entrada en taller QUIEN VA A REPARAR DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT MOTIVO INSIGHT CONFIRMACIÓN DEFINICIÓN QUIEN CONFIRMA COMENTARIOS CONFIRMACIÓN CONFIRMACIÓN ENTRADA NOMBRE DE QUIEN RECIBE COMENTARIOS RECEPCIÓN NO. ARTICULO FOLIO DE ENVÍO POR EM O SA MOTIVO DE REVISIÓN INSIGHT EQ INGRESA A TALLER ALMACÉN AL QUE ENTRA RESPONSABLE DE LA DEVOLUCIÓN

EVIDENCIA FOTOGRÁFICA
ESTÁTUS GENERAL
SOLUCIÓN GARANTÍA
NO. SERIE EQUIPO NUEVO
CENTRO DE RETIRO
FECHA DE REPARACIÓN
FECHA DE CONFIRMACIÓN EN ALMACÉN
FECHA DE REGISTRO EN TALLER
FECHA DE ASIGNACIÓN

Row filter condition	=[Taller]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")
Update mode	READ_ONLY
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO

Slice Name	CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO
Slice Columns	_RowNumber Row ID ID ID NS Surtir ID Vale Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie Estatus entrada en taller QUIEN VA A REPARAR DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT

	MOTIVO INSIGHT
	CONFIRMACIÓN DEFINICIÓN
	QUIEN CONFIRMA
	COMENTARIOS CONFIRMACIÓN
	CONFIRMACIÓN ENTRADA
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS RECEPCIÓN
	NO. ARTICULO
	FOLIO DE ENVÍO POR EM O SA
	MOTIVO DE REVISIÓN
	INSIGHT EQ INGRESA A TALLER
	ALMACÉN AL QUE ENTRA
	RESPONSABLE DE LA DEVOLUCIÓN
	EVIDENCIA FOTOGRÁFICA
	ESTÁTUS GENERAL
	SOLUCIÓN GARANTÍA
	NO. SERIE EQUIPO NUEVO
	CENTRO DE RETIRO
	FECHA DE REPARACIÓN
	FECHA DE CONFIRMACIÓN EN ALMACÉN
	FECHA DE REGISTRO EN TALLER
	FECHA DE ASIGNACIÓN
Row filter condition	=AND([Taller]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"),or([DEFINICIÓN DE EQUIPO]="REPARADO",[DEFINICIÓN DE EQUIPO]="HUESARIO",AND([DEFINICIÓN DE EQUIPO]="GARANTÍA",ISNOTBLANK([SOLUCIÓN GARANTÍA])),ISNOTBLANK([CONFIRMACIÓN DEFINICIÓN]),isblank([CONFIRMACIÓN ENTRADA])))
Update mode	ADDS_AND_UPDATES
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name EQUIPOS EN TRÁNSITO A TALLER HABILITADO

Slice Name	EQUIPOS EN TRÁNSITO A TALLER HABILITADO
Slice Columns	_RowNumber Row ID ID

	Fecha
	Región Envía
	Taller
	Folio de reparación
	Folio de atención del equipo
	Cantidad
	Artículo
	Marca
	Modelo
	No. Serie
	FOLIO DE ENVÍO POR EM O SA
	Estatus entrada en taller
	MOTIVO DE REVISIÓN
	NO. ARTICULO
	QUIEN VA A REPARAR
	DEFINICIÓN DE EQUIPO
	COMENTARIOS DE REPARACIÓN
	ACTUALIZACIÓN EN INSIGHT
	MOTIVO INSIGHT
	CONFIRMACIÓN DEFINICIÓN
	QUIEN CONFIRMA
	COMENTARIOS CONFIRMACIÓN
	CONFIRMACIÓN ENTRADA
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS RECEPCIÓN
	INSIGHT EQ INGRESA A TALLER
	RESPONSABLE DE LA DEVOLUCIÓN
	ESTÁTUS GENERAL
	SOLUCIÓN GARANTÍA
	NO. SERIE EQUIPO NUEVO
	CENTRO DE RETIRO
	FECHA DE REPARACIÓN
	FECHA DE CONFIRMACIÓN EN ALMACÉN
	FECHA DE REGISTRO EN TALLER
	FECHA DE ASIGNACIÓN
Row filter condition	=and([Región Envía]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"),or([Estatus entrada en taller]="EN TRANSITO",[Estatus entrada en taller]="EN REVISIÓN"))
Update mode	ADDS_AND_UPDATES
Source Table	Taller

Visible?

ALWAYS

Slice Actions

auto

Slice Name Bitácora taller habilitado

Slice Name	Bitácora taller habilitado
Slice Columns	_RowNumber Row ID ID Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie FOLIO DE ENVÍO POR EM O SA INSIGHT EQ INGRESA A TALLER Estatus entrada en taller MOTIVO DE REVISIÓN NO. ARTICULO QUIEN VA A REPARAR DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT MOTIVO INSIGHT CONFIRMACIÓN DEFINICIÓN QUIEN CONFIRMA COMENTARIOS CONFIRMACIÓN CONFIRMACIÓN ENTRADA NOMBRE DE QUIEN RECIBE COMENTARIOS RECEPCIÓN ALMACÉN AL QUE ENTRA RESPONSABLE DE LA DEVOLUCIÓN EVIDENCIA FOTOGRÁFICA ESTÁTUS GENERAL SOLUCIÓN GARANTÍA

NO. SERIE EQUIPO NUEVO
CENTRO DE RETIRO
FECHA DE REPARACIÓN
FECHA DE CONFIRMACIÓN EN ALMACÉN
FECHA DE REGISTRO EN TALLER
FECHA DE ASIGNACIÓN

Row filter condition	=[Taller]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")
Update mode	READ_ONLY
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name BITÁCORA REGIÓN EMISORA

Slice Name	BITÁCORA REGIÓN EMISORA
Slice Columns	_RowNumber ESTÁTUS Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN

MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Tipo de envió eq regresa
Envio eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE
ALMACÉN AL QUE ENTRA
ESTÁTUS GRAL ENTRADA
SOLUCION GARANTÍA
NUM SERIE NUEVO
Fecha de confirmación de envío a huesario
ENVIADO A HUESARIO
Related Tallers
Centro
Quien entrega
quien_solicitó
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
MARCA NUEVO GARANTÍA
MODELONUEVO GARANTÍA

DESCRIPCIÓN ARTÍCULO ENTREGADO
SOLICITANTE EN COUPA
Generar folio de reparación en taller
MARCA
MODELO
PREDEFINICION
FALLA
PDF REGRESO
QR REGRESO
TALLER HABILITADO
MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition

=or(AND(or([REGIÓN]="QRTO",[REGIÓN]="CTLZ",[REGIÓN]="TCMC",
[REGIÓN]="PCHC",[REGIÓN]="AZCP",
[REGIÓN]="TLNP"),LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Región")=CTLZ), AND(or([REGIÓN]="HLLO",[REGIÓN]="MZTN",
[REGIÓN]="CLCN",[REGIÓN]="LMCH",[REGIÓN]="LPAZ",
[REGIÓN]="MXLI",
[REGIÓN]="TJNA"),LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Región")=CLCN), AND(or([REGIÓN]="MORL",[REGIÓN]="TOLC",
[REGIÓN]="LSCR"),LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Región")=TOLC), AND(or([REGIÓN]="PBLA I",[REGIÓN]="OAXC",
[REGIÓN]="CRDB",[REGIÓN]="PBLA
II"),LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")=PBLA II),
AND(or([REGIÓN]="VLLH",[REGIÓN]="CTZC",[REGIÓN]="TXGT",
[REGIÓN]="MRDA",
[REGIÓN]="CNCN"),LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Región")=VLLH), AND(or([REGIÓN]="IXTP",[REGIÓN]="IGLA",
[REGIÓN]="ACPO",[REGIÓN]="CHPG",[REGIÓN]="IZTP",
[REGIÓN]="AZCP"),LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Región")=IXTP), AND(or([REGIÓN]="TXCC",[REGIÓN]="XLPA",
[REGIÓN]="PZRC"),LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Región")=TXCC)))

Update mode
Source Table
Visible?
Slice Actions

ADDS_AND_UPDATES
NS SURTIR
ALWAYS
auto

Slice Name CONFIRMAR NA DEVOLUCIÓN JEFE

Slice Name	CONFIRMAR NA DEVOLUCIÓN JEFE
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NÚMERO DE SERIE DEVOLUCIÓN Tipo de envió eq regresa Envio eq regresa Folio de EM o folio de SA Taller o centro ESTATUS DEVOLUCIÓN NOMBRE DE QUIEN RECIBE EQ DEVUELTO NO. ARTICULO DEVUELTO DICTAMEN ALMACEN FOLIO DE REPARACIÓN CONFIRMAR INSIGHT REPARACIÓN Motivo_Insight2 FECHA DE GENERACIÓN DE FOLIO REP ¿QUIÉN VA A REPARAR? DEFINICIÓN DE EQUIPO

	COMENTARIOS REPARACIÓN
	CONFIRMAR INSIGHT ENTRADA ALMACÉN
	Motivo_Insight3
	CONFIRMACIÓN JEFE
	NOMBRE DE QUIÉN CONFIRMA
	Motivo cancelación GTE
	COMENTARIOS DE JEFE
	CONFIRMACIÓN ALMACÉN
	NOMBRE DE QUIEN RECIBE
	COMENTARIOS DE QUIEN RECIBE
	ALMACÉN AL QUE ENTRA
	ESTÁTUS GRAL ENTRADA
	SOLUCION GARANTÍA
	NUM SERIE NUEVO
	Fecha de confirmación de envío a huesario
	ENVIADO A HUESARIO
	Related Tallers
	Centro
	Quien entrega
	quien_solicitó
	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	MARCA NUEVO GARANTÍA
	MODELONUEVO GARANTÍA
	DESCRIPCIÓN ARTÍCULO ENTREGADO
	SOLICITANTE EN COUPA
	ESTÁTUS
	Generar folio de reparación en taller
	MARCA
	MODELO
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and((([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),[ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR",[Taller o centro]<>"Taller habilitado",[¿APLICA ENTRADA A TALLER?]="NO")
Update mode	ADDS_AND_UPDATES

Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE GARANTÍA DE TALLER

Slice Name	PENDIENTES DE GARANTÍA DE TALLER
Slice Columns	_RowNumber Row ID ID ID NS Surtir ID Vale Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie FOLIO DE ENVÍO POR EM O SA RESPONSABLE DE LA DEVOLUCIÓN INSIGHT EQ INGRESA A TALLER Estatus entrada en taller MOTIVO DE REVISIÓN EVIDENCIA FOTOGRÁFICA NO. ARTICULO QUIEN VA A REPARAR DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT MOTIVO INSIGHT CONFIRMACIÓN DEFINICIÓN QUIEN CONFIRMA COMENTARIOS CONFIRMACIÓN CONFIRMACIÓN ENTRADA NOMBRE DE QUIEN RECIBE COMENTARIOS RECEPCIÓN

	ALMACÉN AL QUE ENTRA
	ESTÁTUS GENERAL
	SOLUCIÓN GARANTÍA
	NO. SERIE EQUIPO NUEVO
	CENTRO DE RETIRO
	FECHA DE REPARACIÓN
	FECHA DE CONFIRMACIÓN EN ALMACÉN
	FECHA DE REGISTRO EN TALLER
	FECHA DE ASIGNACIÓN
Row filter condition	=AND([Taller]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región"), [DEFINICIÓN DE EQUIPO]="GARANTÍA",isblank([SOLUCIÓN GARANTÍA]))
Update mode	ADDS_AND_UPDATES
Source Table	Taller
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONSUMO

Slice Name	CONSUMO
Slice Columns	_RowNumber Row ID ID IDMOVIMIENTO IDSALIDA ID COUPA REGIÓN CONSUMO QUIEN SOLICITA COMENTARIOS NOMBRE DE QUIEN ENTREGA DESTINO FOLIO DE REPORTE Related NS SURTIRs NOMBRE DE QUIEN RECIBE FIRMA DE QUIEN RECIBE PDF Motivo de la solicitud Tipo de material Quien autorizó

	ESTATUS
	EQUIPOS SOLICITADOS
	Advertencia
	FECHA DE SURTIDO
	RegionSolicita
	FECHA SOLICITUD
	FECHA DE REGISTRO DE CONSUMO
Row filter condition	=AND(LOOKUP(USEREMAIL()),"CONTACTOS","E-mail","Región")=[REGIÓN CONSUMO],ISNOTBLANK([ID COUPA]))
Update mode	ALL_CHANGES
Source Table	SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name STOCK PARA CENTRO ESTRATÉGICO

Slice Name	STOCK PARA CENTRO ESTRATÉGICO
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER

MARCA DEVOLUCIÓN
MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Tipo de envió eq regresa
Envio eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE
ALMACÉN AL QUE ENTRA
ESTÁTUS GRAL ENTRADA
SOLUCION GARANTÍA
NUM SERIE NUEVO
Fecha de confirmación de envío a huesario
ENVIADO A HUESARIO
Related Tallers
Centro
Quien entrega
quien_solicitó
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
MARCA NUEVO GARANTÍA

MODELONUEVO GARANTÍA
DESCRIPCIÓN ARTÍCULO ENTREGADO
SOLICITANTE EN COUPA
ESTÁTUS
Generar folio de reparación en taller
MARCA
MODELO
PREDEFINICION
FALLA
PDF REGRESO
QR REGRESO
TALLER HABILITADO
MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition

=and(OR([quien_solicitó]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre")),([RESPONSABLE CONFIRMAR EN CENTRO]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Numero de empleado")),LOOKUP([IDSURTIR],"SURTIR","ID COUPA","QUIEN SOLICITA")=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Numero de empleado")),isblank([ESTATUS DEVOLUCIÓN]),LOOKUP([IDSURTIR],"VALE DE SALIDA","IDVale","MOTIVO DE SOLICITUD")="STOCK PARA CENTRO ESTRATÉGICO")

Update mode

ADDS_AND_UPDATES

Source Table

NS SURTIR

Visible?

ALWAYS

Slice Actions

auto

Slice Name Registrar devolución

Slice Name

Registrar devolución

Slice Columns

_RowNumber
Row ID
ID
IDSURTIR
REGIÓN
FECHA DE SURTIDO
DESTINO
FOLIO DE REPORTE
Cantidad

ARTÍCULO
NÚMERO DE SERIE
TIPO
ALMACÉN
ASIGNAR CONF
RESPONSABLE CONFIRMAR EN CENTRO
CONFIRMAR INSIGHT TAG TIENDA
Motivo_Insight1
Quien cancela
Motivo de cancelación de entrega de equipo en centro
¿APLICA ENTRADA A TALLER?
¿POR QUÉ?
NOMBRE DEL ARTÍCULO A DEVOLVER
MARCA DEVOLUCIÓN
MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Tipo de envió eq regresa
Envio eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE

ALMACÉN AL QUE ENTRA	
ESTÁTUS GRAL ENTRADA	
SOLUCION GARANTÍA	
NUM SERIE NUEVO	
Fecha de confirmación de envío a huesario	
ENVIADO A HUESARIO	
Related Tallers	
Centro	
Quien entrega	
quien_solicitó	
MARCA DEVOLUCIÓN CORREGIDA	
MODELO DEVOLUCION CORREGIDA	
MARCA NUEVO GARANTÍA	
MODELONUEVO GARANTÍA	
DESCRIPCIÓN ARTÍCULO ENTREGADO	
SOLICITANTE EN COUPA	
ESTÁTUS	
Generar folio de reparación en taller	
MARCA	
MODELO	
PREDEFINICION	
FALLA	
PDF REGRESO	
QR REGRESO	
TALLER HABILITADO	
MOTIVO DE ENVIO A STOCK DIRECTO	
Row filter condition	=[REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")
Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Bitácora Zona

Slice Name	Bitácora Zona
Slice Columns	_RowNumber Row ID ID ESTÁTUS

REGIÓN
SOLICITANTE EN COUPA
quien_solicitó
FECHA DE SURTIDO
DESTINO
FOLIO DE REPORTE
Cantidad
ARTÍCULO
MARCA
MODELO
NÚMERO DE SERIE
TIPO
ALMACÉN
RESPONSABLE CONFIRMAR EN CENTRO
Quien cancela
Motivo de cancelación de entrega de equipo en centro
¿APLICA ENTRADA A TALLER?
¿POR QUÉ?
NOMBRE DEL ARTÍCULO A DEVOLVER
MARCA DEVOLUCIÓN
MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE

COMENTARIOS DE JEFE
 CONFIRMACIÓN ALMACÉN
 NOMBRE DE QUIEN RECIBE
 COMENTARIOS DE QUIEN RECIBE
 ALMACÉN AL QUE ENTRA
 SOLUCION GARANTÍA
 NUM SERIE NUEVO
 ENVIADO A HUESARIO
 PREDEFINICION
 FALLA
 PDF REGRESO
 QR REGRESO
 TALLER HABILITADO
 MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition =or(AND(or([REGIÓN]="OAXC",[REGIÓN]="CRDB",[REGIÓN]="PBLA I",
 [REGIÓN]="PBLA II",[REGIÓN]="PZRC",[REGIÓN]="SCRZ",
 [REGIÓN]="TXCC",[REGIÓN]="TXTP",[REGIÓN]="VRCZ",
 [REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",useremai
 l()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP",
 [REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS",
 [REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC",
 [REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"),
 AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA",
 [REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA",
 [REGIÓN]="TXGT",[REGIÓN]="CTZC",
 [REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US
 EREMAIL()="jose.osorio@coppel.com",useremail()="carent.aguillar@c
 oppel.com")), AND(or([REGIÓN]="CLCN",[REGIÓN]="HLLO",
 [REGIÓN]="LMCH",[REGIÓN]="LPAZ",[REGIÓN]="MXLI",
 [REGIÓN]="TJNA",
 [REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"),
 AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP",
 [REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY",
 [REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"),
 AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ",
 [REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP",
 [REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"),
 AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp
 el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e

ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREMAIL()="oficina.mcsit@coppel.com"))))

Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE DEFINIR

Slice Name PENDIENTES DE DEFINIR

_RowNumber
ESTÁTUS
Row ID
ID
REGIÓN
DESTINO
FOLIO DE REPORTE
Cantidad
NO. ARTICULO DEVUELTO
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
NÚMERO DE SERIE DEVOLUCIÓN
FOLIO DE REPARACIÓN
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
PREDEFINICION
FALLA
PDF REGRESO
QR REGRESO
TALLER HABILITADO
MOTIVO DE ENVIO A STOCK DIRECTO

Slice Columns

Row filter condition

=and([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región"),ISNOTBLANK([¿QUIÉN VA A REPARAR?]),ISBLANK([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL ENTRADA]<>"GARANTÍA",[DICTAMEN ALMACEN]="REPARACIÓN")

Update mode ADDS_AND_UPDATES

Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE REGRESO DE EQUIPO ZONA

Slice Name	PENDIENTES DE REGRESO DE EQUIPO ZONA
Slice Columns	_RowNumber Row ID ID IDSURTIR REGIÓN FECHA DE SURTIDO DESTINO FOLIO DE REPORTE Cantidad ARTÍCULO NÚMERO DE SERIE TIPO ALMACÉN ASIGNAR CONF RESPONSABLE CONFIRMAR EN CENTRO CONFIRMAR INSIGHT TAG TIENDA Motivo_Insight1 Quien cancela Motivo de cancelación de entrega de equipo en centro ¿APLICA ENTRADA A TALLER? ¿POR QUÉ? NOMBRE DEL ARTÍCULO A DEVOLVER MARCA DEVOLUCIÓN MODELO DEVOLUCIÓN NÚMERO DE SERIE DEVOLUCIÓN Tipo de envió eq regresa Envio eq regresa Folio de EM o folio de SA Taller o centro ESTATUS DEVOLUCIÓN NOMBRE DE QUIEN RECIBE EQ DEVUELTO NO. ARTICULO DEVUELTO DICTAMEN ALMACEN

FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN
CONFIRMAR INSIGHT ENTRADA ALMACÉN
Motivo_Insight3
CONFIRMACIÓN JEFE
NOMBRE DE QUIÉN CONFIRMA
Motivo cancelación GTE
COMENTARIOS DE JEFE
CONFIRMACIÓN ALMACÉN
NOMBRE DE QUIEN RECIBE
COMENTARIOS DE QUIEN RECIBE
ALMACÉN AL QUE ENTRA
ESTÁTUS GRAL ENTRADA
SOLUCION GARANTÍA
NUM SERIE NUEVO
Fecha de confirmación de envío a huesario
ENVIADO A HUESARIO
Related Tallers
Centro
Quien entrega
quien_solicitó
MARCA DEVOLUCIÓN CORREGIDA
MODELO DEVOLUCION CORREGIDA
MARCA NUEVO GARANTÍA
MODELONUEVO GARANTÍA
DESCRIPCIÓN ARTÍCULO ENTREGADO
SOLICITANTE EN COUPA
ESTÁTUS
Generar folio de reparación en taller
MARCA
MODELO
PREDEFINICION
FALLA
PDF REGRESO
QR REGRESO

TALLER HABILITADO

MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition	=and(or(AND(or([REGIÓN]="OAXC",[REGIÓN]="CRDB", [REGIÓN]="PBLA I",[REGIÓN]="PBLA II",[REGIÓN]="PZRC", [REGIÓN]="SCRZ",[REGIÓN]="TXCC",[REGIÓN]="TXTP", [REGIÓN]="VRCZ", [REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",useremai l()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP", [REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS", [REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC", [REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"), AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA", [REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA", [REGIÓN]="TXGT",[REGIÓN]="CTZC", [REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US EREMAIL()="jose.osorio@coppel.com",useremail()="carent.aguillar@c oppel.com")), AND(or([REGIÓN]="CLCN",[REGIÓN]="HLLO", [REGIÓN]="LMCH",[REGIÓN]="LPAZ",[REGIÓN]="MXLI", [REGIÓN]="TJNA", [REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"), AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP", [REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY", [REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"), AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ", [REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP", [REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"), AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREM AIL()="oficina.mcsit@coppel.com"))) ,OR(ISBLANK([ESTATUS DEVOLUCIÓN]),[ESTATUS DEVOLUCIÓN]="EN REVISIÓN"))
Update mode	READ_ONLY
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name CONFIRMAR ENTRADA A TALLER ZONA

Slice Name	CONFIRMAR ENTRADA A TALLER ZONA
------------	---------------------------------

Slice Columns

_RowNumber
Row ID
ID
IDSURTIR
REGIÓN
FECHA DE SURTIDO
DESTINO
FOLIO DE REPORTE
Cantidad
ARTÍCULO
NÚMERO DE SERIE
TIPO
ALMACÉN
ASIGNAR CONF
RESPONSABLE CONFIRMAR EN CENTRO
CONFIRMAR INSIGHT TAG TIENDA
Motivo_Insight1
Quien cancela
Motivo de cancelación de entrega de equipo en centro
¿APLICA ENTRADA A TALLER?
¿POR QUÉ?
NOMBRE DEL ARTÍCULO A DEVOLVER
MARCA DEVOLUCIÓN
MODELO DEVOLUCIÓN
NÚMERO DE SERIE DEVOLUCIÓN
Tipo de envió eq regresa
Envio eq regresa
Folio de EM o folio de SA
Taller o centro
ESTATUS DEVOLUCIÓN
NOMBRE DE QUIEN RECIBE EQ DEVUELTO
NO. ARTICULO DEVUELTO
DICTAMEN ALMACEN
FOLIO DE REPARACIÓN
CONFIRMAR INSIGHT REPARACIÓN
Motivo_Insight2
FECHA DE GENERACIÓN DE FOLIO REP
¿QUIÉN VA A REPARAR?
DEFINICIÓN DE EQUIPO
COMENTARIOS REPARACIÓN

CONFIRMAR INSIGHT ENTRADA ALMACÉN	
Motivo_Insight3	
CONFIRMACIÓN JEFE	
NOMBRE DE QUIÉN CONFIRMA	
Motivo cancelación GTE	
COMENTARIOS DE JEFE	
CONFIRMACIÓN ALMACÉN	
NOMBRE DE QUIEN RECIBE	
COMENTARIOS DE QUIEN RECIBE	
ALMACÉN AL QUE ENTRA	
ESTÁTUS GRAL ENTRADA	
SOLUCION GARANTÍA	
NUM SERIE NUEVO	
Fecha de confirmación de envío a huesario	
ENVIADO A HUESARIO	
Related Tallers	
Centro	
Quien entrega	
quien_solicitó	
MARCA DEVOLUCIÓN CORREGIDA	
MODELO DEVOLUCION CORREGIDA	
MARCA NUEVO GARANTÍA	
MODELONUEVO GARANTÍA	
DESCRIPCIÓN ARTÍCULO ENTREGADO	
SOLICITANTE EN COUPA	
ESTÁTUS	
Generar folio de reparación en taller	
MARCA	
MODELO	
PREDEFINICION	
FALLA	
PDF REGRESO	
QR REGRESO	
TALLER HABILITADO	
MOTIVO DE ENVIO A STOCK DIRECTO	
Row filter condition	=and(or(AND(or([REGIÓN]="OAXC",[REGIÓN]="CRDB", [REGIÓN]="PBLA I",[REGIÓN]="PBLA II",[REGIÓN]="PZRC", [REGIÓN]="SCRZ",[REGIÓN]="TXCC",[REGIÓN]="TXTP", [REGIÓN]="VRCZ", [REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",useremai

I()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP",
[REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS",
[REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC",
[REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"),
AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA",
[REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA",
[REGIÓN]="TXGT",[REGIÓN]="CTZC",
[REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US
EREMAIL()="jose.osorio@coppel.com")), AND(or([REGIÓN]="CLCN",
[REGIÓN]="HLLO",[REGIÓN]="LMCH",[REGIÓN]="LPAZ",
[REGIÓN]="MXLI",[REGIÓN]="TJNA",
[REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"),
AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP",
[REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY",
[REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"),
AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ",
[REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP",
[REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"),
AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp
el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e
ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREM
AIL()="carent.aguillar@coppel.com",USEREMAIL()="oficina.mcsit@cop
pel.com"))),[ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR",
[Taller o centro]<>"Taller habilitado",[¿APLICA ENTRADA A
TALLER?]="SI")

Update mode	READ_ONLY
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name ASIGNAR REPARACIÓN ZONA

Slice Name	ASIGNAR REPARACIÓN ZONA
Slice Columns	_RowNumber Row ID ID ESTÁTUS ¿QUIÉN VA A REPARAR? IDSURTIR

REGIÓN
 DESTINO
 FOLIO DE REPORTE
 Cantidad
 NO. ARTICULO DEVUELTO
 MARCA DEVOLUCIÓN CORREGIDA
 MODELO DEVOLUCION CORREGIDA
 NÚMERO DE SERIE DEVOLUCIÓN
 FOLIO DE REPARACIÓN
 PREDEFINICION
 FALLA
 PDF REGRESO
 QR REGRESO
 TALLER HABILITADO
 MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition

=and(OR([DICTAMEN ALMACEN]="REPARACIÓN",[DICTAMEN
 ALMACEN]="TELECOMUNICACIONES"), or(AND(or([REGIÓN]="OAXC",
 [REGIÓN]="CRDB",[REGIÓN]="PBLA I",[REGIÓN]="PBLA II",
 [REGIÓN]="PZRC",[REGIÓN]="SCRZ",[REGIÓN]="TXCC",
 [REGIÓN]="TXTP",[REGIÓN]="VRCZ",
 [REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",usermai
 l()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP",
 [REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS",
 [REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC",
 [REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"),
 AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA",
 [REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA",
 [REGIÓN]="TXGT",[REGIÓN]="CTZC",
 [REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US
 EREMAIL()="jose.osorio@coppel.com")), AND(or([REGIÓN]="CLCN",
 [REGIÓN]="HLLO",[REGIÓN]="LMCH",[REGIÓN]="LPAZ",
 [REGIÓN]="MXLI",[REGIÓN]="TJNA",
 [REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"),
 AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP",
 [REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY",
 [REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"),
 AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ",
 [REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP",
 [REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"),
 AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp

el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e
ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREM
AIL()="carent.aguillar@coppel.com",USEREMAIL()="oficina.mcsit@cop
pel.com"))),ISNOTBLANK([FOLIO DE
REPARACIÓN]),isblank([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL
ENTRADA]<>"Taller habilitado")

Update mode	ADDS_AND_UPDATES
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES DE DEFINIR ZONA

Slice Name	PENDIENTES DE DEFINIR ZONA
	_RowNumber
	ESTÁTUS
	Row ID
	ID
	REGIÓN
	DESTINO
	FOLIO DE REPORTE
	Cantidad
	NO. ARTICULO DEVUELTO
Slice Columns	MARCA DEVOLUCIÓN CORREGIDA
	MODELO DEVOLUCION CORREGIDA
	NÚMERO DE SERIE DEVOLUCIÓN
	FOLIO DE REPARACIÓN
	¿QUIÉN VA A REPARAR?
	PREDEFINICION
	FALLA
	PDF REGRESO
	QR REGRESO
	TALLER HABILITADO
	MOTIVO DE ENVIO A STOCK DIRECTO
Row filter condition	=and(or(AND(or([REGIÓN]="OAXC",[REGIÓN]="CRDB", [REGIÓN]="PBLA I",[REGIÓN]="PBLA II",[REGIÓN]="PZRC", [REGIÓN]="SCRZ",[REGIÓN]="TXCC",[REGIÓN]="TXTP", [REGIÓN]="VRCZ", [REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",useremai

I()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP",
[REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS",
[REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC",
[REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"),
AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA",
[REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA",
[REGIÓN]="TXGT",[REGIÓN]="CTZC",
[REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US
EREMAIL()="jose.osorio@coppel.com")), AND(or([REGIÓN]="CLCN",
[REGIÓN]="HLLO",[REGIÓN]="LMCH",[REGIÓN]="LPAZ",
[REGIÓN]="MXLI",[REGIÓN]="TJNA",
[REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"),
AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP",
[REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY",
[REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"),
AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ",
[REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP",
[REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"),
AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp
el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e
ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREM
AIL()="carent.aguillar@coppel.com",USEREMAIL()="oficina.mcsit@cop
pel.com"))),ISNOTBLANK([¿QUIÉN VA A
REPARAR?]),ISBLANK([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL
ENTRADA]<>"GARANTÍA",[DICTAMEN ALMACEN]="REPARACIÓN")

Update mode	READ_ONLY
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name PENDIENTES CONFIRMAR DEFINICIÓN ZONA

Slice Name	PENDIENTES CONFIRMAR DEFINICIÓN ZONA
Slice Columns	_RowNumber REGIÓN Row ID ID Cantidad NO. ARTICULO DEVUELTO

MARCA DEVOLUCIÓN CORREGIDA
 MODELO DEVOLUCION CORREGIDA
 NÚMERO DE SERIE DEVOLUCIÓN
 FOLIO DE REPARACIÓN
 ¿QUIÉN VA A REPARAR?
 DEFINICIÓN DE EQUIPO
 COMENTARIOS REPARACIÓN
 CONFIRMAR INSIGHT ENTRADA ALMACÉN
 Motivo_Insight3
 PREDEFINICION
 FALLA
 PDF REGRESO
 QR REGRESO
 TALLER HABILITADO
 MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition

```
=and( or( AND(or([REGIÓN]="OAXC",[REGIÓN]="CRDB",
[REGIÓN]="PBLA I",[REGIÓN]="PBLA II",[REGIÓN]="PZRC",
[REGIÓN]="SCRZ",[REGIÓN]="TXCC",[REGIÓN]="TXTP",
[REGIÓN]="VRCZ",
[REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",useremai
l()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP",
[REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS",
[REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC",
[REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"),
AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA",
[REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA",
[REGIÓN]="TXGT",[REGIÓN]="CTZC",
[REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US
EREMAIL()="jose.osorio@coppel.com")), AND(or([REGIÓN]="CLCN",
[REGIÓN]="HLLO",[REGIÓN]="LMCH",[REGIÓN]="LPAZ",
[REGIÓN]="MXLI",[REGIÓN]="TJNA",
[REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"),
AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP",
[REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY",
[REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"),
AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ",
[REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP",
[REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"),
AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp
el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e
```

```
ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREM
AIL()="carent.aguillar@coppel.com",USEREMAIL()="oficina.mcsit@cop
pel.com"))),ISNOTBLANK([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL
ENTRADA]="DEFINIDO")

Update mode      READ_ONLY
Source Table     NS SURTIR
Visible?         ALWAYS
Slice Actions    **auto**
```

Slice Name CONFIRMAR ENTREGA FINAL EN ALMACÉN ZONA

Slice Name	CONFIRMAR ENTREGA FINAL EN ALMACÉN ZONA
Slice Columns	_RowNumber REGIÓN Row ID ID FECHA DE SURTIDO Cantidad NO. ARTICULO DEVUELTO MODELO DEVOLUCION CORREGIDA MARCA DEVOLUCIÓN CORREGIDA ARTÍCULO NÚMERO DE SERIE ESTATUS DEVOLUCIÓN Motivo cancelación GTE NÚMERO DE SERIE DEVOLUCIÓN FOLIO DE REPARACIÓN Taller o centro ¿QUIÉN VA A REPARAR? DEFINICIÓN DE EQUIPO COMENTARIOS REPARACIÓN CONFIRMAR INSIGHT ENTRADA ALMACÉN Motivo_Insight3 CONFIRMACIÓN JEFE NOMBRE DE QUIÉN CONFIRMA COMENTARIOS DE JEFE PREDEFINICION FALLA PDF REGRESO

QR REGRESO

TALLER HABILITADO

MOTIVO DE ENVIO A STOCK DIRECTO

Row filter condition	=and(or(AND(or([REGIÓN]="OAXC",[REGIÓN]="CRDB", [REGIÓN]="PBLA I",[REGIÓN]="PBLA II",[REGIÓN]="PZRC", [REGIÓN]="SCRZ",[REGIÓN]="TXCC",[REGIÓN]="TXTP", [REGIÓN]="VRCZ", [REGIÓN]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",useremai l()="alberto.carino@coppel.com")), AND(or([REGIÓN]="AZCP", [REGIÓN]="CLYA",[REGIÓN]="CTLZ",[REGIÓN]="LCRS", [REGIÓN]="MORL",[REGIÓN]="QRTO",[REGIÓN]="TCMC", [REGIÓN]="TOLC"),USEREMAIL()="gtonix@coppel.com"), AND(or([REGIÓN]="ACPO",[REGIÓN]="CNCN",[REGIÓN]="IGLA", [REGIÓN]="IXTP",[REGIÓN]="IZTP",[REGIÓN]="MRDA", [REGIÓN]="TXGT",[REGIÓN]="CTZC", [REGIÓN]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",US EREMAIL()="jose.osorio@coppel.com")), AND(or([REGIÓN]="CLCN", [REGIÓN]="HLLO",[REGIÓN]="LMCH",[REGIÓN]="LPAZ", [REGIÓN]="MXLI",[REGIÓN]="TJNA", [REGIÓN]="MZTN"),USEREMAIL()="pcota@coppel.com"), AND(or([REGIÓN]="CDJZ",[REGIÓN]="CHUA",[REGIÓN]="GDLP", [REGIÓN]="GPLC",[REGIÓN]="MNCV",[REGIÓN]="MTRY", [REGIÓN]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"), AND(or([REGIÓN]="AGCS",[REGIÓN]="CLMA",[REGIÓN]="GDLJ", [REGIÓN]="LEON",[REGIÓN]="SNLP",[REGIÓN]="TLQP", [REGIÓN]="TPIC"),USEREMAIL()="jlopez@coppel.com"), AND(ISNOTBLANK([REGIÓN]),or(USEREMAIL()="david.santiago@copp el.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="e ayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREM AIL()="carent.aguillar@coppel.com",USEREMAIL()="oficina.mcsit@cop pel.com"))),[CONFIRMACIÓN JEFE]="CONFIRMADO",isblank([CONFIRMACIÓN ALMACÉN]), [ESTÁTUS GRAL ENTRADA]<>"ENVÍO A HUESARIO",[DEFINICIÓN DE EQUIPO]<>"GARANTÍA")
Update mode	READ_ONLY
Source Table	NS SURTIR
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Bitácora taller habilitado zona

Slice Name	Bitácora taller habilitado zona
Slice Columns	_RowNumber Row ID ID Fecha Región Envía Taller Folio de reparación Folio de atención del equipo Cantidad Artículo Marca Modelo No. Serie FOLIO DE ENVÍO POR EM O SA INSIGHT EQ INGRESA A TALLER Estatus entrada en taller MOTIVO DE REVISIÓN NO. ARTICULO QUIEN VA A REPARAR DEFINICIÓN DE EQUIPO COMENTARIOS DE REPARACIÓN ACTUALIZACIÓN EN INSIGHT MOTIVO INSIGHT CONFIRMACIÓN DEFINICIÓN QUIEN CONFIRMA COMENTARIOS CONFIRMACIÓN CONFIRMACIÓN ENTRADA NOMBRE DE QUIEN RECIBE COMENTARIOS RECEPCIÓN ALMACÉN AL QUE ENTRA RESPONSABLE DE LA DEVOLUCIÓN EVIDENCIA FOTOGRÁFICA ESTÁTUS GENERAL SOLUCIÓN GARANTÍA NO. SERIE EQUIPO NUEVO CENTRO DE RETIRO FECHA DE REPARACIÓN

FECHA DE CONFIRMACIÓN EN ALMACÉN

FECHA DE REGISTRO EN TALLER

FECHA DE ASIGNACIÓN

Row filter condition

```
=or( AND(or([Región Envía]="AZCP",[Región Envía]="CLYA",[Región Envía]="CTLZ",[Región Envía]="LCRS",[Región Envía]="MORL",[Región Envía]="QRTO",[Región Envía]="TCMC",[Región Envía]="TOLC"),USEREMAIL()="gtonix@coppel.com"), AND(or([Región Envía]="ACPO",[Región Envía]="CNCN",[Región Envía]="IGLA",[Región Envía]="IXTP",[Región Envía]="IZTP",[Región Envía]="MRDA",[Región Envía]="TXGT",[Región Envía]="CTZC",[Región Envía]="VLLH"),or(USEREMAIL()="josafat.nazario@coppel.com",USEREMAIL()="jose.osorio@coppel.com",USEREMAIL()="carent.aguillar@coppel.com")), AND(or([Región Envía]="OAXC",[Región Envía]="CRDB",[Región Envía]="PBLA I",[Región Envía]="PBLA II",[Región Envía]="PZRC",[Región Envía]="SCRZ",[Región Envía]="TXCC",[Región Envía]="TXTP",[Región Envía]="VRCZ",[Región Envía]="XLPA"),or(USEREMAIL()="cbautista@coppel.com",USEREMAIL()="francisco.mendezc@coppel.com")), AND(or([Región Envía]="CLCN",[Región Envía]="HLLO",[Región Envía]="LMCH",[Región Envía]="LPAZ",[Región Envía]="MXLI",[Región Envía]="TJNA",[Región Envía]="MZTN"),USEREMAIL()="pcota@coppel.com"), AND(or([Región Envía]="CDJZ",[Región Envía]="CHUA",[Región Envía]="GDLP",[Región Envía]="GPLC",[Región Envía]="MNCV",[Región Envía]="MTRY",[Región Envía]="TMPC"),USEREMAIL()="ernesto.lopezg@coppel.com"), AND(or([Región Envía]="AGCS",[Región Envía]="CLMA",[Región Envía]="GDLJ",[Región Envía]="LEON",[Región Envía]="SNLP",[Región Envía]="TLQP",[Región Envía]="TPIC"),USEREMAIL()="jlopez@coppel.com"), AND(ISNOTBLANK([Región Envía]),or(USEREMAIL()="david.santiago@coppel.com",USEREMAIL()="hector.beltrano@coppel.com",USEREMAIL()="eayala@coppel.com",USEREMAIL()="bquinonez@coppel.com",USEREMAIL()="oficina.mcsit@coppel.com"))))
```

Update mode

READ_ONLY

Source Table

Taller

Visible?

ALWAYS

Slice Actions

auto

UX

Views

View name Gerente de Servicio y Soporte IT

View name	Gerente de Servicio y Soporte IT
Created by	App owner
View type	gallery
ActionType	Medium
Position	center
View configuration	<pre>{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "Gerente de Servicio y Soporte IT" }], "Icon": "fas fa-user-tie", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="GERENTE"))

View name Soporte en taller

View name	Soporte en taller
Created by	App owner
View type	gallery
ActionType	Medium
Position	center
View configuration	<pre>{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "Soporte en taller" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte en taller"))

View name Oficina

View name	Oficina
Created by	App owner
View type	gallery
ActionType	Medium
Position	left
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": null, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Oficina"}], "Icon": "fas fa-user-headset", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="OFICINA"))

View name Almacén

View name	Almacén
Created by	App owner
View type	gallery
ActionType	Medium
Position	left most
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Menu almacén"}], "Icon": "fas fa-person-dolly", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén"))

View name Jefe de Soporte Tecnológico

View name	Jefe de Soporte Tecnológico
Created by	App owner

View type	gallery
ActionType	Medium
Position	left most
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": " Jefe de soporte tecnologico"}], "Icon": "fas fa-user-tie", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe"))

View name Jefe taller habilitado

View name	Jefe taller habilitado
Created by	App owner
View type	gallery
ActionType	Medium
Position	left most
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": null, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": " Jefe taller habilitado"}], "Icon": "fas fa-user", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado"))

View name Gerente de Zona

View name	Gerente de Zona
Created by	App owner
View type	gallery
ActionType	Medium
Position	left most

View configuration	{ "ImageSize": "Medium", "ActionBarEntries": null, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Gerente de Zona"}], "Icon": "fas fa-user-check", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(Contactos[E-mail],[Rol]="Gerente de zona"))

View name Soporte Tecnológico

View name	Soporte Tecnológico
Created by	App owner
View type	gallery
ActionType	Medium
Position	right
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Soporte Tecnológico"}], "Icon": "fas fa-user- check", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte Tecnologico"))

View name BITÁCORA REGIÓN EMISORA

View name	BITÁCORA REGIÓN EMISORA
Created by	App owner
View type	table
Position	menu
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS", "MARCA DEVOLUCIÓN CORREGIDA", "IDSURTIR", "REGIÓN", "FECHA DE SURTIDO", "DESTINO", "FOLIO DE

REPORTE","Cantidad","ARTÍCULO","MARCA","MODELO","NÚMERO DE
 SERIE","TIPO","ALMACÉN","ASIGNAR CONF","RESPONSABLE
 CONFIRMAR EN CENTRO","CONFIRMAR INSIGHT TAG
 TIENDA","Motivo_Insight1","Quien cancela","Motivo de cancelación de
 entrega de equipo en centro","¿APLICA ENTRADA A TALLER?","¿POR
 QUÉ?","NOMBRE DEL ARTÍCULO A DEVOLVER","MARCA
 DEVOLUCIÓN","MODELO DEVOLUCIÓN","NÚMERO DE SERIE
 DEVOLUCIÓN","Tipo de envió eq regresa","Envío eq regresa","Folio de
 EM o folio de SA","Taller o centro","ESTATUS DEVOLUCIÓN","NOMBRE
 DE QUIEN RECIBE EQ DEVUELTO","NO. ARTICULO
 DEVUELTO","DICTAMEN ALMACEN","FOLIO DE
 REPARACIÓN","CONFIRMAR INSIGHT
 REPARACIÓN","Motivo_Insight2","¿QUIÉN VA A
 REPARAR?","DEFINICIÓN DE EQUIPO","COMENTARIOS
 REPARACIÓN","CONFIRMAR INSIGHT ENTRADA
 ALMACÉN","Motivo_Insight3","CONFIRMACIÓN JEFE","NOMBRE DE
 QUIÉN CONFIRMA","Motivo cancelación GTE","COMENTARIOS DE
 JEFE","CONFIRMACIÓN ALMACÉN","NOMBRE DE QUIEN
 RECIBE","COMENTARIOS DE QUIEN RECIBE","ALMACÉN AL QUE
 ENTRA","ESTÁTUS GRAL ENTRADA","SOLUCION GARANTÍA","NUM
 SERIE NUEVO","Fecha de confirmación de envío a huesario","ENVIADO
 A HUESARIO","Centro","Quien entrega","quien_solicitó","MODELO
 DEVOLUCION CORREGIDA","MARCA NUEVO
 GARANTÍA","MODELONUEVO GARANTÍA","DESCRIPCIÓN ARTÍCULO
 ENTREGADO"],"GroupBy":"","GroupAggregate":"NONE","SortBy":
 [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":
 [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"far fa-
 tasks","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Jefe taller habilitado"

View name Bitácora taller

View name	Bitácora taller
Created by	App owner
View type	table

Position	menu
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS", "FECHA DE SURTIDO", "FOLIO DE REPORTE", "REGIÓN", "DESTINO", "quien_solicitó", "SOLICITANTE EN COUPA", "RESPONSABLE CONFIRMAR EN CENTRO", "Cantidad", "ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "ALMACÉN", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?", "ESTATUS DEVOLUCIÓN", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "DICTAMEN ALMACEN", "FOLIO DE REPARACIÓN", "¿QUIÉN VA A REPARAR?", "DEFINICIÓN DE EQUIPO", "CONFIRMACIÓN JEFE", "NOMBRE DE QUIÉN CONFIRMA", "CONFIRMACIÓN ALMACÉN", "NOMBRE DE QUIEN RECIBE", "Motivo cancelación GTE", "Motivo_Insight1", "Motivo_Insight2", "Motivo_Insight3", "Quien cancela", "ENVIADO A HUESARIO", "Envio eq regresa", "Taller o centro", "Tipo de envió eq regresa", "Folio de EM o folio de SA"], "GroupBy": [{ "Column": "FOLIO DE REPORTE", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=OR(lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="JEFE",lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="Gerente")

View name BITÁCORA TALLER HABILITADO

View name	BITÁCORA TALLER HABILITADO
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS GENERAL", "ID", "Fecha", "Región Envía", "Taller", "Folio de reparación", "Folio de atención del"] }</pre>

	equipo","Cantidad","Artículo","Marca","Modelo","No. Serie","FOLIO DE ENVÍO POR EM O SA","INSIGHT EQ INGRESA A TALLER","Estatus entrada en taller","MOTIVO DE REVISIÓN","NO. ARTICULO","QUIEN VA A REPARAR","DEFINICIÓN DE EQUIPO","COMENTARIOS DE REPARACIÓN","ACTUALIZACIÓN EN INSIGHT","MOTIVO INSIGHT","CONFIRMACIÓN DEFINICIÓN","QUIEN CONFIRMA","COMENTARIOS CONFIRMACIÓN","CONFIRMACIÓN ENTRADA","NOMBRE DE QUIEN RECIBE","COMENTARIOS RECEPCIÓN","ALMACÉN AL QUE ENTRA","RESPONSABLE DE LA DEVOLUCIÓN","EVIDENCIA FOTOGRÁFICA"],"GroupBy": [],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], Icon":"fas fa-tasks","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Jefe taller habilitado",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Gerente")

View name Bitácora x Ing

View name	Bitácora x Ing
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["PDF REGRESO","ESTÁTUS","FECHA DE SURTIDO","FOLIO DE REPORTE","REGIÓN","DESTINO","quien_solicitó","Cantidad","ARTÍCULO","MARCA","MODELO","NÚMERO DE SERIE","TIPO","ALMACÉN","¿APLICA ENTRADA A TALLER?","¿POR QUÉ?","ESTATUS DEVOLUCIÓN","NO. ARTICULO DEVUELTO","MARCA DEVOLUCIÓN CORREGIDA","MODELO DEVOLUCION CORREGIDA","NÚMERO DE SERIE DEVOLUCIÓN","DICTAMEN ALMACEN","FOLIO DE REPARACIÓN","¿QUIÉN VA A REPARAR?","DEFINICIÓN DE EQUIPO","CONFIRMACIÓN JEFE","NOMBRE DE QUIÉN CONFIRMA","CONFIRMACIÓN ALMACÉN","NOMBRE DE QUIEN RECIBE","Motivo cancelación GTE","Fecha de confirmación de envío a

	huesario","Quien cancela","ENVIADO A HUESARIO","Envio eq regresa","Folio de EM o folio de SA"],"GroupBy": [],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list- ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(IN(USERemail(),select(Contactos[E-mail],[Rol]="Soporte Tecnologico")),IN(USERemail(),select(Contactos[E-mail], [Rol]="Gerente")),IN(USERemail(),select(Contactos[E-mail], [Rol]="Jefe")))

View name CONSUMO COUPA

View name	CONSUMO COUPA
Created by	App owner
View type	table
Position	menu
View configuration	{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": ["FOLIO DE REPORTE","PDF","QUIEN SOLICITA","Advertencia","IDSALIDA","ID COUPA","REGIÓN CONSUMO","NOMBRE DE QUIEN ENTREGA","DESTINO","NOMBRE DE QUIEN RECIBE","FIRMA DE QUIEN RECIBE","Motivo de la solicitud","Tipo de material","Quien autorizó","COMENTARIOS","ESTATUS","EQUIPOS SOLICITADOS","Related NS SURTIRs","RegionSolicita","FECHA SOLICITUD","FECHA DE REGISTRO DE CONSUMO"],"GroupBy": [],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list- ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Almacén", useremail()="allan.zubeldia@coppel.com")

View name PDF Vale de Salida

View name	PDF Vale de Salida
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["FOLIO DE REPORTE", "IDMOVIMIENTO", "PDF", "DESTINO", "REGIÓN CONSUMO", "FECHA SOLICITUD"], "GroupBy": [], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "FOLIO DE REPORTE", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-file-pdf", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Almacén"

View name PENDIENTES DE SURTIDO

View name	PENDIENTES DE SURTIDO
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name STOCK CENTRO ESTRATÉGICO

View name	STOCK CENTRO ESTRATÉGICO
Created by	App owner
View type	table
Position	menu
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(Contactos[E-mail],[Rol]="Soporte Tecnologico"))

View name ASIGNAR FOLIO DE REPARACIÓN

View name	ASIGNAR FOLIO DE REPARACIÓN
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="OFICINA")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name ASIGNAR FOLIO DE TALLER HABILITADO

View name	ASIGNAR FOLIO DE TALLER HABILITADO
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "DICTAMEN ALMACEN", "FOLIO DE REPARACIÓN", "FOLIO DE REPORTE", "Folio de EM o folio de SA"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=or(IN(USERemail(),select(CONTACTOS[E-mail], [Ro]= "OFICINA")),IN(USERemail(),select(CONTACTOS[E-mail], [Ro]= "Gerente")))</pre>

View name ASIGNAR REPARACIÓN

View name	ASIGNAR REPARACIÓN
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["¿QUIÉN VA A REPARAR?", "IDSURTIR", "REGIÓN", "DESTINO", "FOLIO DE REPORTE", "Cantidad", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "FOLIO DE REPARACIÓN"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	

Menu order	1
Show if	=or(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Gerente"))

View name ASIGNAR REPARACIÓN EN TALLER

View name	ASIGNAR REPARACIÓN EN TALLER
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="Jefe taller habilitado"

View name BITÁCORA DE LA ZONA

View name	BITÁCORA DE LA ZONA
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [{ "Column": "REGIÓN", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "REGIÓN", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	

Menu order	1
Show if	=IN(USERemail(),select(Contactos[E-mail],[Rol]="Gerente de zona"))

View name BITÁCORA DE TALLER HABILITADO

View name	BITÁCORA DE TALLER HABILITADO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name BITÁCORA REGIÓN EMISORA_Detail

View name	BITÁCORA REGIÓN EMISORA_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name BITÁCORA REGIÓN EMISORA_Form

View name	BITÁCORA REGIÓN EMISORA_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name BITÁCORA TALLER HABILITADO ZONA

View name	BITÁCORA TALLER HABILITADO ZONA
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS GENERAL", "ID", "Fecha", "Región Envía", "Taller", "Folio de reparación", "Folio de atención del equipo", "Cantidad", "Artículo", "Marca", "Modelo", "No. Serie", "FOLIO DE ENVÍO POR EM O SA", "INSIGHT EQ INGRESA A TALLER", "Estatus entrada en taller", "MOTIVO DE REVISIÓN", "NO. ARTICULO", "QUIEN VA A REPARAR", "DEFINICIÓN DE EQUIPO", "COMENTARIOS DE REPARACIÓN", "ACTUALIZACIÓN EN INSIGHT", "MOTIVO INSIGHT", "CONFIRMACIÓN DEFINICIÓN", "QUIEN CONFIRMA", "COMENTARIOS CONFIRMACIÓN", "CONFIRMACIÓN ENTRADA", "NOMBRE DE QUIEN RECIBE", "COMENTARIOS RECEPCIÓN", "ALMACÉN AL QUE ENTRA", "RESPONSABLE DE LA DEVOLUCIÓN", "EVIDENCIA FOTOGRÁFICA"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-tasks", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	

Menu order	1
Show if	=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Gerente de zona"

View name Bitácora taller habilitado_Detail

View name	Bitácora taller habilitado_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Bitácora x Ing_Detail

View name	Bitácora x Ing_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS

Icon	
Menu order	1

View name Bitácora x Ing_Form

View name	Bitácora x Ing_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Bitácora_Detail

View name	Bitácora_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Bitácora_Form

View name	Bitácora_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name CANCELAR EQUIPO SURTIDO

View name	CANCELAR EQUIPO SURTIDO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(Contactos[E-mail],[Rol]="Almacén"))

View name CANCELAR EQUIPO SURTIDO_Detail

View name	CANCELAR EQUIPO SURTIDO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name CANCELAR EQUIPO SURTIDO_Form

View name	CANCELAR EQUIPO SURTIDO_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name CENTROS 2_Detail

View name	CENTROS 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": }

	<pre>{,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR DEFINICIÓN ALM_Detail

View name	CONFIRMAR DEFINICIÓN ALM_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{,"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":{,"QuickEditColumns":{,"ColumnOrder": {,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": {,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR DEFINICIÓN ALM_Form

View name	CONFIRMAR DEFINICIÓN ALM_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{,"ColumnOrder":["ID","FOLIO DE REPARACIÓN","NO. ARTICULO DEVUELTO","MARCA DEVOLUCIÓN CORREGIDA","MODELO DEVOLUCION CORREGIDA","NÚMERO DE SERIE DEVOLUCIÓN","¿QUIÉN VA A REPARAR?","DEFINICIÓN DE EQUIPO","COMENTARIOS REPARACIÓN","NOMBRE DE QUIÉN CONFIRMA","COMENTARIOS DE JEFE","CONFIRMACIÓN ALMACÉN","NOMBRE DE QUIEN RECIBE","COMENTARIOS DE QUIEN RECIBE","REGIÓN","SOLUCION GARANTÍA","NO. ARTICULO</pre>

	NUEVO","NUM SERIE NUEVO","Motivo de cancelación de entrega de equipo en centro","Decisión Huesario directo Gte","Motivo cancelación GTE","Tipo de envío","Evidencia de entrega","Reparación","Fecha de confirmación de envío a huesario","Motivo_Insight1","Motivo_Insight2","Motivo_Insight3","Quien cancela","Envio eq regresa","Taller o centro","Tipo de envío eq regresa","Unidad","Evaluación o taller habilitado","Folio de EM o folio de SA"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR DEFINICIÓN DE EQUIPO

View name	CONFIRMAR DEFINICIÓN DE EQUIPO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": [], "GroupBy":[],"GroupAggregate":"NONE","SortBy": [], "PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa-list-ul", "IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="Gerente")))

View name CONFIRMAR DEFINICIÓN DE EQUIPO DE TALLER

View name	CONFIRMAR DEFINICIÓN DE EQUIPO DE TALLER
Created by	App owner

View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="Jefe taller habilitado"

View name CONFIRMAR DEFINICIÓN_Detail

View name	CONFIRMAR DEFINICIÓN_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["ID", "Cantidad", "NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "FOLIO DE REPARACIÓN", "¿QUIÉN VA A REPARAR?", "MOTIVO DE ENVIO A STOCK DIRECTO", "DEFINICIÓN DE EQUIPO", "COMENTARIOS REPARACIÓN", "CONFIRMAR INSIGHT ENTRADA ALMACÉN", "Motivo_Insight3", "CONFIRMACIÓN JEFE", "NOMBRE DE QUIÉN CONFIRMA", "Motivo cancelación GTE", "COMENTARIOS DE JEFE", "PREDEFINICION", "FALLA", "PDF REGRESO", "TALLER HABILITADO"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS

Icon	
Menu order	1

View name CONFIRMAR DEFINICIÓN_Form

View name	CONFIRMAR DEFINICIÓN_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR DEVOLUCIÓN ALM_Detail

View name	CONFIRMAR DEVOLUCIÓN ALM_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ARTÍCULO","Cantidad","RESPONSABLE CONFIRMAR EN CENTRO","SOLICITANTE EN COUPA","¿APLICA ENTRADA A TALLER?","¿POR QUÉ?","NOMBRE DEL ARTÍCULO A DEVOLVER","MARCA DEVOLUCIÓN","MODELO DEVOLUCIÓN","NÚMERO DE SERIE DEVOLUCIÓN","ESTATUS DEVOLUCIÓN","quien_solicitó","REGIÓN","NOMBRE DE QUIEN RECIBE EQ DEVUELTO","DICTAMEN ALMACEN","FOLIO DE REPARACIÓN","CONFIRMACIÓN ALMACÉN","FOLIO DE REPORTE","NO. ARTICULO DEVUELTO","Envio eq regresa","Taller o centro","Tipo de envió eq regresa","Folio de EM o folio de SA"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMod</pre>

	e":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR DEVOLUCIÓN ALM_Form

View name	CONFIRMAR DEVOLUCIÓN ALM_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1} }
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR ENTRADA A ALMACÉN

View name	CONFIRMAR ENTRADA A ALMACÉN
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": ["DEFINICIÓN DE EQUIPO","Generar folio de reparación en taller","FECHA DE SURTIDO","Cantidad","NO. ARTICULO DEVUELTO","MODELO DEVOLUCION CORREGIDA","MARCA DEVOLUCIÓN CORREGIDA","ARTÍCULO","NÚMERO DE SERIE","Motivo cancelación GTE","NÚMERO DE SERIE DEVOLUCIÓN","FOLIO DE REPARACIÓN","Taller o centro","¿QUIÉN VA A REPARAR?","COMENTARIOS REPARACIÓN","CONFIRMAR INSIGHT ENTRADA ALMACÉN","Motivo_Insight3","CONFIRMACIÓN

	JEFE","NOMBRE DE QUIÉN CONFIRMA","COMENTARIOS DE JEFE","CONFIRMACIÓN ALMACÉN","NOMBRE DE QUIEN RECIBE","COMENTARIOS DE QUIEN RECIBE","ALMACÉN AL QUE ENTRA","SOLUCION GARANTÍA","NUM SERIE NUEVO"],"GroupBy": [],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén"))

View name CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO_Detail

View name	CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Región Envía", "Taller", "Folio de reparación", "Folio de atención del equipo", "Cantidad", "NO. ARTICULO", "No. Serie", "Estatus entrada en taller", "QUIEN VA A REPARAR", "DEFINICIÓN DE EQUIPO", "COMENTARIOS DE REPARACIÓN", "ACTUALIZACIÓN EN INSIGHT", "MOTIVO INSIGHT", "QUIEN CONFIRMA", "COMENTARIOS CONFIRMACIÓN", "FOLIO DE ENVÍO POR EM O SA", "MOTIVO DE REVISIÓN", "INSIGHT EQ INGRESA A TALLER", "ALMACÉN AL QUE ENTRA"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "Display Mode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	☰

Menu order

1

View name CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO_Form

View name	CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "*Automatic*","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR ENTRADA A ALMACEN EQ TALLER HABILITADO

View name	CONFIRMAR ENTRADA A ALMACEN EQ TALLER HABILITADO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": ["Fecha","Región Envía","Taller","Folio de reparación","Folio de atención del equipo","Cantidad","Artículo","Marca","Modelo","No. Serie","Estatus entrada en taller","QUIEN VA A REPARAR","DEFINICIÓN DE EQUIPO","COMENTARIOS DE REPARACIÓN","ACTUALIZACIÓN EN INSIGHT","MOTIVO INSIGHT","CONFIRMACIÓN DEFINICIÓN","QUIEN CONFIRMA","COMENTARIOS CONFIRMACIÓN","CONFIRMACIÓN ENTRADA","NOMBRE DE QUIEN RECIBE","COMENTARIOS RECEPCIÓN","NO. ARTICULO","FOLIO DE ENVÍO POR EM O SA","MOTIVO DE REVISIÓN","INSIGHT EQ INGRESA A TALLER","ALMACÉN AL QUE ENTRA","RESPONSABLE DE LA DEVOLUCIÓN","EVIDENCIA FOTOGRÁFICA","ESTÁTUS


```
GENERAL","SOLUCIÓN GARANTÍA","NO. SERIE EQUIPO
NUEVO"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":
[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":
[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-
ul","IconRunnerUps":null,"MenuOrder":1}

Visible? ALWAYS

Icon ≡

Menu order 1

Show if =lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="Almacén"
```

View name CONFIRMAR ENTRADA A TALLER

View name	CONFIRMAR ENTRADA A TALLER
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["FECHA DE SURTIDO", "DESTINO", "ARTÍCULO", "Cantidad", "NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "ESTATUS DEVOLUCIÓN", "quien_solicitó", "RESPONSABLE CONFIRMAR EN CENTRO", "SOLICITANTE EN COUPA", "REGIÓN", "NOMBRE DE QUIEN RECIBE EQ DEVUELTO", "DICTAMEN ALMACEN", "FOLIO DE REPARACIÓN", "¿QUIÉN VA A REPARAR?", "DEFINICIÓN DE EQUIPO", "COMENTARIOS REPARACIÓN", "CONFIRMACIÓN JEFE", "NOMBRE DE QUIÉN CONFIRMA", "COMENTARIOS DE JEFE", "CONFIRMACIÓN ALMACÉN", "NOMBRE DE QUIEN RECIBE", "COMENTARIOS DE QUIEN RECIBE", "FOLIO DE REPORTE", "NO. ARTICULO DEVUELTO", "SOLUCION GARANTÍA", "NUM SERIE NUEVO", "Motivo cancelación GTE", "Fecha de confirmación de envío a huesario", "Motivo_Insight1", "Motivo_Insight2", "Motivo_Insight3", "Quien cancela", "Envio eq regresa", "Taller o centro", "Tipo de envió eq regresa", "Folio de EM o folio de SA"], "GroupBy": [{ "Column": "DESTINO", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>

Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén"))

View name CONFIRMAR ENTRADA A TALLER HABILITADO

View name	CONFIRMAR ENTRADA A TALLER HABILITADO
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ID", "Fecha", "Región Envía", "Folio de reparación", "CENTRO DE RETIRO", "Folio de atención del equipo", "Cantidad", "Artículo", "Marca", "Modelo", "No. Serie", "Estatus entrada en taller", "DEFINICIÓN DE EQUIPO", "COMENTARIOS DE REPARACIÓN", "CONFIRMACIÓN DEFINICIÓN", "QUIEN CONFIRMA", "COMENTARIOS CONFIRMACIÓN", "FOLIO DE ENVÍO POR EM O SA", "MOTIVO DE REVISIÓN", "INSIGHT EQ INGRESA A TALLER", "ALMACÉN AL QUE ENTRA", "RESPONSABLE DE LA DEVOLUCIÓN", "EVIDENCIA FOTOGRÁFICA", "ESTÁTUS GENERAL", "SOLUCIÓN GARANTÍA", "NO. SERIE EQUIPO NUEVO", "FECHA DE REPARACIÓN", "FECHA DE CONFIRMACIÓN EN ALMACÉN"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="Jefe taller habilitado"

View name CONFIRMAR ENTRADA A TALLER ZONA_Detail

View name	CONFIRMAR ENTRADA A TALLER ZONA_Detail
Created by	System
View type	detail

ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto***", "DetailContentColumn": "***none***", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["ESTÁTUS", "REGIÓN", "SOLICITANTE EN COUPA", "quien_solicitó", "FECHA DE SURTIDO", "DESTINO", "FOLIO DE REPORTE", "Cantidad", "ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "ALMACÉN", "RESPONSABLE CONFIRMAR EN CENTRO", "CONFIRMAR INSIGHT TAG TIENDA", "Motivo_Insight1", "Quien cancela", "Motivo de cancelación de entrega de equipo en centro", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?", "NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "FOLIO DE REPARACIÓN"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name CONFIRMAR ENTREGA FINAL EN ALMACEN ZONA

View name	CONFIRMAR ENTREGA FINAL EN ALMACEN ZONA
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["REGIÓN", "DEFINICIÓN DE EQUIPO", "FECHA DE SURTIDO", "Cantidad", "NO. ARTICULO DEVUELTO", "MODELO DEVOLUCION CORREGIDA", "MARCA DEVOLUCIÓN CORREGIDA", "ARTÍCULO", "NÚMERO DE SERIE", "ESTATUS DEVOLUCIÓN", "Motivo cancelación GTE", "NÚMERO DE SERIE DEVOLUCIÓN", "FOLIO DE REPARACIÓN", "Taller o centro", "¿QUIÉN VA A REPARAR?", "COMENTARIOS REPARACIÓN", "CONFIRMAR INSIGHT ENTRADA ALMACÉN", "Motivo_Insight3", "CONFIRMACIÓN JEFE", "NOMBRE DE QUIÉN CONFIRMA", "COMENTARIOS DE JEFE"], "GroupBy": [{ "Column": "REGIÓN", "Order": "Ascending" }], }

	<pre>{ "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente de zona"))

View name CONFIRMAR N/A ENTRADA A TALLER

View name	CONFIRMAR N/A ENTRADA A TALLER
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [{ "Column": "Centro", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name CONSUMO_Detail

View name	CONSUMO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["FOLIO DE REPORTE", "QUIEN SOLICITA", "IDSALIDA", "ID COUPA", "REGIÓN CONSUMO", "COMENTARIOS", "NOMBRE DE QUIEN ENTREGA", "DESTINO", "NOMBRE DE QUIEN RECIBE", "FIRMA DE QUIEN RECIBE", "Related NS SURTIRs"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CONSUMO_Form

View name	CONSUMO_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["ID COUPA", "REGIÓN CONSUMO", "QUIEN SOLICITA", "NOMBRE DE QUIEN ENTREGA", "FOLIO DE REPORTE", "DESTINO", "Related NS SURTIRs", "NOMBRE DE QUIEN RECIBE", "FIRMA DE QUIEN RECIBE", "COMENTARIOS"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "reg_surtidos" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CONTACTOS 2_Detail

View name	CONTACTOS 2_Detail
-----------	--------------------

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DEVOLUCIÓN DE EQUIPO

View name	DEVOLUCIÓN DE EQUIPO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "quien_solicitó", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "REGIÓN", "FOLIO DE REPARACIÓN", "FOLIO DE REPORTE", "NOMBRE DEL ARTÍCULO A DEVOLVER", "Cantidad", "CONFIRMAR INSIGHT REPARACIÓN", "Motivo_Insight2", "Envio eq regresa", "Taller o centro", "Tipo de envió eq regresa", "Folio de EM o folio de SA"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{" "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-exchange-alt", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

Show if

```
=or(IN(USERemail()),select(Contactos[E-mail],[Rol]="Soporte Tecnologico")),IN(USERemail()),select(Contactos[E-mail],[Rol]="Jefe")),IN(USERemail()),select(Contactos[E-mail],[Rol]="Jefe taller habilitado")),IN(USERemail()),select(Contactos[E-mail],[Rol]="Soporte en taller")))
```

View name Devolución de Equipo sin Registro de Salida

View name	Devolución de Equipo sin Registro de Salida
Created by	App owner
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["ID", "FECHA DE SURTIDO", "DESTINO", "FOLIO DE REPORTE", "Cantidad", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?", "FOLIO DE REPARACIÓN", "NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "Taller o centro", "TALLER HABILITADO", "MOTIVO DE ENVIO A STOCK DIRECTO", "PREDEFINICION", "FALLA"], "AutoSave": false, "AutoReopen": false, "FinishView": "***Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "DEVOLUCIÓN SIN SALIDA Y TALLER" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=useremail()=anahi.pais@coppel.com

View name ENTREGA DE EQUIPO CANCELADA

View name	ENTREGA DE EQUIPO CANCELADA
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events":</pre>

	{["EventType":"Row Selected","EventAction":"**auto**"}],["Icon":"fas fa-ban","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name EQUIPO CANCELADO ALM_Detail

View name	EQUIPO CANCELADO ALM_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{["MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":["Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1]}
Visible?	ALWAYS
Icon	
Menu order	1

View name EQUIPO CANCELADO ALM_Form

View name	EQUIPO CANCELADO ALM_Form
Created by	System
View type	form
Position	ref
View configuration	{["ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],["Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1]}

Visible?	ALWAYS
Icon	
Menu order	1

View name EQUIPO CANCELADO_Detail

View name	EQUIPO CANCELADO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name EQUIPO CANCELADO_Form

View name	EQUIPO CANCELADO_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name EQUIPOS 2_Detail

View name	EQUIPOS 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name EQUIPOS A REPARAR EN TALLER

View name	EQUIPOS A REPARAR EN TALLER
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=or(IN(USERemail(),select(Contactos[E-mail],[Rol]="Jefe taller habilitado")),IN(USERemail(),select(Contactos[E-mail],[Rol]="Soporte en taller")))</pre>

View name EQUIPOS EN TRÁNSITO A TALLER HABILITADO

View name	EQUIPOS EN TRÁNSITO A TALLER HABILITADO
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Estatus entrada en taller", "ID", "Fecha", "Región Envía", "Taller", "Folio de reparación", "Folio de atención del equipo", "RESPONSABLE DE LA DEVOLUCIÓN", "Cantidad", "Artículo", "Marca", "Modelo", "No. Serie", "FOLIO DE ENVÍO POR EM O SA", "MOTIVO DE REVISIÓN", "NO. ARTICULO", "QUIEN VA A REPARAR", "DEFINICIÓN DE EQUIPO", "COMENTARIOS DE REPARACIÓN", "ACTUALIZACIÓN EN INSIGHT", "MOTIVO INSIGHT", "CONFIRMACIÓN DEFINICIÓN", "QUIEN CONFIRMA", "COMENTARIOS CONFIRMACIÓN", "CONFIRMACIÓN ENTRADA", "NOMBRE DE QUIEN RECIBE", "COMENTARIOS RECEPCIÓN", "INSIGHT EQ INGRESA A TALLER"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "***auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Jefe",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Gerente")

View name EQUIPOS TELECOMUNICACIONES_Detail

View name	EQUIPOS TELECOMUNICACIONES_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": </pre>

	<pre>{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name EQUIPOS TELECOMUNICACIONES_Form

View name	EQUIPOS TELECOMUNICACIONES_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTRO HISTORICO ALMACEN_Detail

View name	FILTRO HISTORICO ALMACEN_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [{ "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }] }], "QuickEditColumns": [{ "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }] }], "ColumnOrder": [{ "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }] }] }</pre>
Visible?	ALWAYS
Icon	

Menu order

1

View name FILTRO HISTORICO ALMACEN_Form

View name	FILTRO HISTORICO ALMACEN_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": **Automatic**,"RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction": **auto**}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTRO HISTORICO JEFE_Detail

View name	FILTRO HISTORICO JEFE_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": **auto**,"DetailContentColumn": **n one**,"HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder": [], "ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode": Automatic,"MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode": Split view,"UseDesktopMultiColumn":true,"SortBy": [], "PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [], "Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTRO HISTORICO JEFE_Form

View name	FILTRO HISTORICO JEFE_Form
-----------	----------------------------

Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*Automatic*", "RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom", "MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTRO HISTORICO SOPORTE_Detail

View name	FILTRO HISTORICO SOPORTE_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**", "HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill", "Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic", "MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view", "UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null, "IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent", "IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTRO HISTORICO SOPORTE_Form

View name	FILTRO HISTORICO SOPORTE_Form
Created by	System
View type	form
Position	ref

View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FOLIO DE REPARACIÓN_Detail

View name	FOLIO DE REPARACIÓN_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FOLIO DE REPARACIÓN_Form

View name	FOLIO DE REPARACIÓN_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>

Visible?	ALWAYS
Icon	
Menu order	1

View name HISTORICO DE VALES

View name	HISTORICO DE VALES
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "ESTATUS", "SecondaryDeckHeaderColumn": "DESTINO", "DeckSummaryColumn": "FOLIO DE REPORTE", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{ "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "_RowNumber", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-history", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte Tecnologico"))

View name HISTORICO DE VALES ALMACEN

View name	HISTORICO DE VALES ALMACEN
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [{ "Column": "FOLIO DE REPORTE", "Order": "Ascending" }], "GroupAggregate": null, "SortBy": [{ "Column": "FOLIO DE REPORTE", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-history", "IconRunnerUps": null, "MenuOrder": 1 }</pre>

	<pre>{ "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-history", "IconRunnerUps": null, "MenuOrder": 1 }] } </pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="almacén"))

View name HISTORICO DE VALES JEFE

View name	HISTORICO DE VALES JEFE
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "ESTATUS", "SecondaryDeckHeaderColumn": "DESTINO", "DeckSummaryColumn": "FOLIO DE REPORTE", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{ "Column": "ESTATUS", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "_RowNumber", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fas fa-history", "IconRunnerUps": null, "MenuOrder": 1 } </pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="jefe"))

View name Huesario

View name	Huesario
-----------	----------

Created by	App owner
View type	gallery
ActionType	Medium
Position	ref
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Menú huesario"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name HUESARIO POR CONFIRMAR

View name	HUESARIO POR CONFIRMAR
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fas fa-trash-restore-alt", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name HUESARIO POR CONFIRMAR_Detail

View name	HUESARIO POR CONFIRMAR_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Cantidad", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "DICTAMEN ALMACEN", "DEFINICIÓN DE EQUIPO", "COMENTARIOS REPARACIÓN", "CONFIRMACIÓN JEFE", "NOMBRE DE QUIÉN CONFIRMA", "Fecha de confirmación de envío a huesario", "Motivo_Insight3"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name HUESARIO POR CONFIRMAR_Form

View name	HUESARIO POR CONFIRMAR_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name INICIO

View name	INICIO
Created by	App owner
View type	gallery

ActionType	Medium
Position	ref
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "lr_a_inicio"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Inicio 2_Detail

View name	Inicio 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Inicio 2_Form

View name	Inicio 2_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "

	Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name LISTADO DE EQUIPO A HUESARIO CONFIRMADO

View name	LISTADO DE EQUIPO A HUESARIO CONFIRMADO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": [], "GroupBy":[{"Column":"NO. ARTICULO DEVUELTO","Order":"Ascending"}, {"Column":"Cantidad","Order":"Ascending"}], "GroupAggregate":"COUNT", "SortBy": [], "PrimarySortColumn":null,"IsPrimarySortDescending":false, "Events":[{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name Menú almacén 2_Detail

View name	Menú almacén 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**", "HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder": [], "ImageStyle":"Fill","Layout":null,"UseCardLayout":false, "DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true, "DesktopSplitM

	<pre>ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name **Menú Gerente SSIT_Detail**

View name	Menú Gerente SSIT_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name **Menú Gerente Zona_Detail**

View name	Menú Gerente Zona_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy":</pre>

	<pre>{,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú Huesario 2_Detail

View name	Menú Huesario 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": {,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": {,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú Jefe de soporte 2_Detail

View name	Menú Jefe de soporte 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": {,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": {,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>

Visible?	ALWAYS
Icon	
Menu order	1

View name Menú Jefe de soporte 2_Form

View name	Menú Jefe de soporte 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":true,"FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":true}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú jefe taller habilitado 2_Detail

View name	Menú jefe taller habilitado 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":true,"DetailContentColumn":true,"HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú oficina 2_Detail

View name	Menú oficina 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**n one**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú oficina 2_Form

View name	Menú oficina 2_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú reportes 2_Detail

View name	Menú reportes 2_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":["Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1]}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú reportes 2_Form

View name	Menú reportes 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú Salidas almacén 2_Detail

View name	Menú Salidas almacén 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú Salidas almacén 2_Form

View name	Menú Salidas almacén 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menú Soporte en taller 2_Detail

View name	Menú Soporte en taller 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy":</pre>

	<pre>{,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menu Soporte Tecnológico 2_Detail

View name	Menu Soporte Tecnológico 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{,"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":{,"QuickEditColumns":{,"ColumnOrder": {,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":" Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": {,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": {,"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Menu Soporte Tecnológico 2_Form

View name	Menu Soporte Tecnológico 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{,"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"* *Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	

View name NS SURTIR

View name	NS SURTIR
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Cantidad", "ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "ALMACÉN", "ASIGNAR CONF", "RESPONSABLE CONFIRMAR EN CENTRO", "CONFIRMAR INSIGHT TAG TIENDA", "Motivo_Insight1", "Quien cancela", "Motivo de cancelación de entrega de equipo en centro", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?", "NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "Tipo de envió eq regresa", "Envío eq regresa", "Folio de EM o folio de SA", "Taller o centro", "ESTATUS DEVOLUCIÓN", "NOMBRE DE QUIEN RECIBE EQ DEVUELTO", "NO. ARTICULO DEVUELTO", "DICTAMEN ALMACEN", "FOLIO DE REPARACIÓN", "CONFIRMAR INSIGHT REPARACIÓN", "Motivo_Insight2", "¿QUIÉN VA A REPARAR?", "DEFINICIÓN DE EQUIPO", "COMENTARIOS REPARACIÓN", "CONFIRMAR INSIGHT ENTRADA ALMACÉN", "Motivo_Insight3", "CONFIRMACIÓN JEFE", "NOMBRE DE QUIÉN CONFIRMA", "Motivo cancelación GTE", "COMENTARIOS DE JEFE", "CONFIRMACIÓN ALMACÉN", "NOMBRE DE QUIEN RECIBE", "COMENTARIOS DE QUIEN RECIBE", "ALMACÉN AL QUE ENTRA", "ESTÁTUS GRAL ENTRADA", "SOLUCION GARANTÍA", "NUM SERIE NUEVO", "Fecha de confirmación de envío a huesario", "ENVIADO A HUESARIO", "Centro", "Quien entrega", "quien_solicitó", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "MARCA NUEVO GARANTÍA", "MODELONUEVO GARANTÍA", "DESCRIPCIÓN ARTÍCULO ENTREGADO", "FOLIO DE REPORTE", "DESTINO", "FECHA DE SURTIDO", "REGIÓN", "IDSURTIR"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**"},], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }

Visible?	ALWAYS
Icon	☰
Menu order	1

View name NS SURTIR 2_Detail

View name	NS SURTIR 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name NS SURTIR 2_Form

View name	NS SURTIR 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["ID", "IDSURTIR", "Cantidad", "ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "Centro", "ALMACÉN", "REGRESA"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name NS SURTIR_Inline2

View name	NS SURTIR_Inline2
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": null, "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": null, "SecondaryDeckHeaderColumn": null, "DeckSummaryColumn": null, "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": null, "ActionBarEntries": [{ "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name PDF salida_Detail

View name	PDF salida_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [{ "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }] }] }</pre>

Visible?	ALWAYS
Icon	
Menu order	1

View name PDF salida_Form

View name	PDF salida_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES CONFIRMAR DEFINICIÓN DE EQUIPO ZONA

View name	PENDIENTES CONFIRMAR DEFINICIÓN DE EQUIPO ZONA
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["REGIÓN", "Cantidad", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "FOLIO DE REPARACIÓN", "¿QUIÉN VA A REPARAR?", "DEFINICIÓN DE EQUIPO", "COMENTARIOS REPARACIÓN", "CONFIRMAR INSIGHT ENTRADA ALMACÉN", "Motivo_Insight3"], "GroupBy": [{ "Column": "REGIÓN", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>

Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="Gerente de zona"))

View name PENDIENTES DE ASIGNAR REPARACIÓN ZONA

View name	PENDIENTES DE ASIGNAR REPARACIÓN ZONA
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS", "¿QUIÉN VA A REPARAR?", "IDSURTIR", "REGIÓN", "DESTINO", "FOLIO DE REPORTE", "Cantidad", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "FOLIO DE REPARACIÓN"], "GroupBy": [{ "Column": "REGIÓN", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="Gerente de zona"))

View name PENDIENTES DE CONFIRMAR ENTRADA A TALLER ZONA

View name	PENDIENTES DE CONFIRMAR ENTRADA A TALLER ZONA
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS", "REGIÓN", "FOLIO DE REPORTE", "DESTINO", "ARTÍCULO", "NÚMERO DE SERIE", "quien_solicitó", "Cantidad", "NOMBRE DEL ARTÍCULO A"] }</pre>

	DEVOLVER","MARCA DEVOLUCIÓN","MODELO DEVOLUCIÓN","NÚMERO DE SERIE DEVOLUCIÓN","FOLIO DE REPARACIÓN","Taller o centro"],"GroupBy":[{"Column":"REGIÓN","Order":"Ascending"}, {"Column":"_RowNumber","Order":"Ascending"}],"GroupAggregate":"COUNT","SortBy": [{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente de zona"))

View name PENDIENTES DE DEFINIR ZONA

View name	PENDIENTES DE DEFINIR ZONA
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [{"Column": "REGIÓN", "Order": "Ascending"}, {"Column": "_RowNumber", "Order": "Ascending"}], "GroupAggregate": "COUNT", "SortBy": [{"PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Pendientes de envío de equipo que regresa

View name	Pendientes de envío de equipo que regresa
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [{"Column": "REGIÓN", "Order": "Ascending"}, {"Column": "_RowNumber", "Order": "Ascending"}], "GroupAggregate": "NONE", "SortBy": [{"PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}

	<pre>[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],Icon:"fa-list- ul",IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(Contactos[E-mail],[Rol]="Soporte Tecnologico"))

View name PENDIENTES DE ENVÍO POR DISTRIBUCIÓN

View name	PENDIENTES DE ENVÍO POR DISTRIBUCIÓN
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": [,"GroupBy":[,"GroupAggregate":"NONE","SortBy": [,"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}],Icon:"fa-list- ul",IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(Contactos[E-mail],[Rol]="Soporte Tecnologico"))

View name PENDIENTES DE ENVÍO POR DISTRIBUCIÓN_Detail

View name	PENDIENTES DE ENVÍO POR DISTRIBUCIÓN_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[,"QuickEditColumns":[,"ColumnOrder": [,"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode": Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM</pre>

	ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES DE ENVÍO POR DISTRIBUCIÓN_Form

View name	PENDIENTES DE ENVÍO POR DISTRIBUCIÓN_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "*Automatic*","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1} }
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES DE ENVÍO_Detail

View name	PENDIENTES DE ENVÍO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode": "Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1} }
Visible?	ALWAYS

Icon	
Menu order	1

View name PENDIENTES DE ENVÍO_Form

View name	PENDIENTES DE ENVÍO_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES DE GARANTÍA DE TALLER

View name	PENDIENTES DE GARANTÍA DE TALLER
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Fecha","Región Envía","Taller","Folio de reparación","Folio de atención del equipo","Cantidad","Artículo","Marca","Modelo","No. Serie","FOLIO DE ENVÍO POR EM O SA","RESPONSABLE DE LA DEVOLUCIÓN","INSIGHT EQ INGRESA A TALLER","Estatus entrada en taller","MOTIVO DE REVISIÓN","EVIDENCIA FOTOGRÁFICA","NO. ARTICULO","QUIEN VA A REPARAR","DEFINICIÓN DE EQUIPO","COMENTARIOS DE REPARACIÓN","ACTUALIZACIÓN EN INSIGHT","MOTIVO INSIGHT","CONFIRMACIÓN DEFINICIÓN","QUIEN CONFIRMA","COMENTARIOS CONFIRMACIÓN","CONFIRMACIÓN ENTRADA","SOLUCIÓN GARANTÍA","NO. SERIE EQUIPO NUEVO"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":</pre>

	[{"EventType":"Row Selected","EventAction":"**auto**"}],{"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Jefe taller habilitado",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Soporte en taller")

View name PENDIENTES DE REGRESO DE EQUIPO

View name	PENDIENTES DE REGRESO DE EQUIPO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["FECHA DE SURTIDO","FOLIO DE REPORTE","DESTINO","quien_solicitó","Cantidad","ARTÍCULO","MARCA","MODELO","NÚMERO DE SERIE","TIPO","ALMACÉN","ESTATUS DEVOLUCIÓN"],"GroupBy":{"Column":"FOLIO DE REPORTE","Order":"Ascending"}, {"Column":"_RowNumber","Order":"Ascending"},"GroupAggregate":"COUNT","SortBy":[], "PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],{"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))

View name PENDIENTES DE REGRESO DE EQUIPO ZONA

View name	PENDIENTES DE REGRESO DE EQUIPO ZONA
Created by	App owner
View type	table

Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["ESTÁTUS", "REGIÓN", "SOLICITANTE EN COUPA", "quien_solicitó", "FECHA DE SURTIDO", "DESTINO", "FOLIO DE REPORTE", "Cantidad", "ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "ALMACÉN", "RESPONSABLE CONFIRMAR EN CENTRO", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?"], "GroupBy": [{ "Column": "REGIÓN", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "REGIÓN", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="Gerente de zona"))

View name PENDIENTES DE REGRESO DE EQUIPO ZONA_Detail

View name	PENDIENTES DE REGRESO DE EQUIPO ZONA_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["ESTÁTUS", "IDSURTIR", "REGIÓN", "SOLICITANTE EN COUPA", "quien_solicitó", "FECHA DE SURTIDO", "DESTINO", "FOLIO DE REPORTE", "Cantidad", "ARTÍCULO", "MARCA", "MODELO", "NÚMERO DE SERIE", "TIPO", "ALMACÉN", "RESPONSABLE CONFIRMAR EN CENTRO", "CONFIRMAR INSIGHT TAG TIENDA", "Motivo_Insight1", "Quien cancela", "Motivo de cancelación de entrega de equipo en centro", "¿APLICA ENTRADA A TALLER?", "¿POR QUÉ?", "NOMBRE DEL ARTÍCULO A DEVOLVER", "MARCA DEVOLUCIÓN", "MODELO DEVOLUCIÓN", "NÚMERO DE SERIE DEVOLUCIÓN", "Taller o centro", "ESTATUS DEVOLUCIÓN", "NOMBRE DE QUIEN RECIBE EQ DEVUELTO", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "DICTAMEN"] }</pre>

	ALMACEN","FOLIO DE REPARACIÓN"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES DE REGRESO DE EQUIPO_Detail

View name	PENDIENTES DE REGRESO DE EQUIPO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Pendientes de surtido_Detail

View name	Pendientes de surtido_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "

	Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Pendientes de surtido_Form

View name	Pendientes de surtido_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**", "RowKey":"","FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa-edit", "IconRunnerUps":null,"MenuOrder":1} }
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES GARANTÍA

View name	PENDIENTES GARANTÍA
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default", "EnableQuickEdit":false,"ColumnOrder": [], "GroupBy":[], "GroupAggregate":"NONE", "SortBy": [], "PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa-list-ul", "IconRunnerUps":null,"MenuOrder":1} }
Visible?	ALWAYS
Icon	
Menu order	1

Show if `=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte Tecnologico"))`

View name PENDIENTES GARANTÍA DE LA REGIÓN

View name	PENDIENTES GARANTÍA DE LA REGIÓN
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<code>=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")))</code>

View name PENDIENTES GARANTÍA JEFE_Detail

View name	PENDIENTES GARANTÍA JEFE_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	

Menu order

1

View name PENDIENTES GARANTÍA JEFE_Form

View name	PENDIENTES GARANTÍA JEFE_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": **Automatic**,"RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction": **auto**}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES GARANTÍA_Detail

View name	PENDIENTES GARANTÍA_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": **auto**,"DetailContentColumn": **n one**,"HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder": [], "ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode": Automatic,"MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode": Split view,"UseDesktopMultiColumn":true,"SortBy": [], "PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [], "Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES GARANTÍA_Form

View name	PENDIENTES GARANTÍA_Form
-----------	--------------------------

Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"*Automatic*", "RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom", "MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES TELECOM

View name	PENDIENTES TELECOM
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[], "GroupBy":[],"GroupAggregate":"NONE","SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name PENDIENTES TELECOM DE LA REGIÓN

View name	PENDIENTES TELECOM DE LA REGIÓN
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[], "GroupBy":[],"GroupAggregate":"NONE","SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":

	[{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa-list-ul", "IconRunnerUps":null, "MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente")))

View name RECEPCIÓN DE EQUIPO CANCELADO

View name	RECEPCIÓN DE EQUIPO CANCELADO
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	ALWAYS
Icon	☰
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén"))

View name REG_EQUIPO_A_SURTIR_ALMACEN

View name	REG_EQUIPO_A_SURTIR_ALMACEN
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["IDSALIDA", "COMENTARIOS", "NOMBRE DE QUIEN ENTREGA", "Destino", "Motivo de la solicitud", "Tipo de material", "Quien autorizó", "EQUIPOS SOLICITADOS", "NOMBRE DE QUIEN RECIBE", "FIRMA DE QUIEN RECIBE"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events":

	<pre>[{"EventType":"Row Selected","EventAction":"**auto**"}],{"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén"))

View name Registrar devolución_Detail

View name	Registrar devolución_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":["Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1]}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Registrar devolución_Form

View name	Registrar devolución_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],{"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Registro artículos_Detail

View name	Registro artículos_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Registro artículos_Form

View name	Registro artículos_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "***auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name REGISTRO DE EQ SURTIDO_Detail

View name	REGISTRO DE EQ SURTIDO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name REGISTRO DE EQ SURTIDO_Form

View name	REGISTRO DE EQ SURTIDO_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["IDMOVIMIENTO", "IDSALIDA", "Destino", "Motivo de la solicitud", "Tipo de material", "Quien autorizó", "EQUIPOS SOLICITADOS", "Related NS SURTIRs", "Advertencia", "COMENTARIOS", "NOMBRE DE QUIEN ENTREGA", "NOMBRE DE QUIEN RECIBE", "FIRMA DE QUIEN RECIBE"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "SURTIR TODO"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name REPARACIONES ASIGNADAS

View name	REPARACIONES ASIGNADAS
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["FOLIO DE REPARACIÓN", "NO. ARTICULO DEVUELTO", "MARCA DEVOLUCIÓN CORREGIDA", "MODELO DEVOLUCION CORREGIDA", "NÚMERO DE SERIE DEVOLUCIÓN", "DEFINICIÓN DE EQUIPO"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=or(IN(USERemail(),select(Contactos[E-mail],[Rol]="Soporte Tecnologico")),IN(USERemail(),select(Contactos[E-mail],[Rol]="Jefe")),IN(USERemail(),select(Contactos[E-mail],[Rol]="Gerente")))</pre>

View name Reportes

View name	Reportes
Created by	App owner
View type	gallery
ActionType	Medium
Position	ref
View configuration	<pre>{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "Menú reportes" }], "Icon": "fas fa-file-chart-line", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name SALIDAS 2_Detail

View name	SALIDAS 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name SALIDAS 2_Form

View name	SALIDAS 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["CANTIDAD", "EQUIPO PEDIDO", "REGION", "FOLIO DE REPORTE", "DESTINO"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name SALIDAS ALMACÉN

View name	SALIDAS ALMACÉN
Created by	App owner

View type	gallery
ActionType	Medium
Position	ref
View configuration	{ "ImageSize": "Medium", "ActionBarEntries": [], "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Menú reportes"}], "Icon": "fas fa-file-chart-line", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name SALIDAS_Inline2

View name	SALIDAS_Inline2
Created by	System
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["EQUIPO PEDIDO", "CANTIDAD", "FOLIO DE REPORTE", "COMENTARIOS", "MOTIVO DE CANCELACIÓN", "DESTINO"], "GroupBy": [{"Column": "ESTATUS", "Order": "Ascending"}], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name SSIT_Detail

View name	SSIT_Detail
Created by	System
View type	detail
ActionType	Automatic

Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**n one**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": " Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitM ode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name SSIT_Form

View name	SSIT_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "** *Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automa tic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa- edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name STOCK PARA CENTRO ESTRATÉGICO_Detail

View name	STOCK PARA CENTRO ESTRATÉGICO_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**n one**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": " Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitM</pre>

	ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name STOCK PARA CENTRO ESTRATÉGICO_Form

View name	STOCK PARA CENTRO ESTRATÉGICO_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "*Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automa tic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false," Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name SURTIR 2_Detail

View name	SURTIR 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**n one**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode": Automatic,"MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitM ode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	
Menu order	1

View name SURTIR 2_Form

View name	SURTIR 2_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name SURTIR_Inline2

View name	SURTIR_Inline2
Created by	System
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Taller_Detail

View name	Taller_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***n one**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": " Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitM ode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Taller_Form

View name	Taller_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "** *Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automa tic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, " Events": [{"EventType": "Form Saved", "EventAction": "***auto**"}], "Icon": "fa- edit", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Taller_Inline

View name	Taller_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy":</pre>

```
[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name TALLERES_Detail

View name	TALLERES_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":["Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1]}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name TRASPASOS

View name	TRASPASOS
Created by	App owner
View type	gallery
ActionType	Medium
Position	ref
View configuration	<pre>{"ImageSize":"Medium","ActionBarEntries":null,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"TRASPASOS"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Traspasos 2_Detail

View name	Traspasos 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name VALE DE SALIDA

View name	VALE DE SALIDA
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{"Column": "ESTATUS", "Order": "Ascending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=FALSE

View name VALE DE SALIDA 2_Detail

View name	VALE DE SALIDA 2_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name VALE DE SALIDA 2_Form

View name	VALE DE SALIDA 2_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Vale de Salida Almacén_Detail

View name	Vale de Salida Almacén_Detail
Created by	System

View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["FECHA", "FOLIO DE REPORTE", "DESTINO", "MOTIVO DE SOLICITUD", "TIPO DE MATERIAL", "QUIEN SOLICITA", "AUTORIZO", "TIPO DE ENVIO", "ENTREGO", "QUIEN CANCELÓ", "MOTIVO DE CANCELACIÓN", "NOMBRE DE PROYECTO", "Related SALIDASS"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Vale de Salida Almacén_Form

View name	Vale de Salida Almacén_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["DESTINO", "MOTIVO DE SOLICITUD", "TIPO DE MATERIAL", "QUIEN SOLICITA", "FIRMA DE QUIEN SOLICITA", "AUTORIZO", "TIPO DE ENVIO", "ENTREGO", "ESTATUS", "QUIEN CANCELÓ", "FIRMA DE QUIEN CANCELA", "COMENTARIOS", "MOTIVO DE CANCELACIÓN", "NOMBRE DE PROYECTO", "Related SALIDASS", "NOMBRE DEL GERENTE QUE RECIBE EQUIPO", "NÚMERO DE EMPLEADO GTE", "FIRMA DEL GERENTE", "Advertencia", "ESTÁTUS CONNFIRMACIÓN", "FECHA DE SURTIDO"], "AutoSave": false, "AutoReopen": false, "FinishView": "***Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "***auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Vale de salida Ing Soporte_Detail

View name	Vale de salida Ing Soporte_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "***auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Vale de salida Ing Soporte_Form

View name	Vale de salida Ing Soporte_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": ["FECHA", "FOLIO DE REPORTE", "Advertencia folio duplicado", "DESTINO", "MOTIVO DE SOLICITUD", "NOMBRE DE PROYECTO", "FECHA DE LLEGADA A SUCURSAL", "FECHA DE RETIRO DE SUCURSAL", "FECHA DE REGRESO PRESTAMO", "TIPO DE MATERIAL", "QUIEN SOLICITA", "TIPO DE ENVIO", "ESTATUS", "COMENTARIOS", "Related SALIDASs", "FIRMA DE QUIEN SOLICITA"], "AutoSave": false, "AutoReopen": false, "FinishView": "***Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": {} }

: [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Vale de Salida Jefe_Detail

View name	Vale de Salida Jefe_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["concatenado", "FECHA", "FOLIO DE REPORTE", "DESTINO", "MOTIVO DE SOLICITUD", "TIPO DE MATERIAL", "QUIEN SOLICITA", "TIPO DE ENVIO", "AUTORIZO", "ENTREGO", "ESTATUS", "QUIEN CANCELÓ", "COMENTARIOS", "MOTIVO DE CANCELACIÓN", "NOMBRE DE PROYECTO", "Related SALIDASs"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Vale de Salida Jefe_Form

View name	Vale de Salida Jefe_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": ["FECHA", "FOLIO DE REPORTE", "DESTINO", "MOTIVO DE SOLICITUD", "NOMBRE DE PROYECTO", "FECHA DE LLEGADA A SUCURSAL", "FECHA DE RETIRO DE SUCURSAL", "FECHA DE REGRESO

	PRESTAMO","TIPO DE MATERIAL","QUIEN SOLICITA","TIPO DE ENVIO","ESTATUS","COMENTARIOS","Related SALIDASs","FIRMA DE QUIEN SOLICITA"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name VALE DE SALIDA POR APROBAR

View name	VALE DE SALIDA POR APROBAR
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [{ "Column": "QUIEN SOLICITA", "Order": "Ascending" }, { "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "Column": "QUIEN SOLICITA", "Order": "Ascending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1
Show if	=or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado")))

View name VALE DE SALIDA POR SURTIR

View name	VALE DE SALIDA POR SURTIR
Created by	App owner
View type	table

Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [{ "Column": "_RowNumber", "Order": "Ascending" }], "GroupAggregate": "COUNT", "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=or(IN(USERemail(),select(CONTACTOS[E-mail], [Ro] = "Almacén")),IN(USERemail(),select(CONTACTOS[E-mail], [Ro] = "Gerente")))</pre>

View name VALE DE SALIDA SOPORTE

View name	VALE DE SALIDA SOPORTE
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{ "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1
Show if	<pre>=and(IN(USERemail(),select(Contactos[E-mail],[Ro] = "Soporte Tecnologico")),IN(USERemail(),select(Contactos[E-mail],[Ro] = "Soporte en taller")))</pre>

View name VALE DE SALIDA_Inline2

View name	VALE DE SALIDA_Inline2
Created by	System
View type	table

Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-table", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

Format Rules

Rule name Equipo cancelado

Rule name	Equipo cancelado
Format these columns and actions	ESTATUS
For this data	SALIDAS
If this condition is true	= [ESTATUS] = "CANCELADO"
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "red", "highlightColor": null, "textSize": 1.2, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-ban", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Advertencia

Rule name	Advertencia
Format these columns and actions	Advertencia
For this data	SURTIR
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "red", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-exclamation-triangle", "imageSize": null }</pre>

Visible?

ALWAYS

Rule name Equipo Pendiente de Surtir

Rule name Equipo Pendiente de Surtir

Format these columns and actions ESTATUS

For this data SALIDAS

If this condition is true =[ESTATUS]="PENDIENTE POR SURTIR"

Rule order 1

Is this format rule disabled? No

Like this {"textColor":null,"highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"far fa-check-circle","imageSize":null}

Visible? ALWAYS

Rule name REPARACIÓN

Rule name REPARACIÓN

Format these columns and actions DICTAMEN ALMACEN

For this data NS SURTIR

If this condition is true =[DICTAMEN ALMACEN]="REPARACIÓN"

Rule order 1

Is this format rule disabled? No

Like this {"textColor":"blue","highlightColor":"blue","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}

Visible? ALWAYS

Rule name TELECOM

Rule name TELECOM

Format these columns and actions DICTAMEN ALMACEN

For this data NS SURTIR

If this condition is true =[DICTAMEN ALMACEN]="TELECOMUNICACIONES"

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"green","highlightColor":"green","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name DEF GARANTÍA

Rule name	DEF GARANTÍA
Format these columns and actions	DEFINICIÓN DE EQUIPO
For this data	NS SURTIR
If this condition is true	=[DEFINICIÓN DE EQUIPO]="GARANTÍA"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"blue","highlightColor":"blue","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name DEF REPARADO

Rule name	DEF REPARADO
Format these columns and actions	DEFINICIÓN DE EQUIPO
For this data	NS SURTIR
If this condition is true	=[DEFINICIÓN DE EQUIPO]="REPARADO"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"green","highlightColor":"green","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name DEF HUESARIO

Rule name	DEF HUESARIO
Format these columns and actions	DEFINICIÓN DE EQUIPO
For this data	NS SURTIR
If this condition is true	=[DEFINICIÓN DE EQUIPO]="HUESARIO"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"red","highlightColor":"red","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name GARANTÍA NUEVO

Rule name	GARANTÍA NUEVO
Format these columns and actions	SOLUCION GARANTÍA
For this data	NS SURTIR
If this condition is true	=[SOLUCION GARANTÍA]="NUEVO"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"green","highlightColor":"green","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name GARANTÍA RECUPERADO

Rule name	GARANTÍA RECUPERADO
Format these columns and actions	SOLUCION GARANTÍA
For this data	NS SURTIR
If this condition is true	=[SOLUCION GARANTÍA]="RECUPERADO"
Rule order	1
Is this format rule disabled?	No

Like this

```
{"textColor":"green","highlightColor":"green","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
```

Visible?

ALWAYS

Rule name Confirmado x jefe

Rule name

Confirmado x jefe

Format these columns and actions

CONFIRMACIÓN JEFE

For this data

NS SURTIR

If this condition is true

=[CONFIRMACIÓN JEFE]="CONFIRMADO"

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"green","highlightColor":"","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
```

Visible?

ALWAYS

Rule name Huesario directo

Rule name

Huesario directo

Format these columns and actions

DICTAMEN ALMACEN

For this data

NS SURTIR

If this condition is true

=[DICTAMEN ALMACEN]="HUESARIO DIRECTO"

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"orange","highlightColor":"orange","textSize":1.1,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
```

Visible?

ALWAYS

Rule name Marcar en revisión

Rule name

Marcar en revisión

Format these columns and actions	Estatus entrada en taller
For this data	Taller
If this condition is true	= <code>[Estatus entrada en taller]</code> ="EN REVISIÓN"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"orange","highlightColor":null,"textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name Marcar en tránsito

Rule name	Marcar en tránsito
Format these columns and actions	Estatus entrada en taller
For this data	Taller
If this condition is true	= <code>[Estatus entrada en taller]</code> ="EN TRANSITO"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"green","highlightColor":null,"textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name ESTÁTUS FINALIZADO

Rule name	ESTÁTUS FINALIZADO
Format these columns and actions	ESTÁTUS
For this data	NS SURTIR
If this condition is true	= <code>[ESTÁTUS]</code> ="FINALIZADO CON RECUPERACIÓN DE EQUIPO"
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"green","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>

```
ercase":false,"icon":null,"imageSize":null}
```

Visible?

ALWAYS

Rule name ESTÁTUS PENDIENTE DE CONFIRMA EN CENTRO

Rule name	ESTÁTUS PENDIENTE DE CONFIRMA EN CENTRO
Format these columns and actions	ESTÁTUS
For this data	NS SURTIR
If this condition is true	=[ESTÁTUS]="PENDIENTE DE CONFIRMAR EN CENTRO"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": "orange", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name ESTÁTUS FINALIZADO SIN DEVOLUCIÓN

Rule name	ESTÁTUS FINALIZADO SIN DEVOLUCIÓN
Format these columns and actions	ESTÁTUS
For this data	NS SURTIR
If this condition is true	=[ESTÁTUS]="FINALIZADO SIN DEVOLUCIÓN"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": "green", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name ESTÁTUS DEVOLUCIÓN PENDIENTE

Rule name	ESTÁTUS DEVOLUCIÓN PENDIENTE
Format these columns and actions	ESTÁTUS
For this data	NS SURTIR

If this condition is true	=[ESTÁTUS]="DEVOLUCIÓN PENDIENTE"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": "orange", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name ESTÁTUS TALLER HABILITADO

Rule name	ESTÁTUS TALLER HABILITADO
Format these columns and actions	ESTÁTUS
For this data	NS SURTIR
If this condition is true	=[ESTÁTUS]="ENVIADO A TALLER HABILITADO"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "yellow", "highlightColor": "yellow", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-tools", "imageSize": null }
Visible?	ALWAYS

Rule name CAMBIO DE EQUIPO CANCELADO

Rule name	CAMBIO DE EQUIPO CANCELADO
Format these columns and actions	ESTATUS DEVOLUCIÓN
For this data	NS SURTIR
If this condition is true	=[ESTATUS DEVOLUCIÓN]="CANCELADA"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Retiro directo a stock

Rule name	Retiro directo a stock
Format these columns and actions	MOTIVO DE ENVIO A STOCK DIRECTO
For this data	NS SURTIR
If this condition is true	=or([MOTIVO DE ENVIO A STOCK DIRECTO]="Retiro de equipo por temporada",[MOTIVO DE ENVIO A STOCK DIRECTO]="Retiro por solicitud de usuario",[MOTIVO DE ENVIO A STOCK DIRECTO]="Retiro por proyecto de reducción de equipo")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":"orange","textSize":1.2,"underline":true,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Behavior

Actions

Action name Ir_a_inicio

Action name	Ir_a_inicio
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget": "=LINKTOVIEW([NOMBRE])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Inicio
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Autorización JEFE

Action name	Autorización JEFE
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit": "AUTORIZO", "NewColumnValue": "=lookup(useremail(), \"CONTACTOS\\\", \"E-mail\\\", \"Nombre\\\")\"}, {"ColumnToEdit": "COMENTARIOS", "NewColumnValue": "=input(\"te

```
xt\\,\\")}]","ColumnToEdit":"AUTORIZO","NewColumnValue":"=look  
up(useremail(),\\"CONTACTOS\\,\\E-  
mail\\,\\Nombre\\)","InputParametersUsed":{"text":  
{"Type":"Text","MetaData":  
{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,  
Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo  
rmatting":"Plain  
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In  
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I  
f":null,"Suggested_Values":null}}},"Prominence":"Display_Prominen  
tly","NeedsConfirmation":false,"ConfirmationMessage":"","Modifies  
Data":true,"BulkApplicable":true}
```

Do this	SET_COLUMN_VALUE
Attach to column	AUTORIZO
Set this column	AUTORIZO
Only if this condition is true	=and(or(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Jefe taller habilitado"))),isblank([AUTORIZO]), [ESTATUS]="PENDIENTE DE SURTIDO")
Disable automatic updates?	No
Display name	=Autorizar Vale
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
To this value	=lookup(useremail(),"CONTACTOS","E-mail","Nombre")
Visible?	ALWAYS

Action name Cancelar Vale de salida

Action name	Cancelar Vale de salida
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

	<pre> {"Assignments": [{"ColumnToEdit":"ESTATUS","NewColumnValue":"=\"CANCELADO \""}, {"ColumnToEdit":"COMENTARIOS","NewColumnValue":":input(\"te xt\\,\\\"\\\"\"},{\"ColumnToEdit\":\"MOTIVO DE CANCELACIÓN\",\"NewColumnValue\":":input(enum,\\\"\\\"\"}, {"ColumnToEdit\":\"QUIEN CANCELÓ\",\"NewColumnValue\":":lookup(Useremail(),\\\"CONTACTO S\\,\\\"E- mail\\,\\\"Nombre\\\"\"}],\"ColumnToEdit\":\"ESTATUS\",\"NewColumnValu e\":":\"CANCELADO\\\"\",\"InputParametersUsed\":{\"text\": {\"Type\":\"Text\",\"MetaData\": {\"\$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFo rmatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_In valid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_I f\":null,\"Suggested_Values\":null}},\"enum\":{\"Type\":\"Text\",\"MetaData\": {\"\$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFo rmatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_In valid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_I f\":null,\"Suggested_Values\":null}}},\"Prominence\":\"Do_Not_Display\", NeedsConfirmation\":false,\"ConfirmationMessage\":\"\", \"ModifiesData \":true,\"BulkApplicable\":true} </pre>
With these properties	
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS
Set this column	ESTATUS
Only if this condition is true	<pre> =and(OR(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Almacén")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente"))),[ESTATUS]="PENDIENTE DE SURTIDO") </pre>
Disable automatic updates?	No
Display name	CANCELAR VALE
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No

To this value = "CANCELADO"

Visible? ALWAYS

Action name Cancelar Salidas en Vale

Action name	Cancelar Salidas en Vale
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "ReferencedTable": "SALIDAS", "ReferencedRows": "=FILTER(\\"SALIDAS\\", AND([IDVALE]=[_THISROW].[IDVale], [estatus]=\\"PENDIENTE POR SURTIR\\"))", "ReferencedAction": "Cancelar salida total", "InputAssignments": [], "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": true }</pre>
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Cancelar salida total

Action name	Cancelar salida total
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTATUS", "NewColumnValue": "=\\\"CANCELADO\\\""}, { "ColumnToEdit": "COMENTARIOS", "NewColumnValue": "=\\\"CANCELADO DESDE VALE\\\""}, { "ColumnToEdit": "MOTIVO DE CANCELACIÓN", "NewColumnValue": "[IDVALE].[MOTIVO DE CANCELACIÓN]"}], "ColumnToEdit": "ESTATUS", "NewColumnValue": "=\\\"CANCELADO\\\""}, "InputParametersUsed": null, "Prominence": "DoNot_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS
Set this column	ESTATUS
Only if this condition is true	<pre>=and(OR(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente"))),[ESTATUS]<>"SURTIDO")</pre>
Disable automatic updates?	No
Action icon	
For a record of this table	SALIDAS
Does this action apply to the whole table?	No
To this value	"CANCELADO"
Visible?	ALWAYS

Action name Cancelación Vale total

Action name	Cancelación Vale total
Bulk action?	Yes
Confirmation Message	¿ESTÁ SEGURO QUE DESEA CANCELAR EL VALE?
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "Cancelar Vale de salida"}, { "ActionName": "Cancelar Salidas en Vale"}], "Prominence": "Display_Prominently", "NeedsConfirmation": false }</pre>

	also,"ConfirmationMessage": "¿ESTÁ SEGURO QUE DESEA CANCELAR EL VALE?","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
	=OR(AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe")), [ESTATUS]="PENDIENTE DE SURTIDO",ISBLANK([AUTORIZO])),AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Almacén")), [ESTATUS]
Only if this condition is true	<>"SURTIDO"),AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Gerente")), [ESTATUS] <>"SURTIDO"),AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado")), [ESTATUS]="PENDIENTE DE SURTIDO",ISBLANK([AUTORIZO]))
Disable automatic updates?	No
Display name	CANCELAR VALE
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Surtir Vale

Action name	Surtir Vale
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ENTREGO", "NewColumnValue": "=lookup(Useremail(),\"CONTACTOS\\\", \"E-mail\\\", \"Nombre\\\")", "ColumnToEdit": "ESTATUS", "NewColumnValue": "\"SURTIDO\"", "ColumnToEdit": "ENTREGO", "NewColumnValue": "=lookup(Useremail(),\"CONTACTOS\\\", \"E-mail\\\", \"Nombre\\\")", "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE

Attach to column	ENTREGO
Set this column	ENTREGO
Only if this condition is true	=and(or(IN(USEREMAIL(),select(CONTACTOS[E-mail],[Rol]="Almacén")),IN(USEREMAIL(),select(CONTACTOS[E-mail],[Rol]="Gerente"))),isnotblank([AUTORIZO]))
Disable automatic updates?	No
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
To this value	=lookup(Useremail(),"CONTACTOS","E-mail","Nombre")
Visible?	ALWAYS

Action name Cancelar salida de equipo

Action name	Cancelar salida de equipo
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre> {"Assignments": [{"ColumnToEdit":"ESTATUS","NewColumnValue":"=\\\"CANCELADO\\\""}, {"ColumnToEdit":"COMENTARIOS","NewColumnValue":"=input(\\\"text\\\",\\\"\\\")},{\"ColumnToEdit\":\"MOTIVO DE CANCELACIÓN\",\"NewColumnValue\":\"=input(enum,\\\"\\\")}],\"ColumnToEdit\":\"ESTATUS\",\"NewColumnValue\":\"=\\\"CANCELADO\\\"\",\"InputParametersUsed\":{\"text\":{\"Type\":\"Text\",\"MetaData\":{\"\$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}},\"enum\":{\"Type\":\"Text\",\"MetaData\":{\"\$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain </pre>

	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}},"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS
Set this column	ESTATUS
	=or(AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe")),[ESTATUS]="PENDIENTE POR SURTIR",ISBLANK([IDVALE].
Only if this condition is true	[AUTORIZO])),AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Almacén")),[ESTATUS]="PENDIENTE POR SURTIR"),AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Gerente")),[ESTATUS]="PENDIENTE POR SURTIR"))
Disable automatic updates?	No
Display name	Cancelar salida
Action icon	
For a record of this table	SALIDAS
Does this action apply to the whole table?	No
To this value	="CANCELADO"
Visible?	ALWAYS

Action name Soporte Tecnológico

Action name	Soporte Tecnológico
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=LINKTOVIEW([Nombre])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	NOMBRE

Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menu Soporte Tecnológico
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Jefe de soporte tecnológico

Action name	Jefe de soporte tecnológico
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"NavigateTarget":"=LINKTOVIEW([Nombre])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Jefe de soporte
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Menu almacén

Action name	Menu almacén
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently

Action order	1
With these properties	<code>{"NavigateTarget": "=LINKTOVIEW([Nombre])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú almacén
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Oficina

Action name	Oficina
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"NavigateTarget": "=LINKTOVIEW([Nombre])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú oficina
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name IR A HOJA SURTIR

Action name	IR A HOJA SURTIR
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"NavigateTarget": "\#view=REG_EQUIPO_A_SURTIR_ALMACEN", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</pre>
Do this	NAVIGATE_APP
Attach to column	ESTATUS
Only if this condition is true	<pre>=and(or(IN(USEREMAIL()),select(CONTACTOS[E-mail], [Rol]="Almacén")),IN(USEREMAIL(),select(CONTACTOS[E-mail], [Rol]="Gerente"))),isnotblank([AUTORIZO]),[ESTATUS] <>"CANCELADO",[AUTORIZO] <>lookup(UsereMAIL(),"CONTACTOS","E-mail","Nombre"))</pre>
Disable automatic updates?	No
Display name	SURTIR VALE SALIDA ALMACEN
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
To this value	="SURTIDO"
Visible?	ALWAYS

Action name SURTIR TODO

Action name	SURTIR TODO
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"Actions": [{"ActionName": "SURTIR EN SALIDAS"}, {"ActionName": "SURTIR EN VALE"}],</pre>

```
{"ActionName":"reg_surtidos"}], "Prominence":"Do_Not_Display", "NeedsConfirmation":false, "ConfirmationMessage":"","ModifiesData":false, "BulkApplicable":true}
```

Do this COMPOSITE

Only if this condition is true true

Disable automatic updates? No

Action icon 

For a record of this table SURTIR

Does this action apply to the whole table? No

Visible? ALWAYS

Action name SURTIR EQUIPOS

Action name SURTIR EQUIPOS

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Do_Not_Display

Action order 1

With these properties

```
{"Assignments": [{"ColumnToEdit":"ESTATUS", "NewColumnValue": "=\\\"SURTIDO\\\""}], "ColumnToEdit":"ESTATUS", "NewColumnValue": "=\\\"SURTIDO\\\"","InputParametersUsed":null, "Prominence":"Do_Not_Display", "NeedsConfirmation":false, "ConfirmationMessage":"","ModifiesData":true, "BulkApplicable":true}
```

Do this SET_COLUMN_VALUE

Attach to column ESTATUS

Set this column ESTATUS

Only if this condition is true true

Disable automatic updates? No

Action icon 

For a record of this table SALIDAS

Does this action apply to the whole table? No

To this value ="SURTIDO"

Visible?	ALWAYS
----------	--------

Action name SURTIR EN VALE

Action name	SURTIR EN VALE
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "ReferencedTable": "VALE DE SALIDA", "ReferencedRows": "=FILTER(\nVALE DE SALIDA\n", "AND([IDVale]=[_THISROW].[IDSALIDA], [estatus]=\nPENDIENTE DE SURTIDO\n"))", "ReferencedAction": "Surtir Vale", "InputAssignments": [], "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": true }</pre>
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name SURTIR EN SALIDAS

Action name	SURTIR EN SALIDAS
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "ReferencedTable": "SALIDAS", "ReferencedRows": "=FILTER(\nSALIDAS\n", "AND([IDVALE]=[_THISROW].[IDSALIDA],</pre>

```
[estatus]="PENDIENTE POR  
SURTIR"))","ReferencedAction":"SURTIR  
EQUIPOS","InputAssignments":  
[],"InputParametersUsed":null,"Prominence":"Do_Not_Display","Nee  
dsConfirmation":false,"ConfirmationMessage":"","ModifiesData":fal  
se,"BulkApplicable":true}
```

Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Cancelar vale desde salidas

Action name	Cancelar vale desde salidas
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "Assignments": [{"ColumnToEdit":"ESTATUS","NewColumnValue":"=IF(\n AND(\n COUNT(SELECT(Salidas[ESTATUS], [IDVALE] = [_THISROW]. [IDVale])) > 0,\n COUNT(SELECT(Salidas[ESTATUS], and([IDVALE] = [_THISROW].[IDVale], [ESTATUS] = \"Cancelado\"))) = COUNT(SELECT(Salidas[ESTATUS], [IDVALE] = [_THISROW]. [IDVale])))\n ,\n \"CANCELADO\", \n \"PENDIENTE DE SURTIDO\" \n }], "ColumnToEdit":"ESTATUS","NewColumnValue":"=I F(\n AND(\n COUNT(SELECT(Salidas[ESTATUS], [IDVALE] = [_THISROW].[IDVale])) > 0,\n COUNT(SELECT(Salidas[ESTATUS], and([IDVALE] = [_THISROW].[IDVale], [ESTATUS] = \"Cancelado\"))) = COUNT(SELECT(Salidas[ESTATUS], [IDVALE] = [_THISROW].[IDVale])))\n ,\n \"CANCELADO\", \n \"PENDIENTE DE SURTIDO\" \n }","InputParametersUsed":null,"Prominence":"Do_Not_

	Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS
Set this column	ESTATUS
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
To this value	=IF(AND(COUNT(SELECT(Salidas[ESTATUS], [IDVALE] = [_THISROW].[IDVale])) > 0, COUNT(SELECT(Salidas[ESTATUS], and([IDVALE] = [_THISROW].[IDVale], [ESTATUS] = "Cancelado")))) = COUNT(SELECT(Salidas[ESTATUS], [IDVALE] = [_THISROW].[IDVale]))), "CANCELADO", "PENDIENTE DE SURTIDO")
Visible?	ALWAYS

Action name Cancelar vale equipos cancelados

Action name	Cancelar vale equipos cancelados
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "ReferencedTable": "VALE DE SALIDA", "ReferencedRows": "=FILTER(\\"VALE DE SALIDA\\", [IDVale]=[_THISROW].[IDVALE])", "ReferencedAction": "Cancelar vale desde salidas", "InputAssignments": [], "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": true }
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	

For a record of this table	SALIDAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Cancelar equipo

Action name	Cancelar equipo
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "Cancelar salida de equipo" }, { "ActionName": "Cancelar vale equipos cancelados" }], "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkAplicable": true }</pre>
Do this	COMPOSITE
Only if this condition is true	<pre>=or(AND(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Jefe")), [ESTATUS]="PENDIENTE POR SURTIR",ISBLANK([IDVALE]. [AUTORIZO])),AND(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Jefe taller habilitado")), [ESTATUS]="PENDIENTE POR SURTIR",ISBLANK([IDVALE]. [AUTORIZO])),AND(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Almacén")), [ESTATUS]="PENDIENTE POR SURTIR"),AND(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente")), [ESTATUS]="PENDIENTE POR SURTIR"))</pre>
Disable automatic updates?	No
Action icon	
For a record of this table	SALIDAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name REGISTRAR EQUIPO A DEVOLVER

Action name	REGISTRAR EQUIPO A DEVOLVER
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre> {"Assignments":{"ColumnToEdit":"CONFIRMAR INSIGHT TAG TIENDA","NewColumnValue": "=input(enum,\\"\\")"}, {"ColumnToEdit":"Motivo_Insight1","NewColumnValue": "=input(\\"t ext\\",\\"\\")"}, {"ColumnToEdit":"¿APLICA ENTRADA A TALLER?","NewColumnValue": "=INPUT(ENUM,\\"\\")"}, {"ColumnToEdit":"¿POR QUÉ?","NewColumnValue": "=INPUT(ENUM,\\"\\")"}, {"ColumnToEdit":"FOLIO DE REPARACIÓN","NewColumnValue": "=input(\\"text\\",\\"\\")"}, {"ColumnToEdit":"NOMBRE DEL ARTÍCULO A DEVOLVER","NewColumnValue": "=input(\\"text\\",\\"\\")"}, {"ColumnToEdit":"MARCA DEVOLUCIÓN","NewColumnValue": "=INPUT(\\"TEXT\\",\\"\\")"}, {"ColumnToEdit":"MODELO DEVOLUCIÓN","NewColumnValue": "=INPUT(\\"TEXT\\",\\"\\")"}, {"ColumnToEdit":"NÚMERO DE SERIE DEVOLUCIÓN","NewColumnValue": "=INPUT(\\"TEXT\\",\\"\\")"}, {"ColumnToEdit":"PREDEFINICION","NewColumnValue": "=input(en um,\\"\\")"}, {"ColumnToEdit":"FALLA","NewColumnValue": "=input(enum,\\"\\")"}, {"ColumnToEdit":"ESTÁTUS GRAL ENTRADA","NewColumnValue": "=If([Taller o centro]=\\"Taller habilitado\\",\\"Taller habilitado\\",\\"REGISTRADO\\")"}, {"ColumnToEdit":"Taller o centro","NewColumnValue": "=INPUT(ENUM,\\"\\")"}, {"ColumnToEdit":"TALLER HABILITADO","NewColumnValue": "=input(enum,\\"\\")"}, {"ColumnToEdit":"Tipo de envió eq regresa","NewColumnValue": "=input(enum,\\"\\")"}, {"ColumnToEdit":"Folio de EM o folio de SA","NewColumnValue": "=input(\\"text\\",\\"\\")"}, {"ColumnToEdit":"ESTATUS DEVOLUCIÓN","NewColumnValue": "=If([Taller o centro]=\\"Taller </pre>

```

habilitado\";\"TALLER HABILITADO\";\"PENDIENTE DE
CONFIRMAR\");},{\"ColumnToEdit\":\"Envio eq
regresa\",\"NewColumnValue\":\"=if(ISNOTBLANK([Folio de EM o
folio de SA]),\"CONFIRMADO\\\",\\\"\"}),
{\"ColumnToEdit\":\"CONFIRMAR INSIGHT
REPARACIÓN\",\"NewColumnValue\":\"=input(enum,\\\"\\\"\"),
{\"ColumnToEdit\":\"Motivo_Insight2\",\"NewColumnValue\":\"=input(\\\"t
ext\\\",\\\"\\\"\"}),{\"ColumnToEdit\":\"FECHA DE GENERACIÓN DE FOLIO
REP\",\"NewColumnValue\":\"=today()\"}],\"ColumnToEdit\":\"CONFIRMA
R INSIGHT TAG
TIENDA\",\"NewColumnValue\":\"=input(enum,\\\"\\\"\",\"InputParameters
Used\":{\"enum\":{\"Type\":\"Text\",\"MetaData\":
{\"$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,
Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFo
rmatting\":\"Plain
Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_In
valid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_I
f\":null,\"Suggested_Values\":null}}},\"text\":{\"Type\":\"Text\",\"MetaData\":
{\"$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,
Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFo
rmatting\":\"Plain
Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_In
valid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_I
f\":null,\"Suggested_Values\":null}}},\"Prominence\":\"Do_Not_Display\",
NeedsConfirmation\":false,\"ConfirmationMessage\":\"\", \"ModifiesData
\":true,\"BulkApplicable\":true}

```

Do this

SET_COLUMN_VALUE

Attach to column

IDVale

Set this column

CONFIRMAR INSIGHT TAG TIENDA

```

=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Soporte
Tecnologico")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Jefe taller habilitado

```

```

Only if this condition is true  )),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte en
taller")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Gerente"))),OR(ISBLANK([ESTATUS DEVOLUCIÓN]),
[ESTATUS DEVOLUCIÓN]="EN REVISIÓN"))

```

Disable automatic updates? No

Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=input(enum,"")
Visible?	ALWAYS

Action name CONFIRMAR DEVOLUCIÓN

Action name	CONFIRMAR DEVOLUCIÓN
Bulk action?	Yes
Confirmation Message	SE CONFIRMARÁ LA DEVOLUCIÓN DEL EQUIPO PARA INGRESO A TALLER
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\CONFIRMADO\\"", "ColumnToEdit": "NOMBRE DE QUIEN RECIBE EQ DEVUELTO", "NewColumnValue": "=lookup(useremail(),\CONTACT OS\,\E-mail\,\Nombre\)", "ColumnToEdit": "DICTAMEN ALMACEN", "NewColumnValue": "=INPUT(ENUM,\")", "ColumnToEdit": "NO. ARTICULO DEVUELTO", "NewColumnValue": "=INPUT(\TEXT\,\")", "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "=if([DICTAMEN ALMACEN]=\OBSOLETO\,\OBSOLETO\,\ENTALLER\)", "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\CONFIRMADO\\"", "InputParametersUsed": { "enum": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } }, "text": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",</pre>

	Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}},"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"SE CONFIRMARÁ LA DEVOLUCIÓN DEL EQUIPO PARA INGRESO A TALLER","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS DEVOLUCIÓN
Set this column	ESTATUS DEVOLUCIÓN
Only if this condition is true	=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="ALMACÉN")), [ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR", [¿APLICA ENTRADA A TALLER?]="SI",OR([Taller o centro]="Evaluación en centro",ISBLANK([Taller o centro])))
Disable automatic updates?	No
Display name	=CONFIRMAR DEVOLUCIÓN PARA ENTRADA A TALLER
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	Registro artículos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Registro artículos
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name prueba de llenado doble

Action name	prueba de llenado doble
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"ReferencedTable":"Registro artículos","Assignments":[{"ColumnToEdit":"IDMENU","NewColumnValue":"=UNIQUEid()"}, {"ColumnToEdit":"IDMOV","NewColumnValue":"=[ID]"}, {"ColumnToEdit":"IDVALE","NewColumnValue":"=[IDSURTIR]"},

```
{
  "ColumnToEdit": "NUM ARTICULO",
  "NewColumnValue": "[ARTÍCULO]",
  "ColumnToEdit": "DESCRIPCIÓN",
  "NewColumnValue": "[ARTÍCULO].[nombre]",
  "ColumnToEdit": "MARCA",
  "NewColumnValue": "[ARTÍCULO].[Marca]",
  "ColumnToEdit": "MODELO",
  "NewColumnValue": "[ARTÍCULO].[Modelo]",
  "ColumnToEdit": "TIPO DE EQUIPO",
  "NewColumnValue": "[TIPO]",
  "ColumnToEdit": "NUMERO DE SERIE",
  "NewColumnValue": "[NÚMERO DE SERIE]",
  "ColumnToEdit": "Almacén",
  "NewColumnValue": "[ALMACÉN]",
  "ColumnToEdit": "Región",
  "NewColumnValue": "[REGIÓN]",
  "ColumnToEdit": "Cantidad",
  "NewColumnValue": "[Cantidad]",
  "ColumnToEdit": "Fecha de Surtido",
  "NewColumnValue": "[FECHA DE SURTIDO]",
  "ColumnToEdit": "TIPO MOV",
  "NewColumnValue": "\\Salida\\",
  "InputParametersUsed": null,
  "Prominence": "Do_Not_Display",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "",
  "ModifiesData": true,
  "BulkApplicable": true
}
```

Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No
Display name	registrar salida
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name reg_surtidos

Action name	reg_surtidos
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "ReferencedTable": "NS SURTIR", "ReferencedRows": "[Related NS SURTIRs]", "ReferencedAction": "prueba de llenado doble", "InputAssignments": }

	<pre>[{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}</pre>
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name ASIGNAR FOLIO DE REPARACIÓN

Action name	ASIGNAR FOLIO DE REPARACIÓN
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "FOLIO DE REPARACIÓN", "NewColumnValue": "=INPUT(\"TEXT\\\", \"\\\")", "ColumnToEdit": "FECHA DE GENERACIÓN DE FOLIO REP", "NewColumnValue": "=today()", "ColumnToEdit": "CONFIRMAR INSIGHT REPARACIÓN", "NewColumnValue": "=INPUT(ENUM, \"\\\")", "ColumnToEdit": "Motivo_Insight2", "NewColumnValue": "=input(\"text\\\", \"\\\")" }], "ColumnToEdit": "FOLIO DE REPARACIÓN", "NewColumnValue": "=INPUT(\"TEXT\\\", \"\\\")", "InputParametersUsed": { "text": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null } }, "enum": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFo</pre>

	rmatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}}}, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	SET_COLUMN_VALUE
Attach to column	FOLIO DE REPARACIÓN
Set this column	FOLIO DE REPARACIÓN
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="OFICINA")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE"))),ISBLANK([FOLIO DE REPARACIÓN]),or([DICTAMEN ALMACEN]="REPARACIÓN",[DICTAMEN ALMACEN]="TELECOMUNICACIONES"))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=INPUT("TEXT","")
Visible?	ALWAYS

Action name ASIGNAR REPARACIÓN

Action name	ASIGNAR REPARACIÓN
Bulk action?	Yes
Confirmation Message	Se asignará el folio de reparación a la persona que seleccione
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{ "Assignments": [{ "ColumnToEdit": "¿QUIÉN VA A REPARAR?", "NewColumnValue": "=INPUT(\"TEXT\", \"\")" }, { "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "=\"POR REPARAR\""}], "ColumnToEdit": "¿QUIÉN VA A

	REPARAR?","NewColumnValue": "=INPUT(\"TEXT\", \"\")", "InputParametersUsed": { "text": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } } }, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se asignará el folio de reparación a la persona que seleccione", "ModifiesData": true, "BulkApplicable": true }
Do this	SET_COLUMN_VALUE
Attach to column	IDVale
Set this column	¿QUIÉN VA A REPARAR?
	=AND(or(IN(USERemail()),select(CONTACTOS[E-mail], [Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente"))),ISNOTBLANK([FOLIO DE REPARACIÓN]),OR([DICTAMEN ALMACEN]="REPARACIÓN", [DICTAMEN ALMACEN]="TELECOMUNICACIONES"),isblank([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL ENTRADA]<>"Taller habilitado")
Only if this condition is true	
Disable automatic updates?	No
Display name	=if(isblank([¿QUIÉN VA A REPARAR?]),"Asignar reparación","Reasignar reparación")
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=INPUT("TEXT", "")
Visible?	ALWAYS

Action name DEFINIR EQUIPO ING

Action name	DEFINIR EQUIPO ING
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently

Action order

1

```

{"Assignments":[{"ColumnToEdit":"DEFINICIÓN DE EQUIPO","NewColumnValue":"=INPUT(ENUM,\\"\\")"},
{"ColumnToEdit":"COMENTARIOS REPARACIÓN","NewColumnValue":"=INPUT(\\"TEXT\\",\\"\\")"},
{"ColumnToEdit":"CONFIRMACIÓN JEFE","NewColumnValue":"=\\\\""}, {"ColumnToEdit":"ESTÁTUS GRAL ENTRADA","NewColumnValue":"=\\\"DEFINIDO\\\""},
{"ColumnToEdit":"NOMBRE DE QUIÉN CONFIRMA","NewColumnValue":"=\\\\""},
{"ColumnToEdit":"COMENTARIOS DE JEFE","NewColumnValue":"=\\\\""}, {"ColumnToEdit":"CONFIRMAR INSIGHT ENTRADA ALMACÉN","NewColumnValue":"=INPUT(ENUM,\\"\\")"},
{"ColumnToEdit":"Motivo_Insight3","NewColumnValue":"=input(\\"t ext\\",\\"\\")"}], "ColumnToEdit":"DEFINICIÓN DE EQUIPO","NewColumnValue":"=INPUT(ENUM,\\"\\")","InputParametersUsed":{"enum":{"Type":"Text","MetaData":{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}},"text":{"Type":"Text","MetaData":{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}},"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","Modifies Data":true,"BulkApplicable":true}

```

With these properties

Do this

SET_COLUMN_VALUE

Attach to column

DEFINICIÓN DE EQUIPO

Set this column

DEFINICIÓN DE EQUIPO

Only if this condition is true

```

=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte Tecnologico")),ISNOTBLANK([¿QUIÉN VA A REPARAR?]),OR(ISBLANK([DEFINICIÓN DE EQUIPO]),[ESTÁTUS GRAL ENTRADA]="POR

```

REPARAR"),IN(USERemail()),select(CONTACTOS[E-mail],[Numero de empleado]=[_THISROW].[¿QUIÉN VA A REPARAR?]))))

Disable automatic updates? No

Display name DEFINIR EQUIPO

Action icon 

For a record of this table NS SURTIR

Does this action apply to the whole table? No

To this value =INPUT(ENUM,"")

Visible? ALWAYS

Action name CONFIRMAR DEFINICIÓN

Action name CONFIRMAR DEFINICIÓN

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Display_Prominently

Action order 1

With these properties {"Assignments":{"ColumnToEdit":"CONFIRMACIÓN JEFE","NewColumnValue":"=\"CONFIRMADO\""}, {"ColumnToEdit":"NOMBRE DE QUIÉN CONFIRMA","NewColumnValue":"=lookup(useremail(),\"CONTACT OS\\\", \"E-mail\\\", \"Nombre\\\")\"}, {"ColumnToEdit":"NO. ARTICULO DEVUELTO","NewColumnValue":"=INPUT(enum,\"\\\")\"}, {"ColumnToEdit":"COMENTARIOS DE JEFE","NewColumnValue":"=INPUT(\"TEXT\\\", \"\\\")\"}, {"ColumnToEdit":"ESTÁTUS GRAL ENTRADA","NewColumnValue":"=IF([DEFINICIÓN DE EQUIPO]=\"GARANTÍA\\\", \"GARANTÍA\\\", \"CONFIRMADO X JEFE\\\")\"}, {"ColumnToEdit":"Fecha de confirmación de envío a huesario","NewColumnValue":"=today()\"}], "ColumnToEdit":"CONFIR MACIÓN JEFE","NewColumnValue":"=\"CONFIRMADO\"\", "InputParametersUsed":{"enum":{"Type":"Text","MetaData":{"Type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo rmatting":"Plain

	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}},"text":{"Type":"Text","MetaData":{"\$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain
	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}},"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN JEFE
Set this column	CONFIRMACIÓN JEFE
Only if this condition is true	=AND(or(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente"))),ISBLANK([CONFIRMACIÓN JEFE]),[ESTÁTUS GRAL ENTRADA]="DEFINIDO")
Disable automatic updates?	No
Display name	=if([DEFINICIÓN DE EQUIPO]="GARANTÍA","ENVÍAR A GARANTÍA",IF([DEFINICIÓN DE EQUIPO]="HUESARIO","ENVIAR A HUESARIO",IF([DEFINICIÓN DE EQUIPO]="REPARADO","CONFIRMAR REPARACIÓN","")))
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name CONFIRMAR DEFINICIÓN ALM

Action name	CONFIRMAR DEFINICIÓN ALM
Bulk action?	Yes
Confirmation Message	SE REGISTRARÁ ENTRADA DEL EQUIPO A ALMACÉN
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display

Action order

1

```

{"Assignments":[{"ColumnToEdit":"CONFIRMACIÓN
ALMACÉN","NewColumnValue":="\CONFIRMADO\","},
{"ColumnToEdit":"NOMBRE DE QUIEN
RECIBE","NewColumnValue":="lookup(useremail(),\CONTACTOS\
","\E-mail\","\Nombre\")"},{"ColumnToEdit":"COMENTARIOS DE
QUIEN RECIBE","NewColumnValue":="INPUT(\TEXT\","\")"},
{"ColumnToEdit":"ALMACÉN AL QUE
ENTRA","NewColumnValue":="INPUT(ENUM,\")"},
{"ColumnToEdit":"ESTÁTUS GRAL
ENTRADA","NewColumnValue":="if([DEFINICIÓN DE
EQUIPO]="HUESARIO\";\ENVÍO A HUESARIO\;\ENTRADA
REGISTRADA\")"},{"ColumnToEdit":"CONFIRMACIÓN
ALMACÉN","NewColumnValue":="\CONFIRMADO\","InputParamete
rsUsed":{"text":{"Type":"Text","MetaData":
{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,
Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo
rmatting":"Plain
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}},"enum":{"Type":"Text","MetaData":
{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,
Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo
rmatting":"Plain
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I
f":null,"Suggested_Values":null}}},"Prominence":"Do_Not_Display","
NeedsConfirmation":true,"ConfirmationMessage":"SE
REGISTRARÁ ENTRADA DEL EQUIPO A
ALMACÉN","ModifiesData":true,"BulkApplicable":true}

```

With these properties

Do this

SET_COLUMN_VALUE

Attach to column

CONFIRMACIÓN ALMACÉN

Set this column

CONFIRMACIÓN ALMACÉN

Only if this condition is true

```

=AND(IN(USERemail(),select(CONTACTOS[E-mail],
[RoI]="ALMACÉN")),ISNOTBLANK([CONFIRMACIÓN
JEFE]),ISBLANK([CONFIRMACIÓN ALMACÉN]),[DEFINICIÓN DE
EQUIPO]="REPARADO",OR([ESTÁTUS GRAL
ENTRADA]="CONFIRMADO X JEFE",[ESTÁTUS GRAL
ENTRADA]="NUEVO GARANTÍA"))

```

Disable automatic updates? No

Display name	=IF([DEFINICIÓN DE EQUIPO]="HUESARIO","ENVIAR A HUESARIO",IF([DEFINICIÓN DE EQUIPO]="REPARADO","CONFIRMAR ENTRADA A ALMACÉN",""))
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name RECHAZAR DEFINICIÓN JEFE

Action name	RECHAZAR DEFINICIÓN JEFE
Bulk action?	Yes
Confirmation Message	Se regresará equipo a revisión con el Ing de soporte
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "\POR REPARAR\\"", "ColumnToEdit": "COMENTARIOS REPARACIÓN", "NewColumnValue": "\\"", "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "\POR REPARAR\\"", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se regresará equipo a revisión con el Ing de soporte", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	DEFINICIÓN DE EQUIPO
Set this column	ESTÁTUS GRAL ENTRADA
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente"))),ISBLANK([CONFIRMACIÓN JEFE]),[ESTÁTUS GRAL ENTRADA]="DEFINIDO")
Disable automatic updates?	No

Display name	SOLICITAR REVISIÓN
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="POR REPARAR"
Visible?	ALWAYS

Action name RECHAZAR DEFINICIÓN ALM

Action name	RECHAZAR DEFINICIÓN ALM
Bulk action?	Yes
Confirmation Message	Se regresará equipo a revisión con el Ing de soporte
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "CONFIRMACIÓN JEFE", "NewColumnValue": "" }, { "ColumnToEdit": "NOMBRE DE QUIÉN CONFIRMA", "NewColumnValue": "" }, { "ColumnToEdit": "COMENTARIOS DE JEFE", "NewColumnValue": "" }, { "ColumnToEdit": "COMENTARIOS REPARACIÓN", "NewColumnValue": "" }, { "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "POR REPARAR" }], "ColumnToEdit": "CONFIRMACIÓN JEFE", "NewColumnValue": "", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se regresará equipo a revisión con el Ing de soporte", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	DEFINICIÓN DE EQUIPO
Set this column	CONFIRMACIÓN JEFE
Only if this condition is true	<pre>=AND(IN(USERemail()),select(CONTACTOS[E-mail], [RoI]="ALMACÉN")),ISNOTBLANK([CONFIRMACIÓN JEFE]),ISBLANK([CONFIRMACIÓN ALMACÉN]),[ESTÁTUS GRAL</pre>

ENTRADA]="CONFIRMADO X JEFE",isblank([SOLUCION GARANTÍA]),[ESTATUS DEVOLUCIÓN]<>"CANCELADA")

Disable automatic updates?	No
Display name	SOLICITAR REVISIÓN
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

Action name CONFIRMAR N/A DEVOLUCIÓN

Action name	CONFIRMAR N/A DEVOLUCIÓN
Bulk action?	Yes
Confirmation Message	SE REGISTRARÁ QUE NO APLICA DEVOLUCIÓN DEL EQUIPO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\"SIN DEVOLUCIÓN\"", "ColumnToEdit": "NOMBRE DE QUIEN RECIBE EQ DEVUELTO", "NewColumnValue": "=lookup(useremail(),\"CONTACT OS\", \"E-mail\", \"Nombre\")", "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "\"N/A\"", "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\"SIN DEVOLUCIÓN\"", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "SE REGISTRARÁ QUE NO APLICA DEVOLUCIÓN DEL EQUIPO", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS DEVOLUCIÓN
Set this column	ESTATUS DEVOLUCIÓN
Only if this condition is true	=AND(or(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe"));IN(USERemail()),select(CONTACTOS[E-mail],

[Rol]="Gerente"))),[ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR", [¿APLICA ENTRADA A TALLER?]="NO")

Disable automatic updates? No

Action icon 

For a record of this table NS SURTIR

Does this action apply to the whole table? No

To this value ="SIN DEVOLUCIÓN"

Visible? ALWAYS

Action name SOLICITAR REVISIÓN

Action name SOLICITAR REVISIÓN

Bulk action? Yes

Confirmation Message SE REGRESARÁ A REVISIÓN CON EL ING DE SOPORTE

Modifies data? Yes

Needs confirmation? Yes

Prominence Display_Prominently

Action order 1

With these properties {"Assignments":{"ColumnToEdit":"ESTATUS DEVOLUCIÓN","NewColumnValue":"=\"EN REVISIÓN\""},"ColumnToEdit":"ESTATUS DEVOLUCIÓN","NewColumnValue":"=\"EN REVISIÓN\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"SE REGRESARÁ A REVISIÓN CON EL ING DE SOPORTE","ModifiesData":true,"BulkApplicable":true}

Do this SET_COLUMN_VALUE

Attach to column ESTATUS DEVOLUCIÓN

Set this column ESTATUS DEVOLUCIÓN

=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="ALMACÉN")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente"))),[ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR")

Disable automatic updates? No

Action icon 

For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	= "EN REVISIÓN"
Visible?	ALWAYS

Action name ENTRADAS

Action name	ENTRADAS
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	<pre>{ "ReferencedTable": "Registro artículos", "Assignments": [{ "ColumnToEdit": "IDMENU", "NewColumnValue": "=UNIQUEID()", }, { "ColumnToEdit": "IDMOV", "NewColumnValue": "[ID]", }, { "ColumnToEdit": "IDVALE", "NewColumnValue": "[IDSURTIR]", }, { "ColumnToEdit": "NUM ARTICULO", "NewColumnValue": "[NO. ARTICULO DEVUELTO]", }, { "ColumnToEdit": "DESCRIPCIÓN", "NewColumnValue": "[NO. ARTICULO DEVUELTO].[Nombre]", }, { "ColumnToEdit": "MARCA", "NewColumnValue": "[NO. ARTICULO DEVUELTO].[Marca]", }, { "ColumnToEdit": "MODELO", "NewColumnValue": "[NO. ARTICULO DEVUELTO].[Modelo]", }, { "ColumnToEdit": "NUMERO DE SERIE", "NewColumnValue": "=if(OR([SOLUCION GARANTÍA]=\"Recuperado\",[SOLUCION GARANTÍA]=\"\"),[NÚMERO DE SERIE DEVOLUCIÓN],[NUM SERIE NUEVO])", }, { "ColumnToEdit": "Almacén", "NewColumnValue": "[ALMACÉN AL QUE ENTRA]", }, { "ColumnToEdit": "Región", "NewColumnValue": "[REGIÓN]", }, { "ColumnToEdit": "TIPO DE EQUIPO", "NewColumnValue": "\"RECUPERADO\"", }, { "ColumnToEdit": "Cantidad", "NewColumnValue": "[Cantidad]", }, { "ColumnToEdit": "Fecha de Surtido", "NewColumnValue": "=today()", }, { "ColumnToEdit": "TIPO MOV", "NewColumnValue": "\"Entrada\"", }], "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
-----------------------	---

Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name ENTRADA A ALMACÉN TOTAL

Action name	ENTRADA A ALMACÉN TOTAL
Bulk action?	Yes
Confirmation Message	SE REGISTRARÁ ENTRADA DEL EQUIPO A ALMACÉN
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "CONFIRMAR DEFINICIÓN ALM" }, { "ActionName": "ENTRADAS" }], "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "SE REGISTRARÁ ENTRADA DEL EQUIPO A ALMACÉN", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	COMPOSITE
Only if this condition is true	<pre>=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="ALMACÉN")),ISNOTBLANK([CONFIRMACIÓN JEFE]),ISBLANK([CONFIRMACIÓN ALMACÉN]),[DEFINICIÓN DE EQUIPO]="REPARADO",OR([ESTÁTUS GRAL ENTRADA]="CONFIRMADO X JEFE",[ESTÁTUS GRAL ENTRADA]="NUEVO GARANTÍA"))</pre>
Disable automatic updates?	No
Display name	<pre>=IF([DEFINICIÓN DE EQUIPO]="HUESARIO","ENVIAR A HUESARIO",IF([DEFINICIÓN DE EQUIPO]="REPARADO","CONFIRMAR ENTRADA A ALMACÉN",""))</pre>
Action icon	
For a record of this table	NS SURTIR

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Gerente de Servicio y Soporte IT

Action name	Gerente de Servicio y Soporte IT
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget": "=LINKTOVIEW([Nombre])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Gerente SSIT
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name SOLUCIÓN GARANTÍA

Action name	SOLUCIÓN GARANTÍA
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit": "SOLUCION GARANTÍA", "NewColumnValue": "=INPUT(ENUM, \"\")\"}, {"ColumnToEdit": "NUM SERIE NUEVO", "NewColumnValue": "=INPUT(\"TEXT\", \"\")\"},

```
{
  "ColumnToEdit": "ESTÁTUS GRAL ENTRADA",
  "NewColumnValue": "=IF([SOLUCION GARANTÍA]=\\\"RECUPERADO\\\",\\\"CONFIRMADO X JEFE\\\",\\\"NUEVO GARANTÍA\\\")",
  {"ColumnToEdit": "DEFINICIÓN DE EQUIPO",
  "NewColumnValue": "\\\"REPARADO\\\""},
  "ColumnToEdit": "SOLUCION GARANTÍA",
  "NewColumnValue": "=INPUT(ENUM,\\\"\\\")",
  "InputParametersUsed": {
    "enum": {
      "Type": "Text",
      "MetaData": {
        "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
        "Jeenee.DataTypes": "Jeenee.DataTypes",
        "MaxLength": null,
        "MinLength": null,
        "LongTextFormatting": "PlainText",
        "IsMulticolumnKey": false,
        "Valid_If": null,
        "Error_Message_If_Invalid": null,
        "Show_If": null,
        "Required_If": null,
        "Editable_If": null,
        "Reset_If": null,
        "Suggested_Values": null
      }
    },
    "text": {
      "Type": "Text",
      "MetaData": {
        "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
        "Jeenee.DataTypes": "Jeenee.DataTypes",
        "MaxLength": null,
        "MinLength": null,
        "LongTextFormatting": "PlainText",
        "IsMulticolumnKey": false,
        "Valid_If": null,
        "Error_Message_If_Invalid": null,
        "Show_If": null,
        "Required_If": null,
        "Editable_If": null,
        "Reset_If": null,
        "Suggested_Values": null
      }
    }
  },
  "Prominence": "Display_Prominently",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "",
  "ModifiesData": true,
  "BulkApplicable": true
}
```

Do this	SET_COLUMN_VALUE
Attach to column	IDVale
Set this column	SOLUCION GARANTÍA
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente"))),[ESTÁTUS GRAL ENTRADA]="GARANTÍA")
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=INPUT(ENUM,"")
Visible?	ALWAYS

Action name VerPDF Action - 1

Action name	VerPDF Action - 1
-------------	-------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "PDF", "NewColumnValue": "=CONCATENATE(\"/appsheet/data/VALEDESALIDAAApp-6370615-24-05-06-2\",[FOLIO DE REPORTE],\".pdf\")" }], "ColumnToEdit": "PDF", "NewColumnValue": "=CONCATENATE(\"/appsheet/data/VALEDESALIDAAApp-6370615-24-05-06-2\",[FOLIO DE REPORTE],\".pdf\")", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	PDF
Set this column	PDF
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR 3
Does this action apply to the whole table?	No
To this value	=CONCATENATE("/appsheet/data/VALEDESALIDAAApp-6370615-24-05-06-2",[FOLIO DE REPORTE],".pdf")
Visible?	ALWAYS

Action name Menú reportes

Action name	Menú reportes
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1

With these properties	<code>{"NavigateTarget":"=LINKTOVIEW([Nombre])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú reportes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Descarga

Action name	Descarga
Bulk action?	No
Modifies data?	No
Needs confirmation?	Yes
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"CsvLocale":"en-US","Prominence":"Display_Overlay","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	EXPORT_VIEW
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Cancelar cambio de equipo

Action name	Cancelar cambio de equipo
-------------	---------------------------

Bulk action?	Yes
Confirmation Message	=if(IN(USERemail()),select(Contactos[E-mail],[Rol]="Almacén")); "Se registrará cancelación de equipo. Solicita a tu Gerente la confirmación y posteriormente confirma entrada a almacén"; "Se registrará equipo no utilizado. Solicita a tu Gerente la confirmación y posteriormente entrega equipo en almacén")
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\"CANCELADA\"", "ColumnToEdit": "Motivo de cancelación de entrega de equipo en centro", "NewColumnValue": "=input(\"text\", \"\")", "ColumnToEdit": "RESPONSABLE CONFIRMAR EN CENTRO", "NewColumnValue": "=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Numero de empleado\")", "ColumnToEdit": "Quien cancela", "NewColumnValue": "=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Nombre\")", "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\"CANCELADA\"", "InputParametersUsed": { "text": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null } } }, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "=if(IN(USERemail()),select(Contactos[E-mail],[Rol]=\"Almacén\")); \"Se registrará cancelación de equipo. Solicita a tu Gerente la confirmación y posteriormente confirma entrada a almacén\"; \"Se registrará equipo no utilizado. Solicita a tu Gerente la confirmación y posteriormente entrega equipo en almacén\")", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS CONF CENTRO
Set this column	ESTATUS DEVOLUCIÓN
Only if this condition is true	=AND(or(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Soporte


```
tecnologico")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Gerente")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Almacén")),IN(USERemail(),select(CONTACTOS[E-mail],
[Rol]="Jefe taller habilitado"))),isblank([ESTATUS
DEVOLUCIÓN]),OR([quien_solicitó]=lookup(useremail(),"CONTACT
OS","E-mail","Nombre"),[RESPONSABLE CONFIRMAR EN
CENTRO]=lookup(useremail(),"CONTACTOS","E-mail","Numero de
empleado"),[Quien entrega]=lookup(useremail(),"CONTACTOS","E-
mail","Nombre"),LOOKUP([IDSURTIR],"SURTIR","ID COUPA","QUIEN
SOLICITA")=LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Numero de empleado")))
```

Disable automatic updates? No

Display name	=if(IN(USERemail(),select(Contactos[E-mail], [Rol]="Almacén"));"CANCELAR ENTREGA DE EQUIPO A INGENIERO";"CANCELAR CAMBIO DE EQUIPO")
Action icon	🚫
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CANCELADA"
Visible?	ALWAYS

Action name CONFIRMAR ENVÍO A HUESARIO

Action name	CONFIRMAR ENVÍO A HUESARIO
Bulk action?	Yes
Confirmation Message	SE REGISTRARÁ ENTRADA DEL EQUIPO A HUESARIO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{ "Assignments":{ "ColumnToEdit":"CONFIRMACIÓN ALMACÉN","NewColumnValue":="\CONFIRMADO\\"", "ColumnToEdit":"NOMBRE DE QUIEN RECIBE","NewColumnValue":="lookup(useremail(),\"CONTACTOS\"," \"E-mail\", \"Nombre\")"}, "ColumnToEdit":"COMENTARIOS DE QUIEN RECIBE","NewColumnValue":="INPUT(\"TEXT\", \"\")"},

```
{
  "ColumnToEdit": "ESTÁTUS GRAL ENTRADA",
  "NewColumnValue": "=if([DEFINICIÓN DE EQUIPO]=\\\"HUESARIO\\\";\\\"ENVÍO A HUESARIO\\\";\\\"ENTRADA REGISTRADA\\\")\"",
  "ColumnToEdit": "CONFIRMACIÓN ALMACÉN",
  "NewColumnValue": "=\\\"CONFIRMADO\\\"\"",
  "InputParametersUsed": {
    "text": {
      "Type": "Text",
      "MetaData": {
        "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
        "Jeenee.DataTypes": "Jeenee.DataTypes",
        "MaxLength": null,
        "MinLength": null,
        "LongTextFormatting": "Plain Text",
        "IsMulticolumnKey": false,
        "Valid_If": null,
        "Error_Message_If_Invalid": null,
        "Show_If": null,
        "Required_If": null,
        "Editable_If": null,
        "Reset_If": null,
        "Suggested_Values": null
      }
    },
    "Prominence": "Display_Prominently",
    "NeedsConfirmation": true,
    "ConfirmationMessage": "SE REGISTRARÁ ENTRADA DEL EQUIPO A HUESARIO",
    "ModifiesData": true,
    "BulkApplicable": true
  }
}
```

Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN ALMACÉN
Set this column	CONFIRMACIÓN ALMACÉN
Only if this condition is true	=AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="ALMACÉN")),ISNOTBLANK([CONFIRMACIÓN JEFE]),ISBLANK([CONFIRMACIÓN ALMACÉN]),[DEFINICIÓN DE EQUIPO]="HUESARIO",OR([ESTÁTUS GRAL ENTRADA]="CONFIRMADO X JEFE",[ESTÁTUS GRAL ENTRADA]="NUEVO GARANTÍA"))
Disable automatic updates?	No
Display name	=ENVIAR A HUESARIO
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=\"CONFIRMADO\"
Visible?	ALWAYS

Action name CONFIRMAR HUESARIO GTE

Action name	CONFIRMAR HUESARIO GTE
Bulk action?	Yes
Confirmation Message	Se confirmará el envío a huesario

Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre> {"Assignments":[{"ColumnToEdit":"CONFIRMACIÓN JEFE","NewColumnValue":"=\"CONFIRMADO\""}, {"ColumnToEdit":"NOMBRE DE QUIÉN CONFIRMA","NewColumnValue":"=lookup(useremail(),\"CONTACT OS\\\", \"E-mail\\\", \"Nombre\\\")\"},{\"ColumnToEdit\":\"COMENTARIOS DE JEFE","NewColumnValue":"=INPUT(\"TEXT\\\", \"\\\")\"}, {"ColumnToEdit\":\"ESTÁTUS GRAL ENTRADA","NewColumnValue":"=\"ENVÍO A HUESARIO\""}],\"ColumnToEdit\":\"CONFIRMACIÓN JEFE","NewColumnValue":"=\"CONFIRMADO\"\",\"InputParametersU sed\":{\"text\":{\"Type\":\"Text\",\"MetaData\": {\"\$type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFo rmatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_In valid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_I f\":null,\"Suggested_Values\":null}}},\"Prominence\":\"Display_Prominen tly\",\"NeedsConfirmation\":true,\"ConfirmationMessage\":\"Se confirmará el envío a huesario\",\"ModifiesData\":true,\"BulkApplicable\":true} </pre>
Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN JEFE
Set this column	CONFIRMACIÓN JEFE
Only if this condition is true	<pre> =AND(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente")),ISBLANK([CONFIRMACIÓN JEFE]),or([DICTAMEN ALMACEN]="HUESARIO DIRECTO", [DICTAMEN ALMACEN]="OBSOLETO")) </pre>
Disable automatic updates?	No
Display name	Enviar a huesario
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"

Visible?

ALWAYS

Action name REGRESAR HUESARIO A REPARACIÓN GTE

Action name	REGRESAR HUESARIO A REPARACIÓN GTE
Bulk action?	Yes
Confirmation Message	Se confirmará entrada de equipo a taller de reparación
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "DICTAMEN ALMACEN", "NewColumnValue": "=\\ \" \"", "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "=\\ \" \"", "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "=\\ \"PENDIENTE DE CONFIRMAR\\ \"", "ColumnToEdit": "DICTAMEN ALMACEN", "NewColumnValue": "=\\ \" \"", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se confirmará entrada de equipo a taller de reparación", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	DICTAMEN ALMACEN
Set this column	DICTAMEN ALMACEN
Only if this condition is true	<pre>=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")),ISBLANK([CONFIRMACIÓN JEFE]),OR([DICTAMEN ALMACEN]="HUESARIO DIRECTO",[DICTAMEN ALMACEN]="OBSOLETO"))</pre>
Disable automatic updates?	No
Display name	Enviar a reparación
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	= " "
Visible?	ALWAYS

Action name Menú huesario

Action name	Menú huesario
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"NavigateTarget":"=LINKTOVIEW([Nombre]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Huesario
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name TRASPASOS

Action name	TRASPASOS
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"NavigateTarget":"=LINKTOAPP([ID APP]","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	NAVIGATE_DIFFERENT_APP
Attach to column	ID APP
Only if this condition is true	true

Disable automatic updates?	No
Action icon	
For a record of this table	Trasposos
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Confirmar equipo no utilizado GTE

Action name	Confirmar equipo no utilizado GTE
Bulk action?	Yes
Confirmation Message	Se confirmará la cancelación de equipo
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	<pre> {"Assignments":[{"ColumnToEdit":"CONFIRMACIÓN JEFE","NewColumnValue":"=\\"CONFIRMADO\\""}, {"ColumnToEdit":"NOMBRE DE QUIÉN CONFIRMA","NewColumnValue":"=lookup(useremail(),\\"CONTACT OS\\",\\"E-mail\\",\\"Nombre\\")"},{"ColumnToEdit":"ESTÁTUS GRAL ENTRADA","NewColumnValue":"=\\"CONFIRMADO X JEFE\\""}, {"ColumnToEdit":"Motivo cancelación GTE","NewColumnValue":"=input(enum,\\"\\")"},{"ColumnToEdit":"CO NFIRMACIÓN JEFE","NewColumnValue":"=\\"CONFIRMADO\\"","InputParametersU sed":{"enum":{"Type":"Text","MetaData": {"\$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo rmatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}}},"Prominence":"Display_Prominen tly","NeedsConfirmation":true,"ConfirmationMessage":"Se confirmará la cancelación de equipo","ModifiesData":true,"BulkApplicable":true} </pre>
Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN JEFE

Set this column	CONFIRMACIÓN JEFE
	=and((([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),[ESTATUS
Only if this condition is true	DEVOLUCIÓN]="CANCELADA",ISBLANK([CONFIRMACIÓN JEFE]),lookup(UsereMAIL(),"CONTACTOS","E-mail","Puesto")="Gerente")
Disable automatic updates?	No
Display name	Confirmar equipo no utilizado
Action icon	☑
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name Rechazar regreso de equipo no utilizado

Action name	Rechazar regreso de equipo no utilizado
Bulk action?	Yes
Confirmation Message	Se regresará equipo al Ing Soporte Tecnológico para su revisión
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\\", "ColumnToEdit": "Motivo de cancelación de entrega de equipo en centro", "NewColumnValue": "\ Especifique:\\", "ColumnToEdit": "CONFIRMACIÓN JEFE", "NewColumnValue": "\\", "ColumnToEdit": "NOMBRE DE QUIÉN CONFIRMA", "NewColumnValue": "\\", "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "\\" }], "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\\", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se regresará equipo al Ing Soporte Tecnológico para su revisión", "ModifiesData": true, "BulkApplicable": true }</pre>

Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS CONF CENTRO
Set this column	ESTATUS DEVOLUCIÓN
Only if this condition is true	=and((([REGIÓN]=lookup(UsereMAIL(),"CONTACTOS","E-mail","Región")),[ESTATUS DEVOLUCIÓN]="CANCELADA",ISnotBLANK([CONFIRMACIÓN JEFE]),isblank([CONFIRMACIÓN ALMACÉN]),lookup(UsereMAIL(),"CONTACTOS","E-mail","Rol")="Almacén")
Disable automatic updates?	No
Action icon	⊗
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

Action name ENTRADAS CANCELADOS

Action name	ENTRADAS CANCELADOS
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "ReferencedTable": "Registro artículos", "Assignments": [{"ColumnToEdit": "IDMENU", "NewColumnValue": "=UNIQUEID()"}, {"ColumnToEdit": "IDMOV", "NewColumnValue": "[ID]"}, {"ColumnToEdit": "IDVALE", "NewColumnValue": "[IDSURTIR]"}, {"ColumnToEdit": "NUM ARTICULO", "NewColumnValue": "[ARTÍCULO]"}, {"ColumnToEdit": "DESCRIPCIÓN", "NewColumnValue": "=lookup([ARTÍCULO],\"EQUIPOS\", \"IDEquipo\", \"Nombre\")"}, {"ColumnToEdit": "MARCA", "NewColumnValue": "[MARCA]"}, {"ColumnToEdit": "MODELO", "NewColumnValue": "[MODELO]"}, {"ColumnToEdit": "NUMERO DE SERIE", "NewColumnValue": "[NÚMERO DE SERIE]"}, {"ColumnToEdit": "Almacén", "NewColumnValue": "[ALMACÉN AL


```
QUE ENTRA"]},{ "ColumnToEdit": "Región", "NewColumnValue": "[REGIÓN]"}, {"ColumnToEdit": "TIPO DE EQUIPO", "NewColumnValue": "[TIPO]"}, {"ColumnToEdit": "Cantidad", "NewColumnValue": "[Cantidad]"}, {"ColumnToEdit": "Fecha de Surtido", "NewColumnValue": "=today()"}, {"ColumnToEdit": "TIPO MOV", "NewColumnValue": "\"Entrada\""}, {"InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
```

Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name CONFIRMAR ENTRADA EQ CANCELADO

Action name	CONFIRMAR ENTRADA EQ CANCELADO
Bulk action?	Yes
Confirmation Message	Se confirmara entrada de equipo a almacén
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{ "Assignments": [{"ColumnToEdit": "CONFIRMACIÓN ALMACÉN", "NewColumnValue": "\"CONFIRMADO\""}, {"ColumnToEdit": "NOMBRE DE QUIEN RECIBE", "NewColumnValue": "=lookup(useremail(), \"CONTACTOS\", \"E-mail\", \"Nombre\")"}, {"ColumnToEdit": "COMENTARIOS DE QUIEN RECIBE", "NewColumnValue": "INPUT(\"TEXT\", \"\")"}, {"ColumnToEdit": "ALMACÉN AL QUE ENTRA", "NewColumnValue": "INPUT(ENUM, \"\")"}, {"ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "\"ENTRADA REGISTRADA\""}], "ColumnToEdit": "CONFIRMACIÓN

```
ALMACÉN","NewColumnValue":="\CONFIRMADO\","InputParametersUsed":{"text":{"Type":"Text","MetaData":{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}},"enum":{"Type":"Text","MetaData":{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}},"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"Se confirmara entrada de equipo a almacén","ModifiesData":true,"BulkApplicable":true}
```

Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN ALMACÉN
Set this column	CONFIRMACIÓN ALMACÉN
Only if this condition is true	=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="ALMACÉN")),ISNOTBLANK([CONFIRMACIÓN JEFE]),ISBLANK([CONFIRMACIÓN ALMACÉN]),[ESTÁTUS GRAL ENTRADA]="CONFIRMADO X JEFE",[ESTATUS DEVOLUCIÓN]="CANCELADA")
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name ENTRADA EQUIPO CANCELADO ALM

Action name	ENTRADA EQUIPO CANCELADO ALM
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "CONFIRMAR ENTRADA EQ CANCELADO" }, { "ActionName": "ENTRADAS CANCELADOS" }], "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	COMPOSITE
Only if this condition is true	<pre>=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="ALMACÉN")),ISNOTBLANK([CONFIRMACIÓN JEFE]),ISBLANK([CONFIRMACIÓN ALMACÉN]),[ESTATUS GRAL ENTRADA]="CONFIRMADO X JEFE",[ESTATUS DEVOLUCIÓN]="CANCELADA")</pre>
Disable automatic updates?	No
Display name	= "Confirmar entrada a almacén"
Action icon	☑
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Rechazar Cancelación de Equipo Gte

Action name	Rechazar Cancelación de Equipo Gte
Bulk action?	Yes
Confirmation Message	Se regresará equipo al Ing Soporte para revisión
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "=\\\"\\\"\"", "ColumnToEdit": "Motivo de cancelación de entrega de equipo en centro", "NewColumnValue": "=\\\"Especifique:\\\"\"", "ColumnToEdit": "ESTATUS GRAL ENTRADA", "NewColumnValue": "=\\\"\\\"\"", "ColumnToEdit": "ESTATUS" }] }</pre>

	DEVOLUCIÓN","NewColumnValue":="\\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"Se regresará equipo al Ing Soporte para revisión","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	ESTATUS CONF CENTRO
Set this column	ESTATUS DEVOLUCIÓN
Only if this condition is true	=and(([REGIÓN]=lookup(UserEMAIL(),"CONTACTOS","E-mail","Región")),[ESTATUS DEVOLUCIÓN]="CANCELADA",ISBLANK([CONFIRMACIÓN JEFE]),lookup(UserEMAIL(),"CONTACTOS","E-mail","Puesto")="Gerente")
Disable automatic updates?	No
Display name	Rechazar Cancelación de Equipo
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Taller

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Huesario entregado

Action name	Huesario entregado
Bulk action?	Yes
Confirmation Message	Se marcará el equipo entregado a proveedor para reciclaje
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ENVIADO A HUESARIO", "NewColumnValue": "=\\\"ENVIADO\\\"\"", "ColumnToEdit": "ENVIADO A HUESARIO", "NewColumnValue": "=\\\"ENVIADO\\\"\"", "InputParameters Used": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se marcará el equipo entregado a proveedor para reciclaje", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	ENVIADO A HUESARIO
Set this column	ENVIADO A HUESARIO
Only if this condition is true	<pre>=and([DEFINICIÓN DE EQUIPO]="HUESARIO",[CONFIRMACIÓN JEFE]="CONFIRMADO",[CONFIRMACIÓN ALMACÉN]="CONFIRMADO",[ENVIADO A HUESARIO]="",IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="ALMACÉN"))))</pre>
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	"ENVIADO"

Visible?

ALWAYS

Action name Envío a taller habilitado

Action name	Envío a taller habilitado
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre> {"ReferencedTable":"Taller","Assignments": [{"ColumnToEdit":"ID","NewColumnValue":"=uniqueid()"}, {"ColumnToEdit":"ID NS Surtir","NewColumnValue":"=[ID]"}, {"ColumnToEdit":"ID Vale","NewColumnValue":"=[IDSURTIR]"}, {"ColumnToEdit":"Región Envía","NewColumnValue":"=[REGIÓN]"}, {"ColumnToEdit":"Taller","NewColumnValue":"=[TALLER HABILITADO]"},{"ColumnToEdit":"CENTRO DE RETIRO","NewColumnValue":"=[DESTINO]"},{"ColumnToEdit":"Folio de reparación","NewColumnValue":"=[FOLIO DE REPARACIÓN]"}, {"ColumnToEdit":"Cantidad","NewColumnValue":"=[Cantidad]"}, {"ColumnToEdit":"Artículo","NewColumnValue":"=[NOMBRE DEL ARTÍCULO A DEVOLVER]"}, {"ColumnToEdit":"Marca","NewColumnValue":"=[MARCA DEVOLUCIÓN]"},{"ColumnToEdit":"Modelo","NewColumnValue":"= [MODELO DEVOLUCIÓN]"},{"ColumnToEdit":"No. Serie","NewColumnValue":"=[NÚMERO DE SERIE DEVOLUCIÓN]"}, {"ColumnToEdit":"Fecha","NewColumnValue":"=today()"}, {"ColumnToEdit":"Folio de atención del equipo","NewColumnValue":"=[FOLIO DE REPORTE]"}, {"ColumnToEdit":"FOLIO DE ENVÍO POR EM O SA","NewColumnValue":"=[Folio de EM o folio de SA]"}, {"ColumnToEdit":"Estatus entrada en taller","NewColumnValue":"=\"EN TRANSITO\""}, {"ColumnToEdit":"INSIGHT EQ INGRESA A TALLER","NewColumnValue":"=[CONFIRMAR INSIGHT REPARACIÓN]"},{"ColumnToEdit":"RESPONSABLE DE LA DEVOLUCIÓN","NewColumnValue":"=lookup(USEREMAIL(),\"CONT ACTOS\", \"E-mail\", \"Nombre\")"}, {"ColumnToEdit":"ESTÁTUS GENERAL","NewColumnValue":"=\"EN </pre>

	TRÁNSITO\''"},{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD_TO
Only if this condition is true	=["Taller o centro"]="Taller habilitado"
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Devolución y registro taller habilitado

Action name	Devolución y registro taller habilitado
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "Actions": [{ "ActionName": "REGISTRAR EQUIPO A DEVOLVER" }, { "ActionName": "Envío a taller habilitado" }], "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	COMPOSITE
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte Tecnologico")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]=" Jefe")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Gerente")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]=" Jefe taller habilitado")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte en taller"))),OR(ISBLANK([ESTATUS DEVOLUCIÓN]),[ESTATUS DEVOLUCIÓN]="EN REVISIÓN"),OR([quien_solicitó]=lookup(useremail(),"CONTACTOS","E-mail","Nombre"),[RESPONSABLE CONFIRMAR EN CENTRO]=lookup(useremail(),"CONTACTOS","E-mail","Numero de


```
empleado"),LOOKUP([IDSURTIR],"SURTIR","ID COUPA","QUIEN
SOLICITA")=LOOKUP(USEREMAIL(),"CONTACTOS","E-
mail","Numero de empleado"))))
```

Disable automatic updates? No

Display name REGISTRAR DEVOLUCIÓN DE EQUIPO

Action icon 

For a record of this table NS SURTIR

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Jefe taller habilitado

Action name Jefe taller habilitado

Bulk action? No

Modifies data? No

Needs confirmation? No

Prominence Display_Prominently

Action order 1

With these properties {"NavigateTarget":"=LINKTOVIEW([Nombre])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this NAVIGATE_APP

Attach to column NOMBRE

Only if this condition is true true

Disable automatic updates? No

Action icon 

For a record of this table Menú jefe taller habilitado

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Soporte en taller

Action name Soporte en taller

Bulk action? No

Modifies data? No

Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget": "=LINKTOVIEW([Nombre])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Soporte en taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name CONFIRMAR ENTRADA A TALLER HABILITADO

Action name	CONFIRMAR ENTRADA A TALLER HABILITADO
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit": "NO. ARTICULO", "NewColumnValue": "=INPUT(\"TEXT\\\", \"\")\"}, {"ColumnToEdit": "Estatus entrada en taller", "NewColumnValue": "=IF(ISNOTBLANK([NO. ARTICULO]), \"CONFIRMADO\\\", \"EN TRANSITO\\\")\"}, {"ColumnToEdit": "ESTÁTUS GENERAL", "NewColumnValue": "=IF(ISNOTBLANK([NO. ARTICULO]), \"EN TALLER\\\", \"EN TRÁNSITO\\\")\"}, {"ColumnToEdit": "FECHA DE REGISTRO EN TALLER", "NewColumnValue": "=IF(ISNOTBLANK([NO. ARTICULO]), TODAY(), \"\")\"}], "ColumnToEdit": "NO. ARTICULO", "NewColumnValue": "=INPUT(\"TEXT\\\", \"\")\", "InputParametersUsed": {"text": {"Type": "Text", "MetaData":

	<pre>{ "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "MaxLength": null, "MinLength": null, "LongTextFo rmatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In valid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_I f": null, "Suggested_Values": null } } }, "Prominence": "Display_Prominen tly", "NeedsConfirmation": false, "ConfirmationMessage": "", "Modifies Data": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Estatus entrada en taller
Set this column	NO. ARTICULO
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]=" Jefe taller habilitado")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Soporte en taller"))),[Estatus entrada en taller]="EN TRANSITO")
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=INPUT("TEXT","")
Visible?	ALWAYS

Action name View Ref (NO. ARTICULO)

Action name	View Ref (NO. ARTICULO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=EQUIPO S&row=\", ENCODEURL([NO. ARTICULO]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "Conf irmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_APP
Attach to column	NO. ARTICULO

Set this column	NO. ARTICULO
Only if this condition is true	NOT(ISBLANK([NO. ARTICULO]))
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name SOLICITAR REVISIÓN A REGIÓN QUE ENVÍA

Action name	SOLICITAR REVISIÓN A REGIÓN QUE ENVÍA
Bulk action?	Yes
Confirmation Message	SE SOLICITARÁ A LA REGIÓN QUE ENVÍA LA CORRECCIÓN DE LOS DATOS DEL EQUIPO O EL ENVÍO DEL EQUIPO CORRECTO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "MOTIVO DE REVISIÓN", "NewColumnValue": "=INPUT(\"TEXT\", \"\")", "ColumnToEdit": "Estatus entrada en taller", "NewColumnValue": "=IF([MOTIVO DE REVISIÓN]=\"\", \"\", \"EN REVISIÓN\")", "ColumnToEdit": "EVIDENCIA FOTOGRÁFICA", "NewColumnValue": "=INPUT(IMAGE, \"\")", "ColumnToEdit": "ESTÁTUS GENERAL", "NewColumnValue": "=EN REVISIÓN" }], "ColumnToEdit": "MOTIVO DE REVISIÓN", "NewColumnValue": "=INPUT(\"TEXT\", \"\")", "InputParametersUsed": { "text": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } }, "image": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFo</pre>

	rmatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}},"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"SE SOLICITARÁ A LA REGIÓN QUE ENVÍA LA CORRECCIÓN DE LOS DATOS DEL EQUIPO O EL ENVÍO DEL EQUIPO CORRECTO","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Estatus entrada en taller
Set this column	MOTIVO DE REVISIÓN
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado")),IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Soporte en taller"))),[Estatus entrada en taller]="EN TRANSITO")
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=INPUT("TEXT","")
Visible?	ALWAYS

Action name ASIGNAR REPARACIÓN EN TALLER

Action name	ASIGNAR REPARACIÓN EN TALLER
Bulk action?	Yes
Confirmation Message	SE ASIGNARÁ LA REPARACIÓN AL SOPORTE TECNOLÓGICO QUE SELECCIONE
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{ "Assignments":{ "ColumnToEdit":"QUIEN VA A REPARAR", "NewColumnValue":"=INPUT(\"TEXT\",\"\")", "ColumnToEdit":"ESTÁTUS GENERAL", "NewColumnValue":"=ASIGNADO" },

	<pre> {"ColumnToEdit":"FECHA DE ASIGNACIÓN","NewColumnValue":"=TODAY()"},"ColumnToEdit":"Q UIEN VA A REPARAR","NewColumnValue":"=INPUT(\"TEXT\",\"\")","InputPara metersUsed":{"text":{"Type":"Text","MetaData": {"\$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo rmatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}}},"Prominence":"Display_Prominen tly","NeedsConfirmation":true,"ConfirmationMessage":"SE ASIGNARÁ LA REPARACIÓN AL SOPORTE TECNOLÓGICO QUE SELECCIONE","ModifiesData":true,"BulkApplicable":true} SET_COLUMN_VALUE QUIEN VA A REPARAR QUIEN VA A REPARAR =AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Soporte en taller"))),[Estatus entrada en taller]="CONFIRMADO",ISBLANK([DEFINICIÓN DE EQUIPO]),ISBLANK([CONFIRMACIÓN DEFINICIÓN])) Disable automatic updates? No Display name =if(isblank([QUIEN VA A REPARAR]),"Asignar reparación","Reasignar reparación") Action icon  For a record of this table Taller Does this action apply to the whole table? No To this value =INPUT("TEXT","") Visible? ALWAYS </pre>
--	--

Action name View Ref (QUIEN VA A REPARAR)

Action name	View Ref (QUIEN VA A REPARAR)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CONTACTOS%203&row=\", ENCODEURL([QUIEN VA A REPARAR]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	QUIEN VA A REPARAR
Set this column	QUIEN VA A REPARAR
Only if this condition is true	NOT(ISBLANK([QUIEN VA A REPARAR]))
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name DEFINIR EQUIPO DE TALLER

Action name	DEFINIR EQUIPO DE TALLER
Bulk action?	Yes
Confirmation Message	SE REGISTRARÁ LA DEFINICIÓN DEL EQUIPO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"Assignments":{"ColumnToEdit":"DEFINICIÓN DE EQUIPO","NewColumnValue":"=INPUT(ENUM,\"\")"}, {"ColumnToEdit":"COMENTARIOS DE REPARACIÓN","NewColumnValue":"=INPUT(\"TEXT\", \"\")"}, {"ColumnToEdit":"ACTUALIZACIÓN EN INSIGHT","NewColumnValue":"=INPUT(ENUM,\"\")"}, {"ColumnToEdit":"MOTIVO INSIGHT","NewColumnValue":"=INPUT(\"TEXT\", \"\")"}, {"ColumnToEdit":"CONFIRMACIÓN DEFINICIÓN","NewColumnValue":"=\"\""}, {"ColumnToEdit":"ESTÁTUS</code>

	<pre> GENERAL","NewColumnValue": "=if([DEFINICIÓN DE EQUIPO]=\"GARANTÍA\", \"GARANTÍA\", \"DEFINIDO\")\", {\"ColumnToEdit\": \"SOLUCIÓN GARANTÍA\", \"NewColumnValue\": \"=\\\"\", {\"ColumnToEdit\": \"NO. SERIE EQUIPO NUEVO\", \"NewColumnValue\": \"=\\\"\", {\"ColumnToEdit\": \"FECHA DE REPARACIÓN\", \"NewColumnValue\": \"=Today()\"}], \"ColumnToEdit\": \"DEFINICIÓN DE EQUIPO\", \"NewColumnValue\": \"=INPUT(ENUM, \\\"\\\")\", \"InputParametersUsed\": {\"enum\": {\"Type\": \"Text\", \"MetaData\": {\"\$type\": \"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes\", \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null}}, \"text\": {\"Type\": \"Text\", \"MetaData\": {\"\$type\": \"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes\", \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null}}}, \"Prominence\": \"Display_Prominently\", \"NeedsConfirmation\": true, \"ConfirmationMessage\": \"SE REGISTRARÁ LA DEFINICIÓN DEL EQUIPO\", \"ModifiesData\": true, \"BulkApplicable\": true} </pre>
Do this	SET_COLUMN_VALUE
Attach to column	DEFINICIÓN DE EQUIPO
Set this column	DEFINICIÓN DE EQUIPO
Only if this condition is true	=and([QUIEN VA A REPARAR]=LOOKUP(USEREMAIL(), \"CONTACTOS\", \"Email\", \"Numero de empleado\"), isblank([DEFINICIÓN DE EQUIPO]))
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=INPUT(ENUM, \"\")
Visible?	ALWAYS

Action name CONFIRMAR DEFINICIÓN EQ TALLER

Action name	CONFIRMAR DEFINICIÓN EQ TALLER
Bulk action?	Yes
Confirmation Message	SE CONFIRMARÁ DE ACUERDO A LA DEFINICIÓN DEL EQUIPO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre> {"Assignments":[{"ColumnToEdit":"CONFIRMACIÓN DEFINICIÓN","NewColumnValue":"=\\\"CONFIRMADO\\\""}, {"ColumnToEdit":"QUIEN CONFIRMA","NewColumnValue":"=LOOKUP(USEREMAIL(),\\\"CONT ACTOS\\\",\\\"E-mail\\\",\\\"Nombre\\\"")}, {"ColumnToEdit":"COMENTARIOS CONFIRMACIÓN","NewColumnValue":"=INPUT(\\\"TEXT\\\",\\\"\\\"")}, {"ColumnToEdit":"ESTÁTUS GENERAL","NewColumnValue":"=DEFINICIÓN CONFIRMADA"}],"ColumnToEdit":"CONFIRMACIÓN DEFINICIÓN","NewColumnValue":"=\\\"CONFIRMADO\\\"","InputPara metersUsed":{"text":{"Type":"Text","MetaData": {"\$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFo rmatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_In valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_I f":null,"Suggested_Values":null}}},"Prominence":"Display_Prominen tly","NeedsConfirmation":true,"ConfirmationMessage":"SE CONFIRMARÁ DE ACUERDO A LA DEFINICIÓN DEL EQUIPO","ModifiesData":true,"BulkApplicable":true} </pre>
Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN DEFINICIÓN
Set this column	CONFIRMACIÓN DEFINICIÓN
Only if this condition is true	<pre> =AND(IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="Jefe taller habilitado")),OR([DEFINICIÓN DE EQUIPO]="REPARADO", [DEFINICIÓN DE EQUIPO]="HUESARIO",and([DEFINICIÓN DE EQUIPO]="GARANTÍA",ISNOTBLANK([SOLUCIÓN GARANTÍA]))),ISBLANK([CONFIRMACIÓN DEFINICIÓN])) </pre>

Disable automatic updates?	No
Display name	CONFIRMAR DEFINICIÓN
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name SOLICITAR REVISIÓN DE EQUIPO

Action name	SOLICITAR REVISIÓN DE EQUIPO
Bulk action?	Yes
Confirmation Message	SE REGRESARÁ EL EQUIPO AL INGENIERO DE SOPORTE PARA SU REVISIÓN
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "DEFINICIÓN DE EQUIPO", "NewColumnValue": "" }, { "ColumnToEdit": "COMENTARIOS DE REPARACIÓN", "NewColumnValue": "" }, { "ColumnToEdit": "ACTUALIZACIÓN EN INSIGHT", "NewColumnValue": "" }, { "ColumnToEdit": "MOTIVO INSIGHT", "NewColumnValue": "" }, { "ColumnToEdit": "CONFIRMACIÓN DEFINICIÓN", "NewColumnValue": "EN REVISIÓN" }, { "ColumnToEdit": "DEFINICIÓN DE EQUIPO", "NewColumnValue": "" }], "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "SE REGRESARÁ EL EQUIPO AL INGENIERO DE SOPORTE PARA SU REVISIÓN", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	DEFINICIÓN DE EQUIPO
Set this column	DEFINICIÓN DE EQUIPO

Only if this condition is true	=AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado")),OR([DEFINICIÓN DE EQUIPO]="REPARADO", [DEFINICIÓN DE EQUIPO]="HUESARIO",AND([DEFINICIÓN DE EQUIPO]="GARANTÍA",ISNOTBLANK([SOLUCIÓN GARANTÍA])),ISBLANK([CONFIRMACIÓN DEFINICIÓN]))
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

Action name Solicitar revisión antes de entrada a almacén

Action name	Solicitar revisión antes de entrada a almacén
Bulk action?	Yes
Confirmation Message	SE REGRESARÁ A VALIDACIÓN CON EL JEFE DE TALLER HABILITADO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "CONFIRMACIÓN DEFINICIÓN", "NewColumnValue": "" }, { "ColumnToEdit": "QUIEN CONFIRMA", "NewColumnValue": "" }, { "ColumnToEdit": "COMENTARIOS CONFIRMACIÓN", "NewColumnValue": "" }, { "ColumnToEdit": "CONFIRMACIÓN DEFINICIÓN", "NewColumnValue": "" }], "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "SE REGRESARÁ A VALIDACIÓN CON EL JEFE DE TALLER HABILITADO", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN DEFINICIÓN
Set this column	CONFIRMACIÓN DEFINICIÓN

Only if this condition is true	=AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Almacén")),ISNOTBLANK([DEFINICIÓN DE EQUIPO]),ISNOTBLANK([CONFIRMACIÓN DEFINICIÓN]),ISBLANK([CONFIRMACIÓN ENTRADA]))
Disable automatic updates?	No
Display name	SOLICITAR REVISIÓN
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

Action name CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO

Action name	CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "CONFIRMACIÓN ENTRADA", "NewColumnValue": "=\\\"CONFIRMADO\\\"", "ColumnToEdit": "NOMBRE DE QUIEN RECIBE", "NewColumnValue": "=LOOKUP(USEREMAIL(),\\\"CONTACT OS\\\",\\\"E-mail\\\",\\\"Nombre\\\")\",{ \"ColumnToEdit\": \"ALMACÉN AL QUE ENTRA\", \"NewColumnValue\": \"=Input(Enum,\\\"\\\")\", \"ColumnToEdit\": \"COMENTARIOS RECEPCIÓN\", \"NewColumnValue\": \"=INPUT(\\\"TEXT\\\",\\\"\\\")\", \"ColumnToEdit\": \"ESTÁTUS GENERAL\", \"NewColumnValue\": \"=[DEFINICIÓN DE EQUIPO]\", \"ColumnToEdit\": \"FECHA DE CONFIRMACIÓN EN ALMACÉN\", \"NewColumnValue\": \"=TODAY()\"}], \"ColumnToEdit\": \"CONFIRMACIÓN ENTRADA\", \"NewColumnValue\": \"=\\\"CONFIRMADO\\\"\", \"InputParametersUsed\": { \"enum\": { \"Type\": \"Text\", \"MetaData\":</pre>

	<pre>{ "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": null, "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "text": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": null, "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } } }, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	CONFIRMACIÓN ENTRADA
Set this column	CONFIRMACIÓN ENTRADA
Only if this condition is true	=AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Almacén")),ISNOTBLANK([DEFINICIÓN DE EQUIPO]),ISNOTBLANK([CONFIRMACIÓN DEFINICIÓN]),ISBLANK([CONFIRMACIÓN ENTRADA]))
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	="CONFIRMADO"
Visible?	ALWAYS

Action name View Ref (ID NS Surtir)

Action name	View Ref (ID NS Surtir)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	<code>{"NavigateTarget": "CONCATENATE(\"#page=detail&table=NS%20SURTIR&row=\", ENCODEURL([ID NS Surtir]))\", \"Prominence\": \"Do_Not_Display\", \"NeedsConfirmation\": false, \"ConfirmationMessage\": \"\", \"ModifiesData\": false, \"BulkApplicable\": false}</code>
Do this	NAVIGATE_APP
Attach to column	ID NS Surtir
Set this column	ID NS Surtir
Only if this condition is true	NOT(ISBLANK([ID NS Surtir]))
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name CORRECCIÓN DE INF DE EQUIPO

Action name	CORRECCIÓN DE INF DE EQUIPO
Bulk action?	Yes
Confirmation Message	ES NECESARIO CORREGIR LOS DATOS DEL EQUIPO DE ACUERDO A LOS COMENTARIOS DE TALLER HABILITADO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"Assignments": [{"ColumnToEdit": "Folio de reparación", "NewColumnValue": "=INPUT(\"TEXT\", \"\")\"}, {"ColumnToEdit": "No. Serie", "NewColumnValue": "=iINPUT(\"TEXT\", \"\")\"}, {"ColumnToEdit": "FOLIO DE ENVÍO POR EM O SA", "NewColumnValue": "=INPUT(\"TEXT\", \"\")\"}, {"ColumnToEdit": "INSIGHT EQ INGRESA A TALLER", "NewColumnValue": "=input(ENUM, \"\")\"}, {"ColumnToEdit": "Estatus entrada en taller", "NewColumnValue": "=\"EN TRANSITO\""}], "ColumnToEdit": "Folio de reparación", "NewColumnValue": "=INPUT(\"TEXT\", \"\")\", \"InputParametersUsed\": {\"text\": {\"Type\": \"Text\", \"MetaData\":</code>

```
{ "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
  Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFo
  rmatting": "Plain
  Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In
  valid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_I
  f": null, "Suggested_Values": null}}, "enum": { "Type": "Text", "MetaData":
  { "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
    Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFo
    rmatting": "Plain
    Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In
    valid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_I
    f": null, "Suggested_Values": null}}}, "Prominence": "Display_Prominen
    tly", "NeedsConfirmation": true, "ConfirmationMessage": "ES
    NECESARIO CORREGIR LOS DATOS DEL EQUIPO DE ACUERDO A
    LOS COMENTARIOS DE TALLER
    HABILITADO", "ModifiesData": true, "BulkApplicable": true}
```

Do this	SET_COLUMN_VALUE
Attach to column	Folio de reparación
Set this column	Folio de reparación
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Jefe")),IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="Gerente"))),[Estatus entrada en taller]="EN REVISIÓN")
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=INPUT("TEXT","")
Visible?	ALWAYS

Action name Registrar entrada a almacén

Action name	Registrar entrada a almacén
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties

```
{
  "ReferencedTable": "Registro artículos",
  "Assignments": [
    {
      "ColumnToEdit": "IDMENU",
      "NewColumnValue": "[ID]"
    },
    {
      "ColumnToEdit": "IDMOV",
      "NewColumnValue": "[ID NS Surtir]"
    },
    {
      "ColumnToEdit": "IDVALE",
      "NewColumnValue": "[ID Vale]"
    },
    {
      "ColumnToEdit": "NUM ARTICULO",
      "NewColumnValue": "[NO. ARTICULO]"
    },
    {
      "ColumnToEdit": "DESCRIPCIÓN",
      "NewColumnValue": "lookup([NO. ARTICULO], \"EQUIPOS\", \"IDEquipo\", \"Nombre\")"
    },
    {
      "ColumnToEdit": "MARCA",
      "NewColumnValue": "lookup([NO. ARTICULO], \"EQUIPOS\", \"IDEquipo\", \"Marca\")"
    },
    {
      "ColumnToEdit": "MODELO",
      "NewColumnValue": "lookup([NO. ARTICULO], \"EQUIPOS\", \"IDEquipo\", \"Modelo\")"
    },
    {
      "ColumnToEdit": "NUMERO DE SERIE",
      "NewColumnValue": "IF([SOLUCIÓN GARANTÍA]=\"NUEVO\", [NO. SERIE EQUIPO NUEVO], [No. Serie])"
    },
    {
      "ColumnToEdit": "TIPO DE EQUIPO",
      "NewColumnValue": "IF([SOLUCIÓN GARANTÍA]=\"NUEVO\", \"NUEVO\", \"RECUPERADO\")"
    },
    {
      "ColumnToEdit": "Almacén",
      "NewColumnValue": "[ALMACÉN AL QUE ENTRA]"
    },
    {
      "ColumnToEdit": "Región",
      "NewColumnValue": "[Taller]"
    },
    {
      "ColumnToEdit": "Cantidad",
      "NewColumnValue": "[Cantidad]"
    },
    {
      "ColumnToEdit": "Fecha de Surtido",
      "NewColumnValue": "TODAY()"
    },
    {
      "ColumnToEdit": "TIPO MOV",
      "NewColumnValue": "[Entrada]"
    }
  ],
  "InputParametersUsed": null,
  "Prominence": "Do_Not_Display",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "",
  "ModifiesData": true,
  "BulkApplicable": true
}
```

Do this	ADD_RECORD_TO
Only if this condition is true	= [DEFINICIÓN DE EQUIPO] <> "HUESARIO"
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Registro doble entrada

Action name	Registro doble entrada
Bulk action?	Yes

Confirmation Message	SE CONFIRMARÁ LA ENTRADA DEL EQUIPO AL ALMACÉN
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "CONFIRMAR ENTRADA A ALMACÉN DE EQ DE TALLER HABILITADO" }, { "ActionName": "Registrar entrada a almacén" }], "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "SE CONFIRMARÁ LA ENTRADA DEL EQUIPO AL ALMACÉN", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	COMPOSITE
Only if this condition is true	<pre>=AND(IN(USERemail(),select(CONTACTOS[E-mail],[Rol]="Almacén")),ISNOTBLANK([DEFINICIÓN DE EQUIPO]),ISNOTBLANK([CONFIRMACIÓN DEFINICIÓN]),ISBLANK([CONFIRMACIÓN ENTRADA]))</pre>
Disable automatic updates?	No
Display name	<pre>=IF([DEFINICIÓN DE EQUIPO]<>"HUESARIO","CONFIRMAR ENTRADA A ALMACÉN","CONFIRMAR ENVÍO A HUESARIO")</pre>
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Registrar envío a taller habilitado

Action name	Registrar envío a taller habilitado
Bulk action?	Yes
Confirmation Message	Se enviará el equipo al taller habilitado seleccionado
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "Taller habilitado" }] }</pre>

```
{
  "ColumnToEdit": "Taller o centro",
  "NewColumnValue": "=input(enum,\\\"\\\")",
  "ColumnToEdit": "ESTATUS DEVOUCIÓN",
  "NewColumnValue": "\\\"TALLER HABILITADO\\\""},
  "ColumnToEdit": "TALLER HABILITADO",
  "NewColumnValue": "=input(enum,\\\"\\\")",
  "ColumnToEdit": "ESTÁTUS GRAL ENTRADA",
  "NewColumnValue": "=Taller habilitado",
  "InputParametersUsed": {
    "enum": {
      "Type": "Text",
      "MetaData": {
        "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
        "Jeenee.DataTypes": "Jeenee.DataTypes",
        "MaxLength": null,
        "MinLength": null,
        "LongTextFormatting": "Plain Text",
        "IsMulticolumnKey": false,
        "ValidIf": null,
        "Error_Message_If_Invalid": null,
        "Show_If": null,
        "Required_If": null,
        "Editable_If": null,
        "Reset_If": null,
        "Suggested_Values": null
      }
    }
  },
  "Prominence": "Do_Not_Display",
  "NeedsConfirmation": false,
  "ConfirmationMessage": "Se enviará el equipo al taller habilitado seleccionado",
  "ModifiesData": true,
  "BulkApplicable": true
}
```

Do this	SET_COLUMN_VALUE
Attach to column	ESTÁTUS GRAL ENTRADA
Set this column	ESTÁTUS GRAL ENTRADA
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=Taller habilitado
Visible?	ALWAYS

Action name Segundo envío a taller habilitado

Action name	Segundo envío a taller habilitado
Bulk action?	Yes
Confirmation Message	Se enviará el equipo para reparación a taller habilitado
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently

Action order	1
	{ "Actions": [{ "ActionName": "Registrar envío a taller habilitado"}, { "ActionName": "Envío a taller habilitado"}], "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se enviará el equipo para reparación a taller habilitado", "ModifiesData": true, "BulkApplicable": true }
With these properties	
Do this	COMPOSITE
Only if this condition is true	=AND(or(IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="JEFE")),IN(USERemail(),select(CONTACTOS[E-mail],[RoI]="Gerente"))),ISNOTBLANK([FOLIO DE REPARACIÓN]),OR([DICTAMEN ALMACEN]="REPARACIÓN",[DICTAMEN ALMACEN]="TELECOMUNICACIONES"),isblank([DEFINICIÓN DE EQUIPO]),or(LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="CTLZ",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TXCC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="XLPA",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TXGT",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="ACPO",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="QRTO",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="CLCN",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="HLLO",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="LMCH",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="LPAZ",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="MXLI",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TJNA",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="MZTN",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="STAFF",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="PBLA II",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TCMC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="PCHC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="AZCP",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TLNP",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="QRTO",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TOLC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="MORL",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="LCRS",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="VLLH",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="IXTP",LOOKUP(USEREMAIL(),"CONTACTOS","E-

mail","Región")="VRCZ",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="PBLA I",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="CTZC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="CRDB",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="TXTP",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="SCRZ",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="OAXC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="PZRC",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="MRDA",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")="CNCN"),[ESTÁTUS GRAL ENTRADA]<>"Taller habilitado",isblank([¿QUIÉN VA A REPARAR?]))

Disable automatic updates?	No
Display name	ENVIAR A TALLER HABILITADO
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name EN ESPERA DE REFACCIÓN

Action name	EN ESPERA DE REFACCIÓN
Bulk action?	Yes
Confirmation Message	SE INDICARÁ QUE EL EQUIPO NO SE PUEDE REPARAR YA QUE SE SOLICITÓ REFACCIÓN Y ESTÁ EN ESPERA
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{ "Assignments": [{"ColumnToEdit": "ESTÁTUS GENERAL", "NewColumnValue": "\nEN ESPERA DE REFACCIÓN\n"}], "ColumnToEdit": "ESTÁTUS GENERAL", "NewColumnValue": "\nEN ESPERA DE REFACCIÓN\n", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "SE INDICARÁ QUE EL EQUIPO NO SE PUEDE REPARAR YA QUE SE SOLICITÓ REFACCIÓN Y ESTÁ EN ESPERA", "ModifiesData": true, "BulkApplicable": true }

Do this	SET_COLUMN_VALUE
Attach to column	ESTÁTUS GENERAL
Set this column	ESTÁTUS GENERAL
	=and([QUIEN VA A REPARAR]=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Numero de empleado"),OR(isblank([DEFINICIÓN DE EQUIPO]),[DEFINICIÓN DE EQUIPO]="EN REVISIÓN"),[ESTÁTUS GENERAL]="ASIGNADO")
Disable automatic updates?	No
Action icon	⏸
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	="EN ESPERA DE REFACCIÓN"
Visible?	ALWAYS

Action name SOLUCIÓN GARANTÍA EN TALLER

Action name	SOLUCIÓN GARANTÍA EN TALLER
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "SOLUCIÓN GARANTÍA", "NewColumnValue": "=INPUT(ENUM,\\"\\")", "ColumnToEdit": "NO. SERIE EQUIPO NUEVO", "NewColumnValue": "=INPUT(\\"TEXT\\",\\"\\")", "ColumnToEdit": "CONFIRMACIÓN DEFINICIÓN", "NewColumnValue": "=IF(ISNOTBLANK([SOLUCIÓN GARANTÍA]),\\"CONFIRMADO\\",\\"\\")", "ColumnToEdit": "QUIEN CONFIRMA", "NewColumnValue": "=IF(ISNOTBLANK([SOLUCIÓN GARANTÍA]),LOOKUP(USEREMAIL(),\\"CONTACTOS\\",\\"E-mail\\",\\"Nombre\\",\\"\\")", "ColumnToEdit": "FECHA DE REPARACIÓN", "NewColumnValue": "=today()", "ColumnToEdit": "SOLUCIÓN GARANTÍA", "NewColumnValue": "=INPUT(ENUM,\\"\\")", "InputParametersUsed": { "enum": { "Type": "Text", "MetaData":</pre>

```
{ "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
  Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFo
  rmatting": "Plain
  Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In
  valid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_I
  f": null, "Suggested_Values": null }}, "text": { "Type": "Text", "MetaData":
  { "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData",
    Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFo
    rmatting": "Plain
    Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_In
    valid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_I
    f": null, "Suggested_Values": null }}, "Prominence": "Display_Prominen
    tly", "NeedsConfirmation": false, "ConfirmationMessage": "", "Modifies
    Data": true, "BulkApplicable": true }
```

Do this	SET_COLUMN_VALUE
Attach to column	DEFINICIÓN DE EQUIPO
Set this column	SOLUCIÓN GARANTÍA
Only if this condition is true	=AND(ISBLANK([SOLUCIÓN GARANTÍA]),[DEFINICIÓN DE EQUIPO]="GARANTÍA",LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Región")=[Taller],LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Rol")="Jefe taller habilitado")
Disable automatic updates?	No
Display name	SOLUCIÓN GARANTÍA
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
To this value	=INPUT(ENUM,"")
Visible?	ALWAYS

Action name ENVIAR A TALLER CELULARES

Action name	ENVIAR A TALLER CELULARES
Bulk action?	Yes
Confirmation Message	SE DEFINIRÁ EQUIPO ENVÍADO A TALLER CELULARES
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently

Action order

1

```

{"Assignments":[{"ColumnToEdit":"DEFINICIÓN DE EQUIPO","NewColumnValue":"=\\"GARANTÍA\\""}, {"ColumnToEdit":"COMENTARIOS REPARACIÓN","NewColumnValue":"=INPUT(\\"TEXT\\",\\"\\")"}, {"ColumnToEdit":"CONFIRMACIÓN JEFE","NewColumnValue":"=\\"\\\""}, {"ColumnToEdit":"ESTÁTUS GRAL ENTRADA","NewColumnValue":"=\\"N/A\\""}, {"ColumnToEdit":"NOMBRE DE QUIÉN CONFIRMA","NewColumnValue":"=\\"\\\""}, {"ColumnToEdit":"COMENTARIOS DE JEFE","NewColumnValue":"=\\"\\\""}, {"ColumnToEdit":"CONFIRMAR INSIGHT ENTRADA ALMACÉN","NewColumnValue":"=INPUT(ENUM,\\"\\")"}, {"ColumnToEdit":"Motivo_Insight3","NewColumnValue":"=INPUT(\\"TEXT\\",\\"\\")"}], "ColumnToEdit":"DEFINICIÓN DE EQUIPO","NewColumnValue":"=\\"GARANTÍA\\"","InputParametersUsed":{"text":{"Type":"Text","MetaData":{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}, "enum":{"Type":"Text","MetaData":{"$type":"Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}}, "Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"SE DEFINIRÁ EQUIPO ENVÍADO A TALLER CELULARES","ModifiesData":true,"BulkApplicable":true}

```

With these properties

Do this

SET_COLUMN_VALUE

Attach to column

ESTÁTUS GRAL ENTRADA

Set this column

DEFINICIÓN DE EQUIPO

Only if this condition is true

```

=AND(IN(USERemail(),select(CONTACTOS[E-mail], [Rol]="ALMACÉN")), [ESTATUS DEVOLUCIÓN]="PENDIENTE DE CONFIRMAR", [¿APLICA ENTRADA A TALLER?]="SI", OR([Taller o centro]="Evaluación en centro", ISBLANK([Taller o

```

centro))),OR([ARTÍCULO]=number(14875),
[ARTÍCULO]=number(10349),[ARTÍCULO]=number(12485),
[ARTÍCULO]=number(13128)),[REGIÓN]="STAFF")

Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	="GARANTÍA"
Visible?	ALWAYS

Action name ENVIAR STOCK A CENTRO

Action name	ENVIAR STOCK A CENTRO
Bulk action?	Yes
Confirmation Message	SE REGISTRARÁ EL ENVÍO A CENTRO DEL EQUIPO SELECCIONADO
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"Assignments":[{"ColumnToEdit":"RESPONSABLE CONFIRMAR EN CENTRO","NewColumnValue":"=INPUT(\"ENUM\\,\\\"\\\")\"}],\"ColumnToEdit\":\"RESPONSABLE CONFIRMAR EN CENTRO\",\"NewColumnValue\":\"=INPUT(\"ENUM\\,\\\"\\\")\",\"InputParametersUsed\":{\"enum\":{\"Type\":\"Text\",\"MetaData\":{\"Type\":\"Jeenee.DataTypes.AppTypeTextBase+TextMetaData,Jeenee.DataTypes\",\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"PlainText\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}}},\"Prominence\":\"Display_Prominently\",\"NeedsConfirmation\":true,\"ConfirmationMessage\":\"SE REGISTRARÁ EL ENVÍO A CENTRO DEL EQUIPO SELECCIONADO\",\"ModifiesData\":true,\"BulkApplicable\":true}</pre>
Do this	SET_COLUMN_VALUE
Attach to column	ID

Set this column	RESPONSABLE CONFIRMAR EN CENTRO
Only if this condition is true	=if(context("view")="STOCK PARA CENTRO ESTRATÉGICO_Detail",true,false)
Disable automatic updates?	No
Display name	REGISTRAR ENVIO A CENTRO
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=INPUT("ENUM","")
Visible?	ALWAYS

Action name REASIGNAR DEVOLUCIÓN

Action name	REASIGNAR DEVOLUCIÓN
Bulk action?	Yes
Confirmation Message	Se asignará la confirmación en centro a la persona que seleccione
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "RESPONSABLE CONFIRMAR EN CENTRO", "NewColumnValue": "=INPUT(ENUM,\" \")", "ColumnToEdit": "ASIGNAR CONF", "NewColumnValue": "=\"REASIGNADA\""}, { "ColumnToEdit": "RESPONSABLE CONFIRMAR EN CENTRO", "NewColumnValue": "=INPUT(ENUM,\" \")", "InputParametersUsed": { "enum": { "Type": "Text", "MetaData": { "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": "Jeenee.DataTypes", "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "ValidIf": null, "ErrorMessageIfInvalid": null, "ShowIf": null, "RequiredIf": null, "EditableIf": null, "ResetIf": null, "SuggestedValues": null } } }, "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "Se asignará la confirmación en centro a la persona que seleccione", "ModifiesData": true, "BulkApplicable": true }] }</pre>

Do this	SET_COLUMN_VALUE
Attach to column	RESPONSABLE CONFIRMAR EN CENTRO
Set this column	RESPONSABLE CONFIRMAR EN CENTRO
	=or(and(or(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Gerente")),IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe"))),ISBLANK([ESTATUS DEVOLUCIÓN])),AND(or(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Soporte Tecnologico")),IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe")),IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Gerente")),IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Jefe taller habilitado")),IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="Soporte en taller"))),OR([quien_solicitó]=lookup(useremail(),"CONTACTOS","E-mail","Nombre"),[RESPONSABLE CONFIRMAR EN CENTRO]=lookup(useremail(),"CONTACTOS","E-mail","Numero de empleado"),LOOKUP([IDSURTIR],"SURTIR","ID COUPA","QUIEN SOLICITA")=LOOKUP(USEREMAIL(),"CONTACTOS","E-mail","Numero de empleado")),ISBLANK([ESTATUS DEVOLUCIÓN])))
Only if this condition is true	
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=INPUT(ENUM,"")
Visible?	ALWAYS

Action name Registrar devolución

Action name	Registrar devolución
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	<code>{"NavigateTarget":"=#view=Registrar devolución","", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Only if this condition is true	<code>=AND(or(IN(USERemail()),select(CONTACTOS[E-mail], [Rol]="Soporte Tecnologico")),IN(USERemail()),select(CONTACTOS[E-mail], [Rol]="Jefe"))),OR(ISBLANK([ESTATUS DEVOLUCIÓN]),[ESTATUS DEVOLUCIÓN]="EN REVISIÓN"))</code>
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Devolución sin salida

Action name	Devolución sin salida
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"Assignments":{"ColumnToEdit":"ESTÁTUS GRAL ENTRADA","NewColumnValue":"=if([Taller o centro]="Devolución a stock directo"; \ "DEFINIDO"; \ "REGISTRADO\ ")}, {"ColumnToEdit":"ESTATUS DEVOLUCIÓN","NewColumnValue":"=if([Taller o centro]="Devolución a stock directo"; \ "N/A"; \ "PENDIENTE DE CONFIRMAR\ ")},"ColumnToEdit":"RESPONSABLE CONFIRMAR EN CENTRO","NewColumnValue":"=LOOKUP(USEREMAIL(), \ "CONTAC TOS\ ", \ "E-mail\ ", \ "Numero de empleado\ ")}}, {"ColumnToEdit":"¿QUIÉN VA A REPARAR?","NewColumnValue":"=if([Taller o centro]="Devolución a stock directo"; LOOKUP(USEREMAIL(), \ "CONTACTOS\ ", \ "E-</code>

```
mail\","Numero de empleado\"); \\""},
{"ColumnToEdit":"DEFINICIÓN DE
EQUIPO","NewColumnValue":"if([Taller o centro]="Devolución a
stock directo\","REPARADO\","\\")"},
{"ColumnToEdit":"DICTAMEN
ALMACEN","NewColumnValue":"if([Taller o centro]="Devolución
a stock directo\","REPARACIÓN\","\\")"},
{"ColumnToEdit":"ESTÁTUS GRAL
ENTRADA","NewColumnValue":"if([Taller o centro]="Devolución
a stock directo\","DEFINIDO\","
REGISTRADO\"),"InputParametersUsed":null,"Prominence":"Do_
Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","
"ModifiesData":true,"BulkApplicable":true}
```

Do this	SET_COLUMN_VALUE
Attach to column	ESTÁTUS GRAL ENTRADA
Set this column	ESTÁTUS GRAL ENTRADA
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=if([Taller o centro]="Devolución a stock directo"; "DEFINIDO"; "REGISTRADO")
Visible?	ALWAYS

Action name Gerente de Zona

Action name	Gerente de Zona
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "LINKTOVIEW([Nombre])", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>

Do this	NAVIGATE_APP
Attach to column	NOMBRE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Gerente Zona
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Descarga taller

Action name	Descarga taller
Bulk action?	No
Modifies data?	No
Needs confirmation?	Yes
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"CsvLocale":"en-US","Prominence":"Display_Overlay","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	EXPORT_VIEW
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No

Prominence	Do_Not_Display
Action order	1
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Only if this condition is true	=if(context("view")="NS SURTIR_Inline",false,true)
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Only if this condition is true	=OR(if(context("view")="REGISTRO DE EQ SURTIDO_Form",true,false),if(context("view")="CONSUMO_FORM",true,false),if(context("view")="Registrar devolución_Detail",true,false))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (IDSURTIR)

Action name	View Ref (IDSURTIR)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=SURTIR&row=\", ENCODEURL([IDSURTIR]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_APP
Attach to column	IDSURTIR
Set this column	IDSURTIR
Only if this condition is true	NOT(ISBLANK([IDSURTIR]))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (DESTINO)

Action name	View Ref (DESTINO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=CENTROS&row=\", ENCODEURL([DESTINO]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_APP

Attach to column	DESTINO
Set this column	DESTINO
Only if this condition is true	NOT(ISBLANK([DESTINO]))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (ARTÍCULO)

Action name	View Ref (ARTÍCULO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=EQUIPOS&row=\", ENCODEURL([ARTÍCULO]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ARTÍCULO
Set this column	ARTÍCULO
Only if this condition is true	NOT(ISBLANK([ARTÍCULO]))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (RESPONSABLE CONFIRMAR EN CENTRO)

Action name	View Ref (RESPONSABLE CONFIRMAR EN CENTRO)
-------------	--

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=CONTACTOS%203&row=\", ENCODEURL([RESPONSABLE CONFIRMAR EN CENTRO]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_APP
Attach to column	RESPONSABLE CONFIRMAR EN CENTRO
Set this column	RESPONSABLE CONFIRMAR EN CENTRO
Only if this condition is true	NOT(ISBLANK([RESPONSABLE CONFIRMAR EN CENTRO]))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (NO. ARTICULO DEVUELTO)

Action name	View Ref (NO. ARTICULO DEVUELTO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=EQUIPOS&row=\", ENCODEURL([NO. ARTICULO DEVUELTO]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_APP
Attach to column	NO. ARTICULO DEVUELTO
Set this column	NO. ARTICULO DEVUELTO

Only if this condition is true NOT(ISBLANK([NO. ARTICULO DEVUELTO]))

Disable automatic updates? No

Action icon 

For a record of this table NS SURTIR

Does this action apply to the whole table? No

Visible? ALWAYS

Action name View Ref (¿QUIÉN VA A REPARAR?)

Action name View Ref (¿QUIÉN VA A REPARAR?)

Bulk action? No

Modifies data? No

Needs confirmation? No

Prominence Do_Not_Display

Action order 1

With these properties {"NavigateTarget":"CONCATENATE(\"#page=detail&table=CONTACTOS%203&row=\", ENCODEURL([¿QUIÉN VA A REPARAR?]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}

Do this NAVIGATE_APP

Attach to column ¿QUIÉN VA A REPARAR?

Set this column ¿QUIÉN VA A REPARAR?

Only if this condition is true NOT(ISBLANK([¿QUIÉN VA A REPARAR?]))

Disable automatic updates? No

Action icon 

For a record of this table NS SURTIR

Does this action apply to the whole table? No

Visible? ALWAYS

Action name View Ref (SOLICITANTE EN COUPA)

Action name View Ref (SOLICITANTE EN COUPA)

Bulk action? No

Modifies data? No

Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CONTACTOS%203&row=\", ENCODEURL([SOLICITANTE EN COUPA]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	SOLICITANTE EN COUPA
Set this column	SOLICITANTE EN COUPA
Only if this condition is true	NOT(ISBLANK([SOLICITANTE EN COUPA]))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	ADD_RECORD
Only if this condition is true	=if(context("view")="PDF Vale de Salida",false,true)
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (IDSALIDA)

Action name	View Ref (IDSALIDA)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=FOLIOS%20POR%20SURTIR&row=\", ENCODEURL([IDSALIDA]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	IDSALIDA
Set this column	IDSALIDA
Only if this condition is true	NOT(ISBLANK([IDSALIDA]))
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (QUIEN SOLICITA)

Action name	View Ref (QUIEN SOLICITA)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=CONTOS%203&row=\", ENCODEURL([QUIEN SOLICITA]))", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }

```
),"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
```

Do this	NAVIGATE_APP
Attach to column	QUIEN SOLICITA
Set this column	QUIEN SOLICITA
Only if this condition is true	NOT(ISBLANK([QUIEN SOLICITA]))
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (DESTINO)

Action name	View Ref (DESTINO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=CENTROS&row=\", ENCODEURL([DESTINO])) }, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_APP
Attach to column	DESTINO
Set this column	DESTINO
Only if this condition is true	NOT(ISBLANK([DESTINO]))
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name VerPDF Action - 3

Action name	VerPDF Action - 3
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "PDF", "NewColumnValue": "=CONCATENATE(\"/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/\",[FOLIO DE REPORTE]&\" - \"&[ID],\".pdf\")" }, { "ColumnToEdit": "PDF", "NewColumnValue": "=CONCATENATE(\"/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/\",[FOLIO DE REPORTE]&\" - \"&[ID],\".pdf\")", "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	PDF
Set this column	PDF
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
To this value	=CONCATENATE("/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/",[FOLIO DE REPORTE]&" - "&[ID],".pdf")
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes

Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	SALIDAS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Only if this condition is true	=TRUE
Disable automatic updates?	No
Action icon	
For a record of this table	SALIDAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
-------------	-----

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Only if this condition is true	=if(or(context("view")="Vale de salida Ing Soporte_Form",context("view")="Vale de Salida Jefe_Form"),true,false)
Disable automatic updates?	No
Display name	=IF(AND(IN(USERemail()),select(CONTACTOS[E-mail],[Rol]="soporte Tecnologico")),ISBLANK(VALE DE SALIDA[AUTORIZO])),añadir "," ")
Action icon	+
For a record of this table	SALIDAS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (DESTINO)

Action name	View Ref (DESTINO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CENTROS&row=\", ENCODEURL([DESTINO]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	DESTINO
Set this column	DESTINO

Only if this condition is true NOT(ISBLANK([DESTINO]))

Disable automatic updates? No

Action icon 

For a record of this table SALIDAS

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Edit

Action name Edit

Bulk action? No

Modifies data? Yes

Needs confirmation? No

Prominence Do_Not_Display

Action order 1

With these properties

```
{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
```

Do this EDIT_RECORD

Disable automatic updates? No

Action icon 

For a record of this table VALE DE SALIDA

Does this action apply to the whole table? No

Visible? ALWAYS

Action name Add

Action name Add

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Display_Overlay

Action order 1

With these properties	<code>{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	ADD_RECORD
Only if this condition is true	<code>=and(useremail()=lookup(useremail(),"CONTACTOS","E-mail","E-mail"),if(context("view")="VALE DE SALIDA POR SURTIR",false,true))</code>
Disable automatic updates?	No
Display name	AGREGAR
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (DESTINO)

Action name	View Ref (DESTINO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CENTROS&row=\", ENCODEURL([DESTINO]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	DESTINO
Set this column	DESTINO
Only if this condition is true	<code>NOT(ISBLANK([DESTINO]))</code>
Disable automatic updates?	No
Action icon	
For a record of this table	VALE DE SALIDA
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Inicio
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Inicio

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Inicio
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menu Soporte Tecnológico

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Jefe de soporte
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menú oficina

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menú reportes
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	Menú reportes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menú reportes
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	Menú Salidas almacén
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Salidas almacén
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	<code>{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Menú Salidas almacén
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (NOMBRE DE QUIEN RECIBE)

Action name	View Ref (NOMBRE DE QUIEN RECIBE)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=CONTACTOS&row=\", ENCODEURL([NOMBRE DE QUIEN RECIBE]))","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	NOMBRE DE QUIEN RECIBE
Set this column	NOMBRE DE QUIEN RECIBE
Only if this condition is true	NOT(ISBLANK([NOMBRE DE QUIEN RECIBE]))
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (PDF)

Action name	Open File (PDF)
-------------	-----------------

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{"FileTarget": "[PDF]","Prominence": "Display_Inline","NeedsConfirmation": false,"ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</pre>
Do this	OPEN_FILE
Attach to column	PDF
Set this column	PDF
Only if this condition is true	NOT(ISBLANK([PDF]))
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Descarga consumo

Action name	Descarga consumo
Bulk action?	No
Modifies data?	No
Needs confirmation?	Yes
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"CsvLocale": "en-US","Prominence": "Display_Overlay","NeedsConfirmation": true,"ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</pre>
Do this	EXPORT_VIEW
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	SSIT
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	SSIT
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	SSIT
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name VerPDF Action - 4

Action name	VerPDF Action - 4
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"PDF","NewColumnValue": "=CONCATENATE(\"/appsheets/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/\",[FOLIO DE REPORTE]&\" - \"&[ID],\".pdf\")\"}],\"ColumnToEdit\":\"PDF\",\"NewColumnValue\":\"=CONCA

	TENATE("/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/",[FOLIO DE REPORTE]&" - "&[ID],".pdf"),"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	PDF
Set this column	PDF
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	SURTIR
Does this action apply to the whole table?	No
To this value	=CONCATENATE("/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/",[FOLIO DE REPORTE]&" - "&[ID],".pdf")
Visible?	ALWAYS

Action name VER PDF DEV Action - 1

Action name	VER PDF DEV Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{"Assignments":[{"ColumnToEdit":"PDF REGRESO","NewColumnValue":"=CONCATENATE("/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/", "DEVOLUCIÓN - "&[FOLIO DE REPARACIÓN]&" - "&[ID],".pdf")"}],"ColumnToEdit":"PDF REGRESO","NewColumnValue":"=CONCATENATE("/appsheet/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/", "DEVOLUCIÓN - "&[FOLIO DE REPARACIÓN]&" - "&[ID],".pdf")","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>

Do this	SET_COLUMN_VALUE
Attach to column	PDF REGRESO
Set this column	PDF REGRESO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=CONCATENATE("/appsheets/data/VALEDESALIDAApp-6370615-24-05-06-2/SALIDAS/", "DEVOLUCIÓN - "&[FOLIO DE REPARACIÓN]& " - "&[ID], ".pdf")
Visible?	ALWAYS

Action name DEVOLUCIÓN SIN SALIDA Y TALLER

Action name	DEVOLUCIÓN SIN SALIDA Y TALLER
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "Devolución sin salida" }, { "ActionName": "Envío a taller habilitado" }], "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	COMPOSITE
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open File (PDF REGRESO)

Action name	Open File (PDF REGRESO)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"FileTarget":["PDF REGRESO"],"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	OPEN_FILE
Attach to column	PDF REGRESO
Set this column	PDF REGRESO
Only if this condition is true	NOT(ISBLANK([PDF REGRESO]))
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name seleccionar taller

Action name	seleccionar taller
Bulk action?	Yes
Confirmation Message	Se enviará el equipo al taller habilitado seleccionado
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"Assignments":[{"ColumnToEdit":"TALLER HABILITADO","NewColumnValue":"=INPUT(ENUM,\\"\\")"}],"ColumnToEdit":"TALLER HABILITADO","NewColumnValue":"=INPUT(ENUM,\\"\\")","InputParametersUsed":{"enum":{"Type":"Text","MetaData":</code>

	<pre>{ "\$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData", "Jeenee.DataTypes": null, "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "Se enviará el equipo al taller habilitado seleccionado", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	ESTÁTUS GRAL ENTRADA
Set this column	TALLER HABILITADO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	=INPUT(ENUM,"")
Visible?	ALWAYS

Action name Cancelación de envío a taller

Action name	Cancelación de envío a taller
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Taller o centro", "NewColumnValue": "\Evaluación en centro\""}, { "ColumnToEdit": "ESTATUS DEVOLUCIÓN", "NewColumnValue": "\PENDIENTE DE CONFIRMAR\""}, { "ColumnToEdit": "TALLER HABILITADO", "NewColumnValue": "\\""}, { "ColumnToEdit": "ESTÁTUS GRAL ENTRADA", "NewColumnValue": "\REGISTRADO\""}], "ColumnToEdit": "Taller o centro", "NewColumnValue": "\Evaluación en"</pre>

	<code>centro\","", "InputParametersUsed":null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Taller o centro
Set this column	Taller o centro
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	NS SURTIR
Does this action apply to the whole table?	No
To this value	= "Evaluación en centro"
Visible?	ALWAYS

Action name Cancelar envío a taller en NS surtir desde taller

Action name	Cancelar envío a taller en NS surtir desde taller
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	<pre>{ "ReferencedTable": "NS SURTIR", "ReferencedRows": "=FILTER(\\"NS SURTIR\\", [ID]=[_THISROW].[ID NS Surtir])", "ReferencedAction": "Cancelación de envío a taller", "InputAssignments": [{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": true }] }</pre>
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No

Visible?

ALWAYS

Action name Cancelar envío a taller en BD taller

Action name Cancelar envío a taller en BD taller

Bulk action? Yes

Modifies data? Yes

Needs confirmation? No

Prominence Do_Not_Display

Action order 1

With these properties

```
{
  "Assignments": [
    {
      "ColumnToEdit": "Estatus entrada en taller",
      "NewColumnValue": "=\\ENVÍO A TALLER CANCELADO\\\"",
      "ColumnToEdit": "ESTÁTUS GENERAL",
      "NewColumnValue": "=\\ENVÍO A TALLER CANCELADO\\\"",
      "ColumnToEdit": "QUIEN CONFIRMA",
      "NewColumnValue": "=LOOKUP(USEREMAIL(),\\\"CONT ACTOS\\\",\\\"E-mail\\\",\\\"Nombre\\\")\",
      "ColumnToEdit": "MOTIVO DE REVISIÓN",
      "NewColumnValue": "=INPUT(\\\"TEXT\\\",\\\"\\\")\",
      "ColumnToEdit": "FECHA DE REGISTRO EN TALLER",
      "NewColumnValue": "=TODAY()\"],
      "ColumnToEdit": "Estatus entrada en taller",
      "NewColumnValue": "=\\ENVÍO A TALLER CANCELADO\\\"",
      "InputParametersUsed": {
        "text": {
          "Type": "Text",
          "MetaData": {
            "$type": "Jeenee.DataTypes.AppTypeTextBase+TextMetaData, Jeenee.DataTypes",
            "MaxLength": null,
            "MinLength": null,
            "LongTextFormatting": "Plain Text",
            "IsMulticolumnKey": false,
            "Valid_If": null,
            "Error_Message_If_Invalid": null,
            "Show_If": null,
            "Required_If": null,
            "Editable_If": null,
            "Reset_If": null,
            "Suggested_Values": null
          }
        }
      },
      "Prominence": "Do_Not_Display",
      "NeedsConfirmation": false,
      "ConfirmationMessage": "",
      "ModifiesData": true,
      "BulkApplicable": true
    }
  ]
}
```

Do this SET_COLUMN_VALUE

Attach to column Estatus entrada en taller

Set this column Estatus entrada en taller

Only if this condition is true true

Disable automatic updates? No

Action icon 

For a record of this table Taller

Does this action apply to the whole table?	No
To this value	= "ENVÍO A TALLER CANCELADO"
Visible?	ALWAYS

Action name CANCELAR ENVÍO A TALLER

Action name	CANCELAR ENVÍO A TALLER
Bulk action?	Yes
Confirmation Message	"Se cancelará el seguimiento en taller habilitado y el equipo regresará al proceso de reparación en centro"
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "Actions": [{ "ActionName": "Cancelar envío a taller en NS surtir desde taller" }, { "ActionName": "Cancelar envío a taller en BD taller" }], "Prominence": "Display_Prominently", "NeedsConfirmation": true, "ConfirmationMessage": "\nSe cancelará el seguimiento en taller habilitado y el equipo regresará al proceso de reparación en centro\n", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	COMPOSITE
Only if this condition is true	=or([Estatus entrada en taller]="EN TRANSITO",[Estatus entrada en taller]="EN REVISIÓN")
Disable automatic updates?	No
Display name	=if(context("view")="CONFIRMAR ENTRADA A TALLER HABILITADO","CANCELAR ATENCIÓN EN TALER HABILITADO","CANCELAR ENVÍO A TALER HABILITADO")
Action icon	
For a record of this table	Taller
Does this action apply to the whole table?	No
Visible?	ALWAYS