
(a) Families
unassigned family (Gemmatimonadota)
Longimicrobiaceae
WD2101 soil group
unassigned family (Planctomycetota)
Saprospiraceae
Pirellulaceae
unassigned family (Myxococcota)
Pyrinomonadaceae
Vicinamibacteraceae
Gemmataceae
Rubrobacteriaceae
Nitrospiraceae
Acidimicrobiaceae
TRA3-20
Pedosphaeraceae
Solirubrobacteraceae
Blastocatellaceae
unassigned family (Actinomycetota)
Chitinophagaceae
Rhodanobacteraceae
unassigned family (Chloroflexota)
67-14
unassigned family (Patescibacteria)
Micromonosporaceae
Comamonadaceae
unassigned family (Acidobacteriota)
Rhodocyclaceae
Microbacteriaceae
Sphingobacteriaceae
Chthoniobacteraceae
Burkholderiaceae
Nitrosomonadaceae
Streptomycetaceae
Nocardioidaceae
unassigned
unassigned family (Pseudomonadota)
Sphingomonadaceae
Oxalobacteraceae
Micrococcaceae
Rhizobiaceae
Lysobacteraceae
Xanthobacteraceae
Caulobacteraceae
Paracoccaceae
Gemmatimonadaceae
Paenibacillaceae
Beijerinckiaceae
Devosiaceae
Bacillaceae
Acetobacteraceae
Planococcaceae
Rich
Dilute
Defined
Habitat extract
Selective
(b) Phyla
Nitrospirota
Chloroflexota
Planctomycetota
Myxococcota
Bdellovibrionota
Patescibacteria
Actinomycetota
Bacteroidota
Acidobacteriota
unassigned
Verrucomicrobiota
Gemmatimonadota
Pseudomonadota
Bacillota
Rich
Dilute
Defined
Habitat extract
Selective
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
Taxon x medium-class effect (log-odds)
blue: grew more often on the class