

Initial OT Security Assessment - Demo

Independent OT assessment - 100% anonymized B2B demo - IEC 62443 SL2 path

CLIENT: Industrial Reference Site (Energy) - SCOPE: OT Network + PLC L0-L5 - ASSETS: 1,247 - RISK: HIGH 72/100 - IEC: 50%

OVERALL RISK

HIGH

72/100

ASSETS

1,247



Industrial assets

IEC 62443


68%

Current vs 90% target

Maturity vs Purdue Model L0-L5



Domain Breakdown IEC 62443-3-3



2. OT Asset Inventory - 1,247 Assets

Passive monitoring - No active scanning - Industrial Reference Site

ID	Type	Vendor/Model	IP/Network	Purdue	Critical	Protocol
OT-001	PLC	Siemens S7-1500	10.10.20.5 / L2	L1	Critical	S7Comm
OT-002	PLC	AB ControlLogix	10.10.20.12 / L2	L1	Critical	ENIP
OT-003	RTU	Schneider M340	10.10.20.22 / L2	L1	High	Modbus
OT-004	HMI	Siemens WinCC	10.10.30.5 / L3	L2	High	HTTP
OT-005	SCADA	Wonderware	10.10.30.10 / L3	L3	Critical	DNP3
OT-006	Historian	OSIsoft PI	10.10.30.15 / L3	L3	Medium	PI API
OT-007	EWS	TIA Portal	10.10.40.5 / L3.5	L3	Critical	S7/SMB
OT-008	Switch	Cisco IE-4000	10.10.20.1 / L2	L1	High	SNMP
OT-009	Firewall	Fortinet Rugged	10.10.0.1 / DMZ	L3.5	Critical	IPsec

3. IEC 62443 Findings + MITRE ATT&CK + Roadmap

Full version includes: IEC 62443-3-3 matrix (7 SR), MITRE ATT&CK for ICS coverage, 90-day roadmap.

This is a demo placeholder - full content generated in complete version.

Ready to secure your OT?

www.sentra-ot.com/book-assessment