



ANDROID STATIC ANALYSIS REPORT

app_icon

 SkyFlow Live Weather (1.1.3-debug)


File Name: app-debug.apk

Package Name: com.otabz.skyflowliveweather.debug

Scan Date: Sept. 1, 2026, 9:39 a.m.

App Security Score: **45/100 (MEDIUM RISK)**

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	3	1	1	1

FILE INFORMATION

File Name: app-debug.apk

Size: 33.33MB

MD5: c23981edffb942cab087fb6372a7c578

SHA1: 734e27406869d1ba127b1e93943ba6511f287ce7

SHA256: fb2145b31afcef9b4dde1e4df9a513b0c8f8bd525f62ace643c01adbae8804a2

APP INFORMATION

App Name: SkyFlow Live Weather

Package Name: com.otabz.skyflowliveweather.debug

Main Activity: com.otabz.skyflowliveweather.MainActivity

Target SDK: 35

Min SDK: 26

Max SDK:

Android Version Name: 1.1.3-debug

Android Version Code: 3

APP COMPONENTS

Activities: 1
Services: 1
Receivers: 0
Providers: 0
Exported Activities: 0
Exported Services: 1
Exported Receivers: 0
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed
v1 signature: False
v2 signature: True
v3 signature: False
v4 signature: False
v3.1 signature: False
v3.2 signature: False
X.509 Subject: CN=Android Debug, O=Android, C=US
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2026-09-01 09:38:52+00:00
Valid To: 2056-08-24 09:38:52+00:00
Issuer: CN=Android Debug, O=Android, C=US
Serial Number: 0x1
Hash Algorithm: sha256
md5: e681cd959fcd600ea8d754f60fa2fa13
sha1: 171dfe75526695fa7b6aa44532c0977671f3f01f
sha256: 488283b5e1f20972be35be7e470147c5ac875cf391edd0a5ee05293fa702bdf8
sha512: 661b7c893c992c76438a819e9b35c0e46264c9c60c514aa9e58e0fc817f9880583a1c1b312198b90f7f7e460c3c1ee98d737c0b484f6ab3874ce5472ec9bf8d1
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 9e7ba894fdbf63e1f464d4a8c9ffd02f586fc5a42f7ca0a585f38b23a9f7b4ba
Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.

 APKID ANALYSIS

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Compiler	unknown (please file detection issue!)

FILE	DETAILS	
classes2.dex	FINDINGS	DETAILS
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.

 MANIFEST ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Debug Enabled For App [android:debuggable=true]	high	Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.
3	Service (com.otabz.skyflowliveweather.WeatherWallpaperService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_WALLPAPER [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/otabz/skyflowliveweather/AssetKey.java com/otabz/skyflowliveweather/CloudRenderer.java com/otabz/skyflowliveweather/GIWeatherRenderer.java com/otabz/skyflowliveweather/RainBackPass.java com/otabz/skyflowliveweather/RainGl.java com/otabz/skyflowliveweather/RainbowSystem.java com/otabz/skyflowliveweather/SceneTarget.java com/otabz/skyflowliveweather/SkyRenderer.java com/otabz/skyflowliveweather/SnowGl.java com/otabz/skyflowliveweather/SunGlareRenderer.java com/otabz/skyflowliveweather/WeatherGUIThread.java com/otabz/skyflowliveweather/WeatherWallpaperService.java
2	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/otabz/skyflowliveweather/CloudScene.java com/otabz/skyflowliveweather/GalaxyDailyDecision.java com/otabz/skyflowliveweather/LightningTimeline.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
----	---------------	----	-----	--------------	-------	-------	---------	---------	------------------

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	armeabi-v7a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	arm64-v8a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	armeabi-v7a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	com/otabz/skyflowliveweather/CitySearchRepository.java com/otabz/skyflowliveweather/WeatherRepository.java
00089	Connect to a URL and receive input stream from the server	command network	com/otabz/skyflowliveweather/CitySearchRepository.java com/otabz/skyflowliveweather/WeatherRepository.java
00109	Connect to a URL and get the response code	network command	com/otabz/skyflowliveweather/CitySearchRepository.java com/otabz/skyflowliveweather/WeatherRepository.java
00115	Get last known location of the device	collection location	com/otabz/skyflowliveweather/DeviceLocationObserver.java com/otabz/skyflowliveweather/LocationWeatherCoordinator.java
00147	Get the time of current location	collection location	com/otabz/skyflowliveweather/LocationWeatherCoordinator.java
00075	Get location of the device	collection location	com/otabz/skyflowliveweather/LocationWeatherCoordinator.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	4/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
geocoding-api.open-meteo.com	ok	IP: 202.61.206.6 Country: Austria Region: Karnten City: Klagenfurt am Woerthersee Latitude: 46.624722 Longitude: 14.305280 View: Google Map
open-meteo.com	ok	IP: 172.67.178.9 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.open-meteo.com	ok	IP: 188.40.99.226 Country: Germany Region: Bayern City: Nuremberg Latitude: 49.447781 Longitude: 11.068330 View: Google Map
air-quality-api.open-meteo.com	ok	IP: 152.53.84.73 Country: United States of America Region: North Carolina City: Durham Latitude: 35.994701 Longitude: -78.896202 View: Google Map

 SCAN LOGS

Timestamp	Event	Error
2026-09-01 09:39:58	Generating Hashes	OK
2026-09-01 09:39:58	Extracting APK	OK
2026-09-01 09:39:58	Unzipping	OK

2026-09-01 09:39:58	Parsing APK with androguard	OK
2026-09-01 09:39:58	Extracting APK features using aapt/aapt2	OK
2026-09-01 09:39:58	Getting Hardcoded Certificates/Keystores	OK
2026-09-01 09:40:00	Parsing AndroidManifest.xml	OK
2026-09-01 09:40:00	Extracting Manifest Data	OK
2026-09-01 09:40:00	Manifest Analysis Started	OK
2026-09-01 09:40:00	Performing Static Analysis on: SkyFlow Live Weather (com.otabz.skyflowliveweather.debug)	OK
2026-09-01 09:40:01	Fetching Details from Play Store: com.otabz.skyflowliveweather.debug	OK
2026-09-01 09:40:01	Checking for Malware Permissions	OK
2026-09-01 09:40:01	Fetching icon path	OK
2026-09-01 09:40:02	Library Binary Analysis Started	OK

2026-09-01 09:40:02	Analyzing lib/arm64-v8a/libskyflowcore.so	OK
2026-09-01 09:40:02	Analyzing lib/armeabi-v7a/libskyflowcore.so	OK
2026-09-01 09:40:02	Analyzing apktool_out/lib/arm64-v8a/libskyflowcore.so	OK
2026-09-01 09:40:02	Analyzing apktool_out/lib/armeabi-v7a/libskyflowcore.so	OK
2026-09-01 09:40:02	Reading Code Signing Certificate	OK
2026-09-01 09:40:02	Running APKiD 3.1.0	OK
2026-09-01 09:40:04	Detecting Trackers	OK
2026-09-01 09:40:04	Decompiling APK to Java with JADX	OK
2026-09-01 09:40:10	Converting DEX to Smali	OK
2026-09-01 09:40:10	Code Analysis Started on - java_source	OK
2026-09-01 09:40:11	Android SBOM Analysis Completed	OK

2026-09-01 09:40:12	Android SAST Completed	OK
2026-09-01 09:40:12	Android API Analysis Started	OK
2026-09-01 09:40:13	Android API Analysis Completed	OK
2026-09-01 09:40:13	Android Permission Mapping Started	OK
2026-09-01 09:40:13	Android Permission Mapping Completed	OK
2026-09-01 09:40:13	Android Behaviour Analysis Started	OK
2026-09-01 09:40:14	Android Behaviour Analysis Completed	OK
2026-09-01 09:40:14	Extracting Emails and URLs from Source Code	OK
2026-09-01 09:40:14	Email and URL Extraction Completed	OK
2026-09-01 09:40:14	Extracting String data from APK	OK
2026-09-01 09:40:14	Extracting String data from SO	OK

2026-09-01 09:40:14	Extracting String data from Code	OK
2026-09-01 09:40:14	Extracting String values and entropies from Code	OK
2026-09-01 09:40:14	Performing Malware check on extracted domains	OK
2026-09-01 09:40:15	Saving to Database	OK

Report Generated by - MobSF v4.5.2

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).