



ANDROID STATIC ANALYSIS REPORT

app_icon

 SkyFlow Live Weather (1.1.8)

File Name:	app-release.apk
Package Name:	com.otabz.skyflowliveweather
Scan Date:	Sept. 1, 2026, 1:07 p.m.

App Security Score:	67/100 (LOW RISK)
---------------------	-------------------

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
0	3	1	1	1

FILE INFORMATION

File Name: app-release.apk

Size: 33.21MB

MD5: 9927416a0404e529a4d6313ed81a3b86

SHA1: 7280a8e460251afad7647f7b6a5f26140d813e2e

SHA256: 24a0d08975aaa8cdaeb04b74e524a7c4b38cb9aad0a7fa4545c220c91cffeedd

APP INFORMATION

App Name: SkyFlow Live Weather

Package Name: com.otabz.skyflowliveweather

Main Activity: com.otabz.skyflowliveweather.MainActivity

Target SDK: 35

Min SDK: 26

Max SDK:

Android Version Name: 1.1.8

Android Version Code: 8

APP COMPONENTS

Activities: 1
Services: 1
Receivers: 0
Providers: 0
Exported Activities: 0
Exported Services: 1
Exported Receivers: 0
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed
v1 signature: False
v2 signature: True
v3 signature: False
v4 signature: False
v3.1 signature: False
v3.2 signature: False
X.509 Subject: C=PK, ST=Punjab, L=Lahore, O=Magestic, OU=Mobile Engineering, CN=Mohammad Tayyab
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2026-09-01 01:17:56+00:00
Valid To: 2054-01-17 01:17:56+00:00
Issuer: C=PK, ST=Punjab, L=Lahore, O=Magestic, OU=Mobile Engineering, CN=Mohammad Tayyab
Serial Number: 0x341d34dcecf8df02
Hash Algorithm: sha256
md5: 94269f3e92c68d5f2ccc5341e21ceaab
sha1: ca3f7199d350a7b92942e31cb51263dcc27fdfe0
sha256: 416461f34db649ad936ec481f867e582879644a212f48a03ba30ab4b972c1b96
sha512: b654cb64e1e059c674bd94a7e18b3a201ed7b4a3cd6064f489de32633ede17e1b2f534a22cc185d9ebffa069fb91767f206b13fa3aae5f8dbd1c843b02f7582
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: f63c682d1d057f41307ef6cd347c3ccb0ed00782eb7b288cd5b4aad56c3a0c87
Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.

 APKID ANALYSIS

FILE	DETAILS	
9927416a0404e529a4d6313ed81a3b86.apk	FINDINGS	DETAILS
	Manipulator Found	Resources Confusion

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Compiler	r8

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

 MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Service (com.otabz.skyflowliveweather.WeatherWallpaperService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_WALLPAPER [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/otabz/skyflowliveweather/C0028l0.java com/otabz/skyflowliveweather/C0050x.java com/otabz/skyflowliveweather/Q0.java com/otabz/skyflowliveweather/WeatherWallpaperService.java com/otabz/skyflowliveweather/i1.java com/otabz/skyflowliveweather/l1.java com/otabz/skyflowliveweather/p1.java com/otabz/skyflowliveweather/s1.java
2	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/otabz/skyflowliveweather/B.java com/otabz/skyflowliveweather/C0045u0.java com/otabz/skyflowliveweather/Y.java

🚩 SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	armeabi-v7a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	arm64-v8a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	armeabi-v7a/libskyflowcore.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	com/otabz/skyflowliveweather/A1.java com/otabz/skyflowliveweather/AbstractC0017g.java
00089	Connect to a URL and receive input stream from the server	command network	com/otabz/skyflowliveweather/A1.java com/otabz/skyflowliveweather/AbstractC0017g.java
00109	Connect to a URL and get the response code	network command	com/otabz/skyflowliveweather/A1.java com/otabz/skyflowliveweather/AbstractC0017g.java
00137	Get last known location of the device	location collection	com/otabz/skyflowliveweather/L.java
00115	Get last known location of the device	collection location	com/otabz/skyflowliveweather/L.java
00113	Get location and put it into JSON	collection location	com/otabz/skyflowliveweather/L.java
00016	Get location info of the device and put it to JSON object	location collection	com/otabz/skyflowliveweather/L.java
00075	Get location of the device	collection location	com/otabz/skyflowliveweather/MainActivity.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	4/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION

TYPE	MATCHES	PERMISSIONS
Other Common Permissions	0/44	

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
api.open-meteo.com	ok	IP: 188.40.99.226 Country: Germany Region: Bayern City: Nuremberg Latitude: 49.447781 Longitude: 11.068330 View: Google Map

DOMAIN	STATUS	GEOLOCATION
air-quality-api.open-meteo.com	ok	IP: 152.53.84.73 Country: United States of America Region: North Carolina City: Durham Latitude: 35.994701 Longitude: -78.896202 View: Google Map
open-meteo.com	ok	IP: 172.67.178.9 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
geocoding-api.open-meteo.com	ok	IP: 202.61.206.6 Country: Austria Region: Karnten City: Klagenfurt am Woerthersee Latitude: 46.624722 Longitude: 14.305280 View: Google Map

 SCAN LOGS

Timestamp	Event	Error
2026-09-01 13:07:09	Generating Hashes	OK

2026-09-01 13:07:09	Extracting APK	OK
2026-09-01 13:07:09	Unzipping	OK
2026-09-01 13:07:09	Parsing APK with androguard	OK
2026-09-01 13:07:09	Extracting APK features using aapt/aapt2	OK
2026-09-01 13:07:09	Getting Hardcoded Certificates/Keystores	OK
2026-09-01 13:07:10	Parsing AndroidManifest.xml	OK
2026-09-01 13:07:10	Extracting Manifest Data	OK
2026-09-01 13:07:10	Manifest Analysis Started	OK
2026-09-01 13:07:10	Performing Static Analysis on: SkyFlow Live Weather (com.otabz.skyflowliveweather)	OK
2026-09-01 13:07:11	Fetching Details from Play Store: com.otabz.skyflowliveweather	OK
2026-09-01 13:07:11	Checking for Malware Permissions	OK

2026-09-01 13:07:11	Fetching icon path	OK
2026-09-01 13:07:12	Library Binary Analysis Started	OK
2026-09-01 13:07:12	Analyzing lib/arm64-v8a/libskyflowcore.so	OK
2026-09-01 13:07:12	Analyzing lib/armeabi-v7a/libskyflowcore.so	OK
2026-09-01 13:07:12	Analyzing apktool_out/lib/arm64-v8a/libskyflowcore.so	OK
2026-09-01 13:07:12	Analyzing apktool_out/lib/armeabi-v7a/libskyflowcore.so	OK
2026-09-01 13:07:12	Reading Code Signing Certificate	OK
2026-09-01 13:07:12	Running APKiD 3.1.0	OK
2026-09-01 13:07:14	Detecting Trackers	OK
2026-09-01 13:07:14	Decompiling APK to Java with JADX	OK
2026-09-01 13:07:19	Converting DEX to Smali	OK

2026-09-01 13:07:19	Code Analysis Started on - java_source	OK
2026-09-01 13:07:20	Android SBOM Analysis Completed	OK
2026-09-01 13:07:21	Android SAST Completed	OK
2026-09-01 13:07:21	Android API Analysis Started	OK
2026-09-01 13:07:21	Android API Analysis Completed	OK
2026-09-01 13:07:21	Android Permission Mapping Started	OK
2026-09-01 13:07:22	Android Permission Mapping Completed	OK
2026-09-01 13:07:22	Android Behaviour Analysis Started	OK
2026-09-01 13:07:22	Android Behaviour Analysis Completed	OK
2026-09-01 13:07:22	Extracting Emails and URLs from Source Code	OK
2026-09-01 13:07:23	Email and URL Extraction Completed	OK

2026-09-01 13:07:23	Extracting String data from APK	OK
2026-09-01 13:07:23	Extracting String data from SO	OK
2026-09-01 13:07:23	Extracting String data from Code	OK
2026-09-01 13:07:23	Extracting String values and entropies from Code	OK
2026-09-01 13:07:23	Performing Malware check on extracted domains	OK
2026-09-01 13:07:23	Saving to Database	OK

Report Generated by - MobSF v4.5.2

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).