

Lecture 19: Factory Pattern IN628: Programming 4 Semester One, 2020

Kaiako: Grayson Orr

Te Kura Matatini ki Otago, Ōtepoti, Aotearoa

FACTORY PATTERN: GoF


► GoF definition & UML

Factory Method

Type: Creational

What it is:

Define an interface for creating an object, but let subclasses decide which class to instantiate. Lets a class defer instantiation to subclasses.



FACTORY PATTERN: DEFINITION


- ► Creational pattern
- ► Virtual constructor
- ► Deals with the problem of creating objects without having to specify the exact class of the object that will be created
- ▶ Done by creating objects by calling a factory method
 - ► Specified in an interface & implemented by child classes
 - ► Implemented in a base class & optionally overridden by derived classes
- ► Relies on inheritance

FACTORY PATTERN: PROBLEM

► Logistics management application


FACTORY PATTERN: SOLUTION

- ► Factory class
- ► Interface class



FACTORY PATTERN: UML

► Consider the following UML diagram:



FACTORY PATTERN: IMPLEMENTATION

```
from abc import ABC, abstractmethod
class Shape (ABC):
    @abstractmethod
    def draw(self):
        pass
class Circle (Shape):
    def draw(self):
        print('Drawing_a_circle')
class Triangle (Shape):
    def draw(self):
        print('Drawing_a_triangle')
class ShapeFactory:
    def get_shape(self, type):
        return Circle() if type == 'circle' else Triangle()
def main():
    shape_factory = ShapeFactory()
    circle = shape-factory.get-shape('circle')
    triangle = shape_factory.get_shape('triangle')
    circle.draw()
    triangle.draw()
if __name__ == '__main__':
    main()
```

FACTORY PATTERN: IMPLEMENTATION

```
from abc import ABC, abstractmethod
class ShapeFactory (ABC):
    @abstractmethod
    def factory_method(self):
        pass
    def draw(self):
        return self.factory_method().draw()
class CircleFactory (ShapeFactory ):
    def factory_method(self):
        return Circle()
class Shape (ABC):
    @abstractmethod
    def draw(self):
        pass
class Circle (Shape):
    def draw(self):
        print('Drawing_a_circle')
def main():
    circle_factory = CircleFactory()
    circle_factory.draw()
if __name__ == '__main__':
    main()
```

FACTORY PATTERN: APPLICABILITY

- ► IDbCommand.CreateParameter ADO.NET
- ► createElement HTML5 DOM API
- ► javax.xml.parsers Java
- QMainWindow::createPopupMenu Qt

FACTORY PATTERN: Pros

- ► Avoid coupling between the creator & concrete classes
- ► New products can be introduced without having to change the client's code
- ► All the creation code can be in one place in the program

FACTORY PATTERN: CONS

► Application is complicated as new subclasses are introduced

PRACTICAL

- ► Series of tasks covering today's lecture
- ▶ Worth 1% of your final mark for the Programming 4 course
- ► Deadline: Friday, 12 June at 5pm