RAPPORT DE TP

IDRISSI HASSANI AYOUB

CREATION DE PROJET:

composer create-project symfony/skeleton:"^4.4" restaumanage-idrissiHassaniAyoub

INSTALATION DE DOCTRINE | ORM :

composer require symfony/orm-pack

composer require --dev symfony/maker-bundle

```
isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ composer require symfony/orm-pack
Using version ^2.1 for symfony/orm-pack
./composer.json has been updated
Running composer update symfony/orm-pack
Loading composer repositories with package information
Restricting packages listed in "symfony/symfony" to "4.4.*"
Updating dependencies
Lock file operations: 24 installs, 0 updates, 0 removals
- Locking composer/package-versions-deprecated (1.11.99.1)
- Locking doctrine/annotations (1.12.1)
- Locking doctrine/cache (1.10.2)
- Locking doctrine/collections (1.6.7)
- Locking doctrine/common (3.1.1)
- Locking doctrine/doctrine-bundle (2.2.4)
- Locking doctrine/doctrine-migrations-bundle (3.0.2)
- Locking doctrine/event-manager (1.1.1)
- Locking doctrine/inflector (2.0.3)
- Locking doctrine/instantiator (1.4.0)
```

```
isla@isla:-/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ composer require --dev symfony/maker-bundle
Using version ^1.29 for symfony/maker-bundle
./composer.json has been updated
Running composer update symfony/maker-bundle
Loading composer repositories with package information
Updating dependencies
Lock file operations: 3 installs, 0 updates, 0 removals
- Locking nikic/php-parser (v4.10.4)
- Locking symfony/deprecation-contracts (v2.2.0)
- Locking symfony/deprecation-contracts (v2.2.0)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 3 installs, 0 updates, 0 removals
- Installing symfony/deprecation-contracts (v2.2.0): Extracting archive
```

CONFIGURATION DE FICHIER « .ENV » :

```
#
# DATABASE_URL="sqlite:///%kernel.project_dir%/var/data.db"
DATABASE_URL="mysql://isla:0032@127.0.0.1:3306/restau_db?serverVersion=5.7"
# DATABASE_URL="postgresql://db_user:db_password@127.0.0.1:5432/db_name?serverVersion=13&charset=utf8"
###< doctrine/doctrine-bundle ###
```

CREATION LA BASE DE DONNEES:

isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub\$ sudo php bin/console doctrine:database:create Created database `restau_idrissi` for connection named default isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub\$


GENERER LES ENTITES:

php bin/console make:entity

Exemple:

```
isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ php bin/console make:entity
> City
created: src/Entity/City.php
created: src/Repository/CityRepository.php
Entity generated! Now let's add some fields!
You can always add more fields later manually or by re-running this command.
New property name (press <return> to stop adding fields):
> name
Field type (enter ? to see all types) [string]:
> string
Field length [255]:
Can this field be null in the database (nullable) (yes/no) [no]:
updated: src/Entity/City.php
> zipCode
Field type (enter ? to see all types) [string]:
> string
Field length [255]:
> 15
Can this field be null in the database (nullable) (yes/no) [no]:
> no
updated: src/Entity/City.php
Next: When you're ready, create a migration with php bin/console make:migration
```

LES ENTITES AVANT METTRE EN PLACE LES RELATIONS :




LES ENTITES APRÈS METTRE EN PLACE LES RELATIONS :

```
The following SQL statements will be executed:

ALTER TABLE restaurant ADD city_id_id INT DEFAULT NULL;
ALTER TABLE restaurant ADD constraint Fk_EB95123F3CCE3900 FOREIGN KEY (city_id_id) REFERENCES city (id);
CREATE INDEX IDX_EB95123F3CCE3900 ON restaurant (city_id_id);
ALTER TABLE restaurant_picture ADD restaurant_id_id INT DEFAULT NULL;
ALTER TABLE restaurant_picture ADD restaurant_id_id INT DEFAULT NULL;
ALTER TABLE restaurant_picture ADD constraint Fk_D0c0315F035592086 FOREIGN KEY (restaurant_id_id) REFERENCES restaurant (id);
CREATE INDEX IDX_D0c9013FC35592086 ON restaurant_picture (restaurant_id_id);
ALTER TABLE review ADD constraint Fk_794381Cc9086650F FOREIGN KEY (user_id_id) REFERENCES user (id);
ALTER TABLE review ADD constraint Fk_794381Cc9086650F FOREIGN KEY (user_id_id) REFERENCES restaurant (id);
CREATE INDEX IDX_794381C69086650F ON review (user_id_id);
CREATE INDEX IDX_794381C69086650F ON review (user_id_id);
ALTER TABLE user ADD city_id_id Int DEFAULT NULL;
ALTER TABLE user ADD constraint Fk_794381C635592086 FOREIGN KEY (city_id_id) REFERENCES city (id);
CREATE INDEX IDX_794381C635592086 ON review (restaurant_id_id);
ALTER TABLE user ADD constraint Fk_809306493CCE3900 FOREIGN KEY (city_id_id) REFERENCES city (id);
CREATE INDEX IDX_809306493CCE3900 ON user (city_id_id);
Updating database schema...


14 queries were executed

[[KK] Database schema updated successfully!
```



LA MIGRATION:

php bin/console doctrine:migrations:status



php bin/console doctrine:migrations:generate

ou bien

php bin/console make:migration

⇒ Pour générer le fichier de migration.

```
isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ php bin/console doctrine:migrations:generate

Generated new migration class to "/home/isla/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub/migrations/Version20210318158911.php"

To run just this migration for testing purposes, you can use migrations:execute --up 'DoctrineMigrations\Version20210318158911'

To revert the migration you can use migrations:execute --down 'DoctrineMigrations\Version20210318150911'
```

php bin/console doctrine:migrations:migrate

⇒ Pour exécute les migrations générées.

```
isla@isla:-/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ php bin/console doctrine:migrations:migrate

WARNING! You are about to execute a migration in database "restau_db" that could result in schema changes and data loss. Are you sure you wish to continue? (yes/no) [yes]:
> yes

[notice] Migrating up to DoctrineMigrations\Version20210318150911

[warning] Migration DoctrineMigrations\Version20210318150911 was executed but did not result in any SQL statements.

[notice] finished in 621.2ms, used 12M memory, 1 migrations executed, 0 sql queries

isla@isla:-/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$
```


CREATION LES CONTROLLEURS:

php bin/console make:controller restaurant

isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub\$ php bin/console make:controller RestaurantController created: src/Controller/RestaurantController.php


Success!


Next: Open your new controller class and add some pages!



SCRIPT SQL:

CREER UN FICHIER « data.sql » :





• GENERER NOUVELLES MIGRATION :

```
isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ php bin/console doctrine:migrations:generat

Generated new migration class to "/home/isla/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub/migrations/Version202103201658
07.php"

To run just this migration for testing purposes, you can use migrations:execute --up 'DoctrineMigrations\Version20210320165807'

To revert the migration you can use migrations:execute --down 'DoctrineMigrations\Version20210320165807'
```


EXECUTER LA MIGRATION :

```
isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ php bin/console doctrine:migrations:migrate

WARNING! You are about to execute a migration in database "restau_idrissi" that could result in schema changes and data loss. Are y
ou sure you wish to continue? (yes/no) [yes]:

[notice] Migrating up to DoctrineMigrations\Version20210320165807
[notice] finished in 854.2ms, used 14M memory, 1 migrations executed, 35 sql queries
```

VERIFICATION LES INSERTIONS:




CREATION LES FORMULAIRES :

composer require symfony/form

```
isla@isla:~/Desktop/norsys/symfony/restaumanage-idrissiHassaniAyoub$ composer require symfony/form
./composer.json has been updated
Running composer update symfony/form
Loading composer repositories with package information
Restricting packages listed in "symfony/symfony" to "4.4.*"
Updating dependencies
Lock file operations: 6 installs, 0 updates, 0 removals
- Locking symfony/form (v4.4.20)
- Locking symfony/inflector (v4.4.20)
- Locking symfony/intlector (v4.4.20)
- Locking symfony/polyfill-intl-icu (v1.22.1)
- Locking symfony/property-access (v4.4.20)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 6 installs, 0 updates, 0 removals
- Installing symfony/inflector (v4.4.20): Extracting archive
- Installing symfony/property-access (v4.4.20): Extracting archive
- Installing symfony/options-resolver (v4.4.20): Extracting archive
```

```
class RestaurantType extends AbstractType
    public function buildForm(FormBuilderInterface $builder, array $options)
        $builder
            ->add( child: 'name', type: TextType::class)
            ->add( child: 'description', type: TextareaType::class)
            ->add( child: 'city_id', type: EntityType::class, [
                'class' => City::class,
                'query_builder' => function (EntityRepository $er) {
                    return Ser->createQueryBuilder( alias: 'u')
                         ->orderBy( sort: 'u.name', order: 'ASC');
                'label' => 'ville',]
            ->add( child: 'enregistrer', type: SubmitType::class)
   public function configureOptions(OptionsResolver $resolver)
        $resolver->setDefaults([
           'data_class' => Restaurant::class,
        1);
```

CAPTURE D'ÉCRAN





```
public function ratingAvg(int $id){

    $qb = $this->createQueryBuilder( alias: 'r')
        ->select( select: 'avg(re.rating) as rating')
        ->innerJoin( join: 'r.reviews', alias: 're')
        ->where( predicates: "r.id = $id")
        ->orderBy( sort: 'r.created_at', order: 'DESC');

    $rating = $qb->getQuery()->getSingleScalarResult();

    return $rating;
}
```



```
/**
    * @param int $limit
    * @return Response
    * @Route("/restaurants/limit/{limit}", name="restaurants.last", methods={"GET"})
    *
    */
public function getLast(int $limit): Response{...}

/**
    * @param int $limit
    * @return Response
    * @Route("/restaurants/top/{limit}", name="restaurants.top", methods={"GET"})
    *
    */
public function getTop(int $limit): Response{...}

/**
    * @return Response
    *
```

Question 11:



```
public function lastRestaurants(int $limit)
{
    $qb = $this->createQueryBuilder( alias: 'r')
        ->orderBy( sort: 'r.created_at', order: 'DESC')
        ->setMaxResults($limit);

    $query = $qb->getQuery();

    return $query->execute();
}
```

Question 13:



```
public function topRestaurant(int $limit){

    $qb = $this->createQueryBuilder( alias: 'r')
        ->select( select: 'r')
        ->innerJoin( join: 'r.reviews', alias: 're')
        ->groupBy( groupBy: 'r.id')
        ->orderBy( sort: 'avg(re.rating)', order: 'DESC')
        ->setMaxResults($limit);

    $query = $qb->getQuery();
    return $query->execute();
}
```

Question 16:

CLASSER LES RESTAURANT PAS VOT						
#	NOM	DESCRIPTION	VILLE	NB DES REVIEWS	CRÉER LE	ACTION
1	RESTAURANT 01	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	TANGER	8 REVIEW(S)	MARCH 19, 2021 15:32	S E D
4	RESTAURANT 04	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	RABAT	2 REVIEW(S)	MARCH 19, 2021 18:32	S E D
2	RESTAURANT 02	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	RABAT	4 REVIEW(S)	MARCH 19, 2021 16:32	S E D
5	RESTAURANT 05	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	TANGER	2 REVIEW(S)	MARCH 19, 2021 20:32	S E D
3	RESTAURANT 03	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	MARRAKECH	3 REVIEW(S)	MARCH 19, 2021 17:32	S E D
6	RESTAURANT 06	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	RABAT	0 REVIEW(S)	MARCH 19, 2021 23:32	SED
7	RESTAURANT 07	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	MARRAKECH	0 REVIEW(S)	MARCH 19, 2021 21:32	S E D
8	RESTAURANT 08	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	MARRAKECH	0 REVIEW(S)	MARCH 19, 2021 15:32	S E D
9	RESTAURANT 09	JKBAZJKDZKJDF ZJKFBZEJKBFZKJ	CASABLANCA	0 REVIEW(S)	MARCH 19, 2021 15:32	S E D
10	RESTAURANT 10	KLNDZKNDZANDZALK	CASABLANCA	0 REVIEW(S)	MARCH 20, 2021 16:03	S E D
29	RESTAURANT 11	ZAJKDBAKJZBDKJBDAKJZBDA	TANGER	0 REVIEW(S)	MARCH 20, 2021 18:41	S E D