



Asystenci programisty

1. Osoba dostanie dostęp do repo do którego będzie dodawać kod
2. Wybiera sobie jedno z zadań, które są obecnie dostępne i je wykonuje
3. Po wysłaniu z odpowiedniego brancha kodu, sporządzeniu dokumentacji jeśli potrzebna.
4. Zostaje kod przyjęty lub cofnięty w zależności, czy działa poprawnie.
5. Otrzymuje tokeny na portfel

Wymagany portfel obsługujący ETH (ERC20), np. Metamask

Do zrobienia

Front



200 tokenów


Do zrobienia

Back

Usuń te randomowe pliki

Przetestować jak reaguje
na różne rodzaje
projektów i języków

tu chodzi o to żeby wyświetlać tylko pliki
które są ważne w projekcie dla osoby która go
pisze. To znaczy np. .git, pycache nie powinny
się użytkownikowi wyświetlać




200 tokenów

Do zrobienia

w jaki sposób odpalać kod na
urządzeniu mobilnym?

zaprojektować


Kod przechowywany jest na
serwerze, a nasza aplikacja go
hostuje i wyświetla użytkownikowi
tylko HTMLa



200 tokenów

Do zrobienia

Dodać zabezpieczenie przed
wykonywaniem przez serwer
nieskończonych pętli w js



200 tokenów


Do zrobienia

projekt layoutu dla mobilek

Rysunek słabej jakości dla urozmaicenia prezentacji XD

Ale główne założenie widać

IN PROGRESS




300 tokenów

Do zrobienia

index.html

Strona wizytówka
Informuje że prace in progres
zapisz się na waitliste -
obsługa airtable



500 tokenów

Do zrobienia

- jeszcze
projektuje

Bot zarządzający gitem

Trzeba zrobić bota który
będzie automatycznie
zarządzał i monitorował gita.

Branch main

Branch backup_data

IN PROGRESS

500 tokenów

Do zrobienia

- jeszcze
projektuje

trzeba pomyśleć, zaprojektować w
jaki sposób zbierać dane jak
wyskakują błędy kodu, kompilacji itp.

Żeby model na przyszłość
wiedziało, miał rozwiązania do
wszystkich rodzajów błędów




IN PROGRESS

300 tokenów

Do zrobienia

- jeszcze
projektuje

wsapólne kodowanie
projekt



300 tokenów

Do zrobienia

Zbudowanie narzędzia do testowania jakości outputu różnych modeli przy różnym fine-tuningu oraz różnych parametrach

Prompt wykonaj mi jakieś zadanie programistyczne.
Różne języki

Różne modele i różne parametry

Narzędzie webowe, które wyświetla informacje o tym co zostało wrzucone do modelu, jakie zostały ustawione parametry i ranking


500 tokenów

Pomyśleć nad systemem, rankingiem i wyświetlania go

200 tokenów

Do zrobienia

modele do programowania



JUST IN: Meta AI releases Code Llama, a state-of-the-art large language model for coding. This might the strongest competitor to ChatGPT:

► Can generate, explain, and debug your code

► Handles input 100,000 tokens

► Free for research + commercial use

► Outperforms most open models

► Comes in 7B, 13B, and 34B

► Supports Python, C++, Java, PHP, Typescript (Javascript), C#, and Bash

Available in:

► Foundation base models (Code Llama)

► Python specializations (Code Llama - Python),

► Instruction-following models (Code Llama - Instruct)

<https://lnkd.in/gThd8B8m>

↓

Are you technical? Check out <https://AlphaSignal.ai> to get a weekly summary of the latest research and breakthroughs in AI. Read by 120,000+ engineers and researchers.

PROMPT

In Bash, how do I list all text files in the current directory (excluding subdirectories) that have been modified in the last month?

Clear

Submit

RESPONSE

You can use the "find" command in Bash to list all text files in the current directory (excluding subdirectories) that have been modified in the last month. The command would be:


```
find . -maxdepth 1 -type f -mtime -30 -name "*.txt"
```

Here is a breakdown of the command:

*. specifies the current

facebookresearch/

codellama



Inference code for CodeLlama models

9

Contributors

33


Issues

9k

Stars


773

Forks



facebookresearch/codellama: Inference code for CodeLlama models

Inference code for CodeLlama models. Contribute to facebookresearch/codellama development by creating an




Transformers

Documentation


CodeLlama

We're on a journey to advance and democratize artificial intelligence through open source and open science.

 huggingface

OpenBMB/

ChatDev



Create Customized Software using Natural Language Idea (through Multi-Agent Collaboration)

10

Contributors

13


Issues

5k

Stars

518

Forks



OpenBMB/ChatDev: Create Customized Software using Natural Language Idea...

Create Customized Software using Natural Language Idea (through Multi-Agent Collaboration) - GitHub - OpenBMB/ChatDev: Create Customized Software usi...

geekan/

MetaGPT



🌟 The Multi-Agent Framework: Given one line Requirement, return PRD, Design, Tasks, Repo

31

Contributors

4

Used by

26k

Stars

3k

Forks



geekan/MetaGPT: 🌟 The Multi-Agent Framework: Given one line Requirement,...

🌟 The Multi-Agent Framework: Given one line Requirement, return PRD, Design, Tasks, Repo - GitHub - geekan/MetaGPT: 🌟 The Multi-Agent...

13:04

📶

🔋

github.com/firstcontri

+

🔍

⋮

firstcontributions / first-contributions

Public

🚀🌟 Help beginners to contribute to open source projects

firstcontributions.github.io

MIT license

37.3k stars

64.2k forks

Activity

Star

Notifications

<> Code

Issues 22

...

main

Go to file

AnushtanS

28 minutes ago

🕒

View code

README.md

Open Source

License MIT

code helpers 587

Read this in other languages.

🇺🇸

🇩🇪

🇧🇪

🇩🇳

🇪🇺

🇧🇷

🇨🇦

🇨🇳

🇮🇳

🇯🇵

🇰🇷

🇸🇪

🇸🇯

🇹🇼

🇻🇪

🇻🇳

🇿🇦

<https://github.com/firstcontributions/first-contributions>

<https://youtube.com/shorts/u70t1g0B-pA?si=KhBxoGreLcYYcgBq>

Do zrobienia

dobrze opisane kod baza danych do poobierania kodu

Co robi cały kod

za co odpowiedzialne są pliki

za co odpowiedzialne są funkcje

za co odpowiedzialne poszczególne linijki

Zbadaj kod z jakiego jaki jest importowany aż dojdiesz do podstaw to jest python, assembler

Zrozum jakie zależności zachodzą między funkcjami plikami w kodzie

Zaproponuj co może być dodane do kodu

Wizualizacja zbuduj grafy jak są rzeczy połączone z sobą

https://www.reddit.com/r/LLMDevs/comments/15sr4ex/knowledge_graphs_llms/?utm_source=share&utm_medium=android_app&utm_name=androidcss&utm_term=5&utm_content=1

Bazy gotowych assetów

The Algorithms

No matter what programming language you use, this repo has a collection of algorithms implemented in different languages

Developer roadmap

if you want to become a deve and don't know where to start repo is for you!

Coding interview university


You can't go to an interview without check out this repo first! it has everything you need to ace the interview!

Git ignore

Every Git user (basically every developer) needs this repo. It tells git to ignore tracking some files that are not important to your project!

Free learning resources

If you don't want to spend money but want to get the best learning resources for free, this repo is for you!




5 AI Tools That Can Generate Code To Help Programmers

Here are five AI-based code generators based on the large language models that can generate high-quality

LoadingBar.js / Flexible JS Progress Bar Library

LoadingBar is a SVG-based, flexible and easy-to-use



Buttons that make you *click*

Get 100 UI buttons for free today. Available in HTML and CSS. No JavaScript.

eludadev/ui-buttons: 100 Modern CSS Buttons. Every style that you can imagine.

100 Modern CSS Buttons. Every style that you can imagine. - GitHub - eludadev/ui-buttons: 100 Modern CSS Buttons. Every style that you can imagine

jixserver/free-for-dev

A list of SaaS, PaaS and IaaS offerings that have free tiers of interest to devops and infradev

292 Contributors 1 Issue 418 Stars 47 Forks

jixserver/free-for-dev: A list of SaaS, PaaS and IaaS offerings that have free tiers of interest to devops and infradev - GitHub - jixserver/free-for-dev: A list of SaaS, PaaS and IaaS offerings that have free tie...

github.com/firstcontri

firstcontributions / first-contributions

Public

Help beginners to contribute to open source projects

firstcontributions.github.io

MIT license

37.3k stars 64.2k forks Activity

Star Notifications

Code Issues 22

main Go to file

AnushtanS 28 minutes ago

View code

README.md

Open Source License MIT code helpers 587


Join us on Stack!

Read this in other languages.

<https://github.com/firstcontributions/first-contributions>

<https://youtube.com/shorts/u70t1g0B-pA?si=KhBxoGreLcYYcgBq>

Do zrobienia



Do zrobienia

dokeryzacja

jak odpalasz nowy projekt to maszyna ci się
na serwerze u nas odpala



IN PROGRESS

Do zrobienia

dodawanie, usuwanie plików na serwerze za
pomocą okna w przeglądarce




IN PROGRESS

Do zrobienia

terminal

zabezpieczyć



Do zrobienia

terminal AI

Rozwiązanie ma tylko możliwość robienia
pozwolonych przez nas rzeczy nie może
ingerować poza folderem

sevurity

tak samo kod który jest pisany na maszynie
nie może wyjść poza folder



IN PROGRESS

Do zrobienia

użytkownik ma taki tekst

```
qwe@qwe-VirtualBox: ~/Pulpit/DTL-2023
663 git checkout frontend
664 ls
665 git pull origin frontend
666 python3 app.py
667 git checkout main
668 git merge frontend
669 git status -sb
670 git rebase
671 python3 app.py
672 conda deactivate
673 cd ..
674 ls
675 cd DTL-2023
676 ls
677 npm run dev
678 history
qwe@qwe-VirtualBox:~/Pulpit/DTL-2023$ vercel --prod
vercel cli 31.1.0
Inspect: https://vercel.com/otchlan/dtl-2023/EQExu3Ct6qhwYvW7Sa9sVQULSQ5B [4]
error: Command "yarn run build" exited with 1
error: Check your logs at https://dtl-2023-vswbmxsq1-otchlan.vercel.app/_logs or
run vercel logs dtl-2023-vswbmxsq1-otchlan.vercel.app
```

Po wejściu w link

```
Deployment Logs Functions Source Open Graph Error Visit
Building 1m 5s
All logs (44) Errors (1) Warnings (0) Expand 44 Lines
13:48:20.311 fatal runtime error: failed to initiate panic, error 5
13:48:22.486 error Command failed with signal "SIGABRT".
13:48:22.486 info Visit https://yarnpkg.com/en/docs/cli/run for documentation about this command.
13:48:22.568 error Command "yarn run build" exited with 1
Deployment Summary
Running Checks
Assigning Domains
```

użytkownik wprowadza tekst w
następujący sposób

vercel --prod

tekst

Model przyjmuje tekst
bez hederów

Zostaje wyświetlony
tekst, który jest
podświetlony, kolor
podświetlenia w
zależności od tego czy
to CODE, ERROR,...

Określić czym jest tekst:
-czy to CODE
-czy to ERROR
-czy coś innego

fatal runtime error: failed to initiate panic, error 5
13:48:23.486
error Command failed with signal "SIGABRT".
13:48:23.486
info Visit https://yarnpkg.com/en/docs/cli/run for
documentation about this command.

tekst

IN PROGRESS

*wprowadzić tu treść

500 tokenów