#### myblog.sql

```
-- Create the database
DROP DATABASE IF EXISTS myblog;
CREATE DATABASE myblog;
USE myblog;
CREATE TABLE posts (
    id INT NOT NULL AUTO_INCREMENT,
    title VARCHAR(50) NOT NULL,
    author VARCHAR(50) NOT NULL,
    excerpt VARCHAR(100) NOT NULL,
    contents TEXT(50) NOT NULL,
    created_at DATETIME NOT NULL DEFAULT CURRENT_TIMESTAMP,
    PRIMARY KEY (id)
);
GRANT SELECT, INSERT, UPDATE, DELETE
ON *
TO mybloguser@localhost
IDENTIFIED BY 'myblogpw';
```

#### models/db.php/

```
<?php
    $dsn = 'mysql:localhost;dbname=myblog';
    $username = 'mybloguser';
    $password = 'myblogpw';
    try {
        $db = new PDO($dsn, $username, $password);
    } catch (PDOException $e){
        $error_message = $e->getMessage();
        echo $error message;
        exit();
```

#### index.php

```
<?php
require 'models/db.php';
// Get the requested path
$route = parse_url($_SERVER['REQUEST_URI'])['path'];
// Our list of routes
$routes = [
    '/' => 'controllers/HomeController.php',
    '/blog' => 'controllers/BlogController.php',
];
// Check our routes map to see if we have a place to go
if(array_key_exists($route, $routes)) {
    require($routes[$route]);
} else {
    http_response_code(404);
    require('404.php');
```

#### views/404.php

```
<?php include('views/partials/header.php'); ?>
<h1>0ops! Page Not Found</h1>
Sorry, we could not find the page you were looking for.
<a href="/">Back Home</a>
<?php include('views/partials/footer.php'); ?>
```

### views/home/index.view.php

```
<?php include('views/partials/header.php'); ?>
<h1>Welcome to my blog</h1>
Welcome to my blog. Here's a list of my most recent blog posts.
<?php if(count($recentPosts) > 0): ?>
   <l
       <?php foreach($recentPosts as $post): ?>
           <
               href="/blog?id=<?=$post['id'];?>"
               ><?=$post['title'];?></a>
           <?php endforeach; ?>
   <?php endif; ?>
<?php include('views/partials/footer.php'); ?>
```

## views/blog/index.view.php

```
<?php include('views/partials/header.php'); ?>
<h1>My Blog</h1>
Blog Home
<thead>
      Title
         Created At
         Actions
      </thead>
      <?php foreach($posts as $post): ?>
      <?=$post['title']?>
         <?=$post['created_at']?>
         <form method="post" action="/blog?id=<?=$post['id']?>">
                <input type="hidden" name="action" value="delete" />
                <input type="submit" value="Delete" />
             <a href="/blog?id=<?=$post['id']?>">View</a>
         <?php endforeach; ?>
   <a href="/blog?action=add">New Post</a>
<?php include('views/partials/footer.php'); ?>
```

## views/blog/add.view.php

```
<?php include('views/partials/header.php'); ?>
<h1>My Blog</h1>
We're going to add a new post.
<form method="post" action="/blog">
    <?php if(isset($post)): ?>
       <input type="hidden" name="id" value="<?=$post['id']?>" />
    <?php endif: ?>
    <input type="hidden" name="action" value="<?=$action?>" />
    <label for="title">Title</label>
    <input type="text" id="title" name="title" value="<?=$post['title'] ?? ''?>"><br />
    <label for="author">Author</label>
    <input type="text" id="author" name="author" value="<?=$post['author'] ?? ''?>"><br />
    <label for="excerpt">Excerpt</label>
    <input type="text" id="excerpt" name="excerpt" value="<?=$post['excerpt'] ?? ''?>"><br />
    <label for="contents">Contents</label>
    <textarea id="contents" name="contents" cols=20 rows=5><?=$post['contents'] ?? ''?></textarea><br />
   <input type="submit" value="Create"/>
</form>
<?php include('views/partials/footer.php'); ?>
```

## views/blog/details.view.php

```
<?php include('views/partials/header.php'); ?>
<h1><?=$post['title']?></h1>
ul>
   <strong>Author:</strong> <?=$post['author']?>
   <strong>Excerpt:</strong> <?=$post['excerpt']?>
   <strong>Created At:</strong> <?=$post['created at']?>
<div>
<strong>Contents:</strong><br/>
<?=nl2br($post['contents'])?>
</div>
<a href="/blog?id=<?=$post['id']?>&action=edit">Edit</a>
<?php include('views/partials/footer.php'); ?>
```

## views/partials/header.php

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet" href="views/partials/app.css" />
   <title><?=$pageTitle ?? 'Home'?> | My Blog</title>
</head>
<header>
   <nav>
       <l
           <a href="/">Home</a>
           <a href="/blog">Blog</a>
       </nav>
</header>
<body>
<main>
<div class="container">
```

## views/partials/footer.php

```
</div>
</main>
<footer>
     &copy; 2023 - My Blog
</footer>
</body>
</html>
```

# views/partials/app.css

```
:root {
   font-size: 14px;
    line-height: 1.75;
*::before,
*::after {
 -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
 margin: 0;
  padding: 0;
    -webkit-text-size-adjust: 100%;
   height: 100vh;
   width: 100%;
   max-width: 100%;
   display: grid;
   grid-template-rows: auto 1fr auto;
   grid-template-columns: 1fr;
    row-gap: 1rem;
header {
   padding: 1rem;
   grid-row: 1 / 2;
   margin: 0 auto;
main {
   grid-row: 2 / 3;
   padding: 1rem;
footer {
   grid-row: 3 / 4;
table, td, th {
   border: 1px solid;
   padding: 0 .5rem;
   /* width: 100%; */
    border-collapse: collapse;
.container {
   padding: 1rem;
    margin: 0 auto;
   width: 500px;
   border: 1px solid #000000;
```

## models/BlogModel.php/

```
<?php
require_once("db.php");</pre>
function allPosts() {
    global $db;
        $query = "SELECT id,title,author,excerpt,contents,created_at
FROM myblog.posts";
        $statement = $db->prepare($query);
$statement->execute();
$posts = $statement->fetchAll();
$statement->closeCursor();
       $query = "SELECT id,title,author,excerpt,contents,created_at
FROM myblog.posts
LIMIT 5";
       $statement = $db->prepare($query);
$statement->execute();
$posts = $statement->fetchAll(PDO::FETCH_ASSOC);
$statement->closeCursor();
return $posts;
       $query = "SELECT id,title,author,excerpt,contents,created_at
FROM myblog.posts
WHERE id = :id";
        $statement = $db->prepare($query);
$statement->bindValue(':id',$id);
$statement->execute();
$posts = $statement->fetch(PDO::FETCH_ASSOC);
$statement->closeCursor();
return Sposte:
function addPost($title,$author,$excerpt,$contents) {
                 $query = 'INSERT INTO myblog.posts (title,author,excerpt,contents)
VALUES (:title,:author,:excerpt,:contents)';
     $statement = $db->prepare($query);
$statement->bindValue('stitle', $title);
$statement->bindValue('suchor', $author);
$statement->bindValue('excerpt', $excerpt);
$statement->bindValue('sexcerpt', $excerpt);
$statement->cute();
$statement->cute();
$catch (Exception $e) {
    echo $e-yetMessage();
}
                 echo $e->getMessage();
exit();
function updatePost($id,$title,$author,$excerpt,$contents) {
   global $db;
       $query = 'UPDATE myblog.posts
SET title = :title,
author = :author,
excerpt = :excerpt,
contents = :contents
WHERE id = :id';
          Statement - Sun-Sprepare(squery);

Statement->bindValue(':author', Sauthor);

Statement->bindValue(':author', Sauthor);

Statement->bindValue(':accept', Sexcerpt);

Statement->bindValue(':accept', Sexcerpt);

Statement->bindValue(':id', $5i)
               statement->execute();
           $statement->closeCursor():
function deletePost($id) {
   global $db;
        $query = 'DELETE FROM myblog.posts
WHERE id = :id';
        $statement = $db->prepare($query);
$statement->bindValue(':id',$id);
$statement->execute();
$statement->closeCursor();
```

#### controllers/HomeController.php/

```
<?php
require('models/BlogModel.php');
$pageTitle = "Home";

$recentPosts = recentPosts();
require "views/home/index.view.php";
exit();</pre>
```

## controllers/BlogController.php/

```
require('models/BlogModel.php');
 $id = $_GET['id'] ?? $_POST['id'] ?? null;
$method = $_SERVER["REQUEST_METHOD"];
$action = $_POST['action'] ?? $_GET['action'] ?? null;
 // die("$id - $method - $action");
 if(!isset($action) && !isset($id) && $method === 'GET') {
      $posts = allPosts();
      require 'views/blog/index.view.php';
     exit();
 // /blog?action=add
 if($action === 'add' && $method === 'GET') {
     require 'views/blog/add.view.php';
     exit();
 // POST
 // /blog?action=add
// /blog?action=add
if(!isset($id) 86 $action === 'add' 86 $method === 'POST') {
    $title = $_POST['title'] ?? '';
    $author = $_POST['author'] ?? '';
    $excerpt = $_POST['excerpt'] ?? '';
    $contents = $_POST['contents'] ?? '';
    addPost($title,$author,$excerpt,$contents);
    header("location: 'blog").
      header("Location: /blog");
     exit();
 // /blog/id=[id]
 if(!isset($action) && isset($id) && $method === 'GET') {
      $post = getPost($id);
      require "views/blog/details.view.php";
/// blog/id=[id]&action=edit
if(isset($id) && $method === 'GET' && $action === 'edit') {
      $post = getPost($id);
      require "views/blog/add.view.php";
     exit();
 // /blog/id=[id]&action=edit
 if(isset($id) && $method === 'POST' && $action === 'edit') {
     $title = $_POST['title'] ?? '';
$author = $_POST['author'] ?? '';
$excerpt = $_POST['excerpt'] ?? '';
$contents = $_POST['contents'] ?? '';
      updatePost($id,$title,$author,$excerpt,$contents);
header("Location: /blog?id=$id&action=edit");
 if(isset($id) && $method === 'POST' && $action === 'delete') {
      deletePost($id);
      header("Location: /blog");
```