


TUB TO SHOWER PLANNING GUIDE

MIAMI-DADE



BROKE & FIXED
HOME SOLUTIONS



HOMEOWNER PLANNING GUIDE

THE MIAMI-DADE WALK-IN SHOWER PLANNING GUIDE

What changes the cost, what to measure, and when keeping the tub is the smarter call.

A BETTER FIT FOR DAILY LIFE

01

SAFER ENTRY

A lower threshold reduces the daily step over the side of a tub.

02

EASIER CLEANING

An open layout can reduce hard-to-reach ledges and tight corners.

03

BETTER DAILY ACCESS

More usable floor area can make showering and helping a family member easier.

NOT EVERY TUB SHOULD GO

If this is the home's only tub, or if children and soaking matter, keeping it may make more sense. Plan for how the home works now and later.



REAL MIAMI-DADE PROJECT | FINISHED WALK-IN SHOWER

START WITH THE RIGHT SCOPE

THREE WAYS TO PLAN THE WORK

Choose the smallest scope that solves the daily problem. Add finishes only where they matter.

01	STARTING FIGURE	02	STARTING FIGURE	03	STARTING FIGURE
SHOWER ONLY		SHOWER + FLOOR		FULL REMODEL	
\$4,500		\$6,500		\$9,500	
● Tub removal ● New shower base ● Waterproofing and tile in the shower zone		● Tub-to-shower work ● Bathroom floor replacement ● Floor prep in affected areas		● Shower conversion ● Bathroom floor and wall finishes ● Vanity, lighting, and fixture coordination	



WHAT THESE FIGURES ASSUME

Starting figures apply to a standard five-foot tub footprint, typical access, and normal site conditions in Miami-Dade. Final price depends on verified conditions, selected materials, and the written scope.

PLAN BEFORE DEMO

WHAT MOVES THE NUMBER

FOOTPRINT

- 01 A standard wall-to-wall tub costs less to change than a larger or open layout.

ACCESS

- 02 Tight doors, stairs, elevators, and the debris route affect labor and protection.

PLUMBING

- 03 Drain position, valve condition, and supply moves change the work behind the wall.

HIDDEN DAMAGE

- 04 Rot, mold, or uneven framing may appear only after the tub and walls come out.

WATERPROOFING

- 05 Substrate repair, corners, niches, and penetrations need careful treatment.

TILE + FINISH

- 06 Tile size, pattern, height, edge trim, and grout choices affect time and material.

GLASS + FEATURES

- 07 Glass, a bench, a niche, and blocking for grab bars add scope and coordination.

THE ONE-MINUTE CHECK

MEASURE 3 THINGS. TAKE 4 PHOTOS.

MEASURE

- 1 Tub length, wall to wall
- 2 Tub width at the widest point
- 3 Narrowest doorway on the work route

PHOTOGRAPH

- 1 Whole tub from the doorway
- 2 Faucet and drain wall
- 3 Floor around the tub
- 4 Ceiling and access route

WHAT TO EXPECT NEXT

- 1 Send the photos and measurements.
- 2 Get a fit check and starting scope.
- 3 An on-site visit confirms conditions, selections, and the written scope.

READY FOR A CLEAR START?

Call or text. We will tell you what the photos show and what still needs an on-site look.

CALL OR TEXT

(786) 363-7039

brokeandfixed305@gmail.com
brokeandfixed.com