

Code Reference: cloudflare/README.md

A source-level explanation with function details, file communication, variables, endpoints, and debugging notes.

Item	Explanation
File	cloudflare/README.md
Purpose	Cloudflare setup notes for deploying the AI Worker endpoint and wiring the public site to the backend.
Lines	47
Size	1,562 bytes
Talks to	Cloudflare/AI layer, GitHub/release layer
Functions	0
Variables/constants	0
API mentions	1
Signals	16

How this file participates in the system

This generated section reads the actual file and points out line numbers, declarations, endpoints, events, source excerpts, and debugging cues.

API endpoints mentioned or called

Item	Explanation
/api/portfolio-ai	Line 32. Handles AI assistant questions.

Important implementation signals

Item	Explanation
Cloudflare or AI at line 1	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: # Portfolio AI Cloudflare Worker
Cloudflare or AI at line 6	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: https://mauriceotieno.com/api/portfolio-ai
Cloudflare or AI at line 9	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: The static GitHub Pages site cannot safely hold API keys. The browser sends portfolio context to this Worker. The Worker uses OpenAI when `OPENAI_API_KEY` is configured, and otherwise falls back to Cloudflare Workers AI.
Cloudflare or AI at line 13	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: From this `cloudflare` folder:
Cloudflare or AI at line 16	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: npx wrangler login
Cloudflare or AI at line 17	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: npx wrangler secret put OPENAI_API_KEY # optional, Workers AI works without it
Cloudflare or AI at line 18	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: npx wrangler deploy
Cloudflare or AI at line 21	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: `wrangler.toml` routes `/api/portfolio-ai` on `mauriceotieno.com` and `www.mauriceotieno.com` to this Worker.
Cloudflare or AI at line 23	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: ## Cloudflare Requirements
Cloudflare or AI at line 25	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: 1. The domain must be active in Cloudflare.
Cloudflare or AI at line 26	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: 2. DNS for `mauriceotieno.com` / `www` must be proxied through Cloudflare, not DNS-only, for Worker routes to run.
Cloudflare or AI at line 27	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: 3. The Worker must have the `AI` binding enabled. This repo's `wrangler.toml` includes it.
Cloudflare or AI at line 28	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: 4. Optional: add the `OPENAI_API_KEY` secret if you want the Worker to use OpenAI instead of Workers AI.

Item	Explanation
Cloudflare or AI at line 32	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: <meta name="portfolio-ai-endpoint" content="/api/portfolio-ai" />
Cloudflare or AI at line 41	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: -Uri "https://mauriceotieno.com/api/portfolio-ai" `
Cloudflare or AI at line 47	Public AI assistant, Worker deployment, or model-provider fallback behavior. Evidence: Expected result: JSON with an `answer` field and a `provider` field such as `cloudflare-workers-ai` or `openai`.

Representative opening snippet

```

1: # Portfolio AI Cloudflare Worker
2:
3: This Worker powers the public website endpoint:
4:
5: ```text
6: https://mauriceotieno.com/api/portfolio-ai
7: ```
8:
9: The static GitHub Pages site cannot safely hold API keys. The browser sends portfolio context to this
Worker. The Worker uses OpenAI when `OPENAI_API_KEY` is configured, and otherwise falls back to Cloudflare
Workers AI.
10:
11: ## Deploy
12:
13: From this `cloudflare` folder:
14:
15: ```powershell
16: npx wrangler login
17: npx wrangler secret put OPENAI_API_KEY # optional, Workers AI works without it
18: npx wrangler deploy
19: ```
20:
21: `wrangler.toml` routes `/api/portfolio-ai` on `mauriceotieno.com` and `www.mauriceotieno.com` to this
Worker.
22:
23: ## Cloudflare Requirements
24:
25: 1. The domain must be active in Cloudflare.
26: 2. DNS for `mauriceotieno.com` / `www` must be proxied through Cloudflare, not DNS-only, for Worker
routes to run.
27: 3. The Worker must have the `AI` binding enabled. This repo's `wrangler.toml` includes it.
28: 4. Optional: add the `OPENAI_API_KEY` secret if you want the Worker to use OpenAI instead of Workers AI.
29: 5. Keep the website meta tag:
30:
31: ```html
32: <meta name="portfolio-ai-endpoint" content="/api/portfolio-ai" />
33: ```
34:
35: ## Test
36:
37: After deployment:
38:
39: ```powershell
40: Invoke-RestMethod `
41:   -Uri "https://mauriceotieno.com/api/portfolio-ai" `
42:   -Method Post `
43:   -ContentType "application/json" `
44:   -Body '{"question":"Hi","context":{"profile":{"displayName":"Maurice Otieno"}}}'
45: ```
46:
47: Expected result: JSON with an `answer` field and a `provider` field such as `cloudflare-workers-ai` or
`openai`.

```