

File Reference: installer-notes.txt

A file-specific explanation covering purpose, owner layer, metadata, source details, implementation signals, source excerpts, and safe-change rules.

Item	Explanation
File	installer-notes.txt
Category	Documentation or text control file
Folder role	Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.
Size	3,068 bytes
Extension	.txt
MIME type	text/plain
Text lines	23

Why this file exists

- Installer license/notes text shown during Windows setup.

How it is used

Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.

How this file participates in the system

This generated section reads the actual file and points out line numbers, declarations, endpoints, events, source excerpts, and debugging cues.

Important implementation signals

Item	Explanation
Installer at line 3	Windows setup, update, shortcut, or installation behavior. Evidence: This installer includes the desktop application, the local portfolio builder, the local preview server, the website template files, and the Electron runtime needed to run the app.
Compiler or simulator at line 5	Part of the Compile Code workspace or language/tool detection. Evidence: The app does not require the user to install Node.js or pnpm. Those are development/build tools only.
Installer at line 7	Windows setup, update, shortcut, or installation behavior. Evidence: The installer creates a desktop shortcut by default. Untick the shortcut option during setup if you do not want one.
Installer at line 9	Windows setup, update, shortcut, or installation behavior. Evidence: By default, setup installs for the current Windows user at %LOCALAPPDATA%\Programs\OMB Portfolio Builder. The builder workspace and publish mirror live under %LOCALAPPDATA%\OMB Portfolio Builder, so editable builder file
Installer at line 11	Windows setup, update, shortcut, or installation behavior. Evidence: If OMB Portfolio Builder is already installed through Windows, setup tells the user which version it found, checks the current user's installation before legacy machine-wide records, pins setup to that current installed
Installer at line 13	Windows setup, update, shortcut, or installation behavior. Evidence: Setup also scans fixed drives for other OMB Portfolio Builder executables, portable copies, and local desktop-builder workspaces. It treats %LOCALAPPDATA%\OMB Portfolio Builder\builder and %LOCALAPPDATA%\OMB Portfolio Bu
Git command at line 15	Repository state, publishing, branch checks, or release automation. Evidence: Publishing to GitHub Pages requires Git for Windows with Git Credential Manager. During setup, the installer can check publishing tools and install Git for Windows if Git or Git Credential Manager is missing. If compatib
Git command at line 17	Repository state, publishing, branch checks, or release automation. Evidence: For GitHub authentication, open Publishing target inside the app, enter the target repository, then click Save target and authenticate. A GitHub/Git Credential Manager sign-in flow may open in the browser. The builder ke
Security or auth at line 19	Publishing protection, API key safety, HTTP security, or user authorization. Evidence: Successful publishing authorization is cached locally for about one day for the selected repository and branch.

Item	Explanation
Installer at line 21	Windows setup, update, shortcut, or installation behavior. Evidence: Older and newer installers remain available from the GitHub Releases page.
Security or auth at line 23	Publishing protection, API key safety, HTTP security, or user authorization. Evidence: Fresh installs start blank. No personal projects, resumes, profile photos, custom domains, or portfolio sections are included until the user adds them or authenticates to load a compatible publishing target.

Representative opening snippet

```

1: OMB Portfolio Builder installation notes
2:
3: This installer includes the desktop application, the local portfolio builder, the local preview server,
the website template files, and the Electron runtime needed to run the app.
4:
5: The app does not require the user to install Node.js or pnpm. Those are development/build tools only.
6:
7: The installer creates a desktop shortcut by default. Untick the shortcut option during setup if you do
not want one.
8:
9: By default, setup installs for the current Windows user at %LOCALAPPDATA%\Programs\OMB Portfolio Builder.
The builder workspace and publish mirror live under %LOCALAPPDATA%\OMB Portfolio Builder, so editable builder
files and generated portfolio output stay together in AppData. This avoids protected Program Files updates and
lets the app update itself without needing an administrator prompt for normal releases.
10:
11: If OMB Portfolio Builder is already installed through Windows, setup tells the user which version it
found, checks the current user's installation before legacy machine-wide records, pins setup to that current
installed location, asks for approval during normal interactive installs, and updates that copy. Setup will not
create a second installed copy in a different folder. During an in-app Update action, setup runs silently after
the user clicks Update and updates the existing installation in place without running the old uninstaller first
or requiring the user to manually uninstall first.
12:
13: Setup also scans fixed drives for other OMB Portfolio Builder executables, portable copies, and local
desktop-builder workspaces. It treats %LOCALAPPDATA%\OMB Portfolio Builder\builder and %LOCALAPPDATA%\OMB
Portfolio Builder\portfolio as managed app workspaces, not duplicate installs. If it finds another unregistered
copy, setup stops and asks the user to remove, uninstall, or rename that copy first. This prevents duplicate
builders from leaving one machine with stale editing features.
14:
15: Publishing to GitHub Pages requires Git for Windows with Git Credential Manager. During setup, the
installer can check publishing tools and install Git for Windows if Git or Git Credential Manager is missing. If
compatible tools already exist, setup skips them. Existing shared tools are not silently removed.
16:
17: For GitHub authentication, open Publishing target inside the app, enter the target repository, then click
Save target and authenticate. A GitHub/Git Credential Manager sign-in flow may open in the browser. The builder
keeps the previous target until GitHub verifies write access to the new target. After authentication succeeds,
click Load from target to refresh from that repository.
18:
19: Successful publishing authorization is cached locally for about one day for the selected repository and
branch.
20:
21: Older and newer installers remain available from the GitHub Releases page.
22:
23: Fresh installs start blank. No personal projects, resumes, profile photos, custom domains, or portfolio
sections are included until the user adds them or authenticates to load a compatible publishing target.

```

Safe change checklist

- Confirm which app, website, installer, workflow, or document consumes this file.
- Change it on a feature branch from development.
- Regenerate docs if the file purpose, API surface, or behavior changes.
- Run the smallest relevant smoke test before merging into development.