

File Reference: pnpm-lock.yaml

A file-specific explanation covering purpose, owner layer, metadata, source details, implementation signals, source excerpts, and safe-change rules.

Item	Explanation
File	pnpm-lock.yaml
Category	Configuration or structured data
Folder role	Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.
Size	69,301 bytes
Extension	.yaml
MIME type	unknown
Text lines	2,233

Why this file exists

- Pinned dependency lockfile so installs and GitHub Actions use the same dependency versions.

How it is used

Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.

How this file participates in the system

This generated section reads the actual file and points out line numbers, declarations, endpoints, events, source excerpts, and debugging cues.

Important implementation signals

Item	Explanation
Installer at line 14	Windows setup, update, shortcut, or installation behavior. Evidence: electron-builder:
Installer at line 16	Windows setup, update, shortcut, or installation behavior. Evidence: version: 26.15.3(electron-builder-squirrel-windows@26.15.3)
Security or auth at line 21	Publishing protection, API key safety, HTTP security, or user authorization. Evidence: resolution: {integrity: sha512-i4/rNPRS84t0vSRa2HorerGRXWyF4vThfHesw0dmcWHp+csPK743UanA0suA5Q5y8kzY2y6YKrvbIUUn69BCAiA==}
Compiler or simulator at line 22	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10.12.0'}
Compiler or simulator at line 31	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12'}
Compiler or simulator at line 35	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=14'}
Compiler or simulator at line 39	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 10.0.0'}
Compiler or simulator at line 43	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12.0.0'}
Compiler or simulator at line 48	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=22.12.0'}
Compiler or simulator at line 53	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=16.4'}
Compiler or simulator at line 57	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=14.14'}
Compiler or simulator at line 62	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=18.0.0'}

Item	Explanation
Process execution at line 64	Runs Git, compilers, installers, or helper tools outside the JavaScript runtime. Evidence: '@malept/cross-spawn-promise@2.0.0':
Compiler or simulator at line 66	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 12.13.0'}
Compiler or simulator at line 70	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 10.0.0'}
Compiler or simulator at line 74	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 16'}
Compiler or simulator at line 78	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 20.19.0'}
Compiler or simulator at line 85	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8.0.0'}
Compiler or simulator at line 92	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=14.18.0'}
Compiler or simulator at line 96	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10'}
Compiler or simulator at line 100	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10'}
Local storage at line 102	Local persistence, draft state, auth cache, update snooze, or browser-side caching. Evidence: '@types/cacheable-request@6.0.3':
Local storage at line 111	Local persistence, draft state, auth cache, update snooze, or browser-side caching. Evidence: '@types/http-cache-semantics@4.2.0':
Compiler or simulator at line 120	Part of the Compile Code workspace or language/tool detection. Evidence: '@types/node@22.20.0':
Compiler or simulator at line 123	Part of the Compile Code workspace or language/tool detection. Evidence: '@types/node@26.0.0':
Compiler or simulator at line 134	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10.0.0'}
Compiler or simulator at line 138	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '^20.17.0 >=22.9.0'}
Compiler or simulator at line 142	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 14'}
Compiler or simulator at line 149	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8'}
Compiler or simulator at line 153	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8'}
Compiler or simulator at line 157	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=14.0.0'}
Installer at line 160	Windows setup, update, shortcut, or installation behavior. Evidence: electron-builder-squirrel-windows: 26.15.3
Compiler or simulator at line 167	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12.0.0'}
Compiler or simulator at line 171	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=0.12.0'}
Compiler or simulator at line 179	Part of the Compile Code workspace or language/tool detection. Evidence: at-least-node@1.0.0:
Compiler or simulator at line 181	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 4.0.0'}
Compiler or simulator at line 191	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: 18 20 >=22}
Network request at line 201	Frontend-backend communication or public web/API calls. Evidence: deprecated: Package no longer supported. Contact Support at https://www.npmjs.com/support for more info.
Compiler or simulator at line 211	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: 18 20 >=22}

Item	Explanation
Compiler or simulator at line 221	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12.0.0'}
Compiler or simulator at line 225	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=14.0.0'}
Compiler or simulator at line 229	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=6.0.0'}
Local storage at line 231	Local persistence, draft state, auth cache, update snooze, or browser-side caching. Evidence: cacheable-lookup@5.0.4:
Compiler or simulator at line 233	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10.6.0'}
Local storage at line 235	Local persistence, draft state, auth cache, update snooze, or browser-side caching. Evidence: cacheable-request@7.0.4:
Compiler or simulator at line 237	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8'}
Compiler or simulator at line 241	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 0.4'}
Compiler or simulator at line 245	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10'}
Compiler or simulator at line 249	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=18'}
Compiler or simulator at line 256	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8'}
Compiler or simulator at line 260	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8'}
Compiler or simulator at line 264	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12'}
Rich text at line 269	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color-convert@2.0.1:
Compiler or simulator at line 271	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=7.0.0'}
Rich text at line 273	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color-name@1.1.4:
Compiler or simulator at line 278	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 0.8'}
Compiler or simulator at line 282	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 6'}
Compiler or simulator at line 286	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '^12.20.0 >=14'}
Compiler or simulator at line 290	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=0.10.0'}
Process execution at line 301	Runs Git, compilers, installers, or helper tools outside the JavaScript runtime. Evidence: cross-spawn@7.0.6:
Compiler or simulator at line 303	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 8'}
Compiler or simulator at line 307	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=6.0'}
Rich text at line 309	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: supports-color: '*'
Rich text at line 311	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: supports-color:
Compiler or simulator at line 316	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10'}
Compiler or simulator at line 320	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=10'}
Compiler or simulator at line 324	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 0.4'}
Compiler or simulator at line 328	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 0.4'}

Item	Explanation
Compiler or simulator at line 332	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=0.4.0'}
Compiler or simulator at line 334	Part of the Compile Code workspace or language/tool detection. Evidence: detect-node@2.1.0:
Compiler or simulator at line 345	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12'}
Compiler or simulator at line 349	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=12'}
Compiler or simulator at line 353	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 0.4'}
Compiler or simulator at line 360	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=0.10.0'}
Installer at line 363	Windows setup, update, shortcut, or installation behavior. Evidence: electron-builder-squirrel-windows@26.15.3:
Installer at line 366	Windows setup, update, shortcut, or installation behavior. Evidence: electron-builder@26.15.3:
Compiler or simulator at line 368	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=14.0.0'}
Installer at line 374	Windows setup, update, shortcut, or installation behavior. Evidence: electron-winstaller@5.4.0:
Compiler or simulator at line 376	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>=8.0.0'}
Compiler or simulator at line 380	Part of the Compile Code workspace or language/tool detection. Evidence: engines: {node: '>= 12.20.55'}

Representative opening snippet

```

1: lockfileVersion: '9.0'
2:
3: settings:
4:   autoInstallPeers: true
5:   excludeLinksFromLockfile: false
6:
7: importers:
8:
9:   ..
10:   devDependencies:
11:     electron:
12:       specifier: ^39.2.7
13:       version: 39.8.10
14:     electron-builder:
15:       specifier: ^26.0.12
16:       version: 26.15.3(electron-builder-squirrel-windows@26.15.3)
17:
18: packages:
19:
20:   '@electron/asar@3.4.1':
21:     resolution: {integrity:
sha512-i4/rNPRS84t0vSRa2HorerGRXWYF4vThfHesw0dmcWHP+cspK743UanA0suA5Q5y8kzY2y6YKrvbIU69BCAiA==}
22:     engines: {node: '>=10.12.0'}
23:     hasBin: true
24:
25:   '@electron/fuses@1.8.0':
26:     resolution: {integrity:
sha512-zx0EIq78WLY/lBb1uXlziZmDZI4ubcCXIMJ4uGjXzZW0nS19TjSPeXPAjzzTmKQlJUzm0SbmZhPKP7tuQ1SsEw==}
27:     hasBin: true
28:
29:   '@electron/get@2.0.3':
30:     resolution: {integrity:
sha512-Qkzpg2s9GnVV2I2BjRksUi43U5e6+zaQMchoJy0C+C5oxaKl+fmckGDQFtRpZpZV0NQekuZZ+tGz7EA9TVnQtQ==}
31:     engines: {node: '>=12'}
32:
33:   '@electron/get@3.1.0':
34:     resolution: {integrity:
sha512-F+nKc0xw+kVbBRhFzaMgPy3KwmuNTYX1fx6+FxxoSnNgwYX6LD7AKBTWkU0MQ6IBoe7dz069CNkr673sPAgkCQ==}
35:     engines: {node: '>=14'}
36:
37:   '@electron/notarize@2.5.0':
38:     resolution: {integrity:
sha512-jNt8nwH1f9X5GEITxaQ8IF/KdskvIk0FbF2CvwumsveVidzPsc+mvhhTmdAGSYF30+Nq49LJ7y+ss0DRXu06+A==}
39:     engines: {node: '>= 10.0.0'}
40:
41:   '@electron/osx-sign@1.3.3':
42:     resolution: {integrity:
sha512-KZ8mhXvWv2rIEgMbW4y33bDHUKMnx4M0sTyPNK/vcB81ImdeY9Ggdqy0SwbMDgmbqyQ+phgejh6V3R2QuSg==}
43:     engines: {node: '>=12.0.0'}

```

```

44:     hasBin: true
45:
46:   '@electron/rebuild@4.0.4':
47:     resolution: {integrity:
sha512-Rzc39XPdk/+/wBG8MfwAHohXflep0ITUfulb6Rgz3R0NeSB1noE+E9/M/cb8ftCAiyDD9PPhLuuWgE1GaInbKg==}
48:     engines: {node: '>=22.12.0'}
49:     hasBin: true
50:
51:   '@electron/universal@2.0.3':
52:     resolution: {integrity:
sha512-Wn9sPYIVFRFl5HmwMJkARCCF7rqK/EurkfQ/rJZ14mHP3iYTjZSI0SVonEAnhWeAXwtw7z0ekGRlc6yTtZ0t+g==}
53:     engines: {node: '>=16.4'}
54:
55:   '@electron/windows-sign@1.2.2':
56:     resolution: {integrity:
sha512-dfZeox66AvdPtB2lD80sIIQh12Tp0GNCRUdFBHIKGpbmopZto2/A8nSpYYLoedPIHppkeblZ/k80V06y7PYuyQ==}
57:     engines: {node: '>=14.14'}
58:     hasBin: true
59:
60:   '@isaacs/fs-minipass@4.0.1':
61:     resolution: {integrity:
sha512-wgm9Ehl2jpeqP3zw/7mo3kRHFp5MEDhqAdwy1fTGkHAwnk60VsgpvQhL8B5n1qlb01jV3n/bI0ZfZp5lWA1k4w==}
62:     engines: {node: '>=18.0.0'}
63:
64:   '@malept/cross-spawn-promise@2.0.0':
65:     resolution: {integrity:
sha512-1DpKU0Z5ThltBwjNySMC14g0CkbyhCaz9FkhxqNsZI6uAPJXFS8cMXlBKo26FJ8ZuW6S9GCMcR9I05k2X5/9Fg==}
66:     engines: {node: '>= 12.13.0'}
67:
68:   '@malept/flatpak-bundler@0.4.0':
69:     resolution: {integrity:
sha512-9Q0tNffc0F/ciseMCDnjckb3R9WHcG34tky+FHpnKKCW0wc/scYLWmt0+ptyGUfMMw0/b/n4qRiAlaFhc90j7Q==}
70:     engines: {node: '>= 10.0.0'}
71:
72:   '@noble/hashes@1.4.0':

```

Safe change checklist

- Confirm which app, website, installer, workflow, or document consumes this file.
- Change it on a feature branch from development.
- Regenerate docs if the file purpose, API surface, or behavior changes.
- Run the smallest relevant smoke test before merging into development.