

Important Code Reference: template-preview.css

A focused code/control-file explanation covering purpose, owner layer, APIs, variables, implementation signals, source excerpts, and debugging rules.

Item	Explanation
File	template-preview.css
Category	Website/builder UI source
Folder role	Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.
Size	131,453 bytes
Extension	.css
MIME type	text/css
Text lines	5,749

Why this file exists

- Builder application CSS for dialogs, windows, rich editors, compile code, dark mode, guide windows, and local previews.

How it is used

Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.

How this file participates in the system

This generated section reads the actual file and points out line numbers, declarations, endpoints, events, source excerpts, and debugging cues.

Important implementation signals

Item	Explanation
Rich text at line 34	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 36	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.78rem;
Rich text at line 37	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 900;
Rich text at line 43	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #f5c56d;
Rich text at line 44	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #5f4207;
Rich text at line 50	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #93c5fd;
Rich text at line 51	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #164780;
Rich text at line 57	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #86efac;
Rich text at line 58	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #14532d;
Rich text at line 63	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #fca5a5;
Rich text at line 64	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #7f1d1d;
Rich text at line 70	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #d6effa;
Rich text at line 71	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 74	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color 140ms ease,
Rich text at line 75	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: background-color 140ms ease,
Rich text at line 76	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color 140ms ease,
Rich text at line 83	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #b8e6f7;
Rich text at line 84	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;

Item	Explanation
Rich text at line 91	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #ffffff;
Rich text at line 92	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 148	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--ink);
Rich text at line 149	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 1.18rem;
Rich text at line 173	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);
Rich text at line 174	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.72rem;
Rich text at line 175	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 900;
Rich text at line 184	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--ink);
Rich text at line 186	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font: inherit;
Rich text at line 187	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 700;
Rich text at line 191	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #4b91db;
Rich text at line 198	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);
Rich text at line 199	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.78rem;
Rich text at line 205	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: inherit;
Rich text at line 222	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--ink);
Rich text at line 223	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.96rem;
Rich text at line 241	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 243	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.75rem;
Rich text at line 244	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 900;
Rich text at line 266	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 278	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--ink);
Rich text at line 279	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 1rem;
Rich text at line 283	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);
Rich text at line 284	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.78rem;
Rich text at line 292	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border: 2px solid currentColor;
Rich text at line 304	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: background: currentColor;
Rich text at line 309	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: box-shadow: 0 7px 0 currentColor;
Rich text at line 338	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 340	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.78rem;
Rich text at line 341	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 900;
Rich text at line 356	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);
Rich text at line 357	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.78rem;
Rich text at line 358	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 900;
Rich text at line 366	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--ink);
Rich text at line 368	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font: inherit;
Rich text at line 369	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.9rem;
Rich text at line 378	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 380	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font: inherit;
Rich text at line 381	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.8rem;
Rich text at line 382	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 900;
Rich text at line 388	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #ffffff;

Item	Explanation
Rich text at line 390	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: #1f6ed4;
Rich text at line 395	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);
Rich text at line 396	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.82rem;
Rich text at line 433	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--ink);
Rich text at line 435	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.92rem;
Rich text at line 436	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 950;
Rich text at line 456	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #087f9b;
Rich text at line 457	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 950;
Rich text at line 471	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #16384a;
Rich text at line 473	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.7rem;
Rich text at line 474	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-weight: 950;
Rich text at line 490	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #ffffff;
Rich text at line 496	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #ffffff;
Rich text at line 500	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: border-color: rgba(255, 255, 255, 0.7);
Rich text at line 542	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);
Rich text at line 543	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.86rem;
Rich text at line 555	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #2b5064;
Rich text at line 556	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.86rem;
Rich text at line 582	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: #fafdff;
Rich text at line 583	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: font-size: 0.78rem;
Rich text at line 601	Rich editor behavior, formatting, paste handling, or content sanitization. Evidence: color: var(--muted);

CSS selectors and visual hooks

Item	Explanation
Line 1	.template-preview-page
Line 5	.template-header
Line 20	.section-actions
Line 27	.builder-save-state
Line 42	.builder-save-state[data-state="dirty"]
Line 49	.builder-save-state[data-state="publishing"]
Line 56	.builder-save-state[data-state="published"]
Line 62	.builder-save-state[data-state="error"]
Line 69	.template-preview-page button
Line 82	.template-preview-page button:hover
Line 90	.template-preview-page button:active
Line 98	.builder-workspace
Line 107	.builder-inspector
Line 116	.template-preview
Line 123	.builder-panel
Line 129	.project-library-heading

Item	Explanation
Line 137	.project-library-heading > div
Line 143	.project-library-heading h2
Line 147	.project-library-heading h2
Line 153	.project-library-tools
Line 165	.project-search-field
Line 172	.workflow-card span
Line 179	.project-search-field input
Line 190	.project-search-field input:focus
Line 196	#project-search-status
Line 203	.tree-category-toggle mark
Line 210	.workflow-card
Line 219	.workflow-card strong
Line 228	.workflow-actions
Line 234	.workflow-metrics span
Line 247	.workflow-actions .button
Line 253	.template-preview > .section-heading
Line 257	.builder-guide-panel
Line 273	.builder-guide-panel small
Line 277	.builder-guide-panel strong
Line 282	.builder-guide-panel small
Line 287	.builder-guide-icon
Line 297	.builder-guide-icon::after
Line 307	.builder-guide-icon::before
Line 312	.builder-guide-icon::after
Line 318	.builder-guide-dialog-content
Line 328	.builder-guide-actions
Line 334	.builder-guide-live span
Line 344	.builder-guide-tools
Line 353	.builder-guide-tools label
Line 361	.builder-guide-tools input
Line 373	.builder-guide-actions button
Line 387	.builder-guide-actions button:hover
Line 393	.builder-guide-results
Line 399	.builder-guide-sections
Line 416	.builder-guide-section
Line 424	.builder-guide-section[hidden]
Line 428	.builder-guide-section summary
Line 444	.builder-guide-section summary::-webkit-details-marker
Line 448	.builder-guide-section summary::before
Line 462	.builder-guide-section summary::after
Line 480	.builder-guide-section[open] summary

Item	Explanation
Line 485	.builder-guide-section[open] summary::before
Line 489	.builder-guide-section summary: hover
Line 495	.builder-guide-section summary: hover::after
Line 499	.builder-guide-section summary: hover::after
Line 504	.builder-guide-section > div
Line 513	.builder-guide-topic-dialog
Line 517	.builder-guide-topic-content
Line 522	.builder-guide-topic-body
Line 534	.builder-guide-topic-copy
Line 540	.builder-guide-topic-body p
Line 550	.builder-guide-topic-body ul
Line 561	.builder-guide-topic-body li
Line 565	.publish-result-box
Line 570	.publish-result-box p
Line 574	.publish-result-box pre
Line 588	.publish-target-form
Line 595	.publish-target-form label
Line 600	.publish-target-field-note
Line 606	.publish-target-form input
Line 616	.publish-target-current
Line 627	.publish-target-current div
Line 633	.publish-target-current strong
Line 637	.publish-target-current span
Line 641	.publish-target-readiness
Line 648	.publish-target-readiness strong
Line 653	.publish-target-readiness ul
Line 661	.publish-target-readiness li.ready
Line 665	.publish-target-readiness li.blocked
Line 669	.publish-target-tool-actions
Line 675	.publish-target-note
Line 682	.profile-setup-fields
Line 687	.profile-setup-fields label: first-child
Line 691	.profile-asset-actions
Line 697	.profile-asset-status
Line 704	.app-update-dialog
Line 708	.security-report-dialog
Line 712	.app-update-content
Line 717	.security-report-body
Line 727	.security-report-body p
Line 734	.app-update-body p: first-child
Line 739	.security-report-grid

Item	Explanation
Line 745	.security-report-card
Line 756	.security-report-card h3
Line 763	.security-report-card strong
Line 769	.security-report-card ul
Line 779	.security-report-assets
Line 787	.security-report-assets li
Line 797	.security-report-assets li:last-child
Line 801	.security-report-assets span:first-child
Line 808	.app-update-release-meta
Line 816	.app-update-dialog-actions
Line 820	.app-update-dialog-actions [hidden]
Line 824	.portfolio-preview-button
Line 834	.portfolio-preview-icon
Line 842	.portfolio-preview-icon::before
Line 854	.portfolio-preview-icon::after
Line 867	.save-all-icon
Line 876	.save-all-icon::after
Line 881	.save-all-icon::before
Line 890	.save-all-icon::after
Line 902	.builder-panel p
Line 906	.builder-panel h1
Line 911	.builder-panel h2

Representative opening snippet

```

1: .template-preview-page {
2:   background: #eef8fc;
3: }
4:
5: .template-header {
6:   position: sticky;
7:   top: 0;
8:   z-index: 20;
9:   display: flex;
10:  align-items: center;
11:  justify-content: space-between;
12:  gap: 18px;
13:  padding: 12px clamp(18px, 4vw, 56px);
14:  border-bottom: 1px solid rgba(201, 222, 234, 0.84);
15:  background: rgba(214, 239, 250, 0.96);
16:  backdrop-filter: blur(16px);
17: }
18:
19: .builder-header-actions,
20: .section-actions {
21:   display: flex;
22:   flex-wrap: wrap;
23:   gap: 10px;
24:   align-items: center;
25: }
26:
27: .builder-save-state {
28:   display: inline-flex;
29:   align-items: center;
30:   min-height: 34px;
31:   padding: 0 12px;
32:   border: 1px solid #9bd4ea;
33:   border-radius: 999px;
34:   color: #16384a;
35:   background: #f5fbfe;
36:   font-size: 0.78rem;
37:   font-weight: 900;

```

```

38:   letter-spacing: 0.01em;
39:   white-space: nowrap;
40: }
41:
42: .builder-save-state[data-state="dirty"] {
43:   border-color: #f5c56d;
44:   color: #5f4207;
45:   background: #fff7dc;
46: }
47:
48: .builder-save-state[data-state="saving"],
49: .builder-save-state[data-state="publishing"] {
50:   border-color: #93c5fd;
51:   color: #164780;
52:   background: #dbeafe;
53: }
54:
55: .builder-save-state[data-state="saved"],
56: .builder-save-state[data-state="published"] {
57:   border-color: #86efac;
58:   color: #14532d;
59:   background: #dcfce7;
60: }
61:
62: .builder-save-state[data-state="error"] {
63:   border-color: #fca5a5;
64:   color: #7f1d1d;
65:   background: #fee2e2;
66: }
67:
68: .template-preview-page .button,
69: .template-preview-page button {
70:   border-color: #d6effa;
71:   color: #16384a;
72:   background: #d6effa;

```

Safe change checklist

- Confirm which app, website, installer, workflow, or document consumes this file.
- Change it on a feature branch from development.
- Regenerate docs if the file purpose, API surface, or behavior changes.
- Run the smallest relevant smoke test before merging into development.