

File Reference: `_headers`

A file-specific explanation covering purpose, owner layer, metadata, source details, implementation signals, source excerpts, and safe-change rules.

Item	Explanation
File	<code>_headers</code>
Category	Documentation or text control file
Folder role	Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.
Size	622 bytes
Extension	(none)
MIME type	unknown
Text lines	6

Why this file exists

- Cloudflare Pages style HTTP headers for security and caching behavior on the public website.
- This file describes security and caching headers for hosts that support static `_headers` files, such as Cloudflare Pages style deployments.

How it is used

Repository root. Usually an entry file, app config, public website file, package manifest, or top-level documentation.

Readable content snippet

```
1: /*
2:  X-Content-Type-Options: nosniff
3:  X-Frame-Options: DENY
4:  Referrer-Policy: strict-origin-when-cross-origin
5:  Permissions-Policy: camera=(), microphone=(), geolocation=(), payment=(), usb=(), interest-cohort=()
6:  Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-inline'
https://static.cloudflareinsights.com; style-src 'self' 'unsafe-inline'; img-src 'self' data: https:; font-src
'self' data: https:; connect-src 'self' https://api.github.com https://*.workers.dev https://api.openai.com;
frame-ancestors 'none'; base-uri 'self'; form-action 'self' mailto: tel:; upgrade-insecure-requests
```

Safe change checklist

- Confirm which app, website, installer, workflow, or document consumes this file.
- Change it on a feature branch from development.
- Regenerate docs if the file purpose, API surface, or behavior changes.
- Run the smallest relevant smoke test before merging into development.