

ADHD and Addiction Co-Morbidity: Digital Interventions and NHS-Focused Outcomes (2020–2025)

Prevalence and Impact of ADHD with Co-occurring Addiction

ADHD is linked to a significantly higher risk of substance use disorders (SUD) and behavioral addictions. Adults with ADHD have roughly triple the prevalence of SUD compared to those without ADHD (about 15% vs 5%) ¹. Approximately 23–25% of adults entering treatment for alcohol or drug abuse meet criteria for ADHD ² ³, far above ADHD's ~4% prevalence in the general population. ADHD also correlates strongly with behavioral addictions: it is the most frequent psychiatric comorbidity seen in internet gaming disorder and problematic gaming ⁴, and is associated with higher odds of developing problem gambling ⁵. This co-morbidity is bidirectionally problematic – ADHD-related impulsivity and reward-seeking can drive earlier substance use, while chronic substance use can exacerbate attention and executive function deficits ⁶ ⁷.

Individuals with co-occurring ADHD and addiction tend to experience **worse clinical outcomes** than those with either condition alone. Research indicates that ADHD–SUD comorbidity is characterized by more severe addiction patterns (earlier onset of use, higher rates of polysubstance abuse, and increased relapse risk) as well as intensified ADHD symptoms ⁸ ⁹. For example, one review noted that young adults with SUD have high rates of undiagnosed ADHD – about **one in four** meet ADHD criteria ¹⁰. These dual-diagnosis patients often have more hospitalizations, more suicide attempts, and poorer treatment adherence than SUD patients without ADHD ¹¹ ⁹. Importantly, *behavioral addictions* show similar overlaps: a systematic review found that individuals with internet addiction exhibited significantly more severe ADHD symptoms than those without ¹². In short, ADHD commonly co-occurs with substance misuse, gambling, gaming and other addictive behaviors, creating a complex clinical profile with elevated risks and challenges.

Challenges in Treating Dual ADHD and SUD

Treating ADHD with co-occurring addiction is difficult because the two conditions can fuel each other and complicate care. ADHD's core symptoms – inattention, impulsivity, disorganization – can undermine a patient's ability to engage in traditional addiction treatments (e.g. attending counseling regularly or adhering to coping strategies) ¹³. Indeed, clinicians observe that *undiagnosed ADHD symptoms can make it hard for patients to stick to a treatment plan and maintain sobriety* ¹³. On the other hand, substance use can mask or mimic ADHD symptoms, making differential diagnosis challenging ¹⁴. Many key features of ADHD (restlessness, poor attention, impulsive behavior) overlap with signs of intoxication or withdrawal, so addiction specialists may miss the underlying neurodevelopmental disorder ¹⁴. This mutual camouflage often leads to missed or late diagnoses and fragmented care. A further complication is pharmacotherapy: stimulant medications are first-line for ADHD, but in patients with SUD there is concern about stimulant misuse ¹⁵. While evidence suggests carefully managed stimulant treatment can mildly improve both ADHD and co-morbid cocaine/amphetamine use symptoms ¹⁶, there remains a long-term risk of medication misuse and little impact on other addictive behaviors ¹⁷. Non-stimulant options like atomoxetine avoid abuse potential, yet have not shown efficacy in reducing substance use in these patients ¹⁷.

Notably, research specific to *integrated treatment* for ADHD–SUD is still sparse. A 2023 clinical review highlighted the **lack of focused studies** on managing ADHD–SUD comorbidity, especially in adults ¹⁸ . Current best practice is largely inferred from parallel guidelines: experts and NHS guidance **recommend treating both conditions simultaneously** rather than sequentially ¹⁹ . This implies combining addiction-specific therapy (e.g. relapse prevention or detox support) with ADHD management (medication and behavioral strategies) in a coordinated plan. However, many services are siloed – patients might receive addiction treatment while ADHD goes unaddressed, or vice versa. The result is a significant care gap for this population. For instance, UK ADHD clinics (often focused on diagnosis and medication titration) typically do not have integrated addiction counseling, while addiction services may lack protocols to screen for or accommodate ADHD ¹³ ¹⁹ . Overall, the dual-diagnosis of ADHD and addiction presents high relapse rates, lower treatment compliance, and greater functional impairment, underlining an urgent need for novel interventions tailored to this overlap ⁹ .

¹³ .

Emerging Digital and Behavioral Interventions for ADHD

In recent years, digital therapeutics and behavioral programs have shown promise in managing ADHD symptoms alongside or in lieu of medication. A systematic review of digital interventions in ADHD (2023) found **some evidence of positive outcomes**, particularly for interventions delivering psychoeducation and cognitive training ²⁰ . For example, digital psychoeducation modules (interactive programs teaching patients about ADHD and coping skills) were associated with significant reductions in ADHD symptom severity in at least one high-quality review ²¹ . Similarly, computerized cognitive training games have yielded small improvements in attention for individuals with ADHD ²² . The clearest milestone in this domain was the **FDA approval of EndeavorRx** in 2020 – a video game-based therapy for pediatric ADHD. In clinical trials, children and adolescents using EndeavorRx showed measurable gains in attention control and functional impairment: after one month of gameplay, about 50% had clinically meaningful improvement on an ADHD impairment rating scale, rising to 68% after a second month ²³ . This marked the first prescription digital therapeutic for ADHD, leveraging adaptive algorithms and engaging game mechanics to target attention deficits ²⁴ ²⁵ .

Beyond games, a variety of **ADHD-friendly apps and online tools** have proliferated (though many lack formal evaluation). These include organizational apps (for scheduling, reminders, time management), mindfulness and meditation apps tailored to ADHD, and platforms for parent training or ADHD coaching delivered via teleconference ²⁶ ²⁷ . The COVID-19 era also spurred much wider use of telehealth for ADHD care. Notably, remote video assessments and tele-prescribing became common in 2020–2022, helping address the massive waitlists for NHS ADHD clinics. Studies indicate that telehealth ADHD treatment can be effective and did not lead to increased SUD risk compared to in-person care ²⁸ . However, the overall **evidence base for digital ADHD interventions is still developing**. Many digital tools have low-quality or preliminary evidence, and systematic reviews frequently note mixed or inconclusive results on core symptoms ²⁹ ³⁰ . Nonetheless, the rapid advancement of technology – such as virtual reality programs for ADHD training, and AI-driven chatbots that can coach in real time – is opening new possibilities. Researchers highlight an opportunity to harness generative AI and personalized algorithms to create novel ADHD interventions, although rigorous testing will be needed ³¹ ³² . In summary, digital and behavioral approaches (from serious games to coaching apps) are emerging as valuable **adjuncts** for ADHD management, showing improvements in engagement and some symptoms, but more robust evidence and integration into care pathways are needed.

Digital Solutions for Substance Use and Behavioral Addictions

Digital therapeutics have also made significant inroads in addiction treatment, offering scalable behavioral interventions that can complement or sometimes substitute for face-to-face therapy. In the UK, one prominent example is **Breaking Free Online (BFO)** – a computer-assisted therapy program for SUD that has been deployed across community clinics for over a decade. BFO provides interactive CBT modules targeting substance misuse and has demonstrated efficacy in improving outcomes ³³. In fact, during the COVID-19 pandemic, digital platforms like BFO became especially crucial: they enabled continuity of care amid service disruptions and helped meet surging demand for SUD support ³³ ³⁴. A current NHS trial is examining BFO as an adjunct to standard treatment, measuring reductions in substance use and improvements in mental health and quality of life ³⁵. The rationale is that **digital programs can extend reach and relieve overburdened services**, a hypothesis supported by early evidence: BFO and similar tools have been shown to effectively engage service users and potentially bridge gaps in care ³⁴.

Another breakthrough has been the advent of **prescription digital therapeutics for addiction**. The first FDA-cleared example, reSET®, delivers a 12-week cognitive-behavioral therapy curriculum via a mobile app for patients with alcohol, cocaine, cannabis, or stimulant use disorders. In clinical studies, reSET significantly increased adherence and days of abstinence compared to treatment-as-usual (though long-term outcomes beyond 12 weeks remain under study) ³⁶ ³⁷. For opioid use disorder, the companion app reSET-O® was authorized to support patients on medication-assisted therapy, reinforcing coping skills and monitoring triggers. These innovations underscore the potential for **evidence-based therapy on-demand**: patients can complete therapy lessons at their own pace, while clinicians monitor progress through the app. Additionally, *contingency management* – one of the most effective behavior therapies for stimulant addiction – has been successfully digitized. Studies on digital contingency management (DCM) show that apps can remotely verify sobriety (e.g. through smart-connected breathalyzers or test strips) and automatically dispense incentives, leading to improved treatment retention and abstinence rates ³⁸ ³⁹. This approach leverages mobile technology to broaden access to interventions that historically required intensive clinic visits for reward delivery.

In the realm of mutual aid and peer support, **SMART Recovery** has adapted strongly to the online environment. SMART Recovery (Self-Management and Recovery Training) is a global network of peer-led support groups teaching evidence-based skills (CBT, motivational techniques) for overcoming addictive behavior, including drug/alcohol addiction and behavioral addictions like gambling. With the shift to virtual meetings during the pandemic, SMART Recovery Online grew exponentially – one evaluation in Australia recorded an expansion from just 6 online meetings pre-pandemic to over 120 active online meetings, with an average of 3,479 total attendances per month ⁴⁰. Participants reported high satisfaction with these virtual groups: in surveys, **93% felt welcomed** and **91% felt supported** in the online meetings ⁴¹. This indicates that digital peer support can replicate much of the therapeutic benefit of in-person groups, while removing geographic and scheduling barriers. SMART's model also inherently covers co-occurring issues; for instance, about one-third of online participants cited a process addiction (like gambling, gaming, or compulsive eating) as a primary concern in addition to or instead of substance use ⁴². The success of SMART's online scaling highlights how *engagement can actually increase* via digital modalities – many who would never attend an in-person meeting find virtual groups more accessible. Other technology-enabled addiction supports include telehealth counseling, text-message craving interventions, and sobriety apps with tracking and community features. Research has found that smartphone-based continuing care can be an effective alternative to traditional aftercare, improving abstinence outcomes for those leaving residential programs ⁴³. Moreover, digital interventions tend to reduce stigma by allowing anonymity and privacy, which can encourage more people to seek help ⁴⁴. Overall, digital solutions for addiction – whether structured programs like BFO and reSET or more open-ended supports like forums and apps – have become **validated tools** in the

recovery toolbox. They offer greater reach, on-demand support, and often comparable efficacy to standard interventions, though maintaining user engagement over time remains an important focus for developers.

Addressing Both ADHD and Addiction: Gaps and Opportunities

Despite the progress in digital health, there is currently **no dedicated intervention that simultaneously addresses ADHD and co-morbid addiction**, representing a critical gap in care. Most existing solutions target either ADHD or addiction in isolation. For example, an individual might use an ADHD planning app to manage daily tasks, and separately use an online recovery program for their substance use – but the two are not integrated. This siloed approach can miss the mark for patients who live with both conditions, since the interplay between ADHD symptoms and addictive behavior is often what drives poor outcomes ⁸ ¹³. Here is where the opportunity lies for **OTOS**, a proposed integrated digital solution. OTOS could fill this gap by merging evidence-based strategies for ADHD *and* SUD into one cohesive platform.

Key features such a platform could employ include:

- **Tailored Content for Neurodiversity:** Educational and therapeutic modules designed in an ADHD-friendly way (e.g. concise, visually engaging, interactive). Psychoeducation could cover managing ADHD (organization skills, impulse control, emotional regulation) *alongside* modules on addiction triggers, refusal skills, and relapse prevention. Short, gamified exercises and frequent feedback would accommodate shorter attention spans and reward-seeking tendencies, helping sustain engagement where traditional interventions lose ADHD participants ¹³.
- **Integrated Coaching and CBT:** A blended approach might combine cognitive-behavioral techniques effective in addiction treatment with adaptations for ADHD. For instance, OTOS could teach cognitive restructuring to handle cravings, while also teaching ADHD coping strategies like “**stop and think**” methods to curb impulsive decisions about substance use. Therapists or coaches (accessible via chat or video) could help users develop routines that simultaneously support sobriety and ADHD symptom management – for example, establishing daily schedules that incorporate medication adherence, healthy activities for stimulation, and triggers to avoid. This mirrors the guideline of treating both conditions at once ¹⁹, delivering truly concurrent care.
- **Peer Support and Community:** OTOS might host moderated peer forums or support groups specifically for individuals with ADHD and addiction. This creates a safe community of people who understand both sets of challenges. Such groups could improve motivation and reduce isolation, similar to SMART Recovery, but with the added relatability of shared neurodivergent experiences. The platform can leverage the success of online mutual aid (high perceived support and participation rates) and tailor it for this subgroup ⁴¹.
- **Executive Function Aids:** Because ADHD often impairs organization and follow-through, OTOS could incorporate digital scaffolding to improve adherence. Features might include customizable reminders (for taking medications, attending meetings, or completing therapy exercises) and tools like digital planners or habit trackers. By synchronizing these with recovery goals, the app helps users “offload” some demands on memory and planning. For example, push notifications could remind a user to practice a coping skill when data suggests they’re at high risk (e.g. based on time of day or self-reported stress). This kind of just-in-time support can keep individuals on track in both managing ADHD and avoiding relapse.

- **Gamification and Contingency Management:** To leverage the reward sensitivity in ADHD, OTOS might build in a system of incentives for healthy behavior. Much like digital contingency management for SUD provides tangible rewards for negative drug tests ³⁸, OTOS could reward users for completing a week of sobriety check-ins or for using a new ADHD skill in a challenging situation. Badges, points, or even small monetary vouchers could tap into the dopamine-driven learning pathways that are underactive in ADHD, thereby reinforcing positive habits. Gamified progress charts and immediate positive feedback for each accomplishment would align with the need for stimulation and novelty, potentially improving long-term engagement.

By combining these elements, an integrated platform like OTOS would address the *bi-directional nature* of ADHD and addiction. It could, for instance, help a user recognize that procrastination and disorganization (ADHD traits) are triggering stress that fuels substance use, then provide concrete strategies to manage time and stress without resorting to substances. Conversely, it could assist someone in early recovery to develop focus and self-monitoring skills that mitigate their ADHD symptoms, reducing the risk of relapse due to impulsive decisions or poor planning. **Such a holistic approach is scarcely available in current services** – a fact increasingly noted by clinicians and patients alike ¹³ ¹⁹. OTOS's digital nature means it can be accessed on-demand, privately, and repeatedly, which is ideal for chronic conditions. It would not replace professional care but rather augment it, serving as a continuous layer of support between therapy sessions or medical appointments. This is especially important given the waiting times and capacity issues in UK ADHD services ⁴⁵; a digital solution can support individuals while they await formal treatment, potentially preventing escalation of substance use during that period. In summary, OTOS has the opportunity to become a **first-of-its-kind program** that tackles the intertwined challenges of ADHD and addiction simultaneously. By filling this niche, it could significantly improve engagement and outcomes for a population that often “falls through the cracks” of conventional care.

NHS Commissioning Priorities: Engagement, Relapse Prevention, and Cost-Effectiveness

For a novel digital intervention like OTOS to be adopted within the NHS, it must demonstrate value in terms of measurable outcomes that commissioners care about. Three key metrics are typically emphasized: **patient engagement, relapse reduction, and cost savings** (or cost-effectiveness).

- **Engagement and Adherence:** Health commissioners will look for evidence that patients actually use and benefit from the digital platform (rather than downloading it once and abandoning it). High engagement is especially crucial for ADHD patients, who may struggle with consistency. Successful precedents exist – for instance, the online SMART Recovery groups maintained strong attendance, with an average of 14 people per meeting and many participants attending regularly over 16+ sessions ⁴⁰. Moreover, 93% of those users reported feeling welcome and supported, indicating that the platform meaningfully held their engagement ⁴¹. OTOS can benchmark against such engagement metrics by tracking active usage, module completion rates, and user satisfaction. Features like gamification and tailored reminders (discussed above) are not just clinically useful but are also *engagement strategies*. By keeping users interested and positively reinforced, OTOS could achieve lower dropout rates than standard therapy – a major selling point given that **treatment attrition is a known problem in both ADHD and SUD care** ¹³. Commissioners will value data such as: percentage of users who stick with the program for a given duration, average number of logins or sessions per week, and user-reported utility. High engagement translates to better clinical impact and a more efficient use of resources, so it will be a cornerstone outcome to demonstrate.

- **Relapse Prevention and Symptom Improvement:** Ultimately, the goal of any co-morbidity intervention is improved health outcomes – in this case, sustained abstinence (or reduction in substance use to safe levels) alongside improved ADHD symptom control. NHS decision-makers will expect robust outcome data. This could include reductions in days of substance use, longer time to relapse, and fewer relapse events for those using OTOS compared to treatment-as-usual. Digital interventions in SUD have shown encouraging results here: for example, app-based continuing care has led to **higher abstinence rates** than standard follow-up in some studies ⁴³, and digital therapeutics like reSET boosted 12-week abstinence outcomes when added to outpatient care ³⁶. On the ADHD side, OTOS might demonstrate improvements in self-rated ADHD symptoms or functioning – perhaps users report better concentration, less impulsive behavior, or improved daily organization after engaging with the program. These are measurable via standardized scales and could be tracked within the app. Another critical outcome is **treatment retention**: keeping patients in recovery programs longer generally yields better results. If OTOS can improve retention by providing continuous support (for instance, helping users stay connected during vulnerable periods when they might otherwise drop out), that will likely correlate with lower relapse rates. Qualitative outcomes valued by NHS mental health commissioners, such as improved quality of life and patient empowerment, could also be highlighted through testimonials or surveys. Importantly, any claims of effectiveness should be backed by evaluation – e.g. a pilot study or RCT showing that OTOS users had significantly **fewer relapses and better attention scores** than a control group. Demonstrating such dual-outcome efficacy would make a strong case for commissioning.

- **Cost Reduction and System Efficiency:** NHS commissioners are acutely interested in interventions that can reduce overall healthcare costs or at least deliver more value per pound spent. Digital health tools often promise scalability – serving many patients at relatively low marginal cost – and thus can be cost-effective **if** they achieve positive outcomes. Evidence to date suggests that digital mental health interventions can indeed be cost-saving under certain conditions. Economic analyses have found that these tools are likely **good value for money compared to doing nothing or minimal interventions** ⁴⁶ ⁴⁷. They incur lower overhead (no physical infrastructure for delivery, and they can automate some tasks), and they can prevent costly events by intervening early. For example, one early economic model of a digital mental health platform for youth estimated a net savings of around £200+ per person per year for the NHS ⁴⁸. Another report from the NHS Confederation noted that digital solutions can **reach more individuals simultaneously at lower cost**, helping to close the gap between demand and supply ⁴⁹ ⁵⁰. In the context of ADHD and addiction, potential cost benefits of OTOS include: a) reducing the need for intensive one-on-one therapies by supplementing them with self-management (thus freeing up clinician time), b) averting expensive outcomes of relapse (hospital admissions, emergency care, criminal justice costs) by improving relapse prevention, and c) shortening waits and travel for patients (which has indirect cost savings and improves service throughput). Additionally, by **supporting people on waiting lists** or between appointments, OTOS could mitigate deterioration that would require more resource-intensive intervention later ⁵¹ ⁵². Commissioners will expect an analysis of these factors – possibly a health economic evaluation demonstrating cost-effectiveness. If OTOS can show that each pound spent on the program yields greater benefits (in QALYs or reduced service utilization) than standard care, it will align well with NHS priorities of efficiency. Even simpler, showing that OTOS can *reduce staff workload* by automating certain follow-ups or education could be a compelling selling point amid workforce shortages. It's also worth noting that digital interventions can help achieve **equity and access goals** (reaching underserved or remote populations) ⁵³ ⁴⁹, which while not a direct cost metric, is highly valued by NHS planners and often tied to long-term cost savings through prevention.

Benchmarking Against Existing Programs

To position OTOS in the landscape, it's useful to compare its proposed approach to existing programs addressing either ADHD or addiction (or parts of both):

- **ADHD 360:** ADHD 360 is a leading UK clinic model that provides comprehensive ADHD diagnosis and treatment, including medication titration over 12 months and adjunct coaching or counseling ⁵⁴ ⁵⁵. It exemplifies high-quality, *personalized care for ADHD*. Patients go through online screening and video assessments, receive a tailored treatment plan (often involving stimulant meds) and have access to follow-up support like coaching and peer groups ²⁶ ²⁷. However, ADHD 360 and similar services primarily focus on ADHD in isolation – they do not specialize in treating addictions. If a patient has a co-occurring SUD, the clinic would likely refer out to addiction services. Thus, from a benchmarking perspective, ADHD 360 offers gold-standard ADHD management (with strong engagement through its year-long care model), but there's a **gap in integration**: an OTOS platform could complement such services by handling the addiction side via digital means. In fact, ADHD 360's approach of multi-modal support (medical + coaching + tools) suggests that a similar multi-modal digital program could be effective. OTOS could collaborate with or mirror aspects of ADHD 360 (e.g. providing psychoeducation, coaching tips, progress tracking) *while adding* the missing SUD component. In doing so, OTOS would present itself not as a competitor to clinics but as a valuable extension specifically for those with dual diagnoses, potentially improving overall outcomes beyond what ADHD 360 alone could achieve for those patients.
- **NHS Digital Wellbeing Apps:** The NHS has developed and endorsed a range of mental health apps and online resources (accessible through the NHS Apps Library and other initiatives) to promote self-care and wellbeing. These include tools for anxiety, depression, sleep, and habit tracking. While there isn't an official NHS app solely for adult ADHD treatment, there are resources like **trust-specific recommendations** (for example, some NHS trusts suggest productivity apps or digital planners to help adults with ADHD manage routines ⁵⁶). For addiction, the NHS has backed digital programs like *Breaking Free Online* for substance misuse and various alcohol reduction apps. The "Digital Wellbeing" approach emphasizes accessibility and evidence – any app on the NHS library undergoes clinical safety and data security evaluations. Benchmarking OTOS here means ensuring it meets similar standards of quality and interoperability. Notably, **no existing NHS-approved app targets the intersection of ADHD and addiction**, so OTOS would be pioneering in that regard. It can learn from general wellbeing apps the importance of a user-friendly interface and the need to demonstrate outcomes. OTOS could aim to secure a spot in the NHS Apps Library by aligning with NHS frameworks (e.g. NICE evidence standards for digital health). When comparing features, many wellbeing apps focus on one issue (like a mood journal for depression or a craving tracker for alcohol). OTOS's differentiation is the *combined focus* and richer feature set addressing two intertwined issues. The closest analog might be integrated programs for co-occurring disorders (for example, some digital therapies address depression+smoking cessation together ⁵⁷), but those are still emerging. Thus, OTOS's benchmark is partly a **composite**: it should deliver the strong engagement of top mental health apps, the clinical rigor of NHS-backed digital therapies, and the dual-scope content which currently has no direct peer.
- **SMART Recovery Online:** This program provides a successful model of **scalable peer support** in the addiction space. SMART's online platform offers daily meeting access, a moderated forum, and a library of tools based on cognitive-behavioral and motivational techniques. The peer-led nature means it's cost-effective and can rapidly expand (as seen during COVID), but it is not a structured "therapy" per se – it's a mutual help framework. SMART does implicitly cater to

behavioral addictions and co-occurring issues by its open-ended problem focus (participants set personal goals which could be quitting substances or controlling gambling, etc.) ⁵⁸ ⁴² . However, it does *not* specifically tailor its approach to neurodiverse individuals like those with ADHD. For instance, meetings move at a set pace and the onus is on the individual to apply the tools; someone with severe inattention might still struggle in that format. OTOS can be viewed as more **directive and individualized** in comparison. Where SMART relies on group support, OTOS would offer a mix of peer support plus self-guided exercises and possibly professional input – a more hybrid model. In benchmarking, one might say SMART provides excellent community and accessibility (traits OTOS should emulate by fostering a vibrant user community), whereas OTOS can surpass SMART in personalization (delivering specific ADHD-targeted strategies that a general SMART meeting might not cover). Also, OTOS would collect data on each user's progress, which SMART doesn't systematically do outside of research contexts. One area to learn from SMART is its success in *engagement*: the fact that people continued attending online meetings in high numbers and reported positive experiences indicates the power of social connection in recovery ⁴¹ . OTOS should integrate social elements (like forums, group challenges, or coach interactions) to avoid feeling like a static app. Another benchmark program in peer support is **Alcoholics Anonymous (AA) online**; while philosophically different from SMART, AA's digital communities also thrived during the pandemic. The takeaway for OTOS is that **online support can indeed keep people connected and committed**, even for issues as challenging as addiction – this bodes well if similar engagement methods are used for the ADHD+addiction community.

In summary, OTOS stands to position itself at the intersection of these benchmarks: like *ADHD 360*, it aims to provide comprehensive ADHD care, but through a digital medium; like *NHS wellbeing apps*, it must be evidence-based, safe, and easy to use, covering both wellness and clinical needs; and like *Smart Recovery Online*, it should leverage peer support and accessibility to maximize user engagement. By learning from each and adding its unique integration of ADHD and addiction content, OTOS can present a compelling, innovative offering to NHS commissioners and service users alike. **No existing program fully addresses the concurrent management of ADHD and SUD**, especially via digital channels – OTOS would essentially create a new benchmark in this space. It promises to improve patient engagement (through tailored, interactive design), enhance relapse prevention (by treating root ADHD-related triggers), and reduce costs (by extending care beyond clinic walls at scale). These are precisely the outcomes valued in modern NHS service development ⁵¹ ⁵⁰ , making OTOS a timely solution poised to fill a critical gap in the 2020–2025 landscape and beyond.

Sources: Recent peer-reviewed studies and meta-analyses; NHS and government reports; grey literature from expert organizations and digital health platforms (2020–2025). Sources are cited inline, and include academic reviews of digital ADHD interventions ²⁰ , clinical research on ADHD–SUD populations ⁸ ¹ , and outcome data from existing digital programs like Breaking Free Online ³³ and SMART Recovery ⁴¹ , among others. These provide the evidentiary backbone for the analysis and recommendations above.

¹ ² ³ ⁵ ⁷ ¹³ ¹⁹ ⁴⁵ ADHD triples risk of substance abuse - but it doesn't have to
<https://rehabsub.com/blog/adhd-triples-risk-of-substance-abuse-but-it-doesn-t-have-to/>

⁴ Frontiers | Prevalence, correlates, and comorbidities of internet gaming disorder and problematic game use: national mental health survey of Korea 2021
<https://www.frontiersin.org/journals/psychiatry/articles/10.3389/fpsy.2024.1442224/full>

- 6 8 9 10 11 14 15 16 17 18 **Challenges of Treating ADHD with Comorbid Substance Use Disorder: Considerations for the Clinician**
<https://www.mdpi.com/2077-0383/12/9/3096>
- 12 **On the relationship between internet addiction and ADHD symptoms ...**
<https://pmc.ncbi.nlm.nih.gov/articles/PMC12135584/>
- 20 21 22 29 30 31 32 **Evaluating the evidence: a systematic review of reviews of the effectiveness and safety of digital interventions for ADHD | BMC Psychiatry | Full Text**
<https://bmcpsy psychiatry.biomedcentral.com/articles/10.1186/s12888-025-06825-0>
- 23 24 25 **EndeavorRx® - Digital Therapeutics Alliance**
<https://dtxalliance.org/products/endeavor/>
- 26 27 54 55 **Your Private ADHD Diagnosis And Treatment Clinic | ADHD360**
<https://www.adhd-360.com/>
- 28 **Study Explores Telehealth ADHD Prescription, Substance Use ...**
<https://www.uspharmacist.com/article/study-explores-telehealth-adhd-prescription-substance-use-disorder>
- 33 34 35 **Examining outcomes for service users accessing the Breaking Free Online computer-assisted therapy program for substance use disorders via a 'telehealth' approach: protocol for a two arm, parallel group randomized controlled trial - PubMed**
<https://pubmed.ncbi.nlm.nih.gov/37269012/>
- 36 37 **FDA Clears First Prescription-Based 'Digital Therapeutic'**
<https://psychiatryonline.org/doi/10.1176/appi.pn.2017.pp10a3>
- 38 **Digital Contingency Management for Substance Use Disorder ...**
<https://mental.jmir.org/2025/1/e73617>
- 39 **[PDF] Digital Contingency Management for Substance Use Disorder ...**
<https://mental.jmir.org/2025/1/e73617/PDF>
- 40 41 42 58 **Scaling up SMART Recovery online meetings during COVID-19 – Recovery Research Institute**
<https://www.recoveryanswers.org/research-post/scaling-up-smart-recovery-online-meetings-covid-19/>
- 43 **Effectiveness of smartphone interventions as continuing care for ...**
<https://www.sciencedirect.com/science/article/pii/S0001691823000744>
- 44 **(PDF) Digital interventions for substance use disorders in young ...**
https://www.researchgate.net/publication/368606058_Digital_interventions_for_substance_use_disorders_in_young_people_rapid_review
- 46 47 **Digital interventions in mental health: evidence syntheses and economic modelling - PMC**
<https://pmc.ncbi.nlm.nih.gov/articles/PMC8958412/>
- 48 **An early economic evaluation of Kooth, a web-based mental health ...**
<https://www.sciencedirect.com/science/article/pii/S2214782924000411>
- 49 50 51 52 53 **Maximising the potential of digital in mental health | NHS Confederation**
<https://www.nhsconfed.org/publications/maximising-potential-digital-mental-health>
- 56 **10 apps to help manage ADHD | ADHD Specialists UK**
<https://athealth.uk/library/10-adhd-apps>
- 57 **Digital Integrated Interventions for Comorbid Depression and ...**
<https://mental.jmir.org/2025/1/e67670>