

CONFIDENTIAL · INTERNAL

Accounts & Credentials Reference

JHB Curtain Cleaning — Digital Infrastructure

Version 1.0 · June 2026

Classification: CONFIDENTIAL — Store Securely

Prepared by: Z.ai Development Team

Table of Contents

1. Executive Summary.....	1
2. Domain Registration — domains.co.za.....	2
2.1 Registration Details.....	2
2.2 Nameservers.....	2
2.3 DNS Records (Current Configuration).....	2
2.4 Login Access.....	3
3. GitHub Repository.....	3
3.1 Repository Details.....	4
3.2 Personal Access Tokens (PAT).....	4
3.3 Login Access.....	4
3.4 Repository Structure.....	5
4. Vercel Deployment.....	6
4.1 Project Details.....	6
4.2 Deployment URLs.....	6
4.3 Vercel Access Token.....	6
4.4 Login Access.....	7
4.5 SSL Certificate.....	8
4.6 Security Headers Applied.....	8
5. Email Infrastructure.....	9
5.1 Email Provider Details.....	9
5.2 Email Protocols.....	10
5.3 Email Authentication.....	10
5.4 Login Access.....	10
6. AI Services Integration.....	11
6.1 SDK Configuration.....	11
6.2 Available AI Skills (via z-ai-web-dev-sdk).....	11

6.3 Chatbot Configuration.....	13
7. Social Media Accounts.....	13
7.1 Platform Matrix.....	14
8. Business NAP (Reference).....	14
8.1 Canonical NAP.....	14
9. Security Best Practices.....	15
10. Emergency Contacts & Recovery.....	15
10.1 Recovery Scenarios.....	16
10.2 Support Contacts.....	16
11. Document Revision History.....	16

Note: This Table of Contents is generated via field codes. To ensure page-number accuracy after editing, right-click the TOC and select "Update Field."

1. Executive Summary

This document is the single source of truth for all digital accounts, credentials, and access points supporting the JHB Curtain Cleaning website project. It consolidates domain registration, source-code repository, deployment platform, AI services, social media presence, and email infrastructure into one auditable reference. Every URL, identifier, and partial token recorded here corresponds to a live, production system and must be treated as confidential business information.

The document is organised by infrastructure layer: domain name system (Section 2), source code (Section 3), hosting and deployment (Section 4), email (Section 5), AI integration (Section 6), social channels (Section 7), canonical business NAP (Section 8), security best practices (Section 9), and emergency recovery procedures (Section 10). A revision-history table closes the document so future updates can be tracked.



CRITICAL SECURITY WARNING

This document contains sensitive credentials, including GitHub Personal Access Tokens (PAT) and a Vercel deployment token. Although only partial token values are printed (sufficient for identification, not for authentication), the document itself is highly sensitive.

Store this document securely — encrypted at rest, access limited to authorised personnel only. Never share credentials via email, chat, or unencrypted channels. If any credential is suspected to be compromised, rotate it immediately and update this document.

2. Domain Registration — domains.co.za

The `jhbcurtaincleaning.co.za` domain is the public-facing address of the website and the email namespace for the business. It is registered with Domains.co.za and currently points to Vercel for web hosting and to the Domains.co.za mail platform for email. The configuration below was captured in June 2026 and reflects the live DNS state.

2.1 Registration Details

Field	Value
Registrar	Domains.co.za
Registrar URL	https://domains.co.za

Field	Value
Domain Name	jhbcurtaincleaning.co.za
Registration Date	2026-06-16
Expiry Date	~2027-06-16 (12.43 months from June 2026)
Auto-Renew	Enabled
Lock Status	Unlocked
DNSSEC	Disabled
Domain Status	Active

2.2 Nameservers

Server	Value
NS1	ns1.tld-ns.net
NS2	ns2.tld-ns.com
NS3	ns3.tld-ns.net
NS4	ns4.tld-ns.com

2.3 DNS Records (Current Configuration)

Host	Type	Value	Purpose
jhbcurtaincleaning.co.za	A	76.76.21.21	Website (Vercel)
www.jhbcurtaincleaning.co.za	CNAME	cname.vercel-dns.com	WWW redirect (Vercel)
mail.jhbcurtaincleaning.co.za	A	169.239.218.74	Email server
jhbcurtaincleaning.co.za	MX	mx1.tld-mx.com (priority 10)	Email routing

Host	Type	Value	Purpose
jhbcurtaincleaning.co.za	TXT	v=spf1 +a:mail.jhbcurtaincleaning.co.za +mx include:_spf.tld-mx.com ~all	SPF (email auth)
default._domainkey.jhbcurtaincleaning.co.za	TXT	v=DKIM1; k=rsa; p=MIIBIjANBgkqhkiG...	DKIM (email signing)
_dmarc.jhbcurtaincleaning.co.za	TXT	v=DMARC1; p=none;	DMARC (email policy)
cpcalendars, cpcontacts, imap, pop, smtp, webmail	CNAME	mail.jhbcurtaincleaning.co.za	Email subdomains

2.4 Login Access

- Login URL: <https://domains.co.za/clientarea.php>
- Username: 【USER TO FILL IN】
- Password: 【USER TO FILL IN — store in password manager】

3. GitHub Repository

Source code for the JHB Curtain Cleaning website lives in a public GitHub repository under the otsmarketing01-debug account. Every push to the main branch automatically triggers a production deployment on Vercel (see Section 4), so repository access equates to deployment access. Treat write access to this repository as equivalent to write access to the live website.

3.1 Repository Details

Field	Value
Platform	GitHub
Repository URL	https://github.com/otsmarketing01-debug/jhb
Owner	otsmarketing01-debug
Repository Name	jhb

Field	Value
Visibility	Public
Default Branch	main
Auto-Deploy	Enabled (triggers Vercel on push)
Repo ID	1287130539

3.2 Personal Access Tokens (PAT)

SECURITY WARNING

These tokens grant full access to the GitHub account. Treat them like passwords. Store only in a password manager; never paste into chat, screenshots, or commit messages.

Rotate every 90 days. Revoke immediately if suspected of being exposed.

Token Owner	Scope	Token (Partial)	Purpose
otsmarketing01-debug	repo (classic)	ghp_odgBmrWvYRaLE. ..	Project push / deploy
luxrugcare-cmyk	repo (classic)	ghp_O1L74I69SLMYB3 ...	Secondary access

3.3 Login Access

- Login URL: <https://github.com/login>
- Username: otsmarketing01-debug
- Password: 【USER TO FILL IN — store in password manager】
- 2FA: 【USER TO CONFIRM — recommended enabled】

3.4 Repository Structure

- Main codebase: Next.js 16 + TypeScript 5 + Tailwind CSS 4
- 19 routes (1 homepage + 6 services + 6 sectors + 6 areas)
- 3 API endpoints (chat, contact, newsletter)

- Auto-deploys to Vercel on every push to main

4. Vercel Deployment

The website is hosted on Vercel under the otsmarketing01-2742's projects team. Vercel auto-detects the Next.js framework, builds on every git push to main, and serves the production build from its global edge network. Both the apex domain (jhbcurtaincleaning.co.za) and the www subdomain are attached to this Vercel project, with the apex serving production traffic and www issuing a 308 redirect to the apex.

4.1 Project Details

Field	Value
Platform	Vercel
Dashboard URL	https://vercel.com/otsmarketing01-2742s-projects
Project Name	jhb-curtain-cleaning
Project ID	prj_E0lZ4Z1q9ev1fCgtMJfErqktPRGB
Framework	Next.js 16 (auto-detected)
Plan	Hobby (Free)
Region	iad1 (Washington DC)
Auto-Deploy	Enabled (on git push to main)
Production URL	https://jhbcurtaincleaning.co.za
Vercel Subdomain	https://jhb-curtain-cleaning.vercel.app

4.2 Deployment URLs

URL	Type
https://jhbcurtaincleaning.co.za	Production (custom domain)
https://www.jhbcurtaincleaning.co.za	Redirects to production (308)
https://jhb-curtain-cleaning.vercel.app	Vercel subdomain (backup)

URL	Type
https://jhb-curtain-cleaning-otsmarketing01-2742s-projects.vercel.app	Project URL
https://jhb-curtain-cleaning-git-main-otsmarketing01-2742s-projects.vercel.app	Branch URL

4.3 Vercel Access Token

SECURITY WARNING

This token grants full account access. Revoke immediately if compromised.

Rotate every 90 days via the Vercel dashboard and update this document with the new partial value.

Field	Value
Token Name	deploy-token
Token (Partial)	vcp_5MVSAcO4tNv5quC0...
Scope	Full Account
Created	June 2026
Management URL	https://vercel.com/account/tokens

4.4 Login Access

- Login URL: <https://vercel.com/login>
- Login Method: Continue with GitHub
- GitHub Account: otsmarketing01-debug
- Team Name: otsmarketing01-2742's projects

4.5 SSL Certificate

- Provider: Let's Encrypt (via Vercel)
- Auto-renewal: Enabled (free, automatic)

- Current cert valid: 3 July 2026 → 1 October 2026

4.6 Security Headers Applied

- strict-transport-security: max-age=31536000; includeSubDomains; preload
- x-frame-options: DENY
- x-content-type-options: nosniff
- referrer-policy: origin-when-cross-origin
- x-dns-prefetch-control: on
- permissions-policy: camera=(), microphone=(), geolocation=()

5. Email Infrastructure

Email for [jhbcurtaincleaning.co.za](mailto:info@jhbcurtaincleaning.co.za) is hosted on the Domains.co.za mail platform (tld-mx.com). The primary mailbox is info@jhbcurtaincleaning.co.za, accessible via webmail or via IMAP/POP3/SMTP using the mail.jhbcurtaincleaning.co.za host. SPF, DKIM, and DMARC records are all active, providing email authentication that protects both deliverability and brand reputation.

5.1 Email Provider Details

Field	Value
Email Provider	Domains.co.za (tld-mx.com)
Primary Email	info@jhbcurtaincleaning.co.za
Mail Server	mail.jhbcurtaincleaning.co.za (169.239.218.74)
MX Record	mx1.tld-mx.com (priority 10)
Webmail URL	https://webmail.jhbcurtaincleaning.co.za

5.2 Email Protocols

Protocol	Host	Port
IMAP	imap.jhbcurtaincleaning.co.za	993 (SSL)
POP3	pop.jhbcurtaincleaning.co.za	995 (SSL)

Protocol	Host	Port
SMTP	smtp.jhbcurtaincleaning.co.za	465 (SSL)
Webmail	webmail.jhbcurtaincleaning.co.za	443 (HTTPS)

5.3 Email Authentication

Method	Status	Record
SPF	✓ Active	v=spf1 +a:mail.jhbcurtaincleaning.co.za +mx include:_spf.tld-mx.com ~all
DKIM	✓ Active	default._domainkey (RSA 2048-bit)
DMARC	✓ Active (monitoring)	v=DMARC1; p=none;

5.4 Login Access

- Webmail: <https://webmail.jhbcurtaincleaning.co.za>
- Email: info@jhbcurlaincleaning.co.za
- Password: 【USER TO FILL IN — store in password manager】

6. AI Services Integration

The website integrates the z-ai-web-dev-sdk (version 0.0.18) to power the floating AI chatbot in the bottom-right corner. The chatbot runs entirely server-side via Next.js API routes — the API key never ships to the browser. The system prompt is pre-loaded with the business name, services, pricing tiers, hours, and contact information so the chatbot can answer most customer questions without human intervention.

6.1 SDK Configuration

Field	Value
AI SDK	z-ai-web-dev-sdk
Version	0.0.18
Used In	/api/chat (AI Chatbot)
Environment	Server-side only (Next.js API routes)
API Key	Configured in environment variables
Features Used	LLM Chat Completions

6.2 Available AI Skills (via z-ai-web-dev-sdk)

- LLM (Chat completions) —  Active in chatbot
- VLM (Vision / Image understanding) — Available
- TTS (Text-to-Speech) — Available
- ASR (Speech-to-Text) — Available
- Image Generation — Available
- Video Generation — Available
- Web Search — Available
- Web Reading — Available

6.3 Chatbot Configuration

- Location: Floating button (bottom-right corner)
- API Endpoint: /api/chat
- System Prompt: Includes business name, services, pricing, hours, contact info
- Fallback: Displays phone number on error

7. Social Media Accounts

The website footer is wired to seven social-media platforms. Where accounts already exist, the URLs below point to live profiles. Where accounts have not yet been claimed, the URLs represent the canonical handles to register so that the footer links resolve correctly once the accounts go live.

7.1 Platform Matrix

Platform	URL	Handle
Facebook	https://facebook.com/jhbcurtaincleaning	@jhbcurlaincleaning
Instagram	https://instagram.com/jhbcurtaincleaning	@jhbcurlaincleaning
YouTube	https://youtube.com/@jhbcurlaincleaning	@jhbcurlaincleaning
LinkedIn	https://linkedin.com/company/jhbcurtaincleaning	jhbcurlaincleaning
TikTok	https://tiktok.com/@jhbcurlaincleaning	@jhbcurlaincleaning
Pinterest	https://pinterest.com/jhbcurtaincleaning	jhbcurlaincleaning
Twitter / X	https://twitter.com/jhbcurtaincleaning	@jhbcurlaincleaning

Note: These URLs are configured in the website footer. Accounts may need to be created or claimed if not yet active.

8. Business NAP (Reference)

The canonical Name-Address-Phone (NAP) data for JHB Curtain Cleaning is recorded below. This is the authoritative version that should appear identically on the website, Google Business Profile, social-media profiles, directory listings, and any printed collateral. Consistency of NAP data across the web is a significant local-SEO ranking factor — never vary the formatting.

8.1 Canonical NAP

Field	Value
Business Name	JHB CURTAIN CLEANING
Short Name	JHB Curtain Cleaning
Contact Person	Stephen Dunlop (Managing Director)
Address	10 2nd Ave, Florida, Roodepoort, 1710, South Africa
Phone	+27 75 011 9200
Office Phone	071 622 6723
Email	info@jhbcurtaincleaning.co.za
Website	https://www.jhbcurtaincleaning.co.za
WhatsApp	+27 75 011 9200
Geo Coordinates	-26.1752726, 27.9233293
Hours	Mon–Fri 07:00–18:00, Sat 08:00–14:00
Founded	2009
Google Rating	4.9 (500+ reviews)

9. Security Best Practices

Token Rotation. Rotate the GitHub Personal Access Tokens and the Vercel deploy token every 90 days, even if no compromise is suspected. Never reuse tokens across services — each system should have its own named token with a clearly documented owner. If any token is exposed (committed to git, pasted in chat, leaked in a screenshot), revoke it immediately in the relevant dashboard and issue a replacement. Update this document with the new partial token value the same day.

Password Manager. All credentials in this document — registrar login, GitHub password, Vercel account email, webmail password, and any API keys not displayed here — must live in a password manager such as 1Password, Bitwarden, or LastPass. Never store credentials in plain-text files, email drafts, chat messages, sticky notes, or browser autofill on shared devices. The password manager vault itself must be protected by a strong master password and hardware-backed two-factor authentication.

Two-Factor Authentication. Enable 2FA on every account referenced in this document: GitHub, Vercel, domains.co.za, the info@jhbcurtaincleaning.co.za mailbox, and each social-media platform. Prefer authenticator-app second factors (Google Authenticator, Authy, Microsoft Authenticator) over SMS-based codes — SIM-swap attacks make SMS the weakest option. Generate and securely store backup recovery codes for every account; these are the only way back in if the second-factor device is lost.

Access Control. Limit who has access to this document. The GitHub PAT and Vercel token recorded here grant full account access — treat them like the keys to your business. Distribute this document on a need-to-know basis only, store the master copy in an encrypted location, and maintain a signed access log if more than two people require ongoing access. When a contractor or team member departs, rotate every credential they may have seen.

Backup. Keep a printed copy of this document in a secure physical location — a locked drawer or a fireproof safe — as an offline backup in case digital access is lost. Re-print whenever a credential is rotated so the paper copy stays current. The printed copy should be clearly labelled "Confidential" and stored separately from any device that holds the digital version, so that a single theft cannot compromise both representations.

10. Emergency Contacts & Recovery

When something breaks, the table below maps the most common failure scenarios to the specific recovery procedure. Following the procedure in order — from least invasive (status check) to most invasive (token rotation) — minimises downtime and avoids unnecessary credential churn.

10.1 Recovery Scenarios

Scenario	Action
Website down	Check https://www.vercel-status.com/ → if Vercel is up, check git push status → redeploy from Vercel dashboard
Domain expired	Log into domains.co.za → renew → verify auto-renew is enabled
Email not working	Check MX record at https://dnschecker.org/#MX/jhbcurtaincleaning.co.za → contact domains.co.za support
SSL expired	Vercel auto-renews — check Vercel dashboard → Domains → if issue, redeploy

Scenario	Action
GitHub locked out	Use backup email → contact GitHub support → have 2FA recovery codes ready
Token compromised	GitHub: Settings → Developer settings → Tokens → Revoke → Generate new. Vercel: Account → Tokens → Revoke → Generate new. Update this document.

10.2 Support Contacts

Service	URL	Phone
Domains.co.za	https://domains.co.za/support	0861 DOMAINS (366 426)
GitHub	https://support.github.com	—
Vercel	https://vercel.com/help	—

11. Document Revision History

All material changes to this document — credential rotations, 新增 accounts, configuration changes, or scope expansions — must be recorded in the table below. Each entry should reference the date, the author, and a brief description of what changed and why.

Version	Date	Author	Changes
1.0	June 2026	Z.ai Development Team	Initial document creation. Captured all accounts for JHB Curtain Cleaning website launch.